



HALEY & ALDRICH, INC.
465 Medford Street, Suite 2200
Boston, MA 02129
(617) 886.7400

6 March 2018
File No. 130904-002

U.S. Environmental Protection Agency
Office of Ecosystem Protection
EPA/OEP RGP Coordinator
5 Post Office Square, Suite 100 (OEP06-01)
Boston, Massachusetts 02109-3912

Attention: Ms. Shelley Puleo

Subject: NPDES RGP NOI Application
Temporary Construction Dewatering
1000 Washington Street
Boston, Massachusetts

Dear Ms. Puleo:

On behalf of the project owner, 1000 Washington (Boston) Owner, LLC, c/o Nordblom Company, and in accordance with the National Pollutant Discharge Elimination System (NPDES) Remediation General Permit (RGP) in Massachusetts, MAG910000, this letter submits a Notice of Intent (NOI) and the applicable documentation as required by the U.S. Environmental Protection Agency (EPA) for temporary construction site dewatering under the NPDES RGP. As defined in Table 1 of the NPDES RGP, the Activity Category is III.G (Contaminated Site Dewatering, Sites with Known Contamination) due to the presence of Iron in groundwater above the NPDES RGP Effluent Limitation. Haley & Aldrich, Inc. (Haley & Aldrich) has prepared this submission to facilitate off-site discharge of temporary construction dewatering planned in support of the proposed 1000 Washington Street project located in Boston, Massachusetts. Refer to Figure 1 – Project Locus. We anticipate construction dewatering will be conducted, as necessary, during foundation construction and below-grade excavation.

EXISTING SITE CONDITIONS

The approximately 83,000 square foot (sf) property is bound by Washington Street to the west; William E. Mullins Way to the south; Harrison Avenue to the east; and Herald Street to the north. Site grades vary from about El. 24 in the northeast corner of the site to about El. 15 in the southwest corner of the site.¹

An 11-story office building (1000 Washington Street) currently occupies about 24,000 sf of the southern half of the site, with a 10,000-sf surface paved lot along the eastern side of the building for parking and loading dock access. A network of subsurface utilities, including below-grade stormwater leaching chambers, exist beneath the paved lot. A 1-story lobby building connects the office building to a 3-story

¹ Elevations reported herein are in feet and reference the Boston City Base (BCB) Datum.

above-grade (33,000 sf footprint and one below-grade level) parking garage structure within much of the north half of the site. Refer to Figure 2 – Subsurface Exploration and Discharge Location Plan.

PROPOSED CONSTRUCTION

The proposed project consists of the construction of a vertical expansion above the parking garage (8 additional floors) for office use. The 1-story lobby between the office building and the garage will be demolished, and a new, larger and taller lobby will be constructed to serve both the existing office building and proposed office building/garage.

To the east of the existing office building, within the currently paved surface lot, a 1-story retail building will be constructed, having a footprint of about 2,500 sf and with the ground floor planned to be at about El. 19. Other new work includes upgrades and replacement to the site's subsurface utility infrastructure (including expansion of the existing stormwater storage and groundwater infiltration system), and landscape/hardscape improvements surrounding the site buildings.

No new below-grade space beneath any of the three buildings is planned. However, excavations to construct the proposed foundations and other site improvements are anticipated to extend beneath site groundwater levels, anticipated to be encountered at approximately El. 8 to El. 10. As a result, dewatering will be necessary to control groundwater, seepage, precipitation, surface water runoff and construction-generated water to enable below-grade construction activities in-the-dry.

Construction is anticipated to begin in March 2018. Dewatering is anticipated to start at that time and continue for an estimated seven (7) months or through approximately October 2018.

SITE HISTORY

Historic maps indicate the colonial shoreline crossed through the site in an approximate north-to-south direction; refer to Figure 2 for an approximation of the 1630 colonial shoreline. Much of the eastern half of the site is believed to have been submerged until about 1814, when filling of South Cove (i.e., South Boston Bay) had progressed enough to allow for the extension of Front Street (today's Harrison Avenue) and the making of the subject site's land parcel.

Other historical sources show numerous rowhouse-type and other larger footprint buildings (former cathedral and theatre occupying the northwest quadrant of the site until sometime between 1909 and 1929, and orphanage building in the south half of the site until around 1914 when the existing office building was constructed). The existing garage structure was built in the late 1980s/early 1990s.

ENVIRONMENTAL CONDITIONS AND REGULATORY BACKGROUND

Review of documents pertaining to the environmental history of the site indicated several underground storage tanks (USTs) have existed at the site, including six (6) USTs associated with a former fuel dispensing area in the northwest corner of the site (removed in 1984), and six (6) USTs associated with the former Wolfe building in the northwest quadrant of the site (removed during demolition of the

Wolfe building in the early 1980s). Three (3) of these tanks were associated with hydraulic vehicle lifts, two (2) contained heating oil and the remaining tank contained waste oil.

In 2006, three (3) USTs were also identified in the southeast quadrant of the site. Two (2) of these tanks contained #4 heating oil, and the remaining tank contained diesel fuel. Records indicate these USTs were installed in 1980. The location of these USTs is currently occupied by the below-grade stormwater leaching chambers located east of the existing 1000 Washington Street building shown on Figure 2. Therefore, it is assumed these three USTs were removed some time during the period between 2006 and installation of the stormwater leaching chambers.

On 3 February 1989, the site was reported to the Department of Environmental Quality Engineering (DEQE), now the Massachusetts Department of Environmental Protection (MassDEP), following the discovery of gasoline-contaminated soil in the northwest corner of the site during construction of the existing parking garage structure. A Notice of Responsibility (NOR) was issued on 7 February 1989, and Release Tracking Number (RTN) 3-2782 was subsequently assigned to the site. Following a series of site investigations to further define the extent of impacted soils, GZA concluded the sources of the contamination included the former fuel dispensing area in the northwest corner of the site; the former heating oil tanks in the northwest quadrant of the site; and creosote and asphalt associated with placement of asphalt pavement at the site. Soils determined to be impacted with Volatile Organic Compounds (VOCs) and Petroleum Hydrocarbons were removed from the site; the exact quantity of material removed from the site was not reported. In a 13 October 1995 letter to MassDEP, GZA provided a Licensed Site Professional (LSP) Evaluation Opinion indicating that the equivalent of a Class A-2 Response Action Outcome (RAO) had been achieved at the site, concluding at that time that a condition of No Significant Risk (NSR) exists at the site but background conditions had not been achieved.

Haley & Aldrich conducted a subsurface exploration program at the site for geotechnical and environmental purposes in October and November 2017 in association with the planned subject development. The program consisted of six (6) test borings (designated HA17-01 through HA17-06) drilled to depths ranging from 41 to 123 ft below existing site grades. The designations and approximate locations of the test borings, along with the elevation of the top of each soil unit and bedrock (where encountered) at each location, are indicated on Figure 2.

A total of fourteen (14) composited soil samples were collected of which eleven (11) samples were obtained from the fill soils and three (3) samples were from the underlying Marine Deposits (Clay). The samples were submitted to Alpha Analytical (Alpha) of Westborough, Massachusetts for chemical analyses of constituents identified in MassDEP Policy #COMM-97-001 and those typically required by soil receiving facilities. The analytical data collected from this recent program indicates a reportable condition does not currently exist at the site.

TEMPORARY CONSTRUCTION DEWATERING NOTICE OF INTENT (NOI)

One groundwater sample was obtained from observation well HA17-05(OW) on 7 December 2017. The location of the observation well is shown on Figure 2. The sample was submitted to Alpha for analysis for the following NPDES RGP permit parameters: VOCs, Semivolatile Organic Compounds (SVOCs), total

metals (including antimony, arsenic, cadmium, chromium, copper, iron, lead, mercury, nickel, selenium, silver and zinc), hexavalent chromium, total petroleum hydrocarbons (TPH), Polychlorinated Biphenyls (PCBs), total suspended solids (TSS), total chloride, total cyanide, total phenols, total residual chlorine (TRC), ammonia, hardness, salinity, pH and temperature.

Refer to Table I for a summary of the groundwater analytical data. The results did not indicate any concentrations of constituents above applicable Massachusetts Contingency Plan (MCP) RCGW-2 reportable concentrations. However, the presence of Iron at a concentration above the applicable NPDES RGP Effluent Limitation was detected. As such, any construction dewatering effluent that will be discharged off-site will need to be managed under the NPDES RGP. Alternatively, and when feasible, the project intends to use on-site recharge to manage dewatering effluent

When excavation to construct proposed foundations and other site improvements extend beneath site groundwater levels, dewatering will be necessary to control groundwater, seepage, precipitation, surface water runoff and construction-generated water to enable below-grade construction activities in-the-dry. We estimate effluent discharge rates of a maximum of 50 gallons per minute (gpm).

Temporary construction dewatering will be conducted from sumps located in excavations. Prior to discharge, collected water will be routed through a baffled sedimentation tank and bag filters, at a minimum, to remove suspended solids and undissolved chemical constituents. Total flow will be measured with a flow meter/totalizer. If necessary to meet NPDES RGP Effluent Limitations, supplemental pretreatment may include pH control, oil/water separators and/or other components as required; refer to Figure 3 – Proposed Treatment System Schematic. Discharge of dewatering effluent will be to the local storm drain beneath either Washington Street, William E. Mullins Way or Harrison Avenue after which the effluent will flow beneath Traveler Street and continue to the northeast along Albany Street and beneath I-93 before discharging at outfall CSO 068 to the Fort Point Channel, which ultimately reaches Boston Inner Harbor. The proposed discharge route is shown on Figures 2 and 4A through 4C – Proposed Discharge Route.

OWNER AND OPERATOR INFORMATION

Owner:

1000 Washington (Boston) Owner, LLC
c/o Nordblom Company
71 Third Avenue
Burlington, MA 01803-4470
Attn: Todd Fremont-Smith
Senior Vice President, Development

Operator:

John Moriarty & Associates
3 Church Street, Suite 2
Winchester, MA 01890
Attn: Joshua Snyder
Project Executive

The Owner (1000 Washington (Boston) Owner, LLC, c/o Nordblom Company) has hired John Moriarty & Associates (JMA) as the General Contractor. An earthwork subcontractor (Site Contractor) will be hired by JMA to conduct the site work, including dewatering activities. The Site Contractor will operate the dewatering system. Haley & Aldrich will be on site to monitor the contractors' site and foundation work on behalf of the Owner and will conduct sampling and testing of the dewatering effluent in accordance with the NPDES RGP compliance requirements.

ETHANOL DISCUSSION

Ethanol analysis was not conducted on the groundwater sample collected in December 2017 as site history does not suggest that ethanol was stored at the property, and a petroleum product containing ethanol is not known to have been released at the site. Ethanol has been increasingly used in fuels since 2006 (according to the 2016 NOI Fact Sheet), and according to site history, no known fuel-related storage or handling activities have been conducted on-site since that time.

RECEIVING WATER QUALITY INFORMATION AND DILUTION FACTOR

On 27 October 2017, Haley & Aldrich collected a receiving water sample from the Fort Point Channel, upstream of the discharge location shown on Figure 4C, using a disposable polyethylene bailer. The surface water sample was collected and submitted to Alpha for chemical analysis of pH, ammonia and salinity. The results of the receiving water quality testing are included in Table I.

Measurements of pH and temperature readings collected in the field were used to calculate the site Water Quality Based Effluent Limitations (WQBELs). It is our understanding that since the receiving water is a saltwater body, hardness does not need to be analyzed on either the effluent water or receiving water. Additionally, it is our understanding (based on confirmation from MassDEP) that the dilution factor for a saltwater receiving water is 1.

EFFLUENT CRITERIA DETERMINATION

The EPA-suggested WQBEL Calculation spreadsheet was used to calculate the effluent criteria for the site. Groundwater and receiving water data were input, and the resulting criteria was tabulated in the attached Table I. As is requested by EPA, the Microsoft Excel spreadsheet for the WQBEL calculation will be submitted to the EPA via email, for their review upon submission of this NOI.

NATIONAL MARINE FISHERIES SERVICE (NMFS) ELIGIBILITY

Based on our review of the National Marine Fisheries Service (NMFS) criterion, it is the opinion of Haley & Aldrich that related activities under the NPDES RGP are not likely to adversely affect federally threatened or endangered listed species or critical habitat under the jurisdiction of NMFS and should not result in a take of listed species. According to Appendix I: Endangered Species Act (ESA) Guidance and Eligibility Criteria in the NPDES RGP, and the reference footnoted below², the Atlantic Sturgeon and the Shortnose Sturgeon are the only ESA-listed species under NMFS jurisdiction that may have a critical habitat in Massachusetts Bay.

The Shortnose Sturgeon mainly occupy deep channel sections of large coastal rivers and nearshore marine waters. The outfall to be used for the temporary construction discharge is not situated adjacent to large coastal rivers and is not expected to affect the Shortnose Sturgeon population. The closest river to the outfall is the Charles River, which is approximately one (1) mile from the site. Similarly, the Atlantic Sturgeon is more commonly found in large rivers and brackish waters; adults who live in coastal

² <https://www3.epa.gov/region1/npdes/remediation/RGPNMFSletter.pdf>

waters are typically found in shallow areas with sand and gravel substrates. The outfall proposed for discharge is not located in an area where Atlantic Sturgeon may be found, and the discharge is similarly not expected to affect its population. Furthermore, according to the Charles River Watershed Association (CRWA) and Neponset River Watershed Association (NRWA) references footnoted below³, resident populations of Sturgeon no longer exist in the Charles River.

APPENDICES

The completed "Suggested Format for the Remediation General Permit Notice of Intent (NOI)" form as provided in the NPDES RGP is enclosed in Appendix A. Appendix B provides a copy of the Boston Water and Sewer Commission (BWSC) Dewatering Discharge Permit Application to be submitted separately to the BWSC. Appendices C and D include the Endangered Species Act Documentation and National Register of Historic Places and Massachusetts Historical Commission Documentation, respectively. The groundwater laboratory data reports are provided in Appendix E.

The Site Contractor has not yet submitted their construction dewatering submittal, which will include details of the proposed dewatering system along with Safety Data Sheets (SDSs) and fact sheets for possible chemical additives (if needed to adjust pH or reduce suspended sediments). A Best Management Practices Plan (BMPP), which outlines the proposed discharge operations covered under the RGP, will be available at the site and is not being submitted with this NOI as requested by EPA.

CLOSING

Thank you for considering this NPDES RGP NOI. Please feel free to contact the undersigned should you require additional information or have questions.

Sincerely yours,
HALEY & ALDRICH, INC.



Jonathan M. Thibault
Technical Specialist



Michael J. Atwood, P.E.
Principal Consultant

Attachments:

- Table I – Summary of Water Quality Data
- Figure 1 – Project Locus
- Figure 2 – Subsurface Exploration and Discharge Location Plan
- Figure 3 – Proposed Treatment System Schematic
- Figure 4A – Proposed Discharge Route (Figure 1 of 3)
- Figure 4B – Proposed Discharge Route (Figure 2 of 3)
- Figure 4C – Proposed Discharge Route (Figure 3 of 3)
- Appendix A – Remediation General Permit Notice of Intent (NOI)

³ <http://blog.crwa.org/blog/5-migratory-fish-found-in-the-charles-river-ecosystem>
<https://www.neponset.org/your-watershed/natural-history/aquatic-habitat/aquatic-life/migratory-fish/>

Appendix B – Boston Water and Sewer Commission (BWSC) Dewatering Discharge Permit
Application

Appendix C – Endangered Species Act Documentation

Appendix D – National Register of Historic Places and Massachusetts
Historical Commission Documentation

Appendix E – Laboratory Data Reports

c: 1000 Washington (Boston) Owner, LLC, c/o Nordblom Company, Attn: Todd Fremont-Smith
John Moriarty & Associates, Attn: Joshua Snyder, Andrew Hall
Boston Water and Sewer Commission; Attn: Matthew Tuttle

\\haleyaldrich.com\share\bos_common\130904 - 1000 Washington Street\002\Dewatering\NOI Application\2018-0306-HAI-1000 Washington_NPDES RGP Application-F.docx

TABLE I
SUMMARY OF WATER QUALITY DATA
1000 WASHINGTON STREET
BOSTON, MASSACHUSETTS
FILE NO. 130904-002

LOCATION NAME SAMPLE NAME SAMPLING DATE LAB SAMPLE ID WELL SCREEN INTERVAL (FT, BCB) GROUNDWATER ELEVATION (FT, BCB) ⁴ SAMPLE TYPE	2014 MassDEP MCP RCGW-2 Reportable Concentrations	2017 NPDES RGP Project-Specific Effluent Limitations	Units	HA17-05 HA17-05_120717 12/7/2017 L1745151-01 2 to 12 8.05 Groundwater	FORT POINT CHANNEL HA17-BUSS 10/23/2017 L1738447-01 - - Receiving Water
Volatile Organic Compounds by GC/MS					
Methylene chloride	2000	4.6	ug/L	ND(3)	-
1,1-Dichloroethane	2000	70	ug/L	ND(0.75)	-
Carbon tetrachloride	2	4.4	ug/L	ND(0.5)	-
1,1,2-Trichloroethane	900	5	ug/L	ND(0.75)	-
Tetrachloroethene	50	5	ug/L	ND(0.5)	-
1,2-Dichloroethane	5	5	ug/L	ND(0.5)	-
1,1,1-Trichloroethane	4000	200	ug/L	ND(0.5)	-
Benzene	1000	5	ug/L	ND(0.5)	-
Toluene	40000	NA	ug/L	ND(0.75)	-
Ethylbenzene	5000	NA	ug/L	ND(0.5)	-
p/m-Xylene	3000	NA	ug/L	ND(1)	-
o-Xylene	3000	NA	ug/L	ND(1)	-
Total BTEX	NA	100	ug/L	ND	-
Vinyl chloride	2	2	ug/L	ND(1)	-
1,1-Dichloroethene	80	3.2	ug/L	ND(0.5)	-
Trichloroethene	5	5	ug/L	ND(0.5)	-
1,2-Dichlorobenzene	2000	600	ug/L	ND(2.5)	-
1,3-Dichlorobenzene	6000	320	ug/L	ND(2.5)	-
1,4-Dichlorobenzene	60	5	ug/L	ND(2.5)	-
Total Dichlorobenzene	NA	NA	ug/L	ND	-
Methyl tert butyl ether	5000	70	ug/L	ND(1)	-
cis-1,2-Dichloroethene	20	70	ug/L	ND(0.5)	-
Acetone	50000	7970	ug/L	ND(5)	-
1,2-Dibromoethane	2	0.05	ug/L	ND(2)	-
Tert-Butyl Alcohol	NA	120	ug/L	ND(10)	-
Tertiary-Amyl Methyl Ether	NA	90	ug/L	ND(2)	-
Total VOCs by GC/MS	NA	NA	ug/L	ND	-
Volatile Organic Compounds by GC/MS-SIM					
1,4-Dioxane	6000	200	ug/L	ND(3)	-
Microextractables by GC					
1,2-Dibromoethane	2	0.05	ug/L	ND(0.01)	-
Semivolatile Organic Compounds by GC/MS					
Bis(2-ethylhexyl)phthalate	50000	101	ug/L	ND(3)	-
Butyl benzyl phthalate	10000	NA	ug/L	ND(5)	-
Di-n-butylphthalate	5000	NA	ug/L	ND(5)	-
Di-n-octylphthalate	100000	NA	ug/L	ND(5)	-
Diethyl phthalate	9000	NA	ug/L	ND(5)	-
Dimethyl phthalate	50000	NA	ug/L	ND(5)	-
Total Phthalates	NA	190	ug/L	ND	-
Phenol	2000	1080	ug/L	ND(5)	-
Total SVOCs by GC/MS	NA	NA	ug/L	ND	-
Semivolatile Organic Compounds by GC/MS-SIM					
Benzo(a)anthracene	1000	1	ug/L	ND(0.1)	-
Benzo(a)pyrene	500	1	ug/L	ND(0.1)	-
Benzo(b)fluoranthene	400	1	ug/L	ND(0.1)	-
Benzo(k)fluoranthene	100	1	ug/L	ND(0.1)	-
Chrysene	70	1	ug/L	ND(0.1)	-
Dibenzo(a,h)anthracene	40	1	ug/L	ND(0.1)	-
Indeno(1,2,3-cd)pyrene	100	1	ug/L	ND(0.1)	-
Total Group I Polycyclic Aromatic Hydrocarbons	NA	1	ug/L	ND	-
Acenaphthene	10000	NA	ug/L	ND(0.1)	-
Acenaphthylene	40	NA	ug/L	ND(0.1)	-
Anthracene	30	NA	ug/L	ND(0.1)	-
Benzo(ghi)perylene	20	NA	ug/L	ND(0.1)	-
Fluoranthene	200	NA	ug/L	ND(0.1)	-
Fluorene	40	NA	ug/L	ND(0.1)	-
Naphthalene	700	20	ug/L	0.32	-
Phenanthrene	10000	NA	ug/L	ND(0.1)	-
Pyrene	20	NA	ug/L	ND(0.1)	-
Total Group II Polycyclic Aromatic Hydrocarbons	NA	100	ug/L	0.32	-
1-Methylnaphthalene	NA	NA	ug/L	0.11	-
2-Methylnaphthalene	2000	NA	ug/L	0.14	-
Pentachlorophenol	200	1	ug/L	ND(0.8)	-
Total SVOCs by GC/MS-SIM	NA	NA	ug/L	0.57	-

TABLE I
SUMMARY OF WATER QUALITY DATA
1000 WASHINGTON STREET
BOSTON, MASSACHUSETTS
FILE NO. 130904-002

LOCATION NAME SAMPLE NAME SAMPLING DATE LAB SAMPLE ID WELL SCREEN INTERVAL (FT, BCB) GROUNDWATER ELEVATION (FT, BCB) ⁴ SAMPLE TYPE	2014 MassDEP MCP RCGW-2 Reportable Concentrations	2017 NPDES RGP Project-Specific Effluent Limitations	Units	HA17-05 HA17-05_120717 12/7/2017 L1745151-01 2 to 12 8.05 Groundwater	FORT POINT CHANNEL HA17-BUSS 10/23/2017 L1738447-01 - - Receiving Water
Polychlorinated Biphenyls by GC					
Aroclor 1016	5	NA	ug/L	ND(0.25)	-
Aroclor 1221	5	NA	ug/L	ND(0.25)	-
Aroclor 1232	5	NA	ug/L	ND(0.25)	-
Aroclor 1242	5	NA	ug/L	ND(0.25)	-
Aroclor 1248	5	NA	ug/L	ND(0.25)	-
Aroclor 1254	5	NA	ug/L	ND(0.25)	-
Aroclor 1260	5	NA	ug/L	ND(0.2)	-
Total PCBs by GC	NA	0.5	ug/L	ND	-
Total Metals					
Antimony, Total	8000	206	ug/L	ND(4)	-
Arsenic, Total	900	104	ug/L	2.66	-
Cadmium, Total	4	10.2	ug/L	ND(0.2)	-
Chromium, Total	300	323	ug/L	ND(1)	-
Chromium, Trivalent	600	323	ug/L	ND(10)	-
Chromium, Hexavalent	300	323	ug/L	ND(10)	-
Copper, Total	100000	242	ug/L	ND(1)	-
Iron, Total	NA	5000	ug/L	6880	-
Lead, Total	10	160	ug/L	0.72	-
Mercury, Total	20	0.739	ug/L	ND(0.2)	-
Nickel, Total	200	1450	ug/L	ND(2)	-
Selenium, Total	100	235.8	ug/L	ND(5)	-
Silver, Total	7	35.1	ug/L	ND(0.4)	-
Zinc, Total	900	420	ug/L	ND(10)	-
General Chemistry					
Ammonia	NA	Report Only	ug/L	1310	191
Chloride	NA	Report Only	ug/L	1760000	-
Chlorine, Total Residual	NA	50	ug/L	ND(20)	-
Solids, Total Suspended	NA	30000	ug/L	9900	-
Cyanide, Total	30	178000	ug/L	ND(5)	-
Hardness, Total	NA	NA	ug/L	1280000	-
Salinity	NA	NA	SU	3.1	28
Total Petroleum Hydrocarbons	5000	5000	ug/L	ND(4000)	-
Phenolics, Total	NA	NA	ug/L	ND(30)	-
pH	NA	6.5 to 8.5	SU	6.9	7.6
Temperature ⁵	NA	29.5	°C	16.5	16.5

ABBREVIATIONS AND NOTES:

BCB: Boston City Base Datum


ug/L: Micrograms per liter

MCP: 310 CMR 40.0000 Massachusetts Contingency Plan effective 25 April 2014; revisions 23 May 2014

NA: Not applicable

ND(2.5): Not detected; number in parentheses is the laboratory reporting limit

1. This table includes only those VOCs, SVOCs and PCBs detected on the date indicated and/or listed in Table 2 of the NPDES RGP. For a complete list of analytes, refer to the laboratory data report.
2. **Bold** values indicate an exceedance of the applicable NPDES RGP Effluent Limitation.
3. **Bold ND** values indicate the laboratory reporting limit exceeds the applicable NPDES RGP Effluent Limitation.
4. Groundwater elevation measured in the field on the sampling date indicated.
5. Temperature measured in the field on the sampling date indicated.




MAP SOURCE: ESRI

SITE COORDINATES: 42°20'46"N, 71°3'51"W

**HALEY
ALDRICH**


1000 WASHINGTON STREET
BOSTON, MASSACHUSETTS




PROJECT LOCUS

APPROXIMATE SCALE: 1 IN = 2000 FT
MARCH 2018

FIGURE 1





LEGEND:

—▶ DIRECTION OF FLOW

NOTE:

1. DETAILS OF TREATMENT SYSTEM MAY VARY FROM SYSTEM INDICATED ABOVE. SPECIFIC MEANS AND METHODS OF TREATMENT TO BE SELECTED BY CONTRACTOR. WATER WILL BE TREATED TO MEET REQUIRED EFFLUENT STANDARDS.


**HALEY
ALDRICH**

1000 WASHINGTON STREET
BOSTON, MASSACHUSETTS

**PROPOSED
TREATMENT SYSTEM
SCHEMATIC**


SCALE: NONE
MARCH 2018

FIGURE 3



BOSTON WATER AND SEWER

Copyright © Boston Water and Sewer Commission. All rights reserved. Printed on: 12/1/2015




**HALEY
ALDRICH**

1000 WASHINGTON STREET
BOSTON, MASSACHUSETTS

**PROPOSED DISCHARGE ROUTE
(FIGURE 1 OF 3)**

SCALE: AS SHOWN
MARCH 2018

FIGURE 4A



BOSTON WATER AND SEWER

Copyright © Boston Water and Sewer Commission.
All rights reserved. Printed on: 12/11/2017



0 30 60 120 180 240 Feet

APPENDIX A

**Remediation General Permit
Notice of Intent (NOI)**

II. Suggested Format for the Remediation General Permit Notice of Intent (NOI)

A. General site information:

1. Name of site: 1000 WASHINGTON STREET	Site address: Street: 1000 WASHINGTON STREET		
2. Site owner 1000 WASHINGTON (BOSTON) OWNER, LLC C/O NORDBLOM COMPANY Owner is (check one): <input type="checkbox"/> Federal <input type="checkbox"/> State/Tribal <input checked="" type="checkbox"/> Private <input type="checkbox"/> Other; if so, specify:	City: BOSTON	State: MA	Zip: 02118
3. Site operator, if different than owner JOHN MORIARTY & ASSOCIATES	Contact Person: TODD FREMONT-SMITH Telephone: (781) 238-4814 Email: TFREMONT-SMITH@NORDBLOM.COM Mailing address: Street: 71 THIRD AVENUE City: BURLINGTON State: MA Zip: 01803-4470		
4. NPDES permit number assigned by EPA: NA NPDES permit is (check all that apply): <input type="checkbox"/> RGP <input type="checkbox"/> DGP <input type="checkbox"/> CGP <input type="checkbox"/> MSGP <input type="checkbox"/> Individual NPDES permit <input type="checkbox"/> Other; if so, specify:	5. Other regulatory program(s) that apply to the site (check all that apply): <input checked="" type="checkbox"/> MA Chapter 21e; list RTN(s): 3-2782 (CLOSED OUT, REFER TO LETTER) <input type="checkbox"/> NH Groundwater Management Permit or Groundwater Release Detection Permit: <input type="checkbox"/> CERCLA <input type="checkbox"/> UIC Program <input type="checkbox"/> POTW Pretreatment <input type="checkbox"/> CWA Section 404		

B. Receiving water information:

1. Name of receiving water(s): FORT POINT CHANNEL (BOSTON INNER HARBOR)	Waterbody identification of receiving water(s): MA70-02	Classification of receiving water(s): SB
Receiving water is (check any that apply): <input type="checkbox"/> Outstanding Resource Water <input type="checkbox"/> Ocean Sanctuary <input type="checkbox"/> territorial sea <input type="checkbox"/> Wild and Scenic River		
2. Has the operator attached a location map in accordance with the instructions in B, above? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Are sensitive receptors present near the site? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, specify:		
3. Indicate if the receiving water(s) is listed in the State's Integrated List of Waters (i.e., CWA Section 303(d)). Include which designated uses are impaired, and any pollutants indicated. Also, indicate if a final TMDL is available for any of the indicated pollutants. For more information, contact the appropriate State as noted in Part 4.6 of the RGP. CATEGORY 5 - WATERS REQUIRING A TMDL PER MASSACHUSETTS YEAR 2014 INTEGRATED LIST OF WATERS, IMPAIRMENT +		
4. Indicate the seven day-ten-year low flow (7Q10) of the receiving water determined in accordance with the instructions in Appendix V for sites located in Massachusetts and Appendix VI for sites located in New Hampshire.		NA (SALTWATER RECEIVING WATER)
5. Indicate the requested dilution factor for the calculation of water quality-based effluent limitations (WQBELs) determined in accordance with the instructions in Appendix V for sites in Massachusetts and Appendix VI for sites in New Hampshire.		1 (SALTWATER)
6. Has the operator received confirmation from the appropriate State for the 7Q10 and dilution factor indicated? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, indicate date confirmation received: 1/30/2018 (DILUTION FACTOR)		
7. Has the operator attached a summary of receiving water sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

C. Source water information:

1. Source water(s) is (check any that apply):			
<input checked="" type="checkbox"/> Contaminated groundwater Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Contaminated surface water Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> The receiving water	<input type="checkbox"/> Potable water; if so, indicate municipality or origin: <input checked="" type="checkbox"/> Other; if so, specify: SEEPAGE, PRECIPITATION, SURFACE WATER RUNOFF
		<input type="checkbox"/> A surface water other than the receiving water; if so, indicate waterbody:	

2. Source water contaminants: IRON ABOVE NPDES RGP EFFLUENT LIMITATION	
a. For source waters that are contaminated groundwater or contaminated surface water, indicate are any contaminants present that are not included in the RGP? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, indicate the contaminant(s) and the maximum concentration present in accordance with the instructions in Appendix VIII.	b. For a source water that is a surface water other than the receiving water, potable water or other, indicate any contaminants present at the maximum concentration in accordance with the instructions in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No
3. Has the source water been previously chlorinated or otherwise contains residual chlorine? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

D. Discharge information

1.The discharge(s) is a(n) (check any that apply): <input type="checkbox"/> Existing discharge <input checked="" type="checkbox"/> New discharge <input type="checkbox"/> New source	
Outfall(s): OUTFALL CSO 068 TO THE FORT POINT CHANNEL (BOSTON INNER HARBOR)	Outfall location(s): (Latitude, Longitude) (42° 20' 42" N, 71° 3' 34" W)
<p>Discharges enter the receiving water(s) via (check any that apply): <input type="checkbox"/> Direct discharge to the receiving water <input checked="" type="checkbox"/> Indirect discharge, if so, specify:</p> <p><input type="checkbox"/> A private storm sewer system <input checked="" type="checkbox"/> A municipal storm sewer system</p> <p>If the discharge enters the receiving water via a private or municipal storm sewer system:</p> <p>Has notification been provided to the owner of this system? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Has the operator has received permission from the owner to use such system for discharges? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, if so, explain, with an estimated timeframe for obtaining permission: BWSC DEWATERING DISCHARGE PERMIT APPLICATION BEING SUBMITTED CONCURRENTLY WITH THIS NOI</p> <p>Has the operator attached a summary of any additional requirements the owner of this system has specified? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>	
Provide the expected start and end dates of discharge(s) (month/year): MARCH TO OCTOBER 2018	
Indicate if the discharge is expected to occur over a duration of: <input checked="" type="checkbox"/> less than 12 months <input type="checkbox"/> 12 months or more <input type="checkbox"/> is an emergency discharge	
Has the operator attached a site plan in accordance with the instructions in D, above? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

2. Activity Category: (check all that apply)	3. Contamination Type Category: (check all that apply)	
<input type="checkbox"/> I – Petroleum-Related Site Remediation <input type="checkbox"/> II – Non-Petroleum-Related Site Remediation <input checked="" type="checkbox"/> III – Contaminated Site Dewatering <input type="checkbox"/> IV – Dewatering of Pipelines and Tanks <input type="checkbox"/> V – Aquifer Pump Testing <input type="checkbox"/> VI – Well Development/Rehabilitation <input type="checkbox"/> VII – Collection Structure Dewatering/Remediation <input type="checkbox"/> VIII – Dredge-Related Dewatering	<p>a. If Activity Category I or II: (check all that apply)</p> <p><input type="checkbox"/> A. Inorganics</p> <p><input type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> F. Fuels Parameters</p>	
	<p>b. If Activity Category III, IV, V, VI, VII or VIII: (check either G or H)</p>	
	<table border="1"> <tr> <td data-bbox="970 800 1419 873"><input checked="" type="checkbox"/> G. Sites with Known Contamination</td><td data-bbox="1419 800 2003 873"><input type="checkbox"/> H. Sites with Unknown Contamination</td></tr> </table>	<input checked="" type="checkbox"/> G. Sites with Known Contamination
<input checked="" type="checkbox"/> G. Sites with Known Contamination	<input type="checkbox"/> H. Sites with Unknown Contamination	
<table border="1"> <tr> <td data-bbox="970 873 1419 1417"> <p>c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply)</p> <p><input checked="" type="checkbox"/> A. Inorganics</p> <p><input type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> F. Fuels Parameters</p> </td><td data-bbox="1419 873 2003 1417"> <p>d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply</p> </td></tr> </table>	<p>c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply)</p> <p><input checked="" type="checkbox"/> A. Inorganics</p> <p><input type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> F. Fuels Parameters</p>	<p>d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply</p>
<p>c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply)</p> <p><input checked="" type="checkbox"/> A. Inorganics</p> <p><input type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> F. Fuels Parameters</p>	<p>d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply</p>	

4. Influent and Effluent Characteristics

Parameter	Known or believed absent	Known or believed present	# of samples	Test method (#)	Detection limit (µg/l)	Influent		Effluent Limitations							
						Daily maximum (µg/l)	Daily average (µg/l)	TBEL	WQBEL						
A. Inorganics															
Ammonia		✓	1	+	SM 4500	+	75	+	1310	+	-	+	Report mg/L	---	
Chloride		✓	1	+	300.0	+	25000	+	1760000	+	-	+	Report µg/l	---	
Total Residual Chlorine	✓		1	+	SM 4500	+	20	+	ND	+	-	+	0.2 mg/L	7.5 µg/L	+
Total Suspended Solids		✓	1	+	2540D	+	5000	+	9900	+	-	+	30 mg/L	---	
Antimony	✓		1	+	200	+	4	+	ND	+	-	+	206 µg/L	640 µg/L	+
Arsenic		✓	1	+	200	+	1	+	2.66	+	-	+	104 µg/L	36 µg/L	+
Cadmium	✓		1	+	200	+	0.2	+	ND	+	-	+	10.2 µg/L	8.9 µg/L	+
Chromium III	✓		1	+	200	+	10	+	ND	+	-	+	323 µg/L	100 µg/L	+
Chromium VI	✓		1	+	7196A	+	10	+	ND	+	-	+	323 µg/L	50 µg/L	+
Copper	✓		1	+	200	+	1	+	ND	+	-	+	242 µg/L	3.7 µg/L	+
Iron		✓	1	+	200	+	50	+	6880	+	-	+	5,000 µg/L	---	+
Lead		✓	1	+	200	+	0.5	+	0.72	+	-	+	160 µg/L	8.5 µg/L	+
Mercury	✓		1	+	245	+	0.2	+	ND	+	-	+	0.739 µg/L	1.11 µg/L	+
Nickel	✓		1	+	200	+	2	+	ND	+	-	+	1,450 µg/L	8.3 µg/L	+
Selenium	✓		1	+	200	+	5	+	ND	+	-	+	235.8 µg/L	71 µg/L	+
Silver	✓		1	+	200	+	0.4	+	ND	+	-	+	35.1 µg/L	2.2 µg/L	+
Zinc	✓		1	+	200	+	10	+	ND	+	-	+	420 µg/L	86 µg/L	+
Cyanide	✓		1	+	4500 CN	+	5	+	ND	+	-	+	178 mg/L	1 µg/L	+
B. Non-Halogenated VOCs															
Total BTEX	✓		1	+	8260	+	0.5	+	ND	+	-	+	100 µg/L	---	
Benzene	✓		1	+	8260	+	0.5	+	ND	+	-	+	5.0 µg/L	---	
1,4 Dioxane	✓		1	+	8260	+	3	+	ND	+	-	+	200 µg/L	---	
Acetone	✓		1	+	8260	+	5	+	ND	+	-	+	7.97 mg/L	---	
Phenol	✓		1	+	8270	+	5	+	ND	+	-	+	1,080 µg/L	300 µg/L	+

Parameter	Known or believed absent	Known or believed present	# of samples	Test method (#)	Detection limit (µg/l)	Influent				Effluent Limitations					
						Daily maximum (µg/l)	Daily average (µg/l)	TBEL	WQBEL						
C. Halogenated VOCs															
Carbon Tetrachloride	✓		1	+	8260	+	0.5	+	ND	+	-	+	4.4 µg/L	1.6 µg/L	+
1,2 Dichlorobenzene	✓		1	+	8260	+	2.5	+	ND	+	-	+	600 µg/L	---	
1,3 Dichlorobenzene	✓		1	+	8260	+	2.5	+	ND	+	-	+	320 µg/L	---	
1,4 Dichlorobenzene	✓		1	+	8260	+	2.5	+	ND	+	-	+	5.0 µg/L	---	
Total dichlorobenzene	✓		1	+	8260	+	2.5	+	ND	+	-	+	763 µg/L in NH	---	
1,1 Dichloroethane	✓		1	+	8260	+	0.75	+	ND	+	-	+	70 µg/L	---	
1,2 Dichloroethane	✓		1	+	8260	+	0.5	+	ND	+	-	+	5.0 µg/L	---	
1,1 Dichloroethylene	✓		1	+	8260	+	0.5	+	ND	+	-	+	3.2 µg/L	---	
Ethylene Dibromide	✓		1	+	504.1	+	0.01	+	ND	+	-	+	0.05 µg/L	---	
Methylene Chloride	✓		1	+	8260	+	3	+	ND	+	-	+	4.6 µg/L	---	
1,1,1 Trichloroethane	✓		1	+	8260	+	0.5	+	ND	+	-	+	200 µg/L	---	
1,1,2 Trichloroethane	✓		1	+	8260	+	0.75	+	ND	+	-	+	5.0 µg/L	---	
Trichloroethylene	✓		1	+	8260	+	0.5	+	ND	+	-	+	5.0 µg/L	---	
Tetrachloroethylene	✓		1	+	8260	+	0.5	+	ND	+	-	+	5.0 µg/L	3.3 µg/L	+
cis-1,2 Dichloroethylene	✓		1	+	8260	+	0.5	+	ND	+	-	+	70 µg/L	---	
Vinyl Chloride	✓		1	+	8260	+	1	+	ND	+	-	+	2.0 µg/L	---	
D. Non-Halogenated SVOCs															
Total Phthalates	✓		1	+	8270	+	3	+	ND	+	-	+	190 µg/L	---	+
Diethylhexyl phthalate	✓		1	+	8270	+	5	+	ND	+	-	+	101 µg/L	2.2 µg/L	+
Total Group I PAHs	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+	1.0 µg/L	---	
Benzo(a)anthracene	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+	As Total PAHs	0.0038 µg/L	+
Benzo(a)pyrene	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+		0.0038 µg/L	+
Benzo(b)fluoranthene	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+		0.0038 µg/L	+
Benzo(k)fluoranthene	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+		0.0038 µg/L	+
Chrysene	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+		0.0038 µg/L	+
Dibenzo(a,h)anthracene	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+		0.0038 µg/L	+
Indeno(1,2,3-cd)pyrene	✓		1	+	8270 SIM	+	0.1	+	ND	+	-	+		0.0038 µg/L	+

[illegible]

E. Treatment system information

<p>1. Indicate the type(s) of treatment that will be applied to effluent prior to discharge: (check all that apply)</p> <p> <input type="checkbox"/> Adsorption/Absorption <input type="checkbox"/> Advanced Oxidation Processes <input type="checkbox"/> Air Stripping <input type="checkbox"/> Granulated Activated Carbon (“GAC”)/Liquid Phase Carbon Adsorption <input type="checkbox"/> Ion Exchange <input type="checkbox"/> Precipitation/Coagulation/Flocculation <input checked="" type="checkbox"/> Separation/Filtration <input checked="" type="checkbox"/> Other; if so, specify: TREATMENT AS REQUIRED TO MEET EFFLUENT LIMITATIONS </p>	
<p>2. Provide a written description of all treatment system(s) or processes that will be applied to the effluent prior to discharge. PRIOR TO DISCHARGE, COLLECTED WATER WILL BE ROUTED THROUGH A SEDIMENTATION TANK AND BAG FILTERS, AT A MINIMUM, TO REMOVE SUSPENDED SOLIDS AND UNDISSOLVED CHEMICAL CONSTITUENTS. TOTAL FLOW WILL BE MEASURED WITH A FLOW METER/ TOTALIZER. SUPPLEMENTAL PRETREATMENT MAY BE REQUIRED TO MEET NPDES RGP EFFLUENT LIMITATIONS AND MAY INCLUDE pH CONTROL, OIL/WATER SEPARATORS AND/OR OTHER COMPONENTS AS REQUIRED; REFER TO FIGURE 3 OF THE NPDES RGP NOI APPLICATION.</p> <p>Identify each major treatment component (check any that apply):</p> <p> <input checked="" type="checkbox"/> Fractionation tanks <input type="checkbox"/> Equalization tank <input type="checkbox"/> Oil/water separator <input type="checkbox"/> Mechanical filter <input checked="" type="checkbox"/> Media filter <input type="checkbox"/> Chemical feed tank <input type="checkbox"/> Air stripping unit <input checked="" type="checkbox"/> Bag filter <input type="checkbox"/> Other; if so, specify: </p> <p>Indicate if either of the following will occur (check any that apply):</p> <p> <input type="checkbox"/> Chlorination <input type="checkbox"/> De-chlorination </p>	
<p>3. Provide the design flow capacity in gallons per minute (gpm) of the most limiting component. Indicate the most limiting component: BAG FILTERS Is use of a flow meter feasible? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No, if so, provide justification: </p>	<p>50 GPM</p>
<p>Provide the proposed maximum effluent flow in gpm.</p>	<p>50 GPM</p>
<p>Provide the average effluent flow in gpm.</p>	<p>25 GPM</p>
<p>If Activity Category IV applies, indicate the estimated total volume of water that will be discharged:</p>	<p>NA</p>
<p>4. Has the operator attached a schematic of flow in accordance with the instructions in E, above? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>	

F. Chemical and additive information

1. Indicate the type(s) of chemical or additive that will be applied to effluent prior to discharge or that may otherwise be present in the discharge(s): (check all that apply)

☐ Algaecides/biocides ☐ Antifoams ☐ Coagulants ☐ Corrosion/scale inhibitors ☐ Disinfectants ☐ Flocculants ☐ Neutralizing agents ☐ Oxidants ☐ Oxygen ☐ scavengers ☐ pH conditioners ☐ Bioremedial agents, including microbes ☐ Chlorine or chemicals containing chlorine ☒ Other; if so, specify:

THE SITE CONTRACTOR HAS NOT YET SUBMITTED THEIR CONSTRUCTION DEWATERING SUBMITTAL WHICH WILL INCLUDE DETAILS OF THE PROPOSED

2. Provide the following information for each chemical/additive, using attachments, if necessary:

- Product name, chemical formula, and manufacturer of the chemical/additive;
- Purpose or use of the chemical/additive or remedial agent;
- Material Safety Data Sheet (MSDS) and Chemical Abstracts Service (CAS) Registry number for each chemical/additive;
- The frequency (hourly, daily, etc.), duration (hours, days), quantity (maximum and average), and method of application for the chemical/additive;
- Any material compatibility risks for storage and/or use including the control measures used to minimize such risks; and
- If available, the vendor's reported aquatic toxicity (NOAEL and/or LC50 in percent for aquatic organism(s)).

3. Has the operator attached an explanation which demonstrates that the addition of such chemicals/additives may be authorized under this general permit in accordance with the instructions in F, above? (check one): ☐ Yes ☒ No; if no, has the operator attached data that demonstrates each of the 126 priority pollutants in CWA Section 307(a) and 40 CFR Part 423.15(j)(1) are non-detect in discharges with the addition of the proposed chemical/additive?
(check one): ☐ Yes ☒ No

G. Endangered Species Act eligibility determination

1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:

- ☒ **FWS Criterion A:** No endangered or threatened species or critical habitat are in proximity to the discharges or related activities or come in contact with the “action area”.
- ☐ **FWS Criterion B:** Formal or informal consultation with the FWS under section 7 of the ESA resulted in either a no jeopardy opinion (formal consultation) or a written concurrence by FWS on a finding that the discharges and related activities are “not likely to adversely affect” listed species or critical habitat (informal consultation). Has the operator completed consultation with FWS? (check one): ☐ Yes ☐ No; if no, is consultation underway? (check one): ☐ Yes ☐ No
- ☐ **FWS Criterion C:** Using the best scientific and commercial data available, the effect of the discharges and related activities on listed species and critical habitat have been evaluated. Based on those evaluations, a determination is made by EPA, or by the operator and affirmed by EPA, that the discharges and related activities will have “no effect” on any federally threatened or endangered listed species or designated critical habitat under the jurisdiction of the FWS. This determination was made by: (check one) ☐ the operator ☐ EPA ☐ Other; if so, specify:

☒ **NMFS Criterion:** A determination made by EPA is affirmed by the operator that the discharges and related activities will have “no effect” or are “not likely to adversely affect” any federally threatened or endangered listed species or critical habitat under the jurisdiction of NMFS and will not result in any take of listed species. Has the operator previously completed consultation with NMFS? (check one): ☐ Yes ☒ No

2. Has the operator attached supporting documentation of ESA eligibility in accordance with the instructions in Appendix I, and G, above? (check one): ☒ Yes ☐ No

Does the supporting documentation include any written concurrence or finding provided by the Services? (check one): ☒ Yes ☐ No; if yes, attach.

H. National Historic Preservation Act eligibility determination

1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:

- ☒ **Criterion A:** No historic properties are present. The discharges and discharge-related activities (e.g., BMPs) do not have the potential to cause effects on historic properties.
- ☐ **Criterion B:** Historic properties are present. Discharges and discharge related activities do not have the potential to cause effects on historic properties.
- ☐ **Criterion C:** Historic properties are present. The discharges and discharge-related activities have the potential to have an effect or will have an adverse effect on historic properties.

2. Has the operator attached supporting documentation of NHPA eligibility in accordance with the instructions in H, above? (check one): ☒ Yes ☐ No

Does the supporting documentation include any written agreement with the State Historic Preservation Officer (SHPO), Tribal Historic Preservation Officer (TPHO), or other tribal representative that outlines measures the operator will carry out to mitigate or prevent any adverse effects on historic properties? (check one): ☐ Yes ☒ No

I. Supplemental information

Describe any supplemental information being provided with the NOI. Include attachments if required or otherwise necessary.

Has the operator attached data, including any laboratory case narrative and chain of custody used to support the application? (check one): ☒ Yes ☐ No

Has the operator attached the certification requirement for the Best Management Practices Plan (BMPP)? (check one): ☒ Yes ☐ No

MAG910000
NHG910000

Appendix IV – Part 1 – NOI
Page 24 of 24

J. Certification requirement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

**A BMPP MEETING THE REQUIREMENTS OF THIS GENERAL PERMIT WILL BE DEVELOPED
BMPP certification statement: AND IMPLEMENTED UPON INITIATION OF DISCHARGE.**

Notification provided to the appropriate State, including a copy of this NOI, if required.

Check one: Yes ☐ No ☒

Notification provided to the municipality in which the discharge is located, including a copy of this NOI, if requested.

Check one: Yes ☒ No ☐

Notification provided to the owner of a private or municipal storm sewer system, if such system is used for site discharges, including a copy of this NOI, if requested.

Check one: Yes ☒ No ☐ NA ☐

Permission obtained from the owner of a private or municipal storm sewer system, if such system is used for site discharges. If yes, attach additional conditions. If no, attach explanation and timeframe for obtaining permission.

Check one: Yes ☐ No ☒ NA ☐

Notification provided to the owner/operator of the area associated with activities covered by an additional discharge permit(s). Additional discharge permit is (check one): ☐ RGP ☐ DGP ☐ CGP ☐ MSGP ☐ Individual NPDES permit

Check one: Yes ☐ No ☐ NA ☒

☐ Other; if so, specify:

Signature:



Date:

3/6/18

Print Name and Title:

TODD FREMUTH-SMITH, AGENT FOR 1000 WASHINGTON (OWNERS)
LLC

J. Certification requirement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

BMPP certification statement: **A BMPP MEETING THE REQUIREMENTS OF THIS GENERAL PERMIT WILL BE DEVELOPED AND IMPLEMENTED UPON INITIATION OF DISCHARGE.**

Notification provided to the appropriate State, including a copy of this NOI, if required.

Check one: Yes ☐ No ☒

Notification provided to the municipality in which the discharge is located, including a copy of this NOI, if requested.

Check one: Yes ☒ No ☐

Notification provided to the owner of a private or municipal storm sewer system, if such system is used for site discharges, including a copy of this NOI, if requested.

Check one: Yes ☒ No ☐ NA ☐

Permission obtained from the owner of a private or municipal storm sewer system, if such system is used for site discharges. If yes, attach additional conditions. If no, attach explanation and timeframe for obtaining permission.

Check one: Yes ☐ No ☒ NA ☐

Notification provided to the owner/operator of the area associated with activities covered by an additional discharge permit(s). Additional discharge permit is (check one): ☐ RGP ☐ DGP ☐ CGP ☐ MSGP ☐ Individual NPDES permit ☐ Other; if so, specify:

Check one: Yes ☐ No ☐ NA ☒

Signature:

Date:

2/22/2018

Print Name and Title:

JOSH SNYDER

PROJECT EXECUTIVE

APPENDIX B

Boston Water and Sewer Commission (BWSC) Dewatering Discharge Permit Application



Haley & Aldrich, Inc.
465 Medford St.
Suite 2200
Boston, MA 02129
617.886.7400

6 March 2018
File No. 130904-002

Boston Water and Sewer Commission
Engineering Customer Services
980 Harrison Avenue
Boston, Massachusetts 02119

Attention: Matthew Tuttle

Subject: Request for Approval of Temporary Construction Dewatering
1000 Washington Street
Boston, Massachusetts

Dear Mr. Tuttle:

On behalf of our client, 1000 Washington (Boston) Owner, LLC, c/o Nordblom Company, this letter submits the Boston Water and Sewer Commission (BWSC) Dewatering Discharge Permit Application in support of the proposed 1000 Washington Street project in Boston, Massachusetts.


Dewatering is necessary to enable construction in-the-dry and is anticipated to begin in March 2018 and continue for approximately seven (7) months. Prior to discharge, collected water will be routed through at minimum a sedimentation tank and bag filters to remove suspended solids and undissolved chemical constituents. Other pretreatment may be conducted as necessary to comply with National Pollutant Discharge Elimination System (NPDES) Remediation General Permit (RGP) effluent limitations. The proposed dewatering discharge route and BWSC outfall location are shown on Figures 4A through 4C of the submitted NPDES RGP Notice of Intent (NOI), attached for reference. Discharge of the dewatering effluent is currently under review by the U.S. Environmental Protection Agency (EPA) under the NPDES RGP.

If you have any questions, please feel free to contact the undersigned at 617-886-7400.

Sincerely yours,
HALEY & ALDRICH, INC.



Jonathan M. Thibault
Technical Specialist



Michael J. Atwood, P.E.
Principal Consultant

Attachments:
BWSC Dewatering Discharge Permit Application
Copy of NPDES RGP NOI Application



**Boston Water and
Sewer Commission**
980 Harrison Avenue
Boston, MA 02119-2540

DEWATERING DISCHARGE PERMIT APPLICATION

OWNER / AUTHORIZED APPLICANT PROVIDE INFORMATION HERE:

1000 WASHINGTON (BOSTON) OWNER, LLC

Company Name: C/O NORDBLOM COMPANY Address: 71 THIRD AVENUE, BURLINGTON, MA 01803-4470

Phone Number: (781) 238-4814

Fax number: _____

Contact person name: TODD FREMONT-SMITH Title: SENIOR VICE PRESIDENT, DEVELOPMENT

Cell number: (978) 463-8787

Email address: TFREMONT-SMITH@NORDBLOM.COM

Permit Request (check one): ☒ New Application ☐ Permit Extension ☐ Other (Specify): _____

Owner's Information (if different from above):

Owner of property being dewatered: 1000 WASHINGTON (BOSTON) OWNER, LLC

Owner's mailing address: C/O Nordblom Development Company, Inc. Phone number: 781-272-4000

Location of Discharge & Proposed Treatment System(s):

Street number and name: 1000 WASHINGTON STREET Neighborhood SOUTH END

Discharge is to a: ☐ Sanitary Sewer ☐ Combined Sewer ☒ Storm Drain ☐ Other (specify): _____

SEDIMENTATION TANK, BAG FILTERS AND OTHER COMPONENTS AS NECESSARY

Describe Proposed Pre-Treatment System(s): (REFER TO ATTACHED NPDES RGP NOI APPLICATION)

BWSC Outfall No. CSO 068 Receiving Waters FORT POINT CHANNEL (BOSTON INNER HARBOR)

Temporary Discharges (Provide Anticipated Dates of Discharge): From MARCH 2018 To OCTOBER 2018

- ☐ Groundwater Remediation
☐ Utility/Manhole Pumping
☒ Accumulated Surface Water

- ☐ Tank Removal/Installation
☐ Test Pipe
☐ Hydrogeologic Testing

- ☒ Foundation Excavation
☒ Trench Excavation
☐ Other _____

Permanent Discharges

- ☐ Foundation Drainage
☐ Accumulated Surface Water
☐ Non-contact/Uncontaminated Process

- ☐ Crawl Space/Footing Drain
☐ Non-contact/Uncontaminated Cooling
☐ Other: _____

1. Attach a Site Plan showing the source of the discharge and the location of the point of discharge (i.e. the sewer pipe or catch basin). Include meter type, meter number, size, make and start reading. Note: All discharges to the Commission's sewer system will be assessed current sewer charges.
2. If discharging to a sanitary or combined sewer, attach a copy of MWRA's Sewer Use Discharge permit or application.
3. If discharging to a separate storm drain, attach a copy of EPA's NPDES Permit or NOI application, or NPDES Permit exclusion letter for the discharge, as well as other relevant information.
4. Dewatering Drainage Permit will be denied or revoked if applicant fails to obtain the necessary permits from MWRA or EPA.

Submit Completed Application to: Boston Water and Sewer Commission
Engineering Customer Services
980 Harrison Avenue, Boston, MA 02119
Attn: Matthew Tuttle, Engineering Customer Service
E-mail: tuttlemp@bwsc.org
Phone: 617-989-7204 Fax: 617-989-7716

Signature of Authorized Representative for Property Owner: _____

Date: 3/6/18

Todd Fremont-Smith
AGENT for
1000 WASHINGTON (BOSTON) OWNER, LLC

Updated January 2014

APPENDIX C

Endangered Species Act Documentation



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New England Ecological Services Field Office
70 Commercial Street, Suite 300
Concord, NH 03301-5094
Phone: (603) 223-2541 Fax: (603) 223-0104
<http://www.fws.gov/newengland>

In Reply Refer To:
Consultation Code: 05E1NE00-2018-SLI-0824
Event Code: 05E1NE00-2018-E-01905
Project Name: 1000 Washington Street Site Location

January 31, 2018

Subject: List of threatened and endangered species that may occur in your proposed project location, and/or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF>

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 *et seq.*), and projects affecting these species may require development of an eagle conservation plan (http://www.fws.gov/windenergy/eagle_guidance.html). Additionally, wind energy projects should follow the wind energy guidelines (<http://www.fws.gov/windenergy/>) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at: <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/towers.htm>; <http://www.towerkill.com>; and <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/comtow.html>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List
-

Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New England Ecological Services Field Office
70 Commercial Street, Suite 300
Concord, NH 03301-5094
(603) 223-2541

Project Summary

Consultation Code: 05E1NE00-2018-SLI-0824

Event Code: 05E1NE00-2018-E-01905


Project Name: 1000 Washington Street Site Location

Project Type: DEVELOPMENT

Project Description: Construction dewatering associated with below-grade construction activities, managed under a NPDES RGP.

Project Location:

Approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/place/42.3460164285002N71.06407260274185W>



Counties: Suffolk, MA

Endangered Species Act Species

There is a total of 0 threatened, endangered, or candidate species on this species list. Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species. See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

Critical habitats

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

IPaC Information for Planning and Consultation U.S. Fish & Wildlife Service

IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

Project information

NAME

1000 Washington Street Site Location

LOCATION

Suffolk County, Massachusetts



DESCRIPTION

Construction

dewatering associated with below-grade construction activities, managed under a NPDES RGP.

Local office

New England Ecological Services Field Office

☎ (603) 223-2541

📠 (603) 223-0104

70 Commercial Street, Suite 300
Concord, NH 03301-5094

<http://www.fws.gov/newengland>

NOT FOR CONSULTATION

Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population, even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

1. Log in to IPaC.
2. Go to your My Projects list.
3. Click PROJECT HOME for this project.
4. Click REQUEST SPECIES LIST.

Listed species

¹ are managed by the [Ecological Services Program](#) of the U.S. Fish and Wildlife Service.

1. Species listed under the [Endangered Species Act](#) are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the [listing status page](#) for more information.

THERE ARE NO ENDANGERED SPECIES EXPECTED TO OCCUR AT THIS LOCATION.

Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act

¹ and the Bald and Golden Eagle Protection Act².

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats should follow appropriate regulations and consider implementing appropriate conservation measures, as described [below](#).

1. The [Migratory Birds Treaty Act](#) of 1918.
2. The [Bald and Golden Eagle Protection Act](#) of 1940.

Additional information can be found using the following links:

- Birds of Conservation Concern <http://www.fws.gov/birds/management/managed-species/birds-of-conservation-concern.php>
- Measures for avoiding and minimizing impacts to birds <http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/conservation-measures.php>
- Nationwide conservation measures for birds <http://www.fws.gov/migratorybirds/pdf/management/nationwidestandardconservationmeasures.pdf>

The birds listed below are birds of particular concern either because they occur on the [USFWS Birds of Conservation Concern](#) (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ [below](#). This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see maps of where birders and the general public have sighted birds in and around your project area, visit E-bird tools such as the [E-bird data mapping tool](#) (search for the name of a bird on your list to see specific locations where that bird has been reported to occur within your project area over a certain timeframe) and the [E-bird Explore Data Tool](#) (perform a query to see a list of all birds sighted in your county or region and within a certain timeframe). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list can be found [below](#).

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, click on the PROBABILITY OF PRESENCE SUMMARY at the top of your list to see when these birds are most likely to be present and breeding in your project area.

NAME

BREEDING SEASON (IF A BREEDING SEASON IS INDICATED FOR A BIRD ON YOUR LIST, THE BIRD MAY BREED IN YOUR PROJECT AREA SOMETIME WITHIN THE TIMEFRAME SPECIFIED, WHICH IS A VERY LIBERAL ESTIMATE OF THE DATES INSIDE WHICH THE BIRD BREEDS ACROSS ITS ENTIRE RANGE. "BREEDS ELSEWHERE" INDICATES THAT THE BIRD DOES NOT LIKELY BREED IN YOUR PROJECT AREA.)

American Oystercatcher *Haematopus palliatus*

Breeds Apr 15 to Aug 31

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/8935>

Bald Eagle <i>Haliaeetus leucocephalus</i> This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. https://ecos.fws.gov/ecp/species/1626	Breeds Oct 15 to Aug 31
Black Skimmer <i>Rynchops niger</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/5234	Breeds May 20 to Sep 15
Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/9399	Breeds May 15 to Oct 10
Bobolink <i>Dolichonyx oryzivorus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 20 to Jul 31
Buff-breasted Sandpiper <i>Calidris subruficollis</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/9488	Breeds elsewhere
Cerulean Warbler <i>Dendroica cerulea</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/2974	Breeds Apr 29 to Jul 20
Eastern Whip-poor-will <i>Antrostomus vociferus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 1 to Aug 20
Evening Grosbeak <i>Coccothraustes vespertinus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
Hudsonian Godwit <i>Limosa haemastica</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
Kentucky Warbler <i>Oporornis formosus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds Apr 20 to Aug 20

King Rail <i>Rallus elegans</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/8936	Breeds May 1 to Sep 5
Least Tern <i>Sterna antillarum</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA	Breeds Apr 20 to Sep 10
Lesser Yellowlegs <i>Tringa flavipes</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/9679	Breeds elsewhere
Long-eared Owl <i>asio otus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/3631	Breeds elsewhere
Nelson's Sparrow <i>Ammodramus nelsoni</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 15 to Sep 5
Prairie Warbler <i>Dendroica discolor</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 1 to Jul 31
Prothonotary Warbler <i>Protonotaria citrea</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds Apr 1 to Jul 31
Purple Sandpiper <i>Calidris maritima</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
Red-headed Woodpecker <i>Melanerpes erythrocephalus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 10 to Sep 10
Red-throated Loon <i>Gavia stellata</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
Rusty Blackbird <i>Euphagus carolinus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere

Seaside Sparrow *Ammodramus maritimus*

Breeds May 10 to Aug 20

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Semipalmated Sandpiper *Calidris pusilla*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Short-billed Dowitcher *Limnodromus griseus*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/9480>

Snowy Owl *Bubo scandiacus*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Whimbrel *Numenius phaeopus*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/9483>

Willet *Tringa semipalmata*

Breeds Apr 20 to Aug 5

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Wood Thrush *Hylocichla mustelina*

Breeds May 10 to Aug 31

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds.

Probability of Presence (■)

Each green bar represents the bird's relative probability of presence in your project's counties during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For

example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

- To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is $0.25/0.25 = 1$; at week 20 it is $0.05/0.25 = 0.2$.
- The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

Breeding Season (■)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort (|)

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the counties of your project area. The number of surveys is expressed as a range, for example, 33 to 64 surveys.


To see a bar's survey effort range, simply hover your mouse cursor over the bar.


No Data (—)


A week is marked as having no data if there were no survey events for that week.

Survey Timeframe


Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information.











Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

[Nationwide Conservation Measures](#) describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. [Additional measures](#) and/or [permits](#) may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the migratory birds potentially occurring in my specified location?

The Migratory Bird Resource List is comprised of USFWS [Birds of Conservation Concern \(BCC\)](#) and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the counties which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle ([Eagle Act](#) requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the [E-bird Explore Data Tool](#).

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the [Avian Knowledge Network \(AKN\)](#). This data is derived from a growing collection of [survey, banding, and citizen science datasets](#).

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go to the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

How do I know if a bird is breeding, wintering, migrating or present year-round in my project area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may refer to the following resources: The [The Cornell Lab of Ornithology All About Birds Bird Guide](#), or (if you are unsuccessful in locating the bird of interest there), the [Cornell Lab of Ornithology Neotropical Birds guide](#). If a bird entry on your migratory bird species list indicates a breeding season, it is probable that the bird breeds in your project's counties at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

1. "BCC Rangewide" birds are [Birds of Conservation Concern](#) (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
2. "BCC - BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
3. "Non-BCC - Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the [Eagle Act](#) requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the [Northeast Ocean Data Portal](#). The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review.

Alternately, you may download the bird model results files underlying the portal maps through the [NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf](#) project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the [Diving Bird Study](#) and the [nanotag studies](#) or contact [Caleb Spiegel](#) or [Pam Loring](#).

What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to [obtain a permit](#) to avoid violating the BGEPA should such impacts occur.

Facilities

Wildlife refuges and fish hatcheries

REFUGE AND FISH HATCHERY INFORMATION IS NOT AVAILABLE AT THIS TIME

Wetlands in the National Wetlands Inventory

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

WETLAND INFORMATION IS NOT AVAILABLE AT THIS TIME

This can happen when the National Wetlands Inventory (NWI) map service is unavailable, or for very large projects that intersect many wetland areas. Try again, or visit the [NWI map](#) to view wetlands at this location.

Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tubercid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

NOT FOR CONSULTATION



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New England Ecological Services Field Office
70 Commercial Street, Suite 300
Concord, NH 03301-5094
Phone: (603) 223-2541 Fax: (603) 223-0104
<http://www.fws.gov/newengland>

In Reply Refer To:
Consultation Code: 05E1NE00-2018-SLI-0823
Event Code: 05E1NE00-2018-E-01903
Project Name: 1000 Washington Street Discharge Location

January 31, 2018

Subject: List of threatened and endangered species that may occur in your proposed project location, and/or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF>

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 *et seq.*), and projects affecting these species may require development of an eagle conservation plan (http://www.fws.gov/windenergy/eagle_guidance.html). Additionally, wind energy projects should follow the wind energy guidelines (<http://www.fws.gov/windenergy/>) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at: <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/towers.htm>; <http://www.towerkill.com>; and <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/comtow.html>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List
-

Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New England Ecological Services Field Office
70 Commercial Street, Suite 300
Concord, NH 03301-5094
(603) 223-2541

Project Summary

Consultation Code: 05E1NE00-2018-SLI-0823

Event Code: 05E1NE00-2018-E-01903


Project Name: 1000 Washington Street Discharge Location

Project Type: DEVELOPMENT

Project Description: Construction dewatering associated with below-grade construction activities, managed under a NPDES RGP.

Project Location:

Approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/place/42.344985577218175N71.05934526503806W>



Counties: Suffolk, MA

Endangered Species Act Species

There is a total of 0 threatened, endangered, or candidate species on this species list. Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species. See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

Critical habitats

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

IPaC Information for Planning and Consultation **U.S. Fish & Wildlife Service**

IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.


Project information

NAME

1000 Washington Street Discharge Location

LOCATION

Suffolk County, Massachusetts

**DESCRIPTION**

Construction

dewatering associated with below-grade construction activities, managed under a NPDES RGP.

Local office

New England Ecological Services Field Office

☎ (603) 223-2541

📠 (603) 223-0104

70 Commercial Street, Suite 300
Concord, NH 03301-5094

<http://www.fws.gov/newengland>

NOT FOR CONSULTATION

Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population, even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

1. Log in to IPaC.
2. Go to your My Projects list.
3. Click PROJECT HOME for this project.
4. Click REQUEST SPECIES LIST.

Listed species

¹ are managed by the [Ecological Services Program](#) of the U.S. Fish and Wildlife Service.

1. Species listed under the [Endangered Species Act](#) are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the [listing status page](#) for more information.

THERE ARE NO ENDANGERED SPECIES EXPECTED TO OCCUR AT THIS LOCATION.

Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act

¹ and the Bald and Golden Eagle Protection Act².

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats should follow appropriate regulations and consider implementing appropriate conservation measures, as described [below](#).

1. The [Migratory Birds Treaty Act](#) of 1918.
2. The [Bald and Golden Eagle Protection Act](#) of 1940.

Additional information can be found using the following links:

- Birds of Conservation Concern <http://www.fws.gov/birds/management/managed-species/birds-of-conservation-concern.php>
- Measures for avoiding and minimizing impacts to birds <http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/conservation-measures.php>
- Nationwide conservation measures for birds <http://www.fws.gov/migratorybirds/pdf/management/nationwidestandardconservationmeasures.pdf>

The birds listed below are birds of particular concern either because they occur on the [USFWS Birds of Conservation Concern](#) (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ [below](#). This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see maps of where birders and the general public have sighted birds in and around your project area, visit E-bird tools such as the [E-bird data mapping tool](#) (search for the name of a bird on your list to see specific locations where that bird has been reported to occur within your project area over a certain timeframe) and the [E-bird Explore Data Tool](#) (perform a query to see a list of all birds sighted in your county or region and within a certain timeframe). For projects that occur off the Atlantic Coast, additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list can be found [below](#).

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, click on the PROBABILITY OF PRESENCE SUMMARY at the top of your list to see when these birds are most likely to be present and breeding in your project area.

NAME

BREEDING SEASON (IF A BREEDING SEASON IS INDICATED FOR A BIRD ON YOUR LIST, THE BIRD MAY BREED IN YOUR PROJECT AREA SOMETIME WITHIN THE TIMEFRAME SPECIFIED, WHICH IS A VERY LIBERAL ESTIMATE OF THE DATES INSIDE WHICH THE BIRD BREEDS ACROSS ITS ENTIRE RANGE. "BREEDS ELSEWHERE" INDICATES THAT THE BIRD DOES NOT LIKELY BREED IN YOUR PROJECT AREA.)

American Oystercatcher *Haematopus palliatus*

Breeds Apr 15 to Aug 31

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/8935>

Bald Eagle <i>Haliaeetus leucocephalus</i>	Breeds Oct 15 to Aug 31
This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. https://ecos.fws.gov/ecp/species/1626	
Black Skimmer <i>Rynchops niger</i>	Breeds May 20 to Sep 15
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/5234	
Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	Breeds May 15 to Oct 10
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/9399	
Bobolink <i>Dolichonyx oryzivorus</i>	Breeds May 20 to Jul 31
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	
Buff-breasted Sandpiper <i>Calidris subruficollis</i>	Breeds elsewhere
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/9488	
Cerulean Warbler <i>Dendroica cerulea</i>	Breeds Apr 29 to Jul 20
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/2974	
Eastern Whip-poor-will <i>Antrostomus vociferus</i>	Breeds May 1 to Aug 20
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	
Evening Grosbeak <i>Coccothraustes vespertinus</i>	Breeds elsewhere
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	
Hudsonian Godwit <i>Limosa haemastica</i>	Breeds elsewhere
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	
Kentucky Warbler <i>Oporornis formosus</i>	Breeds Apr 20 to Aug 20
This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	

King Rail <i>Rallus elegans</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/8936	Breeds May 1 to Sep 5
Least Tern <i>Sterna antillarum</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA	Breeds Apr 20 to Sep 10
Lesser Yellowlegs <i>Tringa flavipes</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/9679	Breeds elsewhere
Long-eared Owl <i>asio otus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. https://ecos.fws.gov/ecp/species/3631	Breeds elsewhere
Nelson's Sparrow <i>Ammodramus nelsoni</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 15 to Sep 5
Prairie Warbler <i>Dendroica discolor</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 1 to Jul 31
Prothonotary Warbler <i>Protonotaria citrea</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds Apr 1 to Jul 31
Purple Sandpiper <i>Calidris maritima</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
Red-headed Woodpecker <i>Melanerpes erythrocephalus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds May 10 to Sep 10
Red-throated Loon <i>Gavia stellata</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere
Rusty Blackbird <i>Euphagus carolinus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.	Breeds elsewhere

Seaside Sparrow *Ammodramus maritimus*

Breeds May 10 to Aug 20

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Semipalmated Sandpiper *Calidris pusilla*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Short-billed Dowitcher *Limnodromus griseus*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/9480>

Snowy Owl *Bubo scandiacus*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Whimbrel *Numenius phaeopus*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/9483>

Willet *Tringa semipalmata*

Breeds Apr 20 to Aug 5

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Wood Thrush *Hylocichla mustelina*

Breeds May 10 to Aug 31

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds.

Probability of Presence (■)

Each green bar represents the bird's relative probability of presence in your project's counties during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For

example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

- To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is $0.25/0.25 = 1$; at week 20 it is $0.05/0.25 = 0.2$.
- The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

Breeding Season (■)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort (|)

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the counties of your project area. The number of surveys is expressed as a range, for example, 33 to 64 surveys.


To see a bar's survey effort range, simply hover your mouse cursor over the bar.


No Data (—)


A week is marked as having no data if there were no survey events for that week.

Survey Timeframe


Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information.











Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.

[Nationwide Conservation Measures](#) describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. [Additional measures](#) and/or [permits](#) may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the migratory birds potentially occurring in my specified location?

The Migratory Bird Resource List is comprised of USFWS [Birds of Conservation Concern \(BCC\)](#) and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the counties which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle ([Eagle Act](#) requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the [E-bird Explore Data Tool](#).

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the [Avian Knowledge Network \(AKN\)](#). This data is derived from a growing collection of [survey, banding, and citizen science datasets](#).

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go to the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

How do I know if a bird is breeding, wintering, migrating or present year-round in my project area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may refer to the following resources: The [The Cornell Lab of Ornithology All About Birds Bird Guide](#), or (if you are unsuccessful in locating the bird of interest there), the [Cornell Lab of Ornithology Neotropical Birds guide](#). If a bird entry on your migratory bird species list indicates a breeding season, it is probable that the bird breeds in your project's counties at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

1. "BCC Rangewide" birds are [Birds of Conservation Concern](#) (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
2. "BCC - BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
3. "Non-BCC - Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the [Eagle Act](#) requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the [Northeast Ocean Data Portal](#). The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review.

Alternately, you may download the bird model results files underlying the portal maps through the [NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf](#) project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the [Diving Bird Study](#) and the [nanotag studies](#) or contact [Caleb Spiegel](#) or [Pam Loring](#).

What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to [obtain a permit](#) to avoid violating the BGEPA should such impacts occur.

Facilities

Wildlife refuges and fish hatcheries

REFUGE AND FISH HATCHERY INFORMATION IS NOT AVAILABLE AT THIS TIME

Wetlands in the National Wetlands Inventory

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

WETLAND INFORMATION IS NOT AVAILABLE AT THIS TIME

This can happen when the National Wetlands Inventory (NWI) map service is unavailable, or for very large projects that intersect many wetland areas. Try again, or visit the [NWI map](#) to view wetlands at this location.

Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

Data exclusions


Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tubercid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

NOT FOR CONSULTATION

Massachusetts Areas of Critical Environmental Concern (ACECs)



0 10 20 Miles

- | | |
|---------------------------------|--|
| 1 Bourne Back River | 16 Miscoe, Warren and Whitehall Watersheds |
| 2 Canoe River Aquifer | 17 Neponset River Estuary |
| 3 Cedar Swamp | 18 Petapawag |
| 4 Central Nashua River Valley | 19 Pleasant Bay |
| 5 Cranberry Brook Watershed | 20 Pocasset River |
| 6 Ellisville Harbor | 21 Rumney Marshes |
| 7 Fowl Meadow and Ponkapoag Bog | 22 Sandy Neck Barrier Beach System |
| 8 Golden Hills | 23 Schenob Brook Drainage Basin |
| 9 Great Marsh | 24 Squannassit |
| 10 Herring River Watershed | 25 Three Mile River Watershed |
| 11 Hinsdale Flats Watershed | 26 Upper Housatonic River |
| 12 Hockomock Swamp | 27 Waquoit Bay |
| 13 Inner Cape Cod Bay | 28 Weir River |
| 14 Kampoosa Bog Drainage Basin | 29 Wellfleet Harbor |
| 15 Karter Brook Watershed | 30 Weymouth Back River |

MASSACHUSETTS AREAS OF CRITICAL ENVIRONMENTAL CONCERN

November 2010

Total Approximate Acreage: 268,000 acres

Approximate acreage and designation date follow ACEC names below.

Bourne Back River

(1,850 acres, 1989) Bourne

Canoe River Aquifer and Associated Areas (17,200 acres, 1991) Easton, Foxborough, Mansfield, Norton, Sharon, and Taunton

Cedar Swamp

(1,650 acres, 1975) Hopkinton and Westborough

Central Nashua River Valley

(12,900 acres, 1996) Bolton, Harvard, Lancaster, and Leominster

Cranberry Brook Watershed

(1,050 acres, 1983) Braintree and Holbrook

Ellisville Harbor

(600 acres, 1980) Plymouth

Fowl Meadow and Ponkapoag Bog

(8,350 acres, 1992) Boston, Canton, Dedham, Milton, Norwood, Randolph, Sharon, and Westwood

Golden Hills

(500 acres, 1987) Melrose, Saugus, and Wakefield

Great Marsh (originally designated as Parker River/Essex Bay)

(25,500 acres, 1979) Essex, Gloucester, Ipswich, Newbury, and Rowley

Herring River Watershed

(4,450 acres, 1991) Bourne and Plymouth

Hinsdale Flats Watershed

(14,500 acres, 1992) Dalton, Hinsdale, Peru, and Washington

Hockomock Swamp

(16,950 acres, 1990) Bridgewater, Easton, Norton, Raynham, Taunton, and West Bridgewater

Inner Cape Cod Bay

(2,600 acres, 1985) Brewster, Eastham, and Orleans

Kampoosa Bog Drainage Basin

(1,350 acres, 1995) Lee and Stockbridge

Karner Brook Watershed

(7,000 acres, 1992) Egremont and Mount Washington

Miscoe, Warren, and Whitehall Watersheds

(8,700 acres, 2000) Grafton, Hopkinton, and Upton

Neponset River Estuary

(1,300 acres, 1995) Boston, Milton, and Quincy

Petapawag

(25,680 acres, 2002) Ayer, Dunstable, Groton, Pepperell, and Tyngsborough

Pleasant Bay

(9,240 acres, 1987) Brewster, Chatham, Harwich, and Orleans

Pocasset River

(160 acres, 1980) Bourne

Rumney Marshes

(2,800 acres, 1988) Boston, Lynn, Revere, Saugus, and Winthrop

Sandy Neck Barrier Beach System

(9,130 acres, 1978) Barnstable and Sandwich

Schenob Brook Drainage Basin

(13,750 acres, 1990) Mount Washington and Sheffield

Squannassit

(37,420 acres, 2002) Ashby, Ayer, Groton, Harvard, Lancaster, Lunenburg, Pepperell, Shirley, and Townsend

Three Mile River Watershed

(14,280 acres, 2008) Dighton, Norton, Taunton

Upper Housatonic River

(12,280 acres, 2009) Lee, Lenox, Pittsfield, Washington

Waquoit Bay

(2,580 acres, 1979) Falmouth and Mashpee

Weir River

(950 acres, 1986) Cohasset, Hingham, and Hull

Wellfleet Harbor

(12,480 acres, 1989) Eastham, Truro, and Wellfleet

Weymouth Back River

(800 acres, 1982) Hingham and Weymouth

Towns with ACECs within their Boundaries


November 2010

TOWN	ACEC	TOWN	ACEC
Ashby	Squannassit	Mt. Washington	Karner Brook Watershed
Ayer	Petapawag		Schenob Brook
	Squannassit	Newbury	Great Marsh
Barnstable	Sandy Neck Barrier Beach System	Norton	Hockomock Swamp
Bolton	Central Nashua River Valley		Canoe River Aquifer
Boston	Rumney Marshes		Three Mile River Watershed
	Fowl Meadow and Ponkapoag Bog	Norwood	Fowl Meadow and Ponkapoag Bog
	Neponset River Estuary	Orleans	Inner Cape Cod Bay
Bourne	Pocasset River		Pleasant Bay
	Bourne Back River	Pepperell	Petapawag
	Herring River Watershed		Squannassit
Braintree	Cranberry Brook Watershed	Peru	Hinsdale Flats Watershed
Brewster	Pleasant Bay	Pittsfield	Upper Housatonic River
	Inner Cape Cod Bay	Plymouth	Herring River Watershed
Bridgewater	Hockomock Swamp		Ellisville Harbor
Canton	Fowl Meadow and Ponkapoag Bog	Quincy	Neponset River Estuary
Chatham	Pleasant Bay	Randolph	Fowl Meadow and Ponkapoag Bog
Cohasset	Weir River	Raynham	Hockomock Swamp
Dalton	Hinsdale Flats Watershed	Revere	Rumney Marshes
Dedham	Fowl Meadow and Ponkapoag Bog	Rowley	Great Marsh
Dighton	Three Mile River Watershed	Sandwich	Sandy Neck Barrier Beach System
Dunstable	Petapawag	Saugus	Rumney Marshes
Eastham	Inner Cape Cod Bay		Golden Hills
	Wellfleet Harbor	Sharon	Canoe River Aquifer
Easton	Canoe River Aquifer		Fowl Meadow and Ponkapoag Bog
	Hockomock Swamp	Sheffield	Schenob Brook
Egremont	Karner Brook Watershed	Shirley	Squannassit
Essex	Great Marsh	Stockbridge	Kampoosa Bog Drainage Basin
Falmouth	Waquoit Bay	Taunton	Hockomock Swamp
Foxborough	Canoe River Aquifer		Canoe River Aquifer
Gloucester	Great Marsh		Three Mile River Watershed
Grafton	Miscoe-Warren-Whitehall Watersheds	Truro	Wellfleet Harbor
		Townsend	Squannassit
Groton	Petapawag	Tyngsborough	Petapawag
	Squannassit	Upton	Miscoe-Warren-Whitehall Watersheds
Harvard	Central Nashua River Valley		
	Squannassit	Wakefield	Golden Hills
Harwich	Pleasant Bay	Washington	Hinsdale Flats Watershed
Hingham	Weir River		Upper Housatonic River
	Weymouth Back River	Wellfleet	Wellfleet Harbor
Hinsdale	Hinsdale Flats Watershed	W Bridgewater	Hockomock Swamp
Holbrook	Cranberry Brook Watershed	Westborough	Cedar Swamp
Hopkinton	Miscoe-Warren-Whitehall Watersheds	Westwood	Fowl Meadow and Ponkapoag Bog
		Weymouth	Weymouth Back River
	Cedar Swamp	Winthrop	Rumney Marshes
Hull	Weir River		
Ipswich	Great Marsh		
Lancaster	Central Nashua River Valley		
	Squannassit		
Lee	Kampoosa Bog Drainage Basin		
	Upper Housatonic River		
Lenox	Upper Housatonic River		
Leominster	Central Nashua River Valley		
Lunenburg	Squannassit		
Lynn	Rumney Marshes		
Mansfield	Canoe River Aquifer		
Mashpee	Waquoit Bay		
Melrose	Golden Hills		
Milton	Fowl Meadow and Ponkapoag Bog		
	Neponset River Estuary		

The Natural Heritage & Endangered Species Program maintains a list of all documented MESA-listed species observations in the Commonwealth. Please select a town if you would like to see a table showing which listed species have been observed in that town. The selected town will also be highlighted on the map. Alternatively you can specify either the Common Name or Scientific Name of a species to see it's distribution on the map and table showing the towns it has been observed in. Clicking on a column header in the table will sort the column. Clicking again on the same column heading will reverse the sort order.

The Town List and Species Viewer will be updated at regular intervals as new data is accepted and entered into the NHESP database.

Town: or Species (Common Name): or Species (Scientific Name):



Showing 1 to 46 of 46 entries

Search:

First Previous 1 Next Last

Town	Taxonomic Group	Scientific Name	Common Name	MESA Status	Most Recent Obs
BOSTON	Butterfly/Moth	Abagrotis nefascia	Coastal Heathland Cutworm	SC	2001
BOSTON	Vascular Plant	Ageratina aromatica	Lesser Snakeroot	E	1896
BOSTON	Amphibian	Ambystoma laterale	Blue-spotted Salamander	SC	2015
BOSTON	Bird	Ammodramus savannarum	Grasshopper Sparrow	T	1993
BOSTON	Butterfly/Moth	Apodrepanulatrix liberaria	New Jersey Tea Inchworm	E	Historic
BOSTON	Vascular Plant	Aristida purpurascens	Purple Needlegrass	T	Historic
BOSTON	Vascular Plant	Aristida tuberculosa	Seabeach Needlegrass	T	1877

Town	Taxonomic Group	Scientific Name	Common Name	MESA Status	Most Recent Obs
BOSTON	Vascular Plant	<i>Asclepias verticillata</i>	Linear-leaved Milkweed	T	1878
BOSTON	Bird	<i>Bartramia longicauda</i>	Upland Sandpiper	E	1993
BOSTON	Vascular Plant	<i>Boechera missouriensis</i>	Green Rock-cress	T	1930
BOSTON	Vascular Plant	<i>Carex striata</i>	Walter's Sedge	E	Historic
BOSTON	Bird	<i>Charadrius melodus</i>	Piping Plover	T	2016
BOSTON	Beetle	<i>Cicindela duodecimguttata</i>	Twelve-spotted Tiger Beetle	SC	1910
BOSTON	Beetle	<i>Cicindela purpurea</i>	Cow Path Tiger Beetle	SC	1928
BOSTON	Beetle	<i>Cicindela rufiventris hentzii</i>	Eastern Red-bellied Tiger Beetle	T	1927
BOSTON	Vascular Plant	<i>Desmodium cuspidatum</i>	Large-bracted Tick-trefoil	T	1896
BOSTON	Vascular Plant	<i>Eriophorum gracile</i>	Slender Cottongrass	T	1885
BOSTON	Bird	<i>Falco peregrinus</i>	Peregrine Falcon	T	2014
BOSTON	Fish	<i>Gasterosteus aculeatus</i>	Threespine Stickleback	T	2014
BOSTON	Bird	<i>Gavia immer</i>	Common Loon	SC	1824
BOSTON	Vascular Plant	<i>Houstonia longifolia</i>	Long-leaved Bluet	E	1918
BOSTON	Vascular Plant	<i>Liatris scariosa</i> var. <i>novae-angliae</i>	New England Blazing Star	SC	1933
BOSTON	Mussel	<i>Ligumia nasuta</i>	Eastern Pondmussel	SC	1841
BOSTON	Vascular Plant	<i>Linum medium</i> var. <i>texanum</i>	Rigid Flax	T	1909
BOSTON	Vascular Plant	<i>Lycopus rubellus</i>	Gypsywort	E	1896
BOSTON	Vascular Plant	<i>Malaxis unifolia</i>	Green Adder's Mouth	T	1883
BOSTON	Butterfly/Moth	<i>Metarranthis apiciaria</i>	Barrens Metarranthis	E	1934
BOSTON	Vascular Plant	<i>Myriophyllum alterniflorum</i>	Alternate-flowered Water-milfoil	E	Historic
BOSTON	Vascular Plant	<i>Ophioglossum pusillum</i>	Adder's-tongue Fern	T	1884
BOSTON	Vascular Plant	<i>Platanthera flava</i> var. <i>herbiola</i>	Pale Green Orchis	T	1908
BOSTON	Bird	<i>Poocetes gramineus</i>	Vesper Sparrow	T	1985
BOSTON	Butterfly/Moth	<i>Pyrrhia aurantiago</i>	Orange Sallow Moth	SC	1988
BOSTON	Vascular Plant	<i>Ranunculus micranthus</i>	Tiny-flowered Buttercup	E	1891
BOSTON	Vascular Plant	<i>Rumex pallidus</i>	Seabeach Dock	T	1984
BOSTON	Vascular Plant	<i>Sanicula odorata</i>	Long-styled Sanicle	T	Historic
BOSTON	Amphibian	<i>Scaphiopus holbrookii</i>	Eastern Spadefoot	T	1932
BOSTON	Vascular Plant	<i>Scirpus longii</i>	Long's Bulrush	T	1907
BOSTON	Vascular Plant	<i>Setaria parviflora</i>	Bristly Foxtail	SC	2001
BOSTON	Dragonfly/Damselfly	<i>Somatochlora linearis</i>	Mocha Emerald	SC	2009
BOSTON	Bird	<i>Sterna hirundo</i>	Common Tern	SC	2013
BOSTON	Bird	<i>Sternula antillarum</i>	Least Tern	SC	2014
BOSTON	Vascular Plant	<i>Suaeda calceoliformis</i>	American Sea-blite	SC	1909
BOSTON	Reptile	<i>Terrapene carolina</i>	Eastern Box Turtle	SC	1939
BOSTON	Bird	<i>Tyto alba</i>	Barn Owl	SC	1989
BOSTON	Bird	<i>Vermivora chrysoptera</i>	Golden-winged Warbler	E	Historic
BOSTON	Vascular Plant	<i>Viola brittoniana</i>	Britton's Violet	T	1909

Show 100 ▼ entries

Show Additional Info

FEDERALLY LISTED ENDANGERED AND THREATENED SPECIES IN MASSACHUSETTS

COUNTY	SPECIES	FEDERAL STATUS	GENERAL LOCATION/HABITAT	TOWNS
Barnstable	Piping Plover	Threatened	Coastal Beaches	All Towns
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	All Towns
	Northeastern beach tiger beetle	Threatened	Coastal Beaches	Chatham
	Sandplain gerardia	Endangered	Open areas with sandy soils.	Sandwich and Falmouth.
	Northern Red-bellied Cooter	Endangered	Inland Ponds and Rivers	Bourne (north of the Cape Cod Canal)
	Red Knot ¹	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Berkshire	Bog Turtle	Threatened	Wetlands	Egremont and Sheffield
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Bristol	Piping Plover	Threatened	Coastal Beaches	Fairhaven, Dartmouth, Westport
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Fairhaven, New Bedford, Dartmouth, Westport
	Northern Red-bellied Cooter	Endangered	Inland Ponds and Rivers	Taunton
	Red Knot ¹	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Dukes	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	All Towns
	Piping Plover	Threatened	Coastal Beaches	All Towns
	Northeastern beach tiger beetle	Threatened	Coastal Beaches	Aquinnah and Chilmark
	Sandplain gerardia	Endangered	Open areas with sandy soils.	West Tisbury
	Red Knot ¹	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide

Updated 02/05/2016

**FEDERALLY LISTED ENDANGERED AND THREATENED SPECIES
IN MASSACHUSETTS**

COUNTY	SPECIES	FEDERAL STATUS	GENERAL LOCATION/HABITAT	TOWNS
Essex	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Gloucester, Essex and Manchester
	Piping Plover	Threatened	Coastal Beaches	Gloucester, Essex, Ipswich, Rowley, Revere, Newbury, Newburyport and Salisbury
	Red Knot ¹	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Franklin	Northeastern bulrush	Endangered	Wetlands	Montague, Warwick
	Dwarf wedgemussel	Endangered	Mill River	Whately
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Hampshire	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Hadley
	Puritan tiger beetle	Threatened	Sandy beaches along the Connecticut River	Northampton and Hadley
	Dwarf wedgemussel	Endangered	Rivers and Streams.	Hatfield, Amherst and Northampton
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Hampden	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Southwick
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Middlesex	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Groton
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Nantucket	Piping Plover	Threatened	Coastal Beaches	Nantucket
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Nantucket
	American burying beetle	Endangered	Upland grassy meadows	Nantucket
	Red Knot ¹	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide

**FEDERALLY LISTED ENDANGERED AND THREATENED SPECIES
IN MASSACHUSETTS**

COUNTY	SPECIES	FEDERAL STATUS	GENERAL LOCATION/HABITAT	TOWNS
Plymouth	Piping Plover	Threatened	Coastal Beaches	Scituate, Marshfield, Duxbury, Plymouth, Wareham and Mattapoisett
	Northern Red-bellied Cooter	Endangered	Inland Ponds and Rivers	Kingston, Middleborough, Carver, Plymouth, Bourne, Wareham, Halifax, and Pembroke
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Plymouth, Marion, Wareham, and Mattapoisett.
	Red Knot ¹	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Suffolk	Piping Plover	Threatened	Coastal Beaches	Revere, Winthrop
	Red Knot ¹	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Worcester	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Leominster
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide

¹Migratory only, scattered along the coast in small numbers

-Eastern cougar and gray wolf are considered extirpated in Massachusetts.

-Endangered gray wolves are not known to be present in Massachusetts, but dispersing individuals from source populations in Canada may occur statewide.

-Critical habitat for the Northern Red-bellied Cooter is present in Plymouth County.

APPENDIX D

National Register of Historic Places and Massachusetts Historical Commission Documentation

To:	Jonathan M. Thibault, P.E. (H & A)	Date:	2/2/2018
From:	Mark Levine	Project No.:	15103
Project:	1000 Washington Street/321 Harrison Avenue		
Re:	Massachusetts Historical Commission		
Distribution:	JCH, BCP		

Memorandum


Symmes Maini & McKee Associates conducted research on the Massachusetts Historical Commission (MHC) on-line data base on February 2, 2018 to check the Inventory of Historic Assets of the Commonwealth and the State Register of Historic Places for 1000 Washington Street and 321 Harrison Avenue, Boston, MA.

1. State Register of Historic Places: The building is not listed on the State Register of Historic Places. (The National Register of Historic Places is incorporated within the State Register of Historic Places)
2. Inventory of Historic Assets of the Commonwealth: We reviewed MHC base maps and the MACRIS data base on-line for 1000 Washington Street and 321 Harrison Avenue, in the City of Boston. There are no Historical Assets on the Inventory of the Commonwealth listed or mapped in our project site location.
3. Inventory of Archaeological Assets of the Commonwealth: We did not review Pre-historical Archaeological Assets of the Commonwealth mapped in our project site location.

National Register of Historic Places

National Park Service
U.S. Department of the Interior

Public, non-restricted data depicting National Register spatial data processed by the Cultural Resources GIS facility. Data last updated in Apr...



powered by Esri | © Mapbox (https://www.mapbox.com/about/maps/) | OpenStreetMap (https://www.openstreetmap.org/copyright) contributors | Cultural Resources GIS, National Park Service

Home (https://www.nps.gov) | Frequently Asked Questions (https://www.nps.gov/faqs.htm) | Website Policies (https://www.nps.gov/aboutus/website-policies.htm) | Contact Us (https://www.nps.gov/contacts.htm)

National Register of Historic Places: Listed Properties
As of July 2015

Note: Not all properties are digitized

Reference Number	State	County	City	Resource Name	Address	Listed Date	Text Click me	Photos Click me
83000601	MASSACHUSETTS	Suffolk	Boston	Charles Street African Methodist Episcopal Church	551 Warren St.	19830901	Text	Photos
83000602	MASSACHUSETTS	Suffolk	Boston	Codman Square District	Norfolk, Talbot, Epping, Lithgow, Cer	19830623	Text	Photos
83000603	MASSACHUSETTS	Suffolk	Boston	Gardner, Isabella Stewart, Museum	280 The Fenway	19830127	Text	Photos
83000605	MASSACHUSETTS	Suffolk	Boston	Harvard Avenue Fire Station	16 Harvard Ave.	19830331	Text	Photos
83000606	MASSACHUSETTS	Suffolk	Boston	Lawrence Model Lodging Houses	79, 89, 99 and 109 E. Canton St.	19830922	Text	Photos
83000607	MASSACHUSETTS	Suffolk	Boston	Newspaper Row	322-328 Washington St., 5-23 Milk St	19830707	Text	Photos
82000486	MASSACHUSETTS	Suffolk	Boston	Wigglesworth Building	89-83 Franklin St.	19821021	Text	Photos
83004098	MASSACHUSETTS	Suffolk	Boston	Leather District	Roughly bounded by Atlantic Ave., K	19831221	Text	Photos
83004285	MASSACHUSETTS	Suffolk	Boston	Baker, Sarah J., School	33 Perrin St.	19830707	Text	Photos
79000370	MASSACHUSETTS	Suffolk	Boston	Washington Street Theatre District	511-559 Washington St.	19790319	Text	Photos
85000318	MASSACHUSETTS	Suffolk	Boston	Dorchester Pottery Works	101-105 Victory Rd.	19850221	Text	Photos
79000368	MASSACHUSETTS	Suffolk	Boston	Bedford Building	89-103 Bedford St.	19790821	Text	Photos
80000442	MASSACHUSETTS	Suffolk	Boston	Wirth, Jacob, Buildings	31-39 Stuart St.	19801209	Text	Photos
80000445	MASSACHUSETTS	Suffolk	Boston	Metropolitan Theatre	252-272 Tremont St.	19801209	Text	Photos
80000446	MASSACHUSETTS	Suffolk	Boston	Hayden Building	681-683 Washington St.	19801209	Text	Photos
80000448	MASSACHUSETTS	Suffolk	Boston	Dill Building	11-25 Stuart St.	19801209	Text	Photos
80000450	MASSACHUSETTS	Suffolk	Boston	Boylston Building	2-22 Boylston St.	19801209	Text	Photos
80000451	MASSACHUSETTS	Suffolk	Boston	Boston Young Men's Christian Union	48 Boylston St.	19801209	Text	Photos
80000453	MASSACHUSETTS	Suffolk	Boston	Boston Edison Electric Illuminating Company	25-39 Boylston St.	19801209	Text	Photos
80000455	MASSACHUSETTS	Suffolk	Boston	West Street District	West St.	19801209	Text	Photos
80000460	MASSACHUSETTS	Suffolk	Boston	Liberty Tree District	Roughly bounded by Harrison Ave., \	19801209	Text	Photos
80000462	MASSACHUSETTS	Suffolk	Boston	Beach-Knapp District	Roughly bounded by Harrison Ave., \	19801209	Text	Photos
80000465	MASSACHUSETTS	Suffolk	Boston	Oak Square School	35 Nonantum St.	19801110	Text	Photos
66000127	MASSACHUSETTS	Suffolk	Boston	Arnold Arboretum	22 Divinity Ave.	19661015	Text	Photos
73000313	MASSACHUSETTS	Suffolk	Boston	Arlington Street Church	Arlington and Boylston Sts.	19730504	Text	Photos
73000322	MASSACHUSETTS	Suffolk	Boston	Old Corner Bookstore	NW corner of Washington and Scho	19730411	Text	Photos
75000299	MASSACHUSETTS	Suffolk	Boston	South Station Headhouse	Atlantic Ave. and Summer St.	19750213	Text	Photos
74000392	MASSACHUSETTS	Suffolk	Boston	Winthrop Building	7 Water St.	19740418	Text	Photos
80000668	MASSACHUSETTS	Suffolk	Boston	United Shoe Machinery Corporation Building	138-164 Federal St.	19800819	Text	Photos
75000300	MASSACHUSETTS	Suffolk	Boston	St. Stephen's Church	Hanover St. between Clark and Harri	19750414	Text	Photos
80000669	MASSACHUSETTS	Suffolk	Boston	Union Wharf	295-353 Commercial St.	19800622	Text	Photos
80000670	MASSACHUSETTS	Suffolk	Boston	Suffolk County Jail	215 Charles St.	19800423	Text	Photos
80000674	MASSACHUSETTS	Suffolk	Boston	Garrison, William Lloyd, School	20 Hutchings St.	19800416	Text	Photos
80001683	MASSACHUSETTS	Suffolk	Boston	Dillaway School	16-20 Kenilworth St.	19800409	Text	Photos
66000366	MASSACHUSETTS	Suffolk	Boston	Ether Dome, Massachusetts General Hospital	Fruit St.	19661015	Text	Photos
70000539	MASSACHUSETTS	Suffolk	Boston	Otis, (First) Harrison Gray, House	141 Cambridge St.	19701230	Text	Photos
73000314	MASSACHUSETTS	Suffolk	Boston	Armory of the First Corps of Cadets	97-105 Arlington St. and 130 Columb	19730522	Text	Photos
73000315	MASSACHUSETTS	Suffolk	Boston	Blackstone Block Historic District	Area bound by Union, Hanover, Blac	19730526	Text	Photos
72000145	MASSACHUSETTS	Suffolk	Boston	Crowninshield House	164 Marlborough St.	19720223	Text	Photos
72000146	MASSACHUSETTS	Suffolk	Boston	First Baptist Church	Commonwealth Ave. and Clarendon	19720223	Text	Photos
74000391	MASSACHUSETTS	Suffolk	Boston	John Adams Courthouse	Pemberton Sq.	19740508	Text	Photos
72000150	MASSACHUSETTS	Suffolk	Boston	Trinity Rectory	Clarendon and Newbury Sts.	19720223	Text	Photos
74000385	MASSACHUSETTS	Suffolk	Boston	Copp's Hill Burial Ground	Charter, Snowhill, and Hull Sts.	19740418	Text	Photos
74000393	MASSACHUSETTS	Suffolk	Boston	Youth's Companion Building	209 Columbus Ave.	19740502	Text	Photos
66000764	MASSACHUSETTS	Suffolk	Boston	Harding, Chester, House	16 Beacon St.	19661015	Text	Photos
74002044	MASSACHUSETTS	Suffolk	Boston	Howe, Samuel Gridley and Julia Ward, House	13 Chestnut St.	19740913	Text	Photos
74002045	MASSACHUSETTS	Suffolk	Boston	King's Chapel	Tremont and School Sts.	19740502	Text	Photos
70000682	MASSACHUSETTS	Suffolk	Boston	Massachusetts General Hospital	Fruit Street	19701230	Text	Photos
80000678	MASSACHUSETTS	Suffolk	Boston	All Saints' Church	211 Ashmont St.	19800616	Text	Photos
81000620	MASSACHUSETTS	Suffolk	Boston	Fields Corner Municipal Building	1 Arcadia St., 195 Adams St.	19811112	Text	Photos
66000770	MASSACHUSETTS	Suffolk	Boston	Massachusetts Historical Society Building	1154 Boylston St.	19661015	Text	Photos
66000771	MASSACHUSETTS	Suffolk	Boston	Massachusetts Statehouse	Beacon Hill	19661015	Text	Photos
76001979	MASSACHUSETTS	Suffolk	Boston	Nell, William C., House	3 Smith Ct.	19760511	Text	Photos
70000687	MASSACHUSETTS	Suffolk	Boston	Old City Hall	School and Providence Sts.	19701230	Text	Photos
70000690	MASSACHUSETTS	Suffolk	Boston	Old South Church in Boston	645 Boylston St.	19701230	Text	Photos
70000691	MASSACHUSETTS	Suffolk	Boston	Old West Church	131 Cambridge St.	19701230	Text	Photos
66000782	MASSACHUSETTS	Suffolk	Boston	Parkman, Francis, House	50 Chestnut St.	19661015	Text	Photos
80000444	MASSACHUSETTS	Suffolk	Boston	Shubert, Sam S., Theatre	263-265 Tremont St.	19801209	Text	Photos
80000458	MASSACHUSETTS	Suffolk	Boston	Piano Row District	Boston Common, Park Sq., Boylston	19801209	Text	Photos
80000443	MASSACHUSETTS	Suffolk	Boston	Wilbur Theatre	244-250 Tremont St.	19801209	Text	Photos
66000765	MASSACHUSETTS	Suffolk	Boston	Headquarters House	55 Beacon St.	19661015	Text	Photos
68000042	MASSACHUSETTS	Suffolk	Boston	Pierce-Hichborn House	29 North Sq.	19681124	Text	Photos
66000784	MASSACHUSETTS	Suffolk	Boston	Quincy Market	S. Market St.	19661113	Text	Photos

70000730	MASSACHUSETTS	Suffolk	Boston	St. Paul's Church	136 Tremont St.	19701230	Text	Photos
70000731	MASSACHUSETTS	Suffolk	Boston	Sears, David, House	42 Beacon St.	19701230	Text	Photos
73001953	MASSACHUSETTS	Suffolk	Boston	Sumner, Charles, House	20 Hancock St.	19731107	Text	Photos
66000130	MASSACHUSETTS	Suffolk	Boston	Beacon Hill Historic District	Bounded by Beacon St., the Charles I	19661015	Text	Photos
73001955	MASSACHUSETTS	Suffolk	Boston	Otis, (Second) Harrison Gray, House	85 Mt. Vernon St.	19730727	Text	Photos
66000768	MASSACHUSETTS	Suffolk	Boston	Long Wharf and Customhouse Block	Foot of State St.	19661113	Text	Photos
66000132	MASSACHUSETTS	Suffolk	Boston	Boston Athenaeum	10 1/2 Beacon St.	19661015	Text	Photos
66000788	MASSACHUSETTS	Suffolk	Boston	Tremont Street Subway	Beneath Tremont, Boylston, and Wa	19661015	Text	Photos
70000733	MASSACHUSETTS	Suffolk	Boston	Trinity Church	Copley Sq.	19700701	Text	Photos
82004456	MASSACHUSETTS	Suffolk	Boston	Adams-Nervine Asylum	990-1020 Centre St.	19820601	Text	Photos
79000369	MASSACHUSETTS	Suffolk	Boston	International Trust Company Building	39-47 Milk St.	19790910	Text	Photos
74000388	MASSACHUSETTS	Suffolk	Boston	Eliot Burying Ground	Eustis and Washington Sts.	19740625	Text	Photos
80000463	MASSACHUSETTS	Suffolk	Boston	Russia Wharf Buildings	518-540 Atlantic Ave., 270 Congress :	19801202	Text	Photos
71000087	MASSACHUSETTS	Suffolk	Boston	African Meetinghouse	8 Smith St.	19711007	Text	Photos
85002015	MASSACHUSETTS	Suffolk	Boston	Building at 138--142 Portland Street	138--142 Portland St.	19850905	Text	Photos
84000421	MASSACHUSETTS	Suffolk	Boston	Vermont Building	6-12 Thacher St.	19841113	Text	Photos
75000301	MASSACHUSETTS	Suffolk	Boston	Symphony and Horticultural Halls	Massachusetts and Huntington Aves	19750530	Text	Photos
73000324	MASSACHUSETTS	Suffolk	Boston	South End District	South Bay area between Huntington	19730508	Text	Photos
74000390	MASSACHUSETTS	Suffolk	Boston	Park Street District	Tremont, Park, and Beacon Sts.	19740501	Text	Photos
73000319	MASSACHUSETTS	Suffolk	Boston	Fulton-Commercial Streets District	Fulton, Commercial, Mercantile, Lew	19730321	Text	Photos
84002875	MASSACHUSETTS	Suffolk	Boston	Fenway-Boylston Street District	Fenway, Boylston, Westland, and He	19840904	Text	Photos
78000473	MASSACHUSETTS	Suffolk	Boston	Fenway Studios	30 Ipswich St.	19780913	Text	Photos
73000318	MASSACHUSETTS	Suffolk	Boston	Cyclorama Building	543-547 Tremont St.	19730413	Text	Photos
83004097	MASSACHUSETTS	Suffolk	Boston	Codman Building	55 Kilby St.	19831019	Text	Photos
80000676	MASSACHUSETTS	Suffolk	Boston	Charles Playhouse	74-78 Warenton St.	19800616	Text	Photos
74000382	MASSACHUSETTS	Suffolk	Boston	Ames Building	1 Court St.	19740426	Text	Photos
77001541	MASSACHUSETTS	Suffolk	Boston	Appleton, Nathan, Residence	39-40 Beacon St.	19771222	Text	Photos
66000134	MASSACHUSETTS	Suffolk	Boston	Boston Naval Shipyard	E of Chelsea St., Charlestown	19661115	Text	Photos
66000050	MASSACHUSETTS	Suffolk	Boston	Dorchester Heights National Historic Site	South Boston	19661015	Text	Photos
74002222	MASSACHUSETTS	Suffolk	Boston	Boston National Historical Park	Inner harbor at mouth of Charles Riv	19741026	Text	Photos
66000785	MASSACHUSETTS	Suffolk	Boston	Revere, Paul, House	19 North Sq.	19661015	Text	Photos
66000776	MASSACHUSETTS	Suffolk	Boston	Old North Church	193 Salem St.	19661015	Text	Photos
66000778	MASSACHUSETTS	Suffolk	Boston	Old South Meetinghouse	Milk and Washington Sts.	19661015	Text	Photos
66000368	MASSACHUSETTS	Suffolk	Boston	Faneuil Hall	Dock Sq.	19661015	Text	Photos
66000779	MASSACHUSETTS	Suffolk	Boston	Old State House	Washington and State Sts.	19661015	Text	Photos
85003074	MASSACHUSETTS	Suffolk	Boston	Dudley Station Historic District	Washington, Warren, and Dudley Sts	19851205	Text	Photos
86000140	MASSACHUSETTS	Suffolk	Boston	Christ Church	1220 River Rd.	19860130	Text	Photos
73000317	MASSACHUSETTS	Suffolk	Boston	Boston Public Library	Copley Sq.	19730506	Text	Photos
86001909	MASSACHUSETTS	Suffolk	Boston	Filene's Department Store	426 Washington St.	19860724	Text	Photos
86001913	MASSACHUSETTS	Suffolk	Boston	Second Brazer Building	25--29 State St.	19860724	Text	Photos
86001486	MASSACHUSETTS	Suffolk	Boston	Sears' Crescent and Sears' Block	38--68 and 70--72 Cornhill	19860809	Text	Photos
86001504	MASSACHUSETTS	Suffolk	Boston	Richardson Block	113--151 Pearl and 109--119 High Sts	19860809	Text	Photos
85003375	MASSACHUSETTS	Suffolk	Boston	Engine House No. 34	444 Western Ave.	19851024	Text	Photos
80000671	MASSACHUSETTS	Suffolk	Boston	Stearns, R. H., House	140 Tremont St.	19800616	Text	Photos
86001911	MASSACHUSETTS	Suffolk	Boston	Locke--Ober Restaurant	3--4 Winter Pl.	19860724	Text	Photos
80000677	MASSACHUSETTS	Suffolk	Boston	Berger Factory	37 Williams St.	19800409	Text	Photos
85000316	MASSACHUSETTS	Suffolk	Boston	Bigelow School	350 W. 4th St.	19850221	Text	Photos
84002890	MASSACHUSETTS	Suffolk	Boston	Moreland Street Historic District	Roughly bounded by Kearsarge, Blue	19840329	Text	Photos
70000921	MASSACHUSETTS	Suffolk	Boston	Fort Independence	Castle Island	19701015	Text	Photos
86000375	MASSACHUSETTS	Suffolk	Boston	Harriswood Crescent	60--88 Harold St.	19860313	Text	Photos
66000789	MASSACHUSETTS	Suffolk	Boston	U.S.S. CONSTITUTION	Boston Naval Shipyard	19661015	Text	Photos
87000757	MASSACHUSETTS	Suffolk	Boston	Harvard Stadium	60 N. Harvard St.	19870227	Text	Photos
72000144	MASSACHUSETTS	Suffolk	Boston	Boston Common and Public Garden	Beacon, Park, Tremont, Boylston, an	19720712	Text	Photos
87000760	MASSACHUSETTS	Suffolk	Boston	Boston Common	Beacon, Park, Tremont, Boylston, an	19870227	Text	Photos
87000761	MASSACHUSETTS	Suffolk	Boston	Boston Public Garden	Beacon, Charles, Boylston, and Arling	19870227	Text	Photos
87001128	MASSACHUSETTS	Suffolk	Boston	Monument Square Historic District	Monument Sq.	19870602	Text	Photos
66000138	MASSACHUSETTS	Suffolk	Boston	Bunker Hill Monument	Breed's Hill	19661015	Text	Photos
86000274	MASSACHUSETTS	Suffolk	Boston	Bulfinch Triangle Historic District	Roughly bounded by Canal, Market,	19860227	Text	Photos
80000675	MASSACHUSETTS	Suffolk	Boston	Dorchester-Milton Lower Mills Industrial District	Both sides of Neponset River	19800402	Text	Photos
86000084	MASSACHUSETTS	Suffolk	Boston	USS CASSIN YOUNG (destroyer)	Charlestown Navy Yard	19860114	Text	Photos
66000133	MASSACHUSETTS	Suffolk	Boston	Boston Light	Little Brewster Island, Boston Harbo	19661015	Text	Photos
87001481	MASSACHUSETTS	Suffolk	Boston	Long Island Head Light	Long Island	19870615	Text	Photos
87001394	MASSACHUSETTS	Suffolk	Boston	New Riding Club	52 Hemenway St.	19870820	Text	Photos
87001396	MASSACHUSETTS	Suffolk	Boston	Congress Street Fire Station	344 Congress St.	19870903	Text	Photos
87000885	MASSACHUSETTS	Suffolk	Boston	Abbotsford	300 Walnut Ave.	19870916	Text	Photos
87001889	MASSACHUSETTS	Suffolk	Boston	Sumner Hill Historic District	Roughly bounded by Seaverns Ave.,	19871022	Text	Photos
87001771	MASSACHUSETTS	Suffolk	Boston	Bunker Hill School	65 Baldwin St.	19871015	Text	Photos
87001398	MASSACHUSETTS	Suffolk	Boston	House at 17 Cranston Street	17 Cranston St.	19871120	Text	Photos
87001399	MASSACHUSETTS	Suffolk	Boston	Hoxie, Timothy, House	135 Hillside St.	19871120	Text	Photos
87001495	MASSACHUSETTS	Suffolk	Boston	Saint Augustine Chapel and Cemetery	Dorchester St. between W. Sixth and	19870918	Text	Photos

87002549	MASSACHUSETTS	Suffolk	Boston	District 13 Police Station	28 Seaverns Ave.	19880210	Text	Photos
85003323	MASSACHUSETTS	Suffolk	Boston	Boston Harbor Islands Archeological District	Address Restricted	19851221	Text	Photos
82004448	MASSACHUSETTS	Suffolk	Boston	Roughan Hall	15-18 City Sq.	19820415	Text	Photos
82004450	MASSACHUSETTS	Suffolk	Boston	McKay, Donald, House	78-80 White St.	19820602	Text	Photos
82004453	MASSACHUSETTS	Suffolk	Boston	Haffenreffer Brewery	Germania St.	19820502	Text	Photos
73000850	MASSACHUSETTS	Suffolk	Boston	Town Hill District	Bounded roughly by Rutherford Ave.	19730511	Text	Photos
74000907	MASSACHUSETTS	Suffolk	Boston	Phipps Street Burying Ground	Phipps St.	19740514	Text	Photos
74000911	MASSACHUSETTS	Suffolk	Boston	Clapp Houses	199 and 195 Boston St.	19740502	Text	Photos
74000915	MASSACHUSETTS	Suffolk	Boston	Dorchester North Burying Ground	Stroughton St. and Columbia Rd.	19740418	Text	Photos
80004396	MASSACHUSETTS	Suffolk	Boston	Boston African American National Historic Site	Museum of Afro American History, C	19801010	Text	Photos
66000141	MASSACHUSETTS	Suffolk	Boston	Brook Farm	670 Baker St.	19661015	Text	Photos
73000856	MASSACHUSETTS	Suffolk	Boston	Roxbury High Fort	Beech Glen St. at Fort Ave.	19730423	Text	Photos
73000855	MASSACHUSETTS	Suffolk	Boston	Kittredge, Alvah, House	12 Linwood St.	19730508	Text	Photos
73000854	MASSACHUSETTS	Suffolk	Boston	John Eliot Square District	John Eliot Sq.	19730423	Text	Photos
66000653	MASSACHUSETTS	Suffolk	Boston	Garrison, William Lloyd, House	125 Highland St.	19661015	Text	Photos
72000544	MASSACHUSETTS	Suffolk	Boston	Loring-Greenough House	12 South St.	19720426	Text	Photos
74000917	MASSACHUSETTS	Suffolk	Boston	Pierce House	24 Oakton Ave.	19740426	Text	Photos
70000540	MASSACHUSETTS	Suffolk	Boston	Fort Warren	Georges Island, Boston Harbor	19700829	Text	Photos
74002350	MASSACHUSETTS	Suffolk	Boston	Blake, James, House	735 Columbia Rd.	19740501	Text	Photos
83000604	MASSACHUSETTS	Suffolk	Boston	Loring, Harrison, House	789 E. Broadway St.	19830901	Text	Photos
88000908	MASSACHUSETTS	Suffolk	Boston	Goodwin, Ozias, House	7 Jackson Ave.	19880623	Text	Photos
88000957	MASSACHUSETTS	Suffolk	Boston	Greek Orthodox Cathedral of New England	520 Parker St.	19880630	Text	Photos
88000427	MASSACHUSETTS	Suffolk	Boston	Temple Place Historic District	11--55, 26--58 Temple Pl.	19880726	Text	Photos
88000959	MASSACHUSETTS	Suffolk	Boston	Eliot Hall	7A Eliot St.	19880715	Text	Photos
87001478	MASSACHUSETTS	Suffolk	Boston	Austin, Francis B., House	58 High St.	19881021	Text	Photos
89000004	MASSACHUSETTS	Suffolk	Boston	Mount Pleasant Historic District	Roughly bounded by Forest St. and M	19890209	Text	Photos
89000147	MASSACHUSETTS	Suffolk	Boston	Roxbury Highlands Historic District	Roughly bounded by Dudley St., Was	19890222	Text	Photos
73000325	MASSACHUSETTS	Suffolk	Boston	Hale, Edward Everett, House	12 Morley St.	19790321	Text	Photos
83004099	MASSACHUSETTS	Suffolk	Boston	LUNA (tugboat)	NDC Pier, Charles River	19831006	Text	Photos
89000974	MASSACHUSETTS	Suffolk	Boston	Massachusetts School of Art	364 Brookline Ave.	19890803	Text	Photos
89001747	MASSACHUSETTS	Suffolk	Boston	Mission Hill Triangle Historic District	Roughly bounded by Smith St., Wort	19891106	Text	Photos
89002169	MASSACHUSETTS	Suffolk	Boston	St. Joseph's Roman Catholic Church Complex	Bounded by Circuit, Regent, Hulbert,	19891228	Text	Photos
89002251	MASSACHUSETTS	Suffolk	Boston	Bellevue Standpipe	On Bellevue Hill at Washington St. ar	19900118	Text	Photos
88000955	MASSACHUSETTS	Suffolk	Boston	First Church of Jamaica Plain	6 Eliot St.	19880715	Text	Photos
90000631	MASSACHUSETTS	Suffolk	Boston	Copp's Hill Terrace	Between Commercial and Charter St	19900419	Text	Photos
89002271	MASSACHUSETTS	Suffolk	Boston	Chestnut Hill Reservoir Historic District	Beacon St. and Commonwealth Ave.	19900118	Text	Photos
90001095	MASSACHUSETTS	Suffolk	Boston	Calf Pasture Pumping Station Complex	435 Mount Vernon St.	19900802	Text	Photos
90001145	MASSACHUSETTS	Suffolk	Boston	Bowditch School	80--82 Greene St.	19900803	Text	Photos
90001536	MASSACHUSETTS	Suffolk	Boston	Monument Square Historic District	Roughly bounded by Jamaicaaway, Pc	19901011	Text	Photos
90001537	MASSACHUSETTS	Suffolk	Boston	Upham's Corner Market	600 Columbia Rd.	19901011	Text	Photos
89002125	MASSACHUSETTS	Suffolk	Boston	Roxbury Presbyterian Church	328 Warren St.	19910315	Text	Photos
90001992	MASSACHUSETTS	Suffolk	Boston	Sears Roebuck and Company Mail Order Store	309 Park Dr. and 201 Brookline Ave.	19910115	Text	Photos
92000356	MASSACHUSETTS	Suffolk	Boston	Trinity Neighborhood House	406 Meridian St.	19920414	Text	Photos
73001948	MASSACHUSETTS	Suffolk	Boston	Back Bay Historic District	Roughly bounded by the Charles Riv	19730814	Text	Photos
90001757	MASSACHUSETTS	Suffolk	Boston	Textile District	Roughly, Essex St. from Phillips Sq. to	19901129	Text	Photos
93001489	MASSACHUSETTS	Suffolk	Boston	Massachusetts Mental Health Center	74 Fenwood Rd.	19940121	Text	Photos
93001573	MASSACHUSETTS	Suffolk	Boston	House at 1 Bay Street	1 Bay St.	19940209	Text	Photos
93001587	MASSACHUSETTS	Suffolk	Boston	Eliot Congregational Church	56 Dale St., corner 118--120 Walnut S	19940209	Text	Photos
85000317	MASSACHUSETTS	Suffolk	Boston	Dimock Community Health Center Complex	41 and 55 Dimock St.	19850221	Text	Photos
80000672	MASSACHUSETTS	Suffolk	Boston	New England Conservatory of Music	290 Huntington Ave.	19800514	Text	Photos
94001494	MASSACHUSETTS	Suffolk	Boston	Lower Roxbury Historic District	Roughly, area surrounding Coventry,	19941209	Text	Photos
94001492	MASSACHUSETTS	Suffolk	Boston	Faneuil, Peter, School	60 Joy St.	19941216	Text	Photos
95001450	MASSACHUSETTS	Suffolk	Boston	Riviera, The	270 Huntington Ave.	19951207	Text	Photos
73000321	MASSACHUSETTS	Suffolk	Boston	Custom House District	Between J.F.K. Expwy. and Kirby St. a	19730511	Text	Photos
96001063	MASSACHUSETTS	Suffolk	Boston	Douglass, Frederick, Square Historic District	Roughly bounded by Hammond St., C	19961003	Text	Photos
97000969	MASSACHUSETTS	Suffolk	Boston	Charlestown Heights	Roughly bounded by St. Martin, Bun	19980108	Text	Photos
97000920	MASSACHUSETTS	Suffolk	Boston	Brighton Evangelical Congregational Church	404-410 Washington St.	19970821	Text	Photos
97000970	MASSACHUSETTS	Suffolk	Boston	Students House	96 The Fenway	19970911	Text	Photos
97000971	MASSACHUSETTS	Suffolk	Boston	North Terminal Garage	600 Commercial St.	19970911	Text	Photos
97001239	MASSACHUSETTS	Suffolk	Boston	Dorchester Temple Baptist Church	670 Washington St.	19980116	Text	Photos
97001377	MASSACHUSETTS	Suffolk	Boston	Allston Congregational Church	31-41 Quint Ave.	19971107	Text	Photos
97001472	MASSACHUSETTS	Suffolk	Boston	St. Luke's and St. Margaret's Church	5-7 St. Luke's Rd.	19971112	Text	Photos
98000149	MASSACHUSETTS	Suffolk	Boston	Eagle Hill Historic District	Roughly bounded by Border, Lexingt	19980226	Text	Photos
98001082	MASSACHUSETTS	Suffolk	Boston	Boston Young Men's Christian Association	312-320 Huntington Ave.	19980820	Text	Photos
97001278	MASSACHUSETTS	Suffolk	Boston	ROSEWAY (schooner)	Boston Harbor	19970925	Text	Photos
98001292	MASSACHUSETTS	Suffolk	Boston	St. Mary's Episcopal Church	14-16 Cushing Ave.	19981030	Text	Photos
98001330	MASSACHUSETTS	Suffolk	Boston	Roslindale Baptist Church	52 Cummins Hwy.	19981105	Text	Photos
98001361	MASSACHUSETTS	Suffolk	Boston	Cathedral of St. George Historic District	517-523-525 E. Broadway	19981125	Text	Photos
98001381	MASSACHUSETTS	Suffolk	Boston	Baker Congregational Church	760 Saratoga St.	19981119	Text	Photos
99000593	MASSACHUSETTS	Suffolk	Boston	Woodbourne Historic District	Roughly bounded by Walk Hill, Good	19990604	Text	Photos

99000633	MASSACHUSETTS	Suffolk	Boston	Symphony Hall	301 Massachusetts Avenue	19990120	Text	Photos
99001302	MASSACHUSETTS	Suffolk	Boston	Mariner's House	11 North Square	19991112	Text	Photos
99001304	MASSACHUSETTS	Suffolk	Boston	Congregation Adath Jeshurun	397 Blue Hill Ave.	19991112	Text	Photos
99001308	MASSACHUSETTS	Suffolk	Boston	First Congregational Church of Hyde Park	6 Webster St.	19991112	Text	Photos
99001614	MASSACHUSETTS	Suffolk	Boston	Church Green Buildings Historic District	101-113 Summer St.	19991230	Text	Photos
00000160	MASSACHUSETTS	Suffolk	Boston	Fulton-Commercial Streets Historic District (Boundary Incre	81-95 Richmond St.	20000303	Text	Photos
00000415	MASSACHUSETTS	Suffolk	Boston	Harvard Avenue Historic District	Roughly bounded by Linden St., Com	20000428	Text	Photos
00000871	MASSACHUSETTS	Suffolk	Boston	Dearborn School	25 Ambrose St.	20000802	Text	Photos
01000088	MASSACHUSETTS	Suffolk	Boston	Brighton Center Historic District	Academy Hill R., Chestnut Hill Ave., L	20010220	Text	Photos
01000872	MASSACHUSETTS	Suffolk	Boston	Peabody, The	195-197 Ashmont St.	20010808	Text	Photos
01001048	MASSACHUSETTS	Suffolk	Boston	Gibson House	137 Beacon St.	20010807	Text	Photos
01001557	MASSACHUSETTS	Suffolk	Boston	Boston Consumptives Hospital	249 River St.	20020207	Text	Photos
02000081	MASSACHUSETTS	Suffolk	Boston	Frances and Isabella Apartments	430-432 and 434-436 Dudley St.	20020222	Text	Photos
02000154	MASSACHUSETTS	Suffolk	Boston	Greenwood Memorial United Methodist Church	378A-380 Washington St.	20020308	Text	Photos
02000548	MASSACHUSETTS	Suffolk	Boston	Bennington Street Burying Ground	Bennington St., bet. Swift and harmc	20020522	Text	Photos
02001039	MASSACHUSETTS	Suffolk	Boston	Paine Furniture Building	75-81 Arlington St.	20020912	Text	Photos
02001190	MASSACHUSETTS	Suffolk	Boston	Harrison Square Historic District	Bounded by MBTA Braintree line em	20021022	Text	Photos
03000385	MASSACHUSETTS	Suffolk	Boston	Savin Hill Historic District	Roughly bounded by Savin Hill Ave.,	20030509	Text	Photos
03000645	MASSACHUSETTS	Suffolk	Boston	Union Oyster House	41-43 Union Street	20030527	Text	Photos
03000781	MASSACHUSETTS	Suffolk	Boston	Publicity Building	40-44 Bromfield St.	20030820	Text	Photos
04000023	MASSACHUSETTS	Suffolk	Boston	Benedict Fenwick School	150 Magnolia St.	20040211	Text	Photos
04000085	MASSACHUSETTS	Suffolk	Boston	Haskell, Edward H., Home for Nurses	220 Fisther Ave., 63 Parker Hill Ave.	20040226	Text	Photos
04000119	MASSACHUSETTS	Suffolk	Boston	YWCA Boston	140 Clarendon St.	20040303	Text	Photos
04000189	MASSACHUSETTS	Suffolk	Boston	Nix's Mate Daybeacon	Nubble Channel, The Narrows, Bostc	20040318	Text	Photos
04000426	MASSACHUSETTS	Suffolk	Boston	Nazing Court Apartments	224-236 Seaver St. and 1-8 Nazing Cc	20040512	Text	Photos
04000534	MASSACHUSETTS	Suffolk	Boston	Hibernian Hall	182-186 Dudley St.	20040602	Text	Photos
04000959	MASSACHUSETTS	Suffolk	Boston	Fort Point Channel Historic District	Necco Court, Thomson Place, A, Binf	20040910	Text	Photos
04001219	MASSACHUSETTS	Suffolk	Boston	Forest Hills Cemetery	95 Forest Hills Ave.	20041117	Text	Photos
04001430	MASSACHUSETTS	Suffolk	Boston	Truman Parkway--Metropolitan Park System of Greater Bo	Truman Parkway	20050105	Text	Photos
04001432	MASSACHUSETTS	Suffolk	Boston	VFW Parkway, Metropolitan Park System of Greater Bostor	VFW Parkway, bet. Spring And Centr	20050105	Text	Photos
04001572	MASSACHUSETTS	Suffolk	Boston	Morton Street, Metropolitan Park System of Greater Bosto	Morton St.	20050124	Text	Photos
04001573	MASSACHUSETTS	Suffolk	Boston	Neponset Valley Parkway, Metorpolitan Park System of Gre	Neponset Valley Parkway	20050124	Text	Photos
05000459	MASSACHUSETTS	Suffolk	Boston	Ayer, Frederick, Mansion	395 Commonwealth Avenue	20050405	Text	Photos
05000559	MASSACHUSETTS	Suffolk	Boston	Collins Building	213-217 Washington St.	20050608	Text	Photos
05000879	MASSACHUSETTS	Suffolk	Boston	Home for Aged Couples	409, 419 Walnut Ave. and 2055 Colu	20050811	Text	Photos
05000936	MASSACHUSETTS	Suffolk	Boston	South Boston Boat Clubs Historic District	1793-1849 William J. Day Blvd.	20050901	Text	Photos
05001509	MASSACHUSETTS	Suffolk	Boston	Stony Brook Reservation Parkways, Metropolitan Park Syst	Dedham, Enneking, Turtle Pond Park	20060103	Text	Photos
06000127	MASSACHUSETTS	Suffolk	Boston	East Boston High School, Old	127 Marion St.	20060315	Text	Photos
01000304	MASSACHUSETTS	Suffolk	Boston	Dorchester--Milton Lower Mills Industrial District (Boundar	Roughly: Adams, River, Medway Sts.,	20010406	Text	Photos
07000510	MASSACHUSETTS	Suffolk	Boston	Goldsmith Block	41 Ruggles St., 746-750 Shawmut Av	20070605	Text	Photos
07000861	MASSACHUSETTS	Suffolk	Boston	Boston Transit Commission Building	15 Beacon St.	20070831	Text	Photos
08000089	MASSACHUSETTS	Suffolk	Boston	Dorchester Park	Bounded by Dorchester Ave., Richmc	20080220	Text	Photos
08000693	MASSACHUSETTS	Suffolk	Boston	Old Harbor Reservation Parkways, Metropolitan Park Syste	William J. Day Blvd., Columbia Rd. be	20080724	Text	Photos
08000793	MASSACHUSETTS	Suffolk	Boston	Joshua Bates School	731 Harrison Ave.	20080822	Text	Photos
08000795	MASSACHUSETTS	Suffolk	Boston	Ohabei Shalom Cemetery	147 Wordsworth St.	20080819	Text	Photos
08001284	MASSACHUSETTS	Suffolk	Boston	Compton Building	159, 161-175 Devonshire St., 18-20 A	20081231	Text	Photos
09000612	MASSACHUSETTS	Suffolk	Boston	Evergreen Cemetery	2060 Commonwealth Ave.	20090814	Text	Photos
09000717	MASSACHUSETTS	Suffolk	Boston	Fairview Cemetery	45 Fairview Ave.	20090916	Text	Photos
09000767	MASSACHUSETTS	Suffolk	Boston	Mount Hope Cemetery	355 Walk Hill St.	20090924	Text	Photos
10000039	MASSACHUSETTS	Suffolk	Boston	EDNA G. shipwreck (Eastern Rig dragger)	Address Restricted	20101122	Text	Photos
10000300	MASSACHUSETTS	Suffolk	Boston	Highland Spring Brewery Bottling and Storage Buildings	154-166 Terrace St	20100528	Text	Photos
10000391	MASSACHUSETTS	Suffolk	Boston	Second Church in Boston	874, 876, 880 Beacon St	20100624	Text	Photos
10000506	MASSACHUSETTS	Suffolk	Boston	Charles River Reservation (Speedway)--Upper Basin Headq	1420-1440 Soldiers Field Rd	20100719	Text	Photos
10001066	MASSACHUSETTS	Suffolk	Boston	Egleston Substation	3025 Washington St	20101227	Text	Photos
11000160	MASSACHUSETTS	Suffolk	Boston	United State Post Office, Courthouse, and Federal Building	5 Post Office Square	20110408	Text	Photos
12000069	MASSACHUSETTS	Suffolk	Boston	Fenway Park	24, & 2-4 Yawkey Wy., 64-76 Brookli	20120307	Text	Photos
12000099	MASSACHUSETTS	Suffolk	Boston	Terminal Storage Warehouse District	267-281 Medford St., 40 & 50 Termir	20120312	Text	Photos
12000783	MASSACHUSETTS	Suffolk	Boston	Saint Mark's Episcopal Church	73 Columbia Rd.	20140703	Text	Photos
12000978	MASSACHUSETTS	Suffolk	Boston	Sherman Apartments Historic District	544-546 Washington, 4-6, 12-14, 18 l	20121128	Text	Photos
12001012	MASSACHUSETTS	Suffolk	Boston	Central Congregational Church	67 Newbury St.	20121016	Text	Photos
12001162	MASSACHUSETTS	Suffolk	Boston	Commonwealth Pier Five	165 Northern Ave.	19791010	Text	Photos
13000621	MASSACHUSETTS	Suffolk	Boston	Roslindale Substation	4228 Washington St.	20130827	Text	Photos
13000928	MASSACHUSETTS	Suffolk	Boston	Davidson, Sarah, Apartment Block	3 Gaylord St.	20131218	Text	Photos
13000929	MASSACHUSETTS	Suffolk	Boston	Pilgrim Congregational Church	540-544 Columbia Rd.	20131218	Text	Photos
13000930	MASSACHUSETTS	Suffolk	Boston	Walton and Roslin Halls	702-708 & 710-726 Washington St., 3	20131218	Text	Photos
14000272	MASSACHUSETTS	Suffolk	Boston	Blake and Amory Building	59 Temple Pl.	20140602	Text	Photos
14000365	MASSACHUSETTS	Suffolk	Boston	Dorchester South Burying Ground	2095 Dorchester Ave.	20140627	Text	Photos
14000561	MASSACHUSETTS	Suffolk	Boston	Buildings at 825--829 Blue Hill Avenue	825-829 Blue Hill Ave.	20140910	Text	Photos
14000698	MASSACHUSETTS	Suffolk	Boston	Almont Apartments	1439-1443 & 1447-1451 Blue Hill Ave	20140922	Text	Photos
14000974	MASSACHUSETTS	Suffolk	Boston	Gridley Street Historic District	Bounded by Congress, High, Pearl &	20141203	Text	Photos

14000975	MASSACHUSETTS	Suffolk	Boston	Lyman, Theodore, School	30 Gove St.	20141202	Text	Photos
14001095	MASSACHUSETTS	Suffolk	Boston	South End District (Boundary Increase)	200-224 Northampton St.	20141229	Text	Photos
15000048	MASSACHUSETTS	Suffolk	Boston	Boston Police Station Number One--Traffic Tunnel Adminis	128, 150 North & 130 -140 Richmonc	20150303	Text	Photos
15000195	MASSACHUSETTS	Suffolk	Boston	Boston National Historical Park	Charlestown Navy Yard	20150505	Text	Photos
86001378	MASSACHUSETTS	Suffolk	South Bostc	US Post Office Garage	135 A St.	19860626	Text	Photos

Massachusetts Cultural Resource Information System

MACRIS

MACRIS Search Results

Search Criteria: Town(s): Boston; Place: South End; Street No: 1000; Street Name: Washington; Resource Type(s): Area, Building, Burial Ground, Object, Structure;

Inv. No.	Property Name	Street	Town	Year
----------	---------------	--------	------	------

APPENDIX E

Laboratory Data Reports



ANALYTICAL REPORT

Lab Number: L1738447

Client: Haley & Aldrich, Inc.
465 Medford Street, Suite 2200
Charlestown, MA 02129-1400

ATTN:

Phone: (617) 886-7400

Project Name:

Project Number:

Report Date: 10/27/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name:
Project Number:

Lab Number: L1738447
Report Date: 10/27/17

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1738447-01	HA17-BUSS	WATER	ALBANY STREET, BOSTON, MA	10/23/17 13:20	10/23/17

Project Name: BU DENTAL BUILDING
Project Number: 125883-002

Lab Number: L1738447
Report Date: 10/27/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Cristin Walker

Title: Technical Director/Representative

Date: 10/27/17

INORGANICS & MISCELLANEOUS

Project Name:
Project Number:

Lab Number: L1738447
Report Date: 10/27/17

SAMPLE RESULTS

Lab ID: L1738447-01
Client ID: HA17-BUSS
Sample Location: ALBANY STREET, BOSTON, MA
Matrix: Water

Date Collected: 10/23/17 13:20
Date Received: 10/23/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
SALINITY	28		SU	2.0	--	1	-	10/26/17 18:37	121,2520B	AS
pH (H)	7.6		SU	-	NA	1	-	10/23/17 23:44	121,4500H+-B	AS
Nitrogen, Ammonia	0.191		mg/l	0.075	--	1	10/24/17 02:15	10/24/17 21:13	121,4500NH3-BH	AT



Project Name:
Project Number:

Lab Number: L1738447
Report Date: 10/27/17

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1055463-1										
Nitrogen, Ammonia	ND		mg/l	0.075	--	1	10/24/17 02:15	10/24/17 20:57	121,4500NH3-BH	AT

Lab Control Sample Analysis

Batch Quality Control

Project Name:
Project Number:

Lab Number: L1738447
Report Date: 10/27/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1055450-1								
pH	100		-		99-101	-		5
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1055463-2								
Nitrogen, Ammonia	92		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1056756-1								
SALINITY	106		-			-		

Matrix Spike Analysis

Batch Quality Control

Project Name:
Project Number:

Lab Number: L1738447
Report Date: 10/27/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1055463-6 QC Sample: L1737982-01 Client ID: MS Sample												
Nitrogen, Ammonia	ND	4	3.61	90		-	-		80-120	-		20

Project Name:
Project Number:

Lab Duplicate Analysis

Batch Quality Control

Lab Number: L1738447
Report Date: 10/27/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1055450-2 QC Sample: L1738423-01 Client ID: DUP Sample						
pH	7.1	7.1	SU	0		5
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1055463-5 QC Sample: L1737982-01 Client ID: DUP Sample						
Nitrogen, Ammonia	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1056756-2 QC Sample: L1738448-01 Client ID: DUP Sample						
SALINITY	4.2	4.2	SU	0		

Project Name:**Lab Number:** L1738447**Project Number:****Report Date:** 10/27/17**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1738447-01A	Plastic 250ml HNO3 preserved	A	<2	<2	4.2	Y	Absent		HOLD-METAL(180)
L1738447-01B	Amber 120ml unpreserved	A	7	7	4.2	Y	Absent		SALINITY(28)
L1738447-01C	Plastic 250ml unpreserved	A	7	7	4.2	Y	Absent		PH-4500(.01)
L1738447-01D	Plastic 500ml H2SO4 preserved	A	<2	<2	4.2	Y	Absent		NH3-4500(28)

Project Name:**Lab Number:** L1738447**Project Number:****Report Date:** 10/27/17**GLOSSARY****Acronyms**

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name:**Lab Number:** L1738447**Project Number:****Report Date:** 10/27/17**Data Qualifiers**

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Report Format: Data Usability Report



Project Name:**Lab Number:** L1738447**Project Number:****Report Date:** 10/27/17

REFERENCES

- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.

ID No.:17873

Facility: **Company-wide**

Revision 10

Department: **Quality Assurance**

Published Date: 1/16/2017 11:00:05 AM

Title: **Certificate/Approval Program Summary**

Page 1 of 1

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility**EPA 624:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 300:** DW: Bromide**EPA 6860:** NPW and SCM: Perchlorate**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation**EPA 9012B:** NPW: Total Cyanide**EPA 9050A:** NPW: Specific Conductance**SM3500:** NPW: Ferrous Iron**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.**SM5310C:** DW: Dissolved Organic Carbon**Mansfield Facility****SM 2540D:** TSS**EPA 3005A** NPW**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:**Drinking Water****EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.****EPA 624:** Volatile Halocarbons & Aromatics,**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.****Mansfield Facility:****Drinking Water****EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

[illegible]



ANALYTICAL REPORT

Lab Number:	L1745151
Client:	Haley & Aldrich, Inc. 465 Medford Street, Suite 2200 Charlestown, MA 02129-1400
ATTN:	Jessica Lefkowitz
Phone:	(617) 886-7400
Project Name:	1000 WASHINGTON STREET
Project Number:	130904-002
Report Date:	12/14/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1745151-01	HA17-05_120717	WATER	BOSTON, MA	12/07/17 06:25	12/07/17

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

Case Narrative (continued)

Semivolatile Organics

The WG1070355-3 LCSD recovery, associated with L1745151-01 (HA17-05_120717), is below the acceptance criteria for benzidine (6%); however, it has been identified as a "difficult" analyte. The results of the associated sample are reported.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Lisa Westerlind

Title: Technical Director/Representative

Date: 12/14/17

ORGANICS

VOLATILES

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**SAMPLE RESULTS**

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 12/10/17 23:05
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**SAMPLE RESULTS**

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

SAMPLE RESULTS

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1
Tert-Butyl Alcohol	ND		ug/l	10	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	121		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	107		70-130

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

SAMPLE RESULTS

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)

Matrix: Water
Analytical Method: 1,8260C-SIM(M)
Analytical Date: 12/10/17 23:05
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS-SIM - Westborough Lab						
1,4-Dioxane	ND		ug/l	3.0	--	1

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

SAMPLE RESULTS

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)
Extraction Method: EPA 504.1
Extraction Date: 12/11/17 09:46

Matrix: Water
Analytical Method: 14,504.1
Analytical Date: 12/11/17 11:28
Analyst: SL

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Microextractables by GC - Westborough Lab							
1,2-Dibromoethane	ND		ug/l	0.010	--	1	A

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**Method Blank Analysis**
Batch Quality Control

Analytical Method: 1,8260C-SIM(M)

Analytical Date: 12/10/17 20:11

Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1071120-5					
1,4-Dioxane	ND		ug/l	3.0	--

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/10/17 20:11
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1071125-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
1,2-Dichloroethene, Total	ND		ug/l	0.50	--
Trichloroethene	ND		ug/l	0.50	--

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/10/17 20:11
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1071125-5					
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,4-Dichlorobutane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Ethyl methacrylate	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
Tetrahydrofuran	ND		ug/l	5.0	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 12/10/17 20:11
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1071125-5					
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--
Ethyl ether	ND		ug/l	2.5	--
Tert-Butyl Alcohol	ND		ug/l	10	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	118		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	108		70-130

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**Method Blank Analysis**
Batch Quality Control

Analytical Method: 14,504.1
Analytical Date: 12/11/17 10:40
Analyst: SL

Extraction Method: EPA 504.1
Extraction Date: 12/11/17 09:46

Parameter	Result	Qualifier	Units	RL	MDL
Microextractables by GC - Westborough Lab for sample(s): 01 Batch: WG1071187-1					
1,2-Dibromoethane	ND		ug/l	0.010	-- A

Lab Control Sample Analysis**Batch Quality Control****Project Name:** 1000 WASHINGTON STREET**Project Number:** 130904-002**Lab Number:** L1745151**Report Date:** 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1071120-3 WG1071120-4								
1,4-Dioxane	90		82		70-130	9		25

Lab Control Sample Analysis Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1071125-3 WG1071125-4								
Methylene chloride	85		84		70-130	1		20
1,1-Dichloroethane	83		86		70-130	4		20
Chloroform	85		87		70-130	2		20
Carbon tetrachloride	90		90		63-132	0		20
1,2-Dichloropropane	81		85		70-130	5		20
Dibromochloromethane	89		87		63-130	2		20
1,1,2-Trichloroethane	88		84		70-130	5		20
Tetrachloroethene	98		90		70-130	9		20
Chlorobenzene	89		89		75-130	0		25
Trichlorofluoromethane	80		82		62-150	2		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	91		94		67-130	3		20
Bromodichloromethane	82		85		67-130	4		20
trans-1,3-Dichloropropene	86		82		70-130	5		20
cis-1,3-Dichloropropene	92		96		70-130	4		20
1,1-Dichloropropene	87		89		70-130	2		20
Bromoform	92		91		54-136	1		20
1,1,2,2-Tetrachloroethane	86		80		67-130	7		20
Benzene	82		84		70-130	2		25
Toluene	91		87		70-130	4		25
Ethylbenzene	84		81		70-130	4		20
Chloromethane	48	Q	50	Q	64-130	4		20
Bromomethane	73		57		39-139	25	Q	20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1071125-3 WG1071125-4								
Vinyl chloride	74		80		55-140	8		20
Chloroethane	69		72		55-138	4		20
1,1-Dichloroethene	96		100		61-145	4		25
Trichloroethene	84		85		70-130	1		25
1,2-Dichlorobenzene	90		88		70-130	2		20
1,3-Dichlorobenzene	91		88		70-130	3		20
1,4-Dichlorobenzene	89		87		70-130	2		20
Methyl tert butyl ether	86		90		63-130	5		20
p/m-Xylene	100		95		70-130	5		20
o-Xylene	95		95		70-130	0		20
cis-1,2-Dichloroethene	87		89		70-130	2		20
Dibromomethane	86		84		70-130	2		20
1,4-Dichlorobutane	81		80		70-130	1		20
1,2,3-Trichloropropane	88		88		64-130	0		20
Styrene	95		90		70-130	5		20
Dichlorodifluoromethane	86		86		36-147	0		20
Acetone	71		77		58-148	8		20
Carbon disulfide	92		97		51-130	5		20
2-Butanone	87		76		63-138	13		20
Vinyl acetate	78		77		70-130	1		20
4-Methyl-2-pentanone	73		73		59-130	0		20
2-Hexanone	59		62		57-130	5		20
Ethyl methacrylate	81		75		70-130	8		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1071125-3 WG1071125-4								
Acrylonitrile	83		85		70-130	2		20
Bromochloromethane	90		90		70-130	0		20
Tetrahydrofuran	81		79		58-130	3		20
2,2-Dichloropropane	90		91		63-133	1		20
1,2-Dibromoethane	90		86		70-130	5		20
1,3-Dichloropropane	88		81		70-130	8		20
1,1,1,2-Tetrachloroethane	79		76		64-130	4		20
Bromobenzene	90		90		70-130	0		20
n-Butylbenzene	96		94		53-136	2		20
sec-Butylbenzene	140	Q	130		70-130	7		20
tert-Butylbenzene	92		86		70-130	7		20
o-Chlorotoluene	92		90		70-130	2		20
p-Chlorotoluene	91		88		70-130	3		20
1,2-Dibromo-3-chloropropane	84		75		41-144	11		20
Hexachlorobutadiene	92		91		63-130	1		20
Isopropylbenzene	92		92		70-130	0		20
p-Isopropyltoluene	94		92		70-130	2		20
Naphthalene	88		88		70-130	0		20
n-Propylbenzene	92		91		69-130	1		20
1,2,3-Trichlorobenzene	87		88		70-130	1		20
1,2,4-Trichlorobenzene	90		89		70-130	1		20
1,3,5-Trimethylbenzene	94		92		64-130	2		20
1,2,4-Trimethylbenzene	93		90		70-130	3		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1071125-3 WG1071125-4								
trans-1,4-Dichloro-2-butene	71		72		70-130	1		20
Ethyl ether	69		69		59-134	0		20
Tert-Butyl Alcohol	76		78		70-130	3		20
Tertiary-Amyl Methyl Ether	80		88		66-130	10		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	98		102		70-130
Toluene-d8	105		103		70-130
4-Bromofluorobenzene	101		102		70-130
Dibromofluoromethane	103		104		70-130

Lab Control Sample Analysis**Batch Quality Control****Project Name:** 1000 WASHINGTON STREET**Project Number:** 130904-002**Lab Number:** L1745151**Report Date:** 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Microextractables by GC - Westborough Lab Associated sample(s): 01 Batch: WG1071187-2									
1,2-Dibromoethane	106		-		80-120	-			A

Matrix Spike Analysis*Batch Quality Control***Project Name:** 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits	Column
Microextractables by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1071187-3 QC Sample: L1745151-01 Client ID: HA17-05_120717													
1,2-Dibromoethane	ND	0.254	0.284	112		-	-		80-120	-		20	A

SEMIVOLATILES

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**SAMPLE RESULTS**

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)
Extraction Method: EPA 3510C
Extraction Date: 12/08/17 00:15

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 12/12/17 02:12
Analyst: CB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzidine	ND		ug/l	20	--	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--	1
1,2-Dichlorobenzene	ND		ug/l	2.0	--	1
1,3-Dichlorobenzene	ND		ug/l	2.0	--	1
1,4-Dichlorobenzene	ND		ug/l	2.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--	1
2,4-Dinitrotoluene	ND		ug/l	5.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
Azobenzene	ND		ug/l	2.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	20	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	2.0	--	1
NDPA/DPA	ND		ug/l	2.0	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Biphenyl	ND		ug/l	2.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**SAMPLE RESULTS****Lab ID:** L1745151-01**Date Collected:** 12/07/17 06:25**Client ID:** HA17-05_120717**Date Received:** 12/07/17**Sample Location:** BOSTON, MA**Field Prep:** Field Filtered (Dissolved Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
4-Nitroaniline	ND		ug/l	5.0	--	1
Dibenzofuran	ND		ug/l	2.0	--	1
n-Nitrosodimethylamine	ND		ug/l	2.0	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
p-Chloro-m-cresol	ND		ug/l	2.0	--	1
2-Chlorophenol	ND		ug/l	2.0	--	1
2,4-Dichlorophenol	ND		ug/l	5.0	--	1
2,4-Dimethylphenol	ND		ug/l	5.0	--	1
2-Nitrophenol	ND		ug/l	10	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	20	--	1
4,6-Dinitro-o-cresol	ND		ug/l	10	--	1
Phenol	ND		ug/l	5.0	--	1
2-Methylphenol	ND		ug/l	5.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	2.0	--	1
Carbazole	ND		ug/l	2.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	43		21-120
Phenol-d6	30		10-120
Nitrobenzene-d5	78		23-120
2-Fluorobiphenyl	91		15-120
2,4,6-Tribromophenol	96		10-120
4-Terphenyl-d14	101		41-149

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

SAMPLE RESULTS

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)
Extraction Method: EPA 3510C
Extraction Date: 12/08/17 00:22

Matrix: Water
Analytical Method: 1,8270D-SIM
Analytical Date: 12/09/17 20:26
Analyst: KL

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.10	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.10	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	0.32		ug/l	0.10	--	1
Benzo(a)anthracene	ND		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	ND		ug/l	0.10	--	1
Anthracene	ND		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	ND		ug/l	0.10	--	1
Phenanthrene	ND		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	ND		ug/l	0.10	--	1
1-Methylnaphthalene	0.11		ug/l	0.10	--	1
2-Methylnaphthalene	0.14		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**SAMPLE RESULTS****Lab ID:** L1745151-01**Date Collected:** 12/07/17 06:25**Client ID:** HA17-05_120717**Date Received:** 12/07/17**Sample Location:** BOSTON, MA**Field Prep:** Field Filtered (Dissolved Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	46		21-120
Phenol-d6	32		10-120
Nitrobenzene-d5	91		23-120
2-Fluorobiphenyl	81		15-120
2,4,6-Tribromophenol	77		10-120
4-Terphenyl-d14	78		41-149

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D
 Analytical Date: 12/11/17 23:19
 Analyst: CB

Extraction Method: EPA 3510C
 Extraction Date: 12/08/17 00:15

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1070355-1					
Acenaphthene	ND		ug/l	2.0	--
Benzidine	ND		ug/l	20	--
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Hexachlorobenzene	ND		ug/l	2.0	--
Bis(2-chloroethyl)ether	ND		ug/l	2.0	--
2-Chloronaphthalene	ND		ug/l	2.0	--
1,2-Dichlorobenzene	ND		ug/l	2.0	--
1,3-Dichlorobenzene	ND		ug/l	2.0	--
1,4-Dichlorobenzene	ND		ug/l	2.0	--
3,3'-Dichlorobenzidine	ND		ug/l	5.0	--
2,4-Dinitrotoluene	ND		ug/l	5.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
Azobenzene	ND		ug/l	2.0	--
Fluoranthene	ND		ug/l	2.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	--
4-Bromophenyl phenyl ether	ND		ug/l	2.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorobutadiene	ND		ug/l	2.0	--
Hexachlorocyclopentadiene	ND		ug/l	20	--
Hexachloroethane	ND		ug/l	2.0	--
Isophorone	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.0	--
Nitrobenzene	ND		ug/l	2.0	--
NDPA/DPA	ND		ug/l	2.0	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D
 Analytical Date: 12/11/17 23:19
 Analyst: CB

Extraction Method: EPA 3510C
 Extraction Date: 12/08/17 00:15

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1070355-1					
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Benzo(a)anthracene	ND		ug/l	2.0	--
Benzo(a)pyrene	ND		ug/l	2.0	--
Benzo(b)fluoranthene	ND		ug/l	2.0	--
Benzo(k)fluoranthene	ND		ug/l	2.0	--
Chrysene	ND		ug/l	2.0	--
Acenaphthylene	ND		ug/l	2.0	--
Anthracene	ND		ug/l	2.0	--
Benzo(ghi)perylene	ND		ug/l	2.0	--
Fluorene	ND		ug/l	2.0	--
Phenanthrene	ND		ug/l	2.0	--
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	--
Pyrene	ND		ug/l	2.0	--
Biphenyl	ND		ug/l	2.0	--
Aniline	ND		ug/l	2.0	--
4-Chloroaniline	ND		ug/l	5.0	--
1-Methylnaphthalene	ND		ug/l	2.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	5.0	--
Dibenzofuran	ND		ug/l	2.0	--
2-Methylnaphthalene	ND		ug/l	2.0	--
n-Nitrosodimethylamine	ND		ug/l	2.0	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
p-Chloro-m-cresol	ND		ug/l	2.0	--
2-Chlorophenol	ND		ug/l	2.0	--

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D
 Analytical Date: 12/11/17 23:19
 Analyst: CB

Extraction Method: EPA 3510C
 Extraction Date: 12/08/17 00:15

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1070355-1					
2,4-Dichlorophenol	ND		ug/l	5.0	--
2,4-Dimethylphenol	ND		ug/l	5.0	--
2-Nitrophenol	ND		ug/l	10	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	20	--
4,6-Dinitro-o-cresol	ND		ug/l	10	--
Pentachlorophenol	ND		ug/l	10	--
Phenol	ND		ug/l	5.0	--
2-Methylphenol	ND		ug/l	5.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	2.0	--
Carbazole	ND		ug/l	2.0	--
Pyridine	ND		ug/l	3.5	--

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/l

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**Method Blank Analysis**
Batch Quality ControlAnalytical Method: 1,8270D
Analytical Date: 12/11/17 23:19
Analyst: CBExtraction Method: EPA 3510C
Extraction Date: 12/08/17 00:15

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1070355-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		21-120
Phenol-d6	38		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	84		15-120
2,4,6-Tribromophenol	87		10-120
4-Terphenyl-d14	88		41-149

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D-SIM
 Analytical Date: 12/09/17 16:32
 Analyst: KL

Extraction Method: EPA 3510C
 Extraction Date: 12/08/17 00:22

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1070357-1					
Acenaphthene	ND		ug/l	0.10	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.10	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.10	--
Benzo(a)anthracene	ND		ug/l	0.10	--
Benzo(a)pyrene	ND		ug/l	0.10	--
Benzo(b)fluoranthene	ND		ug/l	0.10	--
Benzo(k)fluoranthene	ND		ug/l	0.10	--
Chrysene	ND		ug/l	0.10	--
Acenaphthylene	ND		ug/l	0.10	--
Anthracene	ND		ug/l	0.10	--
Benzo(ghi)perylene	ND		ug/l	0.10	--
Fluorene	ND		ug/l	0.10	--
Phenanthrene	ND		ug/l	0.10	--
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--
Pyrene	ND		ug/l	0.10	--
1-Methylnaphthalene	ND		ug/l	0.10	--
2-Methylnaphthalene	ND		ug/l	0.10	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17**Method Blank Analysis**
Batch Quality ControlAnalytical Method: 1,8270D-SIM
Analytical Date: 12/09/17 16:32
Analyst: KLExtraction Method: EPA 3510C
Extraction Date: 12/08/17 00:22

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1070357-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	56		21-120
Phenol-d6	42		10-120
Nitrobenzene-d5	93		23-120
2-Fluorobiphenyl	77		15-120
2,4,6-Tribromophenol	74		10-120
4-Terphenyl-d14	79		41-149

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1070355-2 WG1070355-3								
Acenaphthene	79		69		37-111	14		30
Benzidine	13		6	Q	10-75	80	Q	30
1,2,4-Trichlorobenzene	62		58		39-98	7		30
Hexachlorobenzene	90		80		40-140	12		30
Bis(2-chloroethyl)ether	74		69		40-140	7		30
2-Chloronaphthalene	76		68		40-140	11		30
1,2-Dichlorobenzene	57		57		40-140	0		30
1,3-Dichlorobenzene	54		55		40-140	2		30
1,4-Dichlorobenzene	54		56		36-97	4		30
3,3'-Dichlorobenzidine	70		59		40-140	17		30
2,4-Dinitrotoluene	104		89		48-143	16		30
2,6-Dinitrotoluene	98		86		40-140	13		30
Azobenzene	81		71		40-140	13		30
Fluoranthene	90		78		40-140	14		30
4-Chlorophenyl phenyl ether	84		74		40-140	13		30
4-Bromophenyl phenyl ether	89		78		40-140	13		30
Bis(2-chloroisopropyl)ether	66		62		40-140	6		30
Bis(2-chloroethoxy)methane	83		73		40-140	13		30
Hexachlorobutadiene	62		60		40-140	3		30
Hexachlorocyclopentadiene	58		52		40-140	11		30
Hexachloroethane	51		53		40-140	4		30
Isophorone	84		74		40-140	13		30
Naphthalene	67		63		40-140	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1070355-2 WG1070355-3								
Nitrobenzene	80		74		40-140	8		30
NDPA/DPA	88		76		40-140	15		30
n-Nitrosodi-n-propylamine	82		73		29-132	12		30
Bis(2-ethylhexyl)phthalate	95		86		40-140	10		30
Butyl benzyl phthalate	95		82		40-140	15		30
Di-n-butylphthalate	93		80		40-140	15		30
Di-n-octylphthalate	94		84		40-140	11		30
Diethyl phthalate	90		80		40-140	12		30
Dimethyl phthalate	91		80		40-140	13		30
Benzo(a)anthracene	88		78		40-140	12		30
Benzo(a)pyrene	86		76		40-140	12		30
Benzo(b)fluoranthene	89		79		40-140	12		30
Benzo(k)fluoranthene	87		77		40-140	12		30
Chrysene	88		78		40-140	12		30
Acenaphthylene	82		72		45-123	13		30
Anthracene	87		76		40-140	13		30
Benzo(ghi)perylene	88		77		40-140	13		30
Fluorene	84		73		40-140	14		30
Phenanthrene	86		76		40-140	12		30
Dibenzo(a,h)anthracene	88		77		40-140	13		30
Indeno(1,2,3-cd)pyrene	89		78		40-140	13		30
Pyrene	86		76		26-127	12		30
Biphenyl	82		72		40-140	13		30

Lab Control Sample Analysis Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1070355-2 WG1070355-3								
Aniline	36	Q	31	Q	40-140	15		30
4-Chloroaniline	48		41		40-140	16		30
1-Methylnaphthalene	77		71		41-103	8		30
2-Nitroaniline	103		90		52-143	13		30
3-Nitroaniline	66		57		25-145	15		30
4-Nitroaniline	87		77		51-143	12		30
Dibenzofuran	82		72		40-140	13		30
2-Methylnaphthalene	70		64		40-140	9		30
n-Nitrosodimethylamine	38		39		22-74	3		30
2,4,6-Trichlorophenol	96		84		30-130	13		30
p-Chloro-m-cresol	94		82		23-97	14		30
2-Chlorophenol	77		72		27-123	7		30
2,4-Dichlorophenol	92		80		30-130	14		30
2,4-Dimethylphenol	74		70		30-130	6		30
2-Nitrophenol	97		86		30-130	12		30
4-Nitrophenol	65		59		10-80	10		30
2,4-Dinitrophenol	83		77		20-130	8		30
4,6-Dinitro-o-cresol	99		86		20-164	14		30
Pentachlorophenol	80		72		9-103	11		30
Phenol	42		39		12-110	7		30
2-Methylphenol	73		66		30-130	10		30
3-Methylphenol/4-Methylphenol	74		65		30-130	13		30
2,4,5-Trichlorophenol	97		87		30-130	11		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1070355-2 WG1070355-3								
Benzoic Acid	30		33		10-164	10		30
Benzyl Alcohol	74		67		26-116	10		30
Carbazole	89		77		55-144	14		30
Pyridine	20		22		10-66	10		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	57		56		21-120
Phenol-d6	44		41		10-120
Nitrobenzene-d5	88		83		23-120
2-Fluorobiphenyl	93		82		15-120
2,4,6-Tribromophenol	113		101		10-120
4-Terphenyl-d14	95		83		41-149

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1070357-2 WG1070357-3								
Acenaphthene	82		79		40-140	4		40
2-Chloronaphthalene	86		83		40-140	4		40
Fluoranthene	86		79		40-140	8		40
Hexachlorobutadiene	70		71		40-140	1		40
Naphthalene	77		78		40-140	1		40
Benzo(a)anthracene	92		87		40-140	6		40
Benzo(a)pyrene	87		82		40-140	6		40
Benzo(b)fluoranthene	89		89		40-140	0		40
Benzo(k)fluoranthene	90		87		40-140	3		40
Chrysene	89		85		40-140	5		40
Acenaphthylene	97		91		40-140	6		40
Anthracene	91		86		40-140	6		40
Benzo(ghi)perylene	101		93		40-140	8		40
Fluorene	88		80		40-140	10		40
Phenanthrene	85		81		40-140	5		40
Dibenzo(a,h)anthracene	101		96		40-140	5		40
Indeno(1,2,3-cd)pyrene	104		98		40-140	6		40
Pyrene	84		76		40-140	10		40
1-Methylnaphthalene	85		83		40-140	2		40
2-Methylnaphthalene	82		81		40-140	1		40
Pentachlorophenol	91		80		40-140	13		40
Hexachlorobenzene	83		80		40-140	4		40
Hexachloroethane	64		65		40-140	2		40

Lab Control Sample Analysis**Batch Quality Control****Project Name:** 1000 WASHINGTON STREET**Lab Number:** L1745151**Project Number:** 130904-002**Report Date:** 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
------------------	--------------------------	-------------	---------------------------	-------------	-----------------------------	------------	-------------	-----------------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1070357-2 WG1070357-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	56		56		21-120
Phenol-d6	44		41		10-120
Nitrobenzene-d5	90		88		23-120
2-Fluorobiphenyl	79		76		15-120
2,4,6-Tribromophenol	84		71		10-120
4-Terphenyl-d14	78		69		41-149

PCBS

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

SAMPLE RESULTS

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered (Dissolved Metals)

Matrix: Water
Analytical Method: 5,608
Analytical Date: 12/09/17 19:10
Analyst: JW

Extraction Method: EPA 608
Extraction Date: 12/08/17 05:12
Cleanup Method: EPA 3665A
Cleanup Date: 12/08/17
Cleanup Method: EPA 3660B
Cleanup Date: 12/08/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.200	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	87		30-150	A
Decachlorobiphenyl	62		30-150	A

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Analytical Method: 5,608
 Analytical Date: 12/09/17 20:12
 Analyst: HT

Extraction Method: EPA 608
 Extraction Date: 12/07/17 08:29
 Cleanup Method: EPA 3665A
 Cleanup Date: 12/07/17
 Cleanup Method: EPA 3660B
 Cleanup Date: 12/08/17

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01 Batch: WG1070007-1						
Aroclor 1016	ND		ug/l	0.250	--	A
Aroclor 1221	ND		ug/l	0.250	--	A
Aroclor 1232	ND		ug/l	0.250	--	A
Aroclor 1242	ND		ug/l	0.250	--	A
Aroclor 1248	ND		ug/l	0.250	--	A
Aroclor 1254	ND		ug/l	0.250	--	A
Aroclor 1260	ND		ug/l	0.200	--	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	75		30-150	A
Decachlorobiphenyl	65		30-150	A

Lab Control Sample Analysis**Batch Quality Control****Project Name:** 1000 WASHINGTON STREET**Project Number:** 130904-002**Lab Number:** L1745151**Report Date:** 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 Batch: WG1070007-2									
Aroclor 1016	76		-		30-150	-		30	A
Aroclor 1260	71		-		30-150	-		30	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76				30-150	A
Decachlorobiphenyl	65				30-150	A

Matrix Spike Analysis*Batch Quality Control***Project Name:** 1000 WASHINGTON STREET**Project Number:** 130904-002**Lab Number:** L1745151**Report Date:** 12/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1070007-3 QC Sample: L1700012-42 Client ID: MS Sample													
Aroclor 1016	ND	3.12	2.61	84		-	-		40-126	-		30	A
Aroclor 1260	ND	3.12	2.34	75		-	-		40-127	-		30	A

Surrogate	MS % Recovery	Qualifier	MSD % Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	79				30-150	A
Decachlorobiphenyl	68				30-150	A

Lab Duplicate Analysis **Batch Quality Control**

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1070007-4 QC Sample: L1700012-42 Client ID: DUP Sample						
Aroclor 1016	ND	ND	ug/l	NC		30 A
Aroclor 1221	ND	ND	ug/l	NC		30 A
Aroclor 1232	ND	ND	ug/l	NC		30 A
Aroclor 1242	ND	ND	ug/l	NC		30 A
Aroclor 1248	ND	ND	ug/l	NC		30 A
Aroclor 1254	ND	ND	ug/l	NC		30 A
Aroclor 1260	ND	ND	ug/l	NC		30 A

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76		76		30-150	A
Decachlorobiphenyl	48		67		30-150	A

METALS

Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

SAMPLE RESULTS

Lab ID: L1745151-01
 Client ID: HA17-05_120717
 Sample Location: BOSTON, MA
 Matrix: Water

Date Collected: 12/07/17 06:25
 Date Received: 12/07/17
 Field Prep: Field Filtered
 (Dissolved
 Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Antimony, Total	ND		mg/l	0.00400	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Arsenic, Total	0.00266		mg/l	0.00100	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Chromium, Total	ND		mg/l	0.00100	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Copper, Total	ND		mg/l	0.00100	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Iron, Total	6.88		mg/l	0.050	--	1	12/09/17 12:20	12/12/17 17:56	EPA 3005A	19,200.7	AB
Lead, Total	0.00072		mg/l	0.00050	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Mercury, Total	ND		mg/l	0.00020	--	1	12/12/17 12:12	12/12/17 17:02	EPA 245.1	3,245.1	MG
Nickel, Total	ND		mg/l	0.00200	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Selenium, Total	ND		mg/l	0.00500	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Silver, Total	ND		mg/l	0.00040	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Zinc, Total	ND		mg/l	0.01000	--	1	12/09/17 12:20	12/12/17 17:04	EPA 3005A	3,200.8	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	1280		mg/l	0.660	NA	1	12/09/17 12:20	12/12/17 17:56	EPA 3005A	19,200.7	AB
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	--	1		12/12/17 17:04	NA	107,-	



Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1070940-1										
Antimony, Total	ND		mg/l	0.00400	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Arsenic, Total	ND		mg/l	0.00100	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Chromium, Total	ND		mg/l	0.00100	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Copper, Total	ND		mg/l	0.00100	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Lead, Total	ND		mg/l	0.00100	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Nickel, Total	ND		mg/l	0.00200	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Selenium, Total	ND		mg/l	0.00500	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Silver, Total	ND		mg/l	0.00040	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM
Zinc, Total	ND		mg/l	0.01000	--	1	12/09/17 12:20	12/11/17 15:04	3,200.8	AM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1071570-1										
Iron, Total	ND		mg/l	0.050	--	1	12/09/17 12:20	12/12/17 16:32	19,200.7	AB

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01 Batch: WG1071570-1										
Hardness	ND		mg/l	0.660	NA	1	12/09/17 12:20	12/12/17 16:32	19,200.7	AB

Prep Information

Digestion Method: EPA 3005A



Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1071710-1										
Mercury, Total	ND		mg/l	0.00020	--	1	12/12/17 12:12	12/12/17 16:13	3,245.1	MG

Prep Information

Digestion Method: EPA 245.1

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1070940-2								
Antimony, Total	103		-		85-115	-		
Arsenic, Total	110		-		85-115	-		
Cadmium, Total	110		-		85-115	-		
Chromium, Total	106		-		85-115	-		
Copper, Total	108		-		85-115	-		
Lead, Total	107		-		85-115	-		
Nickel, Total	108		-		85-115	-		
Selenium, Total	110		-		85-115	-		
Silver, Total	102		-		85-115	-		
Zinc, Total	113		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1071570-2								
Iron, Total	99		-		85-115	-		
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 Batch: WG1071570-2								
Hardness	108		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1071710-2								
Mercury, Total	113		-		85-115	-		

Matrix Spike Analysis **Batch Quality Control**

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1070940-3 QC Sample: L1744981-01 Client ID: MS Sample												
Antimony, Total	ND	0.5	0.5401	108		-	-		70-130	-		20
Arsenic, Total	0.0024	0.12	0.1379	113		-	-		70-130	-		20
Cadmium, Total	0.0002	0.051	0.05512	108		-	-		70-130	-		20
Chromium, Total	0.0036	0.2	0.2079	102		-	-		70-130	-		20
Copper, Total	0.09440	0.25	0.3566	105		-	-		70-130	-		20
Lead, Total	0.0065	0.51	0.5543	107		-	-		70-130	-		20
Nickel, Total	0.0067	0.5	0.5180	102		-	-		70-130	-		20
Selenium, Total	ND	0.12	0.1301	108		-	-		70-130	-		20
Silver, Total	ND	0.05	0.04896	98		-	-		70-130	-		20
Zinc, Total	0.2227	0.5	0.7673	109		-	-		70-130	-		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1070940-7 QC Sample: L1745192-01 Client ID: MS Sample												
Antimony, Total	ND	0.5	0.4949	99		-	-		70-130	-		20
Arsenic, Total	ND	0.12	0.1284	107		-	-		70-130	-		20
Cadmium, Total	ND	0.051	0.05332	104		-	-		70-130	-		20
Chromium, Total	0.0013	0.2	0.2015	100		-	-		70-130	-		20
Copper, Total	0.4718	0.25	0.6777	82		-	-		70-130	-		20
Lead, Total	ND	0.51	0.5451	107		-	-		70-130	-		20
Nickel, Total	0.0054	0.5	0.5043	100		-	-		70-130	-		20
Selenium, Total	ND	0.12	0.1324	110		-	-		70-130	-		20
Silver, Total	ND	0.05	0.04729	94		-	-		70-130	-		20
Zinc, Total	0.1421	0.5	0.6770	107		-	-		70-130	-		20

Matrix Spike Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071570-3 QC Sample: L1700012-73 Client ID: MS Sample									
Iron, Total	3.27	1	4.08	81	-	-	75-125	-	20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071570-3 QC Sample: L1700012-73 Client ID: MS Sample									
Hardness	294	66.2	348	82	-	-	75-125	-	20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071710-3 QC Sample: L1745109-01 Client ID: MS Sample									
Mercury, Total	ND	0.005	0.00498	100	-	-	70-130	-	20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071710-5 QC Sample: L1745109-02 Client ID: MS Sample									
Mercury, Total	ND	0.005	0.00399	80	-	-	70-130	-	20

Lab Duplicate Analysis Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1070940-4 QC Sample: L1744981-01 Client ID: DUP Sample						
Copper, Total	0.09440	0.09546	mg/l	1		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1070940-8 QC Sample: L1745192-01 Client ID: DUP Sample						
Lead, Total	ND	ND	mg/l	NC		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071570-4 QC Sample: L1700012-73 Client ID: DUP Sample						
Iron, Total	3.27	3.31	mg/l	1		20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071570-4 QC Sample: L1700012-73 Client ID: DUP Sample						
Hardness	294	292	mg/l	1		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071710-4 QC Sample: L1745109-01 Client ID: DUP Sample						
Mercury, Total	ND	ND	mg/l	NC		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1071710-6 QC Sample: L1745109-02 Client ID: DUP Sample						
Mercury, Total	ND	ND	mg/l	NC		20

INORGANICS & MISCELLANEOUS

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

SAMPLE RESULTS

Lab ID: L1745151-01
Client ID: HA17-05_120717
Sample Location: BOSTON, MA
Matrix: Water

Date Collected: 12/07/17 06:25
Date Received: 12/07/17
Field Prep: Field Filtered
(Dissolved Metals)

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
SALINITY	3.1		SU	2.0	--	1	-	12/11/17 17:53	121,2520B	AS
Solids, Total Suspended	9.9		mg/l	5.0	NA	1	-	12/08/17 04:50	121,2540D	VB
Cyanide, Total	ND		mg/l	0.005	--	1.1	12/11/17 11:00	12/11/17 14:44	121,4500CN-CE	LH
Chlorine, Total Residual	ND		mg/l	0.02	--	1	-	12/07/17 21:23	121,4500CL-D	AS
pH (H)	6.9		SU	-	NA	1	-	12/07/17 22:39	121,4500H+-B	AS
Nitrogen, Ammonia	1.31		mg/l	0.075	--	1	12/08/17 04:00	12/08/17 22:49	121,4500NH3-BH	AT
TPH, SGT-HEM	ND		mg/l	4.00	--	1	12/08/17 17:30	12/08/17 22:05	74,1664A	ML
Phenolics, Total	ND		mg/l	0.030	--	1	12/11/17 12:24	12/12/17 15:41	4,420.1	AW
Chromium, Hexavalent	ND		mg/l	0.010	--	1	12/08/17 01:28	12/08/17 02:16	1,7196A	UN
Anions by Ion Chromatography - Westborough Lab										
Chloride	1760		mg/l	25.0	--	50	-	12/11/17 20:10	44,300.0	AU



Project Name: 1000 WASHINGTON STREET

Lab Number: L1745151

Project Number: 130904-002

Report Date: 12/14/17

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1070321-1										
Chlorine, Total Residual	ND		mg/l	0.02	--	1	-	12/07/17 21:23	121,4500CL-D	AS
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1070371-1										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	12/08/17 04:50	121,2540D	VB
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1070390-1										
Chromium, Hexavalent	ND		mg/l	0.010	--	1	12/08/17 01:28	12/08/17 02:13	1,7196A	UN
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1070395-1										
Nitrogen, Ammonia	ND		mg/l	0.075	--	1	12/08/17 04:00	12/08/17 22:31	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1070741-1										
TPH, SGT-HEM	ND		mg/l	4.00	--	1	12/08/17 17:30	12/08/17 22:05	74,1664A	ML
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1071205-1										
Cyanide, Total	ND		mg/l	0.005	--	1	12/11/17 11:00	12/11/17 13:43	121,4500CN-CE	LH
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1071297-1										
Phenolics, Total	ND		mg/l	0.030	--	1	12/11/17 12:24	12/12/17 15:38	4,420.1	AW
Anions by Ion Chromatography - Westborough Lab for sample(s): 01 Batch: WG1071965-1										
Chloride	ND		mg/l	0.500	--	1	-	12/11/17 18:22	44,300.0	AU

Lab Control Sample Analysis

Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1070321-2								
Chlorine, Total Residual	101		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1070335-1								
pH	100		-		99-101	-		5
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1070390-2								
Chromium, Hexavalent	98		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1070395-2								
Nitrogen, Ammonia	96		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1070741-2								
TPH	86		-		64-132	-		34
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1071205-2								
Cyanide, Total	97		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1071297-2								
Phenolics, Total	102		-		70-130	-		

Lab Control Sample Analysis**Batch Quality Control****Project Name:** 1000 WASHINGTON STREET**Project Number:** 130904-002**Lab Number:** L1745151**Report Date:** 12/14/17

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1071412-1					
SALINITY	101	-		-	
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 Batch: WG1071965-2					
Chloride	96	-	90-110	-	

Matrix Spike Analysis **Batch Quality Control**

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1070321-4 QC Sample: L1744990-02 Client ID: MS Sample												
Chlorine, Total Residual	ND	0.248	ND	0	Q	-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1070390-4 QC Sample: L1745151-01 Client ID: HA17-05_120717												
Chromium, Hexavalent	ND	0.1	0.090	90		-	-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1070395-4 QC Sample: L1745109-01 Client ID: MS Sample												
Nitrogen, Ammonia	8.38	4	12.2	96		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1070741-4 QC Sample: L1744990-02 Client ID: MS Sample												
TPH	ND	20	16.5	82		-	-		64-132	-		34
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1071205-4 QC Sample: L1745109-02 Client ID: MS Sample												
Cyanide, Total	ND	0.2	0.190	95		-	-		90-110	-		30
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1071297-4 QC Sample: L1745151-01 Client ID: HA17-05_120717												
Phenolics, Total	ND	0.4	0.43	108		-	-		70-130	-		20
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1071965-3 QC Sample: L1744593-03 Client ID: MS Sample												
Chloride	6.88	4	10.8	99		-	-		90-110	-		18

Lab Duplicate Analysis Batch Quality Control

Project Name: 1000 WASHINGTON STREET

Project Number: 130904-002

Lab Number: L1745151

Report Date: 12/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1070321-3	QC Sample: L1744990-01	Client ID: DUP Sample		
Chlorine, Total Residual	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1070335-2	QC Sample: L1745004-01	Client ID: DUP Sample		
pH	9.1	9.0	SU	1		5
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1070371-2	QC Sample: L1744780-01	Client ID: DUP Sample		
Solids, Total Suspended	920	980	mg/l	6		29
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1070390-3	QC Sample: L1745151-01	Client ID: HA17-05_120717		
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1070395-3	QC Sample: L1745109-01	Client ID: DUP Sample		
Nitrogen, Ammonia	8.38	8.87	mg/l	6		20
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1070741-3	QC Sample: L1744990-01	Client ID: DUP Sample		
TPH	ND	ND	mg/l	NC		34
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1071205-3	QC Sample: L1745109-01	Client ID: DUP Sample		
Cyanide, Total	ND	ND	mg/l	NC		30
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1071297-3	QC Sample: L1745151-01	Client ID: HA17-05_120717		
Phenolics, Total	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 01	QC Batch ID: WG1071412-2	QC Sample: L1745151-01	Client ID: HA17-05_120717		
SALINITY	3.1	3.0	SU	3		

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Duplicate Analysis
Batch Quality Control

Lab Number: L1745151
Report Date: 12/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1071965-4 QC Sample: L1744593-03 Client ID: DUP Sample					
Chloride	6.88	6.85	mg/l	0	18

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Serial_No:12141710:03
Lab Number: L1745151
Report Date: 12/14/17

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1745151-01A	Vial HCl preserved	A	NA		2.0	Y	Absent		8260-SIM(14),8260(14)
L1745151-01B	Vial HCl preserved	A	NA		2.0	Y	Absent		8260-SIM(14),8260(14)
L1745151-01C	Vial HCl preserved	A	NA		2.0	Y	Absent		8260-SIM(14),8260(14)
L1745151-01D	Vial Na2S2O3 preserved	A	NA		2.0	Y	Absent		504(14)
L1745151-01E	Vial Na2S2O3 preserved	A	NA		2.0	Y	Absent		504(14)
L1745151-01F	Amber 1000ml unpreserved	A	7	7	2.0	Y	Absent		8270TCL(7),8270TCL-SIM(7)
L1745151-01G	Amber 1000ml unpreserved	A	7	7	2.0	Y	Absent		8270TCL(7),8270TCL-SIM(7)
L1745151-01H	Amber 1000ml Na2S2O3	A	7	7	2.0	Y	Absent		PCB-608(7)
L1745151-01I	Amber 1000ml Na2S2O3	A	7	7	2.0	Y	Absent		PCB-608(7)
L1745151-01J	Amber 1000ml HCl preserved	A	NA		2.0	Y	Absent		TPH-1664(28)
L1745151-01K	Amber 1000ml HCl preserved	A	NA		2.0	Y	Absent		TPH-1664(28)
L1745151-01L	Plastic 950ml unpreserved	A	7	7	2.0	Y	Absent		TSS-2540(7)
L1745151-01M	Amber 1000ml H2SO4 preserved	A	<2	<2	2.0	Y	Absent		TPHENOL-420(28)
L1745151-01N	Amber 120ml unpreserved	A	7	7	2.0	Y	Absent		SALINITY(28)
L1745151-01O	Plastic 500ml H2SO4 preserved	A	<2	<2	2.0	Y	Absent		NH3-4500(28)
L1745151-01P	Plastic 950ml unpreserved	A	7	7	2.0	Y	Absent		CL-300(28),HEXCR-7196(1),TRC-4500(1),PH-4500(.01)
L1745151-01Q	Plastic 500ml NaOH preserved	A	>12	>12	2.0	Y	Absent		TCN-4500(14)
L1745151-01R	Plastic 250ml HNO3 preserved	A	<2	<2	2.0	Y	Absent		CD-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),FE-UI(180),HARDU(180),AG-2008T(180),AS-2008T(180),HG-U(28),SE-2008T(180),TRICR-CALC(1),CR-2008T(180),PB-2008T(180),SB-2008T(180)
L1745151-01S	Plastic 250ml HNO3 preserved	A	<2	<2	2.0	Y	Absent		HOLD-METAL-DISSOLVED(180)

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: 1000 WASHINGTON STREET
Project Number: 130904-002

Lab Number: L1745151
Report Date: 12/14/17

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 4 Methods for Chemical Analysis of Water and Wastes. EPA 600/4-79-020. Revised March 1983.
- 5 Methods for the Organic Chemical Analysis of Municipal and Industrial Wastewater. Appendix A, Part 136, 40 CFR (Code of Federal Regulations).
- 14 Methods for the Determination of Organic Compounds in Finished Drinking Water and Raw Source Water. EPA/600/4-88/039, Revised July 1991.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 74 Method 1664, Revision A: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-98-002, February 1999.
- 107 Alpha Analytical - In-house calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.

ID No.:17873

Facility: **Company-wide**

Revision 10

Department: **Quality Assurance**

Published Date: 1/16/2017 11:00:05 AM

Title: **Certificate/Approval Program Summary**

Page 1 of 1

Certification Information


The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility**EPA 624:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 300:** DW: Bromide**EPA 6860:** NPW and SCM: Perchlorate**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation**EPA 9012B:** NPW: Total Cyanide**EPA 9050A:** NPW: Specific Conductance**SM3500:** NPW: Ferrous Iron**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.**SM5310C:** DW: Dissolved Organic Carbon**Mansfield Facility****SM 2540D:** TSS**EPA 3005A** NPW**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:**Drinking Water****EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.****EPA 624:** Volatile Halocarbons & Aromatics,**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.****Mansfield Facility:****Drinking Water****EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 CHAIN OF CUSTODY		Service Centers Brewer, ME 04412 Portsmouth, NH 03801 Mahwah, NJ 07430 Albany, NY 12205 Tonawanda, NY 14150 Holmes, PA 19043		Page 1 of 1	Date Rec'd in Lab <div style="font-size: 1.5em; font-weight: bold;">12/7/17</div>	ALPHA Job # <div style="font-size: 1.5em; font-weight: bold;">L1745151</div>	
Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-0220 FAX: 508-898-9183		Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-4309 FAX: 508-822-3288		Project Information Project Name: 1000 Washington Street Project Location: Boston, MA Project #: 130904-002		Deliverables <input checked="" type="checkbox"/> Email <input type="checkbox"/> Fax <input type="checkbox"/> EQulS (1 File) <input checked="" type="checkbox"/> EQulS (4 File) <input type="checkbox"/> Other:	Billing Information <input type="checkbox"/> Same as Client Info PO #
H&A Information H&A Client: 1000 Wash. (Boston) Owner, LLC H&A Address: 465 Medford Street Suite 2200, Boston, MA 02129 H&A Phone: 617-886-7400 H&A Fax: H&A Email: jthibault		(Use Project name as Project #) <input type="checkbox"/> Project Manager: J. Lefkowitz ALPHAQuote #: Turn-Around Time: Standard <input checked="" type="checkbox"/> Due Date: (only if pre approved) <input type="checkbox"/> # of Days: 5 Day		Regulatory Requirements (Program/Criteria) MA 2017 NPDES RGP Note: Select State from menu & identify criteria.		Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:	
These samples have been previously analyzed by Alpha <input type="checkbox"/> Other project specific requirements/comments: Sample submitted for full 2017 NPDES RGP suite; please follow approved testing methods and minimum detection levels as required by EPA. Note: Ethanol not required.		ANALYSIS		Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below)			
Please specify Metals or TAL.		1. VOCs 8260, 8260-SIM 2. SVOCs 8270, 8270-SIM 3. PCBs 608 4. TPH 1664 5. TSS 2540 6. Total Phendl 420 7. Hex Cr, Tr Cr, TRC 4500, pH, Cl 300 8. Ammonia (NH3) 9. Total Cyanide 4500 10. EDB 504 11. Total NPDES RGP Metals 12. Dissolved NPDES RGP Metals (Field Filtered, HOLD) 13. Amenable Cyanide (HOLD) 14. Physiologically Available Cyanide (HOLD) 15. Total Hardness, Salinity		Sample Specific Comments 11. NPDES RGP Metals includes: 19 Ag, As, Cd, Cr, Cu, Ni, Pb, Sb, Se, Zn, Fe, Hg 12. Dissolved Metals Field Filtered 12, 13, 14, HOLD			
ALPHA Lab ID (Lab Use Only) <div style="font-size: 1.2em; font-weight: bold;">45151-D1</div>	Sample ID HA17-05_120717	Collection Date: 12/7/17 Time: 6:25	Sample Matrix AQ	Sampler's Initials CAS	Relinquished By: <i>Chain Sub</i> Date/Time: 12/7/17 9:09 <i>RA Oliver</i> 12/7/17 4:21 <i>Braden AA</i> 12/7/17 1545		
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015	Container Type Preservative	Received By: <i>RA Oliver</i> Date/Time: 12/7/17 4:20 PM <i>Braden AA</i> 12/7/17 1630 <i>AA</i> 12/7/17 1845	
Document ID: 20455 Rev 1 (1/28/2016)							