

II. Suggested Format for the Remediation General Permit Notice of Intent (NOI)

A. General site information:

1. Name of site:	Site address: Street: <table border="1" data-bbox="888 475 1950 557"> <tr> <td data-bbox="888 475 1591 557">City:</td><td data-bbox="1591 475 1722 557">State:</td><td data-bbox="1722 475 1950 557">Zip:</td></tr> </table>	City:	State:	Zip:									
City:	State:	Zip:											
2. Site owner Owner is (check one): ☐ Federal ☐ State/Tribal ☐ Private ☐ Other; if so, specify:	<table border="1"> <tr> <td colspan="3" data-bbox="888 557 1950 630">Contact Person:</td></tr> <tr> <td data-bbox="888 630 1461 698">Telephone:</td><td colspan="2" data-bbox="1461 630 1950 698">Email:</td></tr> <tr> <td colspan="3" data-bbox="888 698 1950 800">Mailing address: Street:</td></tr> <tr> <td data-bbox="888 800 1591 878">City:</td><td data-bbox="1591 800 1722 878">State:</td><td data-bbox="1722 800 1950 878">Zip:</td></tr> </table>	Contact Person:			Telephone:	Email:		Mailing address: Street:			City:	State:	Zip:
Contact Person:													
Telephone:	Email:												
Mailing address: Street:													
City:	State:	Zip:											
3. Site operator, if different than owner	<table border="1"> <tr> <td colspan="3" data-bbox="888 878 1950 938">Contact Person:</td></tr> <tr> <td data-bbox="888 938 1461 998">Telephone:</td><td colspan="2" data-bbox="1461 938 1950 998">Email:</td></tr> <tr> <td colspan="3" data-bbox="888 998 1950 1101">Mailing address: Street:</td></tr> <tr> <td data-bbox="888 1101 1591 1154">City:</td><td data-bbox="1591 1101 1722 1154">State:</td><td data-bbox="1722 1101 1950 1154">Zip:</td></tr> </table>	Contact Person:			Telephone:	Email:		Mailing address: Street:			City:	State:	Zip:
Contact Person:													
Telephone:	Email:												
Mailing address: Street:													
City:	State:	Zip:											
4. NPDES permit number assigned by EPA: NPDES permit is (check all that apply): ☐ RGP ☐ DGP ☐ CGP ☐ MSGP ☐ Individual NPDES permit ☐ Other; if so, specify:	5. Other regulatory program(s) that apply to the site (check all that apply): <table border="0"> <tr> <td data-bbox="888 1214 1461 1282">☐ MA Chapter 21e; list RTN(s):</td><td data-bbox="1461 1214 1950 1282">☐ CERCLA</td></tr> <tr> <td data-bbox="888 1282 1461 1351">☐ NH Groundwater Management Permit or Groundwater Release Detection Permit:</td><td data-bbox="1461 1282 1950 1351">☐ UIC Program</td></tr> <tr> <td></td><td data-bbox="1461 1351 1950 1398">☐ POTW Pretreatment</td></tr> <tr> <td></td><td data-bbox="1461 1398 1950 1458">☐ CWA Section 404</td></tr> </table>	☐ MA Chapter 21e; list RTN(s):	☐ CERCLA	☐ NH Groundwater Management Permit or Groundwater Release Detection Permit:	☐ UIC Program		☐ POTW Pretreatment		☐ CWA Section 404				
☐ MA Chapter 21e; list RTN(s):	☐ CERCLA												
☐ NH Groundwater Management Permit or Groundwater Release Detection Permit:	☐ UIC Program												
	☐ POTW Pretreatment												
	☐ CWA Section 404												

B. Receiving water information:

1. Name of receiving water(s):	Waterbody identification of receiving water(s):	Classification of receiving water(s):
Receiving water is (check any that apply): ☐ Outstanding Resource Water ☐ Ocean Sanctuary ☐ territorial sea ☐ Wild and Scenic River		
2. Has the operator attached a location map in accordance with the instructions in B, above? (check one): ☐ Yes ☐ No Are sensitive receptors present near the site? (check one): ☐ Yes ☐ No If yes, specify:		
3. Indicate if the receiving water(s) is listed in the State's Integrated List of Waters (i.e., CWA Section 303(d)). Include which designated uses are impaired, and any pollutants indicated. Also, indicate if a final TMDL is available for any of the indicated pollutants. For more information, contact the appropriate State as noted in Part 4.6 of the RGP.		
4. Indicate the seven day-ten-year low flow (7Q10) of the receiving water determined in accordance with the instructions in Appendix V for sites located in Massachusetts and Appendix VI for sites located in New Hampshire.		
5. Indicate the requested dilution factor for the calculation of water quality-based effluent limitations (WQBELs) determined in accordance with the instructions in Appendix V for sites in Massachusetts and Appendix VI for sites in New Hampshire.		
6. Has the operator received confirmation from the appropriate State for the 7Q10 and dilution factor indicated? (check one): ☐ Yes ☐ No If yes, indicate date confirmation received:		
7. Has the operator attached a summary of receiving water sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): ☐ Yes ☐ No		

C. Source water information:

1. Source water(s) is (check any that apply):			
☐ Contaminated groundwater Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): ☐ Yes ☐ No	☐ Contaminated surface water Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): ☐ Yes ☐ No	☐ The receiving water	☐ Potable water; if so, indicate municipality or origin: ☐ Other; if so, specify:
		☐ A surface water other than the receiving water; if so, indicate waterbody:	

2. Source water contaminants:	
a. For source waters that are contaminated groundwater or contaminated surface water, indicate are any contaminants present that are not included in the RGP? (check one): ☐ Yes ☐ No If yes, indicate the contaminant(s) and the maximum concentration present in accordance with the instructions in Appendix VIII.	b. For a source water that is a surface water other than the receiving water, potable water or other, indicate any contaminants present at the maximum concentration in accordance with the instructions in Appendix VIII? (check one): ☐ Yes ☐ No
3. Has the source water been previously chlorinated or otherwise contains residual chlorine? (check one): ☐ Yes ☐ No	

D. Discharge information

1.The discharge(s) is a(n) (check any that apply): ☐ Existing discharge ☐ New discharge ☐ New source	
Outfall(s):	Outfall location(s): (Latitude, Longitude)
Discharges enter the receiving water(s) via (check any that apply): ☐ Direct discharge to the receiving water ☐ Indirect discharge, if so, specify: ☐ A private storm sewer system ☐ A municipal storm sewer system If the discharge enters the receiving water via a private or municipal storm sewer system: Has notification been provided to the owner of this system? (check one): ☐ Yes ☐ No Has the operator has received permission from the owner to use such system for discharges? (check one): ☐ Yes ☐ No, if so, explain, with an estimated timeframe for obtaining permission: Has the operator attached a summary of any additional requirements the owner of this system has specified? (check one): ☐ Yes ☐ No	
Provide the expected start and end dates of discharge(s) (month/year):	
Indicate if the discharge is expected to occur over a duration of: ☐ less than 12 months ☐ 12 months or more ☐ is an emergency discharge	
Has the operator attached a site plan in accordance with the instructions in D, above? (check one): ☐ Yes ☐ No	

2. Activity Category: (check all that apply)	3. Contamination Type Category: (check all that apply)	
☐ I – Petroleum-Related Site Remediation ☐ II – Non-Petroleum-Related Site Remediation ☐ III – Contaminated Site Dewatering ☐ IV – Dewatering of Pipelines and Tanks ☐ V – Aquifer Pump Testing ☐ VI – Well Development/Rehabilitation ☐ VII – Collection Structure Dewatering/Remediation ☐ VIII – Dredge-Related Dewatering	a. If Activity Category I or II: (check all that apply) ☐ A. Inorganics ☐ B. Non-Halogenated Volatile Organic Compounds ☐ C. Halogenated Volatile Organic Compounds ☐ D. Non-Halogenated Semi-Volatile Organic Compounds ☐ E. Halogenated Semi-Volatile Organic Compounds ☐ F. Fuels Parameters	
	b. If Activity Category III, IV, V, VI, VII or VIII: (check either G or H)	
	<table border="1"> <tr> <td data-bbox="970 800 1419 873">☐ G. Sites with Known Contamination</td><td data-bbox="1419 800 2003 873">☐ H. Sites with Unknown Contamination</td></tr> </table>	☐ G. Sites with Known Contamination
☐ G. Sites with Known Contamination	☐ H. Sites with Unknown Contamination	
<table border="1"> <tr> <td data-bbox="970 873 1419 1409"> c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply) ☐ A. Inorganics ☐ B. Non-Halogenated Volatile Organic Compounds ☐ C. Halogenated Volatile Organic Compounds ☐ D. Non-Halogenated Semi-Volatile Organic Compounds ☐ E. Halogenated Semi-Volatile Organic Compounds ☐ F. Fuels Parameters </td><td data-bbox="1419 873 2003 1409"> d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply </td></tr> </table>	c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply) ☐ A. Inorganics ☐ B. Non-Halogenated Volatile Organic Compounds ☐ C. Halogenated Volatile Organic Compounds ☐ D. Non-Halogenated Semi-Volatile Organic Compounds ☐ E. Halogenated Semi-Volatile Organic Compounds ☐ F. Fuels Parameters	d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply
c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply) ☐ A. Inorganics ☐ B. Non-Halogenated Volatile Organic Compounds ☐ C. Halogenated Volatile Organic Compounds ☐ D. Non-Halogenated Semi-Volatile Organic Compounds ☐ E. Halogenated Semi-Volatile Organic Compounds ☐ F. Fuels Parameters	d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply	

MAG910000
NHG910000

4. Influent and Effluent Characteristics

Parameter	Known or believed absent	Known or believed present	# of samples	Test method (#)	Detection limit ($\mu\text{g/l}$)	Influent		Effluent Limitations	
						Daily maximum ($\mu\text{g/l}$)	Daily average ($\mu\text{g/l}$)	TBEL	WQBEL
A. Inorganics									
Ammonia								Report mg/L	---
Chloride								Report $\mu\text{g/l}$	---
Total Residual Chlorine								0.2 mg/L	
Total Suspended Solids								30 mg/L	---
Antimony								206 $\mu\text{g/L}$	
Arsenic								104 $\mu\text{g/L}$	
Cadmium								10.2 $\mu\text{g/L}$	
Chromium III								323 $\mu\text{g/L}$	
Chromium VI								323 $\mu\text{g/L}$	
Copper								242 $\mu\text{g/L}$	
Iron								5,000 $\mu\text{g/L}$	
Lead								160 $\mu\text{g/L}$	
Mercury								0.739 $\mu\text{g/L}$	
Nickel								1,450 $\mu\text{g/L}$	
Selenium								235.8 $\mu\text{g/L}$	
Silver								35.1 $\mu\text{g/L}$	
Zinc								420 $\mu\text{g/L}$	
Cyanide								178 mg/L	
B. Non-Halogenated VOCs									
Total BTEX								100 $\mu\text{g/L}$	---
Benzene								5.0 $\mu\text{g/L}$	---
1,4 Dioxane								200 $\mu\text{g/L}$	---
Acetone								7.97 mg/L	---
Phenol								1,080 $\mu\text{g/L}$	

Parameter	Known or believed absent	Known or believed present	# of samples	Test method (#)	Detection limit (µg/l)	Influent		Effluent Limitations	
						Daily maximum (µg/l)	Daily average (µg/l)	TBEL	WQBEL
C. Halogenated VOCs									
Carbon Tetrachloride								4.4 µg/L	
1,2 Dichlorobenzene								600 µg/L	---
1,3 Dichlorobenzene								320 µg/L	---
1,4 Dichlorobenzene								5.0 µg/L	---
Total dichlorobenzene								763 µg/L in NH	---
1,1 Dichloroethane								70 µg/L	---
1,2 Dichloroethane								5.0 µg/L	---
1,1 Dichloroethylene								3.2 µg/L	---
Ethylene Dibromide								0.05 µg/L	---
Methylene Chloride								4.6 µg/L	---
1,1,1 Trichloroethane								200 µg/L	---
1,1,2 Trichloroethane								5.0 µg/L	---
Trichloroethylene								5.0 µg/L	---
Tetrachloroethylene								5.0 µg/L	
cis-1,2 Dichloroethylene								70 µg/L	---
Vinyl Chloride								2.0 µg/L	---
D. Non-Halogenated SVOCs									
Total Phthalates								190 µg/L	
Diethylhexyl phthalate								101 µg/L	
Total Group I PAHs								1.0 µg/L	---
Benzo(a)anthracene								As Total PAHs	
Benzo(a)pyrene									
Benzo(b)fluoranthene									
Benzo(k)fluoranthene									
Chrysene									
Dibenzo(a,h)anthracene									
Indeno(1,2,3-cd)pyrene									

[illegible]

E. Treatment system information

1. Indicate the type(s) of treatment that will be applied to effluent prior to discharge: (check all that apply) ☐ Adsorption/Absorption ☐ Advanced Oxidation Processes ☐ Air Stripping ☐ Granulated Activated Carbon (“GAC”)/Liquid Phase Carbon Adsorption ☐ Ion Exchange ☐ Precipitation/Coagulation/Flocculation ☐ Separation/Filtration ☐ Other; if so, specify:	
2. Provide a written description of all treatment system(s) or processes that will be applied to the effluent prior to discharge. Identify each major treatment component (check any that apply): ☐ Fractionation tanks ☐ Equalization tank ☐ Oil/water separator ☐ Mechanical filter ☐ Media filter ☐ Chemical feed tank ☐ Air stripping unit ☐ Bag filter ☐ Other; if so, specify: Indicate if either of the following will occur (check any that apply): ☐ Chlorination ☐ De-chlorination	
3. Provide the design flow capacity in gallons per minute (gpm) of the most limiting component. Indicate the most limiting component: Is use of a flow meter feasible? (check one): ☐ Yes ☐ No, if so, provide justification:	
Provide the proposed maximum effluent flow in gpm.	
Provide the average effluent flow in gpm.	
If Activity Category IV applies, indicate the estimated total volume of water that will be discharged:	
4. Has the operator attached a schematic of flow in accordance with the instructions in E, above? (check one): ☐ Yes ☐ No	

F. Chemical and additive information

1. Indicate the type(s) of chemical or additive that will be applied to effluent prior to discharge or that may otherwise be present in the discharge(s): (check all that apply)

☐ Algaecides/biocides ☐ Antifoams ☐ Coagulants ☐ Corrosion/scale inhibitors ☐ Disinfectants ☐ Flocculants ☐ Neutralizing agents ☐ Oxidants ☐ Oxygen ☐ scavengers ☐ pH conditioners ☐ Bioremedial agents, including microbes ☐ Chlorine or chemicals containing chlorine ☐ Other; if so, specify:

2. Provide the following information for each chemical/additive, using attachments, if necessary:

- a. Product name, chemical formula, and manufacturer of the chemical/additive;
- b. Purpose or use of the chemical/additive or remedial agent;
- c. Material Safety Data Sheet (MSDS) and Chemical Abstracts Service (CAS) Registry number for each chemical/additive;
- d. The frequency (hourly, daily, etc.), duration (hours, days), quantity (maximum and average), and method of application for the chemical/additive;
- e. Any material compatibility risks for storage and/or use including the control measures used to minimize such risks; and
- f. If available, the vendor's reported aquatic toxicity (NOAEL and/or LC50 in percent for aquatic organism(s)).

3. Has the operator attached an explanation which demonstrates that the addition of such chemicals/additives may be authorized under this general permit in accordance with the instructions in F, above? (check one): ☐ Yes ☐ No; if no, has the operator attached data that demonstrates each of the 126 priority pollutants in CWA Section 307(a) and 40 CFR Part 423.15(j)(1) are non-detect in discharges with the addition of the proposed chemical/additive? (check one): ☐ Yes ☐ No

G. Endangered Species Act eligibility determination

1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:

- ☐ **FWS Criterion A:** No endangered or threatened species or critical habitat are in proximity to the discharges or related activities or come in contact with the “action area”.
- ☐ **FWS Criterion B:** Formal or informal consultation with the FWS under section 7 of the ESA resulted in either a no jeopardy opinion (formal consultation) or a written concurrence by FWS on a finding that the discharges and related activities are “not likely to adversely affect” listed species or critical habitat (informal consultation). Has the operator completed consultation with FWS? (check one): ☐ Yes ☐ No; if no, is consultation underway? (check one): ☐ Yes ☐ No
- ☐ **FWS Criterion C:** Using the best scientific and commercial data available, the effect of the discharges and related activities on listed species and critical habitat have been evaluated. Based on those evaluations, a determination is made by EPA, or by the operator and affirmed by EPA, that the discharges and related activities will have “no effect” on any federally threatened or endangered listed species or designated critical habitat under the jurisdiction of the FWS. This determination was made by: (check one) ☐ the operator ☐ EPA ☐ Other; if so, specify:

- ☐ **NMFS Criterion:** A determination made by EPA is affirmed by the operator that the discharges and related activities will have “no effect” or are “not likely to adversely affect” any federally threatened or endangered listed species or critical habitat under the jurisdiction of NMFS and will not result in any take of listed species. Has the operator previously completed consultation with NMFS? (check one): ☐ Yes ☐ No

2. Has the operator attached supporting documentation of ESA eligibility in accordance with the instructions in Appendix I, and G, above? (check one): ☐ Yes ☐ No

Does the supporting documentation include any written concurrence or finding provided by the Services? (check one): ☐ Yes ☐ No; if yes, attach.

H. National Historic Preservation Act eligibility determination

1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:

- ☐ **Criterion A:** No historic properties are present. The discharges and discharge-related activities (e.g., BMPs) do not have the potential to cause effects on historic properties.
- ☐ **Criterion B:** Historic properties are present. Discharges and discharge related activities do not have the potential to cause effects on historic properties.
- ☐ **Criterion C:** Historic properties are present. The discharges and discharge-related activities have the potential to have an effect or will have an adverse effect on historic properties.

2. Has the operator attached supporting documentation of NHPA eligibility in accordance with the instructions in H, above? (check one): ☐ Yes ☐ No

Does the supporting documentation include any written agreement with the State Historic Preservation Officer (SHPO), Tribal Historic Preservation Officer (TPHO), or other tribal representative that outlines measures the operator will carry out to mitigate or prevent any adverse effects on historic properties? (check one): ☐ Yes ☐ No

I. Supplemental information

Describe any supplemental information being provided with the NOI. Include attachments if required or otherwise necessary.

Has the operator attached data, including any laboratory case narrative and chain of custody used to support the application? (check one): ☐ Yes ☐ No

Has the operator attached the certification requirement for the Best Management Practices Plan (BMPP)? (check one): ☐ Yes ☐ No

J. Certification requirement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

BMPP certification statement:

Notification provided to the appropriate State, including a copy of this NOI, if required.

Check one: Yes ☐ No ☐

Notification provided to the municipality in which the discharge is located, including a copy of this NOI, if requested.

Check one: Yes ☐ No ☐

Notification provided to the owner of a private or municipal storm sewer system, if such system is used for site discharges, including a copy of this NOI, if requested.

Check one: Yes ☐ No ☐ NA ☐

Permission obtained from the owner of a private or municipal storm sewer system, if such system is used for site discharges. If yes, attach additional conditions. If no, attach explanation and timeframe for obtaining permission.

Check one: Yes ☐ No ☐ NA ☐

Notification provided to the owner/operator of the area associated with activities covered by an additional discharge permit(s). Additional discharge permit is (check one): ☐ RGP ☐ DGP ☐ CGP ☐ MSGP ☐ Individual NPDES permit
☐ Other; if so, specify:

Check one: Yes ☐ No ☐ NA ☐

Signature: 

Date:

Print Name and Title: