



March 19, 2019

United States Environmental Protection Agency – Region 1  
National Pollutant Discharge Elimination System (NPDES)  
5 Post Office Square  
Boston, MA 02109

**Subject:** Massachusetts Remediation General Permit (RGP) – Notice of Intent (NOI)  
Construction Site Dewatering Discharge Permit Application  
Parcel G  
Cambridge Crossing Development  
Cambridge & Boston, Massachusetts

To Whom it May Concern,

The Vertex Companies, Inc., is submitting this National Pollutant Discharge Elimination System (NPDES) Remediation General Permit (RGP) Notice of Intent (NOI) on behalf of Parcel G owner DW Propco G, LLC for construction Site dewatering associated with the Parcel G redevelopment at the Cambridge Crossing (CX) project, located in Cambridge and Boston, Massachusetts.

The table below lists the Parcel G Operator and Owner as well as The Vertex Companies, Inc. as the consultant for the Owner. Please copy the parties listed below on correspondence regarding this NPDES RGP.

Operator	Owner	Consultant
John Moriarty and Associates, Inc. (JMa) Mr. Bill Wilbur 3 Church Street Winchester, MA 01890 <a href="mailto:bwilbur@jm-a.com">bwilbur@jm-a.com</a> (781) 729-3900	DW Propco G, LLC c/o DW NP Property, LLC Mr. Mark Johnson, Director of Development 200 State Street, 12th Floor Boston, MA, 02109 <a href="mailto:MJohnson@divcowest.com">MJohnson@divcowest.com</a> (617) 914-8640	The Vertex Companies, Inc. Mr. Jesse M. Freeman, PE 100 North Washington Street, Suite 302 Boston, MA 02114 <a href="mailto:jfreeman@vertexeng.com">jfreeman@vertexeng.com</a> (617) 275-5407

The following provide additional supporting information related to the specific sections of the attached NOI and/or the NPDES RGP regulatory requirements.


- **Section D.1 of the NOI.** Utilities located within the Cambridge Crossing property are owned by DW NP Property, LLC. A portion of the discharge will travel through the on-site utilities and afterward will flow through a stormwater utility managed and permitted by the City of Cambridge department of Public Works.

- **Section F.2 and F.3 of the NOI.** Material Safety Data Sheets (MSDS)/Safety Data Sheets (SDS) for the proposed potential chemical additives are attached. If the chemical additives are needed, a Notice of Change will be submitted prior to the use of these additives, which will include the information requested under 2.5.2.g.iii.

Please do not hesitate to contact us should you have any questions or require additional information.

Sincerely,

**The Vertex Companies, Inc.**



Jesse M. Freeman, PE  
Senior Project Manager



Jessica L. Fox, PE  
Vice President of Operations – Environmental

**Attachments:**

NPDES RGP NOI  
NOI Supplemental Text  
Figures – Site Locus Map  
Parcel G NPDES Sampling Location Map  
Dewatering On-Site Discharge Location  
Outfall Location  
Groundwater Analytical Data  
Laboratory Analytical Reports  
Other Supporting Documentation

## II. Suggested Format for the Remediation General Permit Notice of Intent (NOI)

### A. General site information:

1. Name of site: Cambridge Crossing Development Site - Parcel G	Site address: Dawes Street Street:		
2. Site owner DW Propco G, LLC  Owner is (check one): <input type="checkbox"/> Federal <input type="checkbox"/> State/Tribal <input checked="" type="checkbox"/> Private <input type="checkbox"/> Other; if so, specify:	City: Cambridge and Boston	State: MA	Zip: 02141
3. Site operator, if different than owner John Moriarty & Associates, Inc. (JMa) Generator Contractor	Contact Person: Mark Johnson, Director of Development, on behalf of LLC (not as individ)		
	Telephone: 617-914-8640	Email: mjohnson@divcowest.com	
4. NPDES permit number assigned by EPA: N/A  NPDES permit is (check all that apply): <input checked="" type="checkbox"/> RGP <input type="checkbox"/> DGP <input type="checkbox"/> CGP <input type="checkbox"/> MSGP <input type="checkbox"/> Individual NPDES permit <input type="checkbox"/> Other; if so, specify:	5. Other regulatory program(s) that apply to the site (check all that apply):  <div style="display: flex; justify-content: space-between;"> <div> <input checked="" type="checkbox"/> MA Chapter 21e; list RTN(s): 3-11533  <input type="checkbox"/> NH Groundwater Management Permit or Groundwater Release Detection Permit:         </div> <div> <input type="checkbox"/> CERCLA  <input type="checkbox"/> UIC Program  <input type="checkbox"/> POTW Pretreatment  <input type="checkbox"/> CWA Section 404         </div> </div>		
	Mailing address: 200 State Street, 12th Floor Street:	City: Boston	State: MA Zip: 02109
	City: Winchester	State: MA	Zip: 01890

**B. Receiving water information:**

1. Name of receiving water(s): <b>Lechmere Canal - Charles River</b>	Waterbody identification of receiving water(s): <b>MA72-36</b>	Classification of receiving water(s): <b>Class B Surface Water</b>
Receiving water is (check any that apply): <input type="checkbox"/> Outstanding Resource Water <input type="checkbox"/> Ocean Sanctuary <input type="checkbox"/> territorial sea <input type="checkbox"/> Wild and Scenic River		
2. Has the operator attached a location map in accordance with the instructions in B, above? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Are sensitive receptors present near the site? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, specify:		
3. Indicate if the receiving water(s) is listed in the State's Integrated List of Waters (i.e., CWA Section 303(d)). Include which designated uses are impaired, and any pollutants indicated. Also, indicate if a final TMDL is available for any of the indicated pollutants. For more information, contact the appropriate State as noted in Part 4.6 of the RGP. Please see attached.		
4. Indicate the seven day-ten-year low flow (7Q10) of the receiving water determined in accordance with the instructions in Appendix V for sites located in Massachusetts and Appendix VI for sites located in New Hampshire.		N/A
5. Indicate the requested dilution factor for the calculation of water quality-based effluent limitations (WQBELs) determined in accordance with the instructions in Appendix V for sites in Massachusetts and Appendix VI for sites in New Hampshire.		N/A
6. Has the operator received confirmation from the appropriate State for the 7Q10 and dilution factor indicated? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, indicate date confirmation received: May 12, 2017. Correspondence attached.		
7. Has the operator attached a summary of receiving water sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

**C. Source water information:**

1. Source water(s) is (check any that apply):			
<input checked="" type="checkbox"/> Contaminated groundwater  Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Contaminated surface water  Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> The receiving water	<input type="checkbox"/> Potable water; if so, indicate municipality or origin:  <input type="checkbox"/> Other; if so, specify:
		<input type="checkbox"/> A surface water other than the receiving water; if so, indicate waterbody:	




2. Source water contaminants: VOCs, PAHs, Arsenic, Chromium, Copper, Iron, Lead, Nickel, Zinc, Nitrogen Ammonia, TSS, Chloride	
a. For source waters that are contaminated groundwater or contaminated surface water, indicate are any contaminants present that are not included in the RGP? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, indicate the contaminant(s) and the maximum concentration present in accordance with the instructions in Appendix VIII.	b. For a source water that is a surface water other than the receiving water, potable water or other, indicate any contaminants present at the maximum concentration in accordance with the instructions in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No
3. Has the source water been previously chlorinated or otherwise contains residual chlorine? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

#### D. Discharge information

1.The discharge(s) is a(n) (check any that apply): <input type="checkbox"/> Existing discharge <input checked="" type="checkbox"/> New discharge <input type="checkbox"/> New source	
Outfall(s): Outfall D3C to the Lechmere Canal	Outfall location(s): (Latitude, Longitude) 42.369377° N, -71.075744° E
<p>Discharges enter the receiving water(s) via (check any that apply): <input type="checkbox"/> Direct discharge to the receiving water <input checked="" type="checkbox"/> Indirect discharge, if so, specify:</p> <p>Discharge will enter on-site drainage system leading to on-site infiltration structure with an overflow that will discharge to the Lechmere Canal.</p> <p><input type="checkbox"/> A private storm sewer system <input checked="" type="checkbox"/> A municipal storm sewer system</p> <p>If the discharge enters the receiving water via a private or municipal storm sewer system:</p> <p>Has notification been provided to the owner of this system? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Has the operator has received permission from the owner to use such system for discharges? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No, if so, explain, with an estimated timeframe for obtaining permission:</p> <p>Has the operator attached a summary of any additional requirements the owner of this system has specified? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	
Provide the expected start and end dates of discharge(s) (month/year): March 2019 to December 2020	
Indicate if the discharge is expected to occur over a duration of: <input type="checkbox"/> less than 12 months <input checked="" type="checkbox"/> 12 months or more <input type="checkbox"/> is an emergency discharge	
Has the operator attached a site plan in accordance with the instructions in D, above? (check one): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

2. Activity Category: (check all that apply)	3. Contamination Type Category: (check all that apply)	
<input type="checkbox"/> I – Petroleum-Related Site Remediation <input type="checkbox"/> II – Non-Petroleum-Related Site Remediation <input checked="" type="checkbox"/> III – Contaminated Site Dewatering <input type="checkbox"/> IV – Dewatering of Pipelines and Tanks <input type="checkbox"/> V – Aquifer Pump Testing <input type="checkbox"/> VI – Well Development/Rehabilitation <input type="checkbox"/> VII – Collection Structure Dewatering/Remediation <input type="checkbox"/> VIII – Dredge-Related Dewatering	<p>a. If Activity Category I or II: (check all that apply)</p> <p><input type="checkbox"/> A. Inorganics</p> <p><input type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> F. Fuels Parameters</p>	
	<p>b. If Activity Category III, IV, V, VI, VII or VIII: (check either G or H)</p>	
	<table border="1"> <tr> <td data-bbox="970 800 1419 873"><input checked="" type="checkbox"/> G. Sites with Known Contamination</td><td data-bbox="1419 800 2003 873"><input type="checkbox"/> H. Sites with Unknown Contamination</td></tr> </table>	<input checked="" type="checkbox"/> G. Sites with Known Contamination
<input checked="" type="checkbox"/> G. Sites with Known Contamination	<input type="checkbox"/> H. Sites with Unknown Contamination	
<table border="1"> <tr> <td data-bbox="970 873 1419 1409"> <p>c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply)</p> <p><input checked="" type="checkbox"/> A. Inorganics</p> <p><input checked="" type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input checked="" type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input checked="" type="checkbox"/> F. Fuels Parameters</p> </td><td data-bbox="1419 873 2003 1409"> <p>d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply</p> </td></tr> </table>	<p>c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply)</p> <p><input checked="" type="checkbox"/> A. Inorganics</p> <p><input checked="" type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input checked="" type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input checked="" type="checkbox"/> F. Fuels Parameters</p>	<p>d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply</p>
<p>c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply)</p> <p><input checked="" type="checkbox"/> A. Inorganics</p> <p><input checked="" type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds</p> <p><input type="checkbox"/> C. Halogenated Volatile Organic Compounds</p> <p><input checked="" type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds</p> <p><input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds</p> <p><input checked="" type="checkbox"/> F. Fuels Parameters</p>	<p>d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply</p>	

4. Influent and Effluent Characteristics

Influent and Effluent Characteristics									
Parameter	Known or believed absent	Known or believed present	# of samples	Test method (#)	Detection limit (µg/l)	Influent		Effluent Limitations	
						Daily maximum (µg/l)	Daily average (µg/l)	TBEL	WQBEL
A. Inorganics									
Ammonia		✓	1	4500NH <sub>3</sub> - 	75	1,090	1,090	Report mg/L	---
Chloride		✓	1	300.0	25,000	717,000	717,000	Report µg/l	---
Total Residual Chlorine	✓		1	4500CL-D	20	<20	<20	0.2 mg/L	0.011
Total Suspended Solids		✓	1	2540D	5,000	54,000	54,000	30 mg/L	---
Antimony	✓		1	200.8	4.00	<4.00	<4.00	206 µg/L	---
Arsenic		✓	1	200.8	1.00	3.77	3.77	104 µg/L	---
Cadmium	✓		1	200.8	0.20	<0.20	<0.20	10.2 µg/L	---
Chromium III		✓	1	200.8	1.00	3.79	3.79	323 µg/L	---
Chromium VI	✓		1	7196A	10	<10	<10	323 µg/L	---
Copper		✓	1	200.8	1	7.46	7.46	242 µg/L	---
Iron		✓	1	200.7	50	2,520	2,520	5,000 µg/L	1,000
Lead		✓	1	200.8	1.00	11.67	11.67	160 µg/L	---
Mercury	✓		1	245.1	0.20	<0.20	<0.20	0.739 µg/L	---
Nickel		✓	1	200.8	2.00	4.58	4.58	1,450 µg/L	---
Selenium	✓		1	200.8	5.00	<5.00	<5.00	235.8 µg/L	---
Silver	✓		1	200.8	0.40	<0.40	<0.40	35.1 µg/L	---
Zinc		✓	1	200.8	10.00	14.9	14.9	420 µg/L	---
Cyanide	✓		1	4500CN-G- 	5	<5	<5	178 mg/L	---
B. Non-Halogenated VOCs									
Total BTEX		✓	1	8260C	2.75	2.5	2.5	100 µg/L	---
Benzene	✓		1	8260C	0.50	<0.50	<0.50	5.0 µg/L	---
1,4 Dioxane	✓		1	8260C-SI- 	3.0	<3.0	<3.0	200 µg/L	---
Acetone		✓	1	8260C	5.0	9.2	9.2	7.97 mg/L	---
Phenol	✓		1	8270D	5.0	<5.0	<5.0	1,080 µg/L	---

Parameter	Known or believed absent	Known or believed present	# of samples	Test method (#)	Detection limit (µg/l)	Influent		Effluent Limitations	
						Daily maximum (µg/l)	Daily average (µg/l)	TBEL	WQBEL
C. Halogenated VOCs									
Carbon Tetrachloride	✓		1	8260C	0.50	<0.50	<0.50	4.4 µg/L	---
1,2 Dichlorobenzene	✓		1	8260C	2.5	<2.5	<2.5	600 µg/L	---
1,3 Dichlorobenzene	✓		1	8260C	2.5	<2.5	<2.5	320 µg/L	---
1,4 Dichlorobenzene	✓		1	8260C	2.5	<2.5	<2.5	5.0 µg/L	---
Total dichlorobenzene	✓		0	-	-	-	-	763 µg/L in NH	---
1,1 Dichloroethane	✓		1	8260C	0.75	<0.75	<0.75	70 µg/L	---
1,2 Dichloroethane	✓		1	8260C	0.50	<0.50	<0.50	5.0 µg/L	---
1,1 Dichloroethylene	✓		1	8260C	0.50	<0.50	<0.50	3.2 µg/L	---
Ethylene Dibromide	✓		1	504.1	0.010	<0.010	<0.010	0.05 µg/L	---
Methylene Chloride	✓		1	8260C	3.0	<3.0	<3.0	4.6 µg/L	---
1,1,1 Trichloroethane	✓		1	8260C	0.50	<0.50	<0.50	200 µg/L	---
1,1,2 Trichloroethane	✓		1	8260C	0.75	<0.75	<0.75	5.0 µg/L	---
Trichloroethylene	✓		1	8260C	0.50	<0.50	<0.50	5.0 µg/L	---
Tetrachloroethylene	✓		1	8260C	0.50	<0.50	<0.50	5.0 µg/L	---
cis-1,2 Dichloroethylene	✓		1	8260C	0.50	<0.50	<0.50	70 µg/L	---
Vinyl Chloride	✓		1	8260C	1.0	<1.0	<1.0	2.0 µg/L	---
D. Non-Halogenated SVOCs									
Total Phthalates	✓		1	8270D	28.0	<28.0	<28.0	190 µg/L	---
Diethylhexyl phthalate	✓		1	8270D	3.0	<3.0	<3.0	101 µg/L	---
Total Group I PAHs		✓	1	8270D-SI <sub>+</sub>	0.70	0.10	0.10	1.0 µg/L	---
Benzo(a)anthracene		✓	1	8270D-SI <sub>+</sub>	0.10	0.10	0.10	As Total PAHs	0.0038
Benzo(a)pyrene	✓		1	8270D-SI <sub>+</sub>	0.10	<0.10	<0.10		---
Benzo(b)fluoranthene	✓		1	8270D-SI <sub>+</sub>	0.10	<0.10	<0.10		---
Benzo(k)fluoranthene	✓		1	8270D-SI <sub>+</sub>	0.10	<0.10	<0.10		---
Chrysene	✓		1	8270D-SI <sub>+</sub>	0.10	<0.10	<0.10		---
Dibenzo(a,h)anthracene	✓		1	8270D-SI <sub>+</sub>	0.10	<0.10	<0.10		---
Indeno(1,2,3-cd)pyrene	✓		1	8270D-SI <sub>+</sub>	0.10	<0.10	<0.10		---



[illegible]

### E. Treatment system information

<p>1. Indicate the type(s) of treatment that will be applied to effluent prior to discharge: (check all that apply)</p> <p> <input type="checkbox"/> Adsorption/Absorption           <input type="checkbox"/> Advanced Oxidation Processes           <input type="checkbox"/> Air Stripping   <input checked="" type="checkbox"/> Granulated Activated Carbon (“GAC”)/Liquid Phase Carbon Adsorption  <input type="checkbox"/> Ion Exchange   <input checked="" type="checkbox"/> Precipitation/Coagulation/Flocculation   <input checked="" type="checkbox"/> Separation/Filtration   <input type="checkbox"/> Other; if so, specify:       </p> <p>Note that a Notice of Change will be submitted prior to use of flocculation or GAC, if needed.</p>	
<p>2. Provide a written description of all treatment system(s) or processes that will be applied to the effluent prior to discharge.</p> <p>The treatment system will consist of a construction dewatering pump that will pump water to a settling tank. Aeration may be provided within the settling tank if needed. The water will then be pumped through at least one set of three in-line canister bag filters. Due to the presence of localized petroleum releases at the Cambridge Crossing project, where encountered and if needed, water will be pumped through an oil/water separator. Additionally, depending on the presence of liquid phase petroleum and the potential for metals to be present over the discharge limits, water may be treated through granular activates carbon vessels, ion-exchange, pH adjustment, coagulation, or flocculation as needed. <span style="float: right;">+</span></p> <p>Identify each major treatment component (check any that apply):</p> <p> <input checked="" type="checkbox"/> Fractionation tanks   <input type="checkbox"/> Equalization tank   <input checked="" type="checkbox"/> Oil/water separator   <input type="checkbox"/> Mechanical filter   <input type="checkbox"/> Media filter  <input type="checkbox"/> Chemical feed tank   <input type="checkbox"/> Air stripping unit   <input checked="" type="checkbox"/> Bag filter   <input checked="" type="checkbox"/> Other; if so, specify: In-line settling tank. If needed, aeration and additional holding tanks.          Granular activated carbon, ion exchange, pH adjustment, flocculation, as needed (Notice of Change will be submitted before use of these additives).       </p> <p>Indicate if either of the following will occur (check any that apply):</p> <p> <input type="checkbox"/> Chlorination   <input type="checkbox"/> De-chlorination       </p>	
<p>3. Provide the <b>design flow capacity</b> in gallons per minute (gpm) of the most limiting component.</p> <p>Indicate the most limiting component: Bag Filters or Ion-Exchange (if used)</p> <p>Is use of a flow meter feasible? (check one): <input checked="" type="checkbox"/> Yes   <input type="checkbox"/> No, if so, provide justification:</p>	200
<p>Provide the proposed maximum effluent flow in gpm.</p>	200
<p>Provide the average effluent flow in gpm.</p>	30
<p>If Activity Category IV applies, indicate the estimated total volume of water that will be discharged:</p>	N/A
<p>4. Has the operator attached a schematic of flow in accordance with the instructions in E, above? (check one): <input checked="" type="checkbox"/> Yes   <input type="checkbox"/> No</p>	

## F. Chemical and additive information

<p>1. Indicate the type(s) of chemical or additive that will be applied to effluent prior to discharge or that may otherwise be present in the discharge(s): (check all that apply)</p> <p><input type="checkbox"/> Algaecides/biocides <input type="checkbox"/> Antifoams <input type="checkbox"/> Coagulants <input type="checkbox"/> Corrosion/scale inhibitors <input type="checkbox"/> Disinfectants <input checked="" type="checkbox"/> Flocculants <input type="checkbox"/> Neutralizing agents <input type="checkbox"/> Oxidants <input type="checkbox"/> Oxygen <input type="checkbox"/> scavengers <input type="checkbox"/> pH conditioners <input type="checkbox"/> Bioremedial agents, including microbes <input type="checkbox"/> Chlorine or chemicals containing chlorine <input type="checkbox"/> Other; if so, specify:</p> <p>MSDS/SDS are included for proposed additives and flocculation agents. A Notice of Change will be submitted prior to implementation.</p>
<p>2. Provide the following information for each chemical/additive, using attachments, if necessary:</p> <p>Will provide in a Notice of Change if additives are needed.</p> <p>a. Product name, chemical formula, and manufacturer of the chemical/additive;</p> <p>b. Purpose or use of the chemical/additive or remedial agent;</p> <p>c. Material Safety Data Sheet (MSDS) and Chemical Abstracts Service (CAS) Registry number for each chemical/additive;</p> <p>d. The frequency (hourly, daily, etc.), duration (hours, days), quantity (maximum and average), and method of application for the chemical/additive;</p> <p>e. Any material compatibility risks for storage and/or use including the control measures used to minimize such risks; and</p> <p>f. If available, the vendor's reported aquatic toxicity (NOAEL and/or LC50 in percent for aquatic organism(s)).</p>
<p>3. Has the operator attached an explanation which demonstrates that the addition of such chemicals/additives may be authorized under this general permit in accordance with the instructions in F, above? (check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No; if no, has the operator attached data that demonstrates each of the 126 priority pollutants in CWA Section 307(a) and 40 CFR Part 423.15(j)(1) are non-detect in discharges with the addition of the proposed chemical/additive?</p> <p>(check one): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>

## G. Endangered Species Act eligibility determination

<p>1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:</p> <p><input checked="" type="checkbox"/> <b>FWS Criterion A:</b> No endangered or threatened species or critical habitat are in proximity to the discharges or related activities or come in contact with the “action area”.</p> <p><input type="checkbox"/> <b>FWS Criterion B:</b> Formal or informal consultation with the FWS under section 7 of the ESA resulted in either a no jeopardy opinion (formal consultation) or a written concurrence by FWS on a finding that the discharges and related activities are “not likely to adversely affect” listed species or critical habitat (informal consultation). Has the operator completed consultation with FWS? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No; if no, is consultation underway? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input type="checkbox"/> <b>FWS Criterion C:</b> Using the best scientific and commercial data available, the effect of the discharges and related activities on listed species and critical habitat have been evaluated. Based on those evaluations, a determination is made by EPA, or by the operator and affirmed by EPA, that the discharges and related activities will have “no effect” on any federally threatened or endangered listed species or designated critical habitat under the jurisdiction of the FWS. This determination was made by: (check one) <input type="checkbox"/> the operator <input type="checkbox"/> EPA <input type="checkbox"/> Other; if so, specify:</p>
--

- ☐ **NMFS Criterion:** A determination made by EPA is affirmed by the operator that the discharges and related activities will have “no effect” or are “not likely to adversely affect” any federally threatened or endangered listed species or critical habitat under the jurisdiction of NMFS and will not result in any take of listed species. Has the operator previously completed consultation with NMFS? (check one): ☐ Yes ☐ No

2. Has the operator attached supporting documentation of ESA eligibility in accordance with the instructions in Appendix I, and G, above? (check one): ☒ Yes ☐ No

Does the supporting documentation include any written concurrence or finding provided by the Services? (check one): ☒ Yes ☐ No; if yes, attach.

#### H. National Historic Preservation Act eligibility determination

1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:

- ☒ **Criterion A:** No historic properties are present. The discharges and discharge-related activities (e.g., BMPs) do not have the potential to cause effects on historic properties.
- ☐ **Criterion B:** Historic properties are present. Discharges and discharge related activities do not have the potential to cause effects on historic properties.
- ☐ **Criterion C:** Historic properties are present. The discharges and discharge-related activities have the potential to have an effect or will have an adverse effect on historic properties.

2. Has the operator attached supporting documentation of NHPA eligibility in accordance with the instructions in H, above? (check one): ☒ Yes ☐ No

Does the supporting documentation include any written agreement with the State Historic Preservation Officer (SHPO), Tribal Historic Preservation Officer (TPHO), or other tribal representative that outlines measures the operator will carry out to mitigate or prevent any adverse effects on historic properties? (check one): ☐ Yes ☒ No

#### I. Supplemental information

Describe any supplemental information being provided with the NOI. Include attachments if required or otherwise necessary.

Please refer to cover letter which includes: Site schematic, treatment system diagram, data table summarizing influent concentrations with supporting laboratory reports, and correspondence with the Massachusetts Department of Environmental Protection (MassDEP) and United States Wildlife Service.

Has the operator attached data, including any laboratory case narrative and chain of custody used to support the application? (check one): ☒ Yes ☐ No

Has the operator attached the certification requirement for the Best Management Practices Plan (BMPP)? (check one): ☒ Yes ☐ No

**J. Certification requirement**

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

BMPP certification statement: A BMPP meeting the requirements of this Remediation General Permit will be developed, maintained at the Site, implemented upon initiation of discharge and modified as needed to meet discharge limits.

Notification provided to the appropriate State, including a copy of this NOI, if required.

Check one: Yes ☒ No ☐

Notification provided to the municipality in which the discharge is located, including a copy of this NOI, if requested.

Check one: Yes ☒ No ☐

Notification provided to the owner of a private or municipal storm sewer system, if such system is used for site discharges, including a copy of this NOI, if requested.

Check one: Yes ☒ No ☐ NA ☐

Permission obtained from the owner of a private or municipal storm sewer system, if such system is used for site discharges. If yes, attach additional conditions. If no, attach explanation and timeframe for obtaining permission.

Check one: Yes ☒ No ☐ NA ☐


Notification provided to the owner/operator of the area associated with activities covered by an additional discharge

permit(s). Additional discharge permit is (check one): ☐ RGP ☐ DGP ☒ CGP ☐ MSGP ☐ Individual NPDES permit

Check one: Yes ☒ No ☐ NA ☐

☐ Other; if so, specify:

Signature:



Date:

3/19/19

Print Name and Title:

Mark Johnson, Director of Development, signing on behalf of LLC



## B. Receiving water Information (cont.)

3. Indicate if the receiving water(s) is listed in the State's Integrated List of Waters (i.e., CWA Section 303(d)). Include which designated uses are impaired, and any pollutants indicated. Also, indicate if a final TMDL is available for any of the indicated pollutants. For more information, contact the appropriate State as noted in Part 4.6 of the RGP.


*The Lechmere Canal is a small inlet on the Charles River, so it is considered to be part of Charles Segment MA72-36. The Charles River is listed as a category 5 water. Impairment causes are chlorophyll-a (TMDL 33826), combined biota/habitat bioassessments, DDT, dissolved oxygen saturation, escherichia coli, excess algal growth (TMDL 33826), nutrient/eutrophication biological indicators (TMDL 33826), oil and grease, dissolved oxygen, PCB in fish tissue, phosphorous (total) (TMDL 33826), salinity, secchi disk transparency (TMDL 33826), sediment screening value (exceedence), taste and odor (TMDL 33826), and water temperature.*

6. Has the operator received confirmation from the appropriate State for the 7Q10 and dilution factor indicated? (check one): ☒ Yes ☐ No

If yes, indicate date confirmation received:

*May 12, 2017. Correspondence attached.*





0' 2,000' 4,000' 6,000'



SCALE: 1" = 2,000'

SOURCE:

U.S.G.S. BOSTON SOUTH QUADRANGLE, 7.5 MINUTE (2012)

U.S.G.S. BOSTON NORTH QUADRANGLE, 7.5 MINUTE (2012)

#### SITE LOCUS MAP

**CAMBRIDGE CROSSING**  
Cambridge, Somerville, and Boston,  
Massachusetts

File No.: 35663  
Date: OCTOBER 2018  
Drawn: LPV  
Checked: JMF  
Job No.: 35663

FIGURE

1

VERTEXENG.COM

**VERTEX®**

100 NORTH WASHINGTON STREET  
BOSTON, MA 02114  
(T): 617.275.5407








Figure 3. Potential On-Site Discharge Locations

POTENTIAL POINTS OF DISCHARGE  
TO ON-SITE STORM WATER SYSTEM












- 



**VERTEX®**  
ONE CONGRESS STREET  
BOSTON, MA 02114  
(T): 781.952.6000

	CONSTRUCTION		ENERGY
	ENVIRONMENTAL		AIR QUALITY

[illegible]

File No.:	35663	<div style="text-align: center;">  </div>
Date:	JAN 17	
Drawn:	AS	
Checked:	JMF	
Job No.:	35663	





**Enter number values in green boxes below**

Enter values in the units specified

↓	
0	$Q_R$ = Enter upstream flow in <b>MGD</b>
0.288	$Q_P$ = Enter discharge flow in <b>MGD</b>
0	Downstream 7Q10

Enter a dilution factor, if other than zero

↓
0

Enter values in the units specified

↓	
430	$C_d$ = Enter influent hardness in <b>mg/L</b> $\text{CaCO}_3$
86.2	$C_s$ = Enter receiving water hardness in <b>mg/L</b> $\text{CaCO}_3$

Enter **receiving water** concentrations in the units specified

↓	
8.24	pH in <b>Standard Units</b>
13.6	Temperature in <b>°C</b>
0.136	Ammonia in <b>mg/L</b>
86.2	Hardness in <b>mg/L</b> $\text{CaCO}_3$
0	Salinity in <b>ppt</b>
0	Antimony in <b>µg/L</b>
0	Arsenic in <b>µg/L</b>
0	Cadmium in <b>µg/L</b>
0	Chromium III in <b>µg/L</b>
0	Chromium VI in <b>µg/L</b>
0	Copper in <b>µg/L</b>
0	Iron in <b>µg/L</b>
0	Lead in <b>µg/L</b>
0	Mercury in <b>µg/L</b>
0	Nickel in <b>µg/L</b>
0	Selenium in <b>µg/L</b>
0	Silver in <b>µg/L</b>
0	Zinc in <b>µg/L</b>

**Notes:**

Freshwater:  $Q_R$  equal to the 7Q10; enter alternate  $Q_R$  if approved by the State; enter 0 if no dilution factor approved

Saltwater (estuarine and marine): enter  $Q_R$  if approved by the State; enter 0 if no entry

Discharge flow is equal to the design flow or 1 MGD, whichever is less

Only if approved by State as the entry for  $Q_R$ ; leave 0 if no entry

Saltwater (estuarine and marine): only if approved by the State

Leave 0 if no entry

Freshwater only

pH, temperature, and ammonia required for all discharges

Hardness required for freshwater

Salinity required for saltwater (estuarine and marine)

Metals required for all discharges if present and if dilution factor is  $> 1$

Enter 0 if non-detect or testing not required

Enter **influent** concentrations in the units specified

↓	
0	TRC in <b>µg/L</b>
1.09	Ammonia in <b>mg/L</b>
0	Antimony in <b>µg/L</b>
3.77	Arsenic in <b>µg/L</b>
0	Cadmium in <b>µg/L</b>
3.79	Chromium III in <b>µg/L</b>
0	Chromium VI in <b>µg/L</b>
7.46	Copper in <b>µg/L</b>
2,520	Iron in <b>µg/L</b>
11.67	Lead in <b>µg/L</b>
0	Mercury in <b>µg/L</b>
4.58	Nickel in <b>µg/L</b>
0	Selenium in <b>µg/L</b>
0	Silver in <b>µg/L</b>
14.9	Zinc in <b>µg/L</b>
0	Cyanide in <b>µg/L</b>
0	Phenol in <b>µg/L</b>
0	Carbon Tetrachloride in <b>µg/L</b>
0	Tetrachloroethylene in <b>µg/L</b>
0	Total Phthalates in <b>µg/L</b>
0	Diethylhexylphthalate in <b>µg/L</b>
0.1	Benzo(a)anthracene in <b>µg/L</b>
0	Benzo(a)pyrene in <b>µg/L</b>
0	Benzo(b)fluoranthene in <b>µg/L</b>
0	Benzo(k)fluoranthene in <b>µg/L</b>
0	Chrysene in <b>µg/L</b>
0	Dibenzo(a,h)anthracene in <b>µg/L</b>
0	Indeno(1,2,3-cd)pyrene in <b>µg/L</b>
0	Methyl-tert butyl ether in <b>µg/L</b>

if >1 sample, enter maximum

if >10 samples, may enter 95th percentile

Enter 0 if non-detect or testing not required

## **I. Dilution Factor Calculation Method**

### **A. 7Q10**

Refer to Appendix V for determining critical low flow; must be approved by State before use in calculations.

### **B. Dilution Factor**

Calculated as follows:

$$Df = \frac{Q_R + Q_P}{Q_P}$$

$$Q_R = 7Q10 \text{ in MGD}$$

$$Q_P = \text{Discharge flow, in MGD}$$

## **II. Effluent Limitation Calculation Method**

### **A. Calculate Water Quality Criterion:**

Step 1. Downstream hardness, calculated as follows:

$$C_r = \frac{Q_d C_d + Q_s C_s}{Q_r}$$

$$C_r = \text{Downstream hardness in mg/L}$$

$$Q_d = \text{Discharge flow in MGD}$$

$$C_d = \text{Discharge hardness in mg/L}$$

$$Q_s = \text{Upstream flow (7Q10) in MGD}$$

$$C_s = \text{Upstream (receiving water) hardness in mg/L}$$

$$Q_r = \text{Downstream receiving water flow in MGD}$$

Step 2. Total recoverable water quality criteria for hardness-dependent metals, calculated as follows:

$$\text{Total Recoverable Criteria} = \exp\{m_c [\ln(h)] + b_c\}$$

$$m_c = \text{Pollutant-specific coefficient (} m_a \text{ for silver)}$$

$$b_c = \text{Pollutant-specific coefficient (} b_a \text{ for silver)}$$

$$\ln = \text{Natural logarithm}$$

$$h = \text{Hardness calculated in Step 1}$$

Step 3. Total recoverable water quality criteria for non-hardness-dependent metals, calculated as follows:

$$\text{WQC in } \mu\text{g/L} = \frac{\text{dissolved WQC in } \mu\text{g/L}}{\text{dissolved to total recoverable factor}}$$

**B. Calculate WQBEL:**

Step 1. WQBEL calculated as follows for parameter sampled in and detected in the receiving water:

$$C_d = \frac{Q_r C_r - Q_s C_s}{Q_d}$$

$C_r$  = Water quality criterion in  $\mu\text{g/L}$

$Q_d$  = Discharge flow in MGD

$C_d$  = WQBEL in  $\mu\text{g/L}$

$Q_s$  = Upstream flow (7Q10) in MGD

$C_s$  = Ustream (receiving water) concentration in  $\mu\text{g/L}$

$Q_r$  = Downstream receiving water flow in MGD

Step 2. WQBEL calculated as follows for parameter not sampled in or not detected in receiving water:

$$C_d = (Q_r/Q_d) \times C_r$$

$C_r$  = Water quality criterion in  $\mu\text{g/L}$

$Q_d$  = Discharge flow in MGD

$Q_r$  = Downstream receiving water flow in MGD

**C. Determine if a WQBEL applies:**

Step 1. For parameter sampled in and detected in receiving water, downstream concentrations calculated as follows:

$$C_r = \frac{Q_d C_d + Q_s C_s}{Q_r}$$

$C_r$  = Downstream concentration in µg/L

$Q_d$  = Discharge flow in MGD

$C_d$  = Influent concentration in µg/L

$Q_s$  = Upstream flow (7Q10) in MGD

$C_s$  = Upstream (receiving water) concentration in µg/L

$Q_r$  = Downstream receiving water flow in MGD

The WQBEL applies if:

1) the projected downstream concentration calculated in accordance with Step 1, above, and the discharge concentration of a parameter are greater than the WQC calculated for that parameter in accordance with II.A, above

**AND**

2) the WQBEL determined for that parameter in accordance with II.B, above, is less than the TBEL in Part 2.1.1 of the RGP for that parameter. Otherwise, the TBEL in Part 2.1.1 of the RGP for that parameter applies.

Step 2. For a parameter not sampled in or not detected in receiving water, the WQBEL applies if:

1) the discharge concentration of a parameter is greater than the WQBEL determined for that parameter in accordance with II.A or II.B, above;

**AND**

2) the WQBEL determined for that parameter in accordance with II.A or II.B, above is less than the TBEL in Part 2.1.1 of the RGP for that parameter. Otherwise, the TBEL in

Part 2.1.1 of the RGP for that parameter applies.

Dilution Factor	1.0					
A. Inorganics	TBEL applies if bolded		WQBEL applies if bolded		Compliance Level applies if shown	
Ammonia	<b>Report</b>	mg/L	---			
Chloride	<b>Report</b>	µg/L	---			
Total Residual Chlorine	0.2	mg/L	<b>11</b>	µg/L	50	µg/L
Total Suspended Solids	<b>30</b>	mg/L	---			
Antimony	<b>206</b>	µg/L	640	µg/L		
Arsenic	<b>104</b>	µg/L	10	µg/L		
Cadmium	<b>10.2</b>	µg/L	0.7974	µg/L		
Chromium III	<b>323</b>	µg/L	284.6	µg/L		
Chromium VI	<b>323</b>	µg/L	11.4	µg/L		
Copper	<b>242</b>	µg/L	32.4	µg/L		
Iron	5000	µg/L	<b>1000</b>	µg/L		
Lead	<b>160</b>	µg/L	20.37	µg/L		
Mercury	<b>0.739</b>	µg/L	0.91	µg/L		
Nickel	<b>1450</b>	µg/L	179.2	µg/L		
Selenium	<b>235.8</b>	µg/L	5.0	µg/L		
Silver	<b>35.1</b>	µg/L	46.5	µg/L		
Zinc	<b>420</b>	µg/L	412.3	µg/L		
Cyanide	<b>178</b>	mg/L	5.2	µg/L	---	µg/L
<b>B. Non-Halogenated VOCs</b>						
Total BTEX	<b>100</b>	µg/L	---			
Benzene	<b>5.0</b>	µg/L	---			
1,4 Dioxane	<b>200</b>	µg/L	---			
Acetone	<b>7970</b>	µg/L	---			
Phenol	<b>1,080</b>	µg/L	300	µg/L		
<b>C. Halogenated VOCs</b>						
Carbon Tetrachloride	<b>4.4</b>	µg/L	1.6	µg/L		
1,2 Dichlorobenzene	<b>600</b>	µg/L	---			
1,3 Dichlorobenzene	<b>320</b>	µg/L	---			
1,4 Dichlorobenzene	<b>5.0</b>	µg/L	---			
Total dichlorobenzene	---	µg/L	---			
1,1 Dichloroethane	<b>70</b>	µg/L	---			
1,2 Dichloroethane	<b>5.0</b>	µg/L	---			
1,1 Dichloroethylene	<b>3.2</b>	µg/L	---			
Ethylene Dibromide	<b>0.05</b>	µg/L	---			
Methylene Chloride	<b>4.6</b>	µg/L	---			
1,1,1 Trichloroethane	<b>200</b>	µg/L	---			
1,1,2 Trichloroethane	<b>5.0</b>	µg/L	---			
Trichloroethylene	<b>5.0</b>	µg/L	---			
Tetrachloroethylene	<b>5.0</b>	µg/L	3.3	µg/L		
cis-1,2 Dichloroethylene	<b>70</b>	µg/L	---			
Vinyl Chloride	<b>2.0</b>	µg/L	---			
<b>D. Non-Halogenated SVOCs</b>						
Total Phthalates	<b>190</b>	µg/L	---	µg/L		
Diethylhexyl phthalate	<b>101</b>	µg/L	2.2	µg/L		
Total Group I Polycyclic Aromatic Hydrocarbons	<b>1.0</b>	µg/L	---			
Benzo(a)anthracene	1.0	µg/L	<b>0.0038</b>	µg/L	0.1	µg/L
Benzo(a)pyrene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Benzo(b)fluoranthene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Benzo(k)fluoranthene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Chrysene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Dibenzo(a,h)anthracene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Indeno(1,2,3-cd)pyrene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Total Group II Polycyclic Aromatic Hydrocarbons	<b>100</b>	µg/L	---			
Naphthalene	<b>20</b>	µg/L	---			
<b>E. Halogenated SVOCs</b>						
Total Polychlorinated Biphenyls	<b>0.000064</b>	µg/L	---		0.5	µg/L
Pentachlorophenol	<b>1.0</b>	µg/L	---			
<b>F. Fuels Parameters</b>						
Total Petroleum Hydrocarbons	<b>5.0</b>	mg/L	---			
Ethanol	<b>Report</b>	mg/L	---			
Methyl-tert-Butyl Ether	<b>70</b>	µg/L	20	µg/L		
tert-Butyl Alcohol	<b>120</b>	µg/L	---			
tert-Amyl Methyl Ether	<b>90</b>	µg/L	---			



Table 1  
Summary of Parcel G NPDES Groundwater Results  
Cambridge Crossing  
Cambridge & Boston, Massachusetts  
VERTEX Project No. 35663  
Release Tracking Number (RTN) 3-11533

LOCATION			VES-G-418 (MW)	VES-Y-2 (OW)	Lechmere Canal
SAMPLING DATE			2/28/2018	5/9/2017	5/16/2017
LABORATORY SAMPLE ID			L1806948-01 490-147313-1	L1714950-01	L1715855-01
PARCEL			G	H	-
SAMPLE TYPE			Groundwater & NPDES	Groundwater & NPDES	Receiving Water
ANALYTE	CAS No.	Units			
Total Petroleum Hydrocarbons (TPH)					
TPH	NONE	µg/L	ND(4000)	ND(4000)	-
Volatile Organic Compounds (VOCs)					
1,1,1,2-Tetrachloroethane	630-20-6	µg/L	-	ND(0.5)	-
1,1,1-Trichloroethane	71-55-6	µg/L	ND(0.5)	ND(0.5)	-
1,1,2,2-Tetrachloroethane	79-34-5	µg/L	-	ND(0.5)	-
1,1,2-Trichloroethane	79-00-5	µg/L	ND(0.75)	ND(0.75)	-
1,1-Dichloroethane	75-34-3	µg/L	ND(0.75)	ND(0.75)	-
1,1-Dichloroethene	75-35-4	µg/L	ND(0.5)	ND(0.5)	-
1,1-Dichloropropene	563-58-6	µg/L	-	ND(2.5)	-
1,2,3-Trichlorobenzene	87-61-6	µg/L	-	ND(2.5)	-
1,2,3-Trichloropropane	96-18-4	µg/L	-	ND(5)	-
1,2,4-Trichlorobenzene	120-82-1	µg/L	-	ND(5)	-
1,2,4-Trimethylbenzene	95-63-6	µg/L	-	ND(2.5)	-
1,2-Dibromo-3-chloropropane	96-12-8	µg/L	-	ND(0.01)	-
1,2-Dibromoethane	106-93-4	µg/L	ND(0.01)	ND(0.01)	-
1,2-Dichlorobenzene	95-50-1	µg/L	ND(2.5)	ND(2)	-
1,2-Dichloroethane	107-06-2	µg/L	ND(0.5)	ND(0.5)	-
1,2-Dichloroethene, Total	540-59-0	µg/L	-	ND(0.5)	-
1,2-Dichloropropane	78-87-5	µg/L	-	ND(1.8)	-
1,3,5-Trimethylbenzene	108-67-8	µg/L	-	ND(2.5)	-
1,3-Dichlorobenzene	541-73-1	µg/L	ND(2.5)	ND(2.5)	-
1,3-Dichloropropane	142-28-9	µg/L	-	ND(2.5)	-
1,3-Dichloropropene, Total	542-75-6	µg/L	-	ND(0.5)	-
1,4-Dichlorobenzene	106-46-7	µg/L	ND(2.5)	ND(2.5)	-
1,4-Dioxane	123-91-1	µg/L	ND(3)	ND(3)	-
2,2-Dichloropropane	594-20-7	µg/L	-	ND(2.5)	-
2-Hexanone	591-78-6	µg/L	-	ND(5)	-
Acetone	67-64-1	µg/L	9.2	ND(5)	-
Acrylonitrile	107-13-1	µg/L	-	ND(5)	-
Benzene	71-43-2	µg/L	ND(0.5)	ND(0.5)	-
Bromobenzene	108-86-1	µg/L	-	ND(2.5)	-
Bromochloromethane	74-97-5	µg/L	-	ND(2.5)	-
Bromodichloromethane	75-27-4	µg/L	-	ND(0.5)	-
Bromoform	75-25-2	µg/L	-	ND(2)	-
Bromomethane	74-83-9	µg/L	-	ND(1)	-
Carbon disulfide	75-15-0	µg/L	-	ND(5)	-
Carbon tetrachloride	56-23-5	µg/L	ND(0.5)	ND(0.5)	-
Chlorobenzene	108-90-7	µg/L	-	ND(0.5)	-
Chloroethane	75-00-3	µg/L	-	ND(1)	-
Chloroform	67-66-3	µg/L	-	ND(0.75)	-
Chloromethane	74-87-3	µg/L	-	ND(2.5)	-
cis-1,2-Dichloroethene	156-59-2	µg/L	ND(0.5)	ND(0.5)	-
cis-1,3-Dichloropropene	10061-01-5	µg/L	-	ND(0.5)	-
Dibromochloromethane	124-48-1	µg/L	-	ND(0.5)	-
Dibromomethane	74-95-3	µg/L	-	ND(5)	-
Dichlorodifluoromethane	75-71-8	µg/L	-	ND(5)	-
Diethyl ether (Ethyl ether)	60-29-7	µg/L	-	ND(2.5)	-
Ethylbenzene	100-41-4	µg/L	ND(0.5)	ND(0.5)	-
Hexachlorobutadiene	87-68-3	µg/L	-	ND(0.5)	-
Isopropylbenzene	98-82-8	µg/L	-	ND(0.5)	-
Methyl ethyl ketone (2-Butanone)	78-93-3	µg/L	-	ND(5)	-
Methyl tert butyl ether	1634-04-4	µg/L	ND(1)	ND(1)	-
Methylene chloride	75-09-2	µg/L	ND(3)	ND(3)	-
n-Butylbenzene	104-51-8	µg/L	-	ND(0.5)	-
n-Propylbenzene	103-65-1	µg/L	-	ND(0.5)	-
Naphthalene	91-20-3	µg/L	-	ND(2.5)	-
o-Chlorotoluene	95-49-8	µg/L	-	ND(2.5)	-
o-Xylene	95-47-6	µg/L	ND(1)	ND(1)	-
p-Chlorotoluene	106-43-4	µg/L	-	ND(2.5)	-
p-Isopropyltoluene	99-87-6	µg/L	-	0.82	-
p/m-Xylene	179601-23-1	µg/L	1.0	ND(1)	-
sec-Butylbenzene	135-98-8	µg/L	-	ND(0.5)	-
Styrene	100-42-5	µg/L	-	ND(1)	-
Tert-Butyl Alcohol	75-65-0	µg/L	ND(10)	-	-
tert-Butylbenzene	98-06-6	µg/L	-	ND(2.5)	-
Tertiary-Amyl Methyl Ether	994-05-8	µg/L	ND(2)	-	-
Tetrachloroethene	127-18-4	µg/L	ND(0.5)	ND(0.5)	-
Tetrahydrofuran	109-99-9	µg/L	-	ND(5)	-
Toluene	108-88-3	µg/L	1.5	ND(0.75)	-
trans-1,2-Dichloroethene	156-60-5	µg/L	-	ND(0.75)	-
trans-1,3-Dichloropropene	10061-02-6	µg/L	-	ND(0.5)	-
Trichloroethene	79-01-6	µg/L	ND(0.5)	ND(0.5)	-
Trichlorofluoromethane	75-69-4	µg/L	-	ND(2.5)	-
Vinyl chloride	75-01-4	µg/L	ND(1)	ND(1)	-
Total Xylenes	1330-20-7	µg/L	1.0	ND(1)	-
1,4-Dichlorobutane	110-56-5	µg/L	-	ND(5)	-
Ethyl methacrylate	97-63-2	µg/L	-	ND(5)	-
Vinyl acetate	108-05-4	µg/L	-	ND(5)	-
Total VOCs	Multiple	µg/L	11.7	0.82	-

Table 1  
Summary of Parcel G NPDES Groundwater Results  
Cambridge Crossing  
Cambridge & Boston, Massachusetts  
VERTEX Project No. 35663  
Release Tracking Number (RTN) 3-11533

LOCATION			VES-G-418 (MW)	VES-Y-2 (OW)	Lechmere Canal
SAMPLING DATE			2/28/2018	5/9/2017	5/16/2017
LABORATORY SAMPLE ID			L1806948-01 490-147313-1	L1714950-01	L1715855-01
PARCEL			G	H	-
SAMPLE TYPE			Groundwater & NPDES	Groundwater & NPDES	Receiving Water
ANALYTE	CAS No.	Units			
Semivolatile Organic Compounds (SVOCs)					
1,2,4-Trichlorobenzene	120-82-1	µg/L	-	ND(5)	-
1,2-Dichlorobenzene	95-50-1	µg/L	-	ND(2)	-
1,3-Dichlorobenzene	541-73-1	µg/L	-	ND(2)	-
1,4-Dichlorobenzene	106-46-7	µg/L	-	ND(2)	-
2,4,5-Trichlorophenol	95-95-4	µg/L	-	ND(5)	-
2,4,6-Trichlorophenol	88-06-2	µg/L	-	ND(5)	-
2,4-Dichlorophenol	120-83-2	µg/L	-	ND(5)	-
2,4-Dimethylphenol	105-67-9	µg/L	-	ND(5)	-
2,4-Dinitrophenol	51-28-5	µg/L	-	ND(20)	-
2,4-Dinitrotoluene	121-14-2	µg/L	-	ND(5)	-
2,6-Dinitrotoluene	606-20-2	µg/L	-	ND(5)	-
2-Chlorophenol	95-57-8	µg/L	-	ND(2)	-
2-Methylphenol	95-48-7	µg/L	-	ND(5)	-
2-Nitroaniline	88-74-4	µg/L	-	ND(5)	-
2-Nitrophenol	88-75-5	µg/L	-	ND(10)	-
3,3'-Dichlorobenzidine	91-94-1	µg/L	-	ND(5)	-
3-Methylphenol/4-Methylphenol	108-39-4	µg/L	-	ND(5)	-
3-Nitroaniline	99-09-2	µg/L	-	ND(5)	-
4,6-Dinitro-o-cresol	534-52-1	µg/L	-	ND(10)	-
4-Bromophenyl phenyl ether	101-55-3	µg/L	-	ND(2)	-
4-Chloroaniline	106-47-8	µg/L	-	ND(5)	-
4-Chlorophenyl phenyl ether	7005-72-3	µg/L	-	ND(2)	-
4-Nitroaniline	100-01-6	µg/L	-	ND(5)	-
4-Nitrophenol	100-02-7	µg/L	-	ND(10)	-
Aniline	62-53-3	µg/L	-	ND(2)	-
Azobenzene	103-33-3	µg/L	-	ND(2)	-
Benzidine	92-87-5	µg/L	-	ND(20)	-
Benzoic Acid	65-85-0	µg/L	-	ND(50)	-
Benzyl Alcohol	100-51-6	µg/L	-	ND(2)	-
Biphenyl	92-52-4	µg/L	-	ND(2)	-
Bis(2-chloroethoxy)methane	111-91-1	µg/L	-	ND(5)	-
Bis(2-chloroethyl)ether	111-44-4	µg/L	-	ND(2)	-
Bis(2-chloroisopropyl)ether	108-60-1	µg/L	-	ND(2)	-
Bis(2-ethylhexyl)phthalate	117-81-7	µg/L	ND(3)	ND(3)	-
Butyl benzyl phthalate	85-68-7	µg/L	ND(5)	ND(5)	-
Carbazole	86-74-8	µg/L	-	ND(2)	-
Di-n-butylphthalate	84-74-2	µg/L	ND(5)	ND(5)	-
Di-n-octylphthalate	117-84-0	µg/L	ND(5)	ND(5)	-
Dibenzofuran	132-64-9	µg/L	-	ND(2)	-
Diethyl phthalate	84-66-2	µg/L	ND(5)	ND(5)	-
Dimethyl phthalate	131-11-3	µg/L	ND(5)	ND(5)	-
Hexachlorocyclopentadiene	77-47-4	µg/L	-	ND(20)	-
Isophorone	78-59-1	µg/L	-	ND(5)	-
n-Nitrosodi-n-propylamine	621-64-7	µg/L	-	ND(5)	-
n-Nitrosodimethylamine	62-75-9	µg/L	-	ND(2)	-
NDPA/DPA	86-30-6	µg/L	-	ND(2)	-
Nitrobenzene	98-95-3	µg/L	-	ND(2)	-
p-Chloro-m-cresol	59-50-7	µg/L	-	ND(2)	-
Phenol	108-95-2	µg/L	ND(5)	ND(5)	-
Pyridine	110-86-1	µg/L	-	ND(3.5)	-
1-Methylnaphthalene	90-12-0	µg/L	-	ND(0.2)	-
2-Chloronaphthalene	91-58-7	µg/L	-	ND(0.2)	-
2-Methylnaphthalene	91-57-6	µg/L	-	ND(0.2)	-
Acenaphthene	83-32-9	µg/L	2.1	0.25	-
Acenaphthylene	208-96-8	µg/L	0.28	ND(0.2)	-
Anthracene	120-12-7	µg/L	0.41	ND(0.2)	-
Benzo(a)anthracene	56-55-3	µg/L	0.10	ND(0.2)	-
Benzo(a)pyrene	50-32-8	µg/L	ND(0.1)	ND(0.2)	-
Benzo(b)fluoranthene	205-99-2	µg/L	ND(0.1)	ND(0.2)	-
Benzo(ghi)perylene	191-24-2	µg/L	ND(0.1)	ND(0.2)	-
Benzo(k)fluoranthene	207-08-9	µg/L	ND(0.1)	ND(0.2)	-
Chrysene	218-01-9	µg/L	ND(0.1)	ND(0.2)	-
Dibenzo(a,h)anthracene	53-70-3	µg/L	ND(0.1)	ND(0.2)	-
Fluoranthene	206-44-0	µg/L	0.56	ND(0.2)	-
Fluorene	86-73-7	µg/L	1.4	ND(0.2)	-
Hexachlorobenzene	118-74-1	µg/L	-	ND(0.8)	-
Hexachlorobutadiene	87-68-3	µg/L	-	ND(0.5)	-
Hexachloroethane	67-72-1	µg/L	-	ND(0.8)	-
Indeno(1,2,3-cd)Pyrene	193-39-5	µg/L	ND(0.1)	ND(0.2)	-
Naphthalene	91-20-3	µg/L	2.2	ND(0.2)	-
Pentachlorophenol	87-86-5	µg/L	ND(0.8)	ND(0.8)	-
Phenanthrene	85-01-8	µg/L	0.11	ND(0.2)	-
Pyrene	129-00-0	µg/L	0.44	ND(0.2)	-
Total SVOCs	Multiple	µg/L	7.6	0.25	

Table 1  
Summary of Parcel G NPDES Groundwater Results  
Cambridge Crossing  
Cambridge & Boston, Massachusetts  
VERTEX Project No. 35663  
Release Tracking Number (RTN) 3-11533

LOCATION			VES-G-418 (MW)	VES-Y-2 (OW)	Lechmere Canal
SAMPLING DATE			2/28/2018	5/9/2017	5/16/2017
LABORATORY SAMPLE ID			L1806948-01 490-147313-1	L1714950-01	L1715855-01
PARCEL			G	H	-
SAMPLE TYPE			Groundwater & NPDES	Groundwater & NPDES	Receiving Water
ANALYTE	CAS No.	Units			
Total Metals					
Antimony, Total	7440-36-0	µg/L	ND(4)	ND(4)	-
Arsenic, Total	7440-38-2	µg/L	3.77	18	-
Barium, Total	7440-39-3	µg/L	-	229	-
Beryllium, Total	7440-41-7	µg/L	-	ND(1)	-
Boron, Total	7440-42-8	µg/L	-	ND(1)	-
Cadmium, Total	7440-43-9	µg/L	ND(0.2)	-	-
Calcium, Total	7440-70-2	µg/L	-	150,000	-
Chromium, Total	7440-47-3	µg/L	3.79	ND(1)	-
Copper, Total	7440-50-8	µg/L	7.46	ND(1)	-
Iron, Total	7439-89-6	µg/L	2,520	32,900	-
Lead, Total	7439-92-1	µg/L	11.67	3	-
Magnesium, Total	7439-95-4	µg/L	-	14,800	-
Manganese, Total	7439-96-5	µg/L	-	1,168	-
Mercury, Total	7439-97-6	µg/L	ND(0.2)	ND(0.2)	-
Nickel, Total	7440-02-0	µg/L	4.58	5	-
Potassium, Total	7440-09-7	µg/L	-	12,500	-
Selenium, Total	7782-49-2	µg/L	ND(5)	ND(5)	-
Silver, Total	7440-22-4	µg/L	ND(0.4)	ND(1)	-
Sodium, Total	7440-23-5	µg/L	-	84,500	-
Thallium, Total	7440-28-0	µg/L	-	-	-
Zinc, Total	7440-66-6	µg/L	14.9	ND(10)	-
Chromium, Trivalent	16065-83-1	µg/L	ND(10)	-	-
Chromium, Hexavalent	18540-29-9	µg/L	ND(10)	ND(10)	-
Polychlorinated Biphenyls (PCBs)					
Aroclor 1016	12674-11-2	µg/L	ND(0.25)	ND(0.25)	-
Aroclor 1221	11104-28-2	µg/L	ND(0.25)	ND(0.25)	-
Aroclor 1232	11141-16-5	µg/L	ND(0.25)	ND(0.25)	-
Aroclor 1242	53469-21-9	µg/L	ND(0.25)	ND(0.25)	-
Aroclor 1248	12672-29-6	µg/L	ND(0.25)	ND(0.25)	-
Aroclor 1254	11097-69-1	µg/L	ND(0.25)	ND(0.25)	-
Aroclor 1260	11096-82-5	µg/L	ND(0.2)	ND(0.25)	-
Aroclor 1262	37324-23-5	µg/L	-	-	-
Aroclor 1268	11100-14-4	µg/L	-	-	-
Total PCBs	Multiple	µg/L	ND(0.25)	ND(0.25)	-
Cyanide					
Cyanide, Total	57-12-5	µg/L	ND(5)	ND(5)	-
General Chemistry					
Chlorine, Total Residual	NONE	µg/L	ND(20)	ND(20)	-
Ethanol	64-17-5	µg/L	ND(2000)	-	-
Nitrogen, Ammonia	7664-41-7	µg/L	1,090	12,800	136
pH	12408-02-5	SU	7.14†	6.47†	8.24†
Phenolics, Total	NONE	µg/L	ND(30)	ND(30)	-
Phosphorus, Soluble	7723-14-0	µg/L	-	20	-
Phosphorus, Total	7723-14-0	µg/L	-	1,080	-
Solids, Total Dissolved	NONE	µg/L	-	820,000	-
Solids, Total Suspended	NONE	µg/L	54,000	47,000	-
Temperature (field measured in °C)	NONE	°C	10.4†	8.83†	13.6†
Anions by Ion Chromatography					
Chloride	16887-00-6	µg/L	717,000	174,000	-
Hardness					
Hardness	NONE	µg/L	**	430,000	86,200


Notes

1. CAS No. = Chemical Abstract Service Number.
2. Regulatory criteria are established under the Massachusetts Contingency Plan (MCP).
3. UCL = Upper Concentration Limit.
4. - = MCP Standard not currently established or sample was not analyzed for specific analyte.
5. ND = Not Detected above the laboratory reporting limit shown in parenthesis.
6. µg/L = micrograms per liter.
7. mg CaCO3/L = milligrams of calcium carbonate per liter.
8. SU = Standard Units.
9. µmhos/cm = micromhos per centimeter.
10. For analytes without published UCL values, the default UCL of 10,000 µg/L was used in accordance with 310 Code of Massachusetts Regulations (CMR) 40.0996(7).
11. † = Field Measured.
12. TBEL = Technology-Based Effluent Limitation.
13. WQBEL - Water Quality-based Effluent Limitation.
14. \* = Calculated WQBEL value.
15. \*\* = The Hardness value is provided for monitoring well VES-Y-2 (OW).
16. Based upon the overall Site data regarding the concentrations of Chromium III and Chromium VI, Total Chromium was assumed to be Chromium III.

will add aeration or  
floc log as needed  
to sed tank for TSS  
control - NOC to be  
submitted prior to  
use of floc

## SETTLEMENT TANK CALCULATIONS

- SETTLEMENT TANK MINIMUM DEPTH 4' BELOW OUTLET
- TANK SURFACE AREA (LXW) SHOULD EQUAL FLOW RATE (GPM) X 0.8(SF/GPM) FOR EFFECTIVE SETTLEMENT
- USING AND 8'X20' TANK, THE MAX ALLOWABLE FLOW RATE= (8X20)/0.8=200 GPM



NORTH POINT  
PARCEL G  
DEWATERING TREATMENT  
SYSTEM



A.A. WILL CORPORATION  
145 ISLAND STREET  
STOUGHTON, MA

DATE: 1/18/19

DRAWN: RPM

SCALE: NTS

SKETCH

1



## United States Department of the Interior



FISH AND WILDLIFE SERVICE  
New England Ecological Services Field Office  
70 Commercial Street, Suite 300  
Concord, NH 03301-5094  
Phone: (603) 223-2541 Fax: (603) 223-0104  
<http://www.fws.gov/newengland>

In Reply Refer To:  
Consultation Code: 05E1NE00-2019-SLI-0293  
Event Code: 05E1NE00-2019-E-00652  
Project Name: Cambridge Crossing

November 08, 2018

Subject: List of threatened and endangered species that may occur in your proposed project location, and/or may be affected by your proposed project

### To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF>

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 *et seq.*), and projects affecting these species may require development of an eagle conservation plan ([http://www.fws.gov/windenergy/eagle\\_guidance.html](http://www.fws.gov/windenergy/eagle_guidance.html)). Additionally, wind energy projects should follow the wind energy guidelines (<http://www.fws.gov/windenergy/>) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at: <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/towers.htm>; <http://www.towerkill.com>; and <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/comtow.html>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List
-

# Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

**New England Ecological Services Field Office**  
70 Commercial Street, Suite 300  
Concord, NH 03301-5094  
(603) 223-2541

---



## Project Summary

Consultation Code: 05E1NE00-2019-SLI-0293

Event Code: 05E1NE00-2019-E-00652

Project Name: Cambridge Crossing

Project Type: DEVELOPMENT

Project Description: Development

Project Location:

Approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/place/42.3728393098731N71.07446861411378W>



Counties: Middlesex, MA | Suffolk, MA

---



## Endangered Species Act Species

There is a total of 0 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries<sup>1</sup>, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

- 
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

## Critical habitats

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

---

# Massachusetts Cultural Resource Information System

## MACRIS

### MACRIS Search Results

Search Criteria: Town(s): Cambridge; Place: East Cambridge; Resource Type(s): Building, Area, Burial Ground, Object, Structure;

Inv. No.	Property Name	Street	Town	Year
CAM.B	Lockhart, William L. and Company Coffin Factory		Cambridge	
CAM.C	Blake and Knowles Steam Pump Company		Cambridge	
CAM.E	East Cambridge Historic District		Cambridge	
CAM.F	Winter Street Historic District		Cambridge	
CAM.G	Cambridge Multiple Resource Area		Cambridge	
CAM.H	Lechmere Point Corporation Houses		Cambridge	
CAM.I	Sacred Heart Church, Rectory, School and Convent		Cambridge	
CAM.AJ	Charles River Basin Historic District		Cambridge	
CAM.AO	East Cambridge		Cambridge	
CAM.AV	Blake and Knowles Steam Pump Company		Cambridge	
CAM.352	Blake and Knowles Main Foundry	180 Bent St	Cambridge	c 1895
CAM.357	Blake and Knowles Machine Shop #2	195 Binney St	Cambridge	1917
CAM.358	Blake and Knowles Machine Shop #3	199 Binney St	Cambridge	1918
CAM.356	Blake and Knowles Erecting and Assembling Building	201 Binney St	Cambridge	1903
CAM.906	Cambridge Parkway Bridge over Broad Canal	Cambridge Pkwy	Cambridge	1957
CAM.931	Cambridge Parkway	Cambridge Pkwy	Cambridge	1900
CAM.379	Middlesex County Registry of Deeds Building	Cambridge St	Cambridge	1896
CAM.380	Middlesex County Clerk of Courts Building	Cambridge St	Cambridge	1889
CAM.912	Longfellow Bridge - West Boston Bridge	Cambridge St	Cambridge	c 1907
CAM.914	Lechmere Square Streetcar Station	Cambridge St	Cambridge	1922
CAM.372		82-84 Cambridge St	Cambridge	1937
CAM.373	Davenport, A. H. - Irving and Casson Company	88-134 Cambridge St	Cambridge	1866
CAM.378		160 Cambridge St	Cambridge	1965
CAM.93	East Cambridge Savings Bank	292 Cambridge St	Cambridge	1931
CAM.94	Union Railway Car Barn	613-621 Cambridge St	Cambridge	1869

Inv. No.	Property Name	Street	Town	Year
CAM.99	Boston and Maine Railroad Signal Tower A	Charles River	Cambridge	1931
CAM.911	Charles River Railroad Draw Bridge #1	Charles River	Cambridge	1931
CAM.920	Charles River Dam	Charles River	Cambridge	r 1905
CAM.928	Lechmere Canal	Charles River	Cambridge	1909
CAM.929	Broad Canal	Charles River	Cambridge	1805
CAM.932	Charles River Basin Granite Seawall and Iron Fence	Charles River	Cambridge	
CAM.908	Commercial Avenue Bridge over Lechmere Canal	Commercial Ave	Cambridge	1907
CAM.1318	Metropolitan District Commission Stables	Commercial Ave	Cambridge	
CAM.123		42 Edward J. Lopez Ave	Cambridge	c 1830
CAM.430	Cambridge Public Library - O'Connell Branch	Fifth St	Cambridge	1938
CAM.441		69-71 Fifth St	Cambridge	
CAM.452	Hall, Jesse House	75 Fifth St	Cambridge	1837
CAM.428		82 Fifth St	Cambridge	
CAM.429		83 Fifth St	Cambridge	
CAM.907	First Street Bridge over Broad Canal	First St	Cambridge	1924
CAM.147	Athenaeum Press Building	215 First St	Cambridge	1895
CAM.502	Lechmere Point Corporation Row House	47 Gore St	Cambridge	c 1821
CAM.503	Lechmere Point Corporation Row House	49 Gore St	Cambridge	c 1821
CAM.504	Lechmere Point Corporation Row House	51 Gore St	Cambridge	c 1821
CAM.1317	Metropolitan District Commission Boat House	Lechmere Canal	Cambridge	1910
CAM.913	East Cambridge Viaduct - Lechmere Viaduct	O'Brien Hwy	Cambridge	1910
CAM.9020	Boston and Lowell Railroad Retaining Wall	O'Brien Hwy	Cambridge	c 1857
CAM.349	Lockhart, William L. Coffin Factory Warehouse	195-199 O'Brien Hwy	Cambridge	1873
CAM.271	Barnes, James B. House	200 O'Brien Hwy	Cambridge	1824
CAM.348	Lockhart, William L. Coffin Factory Main Building	201 O'Brien Hwy	Cambridge	r 1870
CAM.272	Lockart, William L. Company Building	209 O'Brien Hwy	Cambridge	c 1859
CAM.1400	Morrell, John and Company Branch House	221 O'Brien Hwy	Cambridge	1929
CAM.1399	Whitehead Metal Products Company	225 O'Brien Hwy	Cambridge	1929
CAM.461	Putnam School	Otis St	Cambridge	1889
CAM.465	Saint Hedwig's Parish Church	Otis St	Cambridge	1939
CAM.468	Otis Hospital	Otis St	Cambridge	
CAM.371	Woodbury, James A. - Geldowsky, Ferdinand Building	2-28 Otis St	Cambridge	1869
CAM.374		31 Otis St	Cambridge	1900
CAM.473	Hall, Lewis and William A. Rowhouse	55 Otis St	Cambridge	1851
CAM.474	Hall, Lewis and William A. Rowhouse	57 Otis St	Cambridge	1851
CAM.475	Hall, Lewis and William A. Rowhouse	59 Otis St	Cambridge	1851

Inv. No.	Property Name	Street	Town	Year
CAM.485	Hazard, Samuel L. House	60 Otis St	Cambridge	1871
CAM.476	Hall, Lewis and William A. Rowhouse	61 Otis St	Cambridge	1851
CAM.484		62 Otis St	Cambridge	
CAM.472	Sortwell, Daniel R. Double House	63-65 Otis St	Cambridge	1871
CAM.483		64 Otis St	Cambridge	
CAM.471		65 1/2 Otis St	Cambridge	
CAM.482	Jones, Andrew - Hall, William A. Double House	66-68 Otis St	Cambridge	1846
CAM.470	Goss, Abiel Double House	67-69 Otis St	Cambridge	1839
CAM.481		70 Otis St	Cambridge	
CAM.469		73-75 Otis St	Cambridge	
CAM.480		74 Otis St	Cambridge	
CAM.479		78 Otis St	Cambridge	
CAM.477	Clark, Josias - Cummings, Daniel P. Rowhouse	80 Otis St	Cambridge	1861
CAM.478	Clark, Josias - Cummings, Daniel P. Rowhouse	82 Otis St	Cambridge	1861
CAM.467	Deshon, Royal P. House	93 Otis St	Cambridge	1842
CAM.460		94 Otis St	Cambridge	
CAM.466		95-97 Otis St	Cambridge	
CAM.459		96 Otis St	Cambridge	
CAM.458		98 Otis St	Cambridge	
CAM.457	Taylor, Oliver House	100 Otis St	Cambridge	1848
CAM.455	Adams, Jabez F. - Atwood, Samuel S. Rowhouse	102 Otis St	Cambridge	1848
CAM.464	Bridgeman, John L. Double House	103-105 Otis St	Cambridge	1843
CAM.456	Adams, Jabez F. - Atwood, Samuel S. Rowhouse	104 Otis St	Cambridge	1848
CAM.454		106-108 Otis St	Cambridge	
CAM.463		107-109 Otis St	Cambridge	
CAM.453		110 Otis St	Cambridge	
CAM.462		113 Otis St	Cambridge	
CAM.439		117 1/2 Otis St	Cambridge	
CAM.440		117-119 Otis St	Cambridge	
CAM.451		118 Otis St	Cambridge	
CAM.450		120 Otis St	Cambridge	
CAM.448	Dennison, James Double House	122-124 Otis St	Cambridge	1870
CAM.449		122 1/2-124 1/2 Otis St	Cambridge	
CAM.438		123 Otis St	Cambridge	
CAM.437		125-127 Otis St	Cambridge	
CAM.447		126-128 Otis St	Cambridge	
CAM.436		129-131 Otis St	Cambridge	
CAM.446		130 Otis St	Cambridge	

Inv. No.	Property Name	Street	Town	Year
CAM.445		132 Otis St	Cambridge	
CAM.435		133-135 Otis St	Cambridge	
CAM.275	Hoyt, Benjamin House	134 Otis St	Cambridge	1868
CAM.443		136-138 Otis St	Cambridge	
CAM.434	Warren, Moses - Smith, Benjamin G. Rowhouse	137 Otis St	Cambridge	1852
CAM.1339	Warren, Moses - Smith, Benjamin G. Rowhouse	139 Otis St	Cambridge	1852
CAM.442		140 Otis St	Cambridge	1895
CAM.1340	Warren, Moses - Smith, Benjamin G. Rowhouse	141 Otis St	Cambridge	1852
CAM.1341	Warren, Moses - Smith, Benjamin G. Rowhouse	143 Otis St	Cambridge	1852
CAM.1342	Warren, Moses - Smith, Benjamin G. Rowhouse	145 Otis St	Cambridge	1852
CAM.433	Fraser, John B. Double House	147-149 Otis St	Cambridge	1846
CAM.432		151 Otis St	Cambridge	
CAM.415	Hastings, Deborah House	72 Sciarappa St	Cambridge	1823
CAM.416		74 Sciarappa St	Cambridge	
CAM.401	Pendexter, Charles House	80-82 Sciarappa St	Cambridge	1847
CAM.1321	Boston Museum of Science	Science Park	Cambridge	1951
CAM.1322	Hayden Planetarium	Science Park	Cambridge	1958
CAM.375	Roby, Ebenezer Rowhouse	30 Second St	Cambridge	1836
CAM.376	Roby, Ebenezer Rowhouse	32 Second St	Cambridge	1836
CAM.377	Roby, Ebenezer Rowhouse	34 Second St	Cambridge	1836
CAM.364	Hall, Jesse Rowhouse	36 Second St	Cambridge	1842
CAM.365	Hall, Jesse Rowhouse	38 Second St	Cambridge	1842
CAM.366	Hall, Jesse Rowhouse	40 Second St	Cambridge	1842
CAM.367	Hall, Jesse Rowhouse	42 Second St	Cambridge	1842
CAM.368	Hall, Jesse Rowhouse	44 Second St	Cambridge	1842
CAM.369	Hall, Jesse Rowhouse	46 Second St	Cambridge	1842
CAM.370		50 Second St	Cambridge	
CAM.308	American Net and Twine Company Factory	155R Second St	Cambridge	1875
CAM.506	Sacred Heart Roman Catholic Church	39 Sixth St	Cambridge	1874
CAM.431		40 Sixth St	Cambridge	
CAM.508	Sacred Heart Roman Catholic Church Rectory	49 Sixth St	Cambridge	1885
CAM.325	Harugari Hall	154 Spring St	Cambridge	1873
CAM.353	Blake and Knowles Core Shop #1	Third St	Cambridge	c 1889
CAM.354	Blake and Knowles Core Shop #2	Third St	Cambridge	c 1890
CAM.505	Lechmere Point Corporation Row House	25 Third St	Cambridge	c 1821
CAM.381	Rollins, John W. Rowhouse	83 Third St	Cambridge	1860
CAM.382	Rollins, John W. Rowhouse	85 Third St	Cambridge	1860
CAM.383	Rollins, John W. Rowhouse	87 Third St	Cambridge	1860

Inv. No.	Property Name	Street	Town	Year
CAM.384	Rollins, John W. Rowhouse	89 Third St	Cambridge	1860
CAM.331	Old Middlesex County Superior Courthouse	90 Third St	Cambridge	1814
CAM.385	Rollins, John W. Rowhouse	91 Third St	Cambridge	1860
CAM.386	Rollins, John W. Rowhouse	93 Third St	Cambridge	1860
CAM.387	Rollins, John W. Rowhouse	95 Third St	Cambridge	1860
CAM.314	Holy Cross Polish National Catholic Church	99 Third St	Cambridge	1827
CAM.315	Bottle House Block	204-214 Third St	Cambridge	1826
CAM.350	Blake and Knowles Machine Shop #1	265 Third St	Cambridge	1889
CAM.351	Blake and Knowles Office Headhouse	265 Third St	Cambridge	1892
CAM.355	Blake and Knowles Smith Shop and Brass Foundry	275 Third St	Cambridge	c 1890
CAM.326	Cambridge Gas Light Company Purifying Plant	354 Third St	Cambridge	1908
CAM.388	Stevens, Atherton H. Rowhouse	59 Thorndike St	Cambridge	1827
CAM.395	Smallidge, Samuel House	66 Thorndike St	Cambridge	1827
CAM.389	Bates, Moses Jr. House	69 Thorndike St	Cambridge	1844
CAM.396	Buck, Silas B. House	70 Thorndike St	Cambridge	1845
CAM.390	Tufts, Sophia Kimball Double House	71-73 Thorndike St	Cambridge	1857
CAM.397	Wellington, Peter House	74 Thorndike St	Cambridge	1843
CAM.391		75 Thorndike St	Cambridge	
CAM.398		76 Thorndike St	Cambridge	
CAM.392		77 Thorndike St	Cambridge	
CAM.399		78 Thorndike St	Cambridge	
CAM.393		79-81 Thorndike St	Cambridge	
CAM.400		80 Thorndike St	Cambridge	
CAM.394		83 Thorndike St	Cambridge	
CAM.402	Stickney, Francis H. - Davies, Benjamin Rowhouse	84 Thorndike St	Cambridge	1867
CAM.417	Clark, Cornelius - Kneeland, W. W. House	85 Thorndike St	Cambridge	1822
CAM.403	Stickney, Francis H. - Davies, Benjamin Rowhouse	86 Thorndike St	Cambridge	1867
CAM.404	Stickney, Francis H. - Davies, Benjamin Rowhouse	88 Thorndike St	Cambridge	1867
CAM.418		89-91 Thorndike St	Cambridge	
CAM.405	Stickney, Francis H. - Davies, Benjamin Rowhouse	90 Thorndike St	Cambridge	1867
CAM.406	Stickney, Francis H. - Davies, Benjamin Rowhouse	92 Thorndike St	Cambridge	1867
CAM.419	Whitacre, Celeste I. Rowhouse	93 Thorndike St	Cambridge	1885
CAM.407	Stickney, Francis H. - Davies, Benjamin Rowhouse	94 Thorndike St	Cambridge	1867

Inv. No.	Property Name	Street	Town	Year
CAM.420	Whitacre, Celeste I. Rowhouse	95 Thorndike St	Cambridge	1885
CAM.408	Train, Isaac House	96 Thorndike St	Cambridge	1826
CAM.421	Whitacre, Celeste I. Rowhouse	97 Thorndike St	Cambridge	1885
CAM.422	Davies, Daniel House	97 1/2 Thorndike St	Cambridge	1843
CAM.409		98 Thorndike St	Cambridge	
CAM.423		99 Thorndike St	Cambridge	
CAM.424	Daniels, Granville W. House	101 Thorndike St	Cambridge	1868
CAM.410		102 Thorndike St	Cambridge	
CAM.411	Spare, Elijah Jr. Double House	104-106 Thorndike St	Cambridge	1846
CAM.425	Eaton, Charles House	109 Thorndike St	Cambridge	1857
CAM.412	Quimby, Amos House	110 Thorndike St	Cambridge	1857
CAM.426		111-113 Thorndike St	Cambridge	
CAM.413	Stickney, Francis H. Double House	112-114 Thorndike St	Cambridge	1863
CAM.427		113 1/2 Thorndike St	Cambridge	
CAM.414	Bacon, Henry A. House	116 Thorndike St	Cambridge	1865
CAM.507	Sacred Heart Roman Catholic School and Convent	163 Thorndike St	Cambridge	1902
CAM.500		19 Winter St	Cambridge	r 1855
CAM.492		21 Winter St	Cambridge	c 1854
CAM.486	Leighton, Thomas H. House	22 Winter St	Cambridge	1833
CAM.491		24 Winter St	Cambridge	c 1854
CAM.493		25 Winter St	Cambridge	c 1854
CAM.494		27 Winter St	Cambridge	c 1854
CAM.496		28-30 Winter St	Cambridge	c 1854
CAM.495		29 Winter St	Cambridge	c 1854
CAM.497		31-33 Winter St	Cambridge	c 1854
CAM.501		34-42 Winter St	Cambridge	r 1875
CAM.498		61 Winter St	Cambridge	c 1854
CAM.499		65 Winter St	Cambridge	c 1854
CAM.489	Stevens, Atherton Haugh House	67 Winter St	Cambridge	1843
CAM.490	Stevens, Atherton Haugh House	71 Winter St	Cambridge	1843
CAM.487	Stevens, Atherton Haugh House	74 Winter St	Cambridge	1838
CAM.1344		75 Winter St	Cambridge	
CAM.1345	Stevens, Atherton Haugh House	77 Winter St	Cambridge	1838
CAM.488	Stevens, Atherton Haugh House	79 Winter St	Cambridge	1838



Project Name: Northpoint Parcel G  
Submittal ID: 312319-003  
Reviewed On: 2/14/2019  
Reviewed By: Barbara Cipriani

Action: FOR REVIEW



## 700 Series Floc Logs®

### Polyacrylamide Sediment and Turbidity Control Applicator Logs

**700 Series Floc Logs** are a group of soil-specific tailored log-blocks that contain blends of water treatment components and polyacrylamide co-polymer for water clarification. They reduce and prevent fine particles and colloidal clays from suspension in stormwater. There are several types of Floc Logs designed to treat most water and soil types. Contact Lockwood Remediation Technologies, LLC for free testing and site-specific application information.

### Primary Applications

- Mine tailings and waste pile ditches
- Stormwater drainage from construction and building sites
- Road and highway construction runoff ditches
- Ditch and treatment system placement for all forms of highly turbid waters (less than 4% solids)
- Dredging operations as a flocculent

### Features and Benefits

- Removes solubilized soils and clay from water
- Prevents colloidal solutions in water within ditch systems
- Binds cationic metals within water, reducing solubilization
- Binds pesticides and fertilizers within runoff water
- Reduces operational and cleanup costs
- Reduces environmental risks and helps meet compliance

### Specifications / Compliances

- ANSI/NSF Standard 60 Drinking water treatment chemical additives
- 48h or 96h Acute Toxicity Tests (*D. magna* or *O. mykiss*)
- 7 Day Chronic Toxicity Tests (*P. promelas* or *C. dubia*)

### Packaging

700 Series Floc Logs are packaged in boxes of four (4)

### Technical Information

Appearance - semi-solid block  
Biodegradable internal coconut skeleton  
Percent Moisture - 40% maximum  
pH 0.5% Solution - 6-8  
Shelf Life – up to 5 years when stored out of UV rays





## **Placement**

Floc Logs are designed for placement within ditches averaging three feet wide by two feet deep. Floc log placement is based on gallon per minute flow rates. Note: actual GPM or dosage will vary based on site criteria and soil/water testing.

## **Directions for Use**

### **(Water and Floc Log Mixing is Very Important!)**

700 Series Floc Logs should be placed within the upper quarter to half of a *stabilized* ditch system or as close as possible to active earth moving activities. Floc Logs have built in ropes with attachment loops which can be looped over stakes to ensure they remain where placed. Mixing is key! If the flow rate is too slow, adding sand bags, cinder blocks, etc., can create the turbulence required for proper mixing. Floc Logs are designed to treat dirty water, not liquid mud; when the water contains heavy solids (exceeding 4%), it will be necessary to create a sediment or grit pit to let the heavy solids settle before treating the water.

Floc Logs must not be placed in areas where heavy erosion would result in the Floc Logs becoming buried. Where there is heavy sedimentation, maintenance will be required.

700 Series Floc Logs can easily be moved to different locations as site conditions change. Water quality will be improved with the addition of a dispersion field or soft armor covered ditch checks below the Floc Log(s) to collect flocculated particulate. Construction of mixing weirs may be required in areas where short ditch lines, swelling clays, heavy particle concentrations, or steep slopes may be encountered.

## **Cleanup:**

Latex or rubber gloves are recommended for handling during usage. Use soap and water to wash hands after handling.


## **Precautions / Limitations**

- 700 Series Floc Logs are extremely slippery when wet.
- Clean up spills quickly. Do not use water unless necessary as extremely slippery conditions will result and if water is necessary, use pressure washer.
- Floc Log will remain viable for up to 5 years when stored out of UV rays.
- 700 Series Floc Logs have been specifically tailored to specific water and soil types and samples must be tested. Testing is necessary and is free.
- For product information, treatment system design assistance, or performance issues, contact Lockwood Remediation Technologies, LLC.



89 Crawford Street  
Leominster, Massachusetts 01453  
Tel: 774.450.7177  
Fax: 888.835.0617  
www.lrt-llc.net

## Environmental Oil Water Separator



### Specifications:

- Rated for 50 gpm
- Manual drain line for NAPL
- Coalescing Media

- A: Inlet
- B: Separation Chamber with Coalescing Media
- C: Drain Line for Oil/NAPL
- D: Clarifier with Sludge Drain Line
- E: Clean Water Chamber



BL 7916 • BL 7917

## pH & ORP Measuring & Dosing System

- Accurate and affordable
- Controller and dosing pump in one compact unit
- Proportional dosing
- Corrosion resistant housing
- Easy to install



This series of instruments will mount easily in your plant using a minimal amount of wall space. The controls and pumphead are located in the front to allow easy access. They offer accurate measurements with unbeatable performance in one compact, affordable unit.



## High Performance pH & ORP Controller & Dosing Pump to Maximize Efficiency

### 2 Advanced Instruments in 1

MEADOS pumps combine the powerful BlackStone dosing pumps with the state-of-the-art controllers that Hanna is famous for. These unique products were developed by HANNA for measuring and controlling pH or ORP and regulated dosing of various chemicals. This latest innovation eliminates the need for multiple instruments by combining two instruments into one. No more complicated installations, wiring, or compatibility problems. This compact unit features accurate regulation, proportional dosing, alarm and recorder signals and much more all in one meter.

### Easy Installation

Designed with mounting holes in the rugged base, BlackStone pump/controllers are simple to install. There is no need for any additional hardware. All the controls and pump assemblies are conveniently located on the front of the unit. If the operator must access the pump head or control panel for any reason, there is no need to uninstall the unit.

### Rugged Construction

BlackStone pump/controllers are housed in rugged, fiber-reinforced, polypropylene casings. They are IP55 rated, preventing the intrusion of liquids. The material used for the housing resists corrosion caused by most chemicals, protecting the unit from hazardous spills and splashes.

### Superior Materials

BlackStone pumps use PVDF, FPM/FKM and PTFE materials for all components in contact with the chemicals being dosed. These materials have properties which enable them to resist even the most corrosive chemicals in the industry. BlackStone's choice of material makes the pump more versatile, allowing it to handle a wider variety of chemicals.

### Simple Pump Action

A positive displacement solenoid with few moving parts make BlackStone pumps more reliable than motor driven pumps. With no rotating parts, gears or cams, part wear and oiling associated with motor driven pumps is eliminated, drastically reducing any chance of mechanical failure.

## BL 7916 pH Controller & Pump

- pH controller and dosing pump in one compact unit.
- $\pm 0.01$  pH accuracy with unbeatable performance.
- Isolated 4 to 20 mA recorder output.
- Proportional dosing slows the pump down when the measured pH level approaches the setpoint which ensures precise dosage and avoids costly waste of chemicals due to overdosage.
- Alarm contact is activated whenever the pH value varies by more than 2 pH units from the setpoint.
- Auxiliary contacts allow the user to attach a mixer or priming pump that is activated only when the pump is dosing.
- PVDF, FPM/FKM & PTFE materials are used for all parts that come into contact with liquid.

Specifications	BL 7916U
Range	0.00 to 14.00 pH
Resolution	0.01 pH
Accuracy (20°C/68°F)	$\pm 0.01$ pH
Typical EMC Deviation	$\pm 0.1$ pH
Flow Rate	See table on next page
Input	High impedance $10^{12}$ Ohm
Calibration	Offset: $\pm 1$ pH by offset printer; Slope: 85 to 115% by slope trimmer
Dosage	Proportional: acid or base. User-selectable
Recorder Output	4 to 20 mA, isolated
Dosing Contact	Isolated, 2 A, Max. 240V, resistive load, 1,000,000 strokes
Alarm Relay	Isolated, 2 A, Max. 240V, resistive load, 1,000,000 strokes
Power Supply	115V $\pm 15\%$ (40W)
Environment	0 to 50°C (32 to 122°F); RH 85% non-condensing
Dimensions	7.1 x 8.7 x 5.6" (181 x 221 x 142 mm)
Weight	11 lb. (5 Kg)

#### Accessories and Replacement Parts for BL 7916

HI 1001	Plastic in-line pH electrode	HI 7092L	Oxidizing solution, 16.9 oz. (500 mL)
HI 721101	Pumphead, O-ring & 6 screws	HI 7004L	pH 4.01 buffer solution, 16.9 oz. (500 mL)
HI 721102	Discharge valve assembly	HI 7007L	pH 7.01 buffer solution, 16.9 oz. (500 mL)
HI 721103	Suction valve assembly	HI 7010L	pH 10.01 buffer solution, 16.9 oz. (500 mL)
HI 721004	Injection valve assembly	HI 767P	Power plug (5 pcs)
HI 721005	Foot valve assembly	HI 7671/P	Outlet plug (5 pcs)
HI 721008	4 x ceramic weight	HI 8427	pH & ORP electrode simulator
HI 7020L	ORP testing solution, 16.9 oz. (500 mL)	HI 931001	pH & ORP electrode simulator
HI 7091L	Reducing solution, 16.9 oz. (500 mL)		





# BL 7917 ORP Controller & Pump

- ORP controller and dosing pump in one compact unit.
- $\pm 5$  mV accuracy with unbeatable performance.
- Isolated 4 to 20 mA recorder output.
- **Proportional dosing** slows the pump down when the measured ORP level approaches the set value which avoids overdosage of oxidizing or reducing agents.
- **Alarm contact** is activated whenever the ORP value varies by more than 200 mV from the set point.
- **Auxiliary contacts** allow the user to attach a mixer or priming pump that is activated only when the pump is dosing.
- PVDF, FPM/FKM & PTFE materials are used for all parts that come into contact with liquid.

Specifications	BL 7917U
Range	$\pm 999$ mV
Resolution	1 mV
Accuracy (20°C/68°F)	$\pm 5$ mV
Typical EMC Deviation	$\pm 6$ mV
Flow Rate	See table below
Input	High impedance $10^{12}$ Ohm
Calibration	Offset: $\pm 2$ pH by offset printer; Slope: 85 to 115% by slope trimmer
Dosage	Proportional: oxidizing or reducing. User-selectable
Recorder Output	4 to 20 mA, isolated
Dosing Contact	Isolated, 2 A, Max. 240V, resistive load, 1,000,000 strokes
Alarm Relay	Isolated, 2 A, Max. 240V, resistive load, 1,000,000 strokes
Power Supply	115V $\pm 15\%$ (40W)
Environment	32 to 122°F (0 to 50°C); RH 85% non-condensing
Dimensions	7.1 x 8.7 x 5.6" (181 x 221 x 142 mm)
Weight	11 lb. (5 Kg)

## Accessories and Replacement Parts for BL 7917

HI 2001	Plastic in-line ORP electrode
HI 721101	Pumphead, O-ring & 6 screws
HI 721102	Discharge valve assembly
HI 721103	Suction valve assembly
HI 721004	Injection valve assembly
HI 721005	Foot valve assembly
HI 721008	4 x ceramic weights
HI 7020L	ORP testing solution, 16.9 oz. (500 mL)
HI 7091L	Reducing solution, 16.9 oz. (500 mL)
HI 7092L	Oxidizing solution, 16.9 oz. (500 mL)

## BL 7916 & BL 7917 FLOW/PRESSURE

PSI	GPH
7.4	3.5
14.7	3.0
29.4	2.6
44.1	2.3
58.8	2.0



## Proportional Dosing

The BlackStone controller/pump strokes at full capacity when the measured value deviates by more than 1.5 pH or 150 mV from the set value. A proportional control slows down the stroke rate as the measured value approaches the user-selectable value, avoiding overdosage of chemicals. This feature makes the pump's dosing more accurate, saves chemicals and eliminates unnecessary and costly corrections of your processes, especially with slow reacting chemicals.

## Isolated Recorder Output

To enhance troubleshooting and provide the user with the ability to record data while monitoring, BlackStone's controller/pumps provide a recorder output. By simply attaching a recorder to the instrument's 4 to 20 mA output contacts conveniently located on the front panel, you can obtain a hard copy of the results on demand.



## Alarm Output

When monitoring and controlling pH and ORP levels in a process, it is very important that any potential problem does not go unattended. The Hanna MEADOS units incorporate an alarm system that will alert the user if the reaction is not within certain guidelines. The alarm of the BL 7916 will be activated if the measured pH value is 2 pH units lower than the setpoint (If dosing acid, this indicates overdosage, a common symptom of siphoning). The alarm will also activate if the value is 2 pH higher than the setpoint (If dosing acid, this is an indication of insufficient dosage, a common symptom of the lack of chemicals). The BL 7917's alarm will activate if the mV value is 200 mV lower than the setpoint (if dosing reducing chemicals, this indicates overdosage). The alarm will also activate if the value is 200 mV higher than the setpoint (if dosing reducing chemicals, this is an indication of lack of chemicals).

## Auxiliary Dosing Contacts

The auxiliary dosing contacts of the MEADOS units are closed whenever the pump is dosing. This solution offers considerable advantages, especially for small plants where these pumps need to be the only equipment left running. This will spare other equipment such as mixers, priming pumps etc. With this feature activated, a mixer can be automatically started when the pump is dosing.

## Mechanical Dimensions for the Meados pH & ORP measuring & dosing systems




## Accessories

### HI 721101

This kit contains the PVDF pumphead, PTFE coated O-ring, 6 screws and washers.

### HI 721101



PUMPHEAD



TEFLON® COATED  
O-RING



6 SCREWS  
& WASHERS


### HI 721102

This kit contains all the necessary replacement parts for your discharge valve assembly. Complete with a FPM/FKM O-ring, glass valve ball, valve spacer and seat, head nipple and tube nut to secure the assembled parts.

### HI 721102



TUBE NUT



HEAD NIPPLE



CHECK  
BALL



SPACER VALVE  
SEAT



VITON®  
O-RING

### HI 721103

HI 721103 is the suction valve assembly. Complete with a FPM/FKM O-ring, glass valve ball, valve spacer and seat, head nipple, and tube nut to secure the assembled parts.

### HI 721103



VITON®  
O-RING



CHECK  
BALL



VALVE  
SEAT



HEAD NIPPLE




TUBE NUT

### HI 721004

The HI 721004 comes complete with an injection nipple, PTFE coated spring, glass valve ball, and a valve assembly.

### HI 721004




INJECTION NIPPLE



KYNAR®  
SPRING



CHECK  
BALL




VALVE ASSEMBLY

### HI 721005

This kit contains a filter with a filter holder and a valve assembly.


### HI 721005



FILTER



FILTER HOLDER




VALVE ASSEMBLY

### HI 721008




This kit contains 4 ceramic weights.

### HI 721008






CERAMIC WEIGHT

### HI 1001 Combination pH Electrode



### HI 2001 Combination ORP Platinum Electrode



Specifications	HI 1001
Reference System	Double
Junction Type	PTFE
Electrolyte	Polymer
Temperature	23 to 176°F (-5 to 80°C)
Max Pressure	87 psi (6 bar)
Lead	
Connector	BNC
Cable	10' (3 m)

Specifications	HI 2001
Reference System	Double
Junction Type	PTFE
Electrolyte	Polymer
Temperature	23 to 176°F (-5 to 80°C)
Max Pressure	87 psi (6 bar)
Lead	
Connector	BNC
Cable	10' (3 m)

# Material Safety Data Sheet

# Airgas

Carbon Dioxide

## Section 1. Chemical product and company identification

**Product Name** : Carbon Dioxide  
**Supplier** : AIRGAS INC., on behalf of its subsidiaries  
259 North Radnor-Chester Road  
Suite 100  
Radnor, PA 19087-5283  
1-610-687-5253  
**Product use** : Synthetic/Analytical chemistry.  
**MSDS#** : 001013  
**Date of Preparation/Revision** : 4/11/2005.  
**In case of emergency** : 1-800-949-7937

## Section 2. Composition, Information on Ingredients

<u>Name</u>	<u>CAS number</u>	<u>% Volume</u>	<u>Exposure limits</u>
Carbon Dioxide	124-38-9	100	<b>ACGIH TLV (United States, 9/2004).</b> STEL: 54000 mg/m <sup>3</sup> 15 minute(s). Form: All forms STEL: 30000 ppm 15 minute(s). Form: All forms TWA: 9000 mg/m <sup>3</sup> 8 hour(s). Form: All forms TWA: 5000 ppm 8 hour(s). Form: All forms <b>NIOSH REL (United States, 6/2001).</b> STEL: 54000 mg/m <sup>3</sup> 15 minute(s). Form: All forms STEL: 30000 ppm 15 minute(s). Form: All forms TWA: 9000 mg/m <sup>3</sup> 10 hour(s). Form: All forms TWA: 5000 ppm 10 hour(s). Form: All forms <b>OSHA PEL (United States, 6/1993).</b> TWA: 9000 mg/m <sup>3</sup> 8 hour(s). Form: All forms TWA: 5000 ppm 8 hour(s). Form: All forms

## Section 3. Hazards identification

**Physical state** : Gas.  
**Emergency overview** : Warning!  
CONTENTS UNDER PRESSURE.  
CAUSES DAMAGE TO THE FOLLOWING ORGANS: LUNGS, CARDIOVASCULAR SYSTEM, SKIN, EYES, CENTRAL NERVOUS SYSTEM, EYE, LENS OR CORNEA.  
MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.  
Avoid contact with skin and clothing. Avoid breathing gas. Do not puncture or incinerate container. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.  
Contact with rapidly expanding gas, liquid, or solid can cause frostbite.

**Routes of entry** : Inhalation,Dermal,Eyes  
**Potential acute health effects**  
**Eyes** : Moderately irritating to the eyes.  
**Skin** : Moderately irritating to the skin.  
**Inhalation** : Moderately irritating to the respiratory system.  
**Ingestion** : Ingestion is not a normal route of exposure for gases



## Carbon Dioxide

**Potential chronic health effects** : **CARCINOGENIC EFFECTS** Not available.  
**MUTAGENIC EFFECTS** Not available.  
**TERATOGENIC EFFECTS** Not available.

**Medical conditions aggravated by overexposure** : Acute or chronic respiratory conditions may be aggravated by overexposure to this gas.

See toxicological Information (section 11)

## Section 4. First aid measures

No action shall be taken involving any personal risk or without suitable training. If fumes are still suspected to be present, the rescuer should wear an appropriate mask or a self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

**Eye contact** : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**Skin contact** : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

**Frostbite** : Try to warm up the frozen tissues and seek medical attention.

**Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion** : Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.

## Section 5. Fire fighting measures

**Flammability of the product** : Non-flammable.

**Fire fighting media and instructions** : Use an extinguishing agent suitable for surrounding fires.

If involved in fire, shut off flow immediately if it can be done without risk. Apply water from a safe distance to cool container and protect surrounding area.

No specific hazard.

**Special protective equipment for fire-fighters** : Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in positive pressure mode.

## Section 6. Accidental release measures

**Personal precautions** : Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (Section 8). Shut off gas supply if this can be done safely. Isolate area until gas has dispersed.

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 7. Handling and storage

**Handling** : Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Do not puncture or incinerate container. Wash thoroughly after handling. High pressure gas. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement. Never allow any unprotected part of the body to touch uninsulated pipes or vessels that contain cryogenic liquids. Prevent entrapment of liquid in closed systems or piping without pressure relief devices. Some materials may become brittle at low temperatures and will easily fracture.

**Storage** : Keep container tightly closed. Keep container in a cool, well-ventilated area. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F).

## Section 8. Exposure Controls, Personal Protection

**Engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

### Personal protection

- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.  
When working with cryogenic liquids, wear a full face shield.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
The applicable standards are (US) 29 CFR 1910.134 and (Canada) Z94.4-93
- Hands** : Chemical-resistant, impervious gloves or gauntlets complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
Insulated gloves suitable for low temperatures

**Personal protection in case of a large spill** : A self-contained breathing apparatus should be used to avoid inhalation of the product.

Consult local authorities for acceptable exposure limits.

## Section 9. Physical and chemical properties

- Molecular weight** : 44.01 g/mole
- Molecular formula** : CO<sub>2</sub>
- Boiling/condensation point** : -78.55°C (-109.4°F)
- Melting/freezing point** : Sublimation temperature: -78.5°C (-109.3°F)
- Critical temperature** : 30.9°C (87.6°F)
- Vapor pressure** : 830 psig
- Vapor density** : 1.53 (Air = 1)
- Specific Volume (ft<sup>3</sup>/lb)** : 8.77193
- Gas Density (lb/ft<sup>3</sup>)** : 0.114
- Physical chemical comments** : Not available.

## Section 10. Stability and reactivity

**Stability and reactivity** : The product is stable.

## Section 11. Toxicological information

### Toxicity data

- IDLH** : 40000 ppm
- Chronic effects on humans** : Causes damage to the following organs: lungs, cardiovascular system, skin, eyes, central nervous system (CNS), eye, lens or cornea.
- Other toxic effects on humans** : No specific information is available in our database regarding the other toxic effects of this material for humans.
- Specific effects**
- Carcinogenic effects** : No known significant effects or critical hazards.
- Mutagenic effects** : No known significant effects or critical hazards.
- Reproduction toxicity** : No known significant effects or critical hazards.




## Section 12. Ecological information

**Products of degradation** : These products are carbon oxides (CO, CO<sub>2</sub>).  
**Toxicity of the products of biodegradation** : The product itself and its products of degradation are not toxic.  
**Environmental fate** : Not available.  
**Environmental hazards** : No known significant effects or critical hazards.  
**Toxicity to the environment** : Not available.

## Section 13. Disposal considerations

Product removed from the cylinder must be disposed of in accordance with appropriate Federal, State, local regulation. Return cylinders with residual product to Airgas, Inc. Do not dispose of locally.

## Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	UN1013	CARBON DIOXIDE	2.2	Not applicable (gas).		<b>Limited quantity</b> Yes.
	UN2187	Carbon dioxide, refrigerated liquid				<b>Packaging instruction</b> <b>Passenger Aircraft</b> Quantity limitation: 75 kg  <b>Cargo Aircraft</b> Quantity limitation: 150 kg
TDG Classification	UN1013	CARBON DIOXIDE	2.2	Not applicable (gas).		<b>Explosive Limit and Limited Quantity Index</b> 0.125
	UN2187	Carbon dioxide, refrigerated liquid				<b>Passenger Carrying Road or Rail Index</b> 75
Mexico Classification	UN1013	CARBON DIOXIDE	2.2	Not applicable (gas).		-
	UN2187	Carbon dioxide, refrigerated liquid				

## Section 15. Regulatory information

### United States

**U.S. Federal regulations** : TSCA 8(b) inventory: Carbon Dioxide  
SARA 302/304/311/312 extremely hazardous substances: No products were found.  
SARA 302/304 emergency planning and notification: No products were found.  
SARA 302/304/311/312 hazardous chemicals: Carbon Dioxide  
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Carbon Dioxide: Sudden Release of Pressure, Immediate (Acute) Health Hazard, Delayed (Chronic) Health Hazard  
Clean Water Act (CWA) 307: No products were found.  
Clean Water Act (CWA) 311: No products were found.  
Clean air act (CAA) 112 accidental release prevention: No products were found.  
Clean air act (CAA) 112 regulated flammable substances: No products were found.  
Clean air act (CAA) 112 regulated toxic substances: No products were found.

**State regulations** : Pennsylvania RTK: Carbon Dioxide: (generic environmental hazard)  
Massachusetts RTK: Carbon Dioxide  
New Jersey: Carbon Dioxide

### Canada

**WHMIS (Canada)** : Class A: Compressed gas.  
CEPA DSL: Carbon Dioxide

## Section 16. Other information

### United States

**Label Requirements** : CONTENTS UNDER PRESSURE.  
CAUSES DAMAGE TO THE FOLLOWING ORGANS: LUNGS, CARDIOVASCULAR SYSTEM, SKIN, EYES, CENTRAL NERVOUS SYSTEM, EYE, LENS OR CORNEA.  
MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

### Canada

**Label Requirements** : Class A: Compressed gas.


**Hazardous Material Information System (U.S.A.)** :

Health	*	1
Fire hazard		0
Reactivity		0
Personal protection		C


liquid:

Health		3
Fire hazard		0
Reactivity		0
Personal protection		

**National Fire Protection Association (U.S.A.)** :



liquid:



**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



## Material Safety Data Sheet (MSDS): HYDROCHLORIC ACID

**Company Headquarters**  
**Cooper Natural Resources Chemical Division, Inc.**  
**2407 E. Skelly Drive**  
**Tulsa, OK 74105**

**24 Hour Emergency Telephone: 505-390-7115**

### 1. Product Identification

Synonyms: Muriatic acid; hydrogen chloride, aqueous  
CAS No.: 7647-01-0  
Molecular Weight (Hydrogen Chloride): 36.46  
Chemical Formula: HCl

### 2. Composition/Information on Ingredients

<u>Ingredient</u>	<u>CAS No.</u>	<u>Percent</u>	<u>Hazardous</u>
Hydrogen Chloride	7647-01-0	31.5 -35.2%	Yes
Water	7732-18-5	64.8-68.5%	No

### 3. Hazards Identification

#### Emergency Overview

---

**Poison! Danger! Corrosive!** Liquid and mist cause severe burns to all body tissue. May be fatal if swallowed or inhaled. Inhalation may cause lung damage.

---

#### Potential Health Effects

##### Eye:

Corrosive! Vapor or mist may cause irritation and severe burns and permanent eye damage. May cause painful sensitization to light. May cause conjunctivitis.

##### Skin:

Corrosive! May be absorbed through the skin in harmful amounts. Contact with liquid is corrosive and causes severe burns and ulceration. May cause photosensitization in certain individuals.

Ingestion:

Corrosive! May cause circulatory system failure. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause permanent tissue destruction of the esophagus and digestive tract.

Inhalation:

Corrosive! Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. May cause pulmonary edema and severe respiratory disturbances.

Chronic:

Prolonged or repeated skin contact may cause dermatitis. Repeated exposure may cause erosion of teeth. May cause conjunctivitis and photosensitization.

**4. First Aid Measures**

Eyes:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Get medical aid immediately. Do NOT allow victim to rub or keep eyes closed.

Skin:

Get medical attention immediately. Rinse area with large amounts of water for at least 15 minutes. Remove contaminated clothing and shoes.

Ingestion:

DO NOT INDUCE VOMITING. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical attention immediately.

Inhalation:

Remove to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**5. Fire Fighting Measures**

**General Information:**

In the event of a fire, wear full protective clothing and NIOSH (approved or equivalent), and full protective gear. Not flammable, but reacts with most metals to form flammable hydrogen gas. Cool tanks with water spray until well after fire is out.

**Fire and Explosion Hazards:** May release toxic gases

**Extinguishing Media:** Use extinguishing agents appropriate for surrounding fires.

**Fire Fighting:** Keep unnecessary people away, isolate hazard area and deny entry. Wear NIOSH approved positive-pressure self-contained breathing apparatus. Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products, Stay upwind and keep out of low areas. Cool containers with water.



## **Hazardous Combustion Products:**

Thermal decomposition products or combustion: hydrogen chloride

### **6. Accidental Release Measures**

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in section 8. Isolate hazard area. Contain and recover liquid when possible. Neutralize with alkaline material (soda ash, lime), then absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer. US regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities.

If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800)424-8802 (USA) or (202)426-2675 (USA)

### **7. Handling and Storage**

#### **Handling:**

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Do not get on skin or in eyes. Do not ingest or inhale.

#### **Storage:**

Keep away from heat and flame. Keep out of direct sunlight. Store in a cool, dry, well-ventilated area away from incompatible substances.

### **8. Exposure Controls/Personal Protection**

#### **Airborne Exposure Limits:**

**OSHA Permissible Exposure Limit (PEL): 5 ppm Ceiling**

**ACGIH Threshold Limit Value (TLV): 5 ppm Ceiling**

#### **Ventilation System:**

Use closed systems when possible. Provide local exhaust ventilation where vapor or mist may be generated. Ensure compliance with applicable exposure limits.

### **Personal Protective Equipment**

#### **Skin Protection:**

Wear impervious protective clothing, including boots, gloves, suitable chemical splash protection (i.e., rubber overalls and jacket buttoned to the collar), as appropriate to prevent skin contact.

#### **Eye Protection:**

Use chemical safety goggles and full face shield where splashing is possible. Maintain eye wash fountain and quick drench facilities (safety shower) in immediate work area.

#### **Personal Respirators: (NIOSH Approved):**

For emergencies or instances where the exposure levels are not known, use a full-face piece positive-pressure, air supplied respirator. **WARNING: Air purifying respirators do not protect workers in oxygen-deficient atmospheres.**

## 9. Physical and Chemical Properties (Hydrochloric Acid)

**Physical State:** liquid

**Appearance:** clear

**Color:** colorless

**Odor:** pungent odor

**Molecular Weight:** 36.46

**Molecular Formula:** HCl

**Boiling Point:** 140-221 F (60.0-105 C)

**Freezing Point:** -29 to 5 F (-34 to -15 C)

**Vapor Pressure:** 14.6-80 mmHg @ 20 C

**Vapor Density: (air=1):** 1.3 @ 20 C

**Specific Gravity (water=1):** 1.05-1.18

**Bulk Density:** 8.75-9.83 lbs/gal

**Water Solubility:** 100%

**PH:** 2 (.02% solution)

**Volatility:** 9-36% by volume

**Odor Threshold:** 0.3 ppm (causes of factory fatigue)

**Evaporation Rate:** <1.00 (butyl acetate=1)

**Coefficient of water/oil distribution:** Not available

## 10. Stability and Reactivity

### Chemical Stability:

Stable under normal temperatures and pressures. Containers may burst when heated.

### Hazardous Decomposition Products:

When heated to decomposition emits toxic hydrogen chloride fumes and will react with water or steam to produce heat and toxic and corrosive fumes. Thermal oxidative decomposition produces toxic chlorine fumes and explosive hydrogen gas.

### Hazardous Polymerization:

Will not occur.

### Incompatibilities:

A strong mineral acid, concentrated hydrochloric acid is incompatible with many substances and highly reactive with strong bases, metals, metal oxides, hydroxides, amines, carbonates and other alkaline materials. Incompatible with materials such as cyanides, sulfides, sulfites and formaldehyde.

### Conditions to Avoid:

Avoid heat, flames, sparks and other sources of ignition. Contact with water may produce a strong exothermic reaction with spattering. Contact with metals may evolve flammable hydrogen gas. Hydrogen chloride may react with cyanide, forming lethal concentrations of hydrocyanic acid.

## 11. Toxicological Information

Inhalation rat LC50: 3124 ppm/1H; oral rabbit LD50: 900mg/kg (Hydrochloric acid concentrated); investigated as a tumorigen, mutagen, reproductive effector.

## Cancer Lists

Ingredient	Known	-NTP Carcinogen-		Category
		Anticipated	IARC	
Hydrogen Chloride (7647-01-0)	No	No		3
Water	No	No		None

## 12. Ecological Information

### Environmental Fate:

When released into the soil, this material is not expected to be biodegrade. When released into the soil, this material may leak into groundwater.

### Environmental Toxicity:

This material is expected to be toxic to aquatic life.

## 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Reuse or reprocess if possible. Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D002

## 14. Transport Information

### Domestic (Land, D.O.T.)

**Proper Shipping Name:** Hydrochloric Acid

**UN/NA:** UN1789

**Hazard Class:** 8

**Packing Group:** II

**Information reported for product/size:** 475LB

### International (Water, I.M.O.)

**Proper Shipping name:** Hydrochloric Acid

**UN/NA:** UN1789

**Hazard Class:** 8

**Packing Group:** II

**Information reported for product/size:** 475LB

## **15. Regulatory Information**

### **U.S. Regulations:**

**CERCLA sections 102a/103 hazardous substances (40 CFR 302.4):**

**Hydrogen Chloride (Hydrochloric Acid):** 5000 LBS RQ (liquid)

**Chlorine:** 10 LBS RQ

**Sara Title III Section 302 extremely hazardous substances (40 CFR 355.30):**

**Hydrogen Chloride (Hydrochloric Acid):** 500LBS TPQ (gas)

**Sara Title III section 311/312 hazardous categories (40 CFR 370.21):**

Acute: Yes

Chronic: No

Fire: No

Reactive: No

Sudden Release: No

**Sara Title III section 313 (40 CFR 372.65):**

**Hydrogen Chloride (Hydrochloric Acid):** aerosol form only

This product contains a toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372. Refer to Section 3.

**OSHA Process safety (29CFR1910.1190):**

**Hydrogen Chloride (Hydrochloric Acid):** 5000 LBS TQ (gas)

**Chlorine:** 1500 LBS TQ

**FDA:** This material has Generally Recognized as Safe (GRAS) status under specific FDA regulations. Additional information is available from the Code of Federal Register (CFR) which is accessible on the FDA's website.

### **State Regulations:**

**California Proposition 65:** This product may contain contaminants known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act. For additional information, contact Customer Service.

## **16. Other Information**

### **NFPA Ratings:**

**Health: 3 Flammability: 0 Reactivity: 0**

### **Label Hazard Warning:**

**POISON! DANGER! CORROSIVE LIQUID AND MIST CAUSE SEVERE BURNS TO ALL BODY TISSUE. MAY BE FATAL IF SWALLOWED OR INHALED, INHALATION MAY CAUSE LUNG DAMAGE.**

**Label Precautions:**

Do not get in eyes, on skin, or on clothing.  
Do not breathe vapor or mist.  
Use only with adequate ventilation.  
Wash thoroughly after handling.  
Store in a tightly closed container.  
Remove and wash contaminated clothing promptly.

**Label First Aid:**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If swallowed, **DO NOT INDUCE VOMITING** Give large quantities of water. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In all cases get medical attention immediately.

**Product Use:**

Chemical intermediate; oil & gas well acidizing; pH control; water treatment; steel pickling and metal cleaning; ore reduction; food processing.

**Disclaimer:**

\*\*\*\*\*

Cooper Natural Resources Chemical Division, Inc. ("CNR") provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

CNR makes no representations or warranties, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, CNR will not be responsible for damages resulting from use of or reliance upon this information.

\*\*\*\*\*

# SAFETY DATA SHEET



## CAUSTIC SODA LIQUID (ALL GRADES)

MSDS No.: M32415

Rev. Date: 05/29/2009

Rev. Num.: 08

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Company Identification:** Occidental Chemical Corporation  
5005 LBJ Freeway  
P.O. Box 809050  
Dallas, Tx 75380-9050

**24 Hour Emergency Telephone Number:** 1-800-733-3665 or 1-972-404-3228 (U.S.); 32.3.575.55.55 (Europe);  
1800-033-111 (Australia)

**To Request an MSDS:** MSDS@oxy.com or 1-972-404-3245  
**Customer Service:** 1-800-752-5151 or 1-972-404-3700

**Trade Name:** Caustic Soda Diaphragm Grade 10%, 15%, 18%, 20%, 25%, 30%, 35%, 40%, 50%,  
Caustic Soda Rayon Grade 18%, 20%, 25%, 30%, 50%, 50% Caustic Soda Rayon  
Grade OS, Caustic Soda Membrane 6%, 18%, 20%, 25%, 30%, 48%, 50%, 50%  
Caustic Soda Membrane OS, 50% Caustic Soda Diaphragm OS, Caustic Soda Low  
Salt 50%, 25% Caustic Soda Purified, 50% Caustic Soda Purified, 50% Caustic Soda  
Purified OS, Caustic Soda Liquid 70/30, Membrane Blended, 50% Caustic Soda  
Membrane (Northeast), 50% Caustic Soda Diaphragm (West Coast), 50% Blended  
Rayon Grade Blended, Membrane Cell Liquor

**Synonyms:** Sodium hydroxide solution, Liquid Caustic, Lye Solution, Caustic, Lye, Soda Lye

**Product Use:** Metal finishing, Cleaner, Process chemical, Petroleum industry

### 2. HAZARDS IDENTIFICATION

\*\*\*\*\*  
**EMERGENCY OVERVIEW:**

**Color:** Colorless to slightly colored  
**Physical State:** Liquid  
**Odor:** Odorless  
**Signal Word:** Danger

# CAUSTIC SODA LIQUID (ALL GRADES)

MSDS No.: M32415

Rev. Date: 05/29/2009

Rev. Num.: 08

**MAJOR HEALTH HAZARDS:** CORROSIVE. CAUSES BURNS TO THE RESPIRATORY TRACT, SKIN, EYES AND GASTROINTESTINAL TRACT. CAUSES PERMANENT EYE DAMAGE.

**PHYSICAL HAZARDS:** CORROSIVE. Mixing with water, acid or incompatible materials may cause splattering and release of heat.

**ECOLOGICAL HAZARDS:** Keep out of water supplies and sewers. This material is alkaline and may raise the pH of surface waters. This material has exhibited moderate toxicity to aquatic organisms.

**PRECAUTIONARY STATEMENTS:** Avoid breathing vapors or mist. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Wash thoroughly after handling. Use only with adequate ventilation.

\*\*\*\*\*

## POTENTIAL HEALTH EFFECTS:

**Inhalation:** May cause irritation (possibly severe), chemical burns, and pulmonary edema.

**Skin contact:** May cause irritation (possibly severe) and chemical burns.

**Eye contact:** May cause irritation (possibly severe), chemical burns, eye damage, and blindness.

**Ingestion:** May cause irritation (possibly severe), chemical burns, nausea, and vomiting.

**Target Organs Effected:** Respiratory System, Skin, Eye

**Medical Conditions Aggravated by Exposure:** Asthma, Respiratory disorders

See Section 11: TOXICOLOGICAL INFORMATION

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component	Concentration (by weight %)	CAS - No.
Water	48.5 - 94.5	7732-18-5
Sodium hydroxide	5.5 - 51.5	1310-73-2
Sodium chloride (NaCl)	1 - 5	7647-14-5

## 4. FIRST AID MEASURES

**Inhalation:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer basic life support (Cardio-Pulmonary Resuscitation/Automatic External Defibrillator) and CALL FOR EMERGENCY SERVICES IMMEDIATELY.

**Skin Contact:** Immediately flush contaminated areas with water. Remove contaminated clothing, jewelry, and shoes immediately. Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods. GET MEDICAL ATTENTION IMMEDIATELY.



## CAUSTIC SODA LIQUID (ALL GRADES)

MSDS No.: M32415

Rev. Date: 05/29/2009

Rev. Num.: 08

---

### 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush eyes with a directed stream of water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissues. Washing eyes within several seconds is essential to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY.

**Ingestion:** Never give anything by mouth to an unconscious or convulsive person. If swallowed, do not induce vomiting. Give large amounts of water. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. GET MEDICAL ATTENTION IMMEDIATELY.

**Notes to Physician:** The absence of visible signs or symptoms of burns does NOT reliably exclude the presence of actual tissue damage. Probable mucosal damage may contraindicate the use of gastric lavage.

---

### 5. FIRE-FIGHTING MEASURES

---

**Fire Hazard:** Negligible fire hazard.

**Extinguishing Media:** Use media appropriate for surrounding fire

**Fire Fighting:** Move container from fire area if it can be done without risk. Cool containers with water. Avoid contact with skin.

**Sensitivity to Mechanical Impact:** Not sensitive.

**Sensitivity to Static Discharge:** Not sensitive.

**Flash point:** Not flammable

---

### 6. ACCIDENTAL RELEASE MEASURES

---

**Occupational Release:**

Wear appropriate personal protective equipment recommended in Section 8 of the MSDS. Completely contain spilled material with dikes, sandbags, etc. Shovel dry material into suitable container. Liquid material may be removed with a vacuum truck. Remaining material may be diluted with water and neutralized with dilute acid, then absorbed and collected. Flush spill area with water, if appropriate. Keep product and flush water out of water supplies and sewers. This material is alkaline and may raise the pH of surface waters with low buffering capacity. Releases should be reported, if required, to appropriate agencies.

---

### 7. HANDLING AND STORAGE

---

**Storage Conditions:** Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Do not store in aluminum container or use aluminum fittings or transfer lines, as flammable hydrogen gas may be generated. Keep separated from incompatible substances.

---

# CAUSTIC SODA LIQUID (ALL GRADES)

MSDS No.: M32415

Rev. Date: 05/29/2009

Rev. Num.: 08

## 7. HANDLING AND STORAGE

**Handling Procedures:** Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. When mixing, slowly add to water to minimize heat generation and spattering.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### OSHA Regulatory Exposure limit(s):

Hazardous Component	CAS - No.	OSHA Final PEL TWA	OSHA Final PEL STEL	OSHA Final PEL Ceiling
Sodium hydroxide	1310-73-2	2 mg/m <sup>3</sup>	-----	-----

### Non-Regulatory Exposure Limit(s):

The Non-Regulatory OSHA limits shown in the table are the Vacated 1989 PEL's (vacated by 58 FR 35338, June 30, 1993).

Hazardous Component	CAS - No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling	OSHA TWA (Vacated)	OSHA STEL (Vacated)	OSHA Ceiling (Vacated)
Sodium hydroxide	1310-73-2	-----	-----	2 mg/m <sup>3</sup>	-----	-----	2 mg/m <sup>3</sup>

**ENGINEERING CONTROLS:** Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

### PERSONAL PROTECTIVE EQUIPMENT:

**Eye Protection:** Wear chemical safety goggles with a faceshield to protect against eye and skin contact when appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**Skin and Body Protection:** Wear chemical resistant clothing and rubber boots when potential for contact with the material exists. Contaminated clothing should be removed, then discarded or laundered.

**Hand Protection:** Wear appropriate chemical resistant gloves

**Protective Material Types:** Natural rubber, Neoprene, Nitrile

Hazardous Component	Immediately Dangerous to Life/ Health (IDLH)
Sodium hydroxide	10 mg/m <sup>3</sup> IDLH

**Respiratory Protection:** A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. If eye irritation occurs, a full face style mask should be used. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Liquid
<b>Appearance:</b>	Clear to opaque
<b>Color:</b>	Colorless to slightly colored
<b>Odor:</b>	Odorless
<b>Boiling Point/Range:</b>	230 – 291 F (110 – 144 C)

## CAUSTIC SODA LIQUID (ALL GRADES)

MSDS No.: M32415

Rev. Date: 05/29/2009

Rev. Num.: 08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Freezing Point/Range:	-26 to 59 F (-32 to 15 C)
Vapor Pressure:	13 - 135 mmHg @ 60 C
Vapor Density (air=1):	No data available
Specific Gravity (water=1):	1.11 - 1.53 @ 15.6 C
Water Solubility:	100%
pH:	14.0 (7.5% solution)
Volatility:	No data available
Evaporation Rate (ether=1):	No data available
Partition Coefficient (n-octanol/water):	No data available

### 10. STABILITY AND REACTIVITY

Reactivity/ Stability:	Stable at normal temperatures and pressures.
Conditions to Avoid:	Mixing with water, acid or incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas. Carbon monoxide gas may form upon contact with reducing sugars, food and beverage products in enclosed spaces.
Incompatibilities/ Materials to Avoid:	Acids, Halogenated compounds, Prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys
Hazardous Decomposition Products:	Toxic fumes of sodium oxide
Hazardous Polymerization:	Will not occur

### 11. TOXICOLOGICAL INFORMATION

#### TOXICITY DATA:

Hazardous Component	LD50 Oral	LC50 Inhalation	LD50 Dermal
Sodium hydroxide	Not listed	Not listed	1350 mg/kg (Rabbit)
Sodium chloride (NaCl)	3 g/kg (Rat)	42 g/m <sup>3</sup> (1 hr-Rat)	10 g/kg (Rabbit)

#### TOXICITY:

The severity of the tissue damage is a function of its concentration, the length of tissue contact time, and local tissue conditions. After exposure there may be a time delay before irritation and other effects occur. This material is a strong irritant and is corrosive to the skin, eyes, and mucous membranes. This material may cause severe burns and permanent damage to any tissue with which it comes into contact. Inhalation will cause severe irritation, possible burns with pulmonary edema, which may lead to pneumonitis. Skin contact with this material may cause severe irritation and corrosion of tissue. Repeated exposure may cause dermatitis. Eye contact can cause severe irritation, corrosion with possible corneal damage and blindness. Ingestion may cause irritation, corrosion/ulceration, nausea, and vomiting.

**CARCINOGENICITY:** This product is not classified as a carcinogen by NTP, IARC or OSHA.

# CAUSTIC SODA LIQUID (ALL GRADES)

MSDS No.: M32415

Rev. Date: 05/29/2009

Rev. Num.: 08

## 12. ECOLOGICAL INFORMATION

**AQUATIC TOXICITY:** This material has exhibited moderate toxicity to aquatic organisms. Data provided are for sodium hydroxide.

**Freshwater Fish Data:**

LC50 brook trout: 25 ppm/24 hr

LC50 king salmon: 48 ppm

**Invertebrate Toxicity Data:**

EC50 daphnia magna: 100 ppm

EC50 shrimp: 33 – 100 ppm/48 hr

EC50 cockle: 330 – 1000 ppm/48 hr

**BIODEGRADATION:** This material is inorganic and not subject to biodegradation.

**PERSISTENCE:** This material is alkaline and may raise the pH of surface waters with low buffering capacity. This material is believed to exist in the disassociated state in the environment.

**BIOCONCENTRATION:** This material is not expected to bioconcentrate in organisms.

**ADDITIONAL ECOLOGICAL INFORMATION:** This material has exhibited slight toxicity to terrestrial organisms.

## 13. DISPOSAL CONSIDERATIONS

Reuse or reprocess, if possible. Dispose in accordance with all applicable regulations. May be subject to disposal regulations: U.S. EPA 40 CFR 261. Hazardous Waste Number(s): D002

## 14. TRANSPORT INFORMATION

**U.S.DOT 49 CFR 172.101:**

<b>PROPER SHIPPING NAME:</b>	Sodium Hydroxide Solution
<b>DOT UN NUMBER:</b>	UN1824
<b>HAZARD CLASS/ DIVISION:</b>	8
<b>PACKING GROUP:</b>	II
<b>LABELING REQUIREMENTS:</b>	8
<b>DOT RQ (lbs):</b>	RQ 1000 lbs. (Sodium Hydroxide)

**CANADIAN TRANSPORTATION OF DANGEROUS GOODS:**

<b>SHIPPING NAME:</b>	Sodium hydroxide solution
<b>UN NUMBER:</b>	UN1824
<b>CLASS:</b>	8
<b>PACKING/RISK GROUP:</b>	II

# CAUSTIC SODA LIQUID (ALL GRADES)

MSDS No.: M32415

Rev. Date: 05/29/2009

Rev. Num.:08

## 15. REGULATORY INFORMATION

### U.S. REGULATIONS

**OSHA REGULATORY STATUS:**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) (US).

**CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):**

If a release is reportable under CERCLA section 103, notify the state emergency response commission and local emergency planning committee. In addition, notify the National Response Center at (800) 424-8802 or (202) 426-2675.

Hazardous Component	CERCLA Reportable Quantities:
Sodium hydroxide	1000 lb (final RQ)

**EPCRA EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):** No components are listed.

**EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.21):**

Acute Health Hazard

**EPCRA SECTION 313 (40 CFR 372.65):** No components are listed.

**OSHA PROCESS SAFETY (29 CFR 1910.119):** Not regulated

### NATIONAL INVENTORY STATUS

**U.S. INVENTORY STATUS (TSCA):** All components are listed or exempt

**TSCA 12(b):** This product is not subject to export notification

**CANADIAN DOMESTIC SUBSTANCE LIST (DSL/NDL):** All components are listed.

### STATE REGULATIONS

**California Proposition 65:** This product is not listed, but it may contain contaminants known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act. For additional information, contact OxyChem Customer Service.

Hazardous Component	Sodium hydroxide
California Proposition 65 Cancer WARNING:	Not Listed
California Proposition 65 CRT List - Male reproductive toxin:	Not Listed
California Proposition 65 CRT List - Female reproductive toxin:	Not Listed
Massachusetts Right to Know Hazardous Substance List	Listed
New Jersey Right to Know Hazardous Substance List	Listed
New Jersey Special Health Hazards Substance List	Listed
Pennsylvania Right to Know Hazardous Substance List	Listed
Pennsylvania Right to Know Environmental Hazard List	Listed
Rhode Island Right to Know Hazardous Substance List	Listed



## ANALYTICAL REPORT

Lab Number:	L1806948
Client:	Vertex Environmental Services, Inc. 100 North Washington Street Suite 302 Boston, MA 02114
ATTN:	Jesse Freeman
Phone:	(781) 952-6000
Project Name:	CAMBRIDGE CROSSING G
Project Number:	35663
Report Date:	11/14/18

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1806948-01	VES-G-418(MW)	WATER	CAMBRIDGE, MA	02/28/18 10:25	02/28/18



**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

---

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

### Case Narrative (continued)

#### Report Revision

November 14, 2018: The Semivolatile Organics analyte list has been amended on L1806948-01.

#### Report Submission

The analysis of Ethanol was subcontracted. A copy of the laboratory report is included as an addendum.

Please note: This data is only available in PDF format and is not available on Data Merger.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Amita Naik

Title: Technical Director/Representative

Date: 11/14/18

# ORGANICS

# **VOLATILES**

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

**SAMPLE RESULTS**

**Lab ID:** L1806948-01  
**Client ID:** VES-G-418(MW)  
**Sample Location:** CAMBRIDGE, MA

**Date Collected:** 02/28/18 10:25  
**Date Received:** 02/28/18  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 03/06/18 10:29  
**Analyst:** MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	1.5		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	1.0		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	1.0		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Acetone	9.2		ug/l	5.0	--	1
Tert-Butyl Alcohol	ND		ug/l	10	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

**SAMPLE RESULTS**

**Lab ID:** L1806948-01  
**Client ID:** VES-G-418(MW)  
**Sample Location:** CAMBRIDGE, MA

**Date Collected:** 02/28/18 10:25  
**Date Received:** 02/28/18  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	105		70-130

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

**SAMPLE RESULTS**

**Lab ID:** L1806948-01  
**Client ID:** VES-G-418(MW)  
**Sample Location:** CAMBRIDGE, MA

**Date Collected:** 02/28/18 10:25  
**Date Received:** 02/28/18  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260C-SIM(M)  
**Analytical Date:** 03/06/18 10:29  
**Analyst:** MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS-SIM - Westborough Lab						
1,4-Dioxane	ND		ug/l	3.0	--	1



**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

**SAMPLE RESULTS**

**Lab ID:** L1806948-01  
**Client ID:** VES-G-418(MW)  
**Sample Location:** CAMBRIDGE, MA

**Date Collected:** 02/28/18 10:25  
**Date Received:** 02/28/18  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 14,504.1  
**Analytical Date:** 03/05/18 12:54  
**Analyst:** NS

**Extraction Method:** EPA 504.1  
**Extraction Date:** 03/05/18 10:19

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Microextractables by GC - Westborough Lab							
1,2-Dibromoethane	ND		ug/l	0.010	--	1	A

**Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 14,504.1  
Analytical Date: 03/05/18 11:50  
Analyst: NS

Extraction Method: EPA 504.1  
Extraction Date: 03/05/18 10:19

Parameter	Result	Qualifier	Units	RL	MDL
Microextractables by GC - Westborough Lab for sample(s): 01 Batch: WG1094492-1					
1,2-Dibromoethane	ND		ug/l	0.010	-- A

**Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C-SIM(M)

Analytical Date: 03/06/18 06:17

Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1094887-5					
1,4-Dioxane	ND		ug/l	3.0	--

Project Name: CAMBRIDGE CROSSING G

Lab Number: L1806948

Project Number: 35663

Report Date: 11/14/18

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 03/06/18 06:17  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1094892-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Vinyl chloride	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Acetone	ND		ug/l	5.0	--
Tert-Butyl Alcohol	ND		ug/l	10	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--

**Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 03/06/18 06:17  
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1094892-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	103		70-130

**Lab Control Sample Analysis**

Batch Quality Control

**Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Microextractables by GC - Westborough Lab Associated sample(s): 01 Batch: WG1094492-2									
1,2-Dibromoethane	90		-		80-120	-			A

# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1094887-3 WG1094887-4								
1,4-Dioxane	100		110		70-130	10		25

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1094892-3 WG1094892-4								
Methylene chloride	110		110		70-130	0		20
1,1-Dichloroethane	100		100		70-130	0		20
Carbon tetrachloride	100		110		63-132	10		20
1,1,2-Trichloroethane	100		110		70-130	10		20
Tetrachloroethene	91		99		70-130	8		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Benzene	100		100		70-130	0		25
Toluene	93		99		70-130	6		25
Ethylbenzene	92		96		70-130	4		20
Vinyl chloride	100		110		55-140	10		20
1,1-Dichloroethene	100		110		61-145	10		25
Trichloroethene	100		110		70-130	10		25
1,2-Dichlorobenzene	93		96		70-130	3		20
1,3-Dichlorobenzene	98		98		70-130	0		20
1,4-Dichlorobenzene	94		92		70-130	2		20
Methyl tert butyl ether	100		110		63-130	10		20
p/m-Xylene	95		100		70-130	5		20
o-Xylene	90		95		70-130	5		20
cis-1,2-Dichloroethene	98		100		70-130	2		20
Acetone	130		130		58-148	0		20
Tert-Butyl Alcohol	108		108		70-130	0		20
Tertiary-Amyl Methyl Ether	100		100		66-130	0		20



# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** CAMBRIDGE CROSSING G

**Lab Number:** L1806948

**Project Number:** 35663

**Report Date:** 11/14/18

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
------------------	--------------------------	-------------	---------------------------	-------------	-----------------------------	------------	-------------	-----------------------

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1094892-3 WG1094892-4

<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>
1,2-Dichloroethane-d4	102		104		70-130
Toluene-d8	99		101		70-130
4-Bromofluorobenzene	101		101		70-130
Dibromofluoromethane	104		99		70-130

**Matrix Spike Analysis***Batch Quality Control***Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Microextractables by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1094492-3 QC Sample: L1806948-01 Client ID: VES-G-418(MW)													
1,2-Dibromoethane	ND	0.254	0.270	106		-	-		80-120	-		20	A

# SEMIVOLATILES

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

**SAMPLE RESULTS**

**Lab ID:** L1806948-01  
**Client ID:** VES-G-418(MW)  
**Sample Location:** CAMBRIDGE, MA

**Date Collected:** 02/28/18 10:25  
**Date Received:** 02/28/18  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8270D  
**Analytical Date:** 03/06/18 04:46  
**Analyst:** TT

**Extraction Method:** EPA 3510C  
**Extraction Date:** 03/01/18 01:42

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Phenol	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	73		21-120
Phenol-d6	58		10-120
Nitrobenzene-d5	<b>126</b>	Q	23-120
2-Fluorobiphenyl	111		15-120
2,4,6-Tribromophenol	114		10-120
4-Terphenyl-d14	103		41-149

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

**SAMPLE RESULTS**

**Lab ID:** L1806948-01  
**Client ID:** VES-G-418(MW)  
**Sample Location:** CAMBRIDGE, MA

**Date Collected:** 02/28/18 10:25  
**Date Received:** 02/28/18  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8270D-SIM  
**Analytical Date:** 03/02/18 17:21  
**Analyst:** DV

**Extraction Method:** EPA 3510C  
**Extraction Date:** 03/01/18 01:46

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	2.1		ug/l	0.10	--	1
Fluoranthene	0.56		ug/l	0.10	--	1
Naphthalene	2.2		ug/l	0.10	--	1
Benzo(a)anthracene	0.10		ug/l	0.10	--	1
Benzo(a)pyrene	ND		ug/l	0.10	--	1
Benzo(b)fluoranthene	ND		ug/l	0.10	--	1
Benzo(k)fluoranthene	ND		ug/l	0.10	--	1
Chrysene	ND		ug/l	0.10	--	1
Acenaphthylene	0.28		ug/l	0.10	--	1
Anthracene	0.41		ug/l	0.10	--	1
Benzo(ghi)perylene	ND		ug/l	0.10	--	1
Fluorene	1.4		ug/l	0.10	--	1
Phenanthrene	0.11		ug/l	0.10	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--	1
Pyrene	0.44		ug/l	0.10	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	62		21-120
Phenol-d6	54		10-120
Nitrobenzene-d5	111		23-120
2-Fluorobiphenyl	126	Q	15-120
2,4,6-Tribromophenol	118		10-120
4-Terphenyl-d14	116		41-149

Project Name: CAMBRIDGE CROSSING G

Lab Number: L1806948

Project Number: 35663

Report Date: 11/14/18

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D  
 Analytical Date: 03/04/18 18:15  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 02/28/18 16:16

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1093149-1					
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Phenol	ND		ug/l	5.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	48		21-120
Phenol-d6	37		10-120
Nitrobenzene-d5	91		23-120
2-Fluorobiphenyl	85		15-120
2,4,6-Tribromophenol	82		10-120
4-Terphenyl-d14	98		41-149

Project Name: CAMBRIDGE CROSSING G

Lab Number: L1806948

Project Number: 35663

Report Date: 11/14/18

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D-SIM  
 Analytical Date: 03/04/18 11:55  
 Analyst: KL

Extraction Method: EPA 3510C  
 Extraction Date: 02/28/18 16:16

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1093150-1					
Acenaphthene	ND		ug/l	0.10	--
Fluoranthene	ND		ug/l	0.10	--
Naphthalene	ND		ug/l	0.10	--
Benzo(a)anthracene	ND		ug/l	0.10	--
Benzo(a)pyrene	ND		ug/l	0.10	--
Benzo(b)fluoranthene	ND		ug/l	0.10	--
Benzo(k)fluoranthene	ND		ug/l	0.10	--
Chrysene	ND		ug/l	0.10	--
Acenaphthylene	ND		ug/l	0.10	--
Anthracene	ND		ug/l	0.10	--
Benzo(ghi)perylene	ND		ug/l	0.10	--
Fluorene	ND		ug/l	0.10	--
Phenanthrene	ND		ug/l	0.10	--
Dibenzo(a,h)anthracene	ND		ug/l	0.10	--
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	--
Pyrene	ND		ug/l	0.10	--
Pentachlorophenol	ND		ug/l	0.80	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		21-120
Phenol-d6	33		10-120
Nitrobenzene-d5	70		23-120
2-Fluorobiphenyl	69		15-120
2,4,6-Tribromophenol	83		10-120
4-Terphenyl-d14	83		41-149





## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1093149-2 WG1093149-3								
Bis(2-ethylhexyl)phthalate	96		96		40-140	0		30
Butyl benzyl phthalate	96		92		40-140	4		30
Di-n-butylphthalate	92		87		40-140	6		30
Di-n-octylphthalate	100		100		40-140	0		30
Diethyl phthalate	88		86		40-140	2		30
Dimethyl phthalate	100		95		40-140	5		30
Phenol	40		38		12-110	5		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	51		47		21-120
Phenol-d6	40		38		10-120
Nitrobenzene-d5	92		89		23-120
2-Fluorobiphenyl	86		85		15-120
2,4,6-Tribromophenol	84		83		10-120
4-Terphenyl-d14	81		78		41-149

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1093150-2 WG1093150-3								
Acenaphthene	71		68		40-140	4		40
Fluoranthene	75		72		40-140	4		40
Naphthalene	64		63		40-140	2		40
Benzo(a)anthracene	73		71		40-140	3		40
Benzo(a)pyrene	80		78		40-140	3		40
Benzo(b)fluoranthene	79		78		40-140	1		40
Benzo(k)fluoranthene	83		82		40-140	1		40
Chrysene	76		74		40-140	3		40
Acenaphthylene	74		72		40-140	3		40
Anthracene	76		73		40-140	4		40
Benzo(ghi)perylene	78		77		40-140	1		40
Fluorene	77		74		40-140	4		40
Phenanthrene	72		70		40-140	3		40
Dibenzo(a,h)anthracene	84		82		40-140	2		40
Indeno(1,2,3-cd)pyrene	81		80		40-140	1		40
Pyrene	74		72		40-140	3		40
Pentachlorophenol	79		75		40-140	5		40

**Lab Control Sample Analysis****Batch Quality Control****Project Name:** CAMBRIDGE CROSSING G**Project Number:** 35663**Lab Number:** L1806948**Report Date:** 11/14/18

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
------------------	--------------------------	-------------	---------------------------	-------------	-----------------------------	------------	-------------	-----------------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1093150-2 WG1093150-3

<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>
2-Fluorophenol	45		46		21-120
Phenol-d6	33		33		10-120
Nitrobenzene-d5	71		71		23-120
2-Fluorobiphenyl	69		68		15-120
2,4,6-Tribromophenol	85		81		10-120
4-Terphenyl-d14	74		72		41-149

# PCBS

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

**SAMPLE RESULTS**

**Lab ID:** L1806948-01  
**Client ID:** VES-G-418(MW)  
**Sample Location:** CAMBRIDGE, MA

**Date Collected:** 02/28/18 10:25  
**Date Received:** 02/28/18  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 5,608  
**Analytical Date:** 03/02/18 10:06  
**Analyst:** JW

**Extraction Method:** EPA 608  
**Extraction Date:** 03/01/18 01:56  
**Cleanup Method:** EPA 3665A  
**Cleanup Date:** 03/01/18  
**Cleanup Method:** EPA 3660B  
**Cleanup Date:** 03/02/18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.250	--	1	A
Aroclor 1221	ND		ug/l	0.250	--	1	A
Aroclor 1232	ND		ug/l	0.250	--	1	A
Aroclor 1242	ND		ug/l	0.250	--	1	A
Aroclor 1248	ND		ug/l	0.250	--	1	A
Aroclor 1254	ND		ug/l	0.250	--	1	A
Aroclor 1260	ND		ug/l	0.200	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	110		30-150	A
Decachlorobiphenyl	102		30-150	A

**Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18**Method Blank Analysis**  
**Batch Quality Control**Analytical Method: 5,608  
Analytical Date: 03/01/18 05:56  
Analyst: HTExtraction Method: EPA 608  
Extraction Date: 02/28/18 04:27  
Cleanup Method: EPA 3665A  
Cleanup Date: 02/28/18  
Cleanup Method: EPA 3660B  
Cleanup Date: 02/28/18

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01 Batch: WG1092967-1						
Aroclor 1016	ND		ug/l	0.250	--	A
Aroclor 1221	ND		ug/l	0.250	--	A
Aroclor 1232	ND		ug/l	0.250	--	A
Aroclor 1242	ND		ug/l	0.250	--	A
Aroclor 1248	ND		ug/l	0.250	--	A
Aroclor 1254	ND		ug/l	0.250	--	A
Aroclor 1260	ND		ug/l	0.200	--	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	99		30-150	A
Decachlorobiphenyl	99		30-150	A

**Lab Control Sample Analysis****Batch Quality Control****Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 Batch: WG1092967-2									
Aroclor 1016	93		-		30-150	-		30	A
Aroclor 1260	95		-		30-150	-		30	A

<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>	<b>Column</b>
2,4,5,6-Tetrachloro-m-xylene	102				30-150	A
Decachlorobiphenyl	93				30-150	A



**Matrix Spike Analysis***Batch Quality Control***Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1092967-3 QC Sample: L1800002-01 Client ID: MS Sample													
Aroclor 1016	ND	3.12	3.00	96		-	-		40-126	-		30	A
Aroclor 1260	ND	3.12	2.83	91		-	-		40-127	-		30	A

<b>Surrogate</b>	<b>MS % Recovery</b>	<b>Qualifier</b>	<b>MSD % Recovery</b>	<b>Qualifier</b>	<b>Acceptance Criteria</b>	<b>Column</b>
2,4,5,6-Tetrachloro-m-xylene	104				30-150	A
Decachlorobiphenyl	74				30-150	A

# **Lab Duplicate Analysis** **Batch Quality Control**

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1092967-4 QC Sample: L1800002-01 Client ID: DUP Sample						
Aroclor 1016	ND	ND	ug/l	NC		30 A
Aroclor 1221	ND	ND	ug/l	NC		30 A
Aroclor 1232	ND	ND	ug/l	NC		30 A
Aroclor 1242	ND	ND	ug/l	NC		30 A
Aroclor 1248	ND	ND	ug/l	NC		30 A
Aroclor 1254	ND	ND	ug/l	NC		30 A
Aroclor 1260	ND	ND	ug/l	NC		30 A

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		107		30-150	A
Decachlorobiphenyl	83		88		30-150	A

## METALS

**Project Name:** CAMBRIDGE CROSSING G**Lab Number:** L1806948**Project Number:** 35663**Report Date:** 11/14/18**SAMPLE RESULTS**

Lab ID: L1806948-01

Date Collected: 02/28/18 10:25

Client ID: VES-G-418(MW)

Date Received: 02/28/18

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Antimony, Total	ND		mg/l	0.00400	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Arsenic, Total	0.00377		mg/l	0.00100	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Chromium, Total	0.00379		mg/l	0.00100	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Copper, Total	0.00746		mg/l	0.00100	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Iron, Total	2.52		mg/l	0.050	--	1	03/01/18 15:40	03/06/18 15:20	EPA 3005A	19,200.7	LC
Lead, Total	0.01167		mg/l	0.00100	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Mercury, Total	ND		mg/l	0.00020	--	1	03/01/18 10:43	03/01/18 19:14	EPA 245.1	3,245.1	EA
Nickel, Total	0.00458		mg/l	0.00200	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Selenium, Total	ND		mg/l	0.00500	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Silver, Total	ND		mg/l	0.00040	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
Zinc, Total	0.01490		mg/l	0.01000	--	1	03/01/18 15:40	03/02/18 13:01	EPA 3005A	3,200.8	AM
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		mg/l	0.010	--	1		03/02/18 13:01	NA	107,-	



Project Name: CAMBRIDGE CROSSING G

Lab Number: L1806948

Project Number: 35663

Report Date: 11/14/18

## Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1093482-1										
Mercury, Total	ND		mg/l	0.00020	--	1	03/01/18 10:43	03/01/18 18:36	3,245.1	EA

### Prep Information

Digestion Method: EPA 245.1

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1093586-1										
Iron, Total	ND		mg/l	0.050	--	1	03/01/18 15:40	03/06/18 13:22	19,200.7	LC

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1093588-1										
Antimony, Total	ND		mg/l	0.00400	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Arsenic, Total	ND		mg/l	0.00100	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00020	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Chromium, Total	ND		mg/l	0.00100	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Copper, Total	ND		mg/l	0.00100	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Lead, Total	ND		mg/l	0.00050	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Nickel, Total	ND		mg/l	0.00200	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Selenium, Total	ND		mg/l	0.00500	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Silver, Total	ND		mg/l	0.00040	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM
Zinc, Total	ND		mg/l	0.01000	--	1	03/01/18 15:40	03/02/18 12:00	3,200.8	AM

### Prep Information

Digestion Method: EPA 3005A



## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1093482-2								
Mercury, Total	102		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1093586-2								
Iron, Total	103		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1093588-2								
Antimony, Total	102		-		85-115	-		
Arsenic, Total	105		-		85-115	-		
Cadmium, Total	107		-		85-115	-		
Chromium, Total	100		-		85-115	-		
Copper, Total	102		-		85-115	-		
Lead, Total	99		-		85-115	-		
Nickel, Total	101		-		85-115	-		
Selenium, Total	111		-		85-115	-		
Silver, Total	100		-		85-115	-		
Zinc, Total	108		-		85-115	-		

# **Matrix Spike Analysis** **Batch Quality Control**

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1093482-3    QC Sample: L1806885-01    Client ID: MS Sample												
Mercury, Total	ND	0.005	0.00506	101		-	-		70-130	-		20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1093482-5    QC Sample: L1806885-02    Client ID: MS Sample												
Mercury, Total	ND	0.005	0.00494	99		-	-		70-130	-		20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1093586-3    QC Sample: L1806885-01    Client ID: MS Sample												
Iron, Total	0.918	1	2.04	112		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1093588-3    QC Sample: L1806885-01    Client ID: MS Sample												
Antimony, Total	0.00577	0.5	0.5537	110		-	-		70-130	-		20
Arsenic, Total	0.00406	0.12	0.1372	111		-	-		70-130	-		20
Cadmium, Total	ND	0.051	0.05827	114		-	-		70-130	-		20
Chromium, Total	0.00161	0.2	0.2141	106		-	-		70-130	-		20
Copper, Total	0.00407	0.25	0.2776	109		-	-		70-130	-		20
Lead, Total	0.00359	0.51	0.5508	107		-	-		70-130	-		20
Nickel, Total	ND	0.5	0.5397	108		-	-		70-130	-		20
Selenium, Total	ND	0.12	0.1382	115		-	-		70-130	-		20
Silver, Total	ND	0.05	0.05410	108		-	-		70-130	-		20
Zinc, Total	0.03678	0.5	0.6062	114		-	-		70-130	-		20



# **Lab Duplicate Analysis** *Batch Quality Control*

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1093482-4 QC Sample: L1806885-01 Client ID: DUP Sample						
Mercury, Total	ND	ND	mg/l	NC		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1093482-6 QC Sample: L1806885-02 Client ID: DUP Sample						
Mercury, Total	ND	ND	mg/l	NC		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1093586-4 QC Sample: L1806885-01 Client ID: DUP Sample						
Iron, Total	0.918	0.918	mg/l	0		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1093588-4 QC Sample: L1806885-01 Client ID: DUP Sample						
Antimony, Total	0.00577	0.00593	mg/l	3		20
Arsenic, Total	0.00406	0.00410	mg/l	1		20
Cadmium, Total	ND	ND	mg/l	NC		20
Chromium, Total	0.00161	0.00166	mg/l	3		20
Copper, Total	0.00407	0.00404	mg/l	1		20
Lead, Total	0.00359	0.00360	mg/l	0		20
Nickel, Total	ND	ND	mg/l	NC		20
Selenium, Total	ND	ND	mg/l	NC		20
Silver, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.03678	0.03753	mg/l	2		20

# **INORGANICS & MISCELLANEOUS**

Project Name: CAMBRIDGE CROSSING G

Project Number: 35663

Lab Number: L1806948

Report Date: 11/14/18

## SAMPLE RESULTS

Lab ID: L1806948-01

Client ID: VES-G-418(MW)

Sample Location: CAMBRIDGE, MA

Date Collected: 02/28/18 10:25

Date Received: 02/28/18

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total Suspended	54.		mg/l	5.0	NA	1	-	03/02/18 11:30	121,2540D	JT
Cyanide, Total	ND		mg/l	0.005	--	1	02/28/18 22:52	03/01/18 10:06	121,4500CN-CE	LH
Chlorine, Total Residual	ND		mg/l	0.02	--	1	-	02/28/18 23:30	121,4500CL-D	AS
Nitrogen, Ammonia	1.09		mg/l	0.075	--	1	03/01/18 02:00	03/01/18 22:22	121,4500NH3-BH	AT
TPH, SGT-HEM	ND		mg/l	4.00	--	1	03/01/18 17:00	03/01/18 21:45	74,1664A	ML
Phenolics, Total	ND		mg/l	0.030	--	1	03/02/18 13:29	03/02/18 19:42	4,420.1	BR
Chromium, Hexavalent	ND		mg/l	0.010	--	1	03/01/18 01:13	03/01/18 02:01	1,7196A	UN
Anions by Ion Chromatography - Westborough Lab										
Chloride	717.		mg/l	25.0	--	50	-	03/02/18 18:45	44,300.0	ED



Project Name: CAMBRIDGE CROSSING G

Lab Number: L1806948

Project Number: 35663

Report Date: 11/14/18

### Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1093295-1										
Chlorine, Total Residual	ND		mg/l	0.02	--	1	-	02/28/18 23:30	121,4500CL-D	AS
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1093298-1										
Cyanide, Total	ND		mg/l	0.005	--	1	02/28/18 22:52	03/01/18 09:47	121,4500CN-CE	LH
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1093333-1										
Chromium, Hexavalent	ND		mg/l	0.010	--	1	03/01/18 01:13	03/01/18 01:50	1,7196A	UN
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1093343-1										
Nitrogen, Ammonia	ND		mg/l	0.075	--	1	03/01/18 02:00	03/01/18 22:03	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1093620-1										
TPH, SGT-HEM	ND		mg/l	4.00	--	1	03/01/18 17:00	03/01/18 21:45	74,1664A	ML
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1093770-1										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	03/02/18 11:30	121,2540D	JT
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1094008-1										
Phenolics, Total	ND		mg/l	0.030	--	1	03/02/18 14:45	03/02/18 19:33	4,420.1	BR
Anions by Ion Chromatography - Westborough Lab for sample(s): 01 Batch: WG1094375-1										
Chloride	ND		mg/l	0.500	--	1	-	03/02/18 18:09	44,300.0	JR

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1093295-2								
Chlorine, Total Residual	101		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1093298-2								
Cyanide, Total	98		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1093333-2								
Chromium, Hexavalent	97		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1093343-2								
Nitrogen, Ammonia	101		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1093620-2								
TPH	92		-		64-132	-		34
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1094008-2								
Phenolics, Total	92		-		70-130	-		
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 Batch: WG1094375-2								
Chloride	103		-		90-110	-		

# **Matrix Spike Analysis** **Batch Quality Control**

**Project Name:** CAMBRIDGE CROSSING G

**Project Number:** 35663

**Lab Number:** L1806948

**Report Date:** 11/14/18

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01    QC Batch ID: WG1093295-4    QC Sample: L1806948-01    Client ID: VES-G-418(MW)												
Chlorine, Total Residual	ND	0.248	0.22	89		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01    QC Batch ID: WG1093298-4    QC Sample: L1806885-01    Client ID: MS Sample												
Cyanide, Total	ND	0.2	0.210	105		-	-		90-110	-		30
General Chemistry - Westborough Lab Associated sample(s): 01    QC Batch ID: WG1093333-4    QC Sample: L1806948-01    Client ID: VES-G-418(MW)												
Chromium, Hexavalent	ND	0.1	0.093	93		-	-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01    QC Batch ID: WG1093343-4    QC Sample: L1806947-01    Client ID: MS Sample												
Nitrogen, Ammonia	28.4	4	33.2	120		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01    QC Batch ID: WG1093620-4    QC Sample: L1806725-01    Client ID: MS Sample												
TPH	9.80	20.4	26.1	80		-	-		64-132	-		34
General Chemistry - Westborough Lab Associated sample(s): 01    QC Batch ID: WG1094008-4    QC Sample: L1806875-02    Client ID: MS Sample												
Phenolics, Total	ND	0.4	0.38	96		-	-		70-130	-		20
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01    QC Batch ID: WG1094375-3    QC Sample: L1807170-02    Client ID: MS Sample												
Chloride	221	100	323	102		-	-		90-110	-		18

# Lab Duplicate Analysis

Batch Quality Control

Project Name: CAMBRIDGE CROSSING G

Project Number: 35663

Lab Number: L1806948

Report Date: 11/14/18

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1093295-3 QC Sample: L1806947-01 Client ID: DUP Sample						
Chlorine, Total Residual	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1093298-3 QC Sample: L1806885-01 Client ID: DUP Sample						
Cyanide, Total	ND	0.007	mg/l	NC		30
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1093333-3 QC Sample: L1806948-01 Client ID: VES-G-418(MW)						
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1093343-3 QC Sample: L1806947-01 Client ID: DUP Sample						
Nitrogen, Ammonia	28.4	28.4	mg/l	0		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1093620-3 QC Sample: L1806725-01 Client ID: DUP Sample						
TPH	9.80	8.50	mg/l	14		34
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1093770-2 QC Sample: L1807125-01 Client ID: DUP Sample						
Solids, Total Suspended	86	86	mg/l	0		29
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1094008-3 QC Sample: L1806875-02 Client ID: DUP Sample						
Phenolics, Total	ND	ND	mg/l	NC		20
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1094375-4 QC Sample: L1807170-02 Client ID: DUP Sample						
Chloride	221	221	mg/l	0		18



**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

Serial\_No:11141815:08  
**Lab Number:** L1806948  
**Report Date:** 11/14/18

### Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

#### Cooler Information

**Cooler**                      **Custody Seal**  
C                                  Absent

#### Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1806948-01A	Vial HCl preserved	C	NA		4.2	Y	Absent		8260-SIM(14),8260(14)
L1806948-01B	Vial HCl preserved	C	NA		4.2	Y	Absent		8260-SIM(14),8260(14)
L1806948-01C	Vial HCl preserved	C	NA		4.2	Y	Absent		8260-SIM(14),8260(14)
L1806948-01D	Vial Na2S2O3 preserved	C	NA		4.2	Y	Absent		504(14)
L1806948-01E	Vial Na2S2O3 preserved	C	NA		4.2	Y	Absent		504(14)
L1806948-01F	Vial HCl preserved	C	NA		4.2	Y	Absent		SUB-ETHANOL(14)
L1806948-01G	Vial HCl preserved	C	NA		4.2	Y	Absent		SUB-ETHANOL(14)
L1806948-01H	Vial HCl preserved	C	NA		4.2	Y	Absent		SUB-ETHANOL(14)
L1806948-01I	Plastic 250ml HNO3 preserved	C	<2	<2	4.2	Y	Absent		CD-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),FE-UI(180),AG-2008T(180),AS-2008T(180),HG-U(28),SE-2008T(180),CR-2008T(180),PB-2008T(180),SB-2008T(180)
L1806948-01J	Plastic 250ml NaOH preserved	C	>12	>12	4.2	Y	Absent		TCN-4500(14)
L1806948-01K	Plastic 500ml H2SO4 preserved	C	<2	<2	4.2	Y	Absent		NH3-4500(28)
L1806948-01L	Plastic 950ml unpreserved	C	7	7	4.2	Y	Absent		CL-300(28),HEXCR-7196(1),TRC-4500(1)
L1806948-01M	Plastic 950ml unpreserved	C	7	7	4.2	Y	Absent		TSS-2540(7)
L1806948-01N	Amber 950ml H2SO4 preserved	C	<2	<2	4.2	Y	Absent		TPHENOL-420(28)
L1806948-01O	Amber 1000ml HCl preserved	C	NA		4.2	Y	Absent		TPH-1664(28)
L1806948-01P	Amber 1000ml HCl preserved	C	NA		4.2	Y	Absent		TPH-1664(28)
L1806948-01Q	Amber 1000ml Na2S2O3	C	7	7	4.2	Y	Absent		PCB-608(7)
L1806948-01R	Amber 1000ml Na2S2O3	C	7	7	4.2	Y	Absent		PCB-608(7)
L1806948-01S	Amber 1000ml unpreserved	C	7	7	4.2	Y	Absent		8270TCL(7),8270TCL-SIM(7)
L1806948-01T	Amber 1000ml unpreserved	C	7	7	4.2	Y	Absent		8270TCL(7),8270TCL-SIM(7)

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Report Format:** Data Usability Report



**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

#### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** CAMBRIDGE CROSSING G  
**Project Number:** 35663

**Lab Number:** L1806948  
**Report Date:** 11/14/18

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 4 Methods for Chemical Analysis of Water and Wastes. EPA 600/4-79-020. Revised March 1983.
- 5 Methods for the Organic Chemical Analysis of Municipal and Industrial Wastewater. Appendix A, Part 136, 40 CFR (Code of Federal Regulations).
- 14 Methods for the Determination of Organic Compounds in Finished Drinking Water and Raw Source Water. EPA/600/4-88/039, Revised July 1991.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 74 Method 1664, Revision A: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-98-002, February 1999.
- 107 Alpha Analytical - In-house calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



**Alpha Analytical, Inc.**Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**Revision **12**

Published Date: 10/9/2018 4:58:19 PM

Page 1 of 1

**Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:



**Westborough Facility****EPA 624/624.1:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 6860:** SCM: Perchlorate**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.**Mansfield Facility****SM 2540D:** TSS**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility:****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



		<b>Subcontract Chain of Custody</b> Test America (Nashville) 2960 Foster Creighton Drive Nashville, TN 37204		<b>Alpha Job Number</b> L1806948	
<b>Client Information</b>		<b>Project Information</b>		<b>Regulatory Requirements/Report Limits</b>	
Client: Alpha Analytical Labs Address: Eight Walkup Drive Westborough, MA 01581-1019  Phone: 603.319.5010 Email: mgulli@alphalab.com		Project Location: MA Project Manager: Melissa Gulli  <b>Turnaround &amp; Deliverables Information</b> Due Date: 03/07/18 (RUSH) Deliverables:		State/Federal Program: Regulatory Criteria: GW-2-14;S1/G2-14	
<b>Project Specific Requirements and/or Report Requirements</b>					
Reference following Alpha Job Number on final report/deliverables: L1806948				Report to include Method Blank, LCS/LCSD:	
Additional Comments: Send all results/reports to subreports@alphalab.com					
<b>Lab ID</b>	<b>Client ID</b>	<b>Collection Date/Time</b>	<b>Sample Matrix</b>	<b>Analysis</b>	<b>Batch QC</b>
	VES-G-418(MW)	02-28-18 10:25	WATER	Ethanol by EPA 1671 Revision A	
Relinquished By:		Date/Time:	Received By:	Date/Time:	
 AAL		3/1/18			
Form No: AL_subcoc					



# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Drive

Nashville, TN 37204

Tel: (615)726-0177

TestAmerica Job ID: 490-147313-1

Client Project/Site: L1806948


For:

Alpha Analytical Inc

145 Flanders Road

Westborough, Massachusetts 01581-1019

Attn: Melissa Gulli



Authorized for release by:

3/7/2018 2:07:51 PM

Ken Hayes, Project Manager II

(615)301-5035

[ken.hayes@testamericainc.com](mailto:ken.hayes@testamericainc.com)

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Sample Summary . . . . .	3
Case Narrative . . . . .	4
Definitions . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	7
QC Association . . . . .	8
Chronicle . . . . .	9
Method Summary . . . . .	10
Certification Summary . . . . .	11
Chain of Custody . . . . .	12

## Sample Summary

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-147313-1	VES-G-418(MW)	Water	02/28/18 10:25	03/02/18 09:00

1

2

3

4

5

6

7

8

9

10

11

12

## Case Narrative

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

**Job ID: 490-147313-1**

**Laboratory: TestAmerica Nashville**

### Narrative

**Job Narrative**  
**490-147313-1**

### Comments

No additional comments.

### Receipt

The sample was received on 3/2/2018 9:00 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.7° C.

### GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Definitions/Glossary

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## Client Sample Results

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

**Client Sample ID: VES-G-418(MW)****Lab Sample ID: 490-147313-1****Date Collected: 02/28/18 10:25****Matrix: Water****Date Received: 03/02/18 09:00****Method: 1671A - Ethanol (GC/FID)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethanol	ND		2000	500	ug/L	-		03/03/18 16:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Isopropyl acetate (Surr)	83		70 - 130		03/03/18 16:08	1

## QC Sample Results

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

## Method: 1671A - Ethanol (GC/FID)

Lab Sample ID: MB 490-499157/22

Matrix: Water

Analysis Batch: 499157

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethanol	ND		2000	500	ug/L			03/03/18 15:43	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Isopropyl acetate (Surr)	73		70 - 130					03/03/18 15:43	1

Lab Sample ID: LCS 490-499157/23

Matrix: Water

Analysis Batch: 499157

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethanol			50200	53230		ug/L		106	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
Isopropyl acetate (Surr)	78		70 - 130						

Lab Sample ID: 490-147323-D-6 MS

Matrix: Water

Analysis Batch: 499157

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethanol	ND		50200	52880		ug/L		105	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
Isopropyl acetate (Surr)	80		70 - 130						

Lab Sample ID: 490-147323-D-6 MSD

Matrix: Water

Analysis Batch: 499157

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethanol	ND		50200	47250		ug/L		94	70 - 130	11	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Isopropyl acetate (Surr)	79		70 - 130								

TestAmerica Nashville

## QC Association Summary

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

### GC VOA

#### Analysis Batch: 499157

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-147313-1	VES-G-418(MW)	Total/NA	Water	1671A	
MB 490-499157/22	Method Blank	Total/NA	Water	1671A	
LCS 490-499157/23	Lab Control Sample	Total/NA	Water	1671A	
490-147323-D-6 MS	Matrix Spike	Total/NA	Water	1671A	
490-147323-D-6 MSD	Matrix Spike Duplicate	Total/NA	Water	1671A	

## Lab Chronicle

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

**Client Sample ID: VES-G-418(MW)****Lab Sample ID: 490-147313-1****Date Collected: 02/28/18 10:25****Matrix: Water****Date Received: 03/02/18 09:00**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	1671A		1			499157	03/03/18 16:08	MH	TAL NSH

**Laboratory References:**

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177



## Method Summary

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

Method	Method Description	Protocol	Laboratory
1671A	Ethanol (GC/FID)	EPA	TAL NSH

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

## Accreditation/Certification Summary

Client: Alpha Analytical Inc  
Project/Site: L1806948

TestAmerica Job ID: 490-147313-1

### Laboratory: TestAmerica Nashville

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2938	10-31-18


The following analytes are included in this report, but accreditation/certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
1671A		Water	Ethanol

Maine	State Program	1	TN00032	11-03-19
-------	---------------	---	---------	----------

The following analytes are included in this report, but accreditation/certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
1671A		Water	Ethanol

**TestAmerica**THE LEADER IN ENVIRONMENTAL TESTING  
Nashville, TN**COOLER RECEIPT FORM**

490-147313 Chain of Custody

Cooler Received/Opened On 03-02-2018 @ 0900Time Samples Removed From Cooler 1305 Time Samples Placed In Storage 1319 (2 Hour Window)1. Tracking # 1ZE3065419697 (last 4 digits, FedEx) Courier: UPS next day airIR Gun ID 31470366 pH Strip Lot N/A Chlorine Strip Lot N/A2. Temperature of rep. sample or temp blank when opened: 2.2 Degrees Celsius3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO...NA4. Were custody seals on outside of cooler? YES...NO...NAIf yes, how many and where: 85. Were the seals intact, signed, and dated correctly? YES...NO...NA6. Were custody papers inside cooler? YES...NO...NAI certify that I opened the cooler and answered questions 1-6 (initial) on7. Were custody seals on containers: YES NO and Intact YES...NO...NAWere these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry Ice Other None10. Did all containers arrive in good condition (unbroken)? YES...NO...NA11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA12. Did all container labels and tags agree with custody papers? YES...NO...NA13a. Were VOA vials received? YES...NO...NAb. Was there any observable headspace present in any VOA vial? YES...NO...NA

Larger than this.

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence # onI certify that I unloaded the cooler and answered questions 7-14 (initial) on15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NAb. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA16. Was residual chlorine present? YES...NO...NAI certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) on17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...NA18. Did you sign the custody papers in the appropriate place? YES...NO...NA19. Were correct containers used for the analysis requested? YES...NO...NA20. Was sufficient amount of sample sent in each container? YES...NO...NAI certify that I entered this project into LIMS and answered questions 17-20 (initial) onI certify that I attached a label with the unique LIMS number to each container (initial) on21. Were there Non-Conformance issues at login? YES...NO Was a NCM generated? YES...NO...# 6BIS = Broken in shipment  
Cooler Receipt Form.docLF-1  
End of Form

Revised 8/23/17



### Subcontract Chain of Custody

Test America (Nashville)  
2960 Foster Creighton Drive  
Nashville, TN 37204

Alpha Job Number  
L1806948

#### Client Information

Client: Alpha Analytical Labs  
Address: Eight Walkup Drive  
Westborough, MA 01581-1019  
Phone: 603.319.5010  
Email: mgullit@alphalab.com

#### Project Information

Project Location: MA  
Project Manager: Melissa Gullit  
Turnaround & Deliverables Information  
Due Date: 03/07/18 (RUSH)  
Deliverables:

#### Regulatory Requirements/Report Limits

State/Federal Program:  
Regulatory Criteria: GW-2-14;S1/G2-14

#### Project Specific Requirements and/or Report Requirements

Reference following Alpha Job Number on final report/deliverables: L1806948

Report to include Method Blank, LCS/LCSD:

Additional Comments: Send all results/reports to subreports@alphalab.com

Lab ID	Client ID	Collection Date/Time	Sample Matrix	Analysis	Batch QC
	MES-G-418(MW)	02-28-18 10:25	WATER	Ethanol by EPA 1671 Revision A	
					Loc: 490 <b>147313</b>
Relinquished By:		Date/Time:	Received By:		Date/Time:
<i>Michelle</i>		3/1/18			
Form No: AL_subcoc					<i>Paula</i> 3-2-18 6:00



## ANALYTICAL REPORT

Lab Number:	L1714950
Client:	Vertex Environmental Services, Inc. One Congress Street 10th Floor Boston, MA 02114
ATTN:	Jesse Freeman
Phone:	(781) 952-6000
Project Name:	NORTHPOINT
Project Number:	35663
Report Date:	05/24/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1714950  
**Report Date:** 05/24/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1714950-01	VES-Y-2 (OW)	WATER	CAMBRIDGE, MA	05/09/17 07:50	05/09/17
L1714950-02	TRIP BLANKS	WATER	CAMBRIDGE, MA	05/09/17 00:00	05/09/17

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1714950  
**Report Date:** 05/24/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

---

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1714950  
**Report Date:** 05/24/17

### Case Narrative (continued)

#### Report Submission

This final report replaces the partial report issued May 16, 2017 and includes the results of all requested analyses.

The analysis of ethanol was subcontracted. A copy of the laboratory report is included as an addendum. Please note: This data is only available in PDF format and is not available on Data Merger.

#### Metals

The WG1002079-7 MS recoveries for calcium (60%) and iron (10%), performed on L1714950-01, do not apply because the sample concentrations are greater than four times the spike amounts added.

The WG1002087-3 MS recovery for hardness (60%), performed on L1714950-01, does not apply because the sample concentration is greater than four times the spike amount added.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Cristin Walker

Title: Technical Director/Representative

Date: 05/24/17



# ORGANICS

# **VOLATILES**

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 09:02  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	3.0	0.68	1
1,1-Dichloroethane	ND		ug/l	0.75	0.21	1
Chloroform	ND		ug/l	0.75	0.16	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.8	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	0.75	0.14	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	0.50	0.18	1
Trichlorofluoromethane	ND		ug/l	2.5	0.16	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	0.50	0.16	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.17	1
Bromoform	ND		ug/l	2.0	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	0.75	0.16	1
Ethylbenzene	ND		ug/l	0.50	0.17	1
Chloromethane	ND		ug/l	2.5	0.18	1
Bromomethane	ND		ug/l	1.0	0.26	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	1.0	0.13	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	0.16	1
1,2-Dichloroethene, Total	ND		ug/l	0.50	0.16	1
Trichloroethene	ND		ug/l	0.50	0.18	1

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichlorobenzene	ND		ug/l	2.5	0.18	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.19	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.19	1
Methyl tert butyl ether	ND		ug/l	1.0	0.17	1
p/m-Xylene	ND		ug/l	1.0	0.33	1
o-Xylene	ND		ug/l	1.0	0.33	1
Xylenes, Total	ND		ug/l	1.0	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	0.19	1
Dibromomethane	ND		ug/l	5.0	0.36	1
1,4-Dichlorobutane	ND		ug/l	5.0	0.46	1
1,2,3-Trichloropropane	ND		ug/l	5.0	0.18	1
Styrene	ND		ug/l	1.0	0.36	1
Dichlorodifluoromethane	ND		ug/l	5.0	0.24	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	0.30	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	0.31	1
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42	1
2-Hexanone	ND		ug/l	5.0	0.52	1
Ethyl methacrylate	ND		ug/l	5.0	0.61	1
Acrylonitrile	ND		ug/l	5.0	0.43	1
Bromochloromethane	ND		ug/l	2.5	0.15	1
Tetrahydrofuran	ND		ug/l	5.0	0.83	1
2,2-Dichloropropane	ND		ug/l	2.5	0.20	1
1,2-Dibromoethane	ND		ug/l	2.0	0.19	1
1,3-Dichloropropane	ND		ug/l	2.5	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	0.16	1
Bromobenzene	ND		ug/l	2.5	0.15	1
n-Butylbenzene	0.28	J	ug/l	0.50	0.19	1
sec-Butylbenzene	ND		ug/l	0.50	0.18	1
tert-Butylbenzene	ND		ug/l	2.5	0.18	1
o-Chlorotoluene	ND		ug/l	2.5	0.17	1
p-Chlorotoluene	ND		ug/l	2.5	0.18	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.35	1
Hexachlorobutadiene	ND		ug/l	0.50	0.22	1
Isopropylbenzene	ND		ug/l	0.50	0.19	1
p-Isopropyltoluene	0.82		ug/l	0.50	0.19	1
Naphthalene	ND		ug/l	2.5	0.22	1
n-Propylbenzene	ND		ug/l	0.50	0.17	1

**Project Name:** NORTHPOINT**Lab Number:** L1714950**Project Number:** 35663**Report Date:** 05/24/17**SAMPLE RESULTS**

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.23	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.22	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.17	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.19	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.18	1
Ethyl ether	ND		ug/l	2.5	0.16	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	88		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	100		70-130

**Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1714950**Report Date:** 05/24/17**SAMPLE RESULTS**

Lab ID: L1714950-01  
Client ID: VES-Y-2 (OW)  
Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
Date Received: 05/09/17  
Field Prep: Not Specified

Matrix: Water  
Analytical Method: 1,8260C-SIM(M)  
Analytical Date: 05/15/17 12:36  
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

**Volatile Organics by GC/MS-SIM - Westborough Lab**

1,4-Dioxane	ND		ug/l	3.0	0.76	1
-------------	----	--	------	-----	------	---

**Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1714950**Report Date:** 05/24/17**SAMPLE RESULTS**

Lab ID: L1714950-01  
Client ID: VES-Y-2 (OW)  
Sample Location: CAMBRIDGE, MA

Matrix: Water  
Analytical Method: 14,504.1  
Analytical Date: 05/15/17 21:05  
Analyst: NS

Date Collected: 05/09/17 07:50  
Date Received: 05/09/17  
Field Prep: Not Specified  
Extraction Method: EPA 504.1  
Extraction Date: 05/15/17 14:40

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Microextractables by GC - Westborough Lab							
1,2-Dibromoethane	ND		ug/l	0.010	0.004	1	A
1,2-Dibromo-3-chloropropane	ND		ug/l	0.010	0.005	1	A

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-02  
 Client ID: TRIP BLANKS  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 00:00  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 06:09  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	3.0	0.68	1
1,1-Dichloroethane	ND		ug/l	0.75	0.21	1
Chloroform	ND		ug/l	0.75	0.16	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.8	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	0.75	0.14	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	0.50	0.18	1
Trichlorofluoromethane	ND		ug/l	2.5	0.16	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	0.50	0.16	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.17	1
Bromoform	ND		ug/l	2.0	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	0.75	0.16	1
Ethylbenzene	ND		ug/l	0.50	0.17	1
Chloromethane	ND		ug/l	2.5	0.18	1
Bromomethane	ND		ug/l	1.0	0.26	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	1.0	0.13	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	0.16	1
1,2-Dichloroethene, Total	ND		ug/l	0.50	0.16	1
Trichloroethene	ND		ug/l	0.50	0.18	1



Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-02  
 Client ID: TRIP BLANKS  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 00:00  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichlorobenzene	ND		ug/l	2.5	0.18	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.19	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.19	1
Methyl tert butyl ether	ND		ug/l	1.0	0.17	1
p/m-Xylene	ND		ug/l	1.0	0.33	1
o-Xylene	ND		ug/l	1.0	0.33	1
Xylenes, Total	ND		ug/l	1.0	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	0.19	1
Dibromomethane	ND		ug/l	5.0	0.36	1
1,4-Dichlorobutane	ND		ug/l	5.0	0.46	1
1,2,3-Trichloropropane	ND		ug/l	5.0	0.18	1
Styrene	ND		ug/l	1.0	0.36	1
Dichlorodifluoromethane	ND		ug/l	5.0	0.24	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	0.30	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	0.31	1
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42	1
2-Hexanone	ND		ug/l	5.0	0.52	1
Ethyl methacrylate	ND		ug/l	5.0	0.61	1
Acrylonitrile	ND		ug/l	5.0	0.43	1
Bromochloromethane	ND		ug/l	2.5	0.15	1
Tetrahydrofuran	ND		ug/l	5.0	0.83	1
2,2-Dichloropropane	ND		ug/l	2.5	0.20	1
1,2-Dibromoethane	ND		ug/l	2.0	0.19	1
1,3-Dichloropropane	ND		ug/l	2.5	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	0.16	1
Bromobenzene	ND		ug/l	2.5	0.15	1
n-Butylbenzene	ND		ug/l	0.50	0.19	1
sec-Butylbenzene	ND		ug/l	0.50	0.18	1
tert-Butylbenzene	ND		ug/l	2.5	0.18	1
o-Chlorotoluene	ND		ug/l	2.5	0.17	1
p-Chlorotoluene	ND		ug/l	2.5	0.18	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.35	1
Hexachlorobutadiene	ND		ug/l	0.50	0.22	1
Isopropylbenzene	ND		ug/l	0.50	0.19	1
p-Isopropyltoluene	ND		ug/l	0.50	0.19	1
Naphthalene	ND		ug/l	2.5	0.22	1
n-Propylbenzene	ND		ug/l	0.50	0.17	1

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-02  
 Client ID: TRIP BLANKS  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 00:00  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.23	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.22	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.17	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.19	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.18	1
Ethyl ether	ND		ug/l	2.5	0.16	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	87		70-130
Toluene-d8	111		70-130
4-Bromofluorobenzene	112		70-130
Dibromofluoromethane	96		70-130

**Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1714950**Report Date:** 05/24/17**SAMPLE RESULTS**

Lab ID: L1714950-02  
Client ID: TRIP BLANKS  
Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 00:00  
Date Received: 05/09/17  
Field Prep: Not Specified

Matrix: Water  
Analytical Method: 1,8260C-SIM(M)  
Analytical Date: 05/15/17 12:11  
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

**Volatile Organics by GC/MS-SIM - Westborough Lab**

1,4-Dioxane	ND		ug/l	3.0	0.76	1
-------------	----	--	------	-----	------	---

**Project Name:** NORTHPOINT**Lab Number:** L1714950**Project Number:** 35663**Report Date:** 05/24/17**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 14,504.1  
Analytical Date: 05/15/17 20:19  
Analyst: NS

Extraction Method: EPA 504.1  
Extraction Date: 05/15/17 14:40

Parameter	Result	Qualifier	Units	RL	MDL
Microextractables by GC - Westborough Lab for sample(s): 01 Batch: WG1003595-1					
1,2-Dibromoethane	ND		ug/l	0.010	0.004 A
1,2-Dibromo-3-chloropropane	ND		ug/l	0.010	0.005 A

**Project Name:** NORTHPOINT**Lab Number:** L1714950**Project Number:** 35663**Report Date:** 05/24/17**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C-SIM(M)

Analytical Date: 05/15/17 08:26

Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01-02 Batch: WG1003650-5					
1,4-Dioxane	ND		ug/l	3.0	0.76

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 05:02  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02 Batch: WG1003766-5					
Methylene chloride	ND		ug/l	3.0	0.68
1,1-Dichloroethane	ND		ug/l	0.75	0.21
Chloroform	ND		ug/l	0.75	0.16
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.8	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	0.75	0.14
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	0.50	0.18
Trichlorofluoromethane	ND		ug/l	2.5	0.16
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	0.50	0.16
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.17
Bromoform	ND		ug/l	2.0	0.25
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	0.75	0.16
Ethylbenzene	ND		ug/l	0.50	0.17
Chloromethane	ND		ug/l	2.5	0.18
Bromomethane	ND		ug/l	1.0	0.26
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	1.0	0.13
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	0.75	0.16
1,2-Dichloroethene, Total	ND		ug/l	0.50	0.16

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 05:02  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02 Batch: WG1003766-5					
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.18
1,3-Dichlorobenzene	ND		ug/l	2.5	0.19
1,4-Dichlorobenzene	ND		ug/l	2.5	0.19
Methyl tert butyl ether	ND		ug/l	1.0	0.17
p/m-Xylene	ND		ug/l	1.0	0.33
o-Xylene	ND		ug/l	1.0	0.33
Xylenes, Total	ND		ug/l	1.0	0.33
cis-1,2-Dichloroethene	ND		ug/l	0.50	0.19
Dibromomethane	ND		ug/l	5.0	0.36
1,4-Dichlorobutane	ND		ug/l	5.0	0.46
1,2,3-Trichloropropane	ND		ug/l	5.0	0.18
Styrene	ND		ug/l	1.0	0.36
Dichlorodifluoromethane	ND		ug/l	5.0	0.24
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	0.30
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	0.31
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42
2-Hexanone	ND		ug/l	5.0	0.52
Ethyl methacrylate	ND		ug/l	5.0	0.61
Acrylonitrile	ND		ug/l	5.0	0.43
Bromochloromethane	ND		ug/l	2.5	0.15
Tetrahydrofuran	ND		ug/l	5.0	0.83
2,2-Dichloropropane	ND		ug/l	2.5	0.20
1,2-Dibromoethane	ND		ug/l	2.0	0.19
1,3-Dichloropropane	ND		ug/l	2.5	0.21
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	0.16
Bromobenzene	ND		ug/l	2.5	0.15

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 05:02  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02 Batch: WG1003766-5					
n-Butylbenzene	ND		ug/l	0.50	0.19
sec-Butylbenzene	ND		ug/l	0.50	0.18
tert-Butylbenzene	ND		ug/l	2.5	0.18
o-Chlorotoluene	ND		ug/l	2.5	0.17
p-Chlorotoluene	ND		ug/l	2.5	0.18
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.35
Hexachlorobutadiene	ND		ug/l	0.50	0.22
Isopropylbenzene	ND		ug/l	0.50	0.19
p-Isopropyltoluene	ND		ug/l	0.50	0.19
Naphthalene	ND		ug/l	2.5	0.22
n-Propylbenzene	ND		ug/l	0.50	0.17
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.23
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.22
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.17
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.19
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.18
Ethyl ether	ND		ug/l	2.5	0.16

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	88		70-130
Toluene-d8	110		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	89		70-130





Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 07:47  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1003846-5					
Methylene chloride	ND		ug/l	3.0	0.68
1,1-Dichloroethane	ND		ug/l	0.75	0.21
Chloroform	ND		ug/l	0.75	0.16
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.8	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	0.75	0.14
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	0.50	0.18
Trichlorofluoromethane	ND		ug/l	2.5	0.16
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	0.50	0.16
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.17
Bromoform	ND		ug/l	2.0	0.25
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	0.75	0.16
Ethylbenzene	ND		ug/l	0.50	0.17
Chloromethane	ND		ug/l	2.5	0.18
Bromomethane	ND		ug/l	1.0	0.26
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	1.0	0.13
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	0.75	0.16
1,2-Dichloroethene, Total	ND		ug/l	0.50	0.16

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 07:47  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1003846-5					
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.18
1,3-Dichlorobenzene	ND		ug/l	2.5	0.19
1,4-Dichlorobenzene	ND		ug/l	2.5	0.19
Methyl tert butyl ether	ND		ug/l	1.0	0.17
p/m-Xylene	ND		ug/l	1.0	0.33
o-Xylene	ND		ug/l	1.0	0.33
Xylenes, Total	ND		ug/l	1.0	0.33
cis-1,2-Dichloroethene	ND		ug/l	0.50	0.19
Dibromomethane	ND		ug/l	5.0	0.36
1,4-Dichlorobutane	ND		ug/l	5.0	0.46
1,2,3-Trichloropropane	ND		ug/l	5.0	0.18
Styrene	ND		ug/l	1.0	0.36
Dichlorodifluoromethane	ND		ug/l	5.0	0.24
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	0.30
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	0.31
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42
2-Hexanone	ND		ug/l	5.0	0.52
Ethyl methacrylate	ND		ug/l	5.0	0.61
Acrylonitrile	ND		ug/l	5.0	0.43
Bromochloromethane	ND		ug/l	2.5	0.15
Tetrahydrofuran	ND		ug/l	5.0	0.83
2,2-Dichloropropane	ND		ug/l	2.5	0.20
1,2-Dibromoethane	ND		ug/l	2.0	0.19
1,3-Dichloropropane	ND		ug/l	2.5	0.21
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	0.16
Bromobenzene	ND		ug/l	2.5	0.15

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 05/16/17 07:47  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1003846-5					
n-Butylbenzene	ND		ug/l	0.50	0.19
sec-Butylbenzene	ND		ug/l	0.50	0.18
tert-Butylbenzene	ND		ug/l	2.5	0.18
o-Chlorotoluene	ND		ug/l	2.5	0.17
p-Chlorotoluene	ND		ug/l	2.5	0.18
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.35
Hexachlorobutadiene	ND		ug/l	0.50	0.22
Isopropylbenzene	ND		ug/l	0.50	0.19
p-Isopropyltoluene	ND		ug/l	0.50	0.19
Naphthalene	ND		ug/l	2.5	0.22
n-Propylbenzene	ND		ug/l	0.50	0.17
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.23
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.22
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.17
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.19
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.18
Ethyl ether	ND		ug/l	2.5	0.16

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	92		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	102		70-130



# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Microextractables by GC - Westborough Lab Associated sample(s): 01 Batch: WG1003595-2									
1,2-Dibromoethane	88		-		70-130	-			A
1,2-Dibromo-3-chloropropane	91		-		70-130	-			A

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01-02 Batch: WG1003650-3 WG1003650-4								
1,4-Dioxane	110		100		70-130	10		25

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02 Batch: WG1003766-3 WG1003766-4								
Methylene chloride	110		110		70-130	0		20
1,1-Dichloroethane	110		100		70-130	10		20
Chloroform	96		92		70-130	4		20
Carbon tetrachloride	77		72		63-132	7		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	88		85		63-130	3		20
1,1,2-Trichloroethane	110		100		70-130	10		20
Tetrachloroethene	100		93		70-130	7		20
Chlorobenzene	100		91		75-130	9		25
Trichlorofluoromethane	91		81		62-150	12		20
1,2-Dichloroethane	91		84		70-130	8		20
1,1,1-Trichloroethane	83		81		67-130	2		20
Bromodichloromethane	89		83		67-130	7		20
trans-1,3-Dichloropropene	110		100		70-130	10		20
cis-1,3-Dichloropropene	100		98		70-130	2		20
1,1-Dichloropropene	100		99		70-130	1		20
Bromoform	89		88		54-136	1		20
1,1,2,2-Tetrachloroethane	120		110		67-130	9		20
Benzene	110		100		70-130	10		25
Toluene	110		100		70-130	10		25
Ethylbenzene	110		100		70-130	10		20
Chloromethane	90		85		64-130	6		20
Bromomethane	150	Q	120		39-139	22	Q	20

# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02 Batch: WG1003766-3 WG1003766-4								
Vinyl chloride	110		100		55-140	10		20
Chloroethane	110		120		55-138	9		20
1,1-Dichloroethene	110		100		61-145	10		25
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	94		89		70-130	5		25
1,2-Dichlorobenzene	100		95		70-130	5		20
1,3-Dichlorobenzene	98		92		70-130	6		20
1,4-Dichlorobenzene	97		89		70-130	9		20
Methyl tert butyl ether	100		99		63-130	1		20
p/m-Xylene	105		100		70-130	5		20
o-Xylene	105		100		70-130	5		20
cis-1,2-Dichloroethene	100		97		70-130	3		20
Dibromomethane	94		91		70-130	3		20
1,4-Dichlorobutane	110		100		70-130	10		20
1,2,3-Trichloropropane	110		110		64-130	0		20
Styrene	110		100		70-130	10		20
Dichlorodifluoromethane	96		89		36-147	8		20
Acetone	90		79		58-148	13		20
Carbon disulfide	100		100		51-130	0		20
2-Butanone	92		84		63-138	9		20
Vinyl acetate	85		84		70-130	1		20
4-Methyl-2-pentanone	110		120		59-130	9		20
2-Hexanone	86		83		57-130	4		20

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02 Batch: WG1003766-3 WG1003766-4								
Ethyl methacrylate	130		120		70-130	8		20
Acrylonitrile	110		110		70-130	0		20
Bromochloromethane	97		88		70-130	10		20
Tetrahydrofuran	76		76		58-130	0		20
2,2-Dichloropropane	97		87		63-133	11		20
1,2-Dibromoethane	100		93		70-130	7		20
1,3-Dichloropropane	120		120		70-130	0		20
1,1,1,2-Tetrachloroethane	90		86		64-130	5		20
Bromobenzene	97		89		70-130	9		20
n-Butylbenzene	120		110		53-136	9		20
sec-Butylbenzene	95		91		70-130	4		20
tert-Butylbenzene	91		85		70-130	7		20
o-Chlorotoluene	100		100		70-130	0		20
p-Chlorotoluene	110		100		70-130	10		20
1,2-Dibromo-3-chloropropane	95		94		41-144	1		20
Hexachlorobutadiene	100		100		63-130	0		20
Isopropylbenzene	94		91		70-130	3		20
p-Isopropyltoluene	93		90		70-130	3		20
Naphthalene	90		91		70-130	1		20
n-Propylbenzene	100		100		69-130	0		20
1,2,3-Trichlorobenzene	98		95		70-130	3		20
1,2,4-Trichlorobenzene	98		91		70-130	7		20
1,3,5-Trimethylbenzene	97		96		64-130	1		20



# Lab Control Sample Analysis

## Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02 Batch: WG1003766-3 WG1003766-4								
1,2,4-Trimethylbenzene	98		94		70-130	4		20
trans-1,4-Dichloro-2-butene	96		82		70-130	16		20
Ethyl ether	120		120		59-134	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	85		88		70-130
Toluene-d8	110		105		70-130
4-Bromofluorobenzene	108		106		70-130
Dibromofluoromethane	91		86		70-130

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1003846-3 WG1003846-4								
Methylene chloride	99		93		70-130	6		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	98		96		70-130	2		20
Carbon tetrachloride	99		100		63-132	1		20
1,2-Dichloropropane	71		69	Q	70-130	3		20
Dibromochloromethane	85		83		63-130	2		20
1,1,2-Trichloroethane	93		89		70-130	4		20
Tetrachloroethene	89		88		70-130	1		20
Chlorobenzene	96		94		75-130	2		25
Trichlorofluoromethane	93		94		62-150	1		20
1,2-Dichloroethane	93		90		70-130	3		20
1,1,1-Trichloroethane	93		94		67-130	1		20
Bromodichloromethane	97		98		67-130	1		20
trans-1,3-Dichloropropene	80		80		70-130	0		20
cis-1,3-Dichloropropene	83		84		70-130	1		20
1,1-Dichloropropene	91		93		70-130	2		20
Bromoform	120		120		54-136	0		20
1,1,2,2-Tetrachloroethane	84		83		67-130	1		20
Benzene	99		100		70-130	1		25
Toluene	86		88		70-130	2		25
Ethylbenzene	92		87		70-130	6		20
Chloromethane	96		98		64-130	2		20
Bromomethane	64		72		39-139	12		20

# Lab Control Sample Analysis

## Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1003846-3 WG1003846-4								
Vinyl chloride	98		100		55-140	2		20
Chloroethane	94		95		55-138	1		20
1,1-Dichloroethene	86		90		61-145	5		25
trans-1,2-Dichloroethene	92		92		70-130	0		20
Trichloroethene	93		92		70-130	1		25
1,2-Dichlorobenzene	79		80		70-130	1		20
1,3-Dichlorobenzene	83		86		70-130	4		20
1,4-Dichlorobenzene	80		83		70-130	4		20
Methyl tert butyl ether	86		84		63-130	2		20
p/m-Xylene	80		85		70-130	6		20
o-Xylene	70		70		70-130	0		20
cis-1,2-Dichloroethene	95		95		70-130	0		20
Dibromomethane	91		88		70-130	3		20
1,4-Dichlorobutane	90		88		70-130	2		20
1,2,3-Trichloropropane	80		80		64-130	0		20
Styrene	120		125		70-130	4		20
Dichlorodifluoromethane	100		100		36-147	0		20
Acetone	100		100		58-148	0		20
Carbon disulfide	86		86		51-130	0		20
2-Butanone	120		110		63-138	9		20
Vinyl acetate	110		100		70-130	10		20
4-Methyl-2-pentanone	84		79		59-130	6		20
2-Hexanone	88		84		57-130	5		20

# **Lab Control Sample Analysis** Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1003846-3 WG1003846-4								
Ethyl methacrylate	73		71		70-130	3		20
Acrylonitrile	110		100		70-130	10		20
Bromochloromethane	100		100		70-130	0		20
Tetrahydrofuran	110		110		58-130	0		20
2,2-Dichloropropane	100		100		63-133	0		20
1,2-Dibromoethane	85		81		70-130	5		20
1,3-Dichloropropane	86		86		70-130	0		20
1,1,1,2-Tetrachloroethane	87		91		64-130	4		20
Bromobenzene	84		86		70-130	2		20
n-Butylbenzene	79		81		53-136	3		20
sec-Butylbenzene	78		82		70-130	5		20
tert-Butylbenzene	93		96		70-130	3		20
o-Chlorotoluene	85		87		70-130	2		20
p-Chlorotoluene	81		83		70-130	2		20
1,2-Dibromo-3-chloropropane	81		76		41-144	6		20
Hexachlorobutadiene	89		90		63-130	1		20
Isopropylbenzene	75		78		70-130	4		20
p-Isopropyltoluene	75		78		70-130	4		20
Naphthalene	73		73		70-130	0		20
n-Propylbenzene	83		86		69-130	4		20
1,2,3-Trichlorobenzene	76		78		70-130	3		20
1,2,4-Trichlorobenzene	77		78		70-130	1		20
1,3,5-Trimethylbenzene	82		86		64-130	5		20

# Lab Control Sample Analysis

## Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1003846-3 WG1003846-4								
1,2,4-Trimethylbenzene	97		100		70-130	3		20
trans-1,4-Dichloro-2-butene	93		90		70-130	3		20
Ethyl ether	89		90		59-134	1		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	89		87		70-130
Toluene-d8	93		92		70-130
4-Bromofluorobenzene	94		98		70-130
Dibromofluoromethane	97		94		70-130

# Matrix Spike Analysis

Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>	<i>Column</i>
Microextractables by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1003595-3 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)													
1,2-Dibromoethane	ND	0.258	0.240	93		-	-		65-135	-		20	A
1,2-Dibromo-3-chloropropane	ND	0.258	0.237	92		-	-		65-135	-		20	A

# SEMIVOLATILES

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified  
 Extraction Method: EPA 3510C  
 Extraction Date: 05/10/17 02:50

Matrix: Water  
 Analytical Method: 1,8270D  
 Analytical Date: 05/10/17 15:55  
 Analyst: SZ

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzidine	ND		ug/l	20	8.1	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.66	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.67	1
1,2-Dichlorobenzene	ND		ug/l	2.0	0.73	1
1,3-Dichlorobenzene	ND		ug/l	2.0	0.69	1
1,4-Dichlorobenzene	ND		ug/l	2.0	0.71	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	1.4	1
2,4-Dinitrotoluene	ND		ug/l	5.0	0.84	1
2,6-Dinitrotoluene	ND		ug/l	5.0	1.1	1
Azobenzene	ND		ug/l	2.0	0.75	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.62	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.73	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.70	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.63	1
Hexachlorocyclopentadiene	ND		ug/l	20	7.8	1
Isophorone	ND		ug/l	5.0	0.60	1
Nitrobenzene	ND		ug/l	2.0	0.75	1
NDPA/DPA	ND		ug/l	2.0	0.64	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.70	1
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	0.91	1
Butyl benzyl phthalate	ND		ug/l	5.0	1.3	1
Di-n-butylphthalate	ND		ug/l	5.0	0.69	1
Di-n-octylphthalate	ND		ug/l	5.0	1.1	1
Diethyl phthalate	ND		ug/l	5.0	0.63	1
Dimethyl phthalate	ND		ug/l	5.0	0.65	1
Biphenyl	ND		ug/l	2.0	0.76	1
Aniline	ND		ug/l	2.0	0.65	1
4-Chloroaniline	ND		ug/l	5.0	0.63	1
2-Nitroaniline	ND		ug/l	5.0	1.1	1
3-Nitroaniline	ND		ug/l	5.0	1.2	1



Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
4-Nitroaniline	ND		ug/l	5.0	1.3	1
Dibenzofuran	ND		ug/l	2.0	0.66	1
n-Nitrosodimethylamine	ND		ug/l	2.0	0.67	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.68	1
p-Chloro-m-cresol	ND		ug/l	2.0	0.62	1
2-Chlorophenol	ND		ug/l	2.0	0.63	1
2,4-Dichlorophenol	ND		ug/l	5.0	0.77	1
2,4-Dimethylphenol	ND		ug/l	5.0	1.6	1
2-Nitrophenol	ND		ug/l	10	1.5	1
4-Nitrophenol	ND		ug/l	10	1.8	1
2,4-Dinitrophenol	ND		ug/l	20	5.5	1
4,6-Dinitro-o-cresol	ND		ug/l	10	2.1	1
Phenol	ND		ug/l	5.0	1.9	1
2-Methylphenol	ND		ug/l	5.0	1.0	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	1.1	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.72	1
Benzoic Acid	ND		ug/l	50	13.	1
Benzyl Alcohol	ND		ug/l	2.0	0.72	1
Carbazole	ND		ug/l	2.0	0.63	1
Pyridine	ND		ug/l	3.5	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	39		21-120
Phenol-d6	29		10-120
Nitrobenzene-d5	69		23-120
2-Fluorobiphenyl	65		15-120
2,4,6-Tribromophenol	71		10-120
4-Terphenyl-d14	66		41-149

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified  
 Extraction Method: EPA 3510C  
 Extraction Date: 05/10/17 02:48

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 05/13/17 23:19  
 Analyst: KL

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	0.25		ug/l	0.10	0.04	1
2-Chloronaphthalene	ND		ug/l	0.20	0.04	1
Fluoranthene	0.09	J	ug/l	0.20	0.04	1
Hexachlorobutadiene	ND		ug/l	0.50	0.04	1
Naphthalene	ND		ug/l	0.20	0.04	1
Benzo(a)anthracene	ND		ug/l	0.20	0.02	1
Benzo(a)pyrene	ND		ug/l	0.20	0.04	1
Benzo(b)fluoranthene	ND		ug/l	0.20	0.02	1
Benzo(k)fluoranthene	ND		ug/l	0.20	0.04	1
Chrysene	ND		ug/l	0.20	0.04	1
Acenaphthylene	ND		ug/l	0.20	0.04	1
Anthracene	ND		ug/l	0.20	0.04	1
Benzo(ghi)perylene	ND		ug/l	0.20	0.04	1
Fluorene	0.06	J	ug/l	0.20	0.04	1
Phenanthrene	ND		ug/l	0.20	0.02	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.04	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.20	0.04	1
Pyrene	0.08	J	ug/l	0.20	0.04	1
1-Methylnaphthalene	ND		ug/l	0.20	0.04	1
2-Methylnaphthalene	ND		ug/l	0.20	0.05	1
Pentachlorophenol	ND		ug/l	0.80	0.22	1
Hexachlorobenzene	ND		ug/l	0.80	0.03	1
Hexachloroethane	ND		ug/l	0.80	0.03	1

**Project Name:** NORTHPOINT**Lab Number:** L1714950**Project Number:** 35663**Report Date:** 05/24/17**SAMPLE RESULTS**

Lab ID: L1714950-01

Date Collected: 05/09/17 07:50

Client ID: VES-Y-2 (OW)

Date Received: 05/09/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	46		21-120
Phenol-d6	35		10-120
Nitrobenzene-d5	72		23-120
2-Fluorobiphenyl	83		15-120
2,4,6-Tribromophenol	75		10-120
4-Terphenyl-d14	64		41-149

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D  
 Analytical Date: 05/09/17 21:55  
 Analyst: SZ

Extraction Method: EPA 3510C  
 Extraction Date: 05/09/17 07:23

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001543-1					
Acenaphthene	ND		ug/l	2.0	0.59
Benzidine	ND		ug/l	20	8.1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.66
Hexachlorobenzene	ND		ug/l	2.0	0.58
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.67
2-Chloronaphthalene	ND		ug/l	2.0	0.64
1,2-Dichlorobenzene	ND		ug/l	2.0	0.73
1,3-Dichlorobenzene	ND		ug/l	2.0	0.69
1,4-Dichlorobenzene	ND		ug/l	2.0	0.71
3,3'-Dichlorobenzidine	ND		ug/l	5.0	1.4
2,4-Dinitrotoluene	ND		ug/l	5.0	0.84
2,6-Dinitrotoluene	ND		ug/l	5.0	1.1
Azobenzene	ND		ug/l	2.0	0.75
Fluoranthene	ND		ug/l	2.0	0.57
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.62
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.73
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.70
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.63
Hexachlorobutadiene	ND		ug/l	2.0	0.72
Hexachlorocyclopentadiene	ND		ug/l	20	7.8
Hexachloroethane	ND		ug/l	2.0	0.68
Isophorone	ND		ug/l	5.0	0.60
Naphthalene	ND		ug/l	2.0	0.68
Nitrobenzene	ND		ug/l	2.0	0.75
NDPA/DPA	ND		ug/l	2.0	0.64
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.70
Bis(2-ethylhexyl)phthalate	ND		ug/l	3.0	0.91
Butyl benzyl phthalate	ND		ug/l	5.0	1.3
Di-n-butylphthalate	ND		ug/l	5.0	0.69

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D  
 Analytical Date: 05/09/17 21:55  
 Analyst: SZ

Extraction Method: EPA 3510C  
 Extraction Date: 05/09/17 07:23

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001543-1					
Di-n-octylphthalate	ND		ug/l	5.0	1.1
Diethyl phthalate	ND		ug/l	5.0	0.63
Dimethyl phthalate	ND		ug/l	5.0	0.65
Benzo(a)anthracene	ND		ug/l	2.0	0.61
Benzo(a)pyrene	ND		ug/l	2.0	0.54
Benzo(b)fluoranthene	ND		ug/l	2.0	0.64
Benzo(k)fluoranthene	ND		ug/l	2.0	0.60
Chrysene	ND		ug/l	2.0	0.54
Acenaphthylene	ND		ug/l	2.0	0.66
Anthracene	ND		ug/l	2.0	0.64
Benzo(ghi)perylene	ND		ug/l	2.0	0.61
Fluorene	ND		ug/l	2.0	0.62
Phenanthrene	ND		ug/l	2.0	0.61
Dibenzo(a,h)anthracene	ND		ug/l	2.0	0.55
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	0.71
Pyrene	ND		ug/l	2.0	0.57
Biphenyl	ND		ug/l	2.0	0.76
Aniline	ND		ug/l	2.0	0.65
4-Chloroaniline	ND		ug/l	5.0	0.63
1-Methylnaphthalene	ND		ug/l	2.0	0.67
2-Nitroaniline	ND		ug/l	5.0	1.1
3-Nitroaniline	ND		ug/l	5.0	1.2
4-Nitroaniline	ND		ug/l	5.0	1.3
Dibenzofuran	ND		ug/l	2.0	0.66
2-Methylnaphthalene	ND		ug/l	2.0	0.72
n-Nitrosodimethylamine	ND		ug/l	2.0	0.67
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.68
p-Chloro-m-cresol	ND		ug/l	2.0	0.62
2-Chlorophenol	ND		ug/l	2.0	0.63

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D  
 Analytical Date: 05/09/17 21:55  
 Analyst: SZ

Extraction Method: EPA 3510C  
 Extraction Date: 05/09/17 07:23

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001543-1					
2,4-Dichlorophenol	ND		ug/l	5.0	0.77
2,4-Dimethylphenol	ND		ug/l	5.0	1.6
2-Nitrophenol	ND		ug/l	10	1.5
4-Nitrophenol	ND		ug/l	10	1.8
2,4-Dinitrophenol	ND		ug/l	20	5.5
4,6-Dinitro-o-cresol	ND		ug/l	10	2.1
Pentachlorophenol	ND		ug/l	10	3.4
Phenol	ND		ug/l	5.0	1.9
2-Methylphenol	ND		ug/l	5.0	1.0
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	1.1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.72
Benzoic Acid	ND		ug/l	50	13.
Benzyl Alcohol	ND		ug/l	2.0	0.72
Carbazole	ND		ug/l	2.0	0.63
Pyridine	ND		ug/l	3.5	1.9

#### Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/l

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D  
 Analytical Date: 05/09/17 21:55  
 Analyst: SZ

Extraction Method: EPA 3510C  
 Extraction Date: 05/09/17 07:23

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001543-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	40		21-120
Phenol-d6	28		10-120
Nitrobenzene-d5	73		23-120
2-Fluorobiphenyl	68		15-120
2,4,6-Tribromophenol	78		10-120
4-Terphenyl-d14	85		41-149

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D-SIM  
 Analytical Date: 05/10/17 08:48  
 Analyst: KL

Extraction Method: EPA 3510C  
 Extraction Date: 05/09/17 07:29

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1001549-1					
Acenaphthene	ND		ug/l	0.10	0.04
2-Chloronaphthalene	ND		ug/l	0.20	0.04
Fluoranthene	ND		ug/l	0.20	0.04
Hexachlorobutadiene	ND		ug/l	0.50	0.04
Naphthalene	ND		ug/l	0.20	0.04
Benzo(a)anthracene	0.03	J	ug/l	0.20	0.02
Benzo(a)pyrene	0.04	J	ug/l	0.20	0.04
Benzo(b)fluoranthene	0.04	J	ug/l	0.20	0.02
Benzo(k)fluoranthene	0.06	J	ug/l	0.20	0.04
Chrysene	0.04	J	ug/l	0.20	0.04
Acenaphthylene	ND		ug/l	0.20	0.04
Anthracene	ND		ug/l	0.20	0.04
Benzo(ghi)perylene	ND		ug/l	0.20	0.04
Fluorene	ND		ug/l	0.20	0.04
Phenanthrene	ND		ug/l	0.20	0.02
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.04
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.20	0.04
Pyrene	ND		ug/l	0.20	0.04
1-Methylnaphthalene	ND		ug/l	0.20	0.04
2-Methylnaphthalene	ND		ug/l	0.20	0.05
Pentachlorophenol	ND		ug/l	0.80	0.22
Hexachlorobenzene	ND		ug/l	0.80	0.03
Hexachloroethane	ND		ug/l	0.80	0.03



Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D-SIM  
 Analytical Date: 05/10/17 08:48  
 Analyst: KL

Extraction Method: EPA 3510C  
 Extraction Date: 05/09/17 07:29

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1001549-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	57		21-120
Phenol-d6	39		10-120
Nitrobenzene-d5	87		23-120
2-Fluorobiphenyl	90		15-120
2,4,6-Tribromophenol	105		10-120
4-Terphenyl-d14	98		41-149

# Lab Control Sample Analysis

## Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001543-2 WG1001543-3								
Acenaphthene	71		74		37-111	4		30
Benzidine	59		84	Q	10-75	35	Q	30
1,2,4-Trichlorobenzene	69		71		39-98	3		30
Hexachlorobenzene	78		82		40-140	5		30
Bis(2-chloroethyl)ether	65		66		40-140	2		30
2-Chloronaphthalene	75		78		40-140	4		30
1,2-Dichlorobenzene	62		65		40-140	5		30
1,3-Dichlorobenzene	62		61		40-140	2		30
1,4-Dichlorobenzene	61		63		36-97	3		30
3,3'-Dichlorobenzidine	74		80		40-140	8		30
2,4-Dinitrotoluene	80		86		48-143	7		30
2,6-Dinitrotoluene	77		82		40-140	6		30
Azobenzene	66		72		40-140	9		30
Fluoranthene	76		82		40-140	8		30
4-Chlorophenyl phenyl ether	73		78		40-140	7		30
4-Bromophenyl phenyl ether	75		81		40-140	8		30
Bis(2-chloroisopropyl)ether	50		52		40-140	4		30
Bis(2-chloroethoxy)methane	68		70		40-140	3		30
Hexachlorobutadiene	66		70		40-140	6		30
Hexachlorocyclopentadiene	72		79		40-140	9		30
Hexachloroethane	63		64		40-140	2		30
Isophorone	71		75		40-140	5		30
Naphthalene	66		69		40-140	4		30

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001543-2 WG1001543-3								
Nitrobenzene	73		75		40-140	3		30
NDPA/DPA	76		81		40-140	6		30
n-Nitrosodi-n-propylamine	71		75		29-132	5		30
Bis(2-ethylhexyl)phthalate	83		91		40-140	9		30
Butyl benzyl phthalate	81		86		40-140	6		30
Di-n-butylphthalate	80		86		40-140	7		30
Di-n-octylphthalate	85		90		40-140	6		30
Diethyl phthalate	76		82		40-140	8		30
Dimethyl phthalate	76		82		40-140	8		30
Benzo(a)anthracene	76		83		40-140	9		30
Benzo(a)pyrene	86		89		40-140	3		30
Benzo(b)fluoranthene	81		84		40-140	4		30
Benzo(k)fluoranthene	85		88		40-140	3		30
Chrysene	76		78		40-140	3		30
Acenaphthylene	78		82		45-123	5		30
Anthracene	76		80		40-140	5		30
Benzo(ghi)perylene	77		83		40-140	8		30
Fluorene	75		80		40-140	6		30
Phenanthrene	70		76		40-140	8		30
Dibenzo(a,h)anthracene	74		81		40-140	9		30
Indeno(1,2,3-cd)pyrene	79		84		40-140	6		30
Pyrene	75		80		26-127	6		30
Biphenyl	78		81		40-140	4		30

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001543-2 WG1001543-3								
Aniline	46		53		40-140	14		30
4-Chloroaniline	63		70		40-140	11		30
1-Methylnaphthalene	76		80		41-103	5		30
2-Nitroaniline	84		90		52-143	7		30
3-Nitroaniline	73		77		25-145	5		30
4-Nitroaniline	74		79		51-143	7		30
Dibenzofuran	73		77		40-140	5		30
2-Methylnaphthalene	73		77		40-140	5		30
n-Nitrosodimethylamine	41		38		22-74	8		30
2,4,6-Trichlorophenol	83		87		30-130	5		30
p-Chloro-m-cresol	84		89		23-97	6		30
2-Chlorophenol	72		73		27-123	1		30
2,4-Dichlorophenol	81		85		30-130	5		30
2,4-Dimethylphenol	85		89		30-130	5		30
2-Nitrophenol	83		88		30-130	6		30
4-Nitrophenol	58		53		10-80	9		30
2,4-Dinitrophenol	92		96		20-130	4		30
4,6-Dinitro-o-cresol	83		88		20-164	6		30
Pentachlorophenol	78		86		9-103	10		30
Phenol	42		37		12-110	13		30
2-Methylphenol	68		67		30-130	1		30
3-Methylphenol/4-Methylphenol	67		64		30-130	5		30
2,4,5-Trichlorophenol	85		89		30-130	5		30

# Lab Control Sample Analysis

## Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001543-2 WG1001543-3								
Benzoic Acid	50		41		10-164	20		30
Benzyl Alcohol	70		68		26-116	3		30
Carbazole	75		80		55-144	6		30
Pyridine	31		35		10-66	12		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	55		50		21-120
Phenol-d6	42		36		10-120
Nitrobenzene-d5	81		86		23-120
2-Fluorobiphenyl	75		82		15-120
2,4,6-Tribromophenol	76		83		10-120
4-Terphenyl-d14	77		84		41-149

# Lab Control Sample Analysis

## Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1001549-2 WG1001549-3								
Acenaphthene	91		90		37-111	1		40
2-Chloronaphthalene	92		92		40-140	0		40
Fluoranthene	100		93		40-140	7		40
Hexachlorobutadiene	77		79		40-140	3		40
Naphthalene	83		85		40-140	2		40
Benzo(a)anthracene	95		90		40-140	5		40
Benzo(a)pyrene	100		95		40-140	5		40
Benzo(b)fluoranthene	103		96		40-140	7		40
Benzo(k)fluoranthene	105		99		40-140	6		40
Chrysene	96		93		40-140	3		40
Acenaphthylene	101		100		40-140	1		40
Anthracene	101		97		40-140	4		40
Benzo(ghi)perylene	102		97		40-140	5		40
Fluorene	96		94		40-140	2		40
Phenanthrene	90		86		40-140	5		40
Dibenzo(a,h)anthracene	98		93		40-140	5		40
Indeno(1,2,3-cd)pyrene	103		98		40-140	5		40
Pyrene	99		92		26-127	7		40
1-Methylnaphthalene	89		90		40-140	1		40
2-Methylnaphthalene	89		89		40-140	0		40
Pentachlorophenol	100		98		9-103	2		40
Hexachlorobenzene	95		93		40-140	2		40
Hexachloroethane	70		73		40-140	4		40

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1001549-2 WG1001549-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	56		58		21-120
Phenol-d6	40		42		10-120
Nitrobenzene-d5	89		92		23-120
2-Fluorobiphenyl	87		88		15-120
2,4,6-Tribromophenol	106		103		10-120
4-Terphenyl-d14	94		86		41-149

# PCBS



**Project Name:** NORTHPOINT**Lab Number:** L1714950**Project Number:** 35663**Report Date:** 05/24/17**SAMPLE RESULTS**

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 5,608  
 Analytical Date: 05/16/17 07:52  
 Analyst: JW

Extraction Method: EPA 608  
 Extraction Date: 05/12/17 23:53  
 Cleanup Method: EPA 3665A  
 Cleanup Date: 05/13/17  
 Cleanup Method: EPA 3660B  
 Cleanup Date: 05/13/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
-----------	--------	-----------	-------	----	-----	-----------------	--------

## Polychlorinated Biphenyls by GC - Westborough Lab

Aroclor 1016	ND		ug/l	0.250	0.042	1	A
Aroclor 1221	ND		ug/l	0.250	0.056	1	A
Aroclor 1232	ND		ug/l	0.250	0.024	1	A
Aroclor 1242	ND		ug/l	0.250	0.028	1	A
Aroclor 1248	ND		ug/l	0.250	0.028	1	A
Aroclor 1254	ND		ug/l	0.250	0.043	1	A
Aroclor 1260	ND		ug/l	0.200	0.045	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	83		30-150	A
Decachlorobiphenyl	67		30-150	A

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Analytical Method: 5,608  
 Analytical Date: 05/16/17 08:16  
 Analyst: JW

Extraction Method: EPA 608  
 Extraction Date: 05/12/17 23:53  
 Cleanup Method: EPA 3665A  
 Cleanup Date: 05/13/17  
 Cleanup Method: EPA 3660B  
 Cleanup Date: 05/13/17

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01 Batch: WG1003119-1						
Aroclor 1016	ND		ug/l	0.250	0.042	A
Aroclor 1221	ND		ug/l	0.250	0.056	A
Aroclor 1232	ND		ug/l	0.250	0.024	A
Aroclor 1242	ND		ug/l	0.250	0.028	A
Aroclor 1248	ND		ug/l	0.250	0.028	A
Aroclor 1254	ND		ug/l	0.250	0.043	A
Aroclor 1260	ND		ug/l	0.200	0.045	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	79		30-150	A
Decachlorobiphenyl	79		30-150	A

# Lab Control Sample Analysis

## Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 Batch: WG1003119-2									
Aroclor 1016	94		-		30-150	-		30	A
Aroclor 1260	97		-		30-150	-		30	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76				30-150	A
Decachlorobiphenyl	80				30-150	A

**Matrix Spike Analysis***Batch Quality Control***Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1714950**Report Date:** 05/24/17

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1003119-3 QC Sample: L1706390-65 Client ID: MS Sample													
Aroclor 1016	ND	3.12	3.20	102		-	-		40-126	-		30	A
Aroclor 1260	ND	3.12	3.28	105		-	-		40-127	-		30	A

<b>Surrogate</b>	<b>MS % Recovery</b>	<b>Qualifier</b>	<b>MSD % Recovery</b>	<b>Qualifier</b>	<b>Acceptance Criteria</b>	<b>Column</b>
2,4,5,6-Tetrachloro-m-xylene	82				30-150	A
Decachlorobiphenyl	80				30-150	A

# Lab Duplicate Analysis

## Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1003119-4 QC Sample: L1706390-65 Client ID: DUP Sample						
Aroclor 1016	ND	ND	ug/l	NC		30 A
Aroclor 1221	ND	ND	ug/l	NC		30 A
Aroclor 1232	ND	ND	ug/l	NC		30 A
Aroclor 1242	ND	ND	ug/l	NC		30 A
Aroclor 1248	ND	ND	ug/l	NC		30 A
Aroclor 1254	ND	ND	ug/l	NC		30 A
Aroclor 1260	ND	ND	ug/l	NC		30 A

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	85		90		30-150	A
Decachlorobiphenyl	83		88		30-150	A

## METALS

Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## SAMPLE RESULTS

Lab ID: L1714950-01  
 Client ID: VES-Y-2 (OW)  
 Sample Location: CAMBRIDGE, MA  
 Matrix: Water

Date Collected: 05/09/17 07:50  
 Date Received: 05/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Antimony, Total	0.00047	J	mg/l	0.00400	0.00042	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Arsenic, Total	0.01784		mg/l	0.00100	0.00016	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Barium, Total	0.2289		mg/l	0.00100	0.00017	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Beryllium, Total	ND		mg/l	0.00100	0.00010	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00100	0.00005	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Calcium, Total	150		mg/l	0.100	0.035	1	05/10/17 13:00	05/10/17 18:30	EPA 3005A	19,200.7	PS
Chromium, Total	0.00045	J	mg/l	0.00100	0.00017	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Copper, Total	0.00098	J	mg/l	0.00100	0.00038	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Iron, Total	32.9		mg/l	0.050	0.009	1	05/10/17 13:00	05/10/17 18:30	EPA 3005A	19,200.7	PS
Lead, Total	0.00302		mg/l	0.00100	0.00034	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Magnesium, Total	14.8		mg/l	0.100	0.015	1	05/10/17 13:00	05/10/17 18:30	EPA 3005A	19,200.7	PS
Manganese, Total	1.168		mg/l	0.00100	0.00044	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/10/17 11:19	05/10/17 18:24	EPA 245.1	3,245.1	EA
Nickel, Total	0.00541		mg/l	0.00200	0.00055	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Potassium, Total	12.5		mg/l	2.50	0.237	1	05/10/17 13:00	05/10/17 18:30	EPA 3005A	19,200.7	PS
Selenium, Total	ND		mg/l	0.00500	0.00173	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Silver, Total	ND		mg/l	0.00100	0.00026	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Sodium, Total	84.5		mg/l	2.00	0.120	1	05/10/17 13:00	05/10/17 18:30	EPA 3005A	19,200.7	PS
Zinc, Total	ND		mg/l	0.01000	0.00341	1	05/10/17 13:00	05/11/17 11:41	EPA 3005A	3,200.8	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	430		mg/l	0.66	NA	1	05/10/17 13:00	05/11/17 11:21	EPA 3005A	1,6010C	PS

## General Chemistry - Mansfield Lab

Chromium, Trivalent	ND		mg/l	0.010	0.010	1		05/11/17 11:41	NA	107,-	
---------------------	----	--	------	-------	-------	---	--	----------------	----	-------	--



Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1002048-1										
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/10/17 11:19	05/10/17 18:15	3,245.1	EA

### Prep Information

Digestion Method: EPA 245.1

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1002079-1										
Calcium, Total	ND		mg/l	0.100	0.035	1	05/10/17 13:00	05/10/17 18:01	19,200.7	PS
Iron, Total	ND		mg/l	0.050	0.009	1	05/10/17 13:00	05/10/17 18:01	19,200.7	PS
Magnesium, Total	ND		mg/l	0.100	0.015	1	05/10/17 13:00	05/10/17 18:01	19,200.7	PS
Potassium, Total	ND		mg/l	2.50	0.237	1	05/10/17 13:00	05/10/17 18:01	19,200.7	PS
Sodium, Total	ND		mg/l	2.00	0.120	1	05/10/17 13:00	05/10/17 18:01	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1002085-1										
Antimony, Total	ND		mg/l	0.00400	0.00042	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Arsenic, Total	ND		mg/l	0.00100	0.00016	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Barium, Total	ND		mg/l	0.00100	0.00017	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Beryllium, Total	ND		mg/l	0.00100	0.00010	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00100	0.00005	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Chromium, Total	ND		mg/l	0.00100	0.00017	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Copper, Total	ND		mg/l	0.00100	0.00038	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Lead, Total	ND		mg/l	0.00100	0.00034	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Manganese, Total	ND		mg/l	0.00100	0.00044	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Nickel, Total	ND		mg/l	0.00200	0.00055	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Selenium, Total	ND		mg/l	0.00500	0.00173	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
Silver, Total	ND		mg/l	0.00100	0.00026	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM





Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

## Method Blank Analysis Batch Quality Control

Zinc, Total	ND	mg/l	0.01000	0.00341	1	05/10/17 13:00	05/11/17 11:14	3,200.8	AM
-------------	----	------	---------	---------	---	----------------	----------------	---------	----

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01 Batch: WG1002087-1										
Hardness	ND		mg/l	0.66	NA	1	05/10/17 13:00	05/11/17 11:13	1,6010C	PS

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1002048-2								
Mercury, Total	105		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1002079-2								
Calcium, Total	92		-		85-115	-		
Iron, Total	102		-		85-115	-		
Magnesium, Total	98		-		85-115	-		
Potassium, Total	95		-		85-115	-		
Sodium, Total	92		-		85-115	-		

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1002085-2					
Antimony, Total	99	-	85-115	-	
Arsenic, Total	102	-	85-115	-	
Barium, Total	99	-	85-115	-	
Beryllium, Total	101	-	85-115	-	
Cadmium, Total	109	-	85-115	-	
Chromium, Total	106	-	85-115	-	
Copper, Total	105	-	85-115	-	
Lead, Total	105	-	85-115	-	
Manganese, Total	103	-	85-115	-	
Nickel, Total	106	-	85-115	-	
Selenium, Total	102	-	85-115	-	
Silver, Total	99	-	85-115	-	
Zinc, Total	103	-	85-115	-	
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 Batch: WG1002087-2					
Hardness	95	-	80-120	-	

# **Matrix Spike Analysis** **Batch Quality Control**

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1714950

**Report Date:** 05/24/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1002048-3    QC Sample: L1700005-79    Client ID: MS Sample												
Mercury, Total	ND	0.005	0.00490	98		-	-		70-130	-		20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1002079-3    QC Sample: L1715014-01    Client ID: MS Sample												
Calcium, Total	130.	10	137	70	Q	-	-		75-125	-		20
Iron, Total	0.262	1	1.27	101		-	-		75-125	-		20
Magnesium, Total	49.4	10	56.7	73	Q	-	-		75-125	-		20
Potassium, Total	29.6	10	39.4	98		-	-		75-125	-		20
Sodium, Total	733.	10	696	0	Q	-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1002079-7    QC Sample: L1714950-01    Client ID: VES-Y-2 (OW)												
Calcium, Total	150.	10	156	60	Q	-	-		75-125	-		20
Iron, Total	32.9	1	33.0	10	Q	-	-		75-125	-		20
Magnesium, Total	14.8	10	23.5	87		-	-		75-125	-		20
Potassium, Total	12.5	10	21.9	94		-	-		75-125	-		20
Sodium, Total	84.5	10	92.4	79		-	-		75-125	-		20

# **Matrix Spike Analysis** Batch Quality Control

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1714950  
**Report Date:** 05/24/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1002085-3 QC Sample: L1715014-01 Client ID: MS Sample									
Antimony, Total	0.00162J	0.5	0.6248	125	-	-	70-130	-	20
Arsenic, Total	0.00376	0.12	0.1285	104	-	-	70-130	-	20
Barium, Total	0.1606	2	2.160	100	-	-	70-130	-	20
Beryllium, Total	ND	0.05	0.05239	105	-	-	70-130	-	20
Cadmium, Total	0.00010J	0.051	0.05713	112	-	-	70-130	-	20
Chromium, Total	0.00155	0.2	0.2039	101	-	-	70-130	-	20
Copper, Total	0.00184	0.25	0.2646	105	-	-	70-130	-	20
Lead, Total	0.00116	0.51	0.5234	102	-	-	70-130	-	20
Manganese, Total	0.1028	0.5	0.6330	106	-	-	70-130	-	20
Nickel, Total	0.00125J	0.5	0.5018	100	-	-	70-130	-	20
Selenium, Total	ND	0.12	0.1351	112	-	-	70-130	-	20
Silver, Total	ND	0.05	0.05018	100	-	-	70-130	-	20
Zinc, Total	0.00686J	0.5	0.5320	106	-	-	70-130	-	20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1002087-3 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)									
Hardness	430	66.2	470	60	Q	-	75-125	-	20

# **Lab Duplicate Analysis** Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1002048-4 QC Sample: L1700005-79 Client ID: DUP Sample						
Mercury, Total	ND	0.00010J	mg/l	NC		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1002079-8 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)						
Calcium, Total	150.	151	mg/l	1		20
Iron, Total	32.9	33.0	mg/l	0		20
Magnesium, Total	14.8	14.9	mg/l	1		20
Potassium, Total	12.5	12.5	mg/l	0		20
Sodium, Total	84.5	86.5	mg/l	2		20
Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1002085-4 QC Sample: L1715014-01 Client ID: DUP Sample						
Antimony, Total	0.00162J	0.00231J	mg/l	NC		20
Arsenic, Total	0.00376	0.00375	mg/l	0		20
Cadmium, Total	0.00010J	0.00012J	mg/l	NC		20
Chromium, Total	0.00155	0.00293	mg/l	62	Q	20
Copper, Total	0.00184	0.00175	mg/l	5		20
Lead, Total	0.00116	0.00122	mg/l	5		20
Nickel, Total	0.00125J	0.00295	mg/l	NC		20
Selenium, Total	ND	ND	mg/l	NC		20
Silver, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.00686J	0.00622J	mg/l	NC		20

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Duplicate Analysis**  
**Batch Quality Control**

**Lab Number:** L1714950  
**Report Date:** 05/24/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1002087-4 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)					
Hardness	430	440	mg/l	2	20

# **INORGANICS & MISCELLANEOUS**



**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1714950  
**Report Date:** 05/24/17

**SAMPLE RESULTS**

**Lab ID:** L1714950-01  
**Client ID:** VES-Y-2 (OW)  
**Sample Location:** CAMBRIDGE, MA  
**Matrix:** Water

**Date Collected:** 05/09/17 07:50  
**Date Received:** 05/09/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Solids, Total Dissolved	820		mg/l	20	6.1	2	-	05/11/17 11:55	121,2540C	DW
Solids, Total Suspended	47.		mg/l	5.0	NA	1	-	05/11/17 23:55	121,2540D	VB
Cyanide, Total	ND		mg/l	0.005	0.001	1	05/11/17 10:20	05/11/17 15:59	121,4500CN-CE	JO
Chlorine, Total Residual	ND		mg/l	0.02	0.01	1	-	05/09/17 22:34	121,4500CL-D	AS
Nitrogen, Ammonia	12.8		mg/l	0.075	0.022	1	05/09/17 23:00	05/11/17 23:37	121,4500NH3-BH	AT
Phosphorus, Total	1.08		mg/l	0.050	0.015	5	05/11/17 11:00	05/12/17 10:56	121,4500P-E	SD
Phosphorus, Soluble	0.020		mg/l	0.020	0.008	2	05/10/17 12:20	05/10/17 16:15	121,4500P-E	SD
TPH, SGT-HEM	ND		mg/l	4.00	1.24	1	05/11/17 17:00	05/11/17 22:37	74,1664A	ML
Phenolics, Total	0.011	J	mg/l	0.030	0.010	1	05/11/17 12:06	05/11/17 16:03	4,420.1	AW
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/09/17 23:15	05/09/17 23:54	1,7196A	MR
<b>Anions by Ion Chromatography - Westborough Lab</b>										
Chloride	174.		mg/l	12.5	2.10	25	-	05/11/17 22:36	44,300.0	AU



Project Name: NORTHPOINT

Lab Number: L1714950

Project Number: 35663

Report Date: 05/24/17

### Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1001848-1										
Chlorine, Total Residual	ND		mg/l	0.02	0.01	1	-	05/09/17 22:34	121,4500CL-D	AS
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1001854-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/09/17 23:15	05/09/17 23:53	1,7196A	MR
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1001864-1										
Nitrogen, Ammonia	ND		mg/l	0.075	0.022	1	05/09/17 23:00	05/11/17 23:34	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1002042-1										
Phosphorus, Soluble	ND		mg/l	0.010	0.004	1	05/10/17 12:20	05/10/17 16:15	121,4500P-E	SD
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1002318-1										
Solids, Total Dissolved	ND		mg/l	10	3.1	1	-	05/11/17 11:55	121,2540C	DW
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1002395-1										
Cyanide, Total	ND		mg/l	0.005	0.001	1	05/11/17 10:20	05/11/17 15:56	121,4500CN-CE	JO
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1002404-1										
Phosphorus, Total	ND		mg/l	0.010	0.003	1	05/11/17 11:00	05/12/17 09:22	121,4500P-E	SD
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1002507-1										
Phenolics, Total	ND		mg/l	0.030	0.010	1	05/11/17 12:06	05/11/17 16:01	4,420.1	AW
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1002624-1										
TPH, SGT-HEM	ND		mg/l	4.00	1.24	1	05/11/17 17:00	05/11/17 22:37	74,1664A	ML
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1002698-1										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	05/11/17 23:55	121,2540D	VB
Anions by Ion Chromatography - Westborough Lab for sample(s): 01 Batch: WG1002713-1										
Chloride	ND		mg/l	0.500	0.083	1	-	05/11/17 17:36	44,300.0	AU

**Lab Control Sample Analysis****Batch Quality Control****Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1714950**Report Date:** 05/24/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1001848-2								
Chlorine, Total Residual	105		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1001854-2								
Chromium, Hexavalent	90		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1001864-2								
Nitrogen, Ammonia	98		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1002042-2								
Phosphorus, Soluble	107		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1002318-2								
Solids, Total Dissolved	100		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1002395-2								
Cyanide, Total	98		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1002404-2								
Phosphorus, Total	95		-		80-120	-		

**Lab Control Sample Analysis****Batch Quality Control****Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1714950**Report Date:** 05/24/17

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1002507-2					
Phenolics, Total	92	-	70-130	-	
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1002624-2					
TPH	90	-	64-132	-	34
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 Batch: WG1002713-2					
Chloride	105	-	90-110	-	

# **Matrix Spike Analysis** **Batch Quality Control**

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001848-4 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)												
Chlorine, Total Residual	ND	0.248	0.25	101		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001854-4 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)												
Chromium, Hexavalent	ND	0.1	0.089	89		-	-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001864-4 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)												
Nitrogen, Ammonia	12.8	4	17.4	115		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002042-3 QC Sample: L1714762-02 Client ID: MS Sample												
Phosphorus, Soluble	0.025	0.5	0.484	92		-	-		75-125	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002395-4 QC Sample: L1700005-78 Client ID: MS Sample												
Cyanide, Total	0.010	0.2	0.192	91		-	-		90-110	-		30
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002404-3 QC Sample: L1713797-01 Client ID: MS Sample												
Phosphorus, Total	0.051	0.5	0.562	102		-	-		75-125	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002507-4 QC Sample: L1714972-02 Client ID: MS Sample												
Phenolics, Total	0.012J	0.4	0.42	105		-	-		70-130	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002624-4 QC Sample: L1714908-01 Client ID: MS Sample												
TPH	52.7	20.4	73.0	99		-	-		64-132	-		34
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002713-3 QC Sample: L1715269-01 Client ID: MS Sample												
Chloride	130.	100	238	108		-	-		90-110	-		18

# Lab Duplicate Analysis

## Batch Quality Control

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001848-3 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)						
Chlorine, Total Residual	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001854-3 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)						
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001864-3 QC Sample: L1714950-01 Client ID: VES-Y-2 (OW)						
Nitrogen, Ammonia	12.8	13.3	mg/l	4		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002042-4 QC Sample: L1714762-01 Client ID: DUP Sample						
Phosphorus, Soluble	0.017	0.014J	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002318-3 QC Sample: L1715003-01 Client ID: DUP Sample						
Solids, Total Dissolved	1900	1900	mg/l	0		10
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002395-3 QC Sample: L1714990-01 Client ID: DUP Sample						
Cyanide, Total	0.004J	0.004J	mg/l	NC		30
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002404-4 QC Sample: L1713797-01 Client ID: DUP Sample						
Phosphorus, Total	0.051	0.047	mg/l	8		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002507-3 QC Sample: L1714972-02 Client ID: DUP Sample						
Phenolics, Total	0.012J	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002624-3 QC Sample: L1714908-01 Client ID: DUP Sample						
TPH	52.7	42.2	mg/l	22		34

**Project Name:** NORTHPOINT  
**Project Number:** 35663

## Lab Duplicate Analysis

Batch Quality Control

**Lab Number:** L1714950  
**Report Date:** 05/24/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002698-2 QC Sample: L1714954-01 Client ID: DUP Sample					
Solids, Total Suspended	160	160	mg/l	0	29
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1002713-4 QC Sample: L1715269-01 Client ID: DUP Sample					
Chloride	130.	130	mg/l	0	18

Project Name: NORTHPOINT

Project Number: 35663

Lab Number: L1714950

Report Date: 05/24/17

## Sample Receipt and Container Information

Were project specific reporting limits specified? YES

## Cooler Information Custody Seal

Cooler

B Absent

## Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1714950-01A	Plastic 250ml HNO3 preserved	B	<2	4.1	Y	Absent	CD-2008T(180),CA-UI(180),MN-2008T(180),NI-2008T(180),BE-2008T(180),K-UI(180),ZN-2008T(180),CU-2008T(180),FE-UI(180),MG-UI(180),AG-2008T(180),AS-2008T(180),HG-U(28),SE-2008T(180),BA-2008T(180),NA-UI(180),CR-2008T(180),HARDT(180),PB-2008T(180),SB-2008T(180)
L1714950-01A1	Plastic 250ml HNO3 preserved	B	<2	4.1	Y	Absent	HOLD-METAL-DISSOLVED(180)
L1714950-01B	Amber 1000ml Na2S2O3	B	7	4.1	Y	Absent	PCB-608(7)
L1714950-01C	Amber 1000ml Na2S2O3	B	7	4.1	Y	Absent	PCB-608(7)
L1714950-01D	Amber 1000ml unpreserved	B	7	4.1	Y	Absent	8270TCL(7),8270TCL-SIM(7)
L1714950-01E	Amber 1000ml unpreserved	B	7	4.1	Y	Absent	8270TCL(7),8270TCL-SIM(7)
L1714950-01F	Vial HCl preserved	B	N/A	4.1	Y	Absent	SUB-ETHANOL(0)
L1714950-01G	Vial HCl preserved	B	N/A	4.1	Y	Absent	SUB-ETHANOL(0)
L1714950-01H	Vial HCl preserved	B	N/A	4.1	Y	Absent	SUB-ETHANOL(0)
L1714950-01I	Vial HCl preserved	B	N/A	4.1	Y	Absent	SUB-ETHANOL(0)
L1714950-01J	Vial HCl preserved	B	N/A	4.1	Y	Absent	SUB-ETHANOL(0)
L1714950-01K	Vial HCl preserved	B	N/A	4.1	Y	Absent	SUB-ETHANOL(0)
L1714950-01L	Vial Na2S2O3 preserved	B	N/A	4.1	Y	Absent	504(14)
L1714950-01M	Vial Na2S2O3 preserved	B	N/A	4.1	Y	Absent	504(14)
L1714950-01N	Vial HCl preserved	B	N/A	4.1	Y	Absent	8260-SIM(14),8260(14)
L1714950-01O	Vial HCl preserved	B	N/A	4.1	Y	Absent	8260-SIM(14),8260(14)
L1714950-01P	Vial HCl preserved	B	N/A	4.1	Y	Absent	8260-SIM(14),8260(14)
L1714950-01Q	Plastic 950ml unpreserved	B	7	4.1	Y	Absent	CL-300(28),HEXCR-7196(1),TRC-4500(1),TDS-2540(7)
L1714950-01R	Plastic 500ml H2SO4 preserved	B	<2	4.1	Y	Absent	TPHOS-4500(28),NH3-4500(28)
L1714950-01S	Plastic 250ml unpreserved	B	7	4.1	Y	Absent	TSS-2540(7)
L1714950-01T	Plastic 250ml NaOH preserved	B	>12	4.1	Y	Absent	TCN-4500(14)
L1714950-01U	Amber 1000ml HCl preserved	B	N/A	4.1	Y	Absent	TPH-1664(28)
L1714950-01V	Amber 1000ml HCl preserved	B	N/A	4.1	Y	Absent	TPH-1664(28)

\*Values in parentheses indicate holding time in days





**Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1714950**Report Date:** 05/24/17**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Analysis(*)</b>
L1714950-01W	Amber 1000ml H2SO4 preserved	B	<2	4.1	Y	Absent	TPHENOL-420(28)
L1714950-01X	Plastic 250ml H2SO4 preserved Fi	B	N/A	4.1	Y	Absent	SPHOS-4500(28)
L1714950-01Y	Plastic 250ml unpreserved	B	7	4.1	Y	Absent	SPHOS-4500(28)
L1714950-01Z	Amber 120 mL H2SO4 preserved	B	7	4.1	Y	Absent	HOLD-WETCHEM(0)
L1714950-02A	Vial HCl preserved	B	N/A	4.1	Y	Absent	8260-SIM(14),8260(14)
L1714950-02B	Vial HCl preserved	B	N/A	4.1	Y	Absent	8260-SIM(14),8260(14)
L1714950-02C	Vial Na2S2O3 preserved	B	N/A	4.1	Y	Absent	HOLD-504/8011(14)
L1714950-02D	Vial Na2S2O3 preserved	B	N/A	4.1	Y	Absent	HOLD-504/8011(14)

\*Values in parentheses indicate holding time in days



**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1714950  
**Report Date:** 05/24/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

**Report Format:** DU Report with 'J' Qualifiers



**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1714950  
**Report Date:** 05/24/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



**Project Name:** NORTHPOINT**Lab Number:** L1714950**Project Number:** 35663**Report Date:** 05/24/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 4 Methods for Chemical Analysis of Water and Wastes. EPA 600/4-79-020. Revised March 1983.
- 5 Methods for the Organic Chemical Analysis of Municipal and Industrial Wastewater. Appendix A, Part 136, 40 CFR (Code of Federal Regulations).
- 14 Methods for the Determination of Organic Compounds in Finished Drinking Water and Raw Source Water. EPA/600/4-88/039, Revised July 1991.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 74 Method 1664, Revision A: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-98-002, February 1999.
- 107 Alpha Analytical - In-house calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



**Alpha Analytical, Inc.**

ID No.:17873

Facility: **Company-wide**

Revision 10

Department: **Quality Assurance**

Published Date: 1/16/2017 11:00:05 AM

Title: **Certificate/Approval Program Summary**

Page 1 of 1

**Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility****EPA 624:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 300:** DW: Bromide**EPA 6860:** NPW and SCM: Perchlorate**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation**EPA 9012B:** NPW: Total Cyanide**EPA 9050A:** NPW: Specific Conductance**SM3500:** NPW: Ferrous Iron**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.**SM5310C:** DW: Dissolved Organic Carbon**Mansfield Facility****SM 2540D:** TSS**EPA 3005A** NPW**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility:****Drinking Water****EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.****EPA 624:** Volatile Halocarbons & Aromatics,**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.****Mansfield Facility:****Drinking Water****EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.





## CHAIN OF CUSTODY

PAGE 1 OF 3

Date Rec'd in Lab:

ALPHA Job #: 21714950

8 Walkup Drive  
Westboro, MA 01581  
Tel: 508-898-9220

320 Forbes Blvd  
Mansfield, MA 02048  
Tel: 508-822-9300

## Client Information

Client: The Vertex Companies

Address: 1 Congress St, 10<sup>th</sup> Fl.  
Boston, MA

Phone: 017-830-1447

Email: [jfreeman@vertexeng.com](mailto:jfreeman@vertexeng.com)  
rsneilling@vertexeng.com

Additional Project Information:

## Project Information

Project Name: Northpoint

Project Location: Cambridge, MA

Project #: 35663

Project Manager: Jesse Freeman

ALPHA Quote #:	
Turn Around Time	

### Turn-Around Time

☒ Standard      ☐ RUSH (only confirmed if pre-approved!)

Date Due:

## Report Information - Data Deliverables

☒ ADEx ☐ EMAIL

### Billing Information

☒ Same as Client info      PO #:

## Regulatory Requirements & Project Information Requirements

☒ Yes ☐ No MA MCP Analytical Methods ☐ Yes ☒ No CT RCP Analytical Methods  
☐ Yes ☒ No Matrix Spike Required on this SDG? (Required for MCP Inorganics)  
☐ Yes ☒ No GW1 Standards (Info Required for Metals & EPH with Targets)  
☒ Yes ☐ No NPDES RGP  
☐ Other State /Fed Program \_\_\_\_\_ Criteria

ANALYSIS		SAMPLE INFO	
VOC: <input checked="" type="checkbox"/> 8260	<input type="checkbox"/> 624 <input type="checkbox"/> 524.2	Filteration	
SVOC: <input type="checkbox"/> ABN	<input type="checkbox"/> PAH	<input type="checkbox"/> Field	
METALS: <input type="checkbox"/> MCP 13	<input type="checkbox"/> MCP 14 <input type="checkbox"/> RCP 15	<input type="checkbox"/> Lab to do	
METALS: <input type="checkbox"/> RCRA5	<input type="checkbox"/> RCRA8 <input type="checkbox"/> PP13	Preservation	
EPH: <input type="checkbox"/> Ranges & Targets	<input type="checkbox"/> Ranges Only	<input type="checkbox"/> Lab to do	
VPH: <input type="checkbox"/> Ranges & Targets	<input type="checkbox"/> Ranges Only		
<input checked="" type="checkbox"/> PCB	<input type="checkbox"/> PEST		
TPH: <input checked="" type="checkbox"/> Quant Only	<input type="checkbox"/> Fingerprint		
Ethanol			
Total + Dissolved P			
8260-SIM			
8270-TLC-SIM			
Chloride			
Ammonia			
Sample Comments			

TOTAL # BOTTLES

### Sample Comments

[illegible]

## Container Type

P= Plastic  
A= Amber glass  
V= Vial  
G= Glass  
B= Bacteria cup  
C= Cube  
O= Other  
E= Encore  
D= BOD Bottle

**Preservative**

A = None  
B = HCl  
C = HNO<sub>3</sub>  
D = H<sub>2</sub>SO<sub>4</sub>  
E = NaOH  
F = MeOH  
G = NaHSO<sub>4</sub>  
H = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>  
I = Ascorbic Acid  
J = NH<sub>4</sub>Cl  
K = Zn Acetate  
O = Other

Container Type	V
----------------	---

Preservative	P
--------------	---

Relinquished By:

Date/Time

Received By:

Date/Time

Stephanie Lennen 5/9/17 13:42  
MCH 5/9/17 17

Received By:	Date/Time
U.S. AA Cruz	5/9/17 1312 5/9/17 1440

All samples submitted are subject to Alpha's Terms and Conditions.  
See reverse side.

FORM NO 01-01 (rev. 12-Mar-2012)





# CHAIN OF CUSTODY

PAGE 2 OF 3

8 Walkup Drive  
Westboro, MA 01581  
Tel: 508-898-9220

320 Forbes Blvd  
Mansfield, MA 02048  
Tel: 508-822-9300

## Project Information

Project Name: Northpoint  
Project Location: Cambridge, MA  
Project #: 356603  
Project Manager: Jesse Freeman  
ALPHA Quote #:

## Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved!)  
Date Due:

Date Rec'd in Lab: 5/9/17ALPHA Job #: L1714950

## Report Information - Data Deliverables

☒ ADEX ☒ EMAIL

## Billing Information

☒ Same as Client info PO #:

## Regulatory Requirements & Project Information Requirements

☒ Yes ☐ No MA MCP Analytical Methods ☐ Yes ☒ No CT RCP Analytical Methods  
☐ Yes ☒ No Matrix Spike Required on this SDG? (Required for MCP Inorganics)  
☐ Yes ☒ No GW1 Standards (Info Required for Metals & EPH with Targets)  
☒ Yes ☐ No NPDES RGP  
☐ Other State /Fed Program Criteria

## Client Information

Client: The Vertex Companies  
Address: 1 Congress St, 10<sup>th</sup> Fl.  
Boston, MA  
Phone: (617)-830-1447  
Email: freeman@vertexeng.com  
rsneiling@  
siemone@  
fcainse@  
Additional Project Information:

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials
		Date	Time		
14950-01	VES-Y-2COW	5/9/17	7:50	GW	STL

ANALYSIS		TOTAL METALS		SAMPLE INFO		TOTAL # BOTTLES
VOC: <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> 524.2	SVOC: <input type="checkbox"/> ABN <input type="checkbox"/> PAH	METALS: <input type="checkbox"/> MCP 13 <input type="checkbox"/> MCP 14 <input type="checkbox"/> RCP 15	EPH: <input type="checkbox"/> RCRA5 <input type="checkbox"/> RCRA8 <input type="checkbox"/> PP13	VPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> Ranges Only	PCB <input type="checkbox"/> PEST	
Filtration <input type="checkbox"/> Field <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do						31
Sample Comments						

**Container Type**  
P= Plastic  
A= Amber glass  
V= Vial  
G= Glass  
B= Bacteria cup  
C= Cube  
O= Other  
E= Encore  
D= BOD Bottle

**Preservative**  
A= None  
B= HCl  
C= HNO<sub>3</sub>  
D= H<sub>2</sub>SO<sub>4</sub>  
E= NaOH  
F= MeOH  
G= NaHSO<sub>4</sub>  
H= Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>  
I= Ascorbic Acid  
J= NH<sub>4</sub>Cl  
K= Zn Acetate  
O= Other

Container Type

Preservative

Relinquished By:

Date/Time

Received By:

Date/Time

Stephanie Lunn 5/9/17 13:42  
MSM 5/9/17 1740

MSM 5/9/17 1740

All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

FORM NO 01-01 (rev. 12-Mar-2012)







## CHAIN OF CUSTODY

PAGE 1 OF 1



Westborough, MA    Mansfield, MA  
TEL: 508-898-9220    TEL: 508-822-9300  
FAX: 508-898-9193    FAX: 508-822-3288

## Client Information

Client: Alpha Analytical Lab

Address: 8 Walkup Drive

Westborough, Ma 01581

Phone: 508-898-9220

Fax:

Email: subreports@alphalab.com

☐ These samples have been Previously analyzed by Alpha

## Project Information

Project Name:

Project Location: MA

Project #:

Project Manager: Melissa Gulli

ALPHA Quote #:

## Turn-Around Time

☒ Standard    ☐ Rush (ONLY IF PRE-APPROVED)

Due Date:    Time:

Other Project Specific Requirements/Comments/Detection Limits:

Please reference Alpha Job #L1714950 on this report.

Date Rec'd in Lab:

ALPHA Job #: L1714950

## Report Information Data Deliverables

☐ FAX☐ EMAIL☐ ADEx☐ Add'l Deliverables

## Billing Information

☐ Same as Client info

PO #:

## Regulatory Requirements/Report Limits

State/Fed Program

Criteria

## MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS

☐ Yes☐ No

Are MCP Analytical Methods Required?

☐ Yes☐ No

Are CT RCP (Reasonable Confidence Protocols) Required?

## ANALYSIS

Ethanol-16711

## SAMPLE HANDLING

## Filtration

☐ Done☐ Not Needed☐ Lab to do

## Preservation

☐ Lab to do

(Please specify below)

Sample Specific Comments

TOTAL # BOTTLES

6

ALPHA Lab ID  
(Lab Use Only)

Sample ID

Collection

Date

Time

Sample  
MatrixSampler's  
Initials

VES-Y-2 (OW)

5/9/17

07:50

GW

X

PLEASE ANSWER QUESTIONS ABOVE!

Container Type

V

Preservative

HCL

Relinquished By:

Date/Time

Received By:

Date/Time

IS YOUR PROJECT  
MA MCP or CT RCP?FORM NO. 01-01(i)  
(rev. 30-JUL-07)Please print clearly, legibly  
and completely. Samples can  
not be logged in and  
turnaround time clock will not  
start until any ambiguities are  
resolved. All samples  
submitted are subject to  
Alpha's Payment Terms.



Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

Alpha Analytical, Inc.  
145 Flanders Road  
Westborough MA 01581

Report Date: May 23, 2017

**Project: L1714950**

Submittal Date: 05/11/2017

Group Number: 1800117

PO Number: L1714950

State of Sample Origin: MA

### Client Sample Description

VES-Y-2 (OW) Groundwater Sample

Lancaster Labs

(LL) #

8988256

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To Alpha Analytical, Inc.  
Electronic Copy To Alpha Analytical, Inc.

Attn: Melissa Gulli  
Attn: Sublab Contact

Respectfully Submitted,

Bonnie Stadelmann  
Senior Project Manager

(312) 590-3133



Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** VES-Y-2 (OW) Groundwater Sample  
L1714950

LL Sample # WW 8988256  
LL Group # 1800117  
Account # 09847

**Project Name:** L1714950

Collected: 05/09/2017 07:50

Alpha Analytical, Inc.

Submitted: 05/11/2017 09:30

145 Flanders Road

Reported: 05/23/2017 15:33

Westborough MA 01581

YYT01

CAT No.	Analysis Name	CAS Number	Result	Limit of Quantitation	Dilution Factor
<b>GC Miscellaneous</b>	<b>EPA 1671 Rev A</b>		ug/l	ug/l	
02366 ethanol		64-17-5	N.D.	2,000	1

## Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02366	EPA 1671 VOCs	EPA 1671 Rev A	1	171380026A	05/19/2017 01:21	Tyler O Griffin	1



Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## Quality Control Summary

Client Name: Alpha Analytical, Inc.  
Reported: 05/23/2017 15:33

Group Number: 1800117

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result	LOQ
	ug/l	ug/l
Batch number: 171380026A	Sample number(s): 8988256	
ethanol	N.D.	2,000

### LCS/LCSD

Analysis Name	LCS Spike Added	LCS Conc	LCSD Spike Added	LCSD Conc	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l					
Batch number: 171380026A	Sample number(s): 8988256								
ethanol	4000	3769.52	4000	3890.1	94	97	70-132	3	30

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc	MS Spike Added	MS Conc	MSD Spike Added	MSD Conc	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l	ug/l					
Batch number: 171380026A	Sample number(s): 8988256 UNSPK: P991587									
ethanol	1194.19	4000	4895.84	4000	5061.66	93	97	70-132	3	30

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: EPA 1671 VOCs  
Batch number: 171380026A

	Amyl Alcohol
8988256	115
Blank	116
LCS	116

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.



Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## Quality Control Summary

Client Name: Alpha Analytical, Inc.  
Reported: 05/23/2017 15:33

Group Number: 1800117

## Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: EPA 1671 VOCs

Batch number: 171380026A

	Amyl Alcohol
LCSD	116
MS	117
MSD	117

Limits: 52-144

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

SUB UPS: EUROFINs-LANCASTER, PA

9847/1800117/8988256

## CHAIN OF CUSTODY

PAGE 1 OF 1



<b>Westborough, MA</b>	<b>Mansfield, MA</b>
TEL: 508-898-9220	TEL: 508-822-9300
FAX: 508-898-9193	FAX: 508-822-3288

## Client Information

Client: Alpha Analytical Lab.

Address: 8 Walkup Drive

Westborough, Ma 01581

Phone: 508-898-9220

Fax:

Email: [subreports@alphalab.com](mailto:subreports@alphalab.com)

☐ These samples have been Previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

Please reference Alpha Job #L1714950 on this report.

## Project Information

Project Name:

Project Location: MA

Project #:

Project Manager: Melissa Gulli

ALPHA Quote #:

## Turn-Around Time

☒ Standard      ☐ Rush (ONLY IF PRE-APPROVED)

Due Date: Time:

ALPHA Lab ID  
(Lab Use Only)

Sample ID

Collection

Date \_\_\_\_\_

Time

Sample  
Matrix

Sampler's  
Initials

Ethanol-1671I

x

**PLEASE ANSWER QUESTIONS ABOVE!**

Container Type

V

HCL

Preservative

Received By:

Date/Time

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Pavment Terms.

## IS YOUR PROJECT MA MCP *or* CT RCP?

FORM NO: 01-01(I)  
(rev. 30-JUL-07)

Page 90 of 92

Page 5 of 5

5/11/17 9:30

# Sample Administration Receipt Documentation Log

Serial\_No:05241712:18

Doc Log ID: 183428



Group Number(s): 1800117

Client: Alpha Analytical

## Delivery and Receipt Information

Delivery Method:	<u>UPS</u>	Arrival Timestamp:	<u>05/11/2017 9:30</u>
Number of Packages:	<u>1</u>	Number of Projects:	<u>1</u>

## Arrival Condition Summary

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	VOA Vial Headspace $\geq$ 6mm:	No
Paperwork Enclosed:	Yes	Total Trip Blank Qty:	0
Samples Intact:	Yes	Air Quality Samples Present:	No
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Nia Smith (12375) at 15:42 on 05/11/2017*

## Samples Chilled Details

*Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.*

<u>Cooler #</u>	<u>Thermometer ID</u>	<u>Corrected Temp</u>	<u>Therm. Type</u>	<u>Ice Type</u>	<u>Ice Present?</u>	<u>Ice Container</u>	<u>Elevated Temp?</u>
1	DT146	3.3	DT	Wet	Y	Loose	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mg</b>	milligram(s)
<b>C</b>	degrees Celsius	<b>mL</b>	milliliter(s)
<b>cfu</b>	colony forming units	<b>MPN</b>	Most Probable Number
<b>CP Units</b>	cobalt-chloroplatinate units	<b>N.D.</b>	none detected
<b>F</b>	degrees Fahrenheit	<b>ng</b>	nanogram(s)
<b>g</b>	gram(s)	<b>NTU</b>	nephelometric turbidity units
<b>IU</b>	International Units	<b>pg/L</b>	picogram/liter
<b>kg</b>	kilogram(s)	<b>RL</b>	Reporting Limit
<b>L</b>	liter(s)	<b>TNTC</b>	Too Numerous To Count
<b>lb.</b>	pound(s)	<b>µg</b>	microgram(s)
<b>m3</b>	cubic meter(s)	<b>µL</b>	microliter(s)
<b>meq</b>	milliequivalents	<b>umhos/cm</b>	micromhos/cm
<b>&lt;</b>	less than		
<b>&gt;</b>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/L), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## Laboratory Data Qualifiers:

- C - Result confirmed by reanalysis
- E - Concentration exceeds the calibration range
- J (or G, I, X) - estimated value  $\geq$  the Method Detection Limit (MDL or DL) and  $<$  the Limit of Quantitation (LOQ or RL)
- P - Concentration difference between the primary and confirmation column  $>40\%$ . The lower result is reported.
- U - Analyte was not detected at the value indicated
- V - Concentration difference between the primary and confirmation column  $>100\%$ . The reporting limit is raised due to this disparity and evident interference...
- W - The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.





## ANALYTICAL REPORT

Lab Number:	L1715855
Client:	Vertex Environmental Services, Inc. One Congress Street 10th Floor Boston, MA 02114
ATTN:	Jesse Freeman
Phone:	(781) 952-6000
Project Name:	NORTHPOINT
Project Number:	35663
Report Date:	05/17/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1715855  
**Report Date:** 05/17/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1715855-01	LECHMERE CANAL	WATER	CAMBRIDGE, MA	05/16/17 11:30	05/16/17

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1715855  
**Report Date:** 05/17/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Melissa Cripps

Title: Technical Director/Representative

Date: 05/17/17

## METALS

Project Name: NORTHPOINT

Lab Number: L1715855

Project Number: 35663

Report Date: 05/17/17

## SAMPLE RESULTS

Lab ID: L1715855-01

Date Collected: 05/16/17 11:30

Client ID: LECHMERE CANAL

Date Received: 05/16/17

Sample Location: CAMBRIDGE, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	86.2		mg/l	0.660	NA	1	05/17/17 06:35	05/17/17 10:35	EPA 3005A	19,200.7	PS



Project Name: NORTHPOINT

Lab Number: L1715855

Project Number: 35663

Report Date: 05/17/17

## Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01 Batch: WG1004174-1										
Hardness	ND		mg/l	0.660	NA	1	05/17/17 06:35	05/17/17 10:26	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1715855

**Report Date:** 05/17/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 Batch: WG1004174-2								
Hardness	102		-		85-115	-		

# **Matrix Spike Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1715855

**Report Date:** 05/17/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1004174-3 QC Sample: L1715855-01 Client ID: LECHMERE CANAL												
Hardness	86.2	66.2	155	104		-	-		75-125	-		20



**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Duplicate Analysis**  
**Batch Quality Control**

**Lab Number:** L1715855  
**Report Date:** 05/17/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1004174-4 QC Sample: L1715855-01 Client ID: LECHMERE CANAL						
Hardness	86.2	88.7	mg/l	3		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1715855  
**Report Date:** 05/17/17

**SAMPLE RESULTS**

**Lab ID:** L1715855-01  
**Client ID:** LECHMERE CANAL  
**Sample Location:** CAMBRIDGE, MA  
**Matrix:** Water

**Date Collected:** 05/16/17 11:30  
**Date Received:** 05/16/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Ammonia	0.136		mg/l	0.075	--	1	05/16/17 14:20	05/16/17 20:54	121,4500NH3-BH	AT



Project Name: NORTHPOINT

Lab Number: L1715855

Project Number: 35663

Report Date: 05/17/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1003790-1										
Nitrogen, Ammonia	ND		mg/l	0.075	--	1	05/16/17 14:20	05/16/17 20:50	121,4500NH3-BH	AT

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1715855

**Report Date:** 05/17/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1003790-2								
Nitrogen, Ammonia	96		-		80-120	-		20

# **Matrix Spike Analysis** Batch Quality Control

**Project Name:** NORTHPOINT

**Project Number:** 35663

**Lab Number:** L1715855

**Report Date:** 05/17/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1003790-4 QC Sample: L1715733-04 Client ID: MS Sample												
Nitrogen, Ammonia	ND	4	3.86	96		-	-		80-120	-		20

**Lab Duplicate Analysis**  
Batch Quality Control

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1715855  
**Report Date:** 05/17/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1003790-3 QC Sample: L1715733-04 Client ID: DUP Sample						
Nitrogen, Ammonia	ND	ND	mg/l	NC		20

**Project Name:** NORTHPOINT**Project Number:** 35663**Lab Number:** L1715855**Report Date:** 05/17/17**Sample Receipt and Container Information**

Were project specific reporting limits specified? YES

**Cooler Information Custody Seal****Cooler**

A Absent

**Container Information**

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1715855-01A	Plastic 500ml H2SO4 preserved	A	<2	4.0	Y	Absent	NH3-4500(28)
L1715855-01B	Plastic 250ml HNO3 preserved	A	<2	4.0	Y	Absent	HARDU(180)

\*Values in parentheses indicate holding time in days





**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1715855  
**Report Date:** 05/17/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

**Report Format:** Data Usability Report



**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1715855  
**Report Date:** 05/17/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** NORTHPOINT  
**Project Number:** 35663

**Lab Number:** L1715855  
**Report Date:** 05/17/17

## REFERENCES

- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



**Alpha Analytical, Inc.**

ID No.:17873

Facility: **Company-wide**

Revision 10

Department: **Quality Assurance**

Published Date: 1/16/2017 11:00:05 AM

Title: **Certificate/Approval Program Summary**

Page 1 of 1

**Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility****EPA 624:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 300:** DW: Bromide**EPA 6860:** NPW and SCM: Perchlorate**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation**EPA 9012B:** NPW: Total Cyanide**EPA 9050A:** NPW: Specific Conductance**SM3500:** NPW: Ferrous Iron**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.**SM5310C:** DW: Dissolved Organic Carbon**Mansfield Facility****SM 2540D:** TSS**EPA 3005A** NPW**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility:****Drinking Water****EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.****EPA 624:** Volatile Halocarbons & Aromatics,**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.****Mansfield Facility:****Drinking Water****EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

