



74

JAN 18 2005

NPDES: NH0001473  
PSNH - SCHILLER STATION  
ALLAN PALMER, SENIOR ENGINEER  
C/O NORTHEAST UTILITIES  
P. O. BOX 270  
HARTFORD

CT 061410270

RE: Discharge Monitoring Report Forms, January - December 2005  
& January - March 2006

Dear Permittee:

Enclosed, are your Discharge Monitoring Reports (DMRs) for the January - December 2005 and January - March 2006 reporting period. These forms reflect your facility's monitoring and reporting requirements currently contained in the Permit Compliance System (PCS). PCS is EPA's national computerized management information system that tracks permit compliance and enforcement data for the National Pollutant Discharge Elimination System (NPDES) program.

This letter and all the DMR instructions should be carefully reviewed to ensure accuracy in your reporting and submittal to the US EPA and your state agency. After the form(s) has been properly filled in, it must be signed by a principal executive officer or authorized agent. The original, signed, and dated DMR(s) shall then be mailed to the:

Water Technical Unit (SEW)  
U.S. Environmental Protection Agency  
P.O. Box 8127  
Boston, MA 02114

prior to the due date specified in your permit. Please be sure that the dated, signed original DMR is submitted to the US EPA. The use of electronic DMR submission(s) is not valid for calendar year 2005. The DMRs for the beginning of 2006 are being supplied to you now. A new procedure for printing DMRs will start January 2006 with 'laser printed DMR'. If you do not receive your 2006 DMRs for January reporting, then you can use the Pre-printed DMRs. Also note that any report required by your permit or enforcement order should be submitted under separate cover to the above P.O. Box address. Your NPDES number must be included on all documents and reports, as well as any cover letter that accompanies your DMR. Submittal to other offices in EPA, or the state, shall not be construed to be a fulfillment of the terms and conditions of your permit.

**Note:** The NPDES Permit Program Instructions for Calendar Year 2005 are not included in this mailing. However, they can be accessed at the following web address:

<http://www.epa.gov/region01/enforcementandassistance/enfdmr.html>

or direct access to \*pdf file: <http://www.epa.gov/NE/enforcementandassistance/dmr2005.pdf>

Included with this letter are the DMR INSTRUCTION PACKAGE REVISIONS DECEMBER 2004 for NPDES Permit(s) for Calendar Year 2005.

		CONCURRENCES			
MBOL	SEW/PCS [Signature]				
IRNAME	[Signature]				
DATE	1-12-05 1-12-05				

If a new authorized agent will be signing your DMRs, please submit a separate written change of authorization to ensure that EPA has the appropriate authorization on file. Please advise the contact person listed below if you require new pre-printed DMRs for a change of contact name.

Please carefully review *all* your forms to ensure that they reflect your permit and/or enforcement requirements. If you notice any discrepancies on your DMRs, please contact *Norma Mason, Environmental Protection Specialist*, of my staff. She can be reached at **617.918.1879**. Discrepancies reported, either by telephone, letter, or E-mail, will be reviewed and if necessary, corrections will be made to the PCS data system and a new set of pre-printed DMRs will be mailed. Pending a decision on whether new preprinted DMRs are needed, please append any additional information required by your permit or enforcement action to the DMR(s). The failure to comply with your facility's monitoring and reporting requirements as specified in your permit or enforcement action may result in an enforcement action by EPA pursuant to Section 309 of the Clean Water Act, 33 U.S.C. § 1319, which provides for administrative, civil, and criminal penalties. In addition, any person who knowingly submits false information may be subject to criminal prosecution under 18 U.S.C. § 1001.

As a reminder:

**“Do not leave blank spaces on the DMR unless measurement information is not available for a specific pipe/parameter. If any blanks appear on your DMR, an explanation must be attached to the DMR in a letter or written in the comment field at the bottom of the DMR. EPA's automated violation tracking system will subsequently detect these blanks as non-reporting violations for which you may be subject to an enforcement action.**

For those months when no sampling occurs for a specific outfall pipe, write "No DATA" and the appropriate NODI code across the DMR, or place the appropriate code in the box in the upper right corner of the DMR. If there is a NODI for a specific parameter, then write NODI and the appropriate code next to or on that line, and circle it. Do not fill in the rest of that row. A copy of the available codes to represent "No Data" is provided in ATTACHMENT E.

All DMRs and reports shall be submitted to the US EPA at the P.O. box mentioned above so that the information can be timely entered into the PCS data system. You should be aware that failure of EPA to provide the enclosed DMRs does not preclude you from your responsibility to report the information required by your NPDES permit.

Should you have any **questions**, feel free to contact *Norma* at the number mentioned above.

Sincerely,

Denny Dart, Chief  
Water Technical Unit (SEW)  
Office of Environmental Stewardship (OES)

Enclosures:

DMR Pre-prints, 1/05-12/05, 1/06-3/06  
DMR Additional Information for 2005[Revised 12-04]