

80



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1

1 CONGRESS STREET, SUITE 1100
BOSTON, MASSACHUSETTS 02114-2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

September 25, 2002

John M. MacDonald
Vice President - Operations
Public Service of New Hampshire
780 North Commercial Street
Manchester, NH 03101


Dear Mr. MacDonald;

Reference: National Pollutant Discharge Elimination System (NPDES) Permit No. NH0001473

Your letter of August 16, 2002, requested modifications to the intake of Unit 4 at Schiller Station. The first requested modification was to employ a redesigned intake screen to mitigate lobster impingement. The second modification requested the removal of the second set trash racks within the screen house. EPA New England has reviewed the requested modifications and takes no exception to them. Public Service of New Hampshire is authorized; therefore, to proceed with the requested modifications. EPA has also determined no modification of NPDES Permit No. NH0001473 is required.

If you have any questions or would like to discuss this matter, do not hesitate to contact Mr. John Paul King of my staff. He may be reached at (617) 918-1295.

Sincerely,



Linda M. Murphy, Director
Office of Ecosystem Protection.

cc: Permit File;

George Berlandi, New Hampshire Department of Environmental Services, Water Division
Wastewater Engineering Bureau, P.O. Box 95, Concord, NH 03302-0095

Toll Free • 1-888-372-7341

Internet Address (URL) • <http://www.epa.gov/region1>

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on Recycled Paper (Minimum 30% Postconsumer)

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

John M. MacDonald
 Vice President - Operations
 Public Service of New Hampshire
 780 North Commercial Street
 Manchester, NH 03101

Dear Mr. MacDonald;

Reference: National Pollutant Discharge Elimination System (NPDES) Permit No. NH0001473

Your letter of August 16, 2002, requested modifications to the intake of Unit 4 at Schiller Station. The first requested modification was to employ a redesigned intake screen to mitigate lobster impingement. The second modification requested the removal of the second set trash racks within the screen house. EPA New England has reviewed the requested modifications and takes no exception with them. Public Service of New Hampshire is authorized to proceed with out alteration with the requested modifications. EPA has also determined ^{no} modification of NPDES Permit No. NH0001473 is required.

If you have any questions or would like to discuss this matter, do not hesitate to contact Mr. John Paul King of my staff. He may be reached at (617) 918-1295.

Sincerely,

Linda M. Murphy, Director
 Office of Ecosystem Protection.

cc: Permit File;

George Berlandi, New Hampshire Department of Environmental Services, Water Division
 Wastewater Engineering Bureau, P.O. Box 95, Concord, NH 03302-0095

CONCURRENCES							
SYMBOL	CPE	CPB					
SURNAME	KING	PITT					
DATE	9.18.02	9/18/02					

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

John M. MacDonald
Vice President - Operations
Public Service of New Hampshire
780 North Commercial Street
Manchester, NH 03101

Dear Mr. MacDonald;

Reference: National Pollutant Discharge Elimination System (NPDES) Permit No. NH0001473

Your letter of August 16, 2002, requested modifications to the intake of Unit 4 at Schiller Station. The first requested modification was to employ a redesigned intake screen to mitigate lobster impingement. The second modification requested the removal of the second set trash racks within the screen house. EPA New England has reviewed the requested modifications and takes no exception to them. Public Service of New Hampshire is authorized; therefore, to proceed with the requested modifications. EPA has also determined no modification of NPDES Permit No. NH0001473 is required.

If you have any questions or would like to discuss this matter, do not hesitate to contact Mr. John Paul King of my staff. He may be reached at (617) 918-1295.

Sincerely,

Linda M. Murphy, Director
Office of Ecosystem Protection.

cc: Permit File;

George Berlandi, New Hampshire Department of Environmental Services, Water Division
Wastewater Engineering Bureau, P.O. Box 95, Concord, NH 03302-0095

CORRECTED COPY