



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION I

J.F. KENNEDY FEDERAL BUILDING, BOSTON, MASSACHUSETTS 02203-2211

AR-150

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

January 29, 1990

NPDES: NH0001473
D. MERRILL, EXEC. VICE PRES.
P.S.CO.OF NH-SCHILLER STA
GOSLING ROAD
PORTSMOUTH, NH 03801

Re: Discharge Monitoring Reports - January 1990 -
December 1990

Dear Permittee,

Enclosed please find your Discharge Monitoring Reports for calendar year 1990. These forms reflect information that is currently contained in the Permit Compliance System (PCS) for your facility's monitoring and reporting requirements. PCS is EPA's national computerized management information system which tracks permit compliance and enforcement data for the National Pollutant Discharge Elimination System (NPDES) program.

Please review these forms carefully to assure they reflect your current permit requirements and/or any subsequent modifications or enforcement actions that might have changed limitations or monitoring required by your NPDES permit.

Each month's form should be carefully reviewed to insure entirety of seasonal requirements and specific sampling that might be required less than monthly, i.e. quarterly requirements. After reviewing these DMRs for completeness be sure to read the directions on the reverse of the form and the enclosures to this letter to be certain you understand your reporting obligations.

If your pre-prints include two sets of monitoring requirements to cover different production schemes or climactic considerations for the same discharge point please submit all forms monthly for that discharge point. You should report quantitative data on the appropriate form and merely indicate "NO DISCHARGE" on the forms that do not apply for that month.

Wherever you have an opening in the sample measurement row, whether it be for quantity or concentration, test results must be supplied. If information is not required "*****" is printed on the DMR in the permit requirement row as well as in the

corresponding measurement row. You must supply the units of measure; the number of exceedances of your permit limit; the frequency with which you've conducted your analyses and the sample type. Please note that even though the permit requirement row indicates some of this information you must verify in the sample measurement row that your testing is being performed in accordance with your permit or enforcement action requirements.

You should ignore the column headers of average and maximum on the quantity side and minimum, average and maximum on the concentration side and refer to the reporting requirement contained in the permit requirement row for each individual parameter.

After the form has been properly filled in it must be signed by a principal executive officer or authorized agent; dated and mailed to the:

NPDES Program Operations Section (WCP-2109)
Environmental Protection Agency
P.O.Box 8127
Boston, MA 02114

prior to the due date specified in your permit.

You should be aware that under the Water Quality of Act of 1987 authority was provided to EPA to issue Administrative Penalties for Clean Water Act violations and violations of NPDES permit conditions. As a result of this authority, EPA has taken a more aggressive posture regarding non-submittal of DMRs; incomplete/deficient reports and late filing of DMRs. To avoid subjecting yourself to the administrative penalty process you should review your forms carefully against your permit and/or enforcement action requirements. If you notice any discrepancies or if you have any questions please contact James Keleher of my staff. He can be reached at 617/565-3937. If discrepancies are reported to EPA, corrections will be made to the data system and a new set of pre-prints will be mailed to you promptly.

Sincerely,

Veronica C. Harrington
Veronica C. Harrington, Chief
NPDES Program Operations Section

Enclosures

- DMR, Pre-prints, 1/90-12/90
- Instructions for completing DMRs
- Example DMR calculations
- Answers to frequently asked questions regarding DMRs

| | | CONCURRENCES | | | | | |
|---------|---------|--------------|--|--|--|--|--|
| SYMBOL | W/08 | | | | | | |
| SURNAME | Keleher | | | | | | |
| DATE | 2/90 | | | | | | |