

P✓

**Municipality/Organization:** Massachusetts Department of Correction  
North Central Correctional Center (NCCI)

---

**EPA NPDES Permit Number:** MAR 042007

---

**MADEP Transmittal Number:** W- 041202

---

**Annual Report Number & Reporting Period:** No. 2: March 05-March 06

---

## NPDES PII Small MS4 General Permit Annual Report

### Part I. General Information

**Contact Person:** Jeffrey J. Quick, A.I.A. **Title:** Director, Division of Resource Management

---

**Telephone #:** (508) 541-5301 x11 **Email:** [JJQuick@doc.state.ma.us](mailto:JJQuick@doc.state.ma.us)

---

#### Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: 

---

Printed Name: Jeffrey J Quick, A.I.A.

---

Title: Director, Division of Resource Management

---

Date: May 01, 2006

---

## Part II. Self-Assessment

The Department of Correction (DOC) received correspondence from the Environmental Protection Agency (EPA) on May 28, 2004 determining the Notice of Intent (NOI) submission was administratively complete. From the time the NOI's were prepared and before they were submitted the DOC began a prioritization list of areas for investigation including but not limited to:

- Entry Points into the storm drainage system(s) maintained by the DOC.
- Documentation of discharges points on and off the DOC property.
- Coordination with Town(s) that are also MS4s
- Illicit connections identification (None were found).
- Investigation of infrastructure and identification of problem drainage areas.

Through the State of Massachusetts Clean State Program, three locations had oil-water separators to handle parking lot drainage and one was installed associated with a power plant three years before the Phase II program required a NOI to be submitted. Each DOC operation was critically evaluated to determine what repairs were necessary. In summary, the storm drainage systems operated by the DOC are not combined systems where sewer and storm water is discharged.

The DOC has held numerous training sessions with the DOC executive board, the Directors of Engineering and Environmental Health and Safety Staff. Training will continue through the summer and in the later part of the current fiscal year and next fiscal year as funding becomes available. Training included an introduction of the program, the importance of the program and goals that were set for the first 5 years of the permit program. Training funds have been identified and will continue through calendar year 2006

Many of the second year milestones and goals have been met - others are still in progress. The major accomplishment is that the storm drains are being systematically cleaned and will continue through the summer of 2006.

**Part III. Summary of Minimum Control Measures**

**1. Public Education and Outreach**

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 2 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 3
1 Revised No	Publicize/Present SW Program to staff	Div. of Res. Management	Publicize and Present Program to	Conduct facility specific training with maintenance staff and other stakeholders in this program.	Continue with additional formal training as funding has been identified.
2 Revised No	Distribute Printed Materials	Div. of Res. Management	Create and Post Material	Provide written updates and progress reports to management staff. Monthly and	Provide written updates and progress reports to management staff
3 Revised Yes/New	Intranet Posting Preparation of Newsletter	Div. of Res. Management	Post Materials	Completed separate Intranet page. In addition, a newsletter that highlighted the Stormwater Phase II program was completed and distributed.	Intranet page within the DOC was completed. Periodic updates
4 Revised No	Stenciling	Div. of Res. Management	Complete stenciling	Stenciling continues.	Complete another 20% or more of stenciling.
Revised					
Revised					

**1a. Additions**


**2. Public Involvement and Participation**

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 2 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 3
5 Revised No	Form Stormwater Committee	Div. of Res. Management	Form Committee	Formed Stormwater Committee that is part of the DOC's State Sustainability Council	Committee to meet every two to three months
6 Revised No	Staff input	Div. of Res. Management	Solicit Input and Implement Ideas	Input has been received. Investigation and some locations prioritized. Repairs are necessary.	Continue with staff education
Revised					
Revised					
Revised					
Revised					

**2a. Additions**


**3. Illicit Discharge Detection and Elimination**

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 2 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 3
7 Revised	Map Drain System	Div. of Res. Management	Complete Mapping	Mapping completed. Outfall locations sent to EPA during NOI submittal. Began work mapping outfalls with GIS software.	Continue with mapping of outfalls with GIS software. Integrate outfalls with large comprehensive mapping.
8 Revised	Dry/Wet Weather Surveys	Div. of Res. Management	Document and Prioritize	Reining of sewer had occurred in 2000 for NCCI. Wet weather survey did not identify piping problem. Storm drains require minor repairs. Funding limited ability to make any repairs. Minor paving repairs completed.	Prioritize those catch basins that require repairs.
9 Revised	Correct Problems	Div. of Res. Management	Make Repairs and Document	No areas identified area that need repair.	Pending budget catch basin and piping repairs as needed
10 Revised	Policy for Enforcement	Div. of Res. Management	Prepare Policy	Stormwater Committee to be charged with preparation of policy. Policy in place that ties in sustainable practices with this BMP.	Update policy as needed. Review for improvements.
Revised					
Revised					

**3a. Additions**


**4. Construction Site Stormwater Runoff Control**

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 2 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 3
11 Revised	Construction Management	Div. of Res. Management	As Necessary	No Activity	None Planned
Revised					
Revised					
Revised					
Revised					
Revised					
Revised					

**4a. Additions**


**5. Post-Construction Stormwater Management in New Development and Redevelopment**

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 2 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 3
12 Revised	Post Construction Activities	Div. of Res. Management	As Required	No Activity	None Planned
Revised					
Revised					
Revised					
Revised					
Revised					
Revised					

**5a. Additions**


**6. Pollution Prevention and Good Housekeeping in Municipal Operations**

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) - Permit Year 2 (Reliance on non-municipal partners indicated, if any)	Planned Activities - Permit Year 3
13 Revised	Develop O&M Plan	Div. of Res. Management		Worked on plan that has catch basins cleaned every 12 to 18 months.	Continue with evaluation of program
14 Revised	Execute O&M Plan	Div. of Res. Management		Limited funding did not allow all work to be completed, although some major maintenance and improvements made.	Review and Execute O&M Plan
15 Revised	Long Term Planning	Div. of Res. Management		Evaluated what is needed to implement O&M plan.	Modify as necessary
Revised					
Revised					
Revised					

**6a. Additions**




**7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) <<if applicable>>**

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 2 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 3
	NA				
Revised					
Revised					
Revised					
Revised					
Revised					
Revised					

**7a. Additions**


**7b. WLA Assessment**

**Part IV. Summary of Information Collected and Analyzed**

At the NCCI, the location of the drain lines and outfall have been identified. The last year has been spent organizing information, compiling new information and sorting new information as it comes in. In summary, the DOC has a very good understanding of the drainage system. Some improvements completed this year were repairs of loading docks and associated loading/parking area. Catch basins were inspected but only a hand full were cleaned due to budget issues. The coming year will require new efforts for catch basin cleaning, repairs and other drain maintenance. Currently, inmate labor is used to pick-up litter and other roadside debris.

Of note the NCCI Facility constructed a sand and salt shed in 2001. A mild winter resulted in limited sand and salt usage.

**Part V. Program Outputs & Accomplishments (OPTIONAL)**

**Programmatic**

Stormwater management position created/staffed	YES	Staff by DRM
Annual program budget/expenditures	(\$)	

**Education, Involvement, and Training**

Estimated number of residents reached by education program(s)	100%	DOC Staff only
Stormwater management committee established	Yes	
Stream teams established or supported	No	
Shoreline clean-up participation or quantity of shoreline miles cleaned	NA	
Household Hazardous Waste Collection Days	NA	
▪ days sponsored	(#)	
▪ community participation	(%)	
▪ material collected	(tons or gal)	
School curricula implemented	NA	
Recycling efforts	300 tons	

**Construction**

Number of construction starts (>1-acre)	None
Estimated percentage of construction starts adequately regulated for erosion and sediment control	NA
Site inspections completed	NA
Tickets/Stop work orders issued	NA
Fines collected	NA
Complaints/concerns received from public	None

**Post-Development Stormwater Management**

Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control	NA – 0%
Site inspections completed	NA
Estimated volume of stormwater recharged	NA

**Operations and Maintenance**

Average frequency of catch basin cleaning (non-commercial/non-arterial streets)	1 time / year	In permit yr. 2
Average frequency of catch basin cleaning (commercial/arterial or other critical streets)	NA	
Total number of structures cleaned	0	2
Storm drain cleaned	6-12	5
Qty. of screenings/debris removed from storm sewer infrastructure	(lbs. or tons)	3 cy
Disposal or use of sweepings (landfill, POTW, compost, recycle for sand, beneficial use, etc.)		X
Cost of screenings disposal	(\$)	

Average frequency of street sweeping (non-commercial/non-arterial streets)	NA
Average frequency of street sweeping (commercial/arterial or other critical streets)	0/yr contract
Qty. of sand/debris collected by sweeping	(lbs. or tons)
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.)	(location)
Cost of sweepings disposal	(\$)
Vacuum street sweepers purchased/leased	Contracted Services
Vacuum street sweepers specified in contracts	NO
	No

Reduction in application on public land of: ("N/A" = never used; "100%" = elimination)	
▪ Fertilizers	NA
▪ Herbicides	NA
▪ Pesticides	NA

Anti-/De-Icing products and ratios	10% NaCl
	0% CaCl <sub>2</sub>
	0% MgCl <sub>2</sub>
	0% CMA
	0% Kac
	0% KCl
	90% Sand
Pre-wetting techniques utilized	-
Manual control spreaders used	-
Automatic or Zero-velocity spreaders used	-
Estimated net reduction in typical year salt application	TBD
Salt pile(s) covered in storage shed(s)	Yes
Storage shed(s) in design or under construction	NA
	Yes
	NA