

Municipality/Organization: Town of Marion

EPA NPDES Permit Number: 416-9000

MassDEP Transmittal Number: W-

Annual Report Number Year 8
& Reporting Period: April 1, 2010 – March 31, 2011

5/1/12
P

NPDES PII Small MS4 General Permit Annual Report (Due: May 1, 2011)

Part I. General Information

Contact Person: Robert C. Zora

Title: DPW Superintendent

Telephone #: 508-748-3540 ext. 107


Email: rzora@marionma.gov

Mailing Address: P.O. Box 1050, Marion, MA 02738

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: _____



Printed Name: Robert C. Zora

Title: DPW Superintendent

Date: May 27, 2011

Part II. Self-Assessment

Rob Zora, DPW Director will once again be working on the Towns BPMS with very limited funds due to tight budgetary constraints. At the present time we are trying to hold and maintain with a very limited amount of funding to accomplish are needed BPMS.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
1-1 Revised	Educational Flyer	DPW – Rob Zora	Flyer prepared and delivered	Flyer has been prepared, printed and distributed	Print and mail with May water & sewer bills
1-2 Revised	Annual Meeting Hearing	DPW – Rob Zora	Meeting advertised and held	Stormwater Committee will hold the meeting and invite public input	On-Going
1-3 Revised	Posting of Maps	DPW – Rob Zora	Maps displayed	Maps on display at Town Hall and the DPW office	Maps displayed, On-Going
1-4 Revised	Web Page	Webmaster	Pages developed and maintained	On-Going	On-Going
Revised					
Revised					

1a. Additions

2. Public Involvement and Participation

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
2-1 Revised	Public participation	Board of Health and DPW	Maintain a complaint report file	On-Going	On-Going
2-2 Revised	Stormwater Management Committee	DPW – Rob Zora	Meet once a year	Meeting held in April	Meeting annually April – May, On-Going
2-3 Revised	Annual Selectmen's meeting	DPW – Rob Zora	Meeting advertised and held	On-Going	On-Going
2-4 Revised	Storm Drain stenciling	DPW – Rob Zora	Documentation of number of catch basins	Stenciled and painted	Repaint – On-Going yearly
2-5 Revised	Hazardous Material Collection	DPW – Rob Zora	Documentation of Hazardous Material collected	Held May 7, 2011	On-Going, held yearly in May
Revised					

2a. Additions

3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
3-1 Revised	Discharge Identification	Harbormaster and Marine Department	Production of maps	All located and checked yearly	On-Going
3-2 Revised	Drainage mapping	Harbormaster and Marine Department	Production of maps	Displayed – Town Hall, Library and DPW office	On-Going
3-3 Revised	Illicit Discharge Identification	DPW and Board of Health	Quantity illicit discharges and correct	Fall	On-Going
3-4 Revised	Illicit Discharge Identification	Board of Health	Necessary Regulation changes made	On-Going	On-Going annually
3-5 Revised	Board of Health Training	Board of Health	Meeting held	Winter	On-Going annually
Revised					

3a. Additions

4. Construction Site Stormwater Runoff Control

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
4-1 Revised	Conservation Committee Bylaw Review	Conservation Committee	Submission of articles at Town Meeting if necessary	On-Going Annually	On-Going Annually
4-2 Revised	Planning Board Subdivision Regulation Review	Planning Board	Submission of articles at Town Meeting if necessary	On-Going Annually	On-Going Annually
4-3 Revised	Planning Board Zoning Bylaw Review Change	Planning Board	Submission of articles at Town Meeting if necessary	On-Going Annually	On-Going Annually
Revised					
Revised					
Revised					

4a. Additions

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
5-1 Revised	Conservation Committee By-Law	Conservation Committee	Review Wetland By-Law	On-Going	On-Going
5-2 Revised	Planning Board Subdivision Regulations Review	Planning Board	Necessary regulation changes made	Review, On-Going	Review, On-Going
5-3 Revised	Planning Board, Zoning and new Zoning By-Laws reviewed	Planning Board	Submission of town meeting articles if necessary	Review by March	On-Going
Revised					
Revised					
Revised					

5a. Additions

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
6-1 Revised	DPW Policy Guide	DPW – Rob Zora	Preparation of policy guide	On-Going	On-Going
6-2 Revised	DPW Annual Training	DPW – Rob Zora	Completion of annual training	Annual in January	On-Going, annually in January
6-3 Revised	DPW Permit Filing	DPW – Rob Zora	Copies of permits on file	Permits filed, On-Going	Permit filed, On-Going
Revised					
Revised					
Revised					

6a. Additions

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) << if applicable >>

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
Revised				Not Applicable	Not Applicable
Revised				Not Applicable	Not Applicable
Revised				Not Applicable	Not Applicable
Revised				Not Applicable	Not Applicable
Revised				Not Applicable	Not Applicable
Revised				Not Applicable	Not Applicable
Revised				Not Applicable	Not Applicable

7a. Additions

7b. WLA Assessment

Part IV. Summary of Information Collected and Analyzed

Part V. Program Outputs & Accomplishments (OPTIONAL)

(Since beginning of permit coverage unless specified otherwise by a **, which indicates response is for period covering April 1, 2010 through March 31, 2011)

Programmatic

	(Preferred Units)	Response
Stormwater management position created/staffed	(y/n)	
Annual program budget/expenditures **	(\$)1500	Estimate
Total program expenditures since beginning of permit coverage	(\$)5000	Estimate
Funding mechanism(s) (General Fund, Enterprise, Utility, etc)	DPW	
	Budget	

Education, Involvement, and Training

Estimated number of property owners reached by education program(s)	(# or %)	85
Stormwater management committee established	(y/n)	Y
Stream teams established or supported	(# or y/n)	N
Shoreline clean-up participation or quantity of shoreline miles cleaned **	(y/n or mi.)	Y - April
Shoreline cleaned since beginning of permit coverage	(mi.)	N
Household Hazardous Waste Collection Days		
<ul style="list-style-type: none"> ▪ days sponsored ** ▪ community participation ** ▪ material collected ** 	(#)	1
School curricula implemented	(# or %)	unknown
	(tons or gal)	
	(y/n)	N

Legal/Regulatory

Regulatory Mechanism Status (indicate with "X")	In Place Prior to Phase II	Reviewing Existing Authorities	Drafted	Draft in Review	Adopted
▪ Illicit Discharge Detection & Elimination	X	X			
▪ Erosion & Sediment Control	X				
▪ Post-Development Stormwater Management		X			
Accompanying Regulation Status (indicate with "X")					
▪ Illicit Discharge Detection & Elimination		X			
▪ Erosion & Sediment Control	X				
▪ Post-Development Stormwater Management		X			

Mapping and Illicit Discharges

	(Preferred Units)	Response
Outfall mapping complete	(%)	100
Estimated or actual number of outfalls	(#)	127
System-Wide mapping complete (complete storm sewer infrastructure)	(%)	100
Mapping method(s)		
▪ Paper/Mylar	(%)	100
▪ CADD	(%)	100
▪ GIS	(%)	100
Outfalls inspected/screened **	(# or %)	100 Inspected only
Outfalls inspected/screened (Since beginning of permit coverage)	(# or %)	0
Illicit discharges identified **	(#)	0
Illicit discharges identified (Since beginning of permit coverage)	(#)	0
Illicit connections removed **	(#); and (est. gpd)	0
Illicit connections removed (Since beginning of permit coverage)	(#); and (est. gpd)	0
% of population on sewer	(%)	75

% of population on septic systems	(%)	25
-----------------------------------	-----	----

Construction

	(Preferred Units)	Response
Number of construction starts (>1-acre) **	(#)	2
Estimated percentage of construction starts adequately regulated for erosion and sediment control **	(%)	100
Site inspections completed **	(# or %)	100
Tickets/Stop work orders issued **	(# or %)	0
Fines collected **	(# and \$)	0
Complaints/concerns received from public **	(#)	0

Post-Development Stormwater Management

Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control	(%)	100
Site inspections (for proper BMP installation & operation) completed **	(# or %)	100
BMP maintenance required through covenants, escrow, deed restrictions, etc.	(y/n)	N
Low-impact development (LID) practices permitted and encouraged	(y/n)	Y

Operations and Maintenance

Average frequency of catch basin cleaning (non-commercial/non-arterial streets) **	(times/yr)	1
Average frequency of catch basin cleaning (commercial/arterial or other critical streets) **	(times/yr)	1
Qty of structures cleaned **	(#)	250
Qty. of storm drain cleaned **	(%, LF or mi.)	½ mile
Qty. of screenings/debris removed from storm sewer infrastructure **	(lbs. or tons)	10 tons
Disposal or use of screenings (landfill, POTW, compost, beneficial use, etc.) **	(location)	compost

Basin Cleaning Costs			
• Annual budget/expenditure (labor & equipment)**	(\$)	6000	
• Hourly or per basin contract rate **	(\$/hr or \$ per basin)	N/A	
• Disposal cost**	(\$)	0	
Cleaning Equipment			
• Clam shell truck(s) owned/leased	(#)	0	
• Vacuum truck(s) owned/leased	(#)	1 owned	
• Vacuum trucks specified in contracts	(y/n)	N	
• % Structures cleaned with clam shells **	(%)	0	
• % Structures cleaned with vacor **	(%)	0	

	(Preferred Units)	Response
Average frequency of street sweeping (non-commercial/non-arterial streets) **	(times/yr)	2
Average frequency of street sweeping (commercial/arterial or other critical streets) **	(times/yr)	2
Qty. of sand/debris collected by sweeping **	(lbs. or tons)	150 tons
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.) **	(location)	Town Compost
Annual Sweeping Costs		
• Annual budget/expenditure (labor & equipment)**	(\$)	10,000
• Hourly or lane mile contract rate **	(\$/hr. or In mi.)	Town, In-house
• Disposal cost**	(\$)	0
Sweeping Equipment		
• Rotary brush street sweepers owned/leased	(#)	0
• Vacuum street sweepers owned/leased	(#)	1 owned
• Vacuum street sweepers specified in contracts	(y/n)	N
• % Roads swept with rotary brush sweepers **	%	
• % Roads swept with vacuum sweepers **	%	All town roads

Basin Cleaning Costs			
• Annual budget/expenditure (labor & equipment)**	(\$)		6000
• Hourly or per basin contract rate **	(\$/hr or \$ per basin)		N/A
• Disposal cost**	(\$)		0
Cleaning Equipment			
• Clam shell truck(s) owned/leased	(#)		0
• Vacuum truck(s) owned/leased	(#)		1 owned
• Vacuum trucks specified in contracts	(y/n)		N
• % Structures cleaned with clam shells **	(%)		0
• % Structures cleaned with vector **	(%)		0

	(Preferred Units)	Response
Average frequency of street sweeping (non-commercial/non-arterial streets) **	(times/yr)	2
Average frequency of street sweeping (commercial/arterial or other critical streets) **	(times/yr)	2
Qty. of sand/debris collected by sweeping **	(lbs. or tons)	150 tons
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.) **	(location)	Town Compost
Annual Sweeping Costs		
• Annual budget/expenditure (labor & equipment)**	(\$)	10,000
• Hourly or lane mile contract rate **	(\$/hr. or in mi.)	Town, In-house
• Disposal cost**	(\$)	0
Sweeping Equipment		
• Rotary brush street sweepers owned/leased	(#)	0
• Vacuum street sweepers owned/leased	(#)	1 owned
• Vacuum street sweepers specified in contracts	(y/n)	N
• % Roads swept with rotary brush sweepers **	%	
• % Roads swept with vacuum sweepers **	%	All town roads

Reduction (since beginning of permit coverage) in application on public land of:
 ("N/A" = never used; "100%" = elimination)

▪ Fertilizers	(lbs. or %)	N/A
▪ Herbicides	(lbs. or %)	N/A
▪ Pesticides	(lbs. or %)	N/A
Integrated Pest Management (IPM) Practices Implemented	(y/n)	

	(Preferred Units)	Response
Average Ratio of Anti-/De-Icing products used **	% NaCl % CaCl ₂ % MgCl ₂ % CMA % Kac % KCl % Sand	10%
(also identify chemicals and ratios used in specific areas, e.g., water supply protection areas)		
Pre-wetting techniques utilized **	(y/n or %)	N
Manual control spreaders used **	(y/n or %)	N
Zero-velocity spreaders used **	(y/n or %)	Y
Estimated net reduction or increase in typical year salt/chemical application rate	(±lbs/ln mi. or %)	Less
Estimated net reduction or increase in typical year sand application rate **	(±lbs/ln mi. or %)	Less
% of salt/chemical pile(s) covered in storage shed(s)	(%)	0
Storage shed(s) in design or under construction	(y/n or #)	N
100% of salt/chemical pile(s) covered in storage shed(s) by May 2008	(y/n)	No covered only

Water Supply Protection

Storm water outfalls to public water supplies eliminated or relocated			Y
Installed or planned treatment BMPs for public drinking water supplies and their protection areas			Y
<ul style="list-style-type: none"> • Treatment units induce infiltration within 500-feet of a wellhead protection area 			N