

Municipality/Organization: Town of Andover

EPA NPDES Permit Number: MAR041178

MassDEP Transmittal Number: W-041021

Annual Report Number

& Reporting Period: No. 11: May 1, 2014-April 30, 2015

NPDES PII Small MS4 General Permit Annual Report

Part I. General Information

Contact Person: Reginald Stapczynski


Title: Town Manager

Telephone #: (978) 623-8225

Email: rstapczynski@andoverma.gov

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: 

Printed Name: Reginald Stapczynski

Title: Town Manager

Date: 4/30/2015

Part II. Self-Assessment

The Town of Andover has completed the required self-assessment of the annual compliance review for the Phase II Stormwater Program. In accordance with the NPDES Phase II Stormwater requirements, the following topics were evaluated for the completion of the Annual Report:

1. Compliance with the Phase II Permit Conditions
2. Appropriateness of the Selected BMPs
3. Progress Towards Achieving the Program's Measurable Goals
4. Results of Any Information that has been Collected and Analyzed
5. Activities for the Next Reporting Cycle
6. Changes in Identified BMPs or Measurable Goals

The Town has determined that our municipality is in compliance with all permit conditions.

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
1B				<p><i>(continued)</i></p> <p>The report was also made available for download via the Town’s website. Topics included general stormwater information, pet waste, lawn care, and recycling. The Town participated as a sponsor of the 2014 Greenscapes Massachusetts Program which provides residents with water conservation, environmentally friendly yard care and landscaping information and services. Information on hazardous waste disposal events was also included as outlined under BMP 6Y. A link to Greenscapes.org was posted to the website, providing information on low impact development techniques for homeowners and green landscape tips.</p>	
1C	Submit Advertisements/Articles on Stormwater Protection for Local Newspaper	Department of Public Works/Engineering Dept., and Water Dept.	Clippings of articles and advertisements printed in local newspaper.	A newspaper article announcing the release of the Annual Drinking Water Quality Report was published in the Andover Townsman on May 29, 2014, which included information on stormwater pollution prevention.	Continue to inform residents of upcoming activities in conjunction with Minimum Measures 1 and 2 by publishing articles in the newspaper or in online media sources.
Revised	Submit Advertisements/Articles on Stormwater Protection to Local Newspaper or Online Media Sources		Clippings of articles and advertisements printed in local newspaper or in online media sources.	<p>Additionally, a news article was published in the Andover Townsman on November 6, 2014 about the history, investigation, and repairs of a breach that occurred at the Hussey’s</p> <p><i>(continued on next page)</i></p>	Continue to issue press releases and articles in the Andover Townsman and/or Eagle Tribune to publicize the Greenscapes program and other town programs as they become available.

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
1C				<p><i>(continued)</i></p> <p>Pond Dam. Two educational videos were shown on the DPW Facebook page, titled “Reduce Your Pollution and Decrease Polluted Stormwater”, and “Why Stormwater is a Threat to Clean Water”.</p>	

2. Public Involvement and Participation

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
2A	Establish a Pesticide Reduction Task Force (PRTF)	Committee of Town Staff, League of Women Voters, and Residents	Copies of mailers, meeting minutes, list of attendees.	During past permit years, the Pesticide Reduction Task Force was joined with the Fish Brook Watershed Advisory Committee (FBWAC). The FBWAC created a Pesticide Use Policy that was adopted by the Town for use in the watershed to help protect water quality. During Permit Year 8, the FBWAC issued its final report as outlined in BMP 2E, and has since disbanded. The Pesticide Use Policy remains in effect and is available from the Health Department and on the Town website.	Continue to enforce the Pesticide Use Policy under existing regulatory methods. Provide education to residents and businesses about proper pesticide usage and potential water quality impacts under BMP 1B.
Revised	Reduce Pesticide Usage in the Fish Brook Watershed	Town Departments and Residents	Implement a Pesticide Use Policy		
2B	Establish a Stormwater Telephone Hotline	Department of Public Works/Engineering Dept, Water Dept., and Town Website Manager(s)	Record number of phone calls to hotline, copies of articles.	9 calls and complaints were received by the Engineering Dept. and 14 calls and complaints were received by the Health Dept. These were logged as part of the Stormwater Call Directory also outlined in BMP 4B, set up through the DPW Engineering Division and advertised on the Town website. Complaints pertained to various stormwater issues including: stormwater flooding, erosion, drainage system maintenance, a dam breach, spills/leaks, illicit discharges and other minor issues. Each location was investigated and documented in the complaint log as part of the process. The log includes investigation findings, actions taken, and follow-up actions.	Continue to receive calls made to the Stormwater Call Directory and take corrective actions. Continue to document the complaint in the log including investigation findings, actions taken, and follow-up actions.
Revised	Establish a Stormwater Call Directory		Record number of calls to each Department		

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
2C	Establish Classroom Education/Field Trip Program	Department of Public Works/Engineering Dept. Water Dept., and Education Department	Field Trip Curriculum, # of field trips organized each year.	A Greenscapes-sponsored educational event was held for three 5 th -grade classrooms at the Sanborn Elementary School on March 10, 2015. The program, called “Keeping Water Clean” was a hands-on event, designed to introduce concepts of the water cycle, stormwater, wastewater, drinking water, and the local watershed. Personal tours of the water treatment plant are no longer offered due to security issues; however a virtual tour is available to schools and other interested parties through the Town’s website.	Continue to visit classrooms and explore expanding future programs to other schools. Encourage class projects and activities related to stormwater issues. Continue to use the Virtual Tour of the water treatment plant.
Revised			Host one annual classroom educational event or field trip		
2D	Install Storm Drain Markers or Stencils	Department of Public Works/Engineering Dept, Water Dept., and Volunteers	50% of storm drains marked by year 5 with door hangers placed in associated neighborhoods.	A goal of marking 50% of storm drains was met in year 5. Through collaboration between Town employees and other volunteers, an additional 1,720 markers were installed at catch basins during Permit Years 9 and 10, completing town-wide coverage. 3 additional markers were installed on catch basins on Dawn Circle during Permit Year 12, which was accepted by the Town in May 2014.	Continue marking storm drains throughout the watersheds as new development occurs and refresh markers as needed through the use of Town personnel and volunteers. Additional marking and door hanger distribution will be performed as volunteers and materials become available in the future.
Revised			100% of storm drains marked, with door hangers placed in associated neighborhoods.		
2E	Work With Watershed Organizations to Incorporate Stormwater Information into Their Programs	Department of Public Works/Engineering Dept, Water Dept., and Conservation Commission	Document quarterly meeting topics. Agenda, meeting notes, and attendance sheets.	The Town has partnered with the Greenscapes North Shore Coalition, Salem Sound Coastwatch, Ipswich River Watershed Association, the Great Marsh Committee, and Eight Towns to offer an educational workshop “Keeping Water Clean” and distribution of an	Continue working with local watershed groups and residents to discuss stormwater concerns. Encourage additional projects to improve water quality. The amended Fish Brook Watershed Bylaw is now in effect and is enforced
Revised				(continued on next page)	(continued on next page)

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
2E				<p><i>(continued)</i></p> <p>E-newsletter to residents. The Greenscapes North Shore Program hosted one presentation called “Greenscapes Gardening Green” on March 22 and 23, 2015 attended by residents and local gardeners. The Conservation Director has partnered with the Shawsheen River Watershed Association (SRWA) to locate outfalls with excessive sediment flow. Watershed association volunteers actively check river outfalls and work to pinpoint areas not in compliance for further investigation by Conservation staff. The Andover Conservation Commission and Merrimack River Watershed Council (MRWC) also hosted a river wide cleanup effort involving approximately 200 volunteers.</p>	<p><i>(continued)</i></p> <p>by applicable town departments. Continue to implement items identified in the final FBWAC report as feasible.</p>

3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
3A	Develop Primary Town Storm Drain System Map	Department of Public Works/Engineering Dept., Consultant	90% of system mapped on GIS.	90% of the drainage system was mapped during Permit Year 1 using existing plans. Through subsequent mapping efforts, 99.9% of the drainage system has now been mapped. 10 additional outfalls were mapped as outlined in BMP 3B during Permit Year 12.	Continue to map newly installed or located structures as necessary.
Revised					
3B	Complete Storm Drain System Map	Department of Public Works/Engineering Dept., Consultant	Outfalls map completed.	Storm drain pipes, structures and outfalls were added to the GIS drainage map from new subdivisions and site developments. An additional 10 outfalls were identified on various plans and records; 3 that are Town owned and 7 of which are private or state-owned. 5 additional Town outfalls were field located, inspected, and mapped with GPS coordinates, 3 of which were found in previously unknown areas. Additional stormwater infrastructure, mostly private, has been added through research of existing records and through field inspections with GPS equipment during Permit Year 12 as follows: 10,089 l.f. of pipe; 50 catch basins; 66 manholes; 10 outfalls (3 public, 7 private or state owned); 7 grit/oil separators; and 3 inlets. The GIS base map was updated to reflect all new information.	Continue verifying the location of the drainage system as mapped under BMP 3A and incorporate changes as funds, manpower, and equipment are available. The Town will also update the GIS map as new drainage systems and new roads and developments are constructed. Excavation and flushing will likely be required to find remaining outfalls.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
3C	Develop Illicit Discharge Prohibition Ordinance	Planning Board, Board of Health, and Selectmen	Obtain authorization to control inputs to the municipal drainage system.	Illicit Discharge Rules and Regulations were adopted by the Board of Health on July 9, 2007. Enforcement is ongoing.	Continue to enforce the Illicit Discharge Rules and Regulations.
Revised					
3D	Develop Illicit Discharge Detection and Elimination Plan and Implement Activities	Department of Public Works/Engineering Dept., Water Dept., Board of Health, and Consultant	All outfalls examined. Sources traced and results documented within one year of discovery.	An IDDE plan was established in Permit Year 1 and continues to be used during IDDE investigations. 5 additional outfalls were found and inspected, with one exhibiting dry weather flows (OUT-1705). A dry weather sample was collected and sampled for E.coli; results were less than 100, and no further sampling is proposed. At 3 previously identified outfalls that showed inconsistent water quality results, reinspection and sampling was performed: OUT-1013 behind 11 Lupine Road, OUT-689 behind 28 Foster Circle, and OUT-103 behind 236 Haggetts Pond Road and results showed E.coli < 200. Further follow-up sampling will continue at these locations.	Continue work on locating remaining outfalls and inspecting for signs of illicit discharges as funding is available. Funding and manpower is limited at this time for further major repairs or reconstruction. Continue follow up on suspect outfall locations identified during previous permit years as necessary and obtain necessary funding. Evaluate connections for future dye testing or additional inspection. Requirements of the new permit will determine when this BMP will be completed.
Revised					
3E	Incorporate Information on Illicit Discharges into Public Education and Outreach Topics	Department of Public Works/ Engineering Dept., Water Dept., and Board of Health	Copies of materials.	General information on illicit discharges is posted on the Stormwater Management section of the Town website as outlined in BMP 1A. A link to an interactive “Illicit Discharge Interactive Demonstration” was also included. Stormwater management	Continue incorporating information on illicit discharge into public education and outreach topics.
Revised				(continued on next page)	

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
3E				<p><i>(continued)</i></p> <p>information was included in the annual Consumer Confidence Report (i.e., Water Quality Report), of which approximately 200 copies were made available at town offices, public library, and water treatment plant. A section on IDDE was published in the annual “Recycling and Trash Collection Guide”, dated July 2014-June 2015 and was made available at various town buildings, via the website, emails, and at various events as outlined in BMP 1B.</p>	
3F	Setup and Advertise a Hotline for Illicit Discharges	Department of Public Works/ Engineering Dept., and Board of Health	Log of complaints and actions taken.	14 calls and complaints were received by the Health Dept. and logged as part of the Stormwater Call Directory as outlined in BMP 2B and advertised on the Town website. Calls were generally related to spills/leaks, improper storage of trash and debris, septic system overflowing, grease accumulation, and water/sewer line breaks. All complaints were investigated and actions taken to alleviate the problem, including bringing in LSPs to oversee area cleanup, repair and replacement of sewer connections, and additional public education as necessary. All non-illicit discharge calls were addressed as outlined in BMP 4B. A link was provided from the Health Division website to the stormwater website and call directory.	Continue to receive complaints and take corrective actions based on calls to the Stormwater Call Directory outlined in BMP 2B.
Revised	Establish a Procedure to Receive Calls				Continue to document the complaint in the log including investigation findings, actions taken, and follow-up actions.

4. Construction Site Stormwater Runoff Control

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
4A Revised	Develop Erosion Control Bylaw	Planning Board and Selectmen	Bylaw at Town meeting by year 3.	The Stormwater Management & Erosion Control Bylaw was adopted at the 2008 Annual Town Meeting. The Planning Board adopted the accompanying Stormwater Management Rules and Regulations in February of 2009. Enforcement is ongoing.	Continue to enforce the Stormwater Management & Erosion Control Bylaw and accompanying Stormwater Management Rules and Regulations.
4B Revised	Establish a Procedure for the Receipt of Information Submitted by the Public	Planning Board and Department of Public Works/ Engineering Dept.	Record number of phone calls, copies of articles.	A Stormwater Call Directory as outlined in BMP 2B has been set up and advertised on the Town website. A total of 23 complaints were received by the Engineering and Health Departments and logged as part of the Stormwater Call Directory during Permit Year 12. The majority of calls pertained to stormwater flooding, erosion, drainage system maintenance, spills/leaks, illicit discharges, trash and other minor issues as outlined in BMP 3F. Each location was investigated and documented in the complaint log as part of the process. The log includes investigation findings, actions taken, and follow-up actions.	Continue to receive calls made to the Stormwater Call Directory and take corrective actions. Continue to document the complaint in the log including investigation findings, actions taken, and follow-up actions.
4C Revised	Develop Guidance for Erosion Controls & Conduct Inspections	Planning Board, Dept of Public Works/ Eng Dept., Conservation Commission, & Consultant	Inspection checklist and documented inspections.	The Stormwater Management & Erosion Control Regulations implemented during Permit Year 5 provide specific guidelines of erosion controls and inspections along with annual reporting.	Continue to abide by the design standards set forth in the Stormwater Management & Erosion Control Regulations when managing erosion controls.

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
5A	Develop BMP Bylaws	Planning Board	Bylaw at Town meeting by year 3.	The Stormwater Management & Erosion Control Bylaw was adopted at the 2008 Annual Town Meeting. The Planning Board adopted the accompanying Stormwater Management Rules and Regulations in February of 2009. Enforcement is ongoing.	Continue to enforce the Stormwater Management & Erosion Control Bylaw and accompanying Stormwater Management Rules and Regulations.
Revised					
5B	Develop and Implement Inspection Program	Planning Board, Department of Public Works/ Engineering Dept., Conservation Commission, Selectmen and Consultant	Copies of maintenance reports received annually, plus records of inspections completed and results.	The Conservation Commission required that post-construction development projects conform to conservation standards for stormwater control annual inspection and maintenance before a Certificate of Compliance is issued. Projects must also conform to state standards as required. The Conservation Commission requires that construction projects submit an Operation and Maintenance Plan for final approval. The Conservation Commission has also instituted a program of periodic inspections conducted by outside independent engineers of ongoing constructing projects. Inspections are terminated when work is completed and the site is stabilized. Additionally, the Conservation Dept. also received one Severe Storm Report from construction ongoing at the Merrimack College North Campus Development associated with a single	Continue to document annual maintenance and inspection of HOA BMPs. Follow-up meetings and reminder letters to the Homeowners' Associations will be necessary on a yearly basis to ensure that the drainage areas are being inspected and maintained and Operation and Maintenance Plans are being followed.
Revised					

(continued on next page)

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
5B				<p><i>(continued)</i> rainfall event of approximately 2.5” over a 24-hour period. Inspections indicated that the heavy rainfall resulted in high quantities of turbid runoff leaving the site. Measures were taken by the developer to minimize potential likelihood of reoccurrence in the future, including additional temporary BMPs and installation of additional temporary erosion controls. The Planning Board also requires that an O & M Plan be submitted for approval of each construction project and that inspection reports be submitted annually. For every Homeowner’s Association (HOA) documented, a comprehensive file has been assembled by the Planning Dept. to track HOA BMP inspections and maintenance. The Planning and Engineering Departments received annual inspection reports during Permit Year 12 for five sites: Birmingham Estates HOA, Shandel Circle, Courtney Lane HOA, Southwick Estates HOA, and Regency Ridge HOA. Due to the minimal responses received, follow-up reminder letters were sent by the Planning Dept. to the following developments: Black Horse Lane, Douglas Crossing, High Meadow, Jordyn Lane, Mackenzie Court, Winterberry Lane, Stirling Woods, Steeple Court, and Crystal Circle.</p>	

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
5C	Develop BMP Design Standards	Planning Board, Dept of Public Works/ Eng Dept., Conservation Commission, & Consultant	Copy of draft bylaws.	Design standards consistent with the Stormwater Management Handbook were adopted as part of the Stormwater Management & Erosion Control Regulations, adopted in February 2009. No additional work took place during Permit Year 12.	Continue to abide by the design standards in the Stormwater Management Handbook for all BMP designs.
Revised					

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6A	Sweep Streets in Town	Department of Public Works/Highway Division	Priority plan of sweeping based on water quality impact.	All streets are swept in Town at least annually. Streets in the downtown area are swept approximately twice a week from May through October. Sweeping efforts were ongoing throughout Permit Year 12.	Continue implementing the current street sweeping program.
Revised					
6B	Clean Catch Basins	Department of Public Works/Highway Division and Consultant	Records of cleaning, inspections and maintenance.	Catch basins are cleaned approximately every other year, with high priority catch basins cleaned more frequently. Limited resources reduced the number of catch basin cleanings performed, however approximately 1,708 catch basins were cleaned during Permit Year 12. Remaining catch basins will be cleaned when resources are available.	Continue to clean all catch basins in Town approximately every two years, pending available resources and funding. Continue to identify problem areas and modify cleaning frequency as needed.
Revised					
6C	Develop and Implement an Inspection and Maintenance Plan	Department of Public Works/Highway Division, Plant and Facilities Dept., Water/Sewer Dept.	Written policy. Records of inspections and maintenance.	Inspections and maintenance are performed and procedures are modified as necessary. Stormwater structures are inspected as part of routine operations as time and budget constraints allow. A standard maintenance checklist was developed during previous permitting years and utilized during inspection and cleaning operations. Inspection results and required maintenance at each facility is as follows: Public Safety Center: 7 inspected, 0 require maintenance; Andover High School: 6 inspected, 1 requires maintenance; Central Fire: 1 inspected, 1 requires maintenance;	Continue to perform inspection and maintenance of BMPs and catch basins. Modify maintenance frequency as necessary.
Revised				(continued on next page)	

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6C				<p><i>(continued)</i></p> <p>Highway Garage: 1 inspected, 1 requires maintenance; Water Shop: 1 inspected, 1 requires maintenance; Ballardvale Fire Station: 1 inspected, 0 require maintenance; West Fire Station: 1 inspected, 1 requires maintenance; West Middle School: 2 inspected, 1 requires maintenance; and Doherty School: 1 inspected, 0 require maintenance. Maintenance is scheduled to occur during the spring of 2015 as required. In addition, several other BMPs, such as forebays, detention basins, and underground filtration systems were also inspected at the High Plain / Wood Hill School and Doherty School. Maintenance is scheduled to occur during the spring of 2015 as required. 3 additional oil/waters separators located on West Hollow Street and 1 on River Street were inspected. 2 required cleaning, and all 4 were cleaned with a vac truck.</p>	
6D	Berm Sand/Salt Pile and Evaluate Options for Protection	Department of Public Works/ Highway Division	Records of modifications, including photos.	<p>A storage shed was constructed in Permit Year 1 to store the sand/salt pile away from stormwater runoff. All salt and sand are currently being stored within the shed, and no further action was performed.</p>	Continue utilizing the shed for storage of all salt and sand materials.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6E	Store Paving Tools and Equipment Indoors	Department of Public Works/Highway Division	Designated indoor storage area. Record of Memo.	All paving tools and equipment are now stored indoors in designated areas. No further action was performed during Permit Year 12.	Continue to store all tools and equipment indoors in designated areas.
Revised					
6F	Rinse Marking Paint Buckets to the Sanitary Sewer System and Store Buckets Indoors	Department of Public Works/Highway Division	Designated indoor storage area. Record of Memo.	All marking paint buckets are rinsed to the sanitary sewer system and stored indoors.	Continue to rinse all marking paint buckets to the sanitary sewer system and store indoors.
Revised					
6G	Implement BMPs to Reduce Sediments Entering the Drainage System	Department of Public Works/Highway Division	Records of sweeping and inspection records.	The paved roadway and catch basins at the DPW Yard were swept and cleaned frequently, particularly during high usage times. Catch basins cleaned on a schedule and as needed/able as outlined in BMP 6B.	Continue to sweep the paved roadway and clean the catch basins at the DPW Yard on a frequent basis.
Revised					
6H	Bring Floor Drain System at the Water/Sewer Building into Compliance	Department of Public Works/Engineering Dept.	As-built sketches.	Floor drain was brought into compliance in Permit Year 1.	No further action is required.
Revised					
6I	Bring Floor Drain System at the Vehicle Maintenance Building into Compliance	Department of Public Works/Engineering Dept.	As-built sketches.	Floor drain was brought into compliance in Permit Year 1.	No further action is required.
Revised					
6J	Wash Vehicles in Accordance with DEP Regulations	Department of Public Works/Highway Division	Record of Memo.	Vehicles are washed indoors to floor drains that discharge into an oil/water separator and the sanitary sewer system.	Continue washing vehicles indoors.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6K	Implement Stormwater BMPs at the Fueling Station	Plant and Facilities Dept. and Consultant	Repair Records. Better housekeeping for small spills. As-built sketches or plans. Record of memo.	A fully stocked spill kit and disposal containers are maintained onsite to clean up future leaks. Any waste will be disposed of properly.	Continue to keep fully stocked spill kit and disposal container on-site to clean up any future leaks and to dispose of wastes properly.
Revised					
6L	Develop an Inspection and Maintenance Program for the Liquid Calcium Chloride (CaCl) ASTs.	Department of Public Works/Highway Division	Inspection and Maintenance Plan. As-built sketches or action taken. Record of memo.	An inspection and maintenance plan and procedures for handling large leaks and spills was completed in Permit Year 2. The equipment is maintained as needed and no incidents occurred during Permit Year 12. A Calcium Chloride Use and Inspection Plan has been developed for operations at the Town Yard, including inspecting the calcium chloride tanks and calibrating truck-mounted spreaders. Calcium Chloride tanks are inspected weekly and maintained as needed.	Continue with the current inspection and maintenance program consistent with previous years.
Revised					
6M	Implement BMPs at the Ledge Road Landfill	Department of Public Works	Complete landfill cap.	A Comprehensive Site Assessment (CSA) and semi-annual groundwater & air sampling was performed during Permit Year 6, and an additional risk study as requested by MassDEP was completed. Voters approved a \$7.34M construction bond during Permit Year 6. In conjunction with consultant CDM Smith, Andover is developing a closure and post closure use plan. A final Technical Report has been submitted to MassDEP, and the Town is awaiting comments to proceed with the next phase	Upon receiving comments back from MassDEP on the final Technical Report, proceed with the next phase of the program. This BMP is ongoing and anticipated to continue through at least 2015.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6N	Provide Additional Slope Stabilization at the Snow Dump and Storage Location	Department of Public Works/Engineering Dept. and Highway Division	As-built sketches or plans and photos.	Slope stabilization at the snow dump location was completed during Permit Year 1.	No additional work is needed.
Revised					
6O	Ensure Compliance for Floor Drains and Vehicle Washing Activities at the West Fire Station	Plant and Facilities Dept. and Fire Dept.	Sketches or inspection memos. Record of memo.	Continued washing vehicles indoors to prevent discharges to the Town's MS4.	Continue to prohibit outdoor vehicle washing and wash vehicles indoors.
Revised					
6P	Ensure Compliance for Floor Drains and Vehicle Washing Activities at the Ballardvale Fire Station	Plant and Facilities Dept. and Fire Dept.	Sketches or inspection memos. Record of memo.	Continued washing vehicles indoors to prevent discharges to the Town's MS4.	Continue to prohibit outdoor vehicle washing and wash vehicles indoors.
Revised					
6Q	Wash Vehicles at the Approved Vehicle Wash Area at the Police Station (Public Safety Building)	Plant and Facilities Dept. and Police Dept.	Record of memo.	Continued washing vehicles at approved wash areas. Outdoor vehicle washing is prohibited.	Continue to wash all vehicles indoors at approved vehicle wash areas.
Revised					
6R	Prohibit Vehicle Washing at the Cemetery Buildings	Plant and Facilities Dept. and Fire Dept.	Record of memo.	Municipal Services staffs are now working together to wash vehicles at the Town Yard, which drains into the sanitary sewer.	Continue washing vehicles at approved sites.
Revised		Department of Public Works			

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6S	Rinse Marking Paint Buckets to the Sanitary Sewer System at the Park Shop	Plant and Facilities Dept. and School Dept.	Record of memo.	Continued rinsing all marking paint buckets to the sanitary sewer system.	Continue rinsing all marking paint buckets to the sanitary sewer system.
Revised		Department of Public Works			
6T	Ensure Compliance with SPCC Plans for the West, Shawsheen, and Bancroft Elementary Schools	Plant and Facilities Dept. and School Dept.	Record of inspections and activities in accordance with the plan.	Continued inspecting facilities in accordance with the SPCC Plans. During Permit 12, West Elementary and Shawsheen facilities were inspected. The Bancroft School is under construction contract and will resume in 2016.	Continue inspecting facilities in accordance with the SPCC Plans. Update SPCC plans as required under applicable regulations.
Revised					
6U	Use IPM Program for Application of Pesticides in Town	Plant and Facilities Dept.	Copy of “Chapter 85 of the Acts of 2000”.	Continued to implement and fine tune an Integrated Pest Management (IPM) Program to minimize the amount of pesticides (herbicides and insecticides) and fertilizers on Town-owned lands in order to comply with the Massachusetts Pesticide Control Act and the Children Protection Act 2000/Executive Order 2003 (an act protecting children and families from harmful pesticides).	Continue Integrated Pest Management (IPM) Program. Survey the mosquito population to identify potential virus outbreaks of West Nile or Eastern Equine Encephalitis. If a virus outbreak is threatening, the Town will spray for adult mosquitoes.
Revised		Department of Public Works			
6V	Use Licensed Applicators for Fertilizers and Pesticides in Town	Plant and Facilities Dept	Record quantities of fertilizers and pesticides purchased annually.	Continued to use licensed applicators to apply chemicals such as fertilizers and pesticides that require a license to ensure the safety of the public and environment in Town.	Continue to use licensed applicators to apply fertilizers and pesticides in Town.
Revised		Department of Public Works			
6W	Store Road Salt Under Cover and Clean Loading Area	Department of Public Works/Highway Division	Minimize stormwater contact with salt.	Stored all road salt materials under cover at the DPW Facilities Plant and Yard and cleaned loading area on a regular basis.	Continue to store all road salt materials under cover at the DPW Facilities Plant and Yard and clean loading area on a regular basis.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6X	Use Low Salt Applications at Designated Areas	Department of Public Works/Highway Division	Use less salt within the Haggetts Pond watershed, as demonstrated with application rate.	Deicing practices modified during Permit Year 6 to reduce salt application within Fish Brook and Haggetts Pond watershed were continued. Low salt applications are performed when able within the watershed. The MassDOT salt storage shed was relocated outside the Watershed Protection Overlay District during Permit Year 12, prior to the 2014-2015 winter season. The old location is currently being decommissioned by MassDOT.	Continue to use low salt applications in the Fish Brook and Haggetts Pond watershed for water supply protection. Continue to meet with applicable agencies and departments on shed relocation. Complete decommissioning of old MassDOT salt storage shed.
Revised					
6Y	Ensure Proper Waste Disposal in Town for Hazardous and Special Wastes	Department of Public Works and Consultant	Document quantity of wastes collected annually.	Hazardous household wastes (HHW) and electronics waste were collected at annual drop-off events. Two HHW collection events were held during Permit Year 12, taking place on May 17, 2014 and September 13, 2014 at West Elementary School. Two additional collections for other waste, including cathode ray tubes, batteries, and electronics took place on June 7, 2014 and September 27, 2014. All events were advertised on the Town website and in flyers made available. A total of 21.75 tons of material were collected for safe disposal.	Continue to ensure proper waste disposal in Town for hazardous and special wastes as conducted in the past. A HHW event is currently scheduled for May 16, 2015, and an event for disposal of cathode ray tubes, batteries, and electronic equipment is scheduled for June 6, 2015 at West Elementary School.
Revised					
6Z	Ensure Compliance for Snow Disposal in Town	Department of Public Works/Highway Division	Utilize designated snow disposal location.	Continued existing practices for snow disposal activities at the designated snow dump on High St.	Continue existing practices for snow disposal activities in Town to ensure surface water quality protection.
Revised					

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
6AA	Conduct Town Employee Stormwater Training	Town Manager, Department of Public Works, Plant and Facilities Dept., Police and Fire Dept. and Consultant	Attendance sheet and copy of program.	DPW and Plant & Facilities staff members attended a NPDES training workshop sponsored by the Merrimack Valley Planning Commission. Workshops were held on March 10, March 20, and April 10, 2015. Topics were tailored to Parks and Recreation Staff (day 1), Buildings, Facilities, Vehicle and Equipment Maintenance (day 2), and Stormwater Management and Infrastructure Maintenance (day 3). Topics covered included proper use, storage, and disposal of pesticides, herbicides, fertilizers, and universal wastes, pollutant storage in areas exposed to stormwater, handling and storage of petroleum products, spill prevention, control and countermeasures, maintenance schedules for stormwater infrastructure and treatment structures, and operation and maintenance.	Conduct formal refresher training as in years past. Also conduct informal training at applicable work sites.
Revised					

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) <<if applicable>>

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 12 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Next Permit Term
7A	Develop a Water Quality Strategy for 303d Waters	Town Engineer & Consultant	Summary of pollution prevention efforts, future needs, and responsible parties. Copy of surface water quality strategic plan.	The Town discussed developing a strategy to meet the TMDL considering existing actions under the Phase II stormwater management program and available resources during previous permit years. The next steps for developing a water quality strategy are pending the reissuance of the Phase II Permit. No additional progress occurred during Permit Year 12.	Once issued, review the Phase II Permit and develop an implementation strategy to meet the TMDL that considers the goals of the TMDL, available resources, actions currently being undertaken by Andover and actions by others under the MassDEP RIA Permit.
Revised					
7B	Implement BMPs from Water Quality Strategy	Town Engineer, Consultant, & Town Departments (to be determined)	Photographs, logs, and BMP descriptions for completed efforts and water quality improvements.	Progress on this BMP will follow the progress made on BMP 7A.	Progress on this BMP will follow the progress made on BMP 7A.
Revised					

7b. WLA Assessment

A TMDL, No. 2587, was completed for the entire Shawsheen River Basin for pathogens only. The following waterbodies were included in this TMDL and are listed on the 303d list as impaired due to pathogens:

- 1) Unnamed Tributary: segment MA83-15 (8349105); also known as Pinnacle Brook- from a small wetland east of Route 93, Andover to the confluence with Meadow Brook in Tewksbury.
- 2) Unnamed Tributary: segment MA83-20 (8349030); also known as Fosters Brook- from the outlet of Fosters Pond through River Street Pond to the confluence with the Shawsheen River at Lowell Junction Pond in Andover.
- 3) Rogers Brook: segment ID MA83-04; from the Outlet of first unnamed pond to the confluence with the Shawsheen River in Andover.
- 4) Shawsheen River: segment ID MA83-18 (formerly part of segment MA83-02); from the confluence with Spring Brook in Bedford to Central Street in Andover.
- 5) Shawsheen River: segment ID MA83-19 (formerly part of segment MA83-03); from Central Street to the confluence with the Merrimack River in Lawrence.

The TMDL Report set a WLA for fecal coliform standard of 200 organisms/100 mL per outfall. The report also points out that outfalls from Roger's Brook will need an 89.5% reduction in coliform to reach the standard of 200 organisms/100mL at each outfall. To meet these standards the Report suggests the following measures, many of which are already included in Andover's Stormwater Management Plan:

- 1) Implement an illegal connection identification and removal program;
- 2) Collect additional monitoring data to isolate coliform sources;
- 3) Implement more intensive "good housekeeping" practices; and
- 4) Assess water quality in response to implementation activities.

Andover's Phase II program addresses general water quality concerns associated with 303d waters through the implementation of BMPs under the six minimum measures for Phase II. The approach for addressing impaired waters will be updated based on the new permit.

The final 2012 303d list (list of impaired waters) outlines several waterbodies in Andover that are classified as Category 5, meaning waters in need of a TMDL:

1. Brackett Pond: segment ID MA92004; impaired for turbidity
2. Collins Pond: segment ID MA92010; impaired for excess algal growth and turbidity
3. Frye Pond: segment ID MA92023; impaired for excess algal growth
4. Salem Pond: segment ID MA92057; impaired for turbidity
5. Fish Brook: segment ID MA84A-40; impaired for chloride and E. coli

6. Haggets Pond: segment ID MA84022; impaired for mercury in fish tissue
7. Bellardvale Impoundment: segment ID MA83011; impaired for mercury in fish tissue, aquatic plants (macrophytes) and non-native aquatic plants
8. Fosters Pond: segment ID MA83005; impaired for non-native aquatic plants, mercury in fish tissue and dissolved oxygen
9. Hussey Pond: segment ID MA83009; impaired for excess algal growth
10. Pumps Pond: segment ID MA83014; impaired for mercury in fish tissue and non-native aquatic plants
11. Rabbit Pond: segment ID MA83015; impaired for turbidity
12. Rogers Brook: segment ID MA83-04; impaired for fecal coliform (TMDL prepared), turbidity, and physical substrate habitat alterations
13. Shawsheen River: segment ID MA83-18; impaired for fecal coliform (TMDL prepared), mercury in fish tissue, and dissolved oxygen
14. Shawsheen River: segment ID MA83-19; impaired for fecal coliform (TMDL prepared) and dissolved oxygen
15. Unnamed Tributary: segment MA83-15; impaired for fecal coliform (TMDL prepared) and chloride
16. Unnamed Tributary: segment MA83-20; impaired for chloride

Once TMDLs are developed for any of the above waterbodies, Section 7 of the annual reports will be updated to reflect changes associated with each TMDL.

Part IV. Summary of Information Collected and Analyzed

Copies of all educational materials, newspaper articles, and memos distributed have been kept on file. Meeting memos, phone logs, and website hits have also been kept on file. Locations and physical descriptions of approximately 1,074 outfalls have been gathered since Permit Year 1. All outfalls, along with catch basins, manholes, pipes and stormwater BMPs are incorporated into a GIS-based map. To date 99.9% of the system has been mapped. During outfall inspections, each Town owned outfall was inspected for potential dry weather flows. 11 illicit discharges have been detected since Permit Year 1. Detailed records of all illicit discharges and follow-up actions are maintained by the DPW. BMP inspections and maintenance activities are tracked and documented.

Part V. Program Outputs & Accomplishments (OPTIONAL)

Programmatic

Stormwater management position created/staffed	(y/n)	No
Annual program budget/expenditures	(\$)	

Education, Involvement, and Training

Estimated number of residents reached by education program(s)	(# or %)	95%
Stormwater management committee established	(y/n)	
Stream teams established or supported	(# or y/n)	
Shoreline clean-up participation or quantity of shoreline miles cleaned	(y/n or mi.)	
Household Hazardous Waste Collection Days (including collection events for cathode ray tubes (CRTs), batteries, and electronic equipment)		
▪ days sponsored	(#)	2
▪ community participation	(%)	
▪ material collected	(tons or gal)	21.75 tons
School curricula implemented	(y/n)	yes

Legal/Regulatory

	In Place Prior to Phase II	Under Review	Drafted	Adopted
Regulatory Mechanism Status (indicate with "X")				
▪ Illicit Discharge Detection & Elimination				X
▪ Erosion & Sediment Control				X
▪ Post-Development Stormwater Management				X
Accompanying Regulation Status (indicate with "X")				
▪ Illicit Discharge Detection & Elimination				X
▪ Erosion & Sediment Control				X
▪ Post-Development Stormwater Management				X

Mapping and Illicit Discharges

Outfall mapping complete	(%)	99.9%
Estimated or actual number of outfalls	(#)	1,074
System-Wide mapping complete	(%)	99.9%
Mapping method(s)		
▪ Paper/Mylar	(%)	

▪ CADD	(%)	
▪ GIS	(%)	
Outfalls inspected/screened	(# or %)	1,074
Illicit discharges identified	(#)	11 since Permit Year 1
Illicit connections removed	(#) (est. gpd)	11 since Permit Year 1
% of population on sewer	(%)	55%
% of population on septic systems	(%)	45%

Construction

Number of construction starts (>1-acre)	(#)	
Estimated percentage of construction starts adequately regulated for erosion and sediment control	(%)	
Site inspections completed	(# or %)	
Tickets/Stop work orders issued	(# or %)	
Fines collected	(# and \$)	
Complaints/concerns received from public	(#)	

Post-Development Stormwater Management

Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control	(%)	
Site inspections completed	(# or %)	
Estimated volume of stormwater recharged	(gpy)	

Operations and Maintenance

Average frequency of catch basin cleaning (non-commercial/non-arterial streets)	(times/yr)	Once every 2 years
Average frequency of catch basin cleaning (commercial/arterial or other critical streets)	(times/yr)	Once every 2 years
Total number of structures cleaned	(#)	1,708
Storm drain cleaned	(lf or mi.)	
Qty. of screenings/debris removed from storm sewer infrastructure	(lbs. or tons)	

Disposal or use of sweepings (landfill, POTW, compost, recycle for sand, beneficial use, etc.)		
Cost of screenings disposal	(\$)	

Average frequency of street sweeping (non-commercial/non-arterial streets)	(times/yr)	1/year
Average frequency of street sweeping (commercial/arterial or other critical streets)	(times/yr)	1/year
Qty. of sand/debris collected by sweeping	(lbs. or tons)	
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.)	(location)	
Cost of sweepings disposal	(\$)	
Vacuum street sweepers purchased/leased	(#)	
Vacuum street sweepers specified in contracts	(y/n)	

Reduction in application on public land of: (“N/A” = never used; “100%” = elimination)		
▪ Fertilizers	(lbs. or %)	
▪ Herbicides	(lbs. or %)	
▪ Pesticides	(lbs. or %)	

Anti-/De-Icing products and ratios	% NaCl % CaCl ₂ % MgCl ₂ % CMA % Kac % KCl % Sand	
Pre-wetting techniques utilized	(y/n)	
Manual control spreaders used	(y/n)	
Automatic or Zero-velocity spreaders used	(y/n)	
Estimated net reduction in typical year salt application	(lbs. or %)	
Salt pile(s) covered in storage shed(s)	(y/n)	Yes
Storage shed(s) in design or under construction	(y/n)	No