Municipality/Organization: COHASSET, MASSACHUSETTS

EPA NPDES Permit Number:

Mass DEP Transmittal Number: W
Annual Report Number Year 13
& Reporting Period: April 1, 2015 – March 31, 2016

NPDES PII Small MS4 General Permit Annual Report

(Due: May 1, 2016)

Part I. General Information

Contact Person: Jeffrey Summers Title: Cohasset Stormwater

Agent

Telephone #: 781-383-4100 Ext. 104 Email: jsummers@cohassetma.org

Mailing Address: Cohasset Conservation Commission, 41 Highland Avenue, Cohasset Town Hall, Cohasset, MA 02025

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature:

Printed Name: Jeffrey Summers

Title: Town of Cohasset Stormwater Agent

April 29, 2016

Part II. Self-Assessment

The required self-assessment has been completed, and it has been determined that the Town of Cohasset is in compliance with all the permit conditions.

The Town of Cohasset, Massachusetts, has a Stormwater Management Bylaw, and Stormwater Management Rules & Regulations, which were adopted by the Town of Cohasset in 2008. The Cohasset Stormwater Management Regulations became effective in January of 2009. The purpose of these stormwater management regulations, which are under the jurisdiction of the Cohasset Conservation Commission, is to protect downgradient wetland resource areas (coastal and freshwater wetlands), upland areas, adjacent and bordering properties, from increases in stormwater runoff impacts from impervious surface areas; and from negative water quality impacts associated with stormwater runoff from impervious surface areas. The Cohasset Conservation Commission requires the filing of complete stormwater permit applications, along with advertised public hearings, in order to properly review the stormwater applications, the proposed stormwater management designs, low impact development proposals, stormwater runoff management and mitigation, and to review the proposed best management practices for stormwater management of stormwater runoff. The Cohasset Stormwater Agent works for the Cohasset Conservation Commission, and is responsible for reviewing all stormwater management applications filed with the Town of Cohasset, and the Cohasset Conservation Commission. The Cohasset Stormwater Agent is responsible for any enforcement and compliance issues associated with the Cohasset Stormwater Management Rules & Regulations and Stormwater Management Bylaw. The Cohasset Stormwater Regulations are far more restrictive than the federal - EPA NPDES permit regulations, and the state - Massachusetts Department of Environmental Protection (DEP) stormwater regulations. The Cohasset Stormwater Management Rules & Regulations include the application review of proposed small projects which result in an increase of 500 square feet or greater of new impervious surface areas, and also any alteration of land which exceeds 5,000 sq. ft. The stormwater regulations include reviews for projects, which result in increases of new stormwater runoff, the need for best management practices in the management, collection, and treatment of stormwater runoff volumes, within the Town of Cohasset. Best management practices are recommended for stormwater management of impervious surface areas for all proposed residential, commercial, and industrial projects within the Town of Cohasset, no matter what the size of the proposed project. The Cohasset Conservation Commission voted in December of 2011 to appoint Paul Shea, Independent Environmental Consultants, Inc., to act as the Stormwater Agent for the Town of Cohasset. Paul Shea is the current Stormwater Agent for the Town of Cohasset. Numerous stormwater permits have been issued by the Cohasset Conservation Commission under the local stormwater bylaw. These stormwater permits include designs which incorporate a variety of best management practices (BMPs), and Low Impact Development (LID) concepts, in order to properly manage stormwater runoff, and potential stormwater impacts with associated water quality impacts, within the **Town of Cohasset.**

The Town of Cohasset has implemented numerous municipal stormwater management projects, in order to reduce the impacts from stormwater runoff, and water quality impacts to receiving wetland resource areas (freshwater and coastal wetland resource areas), within Cohasset. In 2013/2014, the Town of Cohasset completed a sewer replacement project at Jacobs Meadow, an extensive wetland resource area in Cohasset – freshwater wetlands, coastal wetlands, 100 year flood zone area, riverfront area – which is hydrologically connected to Cohasset Harbor (coastal/marine waters) by James Brook, perennial river, which flows through Jacobs Meadow, downgradient to the coastal/marine waters of Cohasset Harbor in Cohasset. Jacobs Meadow is subject to both the flooding events and flooding impacts from upstream/upgradient flooding to James Brook, and from coastal flooding/coastal storm surge impacts from the coastal/marine waters of Cohasset Harbor, during storm events. This sewer replacement project will help eliminate the leakage of septic wastewater flows into Jacobs Meadow, James Brook, and Cohasset Harbor. This sewer replacement project will have positive environmental impacts on the water quality within the subject freshwater wetland resource areas, the coastal/marine wetland resource areas, and the coastal/marine waters of Cohasset Harbor. Cohasset Harbor (marine waters) is classified as a designated No Discharge Zone by the EPA. The Town of Cohasset under a 319 Grant from Massachusetts Coastal Zone Management has constructed forty five raingardens throughout the town, in an effort to manage, collect, and treat existing untreated stormwater runoff volumes within the town. The Town of Cohasset has also built numerous vegetated drainage swales to treat existing stormwater runoff from impervious surface areas within the town. In 2013/2014, the Town of Cohasset completed the construction of two raingarden projects – one at Cushing Street/Norfolk Road (Elms Meadow), and the other at Lighthouse Lane - (Cohasset Harbor). Another raingarden project has been approved at Beach Street, located directly adjacent to and upgradient of Little Harbor. In 2015/2016, the Town of Cohasset has been working to rehabilitate and maintain the effectiveness of the raingardens.

- 1. Implementation of measures such as installing raingardens or other Low Impact Development (LID) applications to alleviate existing stormwater problems and water quality problems within he Town of Cohasset:

 Mass. DEP 319 NPS Grant

 The Town was awarded a Massachusetts DEP 319 Nonpoint Source Pollution (NPS) grant (DEP Project # 07-06/319) to be used to compliment ongoing sewer work (in progress) around Little Harbor and Inner Little Harbor (impaired waters), and DEP issues a Notice to Proceed for this three year grant on February 1, 2008. The total award was \$250,000 which includes a required match of \$100,000 from Town Funds. Three BMPs (two raingardens and one
- 2. The Town received another Massachusetts DEP 319 Nonpoint Source Pollution (NPS) grant (DEP Project #10-04/319)

second phase of this project, Construction Contract #BMP-09-02, was awarded and work is in progress.

structural BMP) were constructed, a culvert replaced on Beach Street, and the drainage network around Little Harbor expanded by the addition of pipes and catch basins in the Fall of 2009 under Construction Contract #BMP-09-01. The

to be used for stormwater improvements in the Little Harbor, Cohasset Cove, and Cohasset Harbor areas. The total award was \$300,000, which includes a required match of \$120,000 from Town funds. The monies will be used to protect and to improve water quality through the construction of BMP solutions.

- 3. In addition, the Town of Cohasset has worked closely with the Cohasset Center for Student Coastal Research (CSCR) to provide grant funding for the testing of stormwater samples collected at Little Harbor (impaired waters) outfalls. The 319 grant projects also include a public outreach and education component to explain the project and the effectiveness of Stormwater BMPs to residents and to encourage participation in reducing non-point source pollution.
- 4. To date over 45 BMPs have been installed under Mass DEP 319 NPS Grants, which includes BMPs constructed under the Town's first DEP 319 NPS Grant Project (DEP Project #03-12/319). These existing raingardens are currently in need of maintenance and/or restoration.
- 5. The Town of Cohasset is currently reviewing the status of the constructed raingardens under the 319 grants, in order to assess the need for maintenance and/or restoration of the raingardens. The Cohasset Water Commission is reviewing the overall status of the existing raingardens in Cohasset, the required maintenance and/or restoration for these existing raingardens, and ways to fund the maintenance and/or restoration, and improvements to these existing raingardens in Cohasset. The Town of Cohasset Conservation Commission and Cohasset Stormwater Advisory Committee are reviewing funding opportunities to pay for the required maintenance and/or restoration of the raingardens. The Town of Cohasset is seeking volunteer workers, possibly from the Cohasset Center for Student Coastal Research (CSCR) and Cohasset High School, to help maintain and/or restore the existing raingardens in Cohasset.
- 6. The Town of Cohasset has completed the construction of a raingarden located at a low point at the intersection of Atlantic Avenue/Nichols Road, directly adjacent to Little Harbor, which will provide critical collection and treatment of stormwater runoff, prior to release of the runoff into the coastal/marine waters of Little Harbor.
- 7. The Town of Cohasset completed in 2013/2014, the construction of the sewer replacement project (\$200,000) at Jacobs Meadow in Cohasset. The sewer replacement project will help eliminate septic wastewater flows from entering Jacobs Meadow, James Brook, and Cohasset Harbor. This sewer replacement project will have a positive environmental impact on freshwater wetland resource areas, and coastal/marine wetland resource areas, and water quality. Environmental monitoring of the coastal wetland resource areas continues in Jacobs Meadow.
- 8. The Town of Cohasset Conservation Commission issued an Emergency Work Permit to the Massachusetts Department

of Conservation and Recreation in October of 2014, in order to allow the demolition, filling in, and grading, of two old military bunkers located at the edge of the Aaron River Reservoir (Public Drinking Water Supply), within the section of Wompatuck State Park, located within Cohasset.

- 9. The Town of Cohasset Conservation Commission continues to encourage property owners and applicants to utilize native plantings and salt tolerant plantings within coastal properties adjacent to Inner Little Harbor, Little Harbor, Straits Pond (ACEC), and Cohasset Harbor. The Cohasset Conservation Commission encourages property owners to eliminate the use of maintained lawn areas & chemical treatments, which significantly increase nitrate loadings to coastal/marine waters, within the 100' buffer zone of coastal wetland resource areas, and the Conservation Commission strongly encourages the planting of native plantings within the buffer zone of wetland resource areas.
- 10. The Town of Cohasset Conservation Commission continues to encourage property owners to reduce impervious surface areas and associated surface water runoff and stormwater runoff within their properties, and to consider BMPs to reduce surface water runoff, and stormwater runoff.

Coastal Pollutant Remediation Grant Program/Coastal Zone Management (CZM) BMP Implementation within the James Brook Watershed

- 1. The Town was awarded a Coastal Pollutant Remediation (CPR) grant for BMP Design & Implementation within the James Brook Watershed (Grant #ENV 08 CZM 02). The total award was \$62,000, which includes a required match of \$15,570 (25%) from Town funds. The purpose of the grant is to improve the water quality and protection of Cohasset Cove through the construction of stormwater control and treatment systems within the James Brook watershed, part of the South Coastal Watershed. The designs include LIDs strategies to capture and minimize runoff flows and pollutants loadings into the Jacobs Meadow salt marsh and Cohasset Cove. A total of 5 stormwater BMPs were constructed under this grant program: 3 raingardens, 2 constructed wetlands, and a Filtera tree box filter.
- 2. The Town of Cohasset completed the new sewer replacement project (\$200,000) at Jacobs Meadow in Cohasset, in 2013/2014, environmental monitoring of Jacobs Meadow continues.

Adoption of town bylaws or other regulatory controls to manage and prevent additional stormwater issues. Town meeting approval of the Stormwater Management Bylaw at the 2008 Spring Town Meeting.

- 1. The Stormwater Bylaw came into effect on July 10, 2008. The Stormwater Bylaw and the associated Stormwater Management Rules & Regulations establish minimum requirements and procedures to control: impacts from increased stormwater runoff; decreased groundwater recharge; and elimination of non-point source pollution associated with new development and redevelopment. Any project proposing an increase in impervious surfaces greater than 500 square feet in size must first obtain a stormwater management permit from the Cohasset Conservation Commission.
- 2. The Cohasset Conservation Commission appointed Paul Shea, Independent Environmental Consultants, Inc., to act as the Stormwater Agent in December of 2011. The Stormwater Agent reviews all stormwater management applications for development and redevelopment projects in the Town of Cohasset.
- 3. The Town of Cohasset Stormwater Advisory Committee provides advice concerning stormwater runoff management issues to the Town of Cohasset.

Environmental improvements have been made to the James Brook channel at Elm Street in Cohasset, in order to improve overall flooding conditions, and to improve tidal flushing within the wetlands within Jacobs Meadow. New tide gates have been installed at Cohasset Harbor where James Brook flows into Cohasset Harbor, in order to improve flooding conditions, improve overall tidal flushing of Jacobs Meadow, and improve the water quality of the subject wetland resource areas. Environmental monitoring of James Brook and Jacobs Meadow continues.

A new culvert has been installed at Border Street in order to improve stream flow, to improve tidal flushing into the upgradient wetlands, and to improve the water quality of the subject wetland resource areas.

A new culvert and drainage improvements have been installed at Margin Street, with the new culvert increasing flows of coastal waters (marine waters) from Cohasset Harbor located just downgradient of the new culvert. This new culvert replaces an old collapsed culvert within land subject to coastal storm flowage.

A new culvert and drainage improvements have been approved for the Jerusalem Road causeway within Little Harbor (coastal/marine waters). This project will result in improved flushing of coastal wetlands by coastal/marine waters, and the elevation of the old roadway (causeway), located within land subject to coastal storm flowage. This project and the improvements will result in improved public safety within this section of Cohasset.

Cohasset Harbor (coastal/marine waters) has been granted the designation of a No Discharge Zone from the U.S.

Environmental Protection Agency, in an effort to protect the marine waters and marine environment of Cohasset Harbor from potential environmental pollution impacts, water quality impacts, from unauthorized discharges of pollutants, into the coastal/marine tidal waters of Cohasset Harbor. The Cohasset Harbormaster is responsible for the environmental monitoring of activities within the coastal/marine tidal waters of Cohasset Harbor. A proposed dredging project to dredge sections of Cohasset Harbor, and to improve the conditions within Cohasset Harbor is being proposed by the Town of Cohasset. Required environmental permits for this dredging project were approved in 2014. Funding for this dredging project from the federal government has been scheduled for 2015.

The Cohasset Conservation Commission is responsible for protecting all public water supplies within the Town of Cohasset, including Lily Pond (surface water supply – municipal public drinking water supply/reservoir), Aaron River Reservoir (surface water supply/reservoir), and all municipal wells (groundwater supply) public drinking water supply, within the Town of Cohasset. The Cohasset Conservation Commission is also responsible for protecting Straits Pond, Area of Critical Environmental Concern (ACEC). The Cohasset Conservation Commission requires additional environmental controls and environmental mitigation for all proposed projects located within the contributing watersheds to Aaron River, Aaron River Reservoir, Bound Brook, Lily Pond, James Brook, Little Harbor, Straits Pond (ACEC), Gulf River Estuary, Cohasset Harbor, and municipal well fields.

New FEMA Flood Zone Maps (July 27, 2012) have been prepared for the Town of Cohasset based upon the most current flood zone data for the Town. These new flood zone maps (2012) have been approved by DEP and FEMA. It should be noted that - some questions have been raised about the new flood zone maps in Cohasset, and those questions and flood zone issues are being reviewed by the Town of Cohasset, DEP DCR, and FEMA. The current FEMA Flood Maps and information within the Town of Cohasset, and within other coastal communities in Massachusetts, is currently being reviewed for overall accuracy, and possible revisions to the flood maps.

A Town Stormwater Advisory Committee was established in January of 2010. The current members of the Stormwater Advisory Committee are Edward Wadsworth, Francis Collins, James Fitzgerald, Robert Huey, and Noel Collins. Edward Wadsworth is the main contact for the Town Stormwater Advisory Committee to the Cohasset Conservation Commission. The purpose of the Stormwater Advisory Committee is to conduct public education activities to support stormwater remediation; provide opportunities for public participation in stormwater and watershed remediation discussions in association with the Board of Selectmen, and the Conservation Commission; conduct an annual inventory of flood prone areas in Cohasset on behalf of the Selectmen and interested Town Committees as a supplement to the Final Flood Control Master Plan of 2009; seek funding sources including grants for stormwater remediation; provide assistance to the town employees responsible for preparing the required reports to the EPA (MS-4), and others.

Cohasset Cove continues to be a water quality impaired water. The Town continues to perform water quality tests on the lower portion of James Brook and the stormwater structures leading into James Brook. After storm events, Fecal coliform and Enterococci bacteria levels are high within the sampled sites. The Gulf River, the other major water body emptying into Cohasset Cove also continues to be monitored by volunteers from the Cohasset Center for Student Coastal Research (CSCR), and the EPA. A source of the bacteria is a storm drain discharging into the Gulf River in North Scituate Village. Cohasset continues to work with Scituate officials to upgrade septic systems in the area to reduce the overall pollutant load entering into the Gulf River Estuary, and the contributing watershed to the Gulf River Estuary.

The Little Harbor and Inner Little Harbor sewer connection project is still in progress in 2014/2015, this sewer connection project is approximately 90% complete in 2014/2015.

The Town of Cohasset is reviewing the existing drainage problems within the Treats Pond area and Sandy Cove area of Cohasset, and potential solutions to these existing drainage and stormwater management problems within this coastal area of Cohasset.

Town DPW employees have been trained in proper street sweeping, catch basin cleaning, and GPS to locate structures.

Coughlin Environmental Services, LLC has prepared a Flood Control Master Plan (FCMP) for the Town of Cohasset. Recommendations for installations of BMPs within the James Brook watershed, and the Treats Pond/Atlantic Avenue area were part of this flood management plan.

The Cohasset Conservation Commission and Cohasset Stormwater Advisory Committee are seeking ways to fund the future maintenance and reconstruction of the existing 45 raingardens that have been constructed in the Town of Cohasset, for the purpose of stormwater management, and water quality protection. Volunteer workers from the Cohasset Center for Student Coastal Research (CSCR) and Cohasset High School are being considered for this project.

The Town of Cohasset Conservation Commission (Norfolk County) is working with the Town of Scituate Conservation Commission (Plymouth County) and the Town of Scituate Department of Public Works (Plymouth County) on the Hunters Pond Dam Removal Project, which is an ecological wetland restoration project including: Lily Pond, Aaron River Reservoir, Bound Brook, Hunters Pond, Gulf River Estuary, and Massachusetts Bay, in Cohasset and Scituate, MA. The project will restore wetland resource areas, aquatic wildlife habitats, diadromous fish habitat, and will improve water quality conditions, within freshwater wetland resource areas, riverfront areas, and coastal/marine wetland resource areas. The project will have a positive environmental impact on aquatic wildlife species, valuable wildlife habitats, and the water quality of the subject

freshwater and coastal wetland resource areas. A grant was approved by the Gulf of Maine Council for this project; and another grant has been applied for with NOAA for additional work associated with this significant wetland restoration project. This ecological restoration project will have positive impacts on commercial and recreational fishing within the towns of Scituate (Plymouth County), and Cohasset (Norfolk County). Volunteers from the Cohasset Center for Student Coastal Research (CSCR) will be providing services for the collection of required water quality samples, environmental monitoring, and environmental analyses, within the proposed wetland restoration project area. In January of 2014, another wetland habitat restoration grant for the Hunters Pond Dam Removal/Diadromous Fish Restoration Project was applied for to the National Fish and Wildlife Foundation (NFWF), U.S. Department of the Interior, for the engineering, permitting, and construction of the proposed project, which includes ecological restoration of natural wildlife habitats, aquatic habitats, wetland resource areas, and improvement for River Herring. This grant for ecological restoration was approved. The Environmental Notification Form (ENF) for this project is currently be prepared for the MEPA submission to the environmental regulatory agencies.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

BMP ID#	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
1.1 Revised	Health Notes to Cohasset Mariner	Cohasset BOH	4 articles per year	Health Notes relating to stormwater were published in the Cohasset Mariner	Continue to publish at least 4 articles per year.
1.2 Revised	Informational Mailing	Town of Cohasset	Households reached	Water Commission, BOH, North and South River Watershed Association "Greenscapes" mailed to all residents	Continue to mail "Greenscapes" to all residents.
1.3	Beach and Stream Cleaning Day	DPW, Residents, High School Students	2 collections per year	Two (2) of clean up days	Have two (2) cleanup days.
Revised					
1.4 Revised	Provide information on the Town Website	Town of Cohasset	Revise/update quarterly	2012 Flood Prone Area Report posted on Town website	Continue to post Stormwater Advisory Committee meeting minutes on Town website
				Minutes of Stormwater Advisory	
1.5	Provide summary of Flood Control Master Plan	Town of Cohasset	Information posted on website	Summaries on Town website	Update information on Town's website as necessary
Revised					
1.6	New FEMA Flood Zone Maps – July, 2012	Town of Cohasset, Cohasset Building Department	Information available		Keep flood zone information updated
Revised					

	- II	I		T	
1.7	Encourage all property	Town of	Available public		Continue
	owners to eliminate	Cohasset	information handouts		
	maintained lawns, and	Conservation	 Town of Cohasset 		
	to plant native plant	Commission	Conservation		
	species within the 100'		Commission Office		
	buffer zones of all				
	wetland resource areas				
	in the Town of				
	Cohasset. Encourage				
	property owners to				
	enhance wetland buffer				
	zones and protect water				
	quality of wetland				
	resource areas.				
1.8	Work in full	Town of	Town of Cohasset		Continue
	cooperation with the	Cohasset	Conservation		
	bordering towns of	Conservation	Commission		
	Hull, Hingham, and	Commission	continuing contact		
	Scituate; to protect	Commission	with the Conservation		
	shared wetland		Commissions within		
	resource areas, protect		the bordering towns of		
	water quality, and		Hull, Hingham, and		
	protect wildlife		Scituate.		
	habitats.		Sertatio.		
1.9	Encourage all property	Town of	Available public		
1.7	owners to consider	Cohasset	information handouts		
	ways to reduce surface	Conservation	- Town of Cohasset		
	ways to reduce surface water runoff and to	Commission	Conservation		
	treat surface water	Commission	Commission Office.		
	runoff by utilizing		Commission Office.		
	BMPs Encourage the				
	reduction and the				
	treatment of stormwater				
	runoff to protect the				
	water quality of				
	downgradient,				
	receiving wetland				
	resource areas.				

2. Public Involvement and Participation

BMP ID#	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
2.1 Revised	Collect samples from storm drain outfalls after storm events	Conservation Commission and CSCR	Reports of water quality	Perform wet weather sampling of James Brook/Jacobs Meadow area, and Little Harbor area as part of LID projects	.Perform wet weather sampling of James Brook/Jacobs Meadow area, and Little Harbor area as part of LID projects
2.2 Revised	Volunteer Monitoring Program Water Quality	CSCR and Cohasset BOH		See Item 2.1above.	Continue monitoring of Cohasset Harbor, Gulf River, Bound Brook, and North Scituate Village. Sample stormwater outfalls in Little Harbor.
2.3	Beach and Stream Cleanup Day	High School Students, Girl Scout and Boy Scout Groups, and Residents	2 clean ups	Citizen volunteers picked up litter and debris and filled five loads of one-ton pickup trucks, materials disposed of at the Cohasset Transfer Station.	Continue with organized clean up days.
Revised					

3. Illicit Discharge Detection and Elimination

BMP ID#	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
3.1 Revised	Cohasset Harbor – No Discharge Zone (U.S. EPA)	Lorren Gibbons, Cohasset Harbormaster	Eliminate discharges of pollutants into the marine waters of Cohasset Harbor.	U.S. EPA, and Massachusetts Department of Environmental Protection	Environmental monitoring of activities within the marine waters of Cohasset Harbor by the Cohasset Harbormaster, and the Cohasset Conservation Commission.
3.2	Elimination of all illicit discharges within the Town of Cohasset	Cohasset Conservation Commission, Cohasset Board of Health, Cohasset Dept. of Public Works and Cohasset Harbormaster	Eliminate all known illicit discharges within the Town of Cohasset.		Environmental evaluations of all illicit discharges within the Town of Cohasset. Elimination of all point source pollutant loading areas, and the installation of best management practices – mitigation and protection measures.
Revised					
3.3	Connectivity Mapping	Cohasset DPW Carl Sestito	Complete field form. Put information into GIS catch basin and outfall mapping. Number of basins and outfalls measured.	No significant amount of data collected. No additional personnel.	Connection to gather connectivity data.
Revised					
3.4	Illicit Connection Regulation	Cohasset BOH	Number of connections reported and removed.	No additional illicit connections discovered.	Continue to enforce regulation.
Revised					
Revised					

Revised				-			
3a. Add	3a. Additions						

4. Construction Site Stormwater Runoff Control

BMP ID#	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
	Cohasset Stormwater Management Regulations & Bylaw	Cohasset Conservation Commission – Paul Shea	Collection and treatment of all new proposed stormwater runoff from new impervious surface areas, from development and redevelopment projects.	Cohasset Stormwater Management Regulations & Bylaw adopted in 2008. Permit reviews started in January of 2009.	Stormwater runoff management and control of stormwater runoff impacts during the construction phase of construction projects. Recommended use of BMPs and LID projects.
Revised					
	Cohasset Planning Board Regulations	Cohasset Planning Board			Stormwater runoff management and control of stormwater runoff impacts
Revised					during the construction phase of construction projects
Revised					
Revised					
Revised					
Revised					

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID#	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
5.1	Maintenance of all BMPs – detention basins, infiltration trenches, stormceptors, raingardens, vegetated swales.	Development - Homeowners Associations Carl Sestito, Director of Cohasset Dept. of Public Works	Ongoing maintenance	Development – Homeowners Associations – legal agreements	Ongoing maintenance – semi-annual inspections and maintenance of stormwater management facilities, and stormwater management BMPs.
Revised					
5.2	Cohasset Stormwater Bylaw Enforcement	Cohasset Conservation Commission, Paul Shea	Implementation of the Bylaw	Permit reviews started in January, 2009. Stormwater Advisory Committee was established in January, 2010	Implement and Enforce the Bylaw
Revised				established in January, 2010	
Revised					
Revised					
Revised					
Revised					

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID#	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
6.1	Cleaning and maintenance of stormwater catch basins in Cohasset.	Carl Sestito, Director of Cohasset Dept. of Public Works Homeowners Associations			Bi-annual cleaning and maintenance of all town stormwater catch basins
Revised		Associations			
6.2	Street sweeping, cleaning, and removal of sand from all town roadways.	Carl Sestito, Director of Cohasset Dept. of Public Works			Bi-annual street sweeping, cleaning, and removal of sand from all town roadways.
		Homeowners Associations			
Revised					
6.3	Maintenance and restoration of existing raingardens and vegetated drainage swales.	Carl Sestito, Director of Cohasset Dept. of Public Works Homeowners			Annual evaluation of soils and plantings and replacement of soils and plantings if needed.
Revised		Associations			
6.4	Rain Garden Installation	Cohasset Conservation Commission, Cohasset Town Manager	Construct more BMPs		Construct more BMPs, maintain the existing raingardens.

Revised					
6.5	Develop signage to protect resource areas	Cohasset Water Commission	Posting of signs	Installation of signs and replacement if necessary.	Maintain all signs.
Revised				,	
Revised					

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) <<i family applicable>>

BMP ID#	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
7.1	Raingardens throughout Cohasset, including Little Harbor, James Brook Watershed	Carl Sestito, Director of Cohasset Dept. of Public Works	Reduce TSS and bacterial load from outfalls.		Maintain raingardens.
Revised					
7.2	Vegetated drainage swales throughout Cohasset	Carl Sestito, Director of Cohasset Dept. of Public Works	Reduce TSS and bacterial loads from outfalls.		Maintain vegetated drainage swales.
Revised					
7.3	Upgrade catch basins in Little Harbor	Carl Sestito, Director of Cohasset Dept. of Public Works	Reduce TSS and bacterial loads to Little Harbor.		Upgrade catch basins.
Revised					
Revised				-	
Revised				-	
Revised				-	

7b. WLA Assessment

The BMPs chosen were designed and constructed in accordance to the Massachusetts Stormwater Management Policy. Progress will be closely tracked, and modifications and improvements will be implemented as required.

Part IV. Summary of Information Collected and Analyzed

Part V. Program Outputs & Accomplishments (OPTIONAL)

(Since beginning of permit coverage unless specified otherwise by a **, which indicates response is for period covering April 1, 2010 through March 31, 2011)

Programmatic

	(Preferred Units) Response
Stormwater management position created/staffed	(y/n)
Annual program budget/expenditures **	(\$)
Total program expenditures since beginning of permit coverage	(\$)
Funding mechanism(s) (General Fund, Enterprise, Utility, etc)	

Education, Involvement, and Training

Estimated number of property owners reached by education program(s)	(# or %)		
Stormwater management committee established	(y/n)		
Stream teams established or supported	(# or y/n)		
Shoreline clean-up participation or quantity of shoreline miles cleaned **	(y/n or mi.)		
Shoreline cleaned since beginning of permit coverage	(mi.)		
Household Hazardous Waste Collection Days			
days sponsored **	(#)		
community participation **	(# or %)		
material collected **	(tons or gal)		
School curricula implemented	(y/n)		

Legal/Regulatory

	In Place Prior to	Reviewing Existing		Draft in	
	Phase II	Authorities	Drafted	Review	Adopted
Regulatory Mechanism Status (indicate with "X")					
■ Illicit Discharge Detection & Elimination					
■ Erosion & Sediment Control					
■ Post-Development Stormwater Management					
Accompanying Regulation Status (indicate with "X")	•		1	1	-1
 Illicit Discharge Detection & Elimination 					
■ Erosion & Sediment Control					
■ Post-Development Stormwater Management					

Mapping and Illicit Discharges

	(Preferred Units) Response
Outfall mapping complete	(%)
Estimated or actual number of outfalls	(#)
System-Wide mapping complete (complete storm sewer infrastructure)	(%)
Mapping method(s)	
 Paper/Mylar 	(%)
■ CADD	(%)
• GIS	(%)
Outfalls inspected/screened **	(# or %)
Outfalls inspected/screened (Since beginning of permit coverage)	(# or %)
Illicit discharges identified **	(#)
Illicit discharges identified (Since beginning of permit coverage)	(#)
Illicit connections removed **	(#); and
	(est. gpd)
Illicit connections removed (Since beginning of permit coverage)	(#); and

	(est. gpd)	
% of population on sewer	(%)	
% of population on septic systems	(%)	

Construction

(Preferred Units) Response

	(1 referred cines)	rtesponse
Number of construction starts (>1-acre) **	(#)	
Estimated percentage of construction starts adequately regulated for erosion and sediment control **	(%)	
Site inspections completed **	(# or %)	
Tickets/Stop work orders issued **	(# or %)	
Fines collected **	(# and \$)	
Complaints/concerns received from public **	(#)	

Post-Development Stormwater Management

Estimated percentage of development/redevelopment projects adequately regulated for post-	(%)	
construction stormwater control		
Site inspections (for proper BMP installation & operation) completed **	(# or %)	
BMP maintenance required through covenants, escrow, deed restrictions, etc.	(y/n)	
Low-impact development (LID) practices permitted and encouraged	(y/n)	

Operations and Maintenance

Average frequency of catch basin cleaning (non-commercial/non-arterial streets) **	(times/yr)
Average frequency of catch basin cleaning (commercial/arterial or other critical streets) **	(times/yr)
Qty of structures cleaned **	(#)
Qty. of storm drain cleaned **	(%, LF or
	mi.)
Qty. of screenings/debris removed from storm sewer infrastructure **	(lbs. or

	tons)	
Disposal or use of screenings (landfill, POTW, compost, beneficial use, etc.) **	(location)	

Basin Cleaning Costs	
 Annual budget/expenditure (labor & equipment)** 	(\$)
Hourly or per basin contract rate **	(\$/hr. or \$
	per basin)
• Disposal cost**	(\$)
Cleaning Equipment	
 Clam shell truck(s) owned/leased 	(#)
 Vacuum truck(s) owned/leased 	(#)
Vacuum trucks specified in contracts	(y/n)
% Structures cleaned with clam shells **	(%)
% Structures cleaned with vactor **	(%)

(Preferred Units) Response

	(110101100 Clints) 110sponse
Average frequency of street sweeping (non-commercial/non-arterial streets) **	(times/yr)
Average frequency of street sweeping (commercial/arterial or other critical streets) **	(times/yr)
Qty. of sand/debris collected by sweeping **	(lbs. or
	tons)
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.) **	(location)
Annual Sweeping Costs	
Annual budget/expenditure (labor & equipment)**	(\$)
Hourly or lane mile contract rate **	(\$/hr. or
	ln mi.)
Disposal cost**	(\$)
Sweeping Equipment	
Rotary brush street sweepers owned/leased	(#)
Vacuum street sweepers owned/leased	(#)
Vacuum street sweepers specified in contracts	(y/n)
% Roads swept with rotary brush sweepers **	%
% Roads swept with vacuum sweepers **	%

Reduction (since beginning of permit coverage) in application on public land of:

("N/A" = never used; "100%" = elimination)	
Fertilizers	(lbs. or %)
Herbicides	(lbs. or %)
Pesticides	(lbs. or %)
Integrated Pest Management (IPM) Practices Implemented	(y/n)

(Preferred Units) Response Average Ratio of Anti-/De-Icing products used ** % NaCl % CaCl₂ (also identify chemicals and ratios used in specific areas, e.g., water supply protection areas) % MgCl₂ % CMA % Kac % KC1 % Sand Pre-wetting techniques utilized ** (y/n or %) Manual control spreaders used ** (y/n or %) Zero-velocity spreaders used ** (y/n or %) Estimated net reduction or increase in typical year salt/chemical application rate (±lbs/ln mi. or %) Estimated net reduction or increase in typical year sand application rate ** (±lbs/ln mi. or %) % of salt/chemical pile(s) covered in storage shed(s) (%) Storage shed(s) in design or under construction (y/n or #) 100% of salt/chemical pile(s) covered in storage shed(s) by May 2008 (y/n)

Water Supply Protection

Storm water outfalls to public water supplies eliminated or relocated	# or y/n	
Installed or planned treatment BMPs for public drinking water supplies and their protection areas	# or y/n	
• Treatment units induce infiltration within 500-feet of a wellhead protection area	# or y/n	