

Municipality/Organization: Plaistow

EPA NPDES Permit Number: NHR41026

MassDEP Transmittal Number: W-

**Annual Report Number
& Reporting Period:** April 1, 2007 – March 31, 2008

P

NPDES PII Small MS4 General Permit Annual Report (Due: May 1, 2008)

Part I. General Information

Contact Person: Jason Hoch Title: Town Manager

Telephone #: 603.382.5200x13 Email: jhoch@plaistow.com

Mailing Address: 145 Main Street, Plaistow, NH 03865

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: 

Printed Name: Jason Hoch

Title: Town Manager

Date: 30 April 2008

Part II. Self-Assessment

A spreadsheet detailing Best Management Practices for this permit year is attached as part of this submittal. In general, continued progress was made in the area of regulatory oversight and public awareness.

Several areas of note include:

- Stenciling project should be reviewed for future enhancement.
- With ordinances adopted in earlier years of this permit, regulatory compliance continues.
- Town is embarking on a major new GIS initiative to include master drainage maps.

Major accomplishments during the year included:

- Two Household hazard Waste Collection Days were held for Plaistow residents with one in Plaistow and one in Danville.
- Continuation of GPS mapping of the drainage map
- Visual inspection of outfall locations.
- Regular inspection, repair and maintenance of catch basins continued with each basin checked at least once every two years.
- Street sweeping program continued.
- Acquisition of Plow Truck equipped with metered sander/salt attachment for greater control of application of traction control product to roads in winter.

Part III. Summary of Minimum Control Measures

Attached is a copy of the 2007-2008 plan.

Part IV. Summary of Information Collected and Analyzed

Increase of 90 yards of screenings removed from storm sewer infrastructure from previous year.

Increase of 7 yards of sand and debris collected by sweepings from previous year.

These decreases likely due to a more severe winter, resulting in greater application of traction control products.

Decrease in quantity of batteries collected and 55 gallon drums of waste at household hazardous waste day.

This decrease likely due to decreasing participation in the collection days.

Part V. Program Outputs & Accomplishments (OPTIONAL)

(Since beginning of permit coverage unless specified otherwise by a **, which indicates response is for period covering April 1, 2007 through March 31, 2008)

Programmatic

| | (Preferred Units) | Response |
|---|-------------------|-------------------------------------|
| Stormwater management position created/staffed | (y/n) | No |
| Annual program budget/expenditures ** | (\$) | Incorporated in other budgets |
| Total program expenditures since beginning of permit coverage | (\$) | N/A |
| Funding mechanism(s) (General Fund, Enterprise, Utility, etc) | | |
| | | |

Education, Involvement, and Training

| | | |
|--|--------------|---------------------------------------|
| Estimated number of property owners reached by education program(s) | (# or %) | 6000 |
| Stormwater management committee established | (y/n) | Conservation Commission handles |
| Stream teams established or supported | (# or y/n) | No |
| Shoreline clean-up participation or quantity of shoreline miles cleaned ** | (y/n or mi.) | N/A |

| | | |
|--|---------------|--|
| Shoreline cleaned since beginning of permit coverage | (mi.) | N/A |
| Household Hazardous Waste Collection Days | | |
| ▪ days sponsored ** | (#) | 2 |
| ▪ community participation ** | (# or %) | Less than 10% |
| ▪ material collected ** | (tons or gal) | 160 mixed lead batteries, 10 lithium batteries, 400 mixed batteries, 30 55 gal drums, other individual items |
| School curricula implemented | (y/n) | Yes |

Legal/Regulatory

| | In Place Prior to Phase II | Reviewing Existing Authorities | Drafted | Draft in Review | Adopted |
|---|----------------------------------|--------------------------------------|---------|-----------------------|---------|
| Regulatory Mechanism Status (indicate with "X") | | | | | |
| ▪ Illicit Discharge Detection & Elimination | | | | | X |
| ▪ Erosion & Sediment Control | | | | | X |
| ▪ Post-Development Stormwater Management | | | | | X |
| Accompanying Regulation Status (indicate with "X") | | | | | |
| ▪ Illicit Discharge Detection & Elimination | | | | | X |
| ▪ Erosion & Sediment Control | | | | | X |
| ▪ Post-Development Stormwater Management | | | | | X |

Mapping and Illicit Discharges

| | (Preferred Units) | Response |
|--|------------------------|----------|
| Outfall mapping complete | (%) | 75% |
| Estimated or actual number of outfalls | (#) | 9 |
| System-Wide mapping complete (complete storm sewer infrastructure) | (%) | 75% |
| Mapping method(s) | | |
| ▪ Paper/Mylar | (%) | |
| ▪ CADD | (%) | |
| ▪ GIS | (%) | 100% |
| Outfalls inspected/screened ** | (# or %) | 0 |
| Outfalls inspected/screened (Since beginning of permit coverage) | (# or %) | 0 |
| Illicit discharges identified ** | (#) | 0 |
| Illicit discharges identified (Since beginning of permit coverage) | (#) | 0 |
| Illicit connections removed ** | (#); and (est. gpd) | 0 |
| Illicit connections removed (Since beginning of permit coverage) | (#); and (est. gpd) | 0 |
| % of population on sewer | (%) | 0 |
| % of population on septic systems | (%) | 100% |

Construction

| | (Preferred Units) | Response |
|--|-------------------|----------|
| Number of construction starts (>1-acre) ** | (#) | 1 |
| Estimated percentage of construction starts adequately regulated for erosion and sediment control ** | (%) | 100% |
| Site inspections completed ** | (# or %) | 100% |
| Tickets/Stop work orders issued ** | (# or %) | 0 |
| Fines collected ** | (# and \$) | |
| Complaints/concerns received from public ** | (#) | 5 |
| | | |
| | | |

Post-Development Stormwater Management

| | | |
|--|----------|--|
| Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control | (%) | |
| Site inspections (for proper BMP installation & operation) completed ** | (# or %) | |
| BMP maintenance required through covenants, escrow, deed restrictions, etc. | (y/n) | |
| Low-impact development (LID) practices permitted and encouraged | (y/n) | |
| | | |
| | | |

Operations and Maintenance

| | | |
|--|----------------|----------|
| Average frequency of catch basin cleaning (non-commercial/non-arterial streets) ** | (times/yr) | 1/year |
| Average frequency of catch basin cleaning (commercial/arterial or other critical streets) ** | (times/yr) | 1/year |
| Qty of structures cleaned ** | (#) | 450 |
| Qty. of storm drain cleaned ** | (%, LF or mi.) | |
| Qty. of screenings/debris removed from storm sewer infrastructure ** | (lbs. or tons) | 70 yards |
| Disposal or use of screenings (landfill, POTW, compost, beneficial use, etc.) ** | (location) | |

| | | |
|---|-------------------------|--|
| Basin Cleaning Costs | | |
| • Annual budget/expenditure (labor & equipment)** | (\$) | |
| • Hourly or per basin contract rate ** | (\$/hr or \$ per basin) | |
| • Disposal cost** | (\$) | |
| Cleaning Equipment | | |
| • Clam shell truck(s) owned/leased | (#) | |
| • Vacuum truck(s) owned/leased | (#) | |
| • Vacuum trucks specified in contracts | (y/n) | |
| • % Structures cleaned with clam shells ** | (%) | |
| • % Structures cleaned with vector ** | (%) | |

(Preferred Units) Response

| | | |
|---|------------|--------|
| Average frequency of street sweeping (non-commercial/non-arterial streets) ** | (times/yr) | 1/year |
| Average frequency of street sweeping (commercial/arterial or other critical streets) ** | (times/yr) | 1/year |

| | | |
|--|-----------------------|-----------|
| Qty. of sand/debris collected by sweeping ** | (lbs. or tons) | 210 yards |
| Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.) ** | (location) | Landfill |
| Annual Sweeping Costs | | |
| • Annual budget/expenditure (labor & equipment)** | (\$) | |
| • Hourly or lane mile contract rate ** | (\$/hr. or ln mi.) | |
| • Disposal cost** | (\$) | |
| Sweeping Equipment | | |
| • Rotary brush street sweepers owned/leased | (#) | |
| • Vacuum street sweepers owned/leased | (#) | |
| • Vacuum street sweepers specified in contracts | (y/n) | |
| • % Roads swept with rotary brush sweepers ** | % | |
| • % Roads swept with vacuum sweepers ** | % | |

| | | |
|--|-------------|--|
| Reduction (since beginning of permit coverage) in application on public land of: ("N/A" = never used; "100%" = elimination) | | |
| ▪ Fertilizers | (lbs. or %) | |
| ▪ Herbicides | (lbs. or %) | |
| ▪ Pesticides | (lbs. or %) | |
| Integrated Pest Management (IPM) Practices Implemented | (y/n) | |
| | | |

(Preferred Units) Response

| | | |
|--|---|--------------------------------|
| Average Ratio of Anti-/De-Icing products used ** (also identify chemicals and ratios used in specific areas, e.g., water supply protection areas) | % NaCl % CaCl ₂ % MgCl ₂ % CMA % Kac % KCl % Sand | 75% 25% |
| Pre-wetting techniques utilized ** | (y/n or %) | No |
| Manual control spreaders used ** | (y/n or %) | Yes |
| Zero-velocity spreaders used ** | (y/n or %) | No |
| Estimated net reduction or increase in typical year salt/chemical application rate | (±lbs/l _n mi. or %) | Depends on weather |
| Estimated net reduction or increase in typical year sand application rate ** | (±lbs/l _n mi. or %) | Depends on weather |
| % of salt/chemical pile(s) covered in storage shed(s) | (%) | 100% |
| Storage shed(s) in design or under construction | (y/n or #) | In place and under design |
| 100% of salt/chemical pile(s) covered in storage shed(s) by May 2007 | (y/n) | No |
| | | |
| | | |

| BMP ID. | BMP | Responsible Dept./Person | Measurable Goal |
|---------|---|--------------------------|---|
| 1.0 | Public Education & Outreach: | | |
| 1.3 | Town Storm Water Program in Annual Town Report | Town Manager | 2,000 copies distributed annually |
| 1.5 | Promoting BMP's on local cable station | Cable Committee | Information on Cable semi annually |
| 1.6 | Hazardous Household Waste Collection | Highway Department | Twice annually with notice in paper, cable, website |
| 2.0 | Public Participation: | | |
| 2.1 | Storm Drain Stenciling | Highway Department | Complete 75% stenciling by Fall 07 |
| 2.2 | Conservation Commission promotion of water quality | Conservation Commission | Solicit public participation by news releases and cable annually |
| 2.3 | Links on Web-site (for reporting problems and deficiencies) | Town Manager | On Web Site updated annually |
| 3.0 | Illicit Discharge Detection & Elimination: | | |
| 3.1 | Preparation of Master Drainage Map <i>(Delineation of municipal storm sewer system, drainage basins, outfalls & receiving waters)</i> | Town Manager | Delineation of outfalls to receiving waters by Summer 05 ; incorporate into GIS summer 07 |
| 3.2 | Storm sewer ordinance <i>(Regulatory mechanism to prohibit non-storm water, pollutant, discharges)</i> | Code Enforcement | Ordinance adopted by Town and reviewed annually |
| 3.3 | Qualitative observation of discharge at outfalls | Conservation Commission | Fall of 07 observation of 75% of delineated outfalls |
| 3.4 | Dry weather screening of outfalls | Conservation Commission | Fall of 07 observation of 75% of delineated outfalls |
| 3.5 | Develop program for the elimination of illicit discharges if any | Conservation Commission | Summer of 06 plan developed |
| 3.6 | Implement program for elimination of illicit discharges if any | Conservation Commission | Summer 07 action starting 09 |
| 4.0 | Construction Site Runoff Control | | |
| 4.1 | Preparation of Town Ordinance, to address: <i>BMP erosion & sediment controls for all new construction, preparation of SWPP's for land disturbances greater than 1 acre, building setbacks from waters of the State and disposal of discarded building materials</i> | Planning Department | Monitor and enforce |
| 4.2 | Develop procedures for Site Plan review of Construction Site Runoff Control | Planning Department | Monitor and enforce |
| 4.3 | Develop procedures for Site Inspection, enforcement and penalties for non-compliance | Planning Department | Monitor and enforce |
| 5.0 | Post Construction Runoff Control: | | |
| 5.1 | Preparation of Town Ordinance, to address: <i>Structural BMP's for land disturbances greater than 1 acre, and perpetual maintenance of BMP's</i> | Planning Department | Monitor and enforce |
| 5.2 | Develop procedures for Site Plan review and review of SWPP's, including application fees | Planning Department | Monitor and enforce |
| 5.3 | Promote open drainage systems and groundwater recharge through infiltration systems | Planning Department | Monitor and enforce |
| 5.4 | Develop procedures for Site Inspection, enforcement, inspection fees, | Code Enforcement | Monitor and enforce |
| 6.0 | Good Housekeeping | | |
| 6.2 | Implement Employee Training Program to include: vehicle maintenance, building maintenance, calibration of salt spreaders, hazardous materials storage, spill response and prevention, and new construction BMP's | Highway Department | Review with staff annually. |
| 6.3 | Catch Basin and storm system maintenance | Highway Department | Clean and Inspect Catch Basins at least once every year |
| 6.4 | Annual sweeping of streets in Town | Highway Department | Sweep at least 100% of streets annually by August 1 |