



TOWN HALL
667 Main Street

TOWN OF ROLLINSFORD

NEW HAMPSHIRE 03869

Board of Selectmen
P.O. Box 309
Rollinsford, New Hampshire 03869
(603) 742-2510

SUMMARY: MARCH 2008

AUG 18 2008

During the past year Rollinsford established a Water Quality Committee that collected water samples for test on Fresh Creek and its tributaries in the Town of Rollinsford. The Planning Board proposed an increase in setbacks for wet land and water bodies from 25 feet to 50 feet, which was passed at the March 2007 Town Meeting. The Highway Department continued its program of catch basin cleaning and repaired road washouts that occurred during high storm flows in the town. The need for more storm drains for existing homes with sump pumps built 60 years ago remains due to lack of funding sources. The slow rate of new building of homes in Rollinsford since 1990 has slowed to nearly a stop in the past year due to the decline in the housing market. Overall, the town has experienced few runoff or drainage problems during the past year.

Municipality/Organization: TOWN OF ROLLINSFORD

EPA NPDES Permit Number: NHRO41029

MassDEP Transmittal Number: W-

Annual Report Number

& Reporting Period: April 1, 2007 – March 31, 2008

11/21/08

**NPDES PII Small MS4 General Permit
Annual Report
(Due: May 1, 2008)**

AUG 18 2008

Part I. General Information

Contact Person: Edmund F. Jansen, Jr. **Title:** Chairman, Board of Selectmen

Telephone #: 603 742 2510 **Email:** efjj@Comcast.net

Mailing Address: PO Box 309, Rollinsford, NH 03869

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature:

Edmund F. Jansen, Jr.

Printed Name: Edmund F. Jansen, Jr.

Title: Chairman, Board of Selectmen

Date: August 15, 2008

Part II. Self-Assessment

The Town of Rollinsford has completed the required self-assessment and has determined that our municipality is in compliance with all permit conditions on March 31, 2008.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 4 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 5
1 Revised	Secure and distribute brochures on Storm water	Selectmen		none	Implement in year 2006 - 2007
2 Revised	Create MS4 section on Rollinsford web	Selectmen Webmaster		web site not updated	Implement in year 5
3 Revised	Notify residents of cable specials on MS4 issues	Selectmen volunteers		none	Implement in year 5

1a. Additions

2. Public Involvement and Participation

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 4 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 5
4 Revised	Organize citizen panel	Selectmen Cons. Com		Discussion with Rollinsford Fututes Comm. 2005-06	Continue implementation 2008
5 Revised	Spring citizen clean up	Road Agent Amer. Legion		Spring clean up of major roads in village area	Continue in 2007- 2008
6 Revised	Review land ordinance to determine need to amend storm drain protection	Planning Board		No changes in 2008	None
Revised					
Revised					
Revised					

2a. Additions

3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 4 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 5
7 Revised	Inventory & inspection of catch basins	Road Agent		Cleaning of catch basins in Spring	Continue on annual basis
8 Revised	Survey surface drainage ditches	Road Agent		Initiated in 2004	Written record of inspections
9 Revised	Detect septic system failures	Health Off		Failed system detected & ordered repaired	Continue detection efforts. Maintain records.
10 Revised	Establish land regulation to control runoff	Selectmen		Evaluation, no specific ordinance change.	Continue determination of regulations required.
Revised					
Revised					

3a. Additions

4. Construction Site Stormwater Runoff Control

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 4 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 5
11	Update subdivision plan to address runoff issues	Planning Board		Set back from wet lands increased to 50 feet	Plan review of subdivision issues
Revised					
12	Update site plan regulation to address storm drain impacts	Planning Board		Site plan Ordinance update in Nov. 2007	None
Revised					
Revised					
Revised					
Revised					

4a. Additions

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 4 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 5
13 Revised	Prepare inspection & test schedules for storm drain system	Selectmen Conservation Committee		Outflows tested from 3 outflow sites Visual inspection 2007	Monitoring and additional testing
Revised					
Revised					
Revised					
Revised					
Revised					
Revised					

5a. Additions

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 4 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 5
14 Revised	Street sweeping to remove sand	Road Agent		Street swept	Continue annual sweeping
15 Revised	Erosion control along streets & roads	Road Agent		Implemented in year 5	Continue to monitor erosion
16 Revised	household hazardous waste	Road Agent		Conducted in September	Annual collection day Sept. or Oct.
Revised					
Revised					
Revised					

6a. Additions

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) <<if applicable>>

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 4 (Reliance on non-municipal partners indicated, if any)	Planned Activities – Permit Year 5
17 Revised	Monitor outflow by outlet	Conservation Committee		Implemented in March 05	Continue in Yr 5
18 Revised	Update subdivision plan	Pln Brd		No action Subdivision Ordinance updated	Review & revise
19 Revised	Update site plan regulation	Pln Brd		No action Completed in Nov 2007	Review & revise as needed.
Revised					
Revised					
Revised					

7a. Additions

7b. WLA Assessment

Part IV. Summary of Information Collected and Analyzed

Part V. Program Outputs & Accomplishments (OPTIONAL)

(Since beginning of permit coverage unless specified otherwise by a **, which indicates response is for period covering April 1, 2006 through March 31, 2007)

Programmatic

	(Preferred Units)	Response
Stormwater management position created/staffed	(y/n)	
Annual program budget/expenditures **	(\$)	
Total program expenditures since beginning of permit coverage	(\$)	
Funding mechanism(s) (General Fund, Enterprise, Utility, etc)		

Education, Involvement, and Training

Estimated number of property owners reached by education program(s)	(# or %)	
Stormwater management committee established	(y/n)	
Stream teams established or supported	(# or y/n)	
Shoreline clean-up participation or quantity of shoreline miles cleaned **	(y/n or mi.)	
Shoreline cleaned since beginning of permit coverage	(mi.)	
Household Hazardous Waste Collection Days		
▪ days sponsored **	(#)	
▪ community participation **	(# or %)	
▪ material collected **	(tons or gal)	
School curricula implemented	(y/n)	

Legal/Regulatory

	In Place Prior to Phase II	Reviewing Existing Authorities	Drafted	Draft in Review	Adopted
Regulatory Mechanism Status (indicate with "X")					
▪ Illicit Discharge Detection & Elimination					
▪ Erosion & Sediment Control					
▪ Post-Development Stormwater Management					
Accompanying Regulation Status (indicate with "X")					
▪ Illicit Discharge Detection & Elimination					
▪ Erosion & Sediment Control					
▪ Post-Development Stormwater Management					

Mapping and Illicit Discharges

	(Preferred Units)	Response
Outfall mapping complete	(%)	
Estimated or actual number of outfalls	(#)	
System-Wide mapping complete (complete storm sewer infrastructure)	(%)	
Mapping method(s)		
▪ Paper/Mylar	(%)	
▪ CADD	(%)	
▪ GIS	(%)	
Outfalls inspected/screened **	(# or %)	
Outfalls inspected/screened (Since beginning of permit coverage)	(# or %)	
Illicit discharges identified **	(#)	
Illicit discharges identified (Since beginning of permit coverage)	(#)	
Illicit connections removed **	(#); and (est. gpd)	
Illicit connections removed (Since beginning of permit coverage)	(#); and (est. gpd)	
% of population on sewer	(%)	
% of population on septic systems	(%)	

Construction

	(Preferred Units)	Response
Number of construction starts (>1-acre) **	(#)	
Estimated percentage of construction starts adequately regulated for erosion and sediment control **	(%)	
Site inspections completed **	(# or %)	
Tickets/Stop work orders issued **	(# or %)	
Fines collected **	(# and \$)	
Complaints/concerns received from public **	(#)	

Post-Development Stormwater Management

Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control	(%)	
Site inspections (for proper BMP installation & operation) completed **	(# or %)	
BMP maintenance required through covenants, escrow, deed restrictions, etc.	(y/n)	
Low-impact development (LID) practices permitted and encouraged	(y/n)	

Operations and Maintenance

Average frequency of catch basin cleaning (non-commercial/non-arterial streets) **	(times/yr)	
Average frequency of catch basin cleaning (commercial/arterial or other critical streets) **	(times/yr)	
Qty of structures cleaned **	(#)	
Qty. of storm drain cleaned **	(%, LF or mi.)	
Qty. of screenings/debris removed from storm sewer infrastructure **	(lbs. or tons)	
Disposal or use of screenings (landfill, POTW, compost, beneficial use, etc.) **	(location)	

Basin Cleaning Costs		
• Annual budget/expenditure (labor & equipment)**	(\$)	
• Hourly or per basin contract rate **	(\$/hr or \$ per basin)	
• Disposal cost**	(\$)	
Cleaning Equipment		
• Clam shell truck(s) owned/leased	(#)	
• Vacuum truck(s) owned/leased	(#)	
• Vacuum trucks specified in contracts	(y/n)	
• % Structures cleaned with clam shells **	(%)	
• % Structures cleaned with vector **	(%)	

	(Preferred Units)	Response
Average frequency of street sweeping (non-commercial/non-arterial streets) **	(times/yr)	
Average frequency of street sweeping (commercial/arterial or other critical streets) **	(times/yr)	
Qty. of sand/debris collected by sweeping **	(lbs. or tons)	
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.) **	(location)	
Annual Sweeping Costs		
• Annual budget/expenditure (labor & equipment)**	(\$)	
• Hourly or lane mile contract rate **	(\$/hr. or ln mi.)	
• Disposal cost**	(\$)	
Sweeping Equipment		
• Rotary brush street sweepers owned/leased	(#)	
• Vacuum street sweepers owned/leased	(#)	
• Vacuum street sweepers specified in contracts	(y/n)	
• % Roads swept with rotary brush sweepers **	%	
• % Roads swept with vacuum sweepers **	%	

Reduction (since beginning of permit coverage) in application on public land of:
 ("N/A" = never used; "100%" = elimination)

▪ Fertilizers	(lbs. or %)	
▪ Herbicides	(lbs. or %)	
▪ Pesticides	(lbs. or %)	
Integrated Pest Management (IPM) Practices Implemented	(y/n)	

	(Preferred Units)	Response
Average Ratio of Anti-/De-Icing products used ** (also identify chemicals and ratios used in specific areas, e.g., water supply protection areas)	% NaCl % CaCl ₂ % MgCl ₂ % CMA % Kac % KCl % Sand	
Pre-wetting techniques utilized **	(y/n or %)	
Manual control spreaders used **	(y/n or %)	
Zero-velocity spreaders used **	(y/n or %)	
Estimated net reduction or increase in typical year salt/chemical application rate	(±lbs/ln mi. or %)	
Estimated net reduction or increase in typical year sand application rate **	(±lbs/ln mi. or %)	
% of salt/chemical pile(s) covered in storage shed(s)	(%)	
Storage shed(s) in design or under construction	(y/n or #)	
100% of salt/chemical pile(s) covered in storage shed(s) by May 2008	(y/n)	

Water Supply Protection

Storm water outfalls to public water supplies eliminated or relocated	# or y/n	
Installed or planned treatment BMPs for public drinking water supplies and their protection areas	# or y/n	
Treatment units induce infiltration within 500-feet of a wellhead protection area	# or y/n	