

**Part I: General Conditions**

**General Information**

Name of Municipality or Organization:  State:

EPA NPDES Permit Number (if applicable):

**Primary MS4 Program Manager Contact Information**

Name:  Title:

Street Address Line 1:

Street Address Line 2:

City:  State:  Zip Code:

Email:  Phone Number:

Fax Number:

**Other Information**

Stormwater Management Program (SWMP) Location (web address or physical location, if already completed):

**Eligibility Determination**

Endangered Species Act (ESA) Determination Complete?

Eligibility Criteria (check all that apply):  A  B  C

National Historic Preservation Act (NHPA) Determination Complete?

Eligibility Criteria (check all that apply):  A  B  C

Check the box if your municipality or organization was covered under the 2003 MS4 General Permit

<b>MS4 Infrastructure</b> (if covered under the 2003 permit)	
Estimated Percent of Outfall Map Complete? (Part II, III, IV or V, Subpart B.3.(a.) of 2003 permit)	<input type="text" value="100%"/> If 100% of 2003 requirements not met, enter an estimated date of completion (MM/DD/YY): <input type="text"/>
Web address where MS4 map is published: <small>If outfall map is unavailable on the internet an electronic or paper copy of the outfall map must be included with NOI submission (see section V for submission options)</small>	<input type="text" value="attached to NOI"/>
<b>Regulatory Authorities</b> (if covered under the 2003 permit)	
Illicit Discharge Detection and Elimination (IDDE) Authority Adopted? (Part II, III, IV or V, Subpart B.3.(b.) of 2003 permit)	<input type="text" value="No"/> Effective Date or Estimated Date of Adoption (MM/DD/YY): <input type="text" value="06/28/19"/>
Construction/Erosion and Sediment Control (ESC) Authority Adopted? (Part II, III, IV or V, Subpart B.4.(a.) of 2003 permit)	<input type="text" value="No"/> Effective Date or Estimated Date of Adoption (MM/DD/YY): <input type="text" value="06/28/19"/>
Post- Construction Stormwater Management Adopted? (Part II, III, IV or V, Subpart B.5.(a.) of 2003 permit)	<input type="text" value="No"/> Effective Date or Estimated Date of Adoption (MM/DD/YY): <input type="text" value="06/28/19"/>











**Notice of Intent (NOI) for coverage under Small MS4 General Permit**

**Part III: Stormwater Management Program Summary (continued)**

**MCM 3: Illicit Discharge Detection and Elimination (IDDE)**

<b>BMP Categorization</b> (enter your own text to override the drop down menu)	<b>BMP Description</b>	<b>Responsible Department/Parties</b> (enter your own text to override the drop down menu)	<b>Measurable Goal</b> (all text can be overwritten)	<b>Beginning Year of BMP Implementation</b>
SSO inventory	Develop SSO inventory in accordance of permit conditions	FSU Facilities Department	Complete within 1 year of effective date of permit	2019
Storm sewer system map	Create map and update during IDDE program completion	FSU Facilities Department	Update map within 2 years of effective date of permit and complete full system map 10 years after effective date of permit	2019
Develop IDDE program	Create written IDDE program	FSU Facilities Department	Complete within 1 year of the effective date of permit and update as required	2019
Implement IDDE program	Implement catchment investigations according to program and permit conditions	FSU Facilities Department	Implement in accordance with IDDE Program procedures and permit conditions	2019
Employee training	Train employees on IDDE implementation	FSU Facilities Department	Train annually	2018
Conduct dry weather screening	Conduct in accordance with outfall screening procedure and permit conditions	FSU Facilities Department	Conduct in accordance with the screening and the sampling procedures included in IDDE program.	2021
Conduct wet weather screening	Conduct in accordance with outfall screening procedure	FSU Facilities Department	Complete in accordance with the screening and sampling included in the IDDE program	2021



**Notice of Intent (NOI) for coverage under Small MS4 General Permit**

**Part III: Stormwater Management Program Summary (continued)**

**MCM 4: Construction Site Stormwater Runoff Control**

<b>BMP Categorization</b> <small>(enter your own text to override the drop down menu or entered text)</small>	<b>BMP Description</b>	<b>Responsible Department/Parties</b> <small>(enter your own text to override the drop down menu)</small>	<b>Measurable Goal</b> <small>(all text can be overwritten)</small>	<b>Beginning Year of BMP Implementation</b>
Site inspection and enforcement of Erosion and Sediment Control (ESC) measures	Complete written procedures of site inspections and enforcement procedures	FSU Facilities Department	Complete within 1 year of the effective date of permit	2019
Site plan review	Complete written procedures of site plan review and begin implementation	FSU Facilities Department	Complete within 1 year of the effective date of permit	2019
Erosion and Sediment Control	Adoption of requirements for construction operators to implement a sediment and erosion control program	FSU Facilities Department	Complete within 1 year of the effective date of permit	2019
Waste Control	Adoption of requirements to control wastes, including but not limited to, discarded building materials, vehicle washing, chemicals, and recycling	FSU Facilities Department	Complete within 1 year of the effective date of permit	2019



**Notice of Intent (NOI) for coverage under Small MS4 General Permit**

**Part III: Stormwater Management Program Summary (continued)**

**MCM 5: Post-Construction Stormwater Management in New Development and Redevelopment**

<b>BMP Categorization</b> (enter your own text to override the drop down menu or entered text)	<b>BMP Description</b>	<b>Responsible Department/Parties</b> (enter your own text to override the drop down menu)	<b>Measurable Goal</b> (all text can be overwritten)	<b>Beginning Year of BMP Implementation</b>
As-built plans for on-site stormwater control	The procedures to require submission of as-built drawings and ensure long term operation and maintenance will be a part of the SWMP	FSU Facilities Department	Require submission of as-built plans for completed projects	2018
Target properties to reduce impervious areas	Identify at least 5 permittee-owned properties that could be modified or retrofitted with BMPs to reduce impervious areas and update annually	FSU Facilities Department	Complete 4 years after effective date of permit and report annually on retrofitted properties	2022
Allow green infrastructure	Develop a report assessing existing local regulations to determine the feasibility of making green infrastructure practices allowable when appropriate site conditions exist	FSU Facilities Department	Complete 4 years after effective date of permit and implement recommendations of report	2022
Street design and parking lot guidelines	Develop a report assessing requirements that affect the creation of impervious cover. The assessment will help determine if changes to design standards for streets and parking lots can be modified to support low impact design options.	FSU Facilities Department	Complete 4 years after effective date of permit and implement recommendations of report	2022



**Notice of Intent (NOI) for coverage under Small MS4 General Permit**

**Part III: Stormwater Management Program Summary (continued)**

**MCM 6: Municipal Good Housekeeping and Pollution Prevention**

<b>BMP Categorization</b> <small>(enter your own text to override the drop down menu or entered text)</small>	<b>BMP Description</b>	<b>Responsible Department/Parties</b> <small>(enter your own text to override the drop down menu)</small>	<b>Measurable Goal</b> <small>(all text can be overwritten)</small>	<b>Beginning Year of BMP Implementation</b>
O&M procedures	Create written O&M procedures including all requirements contained in 2.3.7.a.ii for buildings, facilities, and FSU owned vehicles and equipment	FSU Facilities Department	Complete and implement 2 years after effective date of permit	2020
Inventory all FSU owned open spaces, buildings and facilities, and vehicles and equipment	Create inventory	FSU Facilities Department	Complete 2 years after effective date of permit and implement annually	2020
Infrastructure O&M	Establish and implement program for repair and rehabilitation of MS4 infrastructure	FSU Facilities Department	Complete 2 years after effective date of permit	2020
Stormwater Pollution Prevention Plan (SWPPP)	Create SWPPPs for maintenance garages	FSU Facilities Department	Complete and implement 2 years after effective date of permit	2020
Catch basin cleaning	Clean catch basins yearly	FSU Facilities Department	Clean annually	2005
Street sweeping program	Sweep all streets and parking lots to prevent pollutant run-off	FSU Facilities Department	Sweep streets and parking lots	2005
Employee Training	Train faculty and staff about proper spill cleanup	FSU Facilities Department	Train annually	2005
Inspections and maintenance of stormwater treatment structures	Establish and implement inspection and maintenance procedures and frequencies	FSU Facilities Department	Inspect and maintain treatment structures at least annually	2017








Part IV: Notes and additional information

Use the space below to indicate the part(s) of 2.2.1 and 2.2.2 that you have identified as not applicable to your MS4 because you do not discharge to the impaired water body or a tributary to an impaired water body due to nitrogen or phosphorus. Provide all supporting documentation below or attach additional documents if necessary. Also, provide any additional information about your MS4 program below.

Click to add text



# Notice of Intent (NOI) for coverage under Small MS4 General Permit

## Part V: Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:

Title:

Signature:

Date:

[To be signed according to Appendix B, Subparagraph B.11, Standard Conditions]

Note: When prompted during signing, save the document under a new file name

NOI for Framingham State University

MA042001

#### Endangered Species Act Guidance

To assess the impacts of stormwater discharge at Framingham State University, Appendix C was accessed.

The Information, Planning and Conservation (IPac) online system was accessed, and determined that the Northern Long-eared Bat (*Myotis septentrionalis*) is a species of concern.

We are requesting concurrence from the EPA to determine that discharge and discharge related activities on campus indicate there would be “no affect” on listed species or habitat (Criterion C).

Once we receive concurrence from the EPA, we will include in Storm Water Management Plan.



#### National Historic Preservation Guidance

Framingham State University has one property on listed on the National Registry – St. John’s Episcopal Church (aka Ecumenical Center at Framingham State University), and have been covered by the previous permit.

We are requesting concurrence from the EPA that projects have “no potential to cause effects” (Criterion A).

Outfall Map is attached as page 2.







## Tedder, Newton

---

**From:** Maureen Fowler <mfowler@framingham.edu>  
**Sent:** Monday, May 13, 2019 8:28 AM  
**To:** Tedder, Newton  
**Cc:** Reports Stormwater  
**Subject:** RE: MS4 NOI Additional Information

Yes, I acknowledge that Appendix H, Part II is applicable.  
Thank you.  
-Maureen

### Maureen Bagge Fowler

Environmental Health & Safety Coordinator  
Facilities and Capital Planning

**Framingham State University** | 100 State Street | Framingham, MA 01701  
Phone: 508.626.4633 | Cell: 508.889.6907 |mfowler@framingham.edu  
[www.framingham.edu/facilities](http://www.framingham.edu/facilities)

---

**From:** Tedder, Newton [mailto:Tedder.Newton@epa.gov]  
**Sent:** Friday, May 10, 2019 4:41 PM  
**To:** Maureen Fowler <mfowler@framingham.edu>  
**Cc:** Reports Stormwater <Stormwater.Reports@epa.gov>  
**Subject:** MS4 NOI Additional Information  
**Importance:** High

Hi Maureen,

EPA needs additional information to continue processing your NOI. You indicate that your receiving water is impaired due to phosphorus. Please respond to this Email indicating your acknowledgement that Appendix H Part II is applicable to you in order to reduce phosphorus in your discharges. There is no need to resubmit your NOI

### Newton W. Tedder

U.S. Environmental Protection Agency, Region 1  
5 Post Office Square, Suite 100  
Mail Code 06-4  
Boston, MA 02109-3912  
Phone: (617) 918-1038

*All drains lead to the ocean*