

Part I: General Conditions

General Information

Name of Municipality or Organization: State:

EPA NPDES Permit Number (if applicable):

Primary MS4 Program Manager Contact Information

Name: Title:

Street Address Line 1:

Street Address Line 2:

City: State: Zip Code:

Email: Phone Number:

Fax Number:

Other Information

Stormwater Management Program (SWMP) Location (web address or physical location, if already completed):

Eligibility Determination

Endangered Species Act (ESA) Determination Complete?

Eligibility Criteria (check all that apply): ☐ A ☐ B ☒ C

National Historic Preservation Act (NHPA) Determination Complete?

Eligibility Criteria (check all that apply): ☒ A ☐ B ☐ C

☒ Check the box if your municipality or organization was covered under the 2003 MS4 General Permit

MS4 Infrastructure (if covered under the 2003 permit)

Estimated Percent of Outfall Map Complete? If 100% of 2003 requirements not met, enter an estimated date of completion (MM/DD/YY):

Web address where MS4 map is published:
If outfall map is unavailable on the internet an electronic or paper copy of the outfall map must be included with NOI submission (see section V for submission options)

Regulatory Authorities (if covered under the 2003 permit)

Illicit Discharge Detection and Elimination (IDDE) Authority Adopted? Effective Date or Estimated Date of Adoption (MM/DD/YY):

Construction/Erosion and Sediment Control (ESC) Authority Adopted? Effective Date or Estimated Date of Adoption (MM/DD/YY):

Post- Construction Stormwater Management Adopted? Effective Date or Estimated Date of Adoption (MM/DD/YY):

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part II: Summary of Receiving Waters

Please list the waterbodies to which your MS4 discharges. For each waterbody, please report the number of outfalls discharging into it and, if applicable, the segment ID and any impairments.

Massachusetts list of impaired waters: Massachusetts 2014 List of Impaired Waters- <http://www.mass.gov/eea/docs/dep/water/resources/07v5/14list2.pdf>

[illegible]

Click to lengthen table

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part III: Stormwater Management Program Summary

Identify the Best Management Practices (BMPs) that will be employed to address each of the six Minimum Control Measures (MCMs). For municipalities/organizations whose MS4 discharges into a receiving water with an approved Total Maximum Daily Load (TMDL) and an applicable waste load allocation (WLA), identify any additional BMPs employed to specifically support the achievement of the WLA in the TMDL section at the end of part III.

For each MCM, list each existing or proposed BMP by category and provide a brief description, responsible parties/departments, measurable goals, and the year the BMP will be employed (public education and outreach BMPs also requires a target audience). **Use the drop-down menus in each table or enter your own text to override the drop down menu.**

MCM 1: Public Education and Outreach

BMP Media/Category (enter your own text to override the drop down menu)	BMP Description	Targeted Audience	Responsible Department/Parties (enter your own text to override the drop down menu)	Measurable Goal	Beginning Year of BMP Implementation
Brochures/Pamphlets	Fact Sheet Newsletter	Residents	Environment Department	gain awareness & feedback, maintain annual distribution	2017
		Businesses, Institutions and Commercial Facilities			
		Developers (construction)			
		Industrial Facilities			
Displays/Posters/Kiosks	Notice posted in the food and cleaning services building	Residents, Employees	Environment Department	gain awareness & feedback on proper disposal practices	2017
		Businesses, Institutions and Commercial Facilities			
		Developers (construction)			
		Industrial Facilities			
Brochures/Pamphlets	present a stormwater fact sheet to each new employee at orientation	Employees	Environment Department	gain awareness & feedback on proper disposal practices	2017

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part III: Stormwater Management Program Summary *(continued)*

MCM 2: Public Involvement and Participation

BMP Categorization	Brief BMP Description (enter your own text to override the drop down menu)	Responsible Department/Parties (enter your own text to override the drop down menu)	Additional Description/ Measurable Goal	Beginning Year of BMP Imple- mentation
Public Review	Annual Stormwater Report	Environment Department	Annual report is made available within the facility's "Crossroads" newsletter	2017
Public Participation	Public Meeting - Stormwater	Environment Department	Hold an Annual Stormwater and Spill Prevention Meeting	2017
Public Participation	Partnership - Internal Service Groups	Environment Department	Designate person per shift within food and cleaning services groups at facility	2017
Public Participation	Cleanups - Facility / General	Environment Department	Add & maintain cigarette butt containers within facility grounds	2017
Public Participation	Stormwater Program Volunteers	Environment Department	Volunteers are requested per unit per shift by supervisory personnel	2017
Public Participation	Partnership - Internal Service Groups - security	Environment Department	Security training & awareness: Security supervisor attends the Annual Stormwater and Spill Prevention meeting to gain information and establish procedures for reporting of, and response to incidents	2017
Public Participation	Training	Environment Department	Spot meetings and general oversight; train Transport, Grounds, Paint, and all Maintenance Depts	2017

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part III: Stormwater Management Program Summary (continued)

MCM 3: Illicit Discharge Detection and Elimination (IDDE)

BMP Categorization (enter your own text to override the drop down menu)	BMP Description	Responsible Department/Parties (enter your own text to override the drop down menu)	Measurable Goal (all text can be over/ritten)	Beginning Year of BMP Implementation
SSO inventory	sewer system map has been created	Environment Department	Complete within 1 year of effective date of permit	2018
Storm sewer system map	Create map and update during IDDE program completion (stormwater system map has been created)	Environment Department	Update map within 2 years of effective date of permit and complete full system map 10 years after effective date of permit	2018
Written IDDE program development	Create written IDDE program - IDDE procedures, and ranking of outfalls for IDDE investigation	Environment Department	Complete within 1 year of the effective date of permit and update as required	2018
Implement IDDE program	Implement catchment investigations according to program and permit conditions	Environment Department	Complete 10 years after effective date of permit	2019
Employee training	Train employees on IDDE implementation	Environment Department	Train annually	2019
Conduct dry weather screening	Conduct in accordance with outfall screening procedure and permit conditions	Environment Department	Complete 3 years after effective date of permit	2019
Conduct wet weather screening	Conduct in accordance with outfall screening procedure	Environment Department	Complete 10 years after effective date of permit	2019
Ongoing screening	Conduct dry weather and wet weather screening (as necessary)	Environment Department	Complete ongoing outfall screening upon completion of IDDE program	2019

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part III: Stormwater Management Program Summary *(continued)*

MCM 4: Construction Site Stormwater Runoff Control

BMP Categorization (enter your own text to override the drop down menu or entered text)	BMP Description	Responsible Department/Parties (enter your own text to override the drop down menu)	Measurable Goal (all text can be overwritten)	Beginning Year of BMP Implementation
Site inspection and enforcement of Erosion and Sediment Control (ESC) measures	Complete written procedures of site inspections and enforcement procedures	Environment Department	Complete update of procedures by the end of Year 1	2016
Site plan review	All site improvements and modifications are currently reviewed prior to work proceeding	Environment Department	Continue with site improvement review	2016
Erosion and Sediment Control	Have adopted of requirements for construction operators to implement a sediment and erosion control program	Environment Department	Continue to insert construction controls & penalties in contract documents; and continue compliance monitoring	2016
Waste Control	Have adopted of requirements for to control wastes, including but not limited to, discarded building materials, concrete truck wash out, chemicals, litter, and sanitary wastes.	Environment Department	Continue to insert construction controls & penalties in contract documents; and continue compliance monitoring	2016

[illegible]

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part III: Stormwater Management Program Summary *(continued)*

MCM 5: Post-Construction Stormwater Management in New Development and Redevelopment

BMP Categorization (enter your own text to override the drop down menu or entered text)	BMP Description	Responsible Department/Parties (enter your own text to override the drop down menu)	Measurable Goal (all text can be overwritten)	Beginning Year of BMP Implementation
As-built plans for on-site stormwater control; and compliance with good stormwater practices	Establish procedures to require submission of as-built drawings; and ensure long term operation and maintenance will be a part of the SWMP.	Environment Department	Require submission of as-built plans and O&M plans for completed projects; and conduct post-construction monitoring	2018
Estimation of impervious and directly connected impervious areas (IA and DCIA) ; and target properties to reduce impervious areas	Estimate and update the baseline values or DCIA and IA including conventional pavements, sidewalks, driveways, roadways, parking lots, and rooftops.	Environment Department	Complete 4 years after effective date of permit and report annually on retrofitted properties	2018
Inventory and priority ranking of areas tributary to critical outfalls that may be retrofitted with BMPs	Conduct detailed inventory of MS4 owned areas and rank for retrofit potential	Environment Department	Complete 4 years after effective date of permit and implement recommendations of report	2019
Allow green infrastructure	Conduct detailed inventory of MS4 owned areas and rank for retrofit potential when appropriate site conditions exist	Environment Department	Complete 4 years after effective date of permit and implement recommendations of report	2020

[illegible]

[illegible]

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part III: Stormwater Management Program Summary (continued)

MCM 6: Municipal Good Housekeeping and Pollution Prevention

BMP Categorization (enter your own text to override the drop down menu or entered text)	BMP Description	Responsible Department/Parties (enter your own text to override the drop down menu)	Measurable Goal (all text can be overwritten)	Beginning Year of BMP Implementation
Facility O&M and Best Practices Plan	Create written O&M procedures for stormwater assets at WDC open spaces, buildings and facilities, and vehicles and equipment	Environment Department	Complete and implement 2 years after effective date of permit	2019
Inventory all permittee-owned open spaces, buildings and facilities (including their storm drains), and vehicles and equipment	Inventory & assessment of condition of WDC stormwater system assets	Environment Department	Complete 2 years after effective date of permit and implement annually	2019
Infrastructure O&M - Establish and implement program for repair and rehabilitation of MS4 infrastructure	Prepare a capital improvement plan (CIP) for stormwater system assets (based on the asset inventory & condition assessment)	Environment Department	Complete 2 years after effective date of permit	2019
Stormwater Pollution Prevention Plan (SWPPP) for maintenance areas, dumpster or trash compactor areas, and other waste-handling facilities	Create written plan & procedures for storm water management at WDC open spaces, buildings and facilities, and vehicles and equipment	Environment Department	Complete and implement 2 years after effective date of permit	2019
Catch basin cleaning	Continue Annual CB Cleaning Contract; and establish schedule for catch basin cleaning such that each catch basin is no more than 50% full and clean catch basins on that schedule.	Environment Department	Annually renew private CB cleaning contract; monitor for proper contract performance; and report number of catch basins cleaned and volume of material moved annually	2018

[illegible]

Part III: Stormwater Management Program Summary (continued)

Use the drop-down menus to select the applicable TMDL, action description to meet the TMDL requirements, and the responsible department/parties. If no options are applicable, or more than one, **enter your own text to override drop-down menus.**

[illegible]

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Part III: Stormwater Management Program Summary (continued)
Actions for Meeting Requirements Related to Water Quality Limited Waters

Use the drop-down menus to select the pollutant causing the water quality limitation and enter the waterbody ID(s) experiencing excursions above water quality standards for that pollutant. In addition, if you are subject to additional requirements due to a downstream nutrient impairment (see Part 2.2.2 of the permit) select the pollutant of concern and indicate applicable waterbody IDs or write "all waterbodies" if applicable. Choose the action description from the dropdown menu and indicate the responsible party. If no options are applicable, or more than one, **enter your own text to override drop-down menus.**

[illegible]

Part IV: Notes and additional information

Use the space below to indicate the part(s) of 2.2.1 and 2.2.2 that you have identified as not applicable to your MS4 because you do not discharge to the impaired water body or a tributary to an impaired water body due to nitrogen or phosphorus. Provide all supporting documentation below or attach additional documents if necessary. Also, provide any additional information about your MS4 program below.

There are no TMDL requirements for the surface waters that receive stormwater discharge from WDC drainage system outfalls. Also, several WDC site outfalls direct stormwater to areas that are contained on site, where storage, evaporation, and infiltration of collected stormwater occurs. These outfalls are #'s 2, 3, 4 & 5 as noted on the Storm Drainage Mapping plan dated June 2018. WDC will continue to monitor these areas to ensure that overflows do not occur and/or that these areas do not contribute surface flow to either the Charles River Watershed or the Taunton River Watershed.

Notice of Intent (NOI) for coverage under Small MS4 General Permit

Page 21 of 21

Part V: Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:

Michael Gardner

Title:

Director of Operations

Signature:

Michael Gardner

Date:

09/28/18

[To be signed according to Appendix B, Subparagraph B.11, Standard Conditions]

Note: When prompted during signing, save the document under a new file name

**ADDENDA TO THE 2018 NOTICE OF INTENT (NOI) FOR WRENTHAM DEVELOPMENTAL CENTER (WDC),
WRENTHAM, MA**

EPA NPDES SMALL MS4 PERMIT MAR042030

Part I: General Conditions

ESA Determination: See the attached IPaC Resource List obtained from the U.S. Fish & Wildlife Service website screening process which indicates that there is one (1) Threatened Species, the Northern Long-eared Bat (*Myotis septentrionalis*) that is potentially present at the permitted site. Compliance with the NPDES Small MS4 Permit will not impact the above noted endangered species

MS4 Infrastructure

- Outfall Map: See attached PDF copy
- Regulatory Authorities: As a State Facility, implementation of bylaws and regulations is not directly applicable, however appropriate policies and procedures have been and will be adopted

Part II: Summary of Receiving Waters

There are two (2) receiving waters for stormwater discharges from the WDC campus:

- (1) An unnamed stream that flows northward to Stop River (within the Charles River Watershed), and
- (2) Meadow Brook which flows southward to Crocker Pond. Meadow Brook is not listed as a waterway in the "Massachusetts Year 2014 Integrated List of Waters"; and Crocker Pond is listed as a Category 4c Water "Impairment not caused by a pollutant – TMDL not required".

Part III: Stormwater Management Program Summary

MCM 1 and MCM 2

The Wrentham Developmental Center (WDC) is a state-run medical facility for the treatment of psychiatric and developmental disorders. It is located on a large campus at the junction of Emerald and North Streets in Wrentham, Massachusetts (the Site). As such, the "targeted audiences" at WDC are residents, employees, and occasional contractors that may perform work at the Site. Other categories noted within the NOI, i.e. Businesses, Institutions and Commercial Facilities, Developers, and Industrial Facilities, are not relevant to this permit.

MCM-5

The post construction requirements are not very applicable to WDC given the nature of the site as a state owned long term care facility that is not likely to be subject to expansion or modification.


Actions for Meeting Total Maximum Daily Load (TMDL) Requirements

There are no TMDL requirements for the surface waters that receive stormwater discharge from WDC drainage system outfalls. Also, several WDC site outfalls direct stormwater to areas that are contained on site, where storage, evaporation, and infiltration of collected stormwater occurs. These outfalls are #'s 2, 3, 4 & 5 as noted on the Storm Drainage Mapping plan dated June 2018. WDC will continue to monitor these areas to ensure that overflows do not occur and/or that these areas do not contribute surface flow to either the Charles River Watershed or the Taunton River Watershed.

Attachments to NOI: Attachment 1-Locus Map_Google Earth.pdf, Attachment 2-natural_resources_locus map.pdf, and Attachment 3-wrentham_dc_stormwater_contour_wetland_w-outfall notes.pdf

Untitled Map
Write a description for your map.






- Legend**
- M350TaxPar selection
 - parcels_complete
 - Rivers and Streams
 - Zone I
 - Public Water Supply Wells**
 - Community Groundwater Source
 - Surface Water Intake
 - Non-Community Groundwater Source
 - Emergency Surface Water
 - ▲ Chapte 21E Site
 - Priority Habitats of Rare Species
 - Interim Wellhead Protection Area
 - Wetland Limit
 - Wooded marsh
 - Cranberry Bog
 - Reservoir (with PWSID)
 - Lakes and Ponds



Natural Resources Ma
Wrentham Development Cente
Wrentham, Massachusett
Source: MassGIS Datalayer





STORM DRAINAGE MAPPING



100 50 0 100 feet

1 inch = 100 feet

LEGEND

- **ISOLATED CONDUIT**
 - **ISOLATED** = SEPARATE FROM OTHER ELECTRICAL SYSTEMS
 - **CONDUIT** = PROTECTIVE ENCLOSURE FOR CABLES
- **CONDUIT TYPES**
 - **EMT** = ELECTRICAL METAL TUBING
 - **IMC** = INTERMEDIATE METAL CONDUIT
 - **RMC** = RIGID METAL CONDUIT
 - **CPVC** = CHLOROPOLYMER VINYL CHLORIDE
 - **PVC** = POLYVINYL CHLORIDE
 - **PE** = POLYETHYLENE
 - **PP** = POLYPROPYLENE
 - **HDPE** = HIGH DENSITY POLYETHYLENE
 - **LDPE** = LOW DENSITY POLYETHYLENE
 - **LLDPE** = LINEAR LOW DENSITY POLYETHYLENE
 - **MDPE** = MEDIUM DENSITY POLYETHYLENE
 - **UHMWPE** = ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE
 - **UL94** = UNDERWRITERS LABORATORIES 94
 - **UL94V0** = UL94 VERTICAL 0
 - **UL94V1** = UL94 VERTICAL 1
 - **UL94V2** = UL94 VERTICAL 2
 - **UL94H0** = UL94 HORIZONTAL 0
 - **UL94H1** = UL94 HORIZONTAL 1
 - **UL94H2** = UL94 HORIZONTAL 2
 - **UL94F0** = UL94 FURNACE 0
 - **UL94F1** = UL94 FURNACE 1
 - **UL94F2** = UL94 FURNACE 2
 - **UL94T0** = UL94 THERMAL 0
 - **UL94T1** = UL94 THERMAL 1
 - **UL94T2** = UL94 THERMAL 2
 - **UL94T3** = UL94 THERMAL 3
 - **UL94T4** = UL94 THERMAL 4
 - **UL94T5** = UL94 THERMAL 5
 - **UL94T6** = UL94 THERMAL 6
 - **UL94T7** = UL94 THERMAL 7
 - **UL94T8** = UL94 THERMAL 8
 - **UL94T9** = UL94 THERMAL 9
 - **UL94T10** = UL94 THERMAL 10
 - **UL94T11** = UL94 THERMAL 11
 - **UL94T12** = UL94 THERMAL 12
 - **UL94T13** = UL94 THERMAL 13
 - **UL94T14** = UL94 THERMAL 14
 - **UL94T15** = UL94 THERMAL 15
 - **UL94T16** = UL94 THERMAL 16
 - **UL94T17** = UL94 THERMAL 17
 - **UL94T18** = UL94 THERMAL 18
 - **UL94T19** = UL94 THERMAL 19
 - **UL94T20** = UL94 THERMAL 20
 - **UL94T21** = UL94 THERMAL 21
 - **UL94T22** = UL94 THERMAL 22
 - **UL94T23** = UL94 THERMAL 23
 - **UL94T24** = UL94 THERMAL 24
 - **UL94T25** = UL94 THERMAL 25
 - **UL94T26** = UL94 THERMAL 26
 - **UL94T27** = UL94 THERMAL 27
 - **UL94T28** = UL94 THERMAL 28
 - **UL94T29** = UL94 THERMAL 29
 - **UL94T30** = UL94 THERMAL 30
 - **UL94T31** = UL94 THERMAL 31
 - **UL94T32** = UL94 THERMAL 32
 - **UL94T33** = UL94 THERMAL 33
 - **UL94T34** = UL94 THERMAL 34
 - **UL94T35** = UL94 THERMAL 35
 - **UL94T36** = UL94 THERMAL 36
 - **UL94T37** = UL94 THERMAL 37
 - **UL94T38** = UL94 THERMAL 38
 - **UL94T39** = UL94 THERMAL 39
 - **UL94T40** = UL94 THERMAL 40
 - **UL94T41** = UL94 THERMAL 41
 - **UL94T42** = UL94 THERMAL 42
 - **UL94T43** = UL94 THERMAL 43
 - **UL94T44** = UL94 THERMAL 44
 - **UL94T45** = UL94 THERMAL 45
 - **UL94T46** = UL94 THERMAL 46
 - **UL94T47** = UL94 THERMAL 47
 - **UL94T48** = UL94 THERMAL 48
 - **UL94T49** = UL94 THERMAL 49
 - **UL94T50** = UL94 THERMAL 50
 - **UL94T51** = UL94 THERMAL 51
 - **UL94T52** = UL94 THERMAL 52
 - **UL94T53** = UL94 THERMAL 53
 - **UL94T54** = UL94 THERMAL 54
 - **UL94T55** = UL94 THERMAL 55
 - **UL94T56** = UL94 THERMAL 56
 - **UL94T57** = UL94 THERMAL 57
 - **UL94T58** = UL94 THERMAL 58
 - **UL94T59** = UL94 THERMAL 59
 - **UL94T60** = UL94 THERMAL 60
 - **UL94T61** = UL94 THERMAL 61
 - **UL94T62** = UL94 THERMAL 62
 - **UL94T63** = UL94 THERMAL 63
 - **UL94T64** = UL94 THERMAL 64
 - **UL94T65** = UL94 THERMAL 65
 - **UL94T66** = UL94 THERMAL 66
 - **UL94T67** = UL94 THERMAL 67
 - **UL94T68** = UL94 THERMAL 68
 - **UL94T69** = UL94 THERMAL 69
 - **UL94T70** = UL94 THERMAL 70
 - **UL94T71** = UL94 THERMAL 71
 - **UL94T72** = UL94 THERMAL 72
 - **UL94T73** = UL94 THERMAL 73
 - **UL94T74** = UL94 THERMAL 74
 - **UL94T75** = UL94 THERMAL 75
 - **UL94T76** = UL94 THERMAL 76
 - **UL94T77** = UL94 THERMAL 77
 - **UL94T78** = UL94 THERMAL 78
 - **UL94T79** = UL94 THERMAL 79
 - **UL94T80** = UL94 THERMAL 80
 - **UL94T81** = UL94 THERMAL 81
 - **UL94T82** = UL94 THERMAL 82
 - **UL94T83** = UL94 THERMAL 83
 - **UL94T84** = UL94 THERMAL 84
 - **UL94T85** = UL94 THERMAL 85
 - **UL94T86** = UL94 THERMAL 86
 - **UL94T87** = UL94 THERMAL 87
 - **UL94T88** = UL94 THERMAL 88
 - **UL94T89** = UL94 THERMAL 89
 - **UL94T90** = UL94 THERMAL 90
 - **UL94T91** = UL94 THERMAL 91
 - **UL94T92** = UL94 THERMAL 92
 - **UL94T93** = UL94 THERMAL 93
 - **UL94T94** = UL94 THERMAL 94
 - **UL94T95** = UL94 THERMAL 95
 - **UL94T96** = UL94 THERMAL 96
 - **UL94T97** = UL94 THERMAL 97
 - **UL94T98** = UL94 THERMAL 98
 - **UL94T99** = UL94 THERMAL 99
 - **UL94T100** = UL94 THERMAL 100
 - **UL94T101** = UL94 THERMAL 101
 - **UL94T102** = UL94 THERMAL 102
 - **UL94T103** = UL94 THERMAL 103
 - **UL94T104** = UL94 THERMAL 104
 - **UL94T105** = UL94 THERMAL 105
 - **UL94T106** = UL94 THERMAL 106
 - **UL94T107** = UL94 THERMAL 107
 - **UL94T108** = UL94 THERMAL 108
 - **UL94T109** = UL94 THERMAL 109
 - **UL94T110** = UL94 THERMAL 110
 - **UL94T111** = UL94 THERMAL 111
 - **UL94T112** = UL94 THERMAL 112
 - **UL94T113** = UL94 THERMAL 113
 - **UL94T114** = UL94 THERMAL 114
 - **UL94T115** = UL94 THERMAL 115
 - **UL94T116** = UL94 THERMAL 116
 - **UL94T117** = UL94 THERMAL 117
 -

ABBREVIATIONS

- [illegible]

DATA SOURCES:

- THE BUILDING CONDITIONS, PARTICLES, MOISTURE, AND TEMPERATURE DATA PROVIDED BY MONOCOR.
- THE SPARGE DATA WAS COLLECTED AND MAPPED BY STANTEC CONSULTING SERVICES, INC. DURING SITE AND MAP ON 2010.
- THE SUPERFICIAL SURFACE DATA OBTAINED BY STANTEC CONSULTING SERVICES, INC.

DRAINAGE SYSTEM DATA

- 1111 CATCH BASINS
12 CATCH BASINS
45 CATCH BASINS
45 CATCH BASINS

The information on the study has been considered for future development of a code of practice and a manual to encourage workers to follow good practice.

JUNE 2018



Stantec
 Stantec Consulting Services, Inc.
 5 Burlington Woods Drive
 Burlington, V.A. 01003-4542

