Year 1 Annual Report

Massachusetts Small MS4 General Permit Reporting Period: May 1, 2018-June 30, 2019

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed.

Part I: Contact Information

Name of Municipality or Organization: City of Pittsfie	eld
EPA NPDES Permit Number: MAR041018	
Primary MS4 Program Manager Contact Informa	tion
Name: Ricardo Morales	Title: City Engineer
Street Address Line 1: 70 Allen Street	
Street Address Line 2: na	
City: Pittsfield State: MA	Zip Code: 01201
Email: rmorales@cityofpittsfield.org	Phone Number: (413) 499-9330
Fax Number: na	
Stormwater Management Program (SWMP) Infor	mation
SWMP Location (web address): na	
Date SWMP was Last Updated:	
If the SWMP is not available on the web please provinot posted on the web:	de the physical address and an explanation of why it is

Part II: Self Assessment

First, in the box below, select the impairment (s) and/or TMDL (s) that are applicable to your MS4.

Impairment(<u>(s)</u>			
	☑ Bacteria/Pathogens☑ Solids/ Oil/ Grease (Hydrogens)	☐ Chloride drocarbons)/ Meta	☐ Nitrogen	☐ Phosphorus
TMDL(s)				
In State:	☐ Assabet River Phosphon☐ Charles River Watershe	_	eria and Pathogen Lake and Pond	☐ Cape Cod Nitrogen Phosphorus
Out of State:	☐ Bacteria/Pathogens	☐ Metals	⊠ Nitrogen	☐ Phosphorus
			Cl	ear Impairments and TMDLs
you have con	ff all requirements below than apleted that permit requirement dditional information will be	ent fully. If you ho	ave not completed a re	ch box you are certifying that equirement leave the box
Year 1 Requi	rements			
⊠ Develo	op and begin public educatio	n and outreach pro	gram	
⊠ Identif	fy and develop inventory of a years	all known locations	s where SSOs have di	scharged to the MS4 in the
	O The SSO inventory is a	ttached to the email	il submission	
	○ The SSO inventory can	be found at the fo	llowing website:	
⊠ Develo	op written IDDE plan includ	ing a procedure for	screening and sample	ing outfalls
\boxtimes IDDE	ordinance complete			
	ry each outfall and interconney rank each catchment for in		from MS4, classify in	nto the relevant category, and
	The priority ranking ofThe priority ranking of			the email submission the following website:
	ruction/ Erosion and Sedimer	,	1	
⊠ Develo measu	op written procedures for site res	e inspections and e	nforcement of sedime	ent and erosion control
	op written procedures for site	-		
-	a log of catch basins cleaned	-		
	lete inspection of all stormwa	ater treatment struc	etures	

Annual Requirements

City of Pittsfield Page 3	
☐ Annual opportunity for public participation in review and implementation of SWMP	
Comply with State Public Notice requirements	
⊠ Keep records relating to the permit available for 5 years and make available to the public	
Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters	
☐ Annual training to employees involved in IDDE program	
☑ All curbed roadways have been swept a minimum of one time per year	
Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicab	ole)
Annual Requirements	
Public Education and Outreach*	
Annual message encouraging the proper management of pet waste, including noting any existing ordinances where appropriate	
Permittee or its agents disseminate educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time	
Provide information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria	
* Public education messages can be combined with other public education requirements as applicable (s Appendix H and F for more information)	ee
Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)	
Annual Requirements	
Public Education and Outreach*	c
Distribute an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers	Ĺ
Distribute an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate	
Distribute an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter	
* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)	
Good Housekeeping and Pollution Prevention for Permittee Owned Operations	
Increase street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)	
Potential structural BMPs	
Any structural BMPs listed in Table 3 of Attachment 1 to Appendix H already existing or installed in the regulated area by the permittee or its agents shall be tracked and the permittee shall estimate the nitrogen removal by the BMP consistent with Attachment 1 to Appendix H. Document the BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated nitrogen removed in mass per year by the BMP in each each annual report	ı

nput additional details of your self assessing	•	oxes above or any ado	ditional information you

Page 4

City of Pittsfield

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any cha submitted?	anges to your lists of receiving waters, outfalls, or impairments since the NOI was
Yes	No ⊠
If yes, describe below,	including any relevant impairments or TMDLs:

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education Number of educational messages completed during the reporting period: |8 Below, report on the educational messages completed during the first year. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program. BMP: Stormwater runoff awareness program Message Description and Distribution Method: Overall stormwater best management practices for public aimed at 5th graders. Program given at 15 classes totaling approximately 285 students Targeted Audience: Elementary students Responsible Department/Parties: DPW / HVA Measurable Goal(s): None Message Date(s): May 2019 Appendix F Requirements Appendix H Requirements Message Completed for: Was this message different than what was proposed in your NOI? Yes ☐ No ⊠ If yes, describe why the change was made: **BMP:Pittsfield River Smart Brochure** Message Description and Distribution Method: Stormwater education specific for West Branch of the Housatonic River Targeted Audience: Residents Responsible Department/Parties: DPW / HVA Measurable Goal(s):

None

City of Pittsfield	Page 7
Message Date(s): June 2019	
Message Completed for: Appendix F Requirements ☐ Appendix H Requirements ☐	
Was this message different than what was proposed in your NOI? Yes ☐ No ☒	
If yes, describe why the change was made:	
BMP:Pittsfield River Smart Brochure	
Message Description and Distribution Method:	
Stormwater educational information with best management practices	
Targeted Audience: Business Owners	
Responsible Department/Parties: DPW / HVA	
Measurable Goal(s):	
Message Date(s):	
Message Completed for: Appendix F Requirements Appendix H Requirements	
Was this message different than what was proposed in your NOI? Yes ☐ No ☒	
If yes, describe why the change was made:	
BMP:River Cleanup Education - In Practice	
Message Description and Distribution Method:	
Specific information and hands on approach to river cleanup at the west and south-west branch of th Housatonic River	e
Targeted Audience: All ages	
Responsible Department/Parties: HVA / BEAT	
Measurable Goal(s):	
None	
Message Date(s): June 2019	

Message Completed for: Appendix F Requirements Appendix H Requirements	
Was this message different than what was proposed in your NOI? Yes ☐ No ☒	
If yes, describe why the change was made:	
BMP:Green Infrastructure Maintenance Education	
Message Description and Distribution Method:	
Maintenance of green infrastructure in downtown Pittsfield specific to the rain gardens with educational sessions for passers by. Held 12 events during the spring of 2019	
Targeted Audience: all ages	
Responsible Department/Parties: HVA	
Measurable Goal(s):	
Message Date(s): 12 events in Spring 2019	
Message Completed for: Appendix F Requirements Appendix H Requirements	
Was this message different than what was proposed in your NOI? Yes ☐ No ☒	
If yes, describe why the change was made:	
BMP:Community Workshops	
Message Description and Distribution Method:	
Awareness of the stormwater cycle around the SW branch Housatonic River	
Targeted Audience: All ages	
Responsible Department/Parties: HVA	
Measurable Goal(s):	
None	
Message Date(s): 2 events hel in Spring 2019	
Message Completed for: Appendix F Requirements Appendix H Requirements	

City of Pittsfield Page 9
Was this message different than what was proposed in your NOI? Yes ☐ No ☒
If yes, describe why the change was made:
BMP:Don't Dump, Drains to River Decals
Message Description and Distribution Method:
Installation of decals on city street catch basins with message educating people to avoid illegal dumping to the storm water drain. Locations: Morningside and Sterns Elementary School areas and Reid Middle School area as well as North St CBs
Targeted Audience: all ages
Responsible Department/Parties: HVA
Measurable Goal(s):
None
Message Date(s): Multiple
Message Completed for: Appendix F Requirements Appendix H Requirements
Was this message different than what was proposed in your NOI? Yes ☐ No ☒
If yes, describe why the change was made:
BMP:Utility Inserts
Message Description and Distribution Method:
Educational content to raise awareness of stormwater infrastructure and river quality inserted in utility bills sent by DPW
Targeted Audience: Residents
Responsible Department/Parties: DPW / HVA
Measurable Goal(s):
none
Message Date(s): Second quarter billing cycle
Message Completed for: Appendix F Requirements Appendix H Requirements

Yes□ No ⊠

Was this message different than what was proposed in your NOI?

y of Pittsfield	Page
f yes, describe why the change was made:	
Add an Educational Message	
Aud all Educational Message	
MCM2. Public Posticination	
MCM2: Public Participation	
Describe the opportunity provided for public involvement in the developm Program (SWMP) during the reporting period:	ent of the Stormwater Management
Conducted 3 river cleanups focused on the West Branch and SW Branch of partnership with BEAT and HVA.	f the Housatonic River – in
Maintenance by HVA of the rain gardens on North Street and educated parassisted. Approximately 12 events	sser-bys and volunteers that
Conducted two Community workshops organized by HVA centered aroun	d Stormwater on the SW Branch
Stormwater runoff awareness programs in 15, 5th grade classes (about 285	students)
Was this opportunity different than what was proposed in your NOI? Yes	s □ No ⊠
Describe any other public involvement or participation opportunities cond-	usted during the reporting period
s control and promote promote of parameters of parameters of the p	access sources and rep errors promise and
MCM3: Illicit Discharge Detection and Elimi	nation (IDDE)
Sanitary Sewer Overflows (SSOs)	and device this was autima naviad
Below, report on the number of SSOs identified in the MS4 system and rem	ovea auring inis reporting perioa.
Number of SSOs identified: 0	
Number of SSOs removed: 0	
Below, report on the total number of SSOs identified in the MS4 system and report SSOs identified since 2013.	d removed to date. At a minimum,
Total number of SSOs identified: 0	

Total number of SSOs removed: 0
MS4 System Mapping
Describe the status of your MS4 map, including any progress made during the reporting period:
Map has been created and is available online and to the public with information on source catchment, catch basins and outfalls
Screening of Outfalls/Interconnections
If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses.
○ The outfall screening data is attached to the email submission
○ The outfall screening data can be found at the following website:
To be completed by 2021 - Efforts to perform this are underway with an external contractor as listed in NOI - Housatonic Valley Association. Some work has been completed to date
Below, report on the number of outfalls/interconnections screened during this reporting period. Number of outfalls screened: 331
realiser of outrains screened. 551
Below, report on the percent of total outfalls/interconnections screened to date.
Percent of total outfalls screened: 73%
Catchment Investigations If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment. ● The catchment investigation data is attached to the email submission ○ The catchment investigation data can be found at the following website:
Below, report on the number of catchment investigations completed during this reporting period.
Number of catchment investigations completed this reporting period: 20
Below, report on the percent of catchments investigated to date.
Percent of total catchments investigated: 4%
Optional: Provide any additional information for clarity regarding the catchment investigations below:
Sixteen of the 20 outfalls were surveyed 5 times or more. The reason that some were surveyed less is that occasionally it was impossible to extract 100ml of dry weather flow due to the fact that there was little more than a trickle coming out of the respective outfall. There were 26 samples that measured above the 235 colonies per 100ml benchmark and four outfalls had a geometric mean greater than 126 colonies per 100ml for

Page 11

City of Pittsfield

five samples. The highest geometric mean was 1706.3 colonies per 100ml. BEAT will work with the City of Pittsfield to ensure these four outfalls are remediated starting with the worst offender: WB680. It should also be mentioned that EPA has been using BEAT's online map to verify that the MS4 communities in Berkshire County have completed their permit requirements.

IDDE Progress		
If illicit discharges were found, please submit a docun		
period, and cumulative to date, including location sou		
date of discovery; and date of elimination, mitigation,	or enforceme	nt OR planned corrective measures and
schedule of removal.	is attached to	the email sylvaissies
○ The illicit discharge removal report		
○ The illicit discharge removal report	can be found	at the following website.
Below, report on the number of illicit discharges ident removed during this reporting period.	tified and rem	oved, along with the volume of sewage
Number of illicit discharges identified:	0	
Number of illicit discharges removed:	0	
Estimated volume of sewage removed:	0	[UNITS]
Below, report on the total number of illicit discharges the number of illicit discharges identified and removed	· ·	1
Total number of illicit discharges ident	tified: 0	
Total number of illicit discharges remo	oved: 0	
Optional: Provide any additional information for clarplanned to be removed below:	ity regarding i	llicit discharges identified, removed, or
No illicit discharges reported. IDDE program is being developed and will be available.	ole in year 2 re	port.
Employee Training		
Describe the frequency and type of employee training	conducted du	ring the reporting period:
No training has been conducted.		

MCM4: Construction Site Stormwater Runoff Control

Below, report on the construction site plan reviews, inspections, and enforcement actions completed during this reporting period.

Number of site plan reviews completed: 2
Number of inspections completed: 1
Number of enforcement actions taken: 0
MCM5: Post-Construction Stormwater Management in New Development and
Redevelopment
Ordinance Development
Describe the status of the post-construction ordinance required to be complete in year 2 of the permit term:
In process to be completed in year 2 of the permit term.
As-built Drawings
Describe the status of the measures the MS4 has utilized to require the submission of as-built drawings and ensure long term operation and maintenance of completed construction sites required to be complete in year 2 of the permit term:
In process to be completed in year 2 of the permit term.
Street Design and Parking Lots Report
Describe the status of the street design and parking lots assessment due in year 4 of the permit term, including any planned or completed changes to local regulations and guidelines:
In process to be completed in year 4 of the permit term.
Green Infrastructure Report
Describe the status of the green infrastructure report due in year 4 of the permit term, including the findings and progress towards making the practice allowable:
In process to be completed in year 4 of the permit term.

City of Pittsfield

Page 13

Retro	fit F	rone	rties l	Inventory
110110		I U D C		

MCM6: Good Housekeeping Catch Basin Cleaning Describe the status of the catch basin cleaning optimization plan: Plan has not been completed yet. Draft plan includes procedures for the following definable features: 1. Stan If complete, attach the catch basin cleaning optimization plan or the schedule to gather information to develor the optimization plan: The catch basin cleaning optimization plan or schedule is attached to the email submission on the catch basin cleaning optimization plan or schedule can be found at the following website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins inspected: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602	modified or retrofitted: In process to be completed in year 4 of the permit term.	
Describe the status of the catch basin cleaning optimization plan: Plan has not been completed yet. Draft plan includes procedures for the following definable features: 1. Stan If complete, attach the catch basin cleaning optimization plan or the schedule to gather information to development the optimization plan: The catch basin cleaning optimization plan or schedule is attached to the email submission the catch basin cleaning optimization plan or schedule can be found at the following website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins cleaned: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602	in process to be completed in year 4 of the permit term.	
Describe the status of the catch basin cleaning optimization plan: Plan has not been completed yet. Draft plan includes procedures for the following definable features: 1. Stan If complete, attach the catch basin cleaning optimization plan or the schedule to gather information to development the optimization plan: The catch basin cleaning optimization plan or schedule is attached to the email submission the catch basin cleaning optimization plan or schedule can be found at the following website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins cleaned: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602		
Describe the status of the catch basin cleaning optimization plan: Plan has not been completed yet. Draft plan includes procedures for the following definable features: 1. Stan If complete, attach the catch basin cleaning optimization plan or the schedule to gather information to develop the optimization plan: The catch basin cleaning optimization plan or schedule is attached to the email submission website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins inspected: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602	MCM6: Good Housekeeping	
Plan has not been completed yet. Draft plan includes procedures for the following definable features: 1. Stan If complete, attach the catch basin cleaning optimization plan or the schedule to gather information to develor the optimization plan: The catch basin cleaning optimization plan or schedule is attached to the email submission website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins inspected: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602	Catch Basin Cleaning	
If complete, attach the catch basin cleaning optimization plan or the schedule to gather information to development the optimization plan: The catch basin cleaning optimization plan or schedule is attached to the email submission the catch basin cleaning optimization plan or schedule can be found at the following website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins inspected: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602	Describe the status of the catch basin cleaning optimization plan:	
The catch basin cleaning optimization plan or schedule is attached to the email submission The catch basin cleaning optimization plan or schedule can be found at the following website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins inspected: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602	Plan has not been completed yet. Draft plan includes procedures for the following defin	able features: 1. Standa
website: Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period. Number of catch basins inspected: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602	the optimization plan:	•
removed from the catch basins during this reporting period. Number of catch basins inspected: 55 Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602 If applicable:		at the following
Number of catch basins cleaned: 55 Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602 If applicable:	·	l volume of material
Total volume or mass of material removed from all catch basins: [UNITS] Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602 If applicable:	Number of catch basins inspected: 55	
Below, report on the total number of catch basins in the MS4 system, if known. Total number of catch basins: 4602 If applicable:	Number of catch basins cleaned: 55	
Total number of catch basins: 4602 If applicable:	Total volume or mass of material removed from all catch basins:	[UNITS]
If applicable:	Below, report on the total number of catch basins in the MS4 system, if known.	
	Total number of catch basins: 4602	
Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine	If applicable:	
inspections/cleaning events:	•	secutive routine
Inspected and cleaned with clam truck.	Inspected and cleaned with clam truck.	

Page 15 City of Pittsfield

Street Sweeping			
Describe the status of the written procedures for sweeping	g streets and municipal-owned lots:		
Sweep all roads twice per year in spring and in fall. Additional sweeping of downtown main roads in the summer			
Report on street sweeping completed during the reporting	g period using one of the three metrics below.		
Number of miles cleaned: 185			
O Volume of material removed:	[UNITS]		
O Weight of material removed:	[UNITS]		
If applicable:			
For rural uncurbed roadways with no catch basins, descritargeted sweeping plan:	be the progress of the inspection, documentation, and		
Winter Road Maintenance			
Describe the status of the written procedures for winter resand:	oad maintenance including the storage of salt and		
Salt storage area designated with Researching effective alternatives to conventional road sa techniques of effective lower salt application rates. Researching road salt application rates of other communications.			
Inventory of Permittee-Owned Properties			
Describe the status of the inventory, due in year 2 of the parks and open spaces, buildings and facilities, and vehic			
In process to be completed in year 2 of the permit term.			
O&M Procedures for Parks and Open Spaces, Buildin	ngs and Facilities, and Vehicles and Equipment		
Describe the status of the operation and maintenance propermittee-owned properties (parks and open spaces, build	cedures, due in year 2 of the permit term, of		

include maintenance activities associated with each:

In process to be complete.	leted in year 2 of the permit to	erm.	

City of Pittsfield	Page
Stormwater Pollution Prevention Plan (SWPPP)	
Describe the status of any SWPPP, due in year 2 of the permit term, for permittee-owne including maintenance garages, public works yards, transfer stations, and other waste has pollutants are exposed to stormwater:	-
In process to be completed in year 2 of the permit term.	
Below, report on the number of site inspections for facilities that require a SWPPP compreporting period.	pleted during this
Number of site inspections completed:	
Describe any corrective actions taken at a facility with a SWPPP:	
O&M Procedures for Stormwater Treatment Structures Describe the status of the written procedure for stormwater treatment structure maintenance.	nce:
Additional Information Monitoring or Study Results Results from any other stormwater or receiving water quality monitoring or studies conditions and the state of the state	_
reporting period not otherwise mentioned above, where the data is being used to inform permit effectiveness must be attached.	permii compilance or
 Not applicable The results from additional reports or studies are attached to the email The results from additional reports or studies can be found at the follow 	
If such monitoring or studies were conducted on your behalf or if monitoring or studies of entities were reported to you, a brief description of the type of information gathered or redescribed below:	<u> </u>

Additional Information	
Optional: Enter any additional information relevant to your stormwater management program in during the reporting period. Include any BMP modifications made by the MS4 if not already dis	

Page 17

Activities Planned for Next Reporting Period

City of Pittsfield

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 2 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree ⊠

- Complete system mapping Phase I
- Begin investigations of catchments associated with Problem Outfalls
- Develop or modify an ordinance or other regulatory mechanism for post-construction stormwater runoff from new development and redevelopment
- Establish and implement written procedures to require the submission of as-built drawings no later than two years after the completion of construction projects
- Develop, if not already developed, written operations and maintenance procedures
- Develop an inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; review annually and update as necessary
- Establish a written program detailing the activities and procedures the permittee will implement so that the MS4 infrastructure is maintained in a timely manner
- Develop and implement a written SWPPP for maintenance garages, public works yards, transfer stations, and other waste handling facilities where pollutants are exposed to stormwater
- Enclose or cover storage piles of salt or piles containing salt used for deicing or other purposes
- Develop, if not already developed, written procedures for sweeping streets and municipal-owned lots
- Develop, if not already developed, written procedures for winter road maintenance including storage of salt and sand
- Develop, if not already developed, a schedule for catch basin cleaning
- Develop, if not already developed, a written procedure for stormwater treatment structure maintenance
- Develop a written catchment investigation procedure (18 months)

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters

- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4 in the last 5 years
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all uncurbed streets at least annually

Provide any additional details on activities planned for permit year 2 below:			

Part V: Certification of Small MS4 Annual Report 2019

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:	Ricardo Morales	Title:	City Engineer
	Ricardo Morales Morales Date: 2019.09,30 11:35:00 -04'00' [Signatory may be a duly authorized representative]	Date:	

Note: When prompted during signing, save the document under a new file name.

Annual Report Submission

Please submit the form electronically via email to both EPA and MassDEP by clicking on one of the links below or using the email addresses listed below. Please ensure that all required attachments are included in the email and not attached to this PDF.

EPA: stormwater.reports@epa.gov MassDEP: frederick.civian@mass.gov

Paper Signature:

If you did not sign electronically above, you can print the signature page by clicking the button below.

Print Signature Page

Optional: If you did not sign electronically above, you may lock the form by clicking the "Lock Form" button below which will prompt you to save the locked version of the form. Save this locked version under a new file name.

Lock Form