

Year 2 Annual Report
Massachusetts Small MS4 General Permit
Reporting Period: July 1, 2019-June 30, 2020

****Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form****

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please **ONLY** report on activities between July 1, 2019 and June 30, 2020 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization:

EPA NPDES Permit Number:

Primary MS4 Program Manager Contact Information

Name:

Title:

Street Address Line 1:

Street Address Line 2:

City:

State:

Zip Code:

Email:

Phone Number:

Stormwater Management Program (SWMP) Information

SWMP Location (web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

<u>Impairment(s)</u>			
<input type="checkbox"/> Bacteria/Pathogens	<input type="checkbox"/> Chloride	<input type="checkbox"/> Nitrogen	<input checked="" type="checkbox"/> Phosphorus
<input type="checkbox"/> Solids/ Oil/ Grease (Hydrocarbons)/ Metals			
<u>TMDL(s)</u>			
In State:	<input type="checkbox"/> Assabet River Phosphorus	<input checked="" type="checkbox"/> Bacteria and Pathogen	<input checked="" type="checkbox"/> Cape Cod Nitrogen
	<input type="checkbox"/> Charles River Watershed Phosphorus	<input type="checkbox"/> Lake and Pond Phosphorus	
Out of State:	<input type="checkbox"/> Bacteria/Pathogens	<input type="checkbox"/> Metals	<input type="checkbox"/> Nitrogen
			<input type="checkbox"/> Phosphorus
			Clear Impairments and TMDLs

Next, check off all requirements below that have been completed. By checking each box you are certifying that you have completed that permit requirement fully. If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Year 2 Requirements

- Completed Phase I of system mapping
- Developed a written catchment investigation procedure and added the procedure to the SWMP
- Developed written procedures to require the submission of as-built drawings and ensure the long term operation and maintenance of completed construction sites and added these procedures to the SWMP
- Enclosed or covered storage piles of salt or piles containing salt used for deicing or other purposes
- Developed written operations and maintenance procedures for parks and open space, buildings and facilities, and vehicles and equipment and added these procedures to the SWMP
- Developed an inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment and added this inventory to the SWMP
- Completed a written program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Developed written SWPPPs, included in the SWMP, for all of the following permittee owned or
- operated facilities: maintenance garages, public works yards, transfer stations, and other waste handling facilities where pollutants are exposed to stormwater

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above year 2 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

The written operation and maintenance plan, inventory of facilities, written program for MS4 infrastructure maintenance, and SWPPPs for the Brewster DPW facility and Brewster Recycling Center were all delayed due to COVID-19 concerns regarding in-person inspections needed. However, since then, the reports have been drafted and are under review.

Annual Requirements

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- Kept records relating to the permit available for 5 years and made available to the public
- The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
 - This is not applicable because we do not have sanitary sewer
 - This is not applicable because we did not find any new SSOs
 - The updated SSO inventory is attached to the email submission
 - The updated SSO inventory can be found at the following website:

N/A

- Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
- Provided training to employees involved in IDDE program within the reporting period
- All curbed roadways were swept at least once within the reporting period
- Updated outfall and interconnection inventory and priority ranking as needed

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above annual requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

COVID-19 concerns delayed the annual IDDE training; however, the training was completed on September 23, 2020.

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

Public Education and Outreach*

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time

- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria

* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

The Town of Brewster has information about proper dog waste management on the Board of Health website.

Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

Public Education and Outreach*

- Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

N/A

Phosphorus (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

Public Education and Outreach*

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

* Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Potential structural BMPs

- Any structural BMPs already existing or installed in the regulated area by the permittee or its agents was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated phosphorus removed in mass per year by the BMP were documented.

- The BMP information is attached to the email submission
- The BMP information can be found at the following website:

N/A

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Structural BMPs will be tracked and estimates for nutrient removal developed in accordance with Attachment 1 to Appendix H in the future.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

N/A

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
- No

If yes, describe below, including any relevant impairments or TMDLs:

The 2016 Integrated List of Waters was released in Year 2 of the MS4 Permit and replaced the 2014 Integrated List of Waters. As such, the following water quality impairments within the MS4 area in Brewster have been updated: Lower Mill Pond (MA96188) no longer has a secchi disk transparency impairment; and Unnamed Tributary to Freemans Pond (MA96-104) has a new E. Coli impairment.

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed during this reporting period:

Below, report on the educational messages completed during this reporting period. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.

BMP: Septic System Flyer

Message Description and Distribution Method:

Flyer posted to Board of Health website covering proper septic maintenance.

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

Distribute annual messaging in accordance with the Town's Pleasant Bay Bacteria and Pathogen TMDL.

Message Date(s):

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: "Fowl Water" Campaign

Message Description and Distribution Method:

Stormwater social media video "Stormwater pollution is trash, oil, cigarette butts, & dog waste" in Think Blue Massachusetts "Fowl Water" campaign (<https://thinkbluemassachusetts.org/>). Advertisement on Facebook, Instagram, & YouTube

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

Estimated 22,175 residents reached via the "Fowl Water" social media campaign.

Message Date(s): May 16th to June 5th, 2020

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

This outreach was developed by Think Blue to supplement the outreach already listed on the NOI.

BMP: Annual message - Proper lawn maintenance

Message Description and Distribution Method:

Think Blue Massachusetts shared posts on Facebook in the spring encouraging the proper use and disposal of grass clippings and encouraged the proper use of slow-release fertilizers.

Targeted Audience: Businesses, institutions and commercial facilities; Residents

Responsible Department/Parties: Think Blue

Measurable Goal(s):

The Think Blue Massachusetts Facebook account has approximately 300 followers and averages approximately 3,000 reaches per month.

Distributed in accordance with the Town of Brewster's Cape Code Nitrogen TMDL and Phosphorus impairment.

Message Date(s): Nov 1, 2019; April 28 & 30, 2020; May 14 & 22, 2020

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Annual leaf litter message - Leaf litter & brush collection

Message Description and Distribution Method:

Think Blue Massachusetts shared posts on Facebook in Fall to encourage proper disposal of leaf litter.

Targeted Audience: Residents

Responsible Department/Parties: Think Blue

Measurable Goal(s):

The Think Blue Massachusetts Facebook account has approximately 300 followers and averages approximately 3,000 reaches per month.

Distributed in accordance with the Town of Brewster's Cape Code Nitrogen TMDL and Phosphorus impairment.

Message Date(s): Sep 26 & 27, 2020; Oct 1, 8, & 11, 2020

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

[Empty text box for describing changes]

BMP:Annual pet waste message - Scoop the Poop

Message Description and Distribution Method:

Think Blue Massachusetts shared posts on Facebook in summer to encourage the proper management of pet waste.

Targeted Audience: Residents

Responsible Department/Parties: Think Blue

Measurable Goal(s):

The Think Blue Massachusetts Facebook account has approximately 300 followers and averages approximately 3,000 reaches per month.

Distributed in accordance with the Town of Brewster's Pleasant Bay Bacteria and Pathogens TMDL, Cape Code Nitrogen TMDL, and Phosphorus impairment.

Message Date(s): July 17, 2019; Aug 14, 2019; April 9, 14, & 16, 2020; May 13, 18, 28 & 29, 2020; June 2, 2020

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

[Empty text box for describing changes]

BMP:Annual septic maintenance message

Message Description and Distribution Method:

Think Blue Massachusetts shared posts on Facebook regarding Septic Smart week to provide information to owners of septic systems about proper maintenance.

Targeted Audience: Residents

Responsible Department/Parties: Think Blue

Measurable Goal(s):

The Think Blue Massachusetts Facebook account has approximately 300 followers and averages approximately 3,000 reaches per month.

Distributed in accordance with the Town of Brewster's Pleasant Bay Bacteria and Pathogens TMDL.

Message Date(s): September 16, 2019

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Annual winter deicing/salt message

Message Description and Distribution Method:

Think Blue Massachusetts shared posts on Facebook regarding road salt application for residential, commercial, and industrial site owners on the proper storage and application rates of winter deicing material.

Targeted Audience: Businesses, institutions and commercial facilities; Industrial; Residential

Responsible Department/Parties: Think Blue

Measurable Goal(s):

The Think Blue Massachusetts Facebook account has approximately 300 followers and averages approximately 3,000 reaches per month.

Message Date(s): Nov 14, 2019; Dec 5, 9, 13, 17, 18, 16, & 24, 2019; Jan 7, 2020

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

This outreach was developed by Think Blue to supplement the outreach already listed on the NOI.

Add an Educational Message

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) during this reporting period:

Annual review and public comment of the SWMP. The SWMP was posted to the Town of Brewster's Facebook page July 17, 2019.

Was this opportunity different than what was proposed in your NOI? Yes No

Describe any other public involvement or participation opportunities conducted during this reporting period:

The Town of Brewster is a member of the Massachusetts Statewide Municipal Stormwater Coalition, which appeared at: MetroWest/495 Partnership, MetroWest Stormwater Roundtable hosted by MAPC, MA Municipal Association meeting and trade show, NEWEA Conference, MA Congress of Lake and Pond Associations Annual Workshop, New England American Public Works Association Spring Conference, Ecotarium Earth Day activities, and NEWEA Spring Meeting. This year Brewster also became a MVP community. The Town is also a member of the Cape Cod Commission and Association to Preserve Cape Cod.

The annual Brewster Conservation Day was held on July 13, 2019. The Town also hosted a "Brewster Community Fall Work Day at Huckleberry Lane" to collect leaf litter on September 28, 2019. Additionally, the Town of Brewster maintains an educational rain barrel at Eddy Elementary School to teach students about the water cycle, stormwater, and water re-use.

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

This SSO section is NOT applicable because we DO NOT have sanitary sewer

Below, report on the number of SSOs identified in the MS4 system and removed during this reporting period.

Number of SSOs identified:

Number of SSOs removed:

MS4 System Mapping

Below, check all that apply.

The following elements of the Phase I map have been completed:

- Outfalls and receiving waters
- Open channel conveyances
- Interconnections
- Municipally-owned stormwater treatment structures
- Waterbodies identified by name and indication of all use impairments
- Initial catchment delineations

Optional: Describe any additional progress you made on your map during this reporting period or provide additional status information regarding your map:

Outfalls, receiving waters, waterbodies identified by name and indication of all use impairments and initial catchment delineations were identified in the IDDE Plan, drafted during this reporting period. Mapping of open channel conveyances, interconnections, and stormwater BMPs have been completed and will be updated and refined as needed.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses.

- The outfall screening data is attached to the email submission
- The outfall screening data can be found at the following website:

N/A

Below, report on the number of outfalls/interconnections screened during this reporting period.

Number of outfalls screened: 0

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following website:

N/A

Below, report on the number of catchment investigations completed during this reporting period.

Number of catchment investigations completed this reporting period: 0

Below, report on the percent of catchments investigated to date.

Percent of total catchments investigated: 0

Optional: Provide any additional information for clarity regarding the catchment investigations below:

Catchment investigations will be started in the future.

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following website:

N/A

Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed during this reporting period.

Number of illicit discharges identified: 0

Number of illicit discharges removed: 0

Estimated volume of sewage removed: 0 gallons/day

Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed since the effective date of the permit (July 1, 2018).

Total number of illicit discharges identified: 0

Total number of illicit discharges removed: 0

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

N/A

Employee Training

Describe the frequency and type of employee training conducted during the reporting period:

The IDDE employee training was not completed during this reporting period due to COVID-19 concerns. However, the training has since been completed on September, 23 2020.

MCM4: Construction Site Stormwater Runoff Control

Below, report on the construction site plan reviews, inspections, and enforcement actions completed during this reporting period.

Number of site plan reviews completed: 10

Number of inspections completed: 0

Number of enforcement actions taken: 0

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

N/A

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

Ordinance or Regulatory Mechanism

Below, select the option that describes your ordinance or regulatory mechanism progress.

- Bylaw, ordinance, or regulations are updated and adopted consistent with permit requirements
- Bylaw, ordinance, or regulations are updated consistent with permit requirements but are not yet adopted
- Bylaw, ordinance, or regulations have not been updated or adopted

As-built Drawings

Describe the measures the MS4 has utilized to require the submission of as-built drawings and ensure long term operation and maintenance of completed construction sites:

Brewster requires submission of as-built drawings, per the following Town ordinance:
 Division 1 – Part II – Chapter 179 – Zoning, Article VI – Administration 290-35 Inspection and Control and 290-36 Submission of as-built plans.

A complete review of all Town Bylaws and Ordinances was conducted and completed in February 2020. The Town is currently working on next steps for adoption.

Street Design and Parking Lots Report

Describe the status of the street design and parking lots assessment due in year 4 of the permit term, including any planned or completed changes to local regulations and guidelines:

To be completed in Year 4.

Green Infrastructure Report

Describe the status of the green infrastructure report due in year 4 of the permit term, including the findings and progress towards making the practice allowable:

To be completed in Year 4.

Retrofit Properties Inventory

Describe the status of the inventory, due in year 4 of the permit term, of permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas and report on any properties that have been modified or retrofitted:

To be completed in Year 4.

MCM6: Good Housekeeping

Catch Basin Cleaning

Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period.

Number of catch basins inspected:

Number of catch basins cleaned:

Total volume or mass of material removed from all catch basins:

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins:

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

The Town of Brewster does not often see catch basins frequently full of material. When this issue does arise, the Town investigates the source of the sediment or other material and develops a solution to mitigate that source.

The Town of Brewster cleaned 136 privately owned catch basins in addition to the 950 town-owned catch basins.

Street Sweeping

Report on street sweeping completed during this reporting period using one of the three metrics below.

Number of miles cleaned:

Volume of material removed:

Weight of material removed:

O&M Procedures and Inventory of Permittee-Owned Properties

Below, check all that apply.

The following permittee-owned properties have been inventoried:

- Parks and open spaces
- Buildings and facilities
- Vehicles and equipment

The following O&M procedures for permittee-owned properties have been completed:

- Parks and open spaces
- Buildings and facilities
- Vehicles and equipment

Stormwater Pollution Prevention Plan (SWPPP)

Below, report on the number of site inspections for facilities that require a SWPPP completed during this reporting period.

Number of site inspections completed:

Describe any corrective actions taken at a facility with a SWPPP:

Additional Information

Monitoring or Study Results

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- Not applicable
- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above:

During this reporting period, the Town of Brewster hired a consulting company to complete a review of the Town's current ordinances for consistency with MS4 permit requirements pertaining to MCM-3 (IDDE), MCM-4 (Construction/Erosion and Sediment Control), and MCM-5 (Post-Construction Site Runoff). Recommendations were provided to the Town in February, 2020 and are currently under review for adoption. A summary memo is available upon request.

The Town of Brewster is in the process of designing a new BMP near Owl Pond to manage stormwater discharge. The project was started in Year 2 and will be completed in Year 3.

The Town of Brewster annually inspects all stormwater BMPs.

The Town of Brewster is implementing the use of tablets when inspecting and cleaning catch basins to better track all applicable metrics.

When the Town of Brewster hires a contractor to inspect and clean catch basins, it encourages residents of private roads to join the contract and have their privately owned catch basins inspected and cleaned.

COVID-19 Impacts

Optional: If any of the above year 2 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Field work needed to complete some MCM-6 requirements were delayed due to COVID-19.

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 3 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

- Inspect all outfalls/ interconnections (excluding Problem and Excluded outfalls) for the presence of dry weather flow
- Complete follow-up ranking as dry weather screening becomes available

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters

- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all uncurbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings

and facilities, and vehicles and equipment; update if necessary

Provide any additional details on activities planned for permit year 3 below:

The Town of Brewster will adopt an updated stormwater ordinance for consistency with the 2016 MS4 Permit.

Part V: Certification of Small MS4 Annual Report 2020

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:

Title:

Signature:

Date:

[Signatory may be a duly authorized representative]