

Year 2 Annual Report
Massachusetts Small MS4 General Permit
Reporting Period: July 1, 2019-June 30, 2020

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2019 and June 30, 2020 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization:

EPA NPDES Permit Number:

Primary MS4 Program Manager Contact Information

Name: Title:

Street Address Line 1:

Street Address Line 2:

City: State: Zip Code:

Email: Phone Number:

Stormwater Management Program (SWMP) Information

SWMP Location (web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

Impairment(s)

Bacteria/Pathogens Chloride Nitrogen Phosphorus
 Solids/ Oil/ Grease (Hydrocarbons)/ Metals

TMDL(s)

In State: Assabet River Phosphorus Bacteria and Pathogen Cape Cod Nitrogen
 Charles River Watershed Phosphorus Lake and Pond Phosphorus

Out of State: Bacteria/Pathogens Metals Nitrogen Phosphorus

Clear Impairments and TMDLs

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Year 2 Requirements

- Completed Phase I of system mapping
- Developed a written catchment investigation procedure and added the procedure to the SWMP
- Developed written procedures to require the submission of as-built drawings and ensure the long term operation and maintenance of completed construction sites and added these procedures to the SWMP
- Enclosed or covered storage piles of salt or piles containing salt used for deicing or other purposes
- Developed written operations and maintenance procedures for parks and open space, buildings and facilities, and vehicles and equipment and added these procedures to the SWMP
- Developed an inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment and added this inventory to the SWMP
- Completed a written program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Developed written SWPPPs, included in the SWMP, for all of the following permittee owned or operated facilities: maintenance garages, public works yards, transfer stations, and other waste handling facilities where pollutants are exposed to stormwater

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above year 2 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Due to COVID-19 safety concerns our site inspections for the DPW/Water Department Facility and Green Recycling and Compost Area were delayed and performed on August 12th, 2020. Final review and certification are planned for Permit Year 3.

Annual Requirements

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- Kept records relating to the permit available for 5 years and made available to the public
- The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
 - This is not applicable because we do not have sanitary sewer
 - This is not applicable because we did not find any new SSOs
 - The updated SSO inventory is attached to the email submission
 - The updated SSO inventory can be found at the following website:
- Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
- Provided training to employees involved in IDDE program within the reporting period
- All curbed roadways were swept at least once within the reporting period
- Updated outfall and interconnection inventory and priority ranking as needed

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above annual requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Due to COVID-19 restrictions, the IDDE Training scheduled for Permit Year 2 had to be redesigned and recorded to be accessed on-demand in small groups without the trainer present. Training did not occur until September 2020 (4 DPW employees were trained).

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)Annual Requirements*Public Education and Outreach**

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time
- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Pet waste information was not given directly to dog owners but the Town does provide pet waste educational

materials to all Town residents year round on their website.

Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Potential structural BMPs

Any structural BMPs listed in Table 3 of Attachment 1 to Appendix H already existing or installed in the regulated area by the permittee or its agents was tracked and the nitrogen removal by the BMP was estimated consistent with Attachment 1 to Appendix H. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated nitrogen removed in mass per year by the BMP were documented.

- The BMP information is attached to the email submission
- The BMP information can be found at the following website:

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Nitrogen Potential Structural BMPs: The town has mapped 49 of it's known structural BMPs as part of Phase I mapping efforts. Since mapping of BMPs was due in Permit Year 2, BMPs were not tracked or estimated for nitrogen removal. This information will be documented for the municipal BMPs in Permit Year 3.

Phosphorus (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Potential structural BMPs

- Any structural BMPs already existing or installed in the regulated area by the permittee or its agents was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated phosphorus removed in mass per year by the BMP were documented.

- The BMP information is attached to the email submission
- The BMP information can be found at the following website:

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Phosphorus Potential Structural BMPs: The town has mapped 49 of it's known structural BMPs as part of Phase I mapping efforts. Since mapping of BMPs was due in Permit Year 2, BMPs were not tracked or estimated for phosphorus removal. This information will be documented for the municipal BMPs in Permit Year 3.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
 No

If yes, describe below, including any relevant impairments or TMDLs:

Mansfield's NOI listed receiving waters based on the water quality limited waters within the Town's urbanized area that were included in the 2014 303(d) List. The Town has evaluated changes to the impairments and/or receiving waters based on the final 2016 303(d) List and enclosed the analysis herein. The enclosed document will be included in the Town's SWMP. Based on this review, it was determined that the requirements of Appendix H, Part V for solids are no longer applicable to Mansfield because the turbidity impairment for Norton Reservoir (MA62134) was included in the NOI for non-direct MS4 discharges to the waterbody in error. In accordance with Appendix H Part IV.3.b., the Town will document in the SWMP the date of this determination and date of EPA concurrence.

During Permit Year 2, the Town has modified its outfall mapping due to outfall investigation field work. 10 outfalls were removed from the MS4 mapping and will be recategorized as a different structure (e.g., culvert, BMP inlet) or removed because they did not exist. These modifications did not add or change any receiving waterbodies or impairments/TMDLs listed in the NOI.

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed during this reporting period:

Below, report on the educational messages completed during this reporting period. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.

BMP: Education and Outreach to Residents: Septic System Maintenance

Message Description and Distribution Method:

The Town has an active Facebook page that often posts stormwater-related messages. In Permit Year 2, information about SepticSmart week was posted on Facebook, including actions homeowners can take to properly care for their septic systems. In addition, the Town's Public Health Department posted information about proper septic system maintenance on their webpage, including links to EPA and MassDEP websites about caring for septic systems.

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

The SepticSmart Facebook post received 7 likes and 2 shares.
The information provided on the Health Department webpage is available to all visitors of the Town's website.

Message Date(s):

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Education and Outreach to Residents: Leaf Litter and Yard Waste

Message Description and Distribution Method:

The Town posted information about leaf litter and yard waste on Facebook, highlighting the need to clear leaf litter off of catch basins and properly disposing of yard waste.

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

The leaf litter Facebook post received 5 likes.
The yard waste Facebook post received 8 likes and 4 shares.

Message Date(s): Leaf litter Facebook post: October 26, 2019
Yard waste Facebook post: June 8, 2020

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Education and Outreach to Residents: Recycling, Household Hazardous Waste, and Clean Ups

Message Description and Distribution Method:

The Town posts information about proper recycling on Facebook, and advertises the Household Hazardous Waste Day, held every other year, on the Town website. Keep Mansfield Beautiful, a volunteer group that aims to keep the Town clean, promote environmentally friendly practices, and beautify public spaces, recognizes residents who help pick up trash in Town.

Targeted Audience: Residents

Responsible Department/Parties: DPW

Measurable Goal(s):

One of the Town's Facebook posts about recycling received 50 likes, 2 comments, and 52 shares. Information about the household hazardous waste days is available to all visitors of the Town's website while the Town's Facebook post for the 2020 Hazardous Waste Day received 8 likes and 9 shares .

Message Date(s): Ongoing

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Education and Outreach to All Audiences: Stormwater Management Town Webpage

Message Description and Distribution Method:

The Town displays stormwater pollution prevention educational material on the Town's Stormwater Management webpage for developers, residents, businesses, etc. The webpage discusses reporting suspected illicit discharges and contains links to the Town's Stormwater Management Bylaw, annual reports, NOI, SWMP, and links of further educational materials including:
- MassDEP's public education outreach links

- Stormwater Pollution Education: Fertilizing the Lawn
 -Homeowner's Guide to Ecological Landscaping
 -Mansfield Leaf Litter Flyer
 -Dog Waste DEP Flyer

Targeted Audience: All Audiences

Responsible Department/Parties: DPW and Conservation Commission

Measurable Goal(s):

All visitors to the Town's Stormwater Management webpage were reached by this messaging.

Message Date(s): Ongoing

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: Education and Outreach (multi-media methods)

Message Description and Distribution Method:

On behalf of the members of the Southeastern Regional Stormwater Coalition, Think Blue Massachusetts ran an educational advertising campaign from May 16th to June 5th, 2020. The "Fowl Water" video advertisement helps viewers visualize stormwater pollution from motor oil, pet waste, and trash become stormwater pollution. This advertisement was used as a sponsored video on Facebook, Instagram, and YouTube.

Targeted Audience: Residents

Responsible Department/Parties: Southeastern Regional Stormwater Coalition

Measurable Goal(s):

Out of the 20 communities who participated in this advertising campaign, Mansfield had the 6th highest amount of impressions. Mansfield had 35,863 Facebook/Instagram impressions and 31,890 YouTube impressions for a total of 67,753 impressions. Full survey results can be found at: <https://www.thinkbluemassachusetts.org/ms4-communities>

Message Date(s): May 16 - June 5, 2020

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

Add an Educational Message

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period:**

The Stormwater Management Plan (SWMP) was posted for public review and made publicly available on the Town's website. There is contact information provided along with the plan for the public to provide feedback.

Was this opportunity different than what was proposed in your NOI? Yes No

Describe any other public involvement or participation opportunities conducted **during this reporting period:**

- The Town's Stormwater Working Group meet on an as-needed basis to review Permit Year 2 items. In Permit Year 2, the Group met on February 27, 2020.
- Mansfield holds a Household Hazardous Waste Day every other year. On May 2, 2020, the collection day was held at the Xfinity Center. Residents could drop off up to 50 pounds of items such as oil based paints, stains, varnishes, cleaners, and pesticides.
- Keep Mansfield Beautiful's annual Great Mansfield cleanup has been postponed until the fall due to COVID-19.

MCM3: Illicit Discharge Detection and Elimination (IDDE)**Sanitary Sewer Overflows (SSOs)**

Check off the box below if the statement is true.

- This SSO section is NOT applicable because we DO NOT have sanitary sewer

*Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period.***

Number of SSOs identified:

Number of SSOs removed:

MS4 System Mapping

Below, check all that apply.

The following elements of the Phase I map have been completed:

- Outfalls and receiving waters
- Open channel conveyances
- Interconnections
- Municipally-owned stormwater treatment structures
- Waterbodies identified by name and indication of all use impairments

Initial catchment delineations

Optional: Describe any additional progress you made on your map during this reporting period or provide additional status information regarding your map:

There are no open channel conveyances included in the MS4 according to historic drainage mapping, record drawings, and institutional knowledge.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses.

- The outfall screening data is attached to the email submission
- The outfall screening data can be found at the following website:

*Below, report on the number of outfalls/interconnections screened **during this reporting period.***

Number of outfalls screened:

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following website:

*Below, report on the number of catchment investigations completed **during this reporting period.***

Number of catchment investigations completed this reporting period:

*Below, report on the percent of catchments investigated **to date.***

Percent of total catchments investigated:

Optional: Provide any additional information for clarity regarding the catchment investigations below:

No catchment investigations were completed in Permit Year 2 because the Town has not identified any problem catchments.

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following website:

Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed **during this reporting period**.

Number of illicit discharges identified:

Number of illicit discharges removed:

Estimated volume of sewage removed: gallons/day

Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed **since the effective date of the permit (July 1, 2018)**.

Total number of illicit discharges identified:

Total number of illicit discharges removed:

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

No illicit discharges were identified during Permit Year 2.

Employee Training

Describe the frequency and type of employee training conducted **during the reporting period**:

IDDE Training was scheduled to be completed during Permit Year 2 but was delayed because of COVID-19 safety protocols. Training did not occur until September 2020.

MCM4: Construction Site Stormwater Runoff Control

Below, report on the construction site plan reviews, inspections, and enforcement actions completed **during this reporting period**.

Number of site plan reviews completed:

Number of inspections completed:

Number of enforcement actions taken:

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

There were no construction sites disturbing one acre or more during this permit year.

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

Ordinance or Regulatory Mechanism

Below, select the option that describes your ordinance or regulatory mechanism progress.

- Bylaw, ordinance, or regulations are updated and adopted consistent with permit requirements
- Bylaw, ordinance, or regulations are updated consistent with permit requirements but are not yet adopted
- Bylaw, ordinance, or regulations have not been updated or adopted

As-built Drawings

Describe the measures the MS4 has utilized to require the submission of as-built drawings and ensure long term operation and maintenance of completed construction sites:

This requirement has been met through the adoption of Chapter 185 of the Town's General Bylaws: Stormwater Management Bylaw, which requires the submission of as-built drawings and an operations and maintenance plan for permanent stormwater management systems.

Street Design and Parking Lots Report

Describe the status of the street design and parking lots assessment due in year 4 of the permit term, including any planned or completed changes to local regulations and guidelines:

Preparation for the Street Design and Parking Lots Report has not yet begun as this requirement is due in Permit Year 4.

Green Infrastructure Report

Describe the status of the green infrastructure report due in year 4 of the permit term, including the findings and progress towards making the practice allowable:

Preparation for the Green Infrastructure Report has not yet begun as this requirement is due in Permit Year 4.

Retrofit Properties Inventory

Describe the status of the inventory, due in year 4 of the permit term, of permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas and report on any properties that have been modified or retrofitted:

The Town includes stormwater treatment structures (e.g., catch basins with sumps, BMPs) in road redesign/

improvement projects. Preparation for the Retrofit Properties Inventory has not yet begun as this requirement is due in Permit Year 4.

MCM6: Good Housekeeping

Catch Basin Cleaning

Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period**.

Number of catch basins inspected:

Number of catch basins cleaned:

Total volume or mass of material removed from all catch basins:

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins:

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

The Town uses a contractor for catch basin cleaning. Catch basins are typically cleaned throughout Town and priority areas are cleaned more often.

Street Sweeping

Report on street sweeping completed **during this reporting period** using one of the three metrics below.

Number of miles cleaned:

Volume of material removed:

Weight of material removed:

O&M Procedures and Inventory of Permittee-Owned Properties

Below, check all that apply.

The following permittee-owned properties have been inventoried:

- Parks and open spaces
- Buildings and facilities
- Vehicles and equipment

The following O&M procedures for permittee-owned properties have been completed:

- Parks and open spaces

- Buildings and facilities
- Vehicles and equipment

Stormwater Pollution Prevention Plan (SWPPP)

*Below, report on the number of site inspections for facilities that require a SWPPP completed **during this reporting period.***

Number of site inspections completed:

Describe any corrective actions taken at a facility with a SWPPP:

N/A

Additional Information

Monitoring or Study Results

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- Not applicable
- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above:

Mansfield completed some dry weather screening of outfalls and interconnections at the end of Permit Year 2. The data included in the annual report from this permit year should be considered draft as it is being finalized by the Town's consultant. The Town continues to implement its IDDE Program and complete dry weather outfall screening in accordance with the General Permit schedule.

Updates to the stormwater regulations were planned for Permit Year 2, however due to delay in the MA Stormwater Handbook updates and the Small MS4 General Permit revisions, the Town plans to complete

these updates in Permit Year 3 to meet MCM4 and MCM 5 updated requirements.

COVID-19 Impacts

Optional: If any of the above year 2 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

The Town planned an in person training for applicable staff on the IDDE Program during Permit Year 2 but was delayed because of COVID-19 safety concerns. Instead, Town staff completed a virtual IDDE refresher training program in September 2020.

The Town planned to complete site inspection and SWPPPs for the DPW/Water Department Facility and Green Recycling and Compost Area in Permit Year 2 but COVID-19 safety concerns delayed inspections until August 12th, 2020. Final review and certification are planned for Permit Year 3.

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 3 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

- Inspect all outfalls/ interconnections (excluding Problem and Excluded outfalls) for the presence of dry weather flow
- Complete follow-up ranking as dry weather screening becomes available

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all uncurbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary

Provide any additional details on activities planned for permit year 3 below:

The Town acknowledges the General Permit Year 3 requirements and intends to complete as many activities as

possible based on funding and staff availability.

Part V: Certification of Small MS4 Annual Report 2020

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: Title:

Signature: Date:

[Signatory may be a duly authorized representative]

Note: When prompted during signing, save the document under a new file name.

Annual Report Submission

Please submit the form electronically via email to both EPA and MassDEP by clicking on one of the links below or using the email addresses listed below. Please ensure that all required attachments are included in the email and not attached to this PDF.

EPA: stormwater.reports@epa.gov

MassDEP: laura.schifman@mass.gov

Paper Signature:

If you did not sign electronically above, you can print the signature page by clicking the button below.

Optional: If you did not sign electronically above, you may lock the form by clicking the "Lock Form" button below which will prompt you to save the locked version of the form. Save this locked version under a new file name.