

**Year 7 Annual Report**  
**Massachusetts Small MS4 General Permit**  
**Reporting Period: July 1, 2024-June 30, 2025**

*\*\*Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form. Also ensure any websites included on this form are to publicly accessible sites\*\**

*Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2024 and June 30, 2025 unless otherwise requested.*

### **Part I: Contact Information**

Name of Municipality or Organization:

EPA NPDES Permit Number:

#### **Primary MS4 Program Manager Contact Information**

Name:  Title:

Street Address Line 1:

Street Address Line 2:

City:  State:  Zip Code:

Email:  Phone Number:

#### **Stormwater Management Program (SWMP) Information**

SWMP Location (publicly available web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

## Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

<b>Impairment(s)</b>				
<input type="checkbox"/> Bacteria/Pathogens	<input type="checkbox"/> Chloride	<input type="checkbox"/> Nitrogen	<input type="checkbox"/> Phosphorus	
<input type="checkbox"/> Solids/ Oil/ Grease (Hydrocarbons)/ Metals				
<b>TMDL(s)</b>				
In State: <input type="checkbox"/> Assabet River Phosphorus <input type="checkbox"/> Bacteria and Pathogen <input type="checkbox"/> Cape Cod Nitrogen <input type="checkbox"/> Charles River Watershed Phosphorus <input checked="" type="checkbox"/> Lake and Pond Phosphorus				
Out of State: <input type="checkbox"/> Bacteria/Pathogens <input type="checkbox"/> Metals <input checked="" type="checkbox"/> Nitrogen <input type="checkbox"/> Phosphorus				
<b>Clear Impairments and TMDLs</b>				

Next, check off all requirements below that have been completed. By **checking each box you are certifying that you have completed that permit requirement fully**. If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

### Year 7 Requirements

- Completed catchment investigations associated with Problem Outfalls
- Completed catchment investigations where information gathered on the outfall/interconnection indicated sewer input

### Annual Requirements

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- Kept records relating to the permit available for 5 years and made available to the public
- The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
  - This is not applicable because we do not have sanitary sewer
  - This is not applicable because we did not find any new SSOs
  - The updated SSO inventory is attached to the email submission
  - The updated SSO inventory can be found at the following publicly available website:

- Updated system map due in year 10 with information from completed catchment investigations
- Provided training to employees involved in IDDE program within the reporting period
- Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters

- All curbed roadways were swept at least once within the reporting period
- Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Updated inventory of all permittee owned facilities as necessary
- O&M programs for all permittee owned facilities have been completed and updated as necessary
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Inspected all permittee owned treatment structures (excluding catch basins)

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

## **Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)**

### Annual Requirements

#### *Public Education and Outreach\**

- Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

*\* Public education messages can be combined with other public education requirements as applicable (see Appendix F and H for more information)*

#### *Good Housekeeping and Pollution Prevention for Permittee Owned Operations*

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

#### *Structural BMPs*

- Installed a structural BMP as a demonstration project within the drainage area of the water quality limited water or its tributaries. The type of BMP installed is (e.g. biofiltration):

- Any structural BMPs listed in Attachment 3 to Appendix F already existing or installed in the regulated area by the permittee or its agents was tracked and the nitrogen removal by the BMP was estimated
- consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP, and the estimated nitrogen removed in mass per year by the BMP were documented.

- No BMPs were installed
- The above referenced BMP information is attached to the email submission
- The above referenced BMP information can be found at the following publicly available website:

Total estimated nitrogen removed in lbs/year from the installed BMPs:

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

### **Lake and Pond Phosphorus TMDL**

*Below, calculate your current phosphorus export rate by first filling out the individual phosphorus loading components (labeled [A], [B], [C], and [D]) and then computing your current phosphorus export rate using the equation provided.*

Baseline phosphorus export rate from LPCP Area (lbs/year) [A]:

Total phosphorus reduction from all nonstructural controls this reporting period (lbs/year) [B]:

Total phosphorus reduction from all structural controls installed this reporting period and all previous years (lbs/year) [C]:

Phosphorus load increase due to development incurred since baseline loading was calculated in lbs/year [D]:

Current phosphorus export rate from the LPCP Area in lbs/year [=A-(B+C)+D from above]:

I certify under penalty of law that all source control and treatment Best Management Practices being claimed for phosphorus reduction credit have been inspected, maintained and repaired in accordance

with manufacturer or design specification. I certify that, to the best of my knowledge, all Best Management Practices being claimed for a phosphorus reduction credit are performing as originally designed.

All municipally owned and maintained turf grass areas are being managed in accordance with Massachusetts Regulation 331 CMR 31.00 pertaining to proper use of fertilizers on turf grasses

Implemented all nonstructural control measures **during this reporting period** and documented the measures and their phosphorus reduction. The nonstructural control measure information:

- is attached to the email submission
- can be found at the following publicly available website:

Documented the structural control measures implemented during **this reporting period and all previous years**, including location, phosphorus reduction in weight/year, and date of last completed maintenance and inspection for each control. The structural control measure information:

- is not applicable; no structural control measures were implemented
- is attached to the email submission
- can be found at the following publicly available website:

*The LPCP: (select one of the following options. If you submitted your LPCP in a prior year and have an updated website, please include the website below)*

- was submitted with a prior annual report
- is attached to the email submission
- can be found at the following publicly available website:

*Optional:* If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

*Optional:* Use the box below to provide any additional information you would like to share as part of your self-assessment:

### Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
- No

If yes, describe below, including any relevant impairments or TMDLs:

--	--

## Part IV: Minimum Control Measures

*Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.*

### MCM1: Public Education

Number of educational messages completed **during this reporting period:** 6

*Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.*

**BMP: Clean Water Begins with you Let's Think Blue**

Message Description and Distribution Method:

Annual Census : Pollution threats due to dog waste, close trash barrels, construction prevent dirt runoff, businesses can stop oil, gas, & grease runoff by using drip pan, etc.

Targeted Audience: Resident/Buisnesses

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

2,000 flyers were mailed out

Message Date(s): January 2025

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

The Town felt this was a good way to distribute the message to the public.

---

**BMP: Be a leaf hero**

Message Description and Distribution Method:

Annual Census : Don't sweep into the streets, runoff causes pollution

Targeted Audience: Residents

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

2,000 flyers were mailed out

Message Date(s): January 2025

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

---

### **BMP: Think Blue Developers Sediment Control Press Release**

Message Description and Distribution Method:

Flyer is present on the Town's website providing information on the importance of erosion control for construction sites.

Targeted Audience: Developers

Responsible Department/Parties: Conservation Committee

Measurable Goal(s):

Visitors of the website

Message Date(s): Rolling

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

Town felt this was a good way to introduce developers to storm-water.

---

### **BMP: Gas, Oil, Grease... Oh My!**

Message Description and Distribution Method:

Town of Paxton web post outlining the correct handling of gas, oil, and grease for spill prevention.

Targeted Audience: Residents/Businesses/Developers

Responsible Department/Parties: DPW Operations/Board of Health

Measurable Goal(s):

Visitors to the website

Message Date(s): Rolling

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

---

**BMP: Think Blue Stop Erosion in its Tracks to Keep Our Water Clean**

Message Description and Distribution Method:

Providing information in regards to construction sites.

Targeted Audience: Developers (construction)

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

Reduction in issues on construction sites.

Message Date(s): Rolling

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

---

**BMP: Think Blue Put Waste in its Place for Clean Water**

Message Description and Distribution Method:

Put waste in its place.

Targeted Audience: Businesses

Responsible Department/Parties: Board of Health

Measurable Goal(s):

Clean Businesses

Message Date(s): Rolling

Message Completed for: Appendix F Requirements  Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes  No

If yes, describe why the change was made:

Message to reach Businesses

[Add an Educational Message](#)

## MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period**:

The SWMP was posted on the Town's website for public comment during this reporting period.

Was this opportunity different than what was proposed in your NOI? Yes  No

Describe any other public involvement or participation opportunities conducted **during this reporting period**:

The Town is a member of Wachusett Earthday, Inc., where hazardous collections were held this year.

The Town's residents coordinated an Earth Day event where residents collected trash and debris along roadways, parks, and trails.

The DPW staff also collected Debris off of the trail system behind the Paxton Center School in collaboration with the School.

## MCM3: Illicit Discharge Detection and Elimination (IDDE)

### Sanitary Sewer Overflows (SSOs)

*Check off the box below if the statement is true.*

This SSO section is NOT applicable because we DO NOT have sanitary sewer

*Below, report on the number of SSOs identified in the MS4 system and removed during this reporting period.*

Number of SSOs identified: 0

Number of SSOs removed: 0

### MS4 System Mapping

Percent of Phase II map complete: 0

*Optional:* Provide additional status information regarding your map:

### **Screening of Outfalls/Interconnections**

*If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.*

- No outfalls were inspected
- The above referenced outfall screening data is attached to the email submission
- The above referenced outfall screening data can be found at the following publicly available website:

*Below, report on the number of outfalls/interconnections screened **during this reporting period**.*

Number of outfalls screened: 0

*Below, report on the percent of outfalls/interconnections screened **to date**.*

Percent of outfalls screened: 100

*Optional:* Provide additional information regarding your outfall/interconnection screening:

All outfall screenings were completed in year 5 of the permit.

### **Catchment Investigations**

*If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.*

- No catchment investigations were conducted
- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following publicly available website:

*Below, report on the number of catchment investigations completed **during this reporting period**.*

Number of catchment investigations completed this reporting period: 0

*Below, report on the percent of catchments investigated **to date**.*

Percent of total catchments investigated: 100

*Optional:* Provide any additional information for clarity regarding the catchment investigations below:

### **IDDE Progress**

*If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.*

- No illicit discharges were found
- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following publicly available website:

*Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed during this reporting period.*

Number of illicit discharges identified: 0

Number of illicit discharges removed: 0

Estimated volume of sewage removed: 0  gallons/day

*Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed since the effective date of the permit (July 1, 2018).*

Total number of illicit discharges identified: 0

Total number of illicit discharges removed: 0

*Optional:* Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

### **Employee Training**

Describe the frequency and type of employee training conducted **during this reporting period**:

All staff participated in an in house IDDE training by watching the training video on CMRSWC's website at the link below:

<https://www.centralmastormwater.org/toolbox/pages/2020-idde-workshop-ms4-assistance-grant>

We also held several tool box talks with our staff where we spoke of the importance of cleaning and inspecting catch basins, outfalls, and manholes.

**MCM4: Construction Site Stormwater Runoff Control**

*Below, report on the construction site plan reviews, inspections, and enforcement actions completed during this reporting period.*

Number of site plan reviews completed:

Number of inspections completed:

Number of enforcement actions taken:

*Optional:* Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

No construction Site storm systems necessary in this reporting period.

**MCM5: Post-Construction Stormwater Management in New Development and Redevelopment****As-built Drawings**

*Below, report on the number of as-built drawings received during this reporting period.*

Number of as-built drawings received:

*Optional:* Enter any additional information relevant to the submission of as-built drawings:

**Street Design and Parking Lots Report**

Below, describe any changes made or planned to be made to local regulations and guidelines based on the report completed in Year 4:

Street design and parking lot guidelines and LID barriers Report for the Town of Paxton was finalized in previous year. We had several meetings with the Planning Board for the Town in Year 6 of the reporting period to discuss altering the Subdivision Rules and Regulations to meet the "good" recommendations of the report or better.

The revised Subdivision Rules and Regulation were on the Agenda at the Special Town meeting in November of 2024 where it failed to pass by the majority vote.

The Planning Board made some alterations to said Rules and Regulations, and it will once again be on the agenda for the Special Town meeting scheduled for December of 2025. The Town is hopeful to have them fully executed, and set in place prior to the end of FY26.

### **Green Infrastructure Report**

Below, describe progress towards making green infrastructure practices allowable based on the report completed in Year 4:

As part of the review and updating process for the Zoning Bylaws, and Subdivision Rules and Regulations the Planning Board is looking at implementing the recommendations made to allow for Green Infrastructure throughout town.

### **Retrofit Properties Inventory**

Below, list remaining permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas (must maintain a minimum of 5 sites in inventory until less than 5 sites remain):

1. Paxton Center School 2. Paxton Senior Center 3. Paxton Town Hall 4. ROW along Richards Ave./MA-56 5. Klingele Fields

Below, list all properties that have been modified or retrofitted with BMPs to mitigate impervious area that were inventoried as part of 2.3.6.d of the permit and the type of BMP(s) implemented. Non-MS4 owned properties that have been modified or retrofitted with BMPs to mitigate impervious area may also be listed, but must be indicated as non-MS4.

The Town has a BMP installed at 107 Holden Road.

### **MCM6: Good Housekeeping**

#### **Catch Basin Cleaning**

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period.*

Number of catch basins inspected: 93

Number of catch basins cleaned: 93

Total volume or mass of material removed from all catch basins: 19.02 tons

*Below, report on the total number of catch basins in the MS4 system.*

Total number of catch basins: 231

*If applicable:*

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

The Town makes every effort to do a second cleaning annually for basins that are greater than 50% full for two consecutive cleanings.

### **Street Sweeping**

*Report on street sweeping completed **during this reporting period** using one of the three metrics below.*

Number of miles cleaned: 77

Volume of material removed: [Select Units]

Weight of material removed: 53.59 tons

### **Stormwater Pollution Prevention Plan (SWPPP)**

*Below, report on the number of site inspections for facilities that require a SWPPP completed **during this reporting period**.*

Number of site inspections completed: 0

Describe any corrective actions taken at a facility with a SWPPP:

We are still currently working on finalizing all SWPPP sites, so to date no inspections have been completed.

### **Additional Information**

#### **Monitoring or Study Results**

*Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.*

Not applicable

The results from additional reports or studies are attached to the email submission

The results from additional reports or studies can be found at the following publicly available website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

### **Additional Information**

Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above.

## **Year 8**

### **Activities Planned for Next Reporting Period**

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 8 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

### **Annual Requirements**

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in

connection with the dry weather screening and other relevant inspections conducted

- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)
- Identify additional permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious areas so that the permittee maintains a minimum of 5 sites in their inventory, until such a time when the permittee has less than 5 sites remaining

Provide any additional details on activities planned for permit year 8 below:

## Part V: Certification of Small MS4 Annual Report 2025

### **40 CFR 144.32(d) Certification**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: Travis Thibault

Title: Director of Public Works

Signature: Travis Thibault

Digitally signed by Travis  
Thibault  
Date: 2025.09.30 09:07:58 -04'00'

Date:

*[Signatory may be a duly authorized  
representative]*