From:	Papadopoulos, Christina
To:	MacLean, Douglas
Cc:	Jahnle, Steve
Subject:	FW: Small MS4 NOI submission - additional or corrected information required
Date:	Tuesday, October 2, 2018 11:09:57 AM
Attachments:	NOI_information_requested.pdf ATT00001.htm MA_Chelmsford_NOI_9_26.pdf ATT00002.htm

---

Dear Mr. MacLean,

You have requested additional information to complete the NOI for the Town of Chelmsford. The first item you requested is justification for the NHPA determination. The Town of Chelmsford is seeking renewal of a previous permit authorization. Discharges have already been addressed in the previous general permit as required to certify that the Town was not affecting historic properties. To the extent this permit authorizes renewal of prior coverage without relevant changes in operations, the discharge has no potential to have an effect on historic properties. This facility is an existing facility authorized by the previous permit and the Town is not undertaking any activity involving subsurface land disturbance less than an acre.

The next item you requested is a wet signature. The original wet signature was mailed last week. You should be getting it shortly.

If you have any further questions, please contact me.

Respectfully,

Christina Papadopoulos, P.E.
Town Engineer
Town of Chelmsford
D.P.W. - 9 Alpha Road
Chelmsford, MA 01824
Ph: 978-250-5228 x6701
Fax: 978-250-2416
cpapadopoulos@townofchelmsford.us

Please be advised that the Secretary of the Commonwealth has determined that all email messages and attached content sent from and to this email address are public records unless qualified as an exemption under the Massachusetts Public Records Law (MGLc.4,§7(26).

From: Jahnle, Steve
Sent: Monday, October 1, 2018 5:43 PM
To: Papadopoulos, Christina <CPapadopoulos@TownofChelmsford.us>
Subject: Fwd: Small MS4 NOI submission - additional or corrected information required

Sent from my iPhone

Begin forwarded message:

From: "MacLean, Douglas" <maclean.douglas@epa.gov>
Date: October 1, 2018 at 5:41:34 PM EDT
To: "sjahnle@townofchelmsford.us" <sjahnle@townofchelmsford.us>
Cc: Reports Stormwater <Stormwater.Reports@epa.gov>
Subject: Small MS4 NOI submission - additional or corrected information required

Hi Stephen,

I reviewed your NOI, and while it's mostly in order, there are a couple of small discrepancies. EPA requires additional or corrected information to receive a complete NOI submission for your MS4 and continue the review process. Please respond to this email with the requested details in the attached report. You do not need to resubmit the NOI form.

Doug MacLean
NPDES Permit Writer
EPA New England, Region 1
5 Post Office Square, Suite 100, OEP6-1
Boston, MA 02109
Phone: 617-918-1608