

## Town of Russell, Highway Department

162 Main Street Russell, Massachusetts 01071 Telephone (413) 862-6222 ~ Fax (413) 862-3101

December 20, 2016



Mr. Newton W. Tedder U.S. Environmental Protection Agency, Region 1 5 Post Office Square, Suite 100 Mail Code OEP06-4 Boston, MA 02109-3912

Dear Mr. Tedder:

We received EPA's notification that the Town of Russell is subject to the recently issued final Massachusetts MS4 permit and would like to request that EPA exercise its authority to grant an MS4 waiver for our Town.

We feel the MS4 permit waiver for Russell is justified for the following reasons:

- The population in our urbanized area is 596, well below the 1,000 person threshold for waivers.
- Bradley Brook, which flows through our regulated area, is listed as Category 2 (Attaining some uses; other uses not assessed). Please see enclosed maps that show entire urbanized area in Russell, and separate detail of northern and southern urbanized areas. Bradley Brook can be seen in the map of the entire urbanized area as well as the map detail of the northern area.
- Potash Brook and the Westfield River, which also flow through our regulated area, are listed as Category 5 (Requiring a TMDL), but the impervious cover in our urbanized area within these watersheds is minimal and therefore not contributing substantially to these water quality issues. Furthermore, these impairments appear unrelated to our urbanized area.
  - On Potash Brook (see map detail of the southern area), 5.16306 miles are impaired due to E. coli. Information collected as part of the Pioneer Valley Planning Commission's 2009 Westfield River water quality study indicates that the Potash Brook E. coli issue is likely tied to failing septic systems upgradient of our urbanized area.
  - On the Westfield River the impairment for turbidity begins above our urbanized area at the confluence with the Middle Branch of the Westfield River and extends below our urbanized area to the Route 20 bridge in Westfield, a total of some 17.8 miles. The turbidity problem may have more to do with the operations of the several dams in this stretch as indicated by the recommendations in the 2001 Westfield River Water Quality Assessment Report, page 62.

 We have corresponded with MassDEP Stormwater Coordinator Fred Civian about our request and he supports the granting of an MS4 waiver for the Town of Russell. (Please see his December 19, 2016 e-mail attached.)

Thank you for your consideration of our waiver request.


Sincerely,

John R 7

John Hoppe Highway Superintendent

Attachments:


EPA Regulated Area Map of Russell Map of Russell, showing urbanized area and impaired waters Map enlargement of urbanized area and impaired waters - North Map enlargement of urbanized area and impaired waters - South 12-19-16 message from MassDEP Stormwater Coordinator Fred Civian





0


NPDES Phase II Stormwater Program Automatically Designated MS4 Areas **Russell MA** Regulated Area:





Town Population: 1775 Regulated Population: 596 (Populations estimated from 2010 Census)



Urbanized Areas, Town Boundaries: US Census (2000, 2010) Base map © 2013 Microsoft Corporation and its data suppliers US EPA Region 1 GIS Center Map #8824, 8/9/2013







## Gambarini, Patty

From: Sent: To: Subject: Civian, Frederick (DEP) [frederick.civian@state.ma.us] Monday, December 19, 2016 11:09 AM Gambarini, Patty Russell waiver request

Patty -

I've reviewed the request you've composed to have EPA issue an MS4 permit waiver to the Town of Russell.

It looks both complete and well-reasoned.

With Russell having fewer than 600 people living in its Urbanized Area, MassDEP endorses the waiver request.

Sincerely,

Fred

Frederick Civian MassDEP Stormwater Coordinator 617-292-5821 <u>http://www.mass.gov/eea/agencies/massdep/water/wastewater/stormwater.html</u>



40 Years Cleaner 40 Years Greener Celebrating Four Decades of Environmental Progress