

Year 3 Annual Report

New Hampshire Small MS4 General Permit

Reporting Period: July 1, 2020-June 30, 2021

****Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form****

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2020 and June 30, 2021 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization:

EPA NPDES Permit Number:

Primary MS4 Program Manager Contact Information

Name:

Title:

Street Address Line 1:

Street Address Line 2:

City:

State:

Zip Code:

Email:

Phone Number:

Stormwater Management Program (SWMP) Information

SWMP Location (web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

Impairment(s)

- ☐ Bacteria/Pathogens
 ☐ Chloride
 ☒ Nitrogen
 ☒ Phosphorus
☐ Solids/ Oil/ Grease (Hydrocarbons)/ Metals

TMDL(s)

- ☒ Bacteria and Pathogen
 ☐ Chloride
 ☒ Lake and Pond Phosphorus

Clear Impairments and TMDLs

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Year 3 Requirements

- ☒ Inspected and screened all outfalls/interconnections (excluding Problem and Excluded outfalls)
- ☒ Updated outfall/interconnection priority ranking based on the information collected during the dry weather inspections as necessary
- ☒ Post-construction bylaw, ordinance, or other regulatory mechanism was updated and adopted consistent with permit requirements

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above year 3 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Dry Weather Outfall Screening - During 2020 and 2021, the Town attempted to inspect all 43 known stormwater outfalls within the urbanized area during dry weather to investigate for potential illicit discharges. Of the 43 known stormwater outfalls that were attempted to be inspected, 36 were located, none of which were flowing. No additional evidence of potential illicit discharges was observed. The remaining 7 outfalls that could not be located or accessed were instead investigated at the immediate upgradient structure for potential illicit discharge indicators, of which none were observed.

Update Outfall Inventory and Priority Ranking - Outfall inventory and priority ranking was conducted concurrent with a comprehensive update of the SWMP and IDDE Plans, completed on June 30, 2021. The Town will continue to locate and inspect additional stormwater infrastructure during future permit years.

Construction and Post-Construction Bylaw - The Town updated its existing Site Plan Review Regulations (adopted June 15, 2021) which regulates construction projects that disturb greater than 10,000 square feet. These regulations meet all permit requirements for construction and post-construction requirements, including provisions for new/redevelopment to remove 90%/80% of total phosphorus and 60%/50% of total suspended solid, respectively.

Annual Requirements

- ☒ Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- ☒ Kept records relating to the permit available for 5 years and made available to the public
- ☒ The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
 - ☒ This is not applicable because we do not have sanitary sewer
 - ☐ This is not applicable because we did not find any new SSOs
 - ☐ The updated SSO inventory is attached to the email submission
 - ☐ The updated SSO inventory can be found at the following website:
- ☒ Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
- ☒ Provided training to employees involved in IDDE program within the reporting period
- ☒ All curbed roadways were swept at least once within the reporting period
- ☒ Updated system map due in year 2 as necessary
- ☐ Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- ☒ Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- ☒ Updated inventory of all permittee owned facilities as necessary
- ☒ O&M programs for all permittee owned facilities have been completed and updated as necessary
- ☒ Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- ☒ Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- ☐ Inspected all permittee owned treatment structures (excluding catch basins)

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above annual requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

SWPPPs - The Town has no standalone maintenance garage or other waste handling facility. The Town's Highway Garage and Transfer Station are located on adjacent parcels just outside the urbanized area and have no closed drainage system. Rather, runoff sheet flows into nearby wooded areas. Based on the location of both facilities, surrounding land uses and topography, it has been determined that both facilities do not discharge to the Town's MS4 or a Waterbody of the United States under any conditions.

Structural BMPs - The Town currently has no known town-owned stormwater BMPs within its regulated urbanized area. Should any BMPs be located during future years, the Town will compute nitrogen removal provided by this BMP and begin annual inspections with maintenance performed as needed.

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)Annual Requirements*Public Education and Outreach**

- ☒ Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- ☒ Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time
- ☒ Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Nitrogen ImpairmentAnnual Requirements*Public Education and Outreach**

- ☒ Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- ☒ Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- ☒ Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- ☐ Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Potential structural BMPs

Any structural BMPs listed in Table 3 of Attachment 1 to Appendix H already existing or installed in the regulated area by the permittee or its agents was tracked and the nitrogen removal by the BMP was

☐ estimated consistent with Attachment 1 to Appendix H. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated nitrogen removed in mass per year by the BMP were documented.

- ☐ The BMP information is attached to the email submission
- ☐ The BMP information can be found at the following website:

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Street Sweeping - streets were swept only once during Year 3.

Structural BMPs - The Town currently has no known town-owned stormwater BMPs within its regulated urbanized area. Should any BMPs be located during future years, the Town will compute nitrogen removal provided by this BMP and begin annual inspections with maintenance performed as needed.

Phosphorus Impairment

Annual Requirements

*Public Education and Outreach**

- ☒ Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- ☒ Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- ☒ Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- ☐ Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Potential structural BMPs

- ☐ Any structural BMPs already existing or installed in the regulated area by the permittee or its agents was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated phosphorus removed in mass per year by the BMP were documented.

- ☐ The BMP information is attached to the email submission
- ☐ The BMP information can be found at the following website:

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Street Sweeping - streets were swept only once during Year 3.

Structural BMPs - The Town currently has no known town-owned stormwater BMPs within its regulated urbanized area. Should any BMPs be located during future years, the Town will compute nitrogen removal provided by this BMP and begin annual inspections with maintenance performed as needed.

Lake and Pond Phosphorus TMDL

- ☒ Completed the funding source assessment

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

☒ Yes

☐ No

If yes, describe below, including any relevant impairments or TMDLs:

Part III of the NOI should be amended as follows:

Actions for Meeting Total Maximum Daily Load (TMDL) Requirements:

- Remove NHRIV600030802-10 - Towle Brook to Pandolphin Dam (e.coli)
- Remove NHLAK700061403-01-01 Angle Pond (phosphorus)

Actions for Meeting Requirements Related to Water Quality Limited Waters:

- Remove NHLAK600030802-04-Showell Pond (phosphorus)
- Remove NHRIV600030802-03-Exeter River (e.coli)
- Remove NHRIV600030802-10-Towle Brook (e.coli)
- Add NHRIV600030802-03 Great Bay via Exeter River (nitrogen), meet Appendix H, Part I
- Add NHLAK700061403-01-01 Angle Pond (phosphorus), meet Appendix H, Part II

The Town also updated its list of outfalls and receiving waters as new outfalls were found during the dry weather screening. The inspection results are attached to this annual report and a list and updated prioritization are also kept with the Town's IDDE Plan.

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed **during this reporting period:**

*Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.*

BMP: Lawn Care and Leaf Litter Fact Sheet

Message Description and Distribution Method:

A flyer outlining proper lawn management practices and leaf litter cleanup is mailed monthly along with automobile registration renewal reminders. Flyers were distributed as follows:

- July 2020: 718 flyers
- August 2020: 674 flyers
- September 2020: 710 flyers
- October 2020: 682 flyers
- November 2020: 633 flyers
- December 2020: 742 flyers
- January 2021: 621 flyers
- February 2021: 702 flyers
- March 2021: 616 flyers
- April 2021: 1,031 flyers
- May 2021: 647 flyers
- June 2021: 647 flyers

Flyers are also continually available at Town Hall.

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

Distribute informational flyer with all automobile registration renewal reminders. A total of 8,423 flyers were mailed during the first half of 2021.

Message Date(s):

Message Completed for: Appendix F Requirements ☒ Appendix H Requirements ☒

Was this message different than what was proposed in your NOI? Yes ☐ No ☒

If yes, describe why the change was made:

BMP: Pet Waste Flyers

Message Description and Distribution Method:

A flyer outlining the proper management of pet waste and the connection to stormwater was mailed to dog owners in February 2021 with registration reminder notices. Flyers are also continually available at Town Hall for pickup.

Targeted Audience: Residents

Responsible Department/Parties: Town Administrator

Measurable Goal(s):

Distribute informational flyers with all pet registration renewal reminders. A total of 1,621 flyers were mailed during Permit Year 3.

Message Date(s): February 2021

Message Completed for: Appendix F Requirements ☒ Appendix H Requirements ☒Was this message different than what was proposed in your NOI? Yes ☐ No ☒

If yes, describe why the change was made:

BMP: Lawn Care and Leaf Litter Fact Sheet

Message Description and Distribution Method:

A flyer outlining proper lawn management practices and leaf litter cleanup was mailed to businesses and industry within the town. Flyers are also continually available at Town Hall.

Targeted Audience: Businesses, institutions and commercial facilities; Industrial

Responsible Department/Parties: Town Administrator

Measurable Goal(s):

Distribute informational flyers annually. A total of 149 flyers were mailed during Permit Year 3.

Message Date(s): March 3, 2021

Message Completed for: Appendix F Requirements ☐ Appendix H Requirements ☒Was this message different than what was proposed in your NOI? Yes ☐ No ☒

If yes, describe why the change was made:

BMP: EPA Fact Sheet

Message Description and Distribution Method:

Distributed a fact sheet on proper use of erosion and sediment controls to developers along with permit applications.

Targeted Audience: Developers

Responsible Department/Parties: Town Administrator

Measurable Goal(s):

Distribute informational fact sheet with permit applications. A total of 11 fact sheets were distributed during Permit Year 3.

Message Date(s): Ongoing

Message Completed for: Appendix F Requirements ☐ Appendix H Requirements ☐

Was this message different than what was proposed in your NOI? Yes ☐ No ☒

If yes, describe why the change was made:

BMP: Informational Flyers**Message Description and Distribution Method:**

Provided a variety of flyers for collection at the Town Hall targeting residents. A flyer on car washing was made available from 4/22/21 through 8/18/21, during which 8 flyers were collected. Additional informational flyers are currently on display at the Town Hall and library.

Targeted Audience: Residents

Responsible Department/Parties: Town Administrator

Measurable Goal(s):

Provide informational flyers throughout the year. Track the number collected from various locations.

Message Date(s): Ongoing, with varying topics throughout the year.

Message Completed for: Appendix F Requirements ☐ Appendix H Requirements ☐

Was this message different than what was proposed in your NOI? Yes ☐ No ☒

If yes, describe why the change was made:

BMP: Stormwater Webpage

Message Description and Distribution Method:

Develop a town stormwater website with a links to external sites such as EPA and NHDES as well as provide stormwater brochures for download.

Targeted Audience: Residents, Businesses, institutions and commercial, Developers, Industrial

Responsible Department/Parties: Town Administrator

Measurable Goal(s):

Create a website and complete periodic updates.

Message Date(s): Ongoing / continuous

Message Completed for: Appendix F Requirements ☒ Appendix H Requirements ☒

Was this message different than what was proposed in your NOI? Yes ☐ No ☒

If yes, describe why the change was made:

Add an Educational Message

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period:**

SWMP Plan for Download - The Town has posted the SWMP Plan and other relevant information on Town website along with contact information to allow for public comment.

Was this opportunity different than what was proposed in your NOI? Yes ☐ No ☒

Describe any other public involvement or participation opportunities conducted **during this reporting period:**

Lions Club Roadside Cleanup - The Lions Club held a roadside cleanup on 2 weekends 4/4 & 4/5 and 4/10 & 4/11 and a total of 18 bags of trash were collected for disposal.

Town-Wide Earth Day Clean Up - The Town held an Earth Day Clean Up event on 4/17 & 4/18 and a total of 16 bags of trash were collected for disposal. Additional miscellaneous bulk items were also collected.

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

- ☒ This SSO section is NOT applicable because we DO NOT have sanitary sewer

Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period**.

Number of SSOs identified:

Number of SSOs removed:

MS4 System Mapping

Optional: Provide additional status information regarding your map:

All known outfalls, stormwater BMPs, and receiving waterbodies with impairments have been mapped to date. Initial catchment delineations have also been completed based on topographic mapping and available stormwater system information. Mapping of open channel conveyances and any newly located outfalls is ongoing. Mapping interconnections with other MS4s (e.g. DOT) is ongoing, and it is expected that this will continue as part of DOT's own mapping efforts to be completed under a future TS4 permit.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.

- ☐ No outfalls were inspected
- ☒ The outfall screening data is attached to the email submission
- ☐ The outfall screening data can be found at the following website:

Below, report on the number of outfalls/interconnections screened **during this reporting period**.

Number of outfalls screened:

Below, report on the percent of total outfalls/ interconnections screened **to date**.

Percent of outfalls screened:

Optional: Provide additional information regarding your outfall/interconnection screening:

During 2020 and 2021, the Town attempted to inspect all 43 known stormwater outfalls within the urbanized area during dry weather to investigate for potential illicit discharges. Of the 43 known stormwater outfalls that were attempted to be inspected, 36 were located, none of which were flowing. No additional evidence of potential illicit discharges was observed. The remaining 7 outfalls that could not be located or accessed were instead investigated at the immediate upgradient structure for potential illicit discharge indicators, of which

none were observed.

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- ☒ No catchment investigations were conducted
☐ The catchment investigation data is attached to the email submission
☐ The catchment investigation data can be found at the following website:

*Below, report on the number of catchment investigations completed **during this reporting period.***

Number of catchment investigations completed this reporting period:

*Below, report on the percent of catchments investigated **to date.***

Percent of total catchments investigated:

Optional: Provide any additional information for clarity regarding the catchment investigations below:

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- ☒ No illicit discharges were found
☐ The illicit discharge removal report is attached to the email submission
☐ The illicit discharge removal report can be found at the following website:

*Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed **during this reporting period.***

Number of illicit discharges identified:

Number of illicit discharges removed:

Estimated volume of sewage removed: gallons/day

*Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed **since the effective date of the permit (July 1, 2018).***

Total number of illicit discharges identified:

Total number of illicit discharges removed:

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Employee Training

Describe the frequency and type of employee training conducted **during this reporting period:**

An on-site IDDE training session was held on October 1, 2020 with applicable Highway staff.

MCM4: Construction Site Stormwater Runoff Control

*Below, report on the construction site plan reviews, inspections, and enforcement actions completed **during this reporting period.***

Number of site plan reviews completed:

Number of inspections completed:

Number of enforcement actions taken:

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

As-built Drawings

*Below, report on the number of as-built drawings received **during this reporting period.***

Number of as-built drawings received:

Optional: Enter any additional information relevant to the submission of as-built drawings:

Street Design and Parking Lots Report

Describe the status of the street design and parking lots assessment due in year 4 of the permit term, including any planned or completed changes to local regulations and guidelines:

N/A, to be completed during Permit Year 4.

Green Infrastructure Report

Describe the status of the green infrastructure report due in year 4 of the permit term, including the findings and progress towards making the practice allowable:

N/A, to be completed during Permit Year 4.

MCM6: Good Housekeeping

Catch Basin Cleaning

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period**.*

Number of catch basins inspected: 179

Number of catch basins cleaned: 162

Total volume or mass of material removed from all catch basins: 6 cubic yards

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins: 0

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

Street Sweeping

*Report on the number of miles swept **during this reporting period** below.*

Number of miles cleaned: 3

Report either the volume or weight of street sweeping materials collected **during this reporting period** below.

☒ Volume of material removed: 7 cubic yards

☐ Weight of material removed: [Select Units]

Stormwater Pollution Prevention Plan (SWPPP)

*Below, report on the number of site inspections for facilities that require a SWPPP completed **during this reporting period**.*

Number of site inspections completed: 0

Describe any corrective actions taken at a facility with a SWPPP:

The Town has no standalone maintenance garage or other waste handling facility. The Town's Highway Garage and Transfer Station are located on adjacent parcels just outside the urbanized area and have no closed drainage system. Rather, runoff sheet flows into nearby wooded areas. Based on the location of both facilities, surrounding land uses and topography, it has been determined that both facilities do not discharge to the Town's MS4 or a Waterbody of the United States under any conditions.

Additional Information**Monitoring or Study Results**

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- ☒ Not applicable
- ☐ The results from additional reports or studies are attached to the email submission
- ☐ The results from additional reports or studies can be found at the following website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above:

COVID-19 Impacts

Optional: If any of the above year 3 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 4 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree ☒

- Develop a report assessing current street design and parking lot guidelines and other local requirements within the municipality that affect the creation of impervious cover
- Develop a report assessing existing local regulations to determine the feasibility of making green infrastructure practices allowable when appropriate site conditions exist
- Identify a minimum of 5 permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious areas

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program

- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)

Provide any additional details on activities planned for permit year 4 below:

Part V: Certification of Small MS4 Annual Report 2021**40 CFR 144.32(d) Certification**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:

Lynne Blaisdell

Title:

Town Administrator

Signature:



Date:

9/8/21

*[Signatory may be a duly authorized
representative]*