

Year 7 Annual Report

New Hampshire Small MS4 General Permit

Reporting Period: July 1, 2024-June 30, 2025

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form. Also ensure any websites included on this form are to publicly accessible sites

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2024 and June 30, 2025 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization: Town of Hollis

EPA NPDES Permit Number: NHR041011

Primary MS4 Program Manager Contact Information

Name: Kevin Anderson

Title: Town Planner & Environmental Coordinator

Street Address Line 1: 7 Monument Square

Street Address Line 2:

City: Hollis

State: NH

Zip Code: 03049

Email: planning@hollisnh.org

Phone Number: (603) 465-2209

Stormwater Management Program (SWMP) Information

SWMP Location (publicly available web address): hollisnh.org/public-works/pages/stormwater-information

Date SWMP was Last Updated: ongoing

If the SWMP is not available on the web please provide the physical address:

7 Monument Square, Hollis NH 03049

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

Impairment(s)

- ☒ Bacteria/Pathogens
 ☐ Chloride
 ☐ Nitrogen
 ☐ Phosphorus
☐ Solids/ Oil/ Grease (Hydrocarbons)/ Metals

TMDL(s)

- ☒ Bacteria and Pathogen
 ☐ Chloride
 ☒ Lake and Pond Phosphorus

Clear Impairments and TMDLs

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Year 7 Requirements

- ☐ Completed catchment investigations associated with Problem Outfalls
☐ Completed catchment investigations where information gathered on the outfall/interconnection indicated sewer input

Annual Requirements

- ☒ Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
☒ Kept records relating to the permit available for 5 years and made available to the public
☐ The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
 - ☒ This is not applicable because we do not have sanitary sewer
 - ☐ This is not applicable because we did not find any new SSOs
 - ☐ The updated SSO inventory is attached to the email submission
 - ☐ The updated SSO inventory can be found at the following publicly available website:

- ☒ Updated system map due in year 10 with information from completed catchment investigations
☒ Provided training to employees involved in IDDE program within the reporting period
☒ Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
☒ All curbed roadways were swept at least once within the reporting period
☒ Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities

- ☒ Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- ☒ Updated inventory of all permittee owned facilities as necessary
- ☒ O&M programs for all permittee owned facilities have been completed and updated as necessary
- ☒ Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- ☒ Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- ☒ Inspected all permittee owned treatment structures (excluding catch basins)

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

There are no curbed roadways, SWPPP's or road salt storage within the MS4 Jurisdictional area. However, all curbed roads in Town were swept, Transfer Station SWPPP implemented and DPW salt storage is contained within a structure.

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- ☒ Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- ☒ Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time
- ☒ Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria

** Public education messages can be combined with other public education requirements as applicable (see Appendix F and H for more information)*

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Educational brochures for dog owners are available at the Town Clerk's office, Town website and Town Hall.

Lake and Pond Phosphorus TMDL

Baseline phosphorus export rate from LPCP Area (lbs/year)[A]:

27.71

Total phosphorus reduction from all nonstructural controls this reporting period (lbs/year) [B]:

0

Total phosphorus reduction from all structural controls installed this reporting period and all previous years (lbs/year) [C]:

0

Phosphorus load increase due to development incurred since baseline loading was calculated in **lbs/year [D]**:

Current phosphorus export rate from the LPCP Area in **lbs/year [=A-(B+C)+D** from above]:

I certify under penalty of law that all source control and treatment Best Management Practices being claimed for phosphorus reduction credit have been inspected, maintained and repaired in accordance

☐ with manufacturer or design specification. I certify that, to the best of my knowledge, all Best Management Practices being claimed for a phosphorus reduction credit are performing as originally designed.

☐ Implemented all nonstructural control measures **during this reporting period** and documented the measures and their phosphorus reduction. The nonstructural control measure information:

☐ is attached to the email submission

☐ can be found at the following publicly available website:

☐ Documented the structural control measures implemented during **this reporting period and all previous years**, including location, phosphorus reduction in weight/year, and date of last completed maintenance and inspection for each control. The structural control measure information:

☒ is not applicable; no structural control measures were implemented

☐ is attached to the email submission

☐ can be found at the following publicly available website:

The LPCP: *(select one of the following options. If you submitted your LPCP in a prior annual report and have an updated website, please include the website below)*

☐ was submitted in a prior annual report

☐ is attached to the email submission

☐ can be found at the following publicly available website:

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Only a limited number of properties are both in the watershed area of Flint Pond and within the MS4 area. All properties meeting both criteria are existing residential parcels. Phosphorus reduction controls within the limited right-of-way available will be investigated should funding become available.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:



Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

☐ Yes

☒ No

If yes, describe below, including any relevant impairments or TMDLs:

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed **during this reporting period:**

*Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.*

BMP: [Message name here]

Message Description and Distribution Method:

Pollution flyers - Stormwater website - Household hazardous waste events

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

All Hollis participants were counted at the HHW events.

Message Date(s):

Message Completed for: Appendix F Requirements ☒ Appendix H Requirements ☐

Was this message different than what was proposed in your NOI? Yes ☐ No ☒

If yes, describe why the change was made:

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period**:

Was this opportunity different than what was proposed in your NOI? Yes ☐ No ☐

Describe any other public involvement or participation opportunities conducted **during this reporting period:**

Roadside cleanup were held in the Spring of 2024. Blue trash bags were distributed.

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

☒ This SSO section is NOT applicable because we DO NOT have sanitary sewer

*Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period.***

Number of SSOs identified:

Number of SSOs removed:

MS4 System Mapping

Percent of Phase II map complete:

Optional: Provide additional status information regarding your map:

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.

- ☒ No outfalls were inspected
- ☐ The outfall screening data is attached to the email submission
- ☐ The outfall screening data can be found at the following publicly available website:

*Below, report on the number of outfalls/interconnections screened **during this reporting period.***

Number of outfalls screened: *Below, report on the percent of total outfalls/ interconnections screened to date.*Percent of outfalls screened: *Optional: Provide additional information regarding your outfall/interconnection screening:***Catchment Investigations***If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.*

- ☒ No catchment investigations were conducted
- ☐ The catchment investigation data is attached to the email submission
- ☐ The catchment investigation data can be found at the following publicly available website:

*Below, report on the number of catchment investigations completed during this reporting period.*Number of catchment investigations completed this reporting period: *Below, report on the percent of catchments investigated to date.*Percent of total catchments investigated: *Optional: Provide any additional information for clarity regarding the catchment investigations below:***IDDE Progress***If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.*

- ☒ No illicit discharges were found
- ☐ The illicit discharge removal report is attached to the email submission
- ☐ The illicit discharge removal report can be found at the following publicly available website:

*Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed during this reporting period.*Number of illicit discharges identified: Number of illicit discharges removed:

Estimated volume of sewage removed: gallons/day

Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed since the effective date of the permit (July 1, 2018).

Total number of illicit discharges identified:

Total number of illicit discharges removed:

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Employee Training

Describe the frequency and type of employee training conducted **during this reporting period:**

DPW staff were trained on IDDE on June 16, 2025

MCM4: Construction Site Stormwater Runoff Control

Below, report on the construction site plan reviews, inspections, and enforcement actions completed during this reporting period.

Number of site plan reviews completed:

Number of inspections completed:

Number of enforcement actions taken:

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

As-built Drawings

Below, report on the number of as-built drawings received during this reporting period.

Number of as-built drawings received:

Optional: Enter any additional information relevant to the submission of as-built drawings:

Cutter Place road as-built plan, road is not located within MS4 area.

Street Design and Parking Lots Report

Below, describe any changes made or planned to be made to local regulations and guidelines based on the report completed in Year 4:

No changes were made. Hollis is a residential and Agricultural community, commercial and industrial zoning make up 1.2% of the Towns total land. Only 2 parcels remain vacant which total 4.1 acres.

Green Infrastructure Report

Below, describe progress towards making green infrastructure practices allowable based on the report completed in Year 4:

No changes were made. Hollis is a residential and Agricultural community, commercial and industrial zoning make up 1.2% of the Towns total land. Only 2 parcels remain vacant which total 4.1 acres.

Retrofit Properties Inventory

Below, list remaining permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas:

There are no Town owned properties within the MS4 area.

Below, list all properties that have been modified or retrofitted with BMPs to mitigate impervious area that were inventoried as part of 2.3.6.e of the permit and the type of BMP(s) implemented. Non-MS4 owned properties that have been modified or retrofitted with BMPs to mitigate impervious area may also be listed, but must be indicated as non-MS4.

There are no Town owned properties within the MS4 area.

MCM6: Good Housekeeping

Catch Basin Cleaning

Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins during this reporting period.

Number of catch basins inspected: 21

Number of catch basins cleaned: 21

Total volume or mass of material removed from all catch basins: 0 [Select Units]

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins: 21

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

Hollis has a total of 21 catch basins within the MS4 area, very little material was removed from the catch basins, no volume was reported.

Street Sweeping

Report on the number of miles swept during this reporting period below.

Number of miles cleaned: 0.7

Report either the volume or weight of street sweeping materials collected during this reporting period below.

- ☒ Volume of material removed: 1 cubic yards
- ☐ Weight of material removed: [Select Units]

Stormwater Pollution Prevention Plan (SWPPP)

Below, report on the number of site inspections for facilities that require a SWPPP completed during this reporting period.

Number of site inspections completed:

Describe any corrective actions taken at a facility with a SWPPP:

There are no facilities that require a SWPPP within the MS4 area.

Additional Information**Monitoring or Study Results**

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- ☒ Not applicable
- ☐ The results from additional reports or studies are attached to the email submission
- ☐ The results from additional reports or studies can be found at the following website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above.

Year 8

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 8 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree ☒

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)
- Identify additional permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious areas so that the permittee maintains a minimum of 5 sites in their inventory, until such a time when the permittee has less than 5 sites remaining

Provide any additional details on activities planned for permit year 8 below:

The Town of Hollis has almost completed a major overhaul to the site plan and subdivision regulations, both

documents will be combined into a Development Regulation.

Part V: Certification of Small MS4 Annual Report 2025**40 CFR 144.32(d) Certification**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:

Kevin M. Anderson

Title: Town Planner & Enviro. Coord.

Signature:



Date:

9-15-2025

[Signatory may be a duly authorized representative]