























**FIGURE 2-2**

**ON-FACILITY AND OFF-FACILITY SOIL SAMPLING LOCATIONS**

Blackburn & Union Privileges Superfund Site  
Walpole, MA



**Legend**

-  On-facility Soil Samples
-  Off-facility Soil Samples
-  Approximate Property Boundaries



Notes:

1. Sample nomenclature was the following: SO-[tax map-10]-[sample location]-ME-[depth]. For example, the 0-0.5' sample collected at L-5.5 would have the following sample nomenclature: SO-33-127-L5.5-ME-0-0.5
2. Locations shown containing an "R" (e.g., L-3R) were relocated from their planned positions.
3. Coordinates of sampling locations were obtained with a Trimble GPS Unit.



### FIGURE 2-3 BACKGROUND SOIL SAMPLING LOCATIONS


Blackburn & Union Privileges Superfund Site  
Walpole, MA

#### Legend

- Background Soil Sample

#### Notes:

- Coordinates of M&E 2006 Sampling Locations were obtained with a Trimball GPS Unit.





**FIGURE 2-4**  
**SEDIMENT AND FLOODPLAIN**  
**SOIL SAMPLING LOCATIONS**  
 Blackburn & Union Privileges Superfund Site  
 Walpole, MA


**Legend**


- 2001 Sediment/Floodplain Samples Collected by SHA
- 2006 Floodplain Sample Collected by M&E
- ▲ 2006 Sediment Sample Collected by M&E

Notes:

1. Locations shown containing an "R" (e.g. FPS-01R-ME) were relocated from their planned positions.
2. Locations of ND-25 through ND-30, LP-11R, and LP-13R should be considered approximate, since GPS coordinates could not be obtained due to dense tree cover.
3. Coordinates of M&E 2006 Sampling Locations were obtained with a Trimball GPS Unit.







**FIGURE 3-2**  
**ASBESTOS CONCENTRATIONS IN**  
**SEDIMENT AND FLOODPLAIN SAMPLES**  
 Blackburn & Union Privileges Superfund Site  
 Walpole, MA

Version 01 - August 2007

**Legend**

- 2001 Sediment/Floodplain Samples Collected by SHA
- 2006 Floodplain Sample Collected by M&E
- ▲ 2006 Sediment Sample Collected by M&E
- (ND) = Non Detected
- (13.5%) = Detected Asbestos Concentration
- (<0.25%) = Asbestos Detected at a Concentration Less Than 0.25%

Notes:

1. Samples collected in 2001 were analyzed by TEM, while 2006 samples were analyzed by PLM.
2. Locations shown containing an "R" (e.g. FPS-01R-ME) were relocated from their planned positions.
3. Locations of ND-25 through ND-30, LP-11R, and LP-13R should be considered approximate, since GPS coordinates could not be obtained due to dense tree cover.
4. Coordinates of M&E 2006 Sampling Locations were obtained with a Trimball GPS Unit.



**FIGURE 76**  
**Metcalf and Eddy**  
**2006 Asbestos**  
**Concentrations in**  
**Sediment and Floodplain**  
**Samples**