

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-075	CMS-075-A	0.50	06/30/1999	0.17J	ug/kg	8280	
CMS-005	3428-CMS-005	0.25	02/17/1999	0.166	ug/kg	TCDD_	
CMS-103	3428-CMS-103D	0.25	02/16/1999	0.164	ug/kg	TCDD_	
CMS-206	CMS-206-D	3.50	07/12/1999	0.16J	ug/kg	8280	
CMS-453	CMS-453-I	8.50	07/21/1999	0.16J	ug/kg	8280	
CMS-139	3428-CMS-139	0.25	02/16/1999	0.158	ug/kg	TCDD_	
CMS-084	3428-CMS-084D	0.25	02/16/1999	0.156	ug/kg	TCDD_	
CMS-092	3428-CMS-092	0.25	02/16/1999	0.153	ug/kg	TCDD_	
CMS-189	3428-CMS-189	0.25	02/17/1999	0.153	ug/kg	TCDD_	
CMS-012	3428-CMS-012	0.25	02/17/1999	0.151	ug/kg	TCDD_	
CMS-206	CMS-206-A	0.50	07/12/1999	0.15J	ug/kg	8280	
CMS-448	CMS-448-I	8.50	07/20/1999	0.15J	ug/kg	8280	
CMS-455	CMS-455-F-QC	5.50	07/19/1999	0.146	ug/kg	8280	
CMS-176	3428-CMS-176	0.25	02/17/1999	0.141	ug/kg	TCDD_	
CMS-060	CMS-060-E	4.50	06/30/1999	0.14J	ug/kg	8280	
CMS-153	CMS-153-C	2.50	06/22/1999	0.14J	ug/kg	8280	
CMS-212	CMS-212-A	0.50	07/12/1999	0.14J	ug/kg	8280	
CMS-465	CMS-465-A	0.50	07/27/1999	0.135	ug/kg	8290	
CMS-088	3428-CMS-088	0.25	02/16/1999	0.134	ug/kg	TCDD_	
CMS-225	3428-CMS-225	0.25	02/16/1999	0.133	ug/kg	TCDD_	
CMS-116	3428-CMS-116	0.25	02/17/1999	0.132	ug/kg	TCDD_	
CMS-117	CMS-117-A	0.50	06/29/1999	0.13J	ug/kg	8280	
CMS-205	CMS-205-C	2.50	07/12/1999	0.13J	ug/kg	8280	
CMS-214	CMS-214-B	1.50	07/12/1999	0.13J	ug/kg	8280	
CMS-238	CMS-238-B	1.50	06/23/1999	0.13J	ug/kg	8280	
CMS-454	CMS-454-E	4.50	07/21/1999	0.13J	ug/kg	8280	
CMS-459	CMS-459-A	0.50	07/22/1999	0.13J	ug/kg	8280	
CMS-604	CMS-604-A	0.25	10/01/1999	0.13J	ug/kg	8280	
CMS-605	CMS-605-B	1.50	09/29/1999	0.13J	ug/kg	8280	
CMS-605	CMS-605-C	2.50	09/29/1999	0.13J	ug/kg	8280	
CMS-609	CMS-609-A	0.25	09/29/1999	0.13J	ug/kg	8280	
CMS-103	3428-CMS-103	0.25	02/16/1999	0.129	ug/kg	TCDD_	
CMS-002	3428-CMS-002	0.25	02/17/1999	0.125	ug/kg	TCDD_	
CMS-161	CMS-161-B-QC	1.50	06/23/1999	0.124	ug/kg	8280	
CMS-165	CMS-165-A	0.50	06/29/1999	0.12J	ug/kg	8280	
CMS-223	3428-CMS-223	0.25	02/16/1999	0.12	ug/kg	TCDD_	
CMS-423	CMS-423-D	3.50	07/07/1999	0.12J	ug/kg	8280	
CMS-448	CMS-448-G	6.50	07/20/1999	0.12J	ug/kg	8280	
CMS-067	3428-CMS-067	0.25	02/16/1999	0.118	ug/kg	TCDD_	
CMS-101	3428-CMS-101	0.25	02/16/1999	0.118	ug/kg	TCDD_	
CMS-095	3428-CMS-095	0.25	02/16/1999	0.115	ug/kg	TCDD_	
CMS-111	3428-CMS-111	0.25	02/16/1999	0.112	ug/kg	TCDD_	
CMS-093	3428-CMS-093	0.25	02/16/1999	0.111	ug/kg	TCDD_	
CMS-031	3428-CMS-031	0.25	02/16/1999	0.107	ug/kg	TCDD_	
CMS-030	3428-CMS-030	0.25	02/16/1999	0.101	ug/kg	TCDD_	
CMS-021	CMS-021-B	1.50	07/14/1999	0.1J	ug/kg	8280	
CMS-089	CMS-089-A	0.50	06/28/1999	0.1J	ug/kg	8280	
CMS-153	CMS-153-B	1.50	06/22/1999	0.1J	ug/kg	8280	
CMS-437	CMS-437-D	3.50	07/13/1999	0.1J	ug/kg	8280	
CMS-138	3428-CMS-138	0.25	02/16/1999	0.0988	ug/kg	TCDD_	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL
1

Site Id	Sample ID	Depth	Date	Result	Units	Method
CMS-222	3428-CMS-222	0.25	02/16/1999	0.0987	ug/kg	TCDD_
CMS-069	CMS-069-F	5.50	06/30/1999	0.096J	ug/kg	8280
CMS-445	CMS-445-A	0.50	07/14/1999	0.096J	ug/kg	8280
CMS-108	3428-CMS-108	0.25	02/17/1999	0.095	ug/kg	TCDD_
CMS-426	CMS-426-A	0.50	07/07/1999	0.094J	ug/kg	8280
CMS-452	CMS-452-I	8.50	07/21/1999	0.091J	ug/kg	8280
CMS-499	CMS-499-A	0.50	08/12/1999	0.0903	ug/kg	8290
CMS-407	CMS-407-D	3.50	06/28/1999	0.09J	ug/kg	8280
CMS-184	3428-CMS-184	0.25	02/17/1999	0.0883	ug/kg	TCDD_
CMS-452	CMS-452-J	9.50	07/21/1999	0.088J	ug/kg	8280
CMS-432	GP16-FD	1.50	07/09/1999	0.087J	ug/kg	8280
CMS-498	CMS-498-A	0.50	08/12/1999	0.0849	ug/kg	8290
CMS-450	CMS-450-E	4.50	07/21/1999	0.084J	ug/kg	8280
CMS-074	CMS-074-B	1.50	06/29/1999	0.083J	ug/kg	8280
CMS-404	CMS-404-A	0.50	06/22/1999	0.083J	ug/kg	8280
CMS-443	CMS-443-A	0.50	07/14/1999	0.083J	ug/kg	8280
CMS-700	CMS-700-B	1.50	11/05/1999	0.082J	ug/kg	8280
CMS-454	CMS-454-D	3.50	07/21/1999	0.081J	ug/kg	8280
CMS-160	CMS-160-C	2.50	06/23/1999	0.079J	ug/kg	8280
CMS-421	GP15-FD	1.50	07/08/1999	0.079J	ug/kg	8280
CMS-497	CMS-497-A	0.50	08/12/1999	0.0784	ug/kg	8290
CMS-206	CMS-206-B	1.50	07/12/1999	0.078J	ug/kg	8280
CMS-066	3428-CMS-066	0.25	02/16/1999	0.0763	ug/kg	TCDD_
CMS-426	CMS-426-H	7.50	07/07/1999	0.076J	ug/kg	8280
CMS-700	CMS-700-A	0.50	11/05/1999	0.076J	ug/kg	8280
CMS-144	3428-CMS-144	0.25	02/17/1999	0.0752	ug/kg	TCDD_
CMS-466	CMS-466-A	0.50	07/27/1999	0.0743	ug/kg	8290
CMS-474	CMS-474-B	1.50	07/29/1999	0.0742	ug/kg	8290
CMS-130	3428-CMS-130	0.25	02/17/1999	0.0719	ug/kg	TCDD_
CMS-094	CMS-094-A	0.50	06/29/1999	0.071J	ug/kg	8280
CMS-161	CMS-161-B	1.50	06/23/1999	0.071J	ug/kg	8280
CMS-453	CMS-453-J	9.50	07/21/1999	0.07J	ug/kg	8280
AD-01	AD-01-A	0.50	07/22/1999	0.068	ug/kg	8290
CMS-502	CMS-502-A	0.50	08/12/1999	0.0643	ug/kg	8290
CMS-027	3428-CMS-027	0.25	02/16/1999	0.0639	ug/kg	TCDD_
CMS-477	HA13-FD	1.50	07/29/1999	0.0634	ug/kg	8290
CMS-427	CMS-427-F	5.50	07/06/1999	0.063J	ug/kg	8280
CMS-160	CMS-160-B	1.50	06/23/1999	0.062J	ug/kg	8280
CMS-185	3428-CMS-185	0.25	02/17/1999	0.0616	ug/kg	TCDD_
CMS-615	CMS-615-B	1.25	09/29/1999	0.061J	ug/kg	8280
CMS-446	CMS-446-A	0.50	07/14/1999	0.06J	ug/kg	8280
CMS-416	CMS-416-C	2.50	06/25/1999	0.059J	ug/kg	8280
CMS-028	3428-CMS-028	0.25	02/16/1999	0.058	ug/kg	TCDD_
CMS-447	CMS-447-A	0.50	07/14/1999	0.058J	ug/kg	8280
CMS-438	CMS-438-A	0.50	07/13/1999	0.057J	ug/kg	8280
CMS-435	CMS-435-A-QC	0.50	07/13/1999	0.0566	ug/kg	8280
CMS-448	CMS-448-J	9.50	07/20/1999	0.056J	ug/kg	8280
CMS-050	3428-CMS-050	0.25	02/16/1999	0.0545	ug/kg	TCDD_
CMS-413	CMS-413-A	0.50	06/25/1999	0.054J	ug/kg	8280
CMS-104	3428-CMS-104	0.25	02/16/1999	0.0531	ug/kg	TCDD_

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantations

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-051	CMS-051-B	1.50	07/02/1999	0.052J	ug/kg	8280	
CMS-412	CMS-412-B	1.50	06/25/1999	0.051J	ug/kg	8280	
CMS-605	CMS-605-D	3.50	09/29/1999	0.051J	ug/kg	8280	
CMS-478	CMS-478-A	0.50	07/29/1999	0.0484	ug/kg	8290	
CMS-474	CMS-474-A	0.50	07/29/1999	0.0474	ug/kg	8290	
CMS-206	CMS-206-C	2.50	07/12/1999	0.046J	ug/kg	8280	
CMS-015	3428-CMS-015	0.25	02/17/1999	0.0455	ug/kg	TCDD_	
CMS-052	3428-CMS-052	0.25	02/16/1999	0.0445	ug/kg	TCDD_	
CMS-126	3428-CMS-126D	0.25	02/16/1999	0.0444	ug/kg	TCDD_	
CMS-126	3428-CMS-126	0.25	02/16/1999	0.0443	ug/kg	TCDD_	
CMS-444	CMS-444-A	0.50	07/14/1999	0.044J	ug/kg	8280	
CMS-507	CMS-507-A	0.50	08/12/1999	0.0434	ug/kg	8290	
CMS-059	3428-CMS-059	0.25	02/16/1999	0.0421	ug/kg	TCDD_	
CMS-435	CMS-435-A	0.50	07/13/1999	0.042J	ug/kg	8280	
CMS-153	CMS-153-D	3.50	06/22/1999	0.041J	ug/kg	8280	
CMS-153	3428-CMS-153	0.25	02/16/1999	0.0408	ug/kg	TCDD_	
CMS-406	CMS-406-C-QC	2.50	06/29/1999	0.0407	ug/kg	8280	
CMS-029	3428-CMS-029	0.25	02/16/1999	0.0405	ug/kg	TCDD_	
CMS-436	CMS-436-A	0.50	07/13/1999	0.04J	ug/kg	8280	
CMS-127	3428-CMS-127	0.25	02/16/1999	0.039	ug/kg	TCDD_	
CMS-412	CMS-412-A	0.50	06/25/1999	0.039J	ug/kg	8280	
CMS-423	CMS-423-B	1.50	07/07/1999	0.039J	ug/kg	8280	
CMS-096	3428-CMS-096	0.25	02/16/1999	0.0385	ug/kg	TCDD_	
CMS-018	3428-CMS-018	0.25	02/17/1999	0.0381	ug/kg	TCDD_	
CMS-021	CMS-021-E	4.50	07/15/1999	0.038J	ug/kg	8280	
CMS-426	CMS-426-F	5.50	07/07/1999	0.038J	ug/kg	8280	
CMS-426	CMS-426-E	4.50	07/07/1999	0.037J	ug/kg	8280	
CMS-437	CMS-437-A	0.50	07/13/1999	0.037J	ug/kg	8280	
CMS-079	3428-CMS-079	0.25	02/16/1999	0.0358	ug/kg	TCDD_	
CMS-492	CMS-492-A	0.50	07/30/1999	0.0352	ug/kg	8290	
CMS-019	CMS-019-A	0.50	07/14/1999	0.034J	ug/kg	8280	
CMS-019	HA09-FD	1.50	07/14/1999	0.033J	ug/kg	8280	
CMS-009	3428-CMS-009	0.25	02/17/1999	0.0322	ug/kg	TCDD_	
CMS-125	3428-CMS-125	0.25	02/16/1999	0.0319	ug/kg	TCDD_	
CMS-174	3428-CMS-174	0.25	02/17/1999	0.0308	ug/kg	TCDD_	
CMS-432	CMS-432-C-QC	2.50	07/09/1999	0.0281	ug/kg	8280	
CMS-073	3428-CMS-073	0.25	02/16/1999	0.028	ug/kg	TCDD_	
CMS-504	CMS-504-A-QC	0.50	08/13/1999	0.028	ug/kg	8290	
CMS-004	3428-CMS-004D	0.25	02/17/1999	0.0271	ug/kg	TCDD_	
CMS-405	CMS-405-C-QC	2.50	06/23/1999	0.0271	ug/kg	8280	
CMS-001	3428-CMS-001	0.25	02/17/1999	0.0261	ug/kg	TCDD_	
CMS-504	CMS-504-A	0.50	08/12/1999	0.0259	ug/kg	8290	
CMS-014	3428-CMS-014	0.25	02/17/1999	0.0256	ug/kg	TCDD_	
CMS-461	CMS-461-A	0.50	07/27/1999	0.0244	ug/kg	8290	
CMS-096	3428-CMS-096D	0.25	02/16/1999	0.024	ug/kg	TCDD_	
CMS-114	3428-CMS-114	0.25	02/17/1999	0.0235	ug/kg	TCDD_	
CMS-114	3428-CMS-114D	0.25	02/17/1999	0.0232	ug/kg	TCDD_	
CMS-119	3428-CMS-119	0.25	02/17/1999	0.0229	ug/kg	TCDD_	
CMS-500	HA16-FD	0.50	08/12/1999	0.0227J	ug/kg	8290	
CMS-151	3428-CMS-151	0.25	02/17/1999	0.0224	ug/kg	TCDD_	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)

SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-215	CMS-215-C-1-Q	2.50	07/22/1999	0.022	ug/kg	8280	
CMS-179	3428-CMS-179	0.25	02/17/1999	0.0217	ug/kg	TCDD_	
CMS-481	CMS-481-A	0.50	07/30/1999	0.0217J	ug/kg	8290	
CMS-506	CMS-506-A	0.50	08/12/1999	0.0212	ug/kg	8290	
CMS-501	CMS-501-A	0.50	08/12/1999	0.02	ug/kg	8290	
CMS-132	3428-CMS-132	0.25	02/16/1999	0.0194	ug/kg	TCDD_	
CMS-503	CMS-503-A	0.50	08/12/1999	0.0192	ug/kg	8290	
CMS-001	3428-CMS-001D	0.25	02/17/1999	0.019	ug/kg	TCDD_	
CMS-010	3428-CMS-010	0.25	02/17/1999	0.0189	ug/kg	TCDD_	
CMS-004	3428-CMS-004	0.25	02/17/1999	0.0186	ug/kg	TCDD_	
CMS-128	3428-CMS-128	0.25	02/16/1999	0.0178	ug/kg	TCDD_	
CMS-500	CMS-500-A	0.50	08/12/1999	0.0168J	ug/kg	8290	
CMS-463	CMS-463-A	0.50	07/27/1999	0.016	ug/kg	8290	
CMS-508	CMS-508-A	0.50	08/12/1999	0.0157	ug/kg	8290	
CMS-026	3428-CMS-026	0.25	02/16/1999	0.0155	ug/kg	TCDD_	
CMS-463	CMS-463-A-QC	0.50	07/27/1999	0.015	ug/kg	8290	
CMS-008	3428-CMS-008	0.25	02/17/1999	0.0149	ug/kg	TCDD_	
CMS-006	3428-CMS-006	0.25	02/17/1999	0.0146	ug/kg	TCDD_	
CMS-136	3428-CMS-136	0.25	02/17/1999	0.0142	ug/kg	TCDD_	
AD-03	AD-03-A	0.50	07/20/1999	0.014	ug/kg	8290	
CMS-090	3428-CMS-090	0.25	02/17/1999	0.0133	ug/kg	TCDD_	
CMS-100	3428-CMS-100	0.25	02/17/1999	0.0124	ug/kg	TCDD_	
CMS-062	3428-CMS-062	0.25	02/16/1999	0.012	ug/kg	TCDD_	
CMS-180	3428-CMS-180	0.25	02/17/1999	0.0112	ug/kg	TCDD_	
CMS-462	CMS-462-A	0.50	07/27/1999	0.0105	ug/kg	8290	
CMS-035	3428-CMS-035	0.25	02/17/1999	0.0103	ug/kg	TCDD_	
CMS-505	CMS-505-A	0.50	08/12/1999	0.0096	ug/kg	8290	
CMS-078	3428-CMS-078D	0.25	02/16/1999	0.00925	ug/kg	TCDD_	
CMS-068	3428-CMS-068	0.25	02/16/1999	0.00851	ug/kg	TCDD_	
CMS-068	3428-CMS-068D	0.25	02/16/1999	0.00841	ug/kg	TCDD_	
CMS-003	3428-CMS-003	0.25	02/17/1999	0.00781	ug/kg	TCDD_	
CMS-037	3428-CMS-037	0.25	02/16/1999	0.00759	ug/kg	TCDD_	
CMS-480	CMS-480-A	0.50	07/29/1999	0.00753	ug/kg	8290	
CMS-482	CMS-482-A	0.50	07/30/1999	0.00732J	ug/kg	8290	
CMS-468	CMS-468-A	0.50	07/27/1999	0.00695	ug/kg	8290	
AD-04	AD-04-C	9.50	07/19/1999	0.0065	ug/kg	8290	
CMS-078	3428-CMS-078	0.25	02/16/1999	0.00609	ug/kg	TCDD_	
CMS-469	CMS-469-A	0.50	07/27/1999	0.00581	ug/kg	8290	
CMS-047	3428-CMS-047	0.25	02/16/1999	0.00545	ug/kg	TCDD_	
CMS-230	3428-CMS-230	0.25	02/17/1999	0.00531	ug/kg	TCDD_	
CMS-038	3428-CMS-038	0.25	02/16/1999	0.00527	ug/kg	TCDD_	
CMS-460	CMS-460-A	0.50	07/27/1999	0.00449	ug/kg	8290	
CMS-484	CMS-484-C-QC	2.50	07/30/1999	0.0044	ug/kg	8290	
CMS-137	3428-CMS-137	0.25	02/17/1999	0.00413	ug/kg	TCDD_	
CMS-072	3428-CMS-072	0.25	02/16/1999	0.004	ug/kg	TCDD_	
CMS-479	CMS-479-A	0.50	07/29/1999	0.00397	ug/kg	8290	
AD-02	AD-02-C	11.5	07/21/1999	0.0039	ug/kg	8290	
CMS-486	CMS-486-A	0.50	07/30/1999	0.00376J	ug/kg	8290	
CMS-484	CMS-484-B	1.50	07/30/1999	0.00359J	ug/kg	8290	
CMS-053	3428-CMS-053	0.25	02/16/1999	0.00312	ug/kg	TCDD_	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-220	3428-CMS-220	0.25	02/16/1999	0.00286	ug/kg	TCDD_	
CMS-048	3428-CMS-048	0.25	02/16/1999	0.00266	ug/kg	TCDD_	
CMS-034	3428-CMS-034	0.25	02/16/1999	0.00262	ug/kg	TCDD_	
CMS-464	HA12-FD	0.50	07/27/1999	0.00261	ug/kg	8290	
AD-01	AD-01-B	9.50	07/22/1999	0.0025	ug/kg	8290	
CMS-491	CMS-491-A	0.50	07/30/1999	0.00241	ug/kg	8290	
CMS-044	3428-CMS-044	0.25	02/16/1999	0.0023	ug/kg	TCDD_	
CMS-052	3428-CMS-052D	0.25	02/16/1999	0.00227	ug/kg	TCDD_	
CMS-485	CMS-485-A	0.50	07/30/1999	0.00226J	ug/kg	8290	
CMS-041	3428-CMS-041	0.25	02/16/1999	0.00214	ug/kg	TCDD_	
CMS-071	3428-CMS-071	0.25	02/16/1999	0.00177	ug/kg	TCDD_	
CMS-464	CMS-464-A	0.50	07/27/1999	0.00162	ug/kg	8290	
CMS-065	3428-CMS-065	0.25	02/16/1999	0.00153	ug/kg	TCDD_	
CMS-054	3428-CMS-054	0.25	02/16/1999	0.00141	ug/kg	TCDD_	
AD-01	AD-01-C	11.2	07/22/1999	0.0014	ug/kg	8290	
CMS-224	3428-CMS-224	0.25	02/16/1999	0.00117	ug/kg	TCDD_	
CMS-484	HA14-FD	1.50	07/30/1999	0.00115J	ug/kg	8290	
CMS-071	3428-CMS-071D	0.25	02/16/1999	0.001	ug/kg	TCDD_	
CMS-229	3428-CMS-229	0.25	02/17/1999	0.000988	ug/kg	TCDD_	
CMS-070	3428-CMS-070	0.25	02/16/1999	0.00071	ug/kg	TCDD_	
AD-02	AD-02-A	0.50	07/21/1999	0.00068J	ug/kg	8290	
AD-02	AD-02-B	8.00	07/21/1999	< 0.00049U	ug/kg	8290	
AD-03	AD-03-C	6.50	07/20/1999	< 0.0004U	ug/kg	8290	
CMS-019	CMS-019-B	1.50	07/14/1999	< 0.031U	ug/kg	8280	
CMS-019	CMS-019-B-QC	1.50	07/14/1999	< 0.0092U	ug/kg	8280	
CMS-019	CMS-019-C	2.50	07/14/1999	< 0.021U	ug/kg	8280	
CMS-019	CMS-019-D	3.50	07/14/1999	< 0.023U	ug/kg	8280	
CMS-021	CMS-021-C	2.50	07/14/1999	< 0.029U	ug/kg	8280	
CMS-021	CMS-021-D	3.50	07/15/1999	< 0.0094U	ug/kg	8280	
CMS-021	CMS-021-F	5.50	07/15/1999	< 0.03U	ug/kg	8280	
CMS-051	CMS-051-C	2.50	07/02/1999	< 0.041U	ug/kg	8280	
CMS-060	CMS-060-D	3.50	06/30/1999	< 0.037UJ	ug/kg	8280	
CMS-069	CMS-069-D	3.50	06/30/1999	< 0.021U	ug/kg	8280	
CMS-069	CMS-069-H	7.50	06/30/1999	< 0.056U	ug/kg	8280	
CMS-074	CMS-074-C	2.50	06/29/1999	< 0.066U	ug/kg	8280	
CMS-075	CMS-075-D	3.50	06/30/1999	< 0.017U	ug/kg	8280	
CMS-076	CMS-076-A	0.50	06/29/1999	< 0.014U	ug/kg	8280	
CMS-076	CMS-076-B	1.50	06/29/1999	< 0.0072U	ug/kg	8280	
CMS-076	CMS-076-C	2.50	06/29/1999	< 0.034U	ug/kg	8280	
CMS-081	CMS-081-A	0.50	06/29/1999	< 0.0062U	ug/kg	8280	
CMS-081	CMS-081-B	1.50	06/29/1999	< 0.011U	ug/kg	8280	
CMS-082	CMS-082-A	0.50	06/29/1999	< 0.0025U	ug/kg	8280	
CMS-082	CMS-082-B	1.50	06/29/1999	< 0.012U	ug/kg	8280	
CMS-147	CMS-147-B	1.50	06/24/1999	< 0.23U	ug/kg	8280	
CMS-147	CMS-147-C	2.50	06/24/1999	< 6.0U	ug/kg	8280	
CMS-150	CMS-150-B	1.50	06/25/1999	< 0.034U	ug/kg	8280	
CMS-152	CMS-152-B	1.50	06/21/1999	< 0.0098U	ug/kg	8280	
CMS-152	CMS-152-C	2.50	06/21/1999	< 0.037U	ug/kg	8280	
CMS-153	CMS-153-B-QC	1.50	06/22/1999	< 0.0248U	ug/kg	8280	
CMS-153	CMS-153-E	4.50	06/22/1999	< 0.0043U	ug/kg	8280	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-153	CMS-153-F	5.50	06/22/1999	< 0.0021U	ug/kg	8280	
CMS-154	CMS-154-B	1.50	06/22/1999	< 0.69U	ug/kg	8280	
CMS-154	CMS-154-C	2.50	06/22/1999	< 0.049U	ug/kg	8280	
CMS-155	CMS-155-E	4.50	07/02/1999	< 0.41U	ug/kg	8280	
CMS-155	CMS-155-F	5.50	07/02/1999	< 0.65U	ug/kg	8280	
CMS-210	CMS-210-B	1.50	07/12/1999	< 0.041U	ug/kg	8280	
CMS-215	CMS-215-C-1	2.50	07/22/1999	< 0.013U	ug/kg	8280	
CMS-232	CMS-232-A	0.50	06/29/1999	< 0.0086U	ug/kg	8280	
CMS-232	CMS-232-B	1.50	06/29/1999	< 0.011U	ug/kg	8280	
CMS-239	CMS-239-B	1.50	06/23/1999	< 2.3U	ug/kg	8280	
CMS-400	CMS-400-B	1.50	06/21/1999	< 0.13UJ	ug/kg	8280	
CMS-400	CMS-400-C	2.50	06/21/1999	< 0.56UJ	ug/kg	8280	
CMS-400	CMS-400-D	3.50	06/21/1999	< 0.065U	ug/kg	8280	
CMS-400	CMS-400-E	4.50	06/21/1999	< 0.03U	ug/kg	8280	
CMS-400	CMS-400-F	5.50	06/21/1999	< 0.013U	ug/kg	8280	
CMS-401	CMS-401-A	0.50	06/22/1999	< 0.012U	ug/kg	8280	
CMS-401	CMS-401-B	1.50	06/22/1999	< 0.092UJ	ug/kg	8280	
CMS-401	CMS-401-C	2.50	06/22/1999	< 0.47UJ	ug/kg	8280	
CMS-401	CMS-401-D	3.50	06/22/1999	< 0.065UJ	ug/kg	8280	
CMS-402	CMS-402-A	0.50	06/22/1999	< 0.017U	ug/kg	8280	
CMS-402	CMS-402-B	1.50	06/22/1999	< 0.01U	ug/kg	8280	
CMS-402	CMS-402-D	3.50	06/22/1999	< 0.22U	ug/kg	8280	
CMS-402	CMS-402-E	4.50	06/22/1999	< 0.0084UJ	ug/kg	8280	
CMS-402	CMS-402-F	5.50	06/22/1999	< 0.011U	ug/kg	8280	
CMS-403	CMS-403-A	0.50	06/22/1999	< 0.3U	ug/kg	8280	
CMS-403	CMS-403-B	1.50	06/22/1999	< 0.0088U	ug/kg	8280	
CMS-403	CMS-403-C	2.50	06/22/1999	< 0.0078U	ug/kg	8280	
CMS-403	CMS-403-D	3.50	06/22/1999	< 0.0084U	ug/kg	8280	
CMS-403	CMS-403-E	4.50	06/22/1999	< 0.0058U	ug/kg	8280	
CMS-404	CMS-404-B	1.50	06/22/1999	< 0.016U	ug/kg	8280	
CMS-404	CMS-404-C	2.50	06/22/1999	< 0.0066U	ug/kg	8280	
CMS-404	CMS-404-D	3.50	06/22/1999	< 0.02U	ug/kg	8280	
CMS-404	CMS-404-E	4.50	06/22/1999	< 0.0078U	ug/kg	8280	
CMS-404	CMS-404-F	5.50	06/22/1999	< 0.0091U	ug/kg	8280	
CMS-405	CMS-405-A	0.50	06/23/1999	< 0.0017U	ug/kg	8280	
CMS-405	CMS-405-B	1.50	06/23/1999	< 0.04UJ	ug/kg	8280	
CMS-405	CMS-405-C	2.50	06/23/1999	< 0.1U	ug/kg	8280	
CMS-405	CMS-405-D	3.50	06/23/1999	< 0.005U	ug/kg	8280	
CMS-405	CMS-405-E	4.50	06/23/1999	< 0.0024U	ug/kg	8280	
CMS-406	CMS-406-A	0.50	06/29/1999	< 0.0055U	ug/kg	8280	
CMS-406	CMS-406-B	1.50	06/29/1999	< 0.025U	ug/kg	8280	
CMS-406	CMS-406-C	2.50	06/29/1999	< 0.0054U	ug/kg	8280	
CMS-406	CMS-406-D	3.50	06/29/1999	< 0.019U	ug/kg	8280	
CMS-407	CMS-407-A	0.50	06/28/1999	< 0.011U	ug/kg	8280	
CMS-407	CMS-407-B	1.50	06/28/1999	< 0.017U	ug/kg	8280	
CMS-407	CMS-407-C	2.50	06/28/1999	< 0.016U	ug/kg	8280	
CMS-408	CMS-408-A	0.50	06/28/1999	< 0.015U	ug/kg	8280	
CMS-408	CMS-408-B	1.50	06/28/1999	< 0.13U	ug/kg	8280	
CMS-408	CMS-408-C	2.50	06/28/1999	< 0.019U	ug/kg	8280	
CMS-409	CMS-409-B	1.50	06/23/1999	< 0.093UJ	ug/kg	8280	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-409	CMS-409-C	2.50	06/23/1999	< 0.04U	ug/kg	8280	
CMS-409	CMS-409-D	3.50	06/23/1999	< 0.0049U	ug/kg	8280	
CMS-409	CMS-409-E	4.50	06/23/1999	< 0.0084U	ug/kg	8280	
CMS-409	CMS-409-F	5.50	06/23/1999	< 0.0036U	ug/kg	8280	
CMS-409	CMS-409-F-QC	5.50	06/23/1999	< 0.0113U	ug/kg	8280	
CMS-410	CMS-410-A	0.50	06/24/1999	< 1.2U	ug/kg	8280	
CMS-410	CMS-410-C	2.50	06/24/1999	< 2.7U	ug/kg	8280	
CMS-410	CMS-410-D	3.50	06/24/1999	< 0.36U	ug/kg	8280	
CMS-410	CMS-410-E	4.50	06/24/1999	< 0.29U	ug/kg	8280	
CMS-410	CMS-410-F	5.50	06/24/1999	< 0.049U	ug/kg	8280	
CMS-411	CMS-411-A	0.50	06/24/1999	< 0.011U	ug/kg	8280	
CMS-411	CMS-411-B	1.50	06/24/1999	< 0.01U	ug/kg	8280	
CMS-411	CMS-411-C	2.50	06/24/1999	< 0.14U	ug/kg	8280	
CMS-411	CMS-411-D	3.50	06/24/1999	< 0.015U	ug/kg	8280	
CMS-411	CMS-411-E	4.50	06/24/1999	< 0.014U	ug/kg	8280	
CMS-412	CMS-412-C	2.50	06/25/1999	< 0.0093U	ug/kg	8280	
CMS-412	CMS-412-D	3.50	06/25/1999	< 0.011U	ug/kg	8280	
CMS-413	CMS-413-C	2.50	06/25/1999	< 0.023U	ug/kg	8280	
CMS-414	CMS-414-B	1.50	06/25/1999	< 0.014U	ug/kg	8280	
CMS-414	CMS-414-C	2.50	06/25/1999	< 0.019U	ug/kg	8280	
CMS-414	CMS-414-D	3.50	06/25/1999	< 0.038U	ug/kg	8280	
CMS-415	CMS-415-B	1.50	06/25/1999	< 0.03U	ug/kg	8280	
CMS-415	CMS-415-C	2.50	06/25/1999	< 0.015U	ug/kg	8280	
CMS-415	CMS-415-D	3.50	06/25/1999	< 0.04U	ug/kg	8280	
CMS-416	CMS-416-D	3.50	06/25/1999	< 0.0057U	ug/kg	8280	
CMS-416	CMS-416-D-QC	3.50	06/25/1999	< 0.006U	ug/kg	8280	
CMS-419	CMS-419-A	0.50	07/07/1999	< 0.19U	ug/kg	8280	
CMS-419	CMS-419-B	1.50	07/07/1999	< 0.12U	ug/kg	8280	
CMS-419	CMS-419-B-QC	1.50	07/07/1999	< 0.1539UJ	ug/kg	8280	
CMS-419	CMS-419-C	2.50	07/07/1999	< 0.16U	ug/kg	8280	
CMS-419	CMS-419-D	3.50	07/07/1999	< 0.03U	ug/kg	8280	
CMS-419	CMS-419-E	4.50	07/07/1999	< 0.013U	ug/kg	8280	
CMS-419	CMS-419-F	5.50	07/07/1999	< 0.0046U	ug/kg	8280	
CMS-419	CMS-419-G	6.50	07/07/1999	< 0.096U	ug/kg	8280	
CMS-419	CMS-419-H	7.50	07/07/1999	< 0.012U	ug/kg	8280	
CMS-420	CMS-420-A	0.50	07/02/1999	< 0.031U	ug/kg	8280	
CMS-420	CMS-420-B	1.50	07/02/1999	< 0.019U	ug/kg	8280	
CMS-420	CMS-420-C	2.50	07/02/1999	< 2.9U	ug/kg	8280	
CMS-420	CMS-420-C-QC	2.50	07/02/1999	< 0.6429U	ug/kg	8280	
CMS-420	CMS-420-D	3.50	07/02/1999	< 6.8U	ug/kg	8280	
CMS-421	CMS-421-A	0.50	07/08/1999	< 0.0047U	ug/kg	8280	
CMS-421	CMS-421-B	1.50	07/08/1999	< 0.21U	ug/kg	8280	
CMS-421	CMS-421-C	2.50	07/08/1999	< 0.32U	ug/kg	8280	
CMS-421	CMS-421-C-QC	2.50	07/08/1999	< 0.0491U	ug/kg	8280	
CMS-421	CMS-421-D	3.50	07/08/1999	< 0.0089U	ug/kg	8280	
CMS-421	CMS-421-E	4.50	07/08/1999	< 0.0034U	ug/kg	8280	
CMS-421	CMS-421-F	5.50	07/08/1999	< 0.0054U	ug/kg	8280	
CMS-421	CMS-421-G	6.50	07/08/1999	< 0.018U	ug/kg	8280	
CMS-421	CMS-421-H	7.50	07/08/1999	< 0.026U	ug/kg	8280	
CMS-422	CMS-422-A	0.50	07/02/1999	< 0.061U	ug/kg	8280	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-422	CMS-422-C	2.50	07/02/1999	< 0.0067U	ug/kg	8280	
CMS-422	CMS-422-D	3.50	07/02/1999	< 0.033U	ug/kg	8280	
CMS-423	CMS-423-A	0.50	07/07/1999	< 0.012U	ug/kg	8280	
CMS-423	CMS-423-C	2.50	07/07/1999	< 0.0052U	ug/kg	8280	
CMS-423	CMS-423-E	4.50	07/07/1999	< 0.0076U	ug/kg	8280	
CMS-423	CMS-423-F	5.50	07/07/1999	< 0.0098U	ug/kg	8280	
CMS-423	CMS-423-G	6.50	07/07/1999	< 0.011U	ug/kg	8280	
CMS-423	CMS-423-H	7.50	07/07/1999	< 0.0049U	ug/kg	8280	
CMS-424	CMS-424-A	0.50	07/02/1999	< 0.0082U	ug/kg	8280	
CMS-424	CMS-424-B	1.50	07/02/1999	< 0.024U	ug/kg	8280	
CMS-424	CMS-424-C	2.50	07/02/1999	< 0.02U	ug/kg	8280	
CMS-424	CMS-424-D	3.50	07/02/1999	< 0.0068U	ug/kg	8280	
CMS-424	CMS-424-E	4.50	07/02/1999	< 0.008U	ug/kg	8280	
CMS-424	CMS-424-F	5.50	07/02/1999	< 0.0086U	ug/kg	8280	
CMS-424	CMS-424-G	6.50	07/02/1999	< 0.014U	ug/kg	8280	
CMS-424	CMS-424-H	7.50	07/02/1999	< 0.0086U	ug/kg	8280	
CMS-425	CMS-425-C	2.50	07/08/1999	< 0.13U	ug/kg	8280	
CMS-425	CMS-425-D	3.50	07/08/1999	< 0.055U	ug/kg	8280	
CMS-425	CMS-425-E	4.50	07/08/1999	< 0.044U	ug/kg	8280	
CMS-425	CMS-425-F	5.50	07/08/1999	< 0.03U	ug/kg	8280	
CMS-425	CMS-425-G	6.50	07/08/1999	< 0.019U	ug/kg	8280	
CMS-425	CMS-425-H	7.50	07/08/1999	< 0.049U	ug/kg	8280	
CMS-427	CMS-427-B	1.50	07/06/1999	< 1.2U	ug/kg	8280	
CMS-427	CMS-427-C	2.50	07/06/1999	< 0.0048U	ug/kg	8280	
CMS-427	CMS-427-E	4.50	07/06/1999	< 0.43U	ug/kg	8280	
CMS-427	CMS-427-G	6.50	07/06/1999	< 0.012U	ug/kg	8280	
CMS-427	CMS-427-H	7.50	07/06/1999	< 0.017U	ug/kg	8280	
CMS-428	CMS-428-A	0.50	07/20/1999	< 0.097U	ug/kg	8280	
CMS-428	CMS-428-B	1.50	07/20/1999	< 0.018U	ug/kg	8280	
CMS-428	CMS-428-C	2.50	07/20/1999	< 0.037U	ug/kg	8280	
CMS-428	CMS-428-D	3.50	07/20/1999	< 0.045U	ug/kg	8280	
CMS-428	CMS-428-E	4.50	07/20/1999	< 0.027U	ug/kg	8280	
CMS-428	CMS-428-E-QC	4.50	07/20/1999	< 0.0083	ug/kg	8280	
CMS-428	CMS-428-F	5.50	07/20/1999	< 0.042U	ug/kg	8280	
CMS-429	CMS-429-A	0.50	07/08/1999	< 0.0041U	ug/kg	8280	
CMS-429	CMS-429-B	1.50	07/08/1999	< 0.018U	ug/kg	8280	
CMS-429	CMS-429-C	2.50	07/08/1999	< 0.012U	ug/kg	8280	
CMS-429	CMS-429-D	3.50	07/08/1999	< 0.015U	ug/kg	8280	
CMS-429	CMS-429-E	4.50	07/08/1999	< 0.0096UJ	ug/kg	8280	
CMS-429	CMS-429-F	5.50	07/07/1999	< 0.061U	ug/kg	8280	
CMS-429	CMS-429-G	6.50	07/07/1999	< 0.032U	ug/kg	8280	
CMS-429	CMS-429-H	7.50	07/08/1999	< 0.033U	ug/kg	8280	
CMS-430	CMS-430-A	0.50	07/09/1999	< 0.34U	ug/kg	8280	
CMS-430	CMS-430-B	1.50	07/09/1999	< 0.53U	ug/kg	8280	
CMS-430	CMS-430-C	2.50	07/09/1999	< 0.031U	ug/kg	8280	
CMS-431	CMS-431-B	1.50	07/09/1999	< 0.46UJ	ug/kg	8280	
CMS-431	CMS-431-C	2.50	07/09/1999	< 0.18UJ	ug/kg	8280	
CMS-432	CMS-432-B	1.50	07/09/1999	< 0.087U	ug/kg	8280	
CMS-432	CMS-432-C	2.50	07/09/1999	< 0.036U	ug/kg	8280	
CMS-432	CMS-432-E	4.50	07/09/1999	< 0.014U	ug/kg	8280	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-433	CMS-433-A	0.50	07/09/1999	< 0.27U	ug/kg	8280	
CMS-433	CMS-433-B	1.50	07/09/1999	< 0.034U	ug/kg	8280	
CMS-433	CMS-433-D	3.50	07/09/1999	< 0.3U	ug/kg	8280	
CMS-434	CMS-434-A	0.50	07/13/1999	< 0.008U	ug/kg	8280	
CMS-436	CMS-436-B	1.50	07/13/1999	< 0.027U	ug/kg	8280	
CMS-437	CMS-437-B	1.50	07/13/1999	< 0.027U	ug/kg	8280	
CMS-438	CMS-438-B	1.50	07/13/1999	< 0.033U	ug/kg	8280	
CMS-439	CMS-439-A	0.50	07/13/1999	< 0.012U	ug/kg	8280	
CMS-439	CMS-439-B	1.50	07/13/1999	< 0.012U	ug/kg	8280	
CMS-440	CMS-440-A	0.50	07/13/1999	< 0.046U	ug/kg	8280	
CMS-442	CMS-442-A	0.50	07/13/1999	< 0.021U	ug/kg	8280	
CMS-448	CMS-448-D	3.50	07/20/1999	< 0.024U	ug/kg	8280	
CMS-448	CMS-448-E	4.50	07/20/1999	< 0.033U	ug/kg	8280	
CMS-448	CMS-448-F	5.50	07/20/1999	< 0.27U	ug/kg	8280	
CMS-449	CMS-449-E	4.50	07/20/1999	< 0.22U	ug/kg	8280	
CMS-449	CMS-449-F	5.50	07/20/1999	< 0.13U	ug/kg	8280	
CMS-449	CMS-449-G	6.50	07/20/1999	< 0.11U	ug/kg	8280	
CMS-449	CMS-449-H	7.50	07/20/1999	< 0.068U	ug/kg	8280	
CMS-449	CMS-449-I	8.50	07/20/1999	< 0.038U	ug/kg	8280	
CMS-449	CMS-449-J	9.50	07/20/1999	< 0.039U	ug/kg	8280	
CMS-450	CMS-450-H	7.50	07/21/1999	< 0.032U	ug/kg	8280	
CMS-450	CMS-450-I	8.50	07/21/1999	< 0.023U	ug/kg	8280	
CMS-450	CMS-450-J	9.50	07/21/1999	< 0.021U	ug/kg	8280	
CMS-451	CMS-451-E	4.50	07/20/1999	< 3.3U	ug/kg	8280	
CMS-451	CMS-451-G	6.50	07/20/1999	< 0.75U	ug/kg	8280	
CMS-451	CMS-451-I	8.50	07/20/1999	< 0.24U	ug/kg	8280	
CMS-451	CMS-451-J	9.50	07/20/1999	< 0.13U	ug/kg	8280	
CMS-452	CMS-452-F	5.50	07/21/1999	< 0.031U	ug/kg	8280	
CMS-452	CMS-452-G	6.50	07/21/1999	< 0.026U	ug/kg	8280	
CMS-452	CMS-452-H	7.50	07/21/1999	< 0.019U	ug/kg	8280	
CMS-454	CMS-454-C	2.50	07/21/1999	< 0.037U	ug/kg	8280	
CMS-454	CMS-454-F	5.50	07/21/1999	< 0.028U	ug/kg	8280	
CMS-455	CMS-455-C	2.50	07/19/1999	< 0.097U	ug/kg	8280	
CMS-455	CMS-455-D	3.50	07/19/1999	< 0.028U	ug/kg	8280	
CMS-455	CMS-455-E	4.50	07/19/1999	< 0.12U	ug/kg	8280	
CMS-455	CMS-455-F	5.50	07/19/1999	< 0.14U	ug/kg	8280	
CMS-455	CMS-455-G	6.50	07/19/1999	< 0.029U	ug/kg	8280	
CMS-455	CMS-455-H	7.50	07/19/1999	< 0.044U	ug/kg	8280	
CMS-455	CMS-455-I	8.50	07/19/1999	< 0.018U	ug/kg	8280	
CMS-455	CMS-455-J	9.50	07/19/1999	< 0.057U	ug/kg	8280	
CMS-473	CMS-473-A	0.50	07/29/1999	<	ug/kg	8290	
CMS-475	CMS-475-A	0.50	07/29/1999	< 0.00276UJ	ug/kg	8290	
CMS-484	CMS-484-A	0.50	07/30/1999	< 0.00051UJ	ug/kg	8290	
CMS-484	CMS-484-C	2.50	07/30/1999	<	ug/kg	8290	
CMS-488	CMS-488-A	0.50	07/30/1999	<	ug/kg	8290	
CMS-702	CMS-702-A	0.50	11/05/1999	< 0.04U	ug/kg	8280	
CMS-410	GP03-FD	4.50	06/24/1999	< 0.15U	ug/kg	8280	
CMS-405	GP04-FD	1.50	06/23/1999	< 0.093UJ	ug/kg	8280	
CMS-409	GP05-FD	4.50	06/23/1999	< 0.0048U	ug/kg	8280	
CMS-406	GP08-FD	1.50	06/29/1999	< 0.029U	ug/kg	8280	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation

2,3,7,8-TCDD
(1746-01-6)

(Continued)

Comparison to Standards (ppb)
SITE ACTION LEVEL

Site Id	Sample ID	Depth	Date	Result	Units	Method	1
CMS-060	GP09-FD	0.50	06/30/1999	< 0.047U	ug/kg	8280	
CMS-420	GP11-FD	1.50	07/02/1999	< 0.0087U	ug/kg	8280	
CMS-162	GP12-FD	3.50	07/02/1999	< 0.61U	ug/kg	8280	
CMS-423	GP13-FD	3.50	07/07/1999	< 0.021U	ug/kg	8280	
CMS-455	GP17-FD	5.50	07/19/1999	< 0.073U	ug/kg	8280	
CMS-428	GP18-FD	2.50	07/20/1999	< 0.023U	ug/kg	8280	
CMS-238	HA02-FD	1.50	06/23/1999	< 0.33U	ug/kg	8280	
CMS-435	HA08-FD	0.50	07/13/1999	< 0.027U	ug/kg	8280	

NOTES:

J = The compound/analyte result is considered estimated based on quality assurance/quality control exceedance(s).

X = Denotes exceedance of applicable standard.

If the result is non-detect then it indicates the practical quantitation limit is higher than the standard and therefore the data cannot be used to assess if the actual concentration is below the standard.

RI Residential Standards Source:

Table 1 Direct Exposure Criteria, Remediation Regulations,
DEM-DSR-01-93, 31 March 1993, amended August 1996, Division of Site Remediation Department of Environmental Management,
State of Rhode Island and Providence Plantation