Superfund Records Center
SITE: centredale
BREAK: 3.2
OTHER: 35738

Battelle
. . . Putting Technology To Work

US ARMY CORPS
OF ENGINEERS
New England District

Contract No. DACW33-01-D-0004
Delivery Order No. 01
September 2002

Task 22A Post-Third Party Validated Diet Tissue Chemistry Data Report

CENTREDALE MANOR RESTORATION PROJECT SUPERFUND SITE HUMAN HEALTH AND BASELINE RISK ASSESSMENTS

SDMS DocID 35738

Section 1
Dioxin/Furan, HCX and TCX Results

QA/QC Narratives
Diet Tissue and QC Results

QA/QC Narratives

DIOXIN/FURAN QA/QC SUMMARY
QC Batch 49038-21 – Crayfish and Emerging Insects

PROJECT: USACE NAE Delivery Order #01 Centredale

PARAMETER: Dioxin/Furan/TCX/HCX by High Resolution Mass Spectrometry (HRMS)

LABORATORY: Battelle, Columbus, OH

MATRIX: Crayfish and emerging insect tissue

SAMPLE CUSTODY: 14 crayfish and emerging insect tissues processed in this batch were received on August 31, 2001. Samples were extracted on September 19 and 28 (re-extracted one sample), 2001 and initial analysis occurred from September 29 - October 10, 2001. The crayfish and emerging insect tissue samples were processed for Dioxin/Furan/TCX/HCX analyses.

Samples were received in good condition and the cooler temperature upon receipt was 0.8°C.

QA/QC MEASUREMENT PERFORMANCE CRITERIA:

	Reference Method	Blank	Surrogate Recovery	LCS/MS Recovery	SRM % Diff.	MS/MSD Replicate Relative Precision	Achieved RL (pg/g wet)	Project Goals [e] (pg/g wet)
Dioxin/ Furan/ HCX/ TCX	L-23 Battelle SOP ASAT.II-001-02	<5× MDL, or associated samples > 10× blank values	25-150% Recovery	*LCS*: Method 1613B, Table 6 OPR[a] *MS:* 50-120% Recovery [b]	≤30% PD[c]	≤30% RPD[b, d]	Tetras 0.50 – 9.47	TCX: N/A Tetras : 0.0007 – 0.0616
							Penta-Hepta and TCX: 2.47 – 49.33	Penta-Hepta: 0.0007 – 0.616
							Octas: 4.95 – 94.66	Octas: 7-61.6
							HCX: 19.79 – 378.64	HCX: 0.0007 – 0.00616

[a] Method 1613B, Table 6 OPR requirements documented on LCS summary report table.
[b] Analyte concentration in MS/MSD must be >5× background to be used for data quality assessment.
[c] Certified values must be >5× the MDL.
[d] *Sample replicate precision:* concentrations in sample replicate must be >10× the MDL.
[e] Range of action goals from Centredale Manor Tasks QAPP page 84 of 509

DIOXIN/FURAN QA/QC SUMMARY
QC Batch 49038-21 – Crayfish and Emerging Insects

METHOD: Crayfish and emerging insect tissue samples were processed and analyzed for seventeen 2,3,7,8-substituted polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/PCDF), 2,3,6,7-tetrachloroxanthene (TCX), and 1,2,4,5,7,8-hexachloroxanthene (HCX) following general procedures in EPA Method 1613 as outlined in the Centredale Manor Task 22 QAPP (5/23/01) and as summarized below.

Sample Preparation – The samples were processed in BATCH 49038-21. Approximately 10 g wet weight of each homogenized crayfish and emerging insect tissue sample was weighed into individual jars and spiked with $^{13}C_{12}$-labeled PCDD/PCDF internal standard solutions. Matrix spike, matrix spike duplicate, and the laboratory control spike (LCS) samples were spiked with native PCDD/PCDF and HCX at this time. The samples were then mixed with Hydromatrix drying agent. Nine crayfish tissues were prepared for PCDD/PCDF, TCX, and HCX only while three crayfish tissues and two emerging insect tissues plus all eight QC samples were prepared for PCB analysis in addition to PCDD/PCDF, TCX, and HCX. The tissue/Hydromatrix mixtures were placed into Accelerated Solvent Extraction (ASE) cells. Note that the samples prepared for both PCDD/PCDF/TCX/HCX and PCB analysis received internal standard and matrix spike standards at twice the usual level to accommodate the sample being split in half for separate PCB and PCDD/PCDF/TCX/HCX cleanup. The samples were ASE extracted using $MeCl_2$: hexane (1:1). Each extract was then spiked with 2,3,7,8-TCDD-$^{37}Cl_4$ cleanup standard for monitoring recovery of analytes through the cleanup procedures. Each extract was acid washed. After the acid wash step, the samples for both PCB and PCDD/PCDF/TCX/HCX were split in half with half the extract submitted for PCB cleanup. The remaining half plus the samples being analyzed for PCDD/PCDF/TCX/HCX only were then processed through acid/base silica, alumina, and carbon cleanup columns. The tissue extracts were spiked with 1,2,3,4-TCDD-$^{13}C_{12}$ and 1,2,3,7,8,9-HxCDD-$^{13}C_{12}$ recovery standard and concentrated to a final sample volume of 20 µL. Sample RWR-CF-5004-0000-01 was lost due to a glassware break during preparation and was re-extracted. It was processed with BATCH 49038-30.

PCDD/PCDF/TCX/HCX Analysis – Each extract was analyzed by gas chromatography/high resolution mass spectrometry (GC/HRMS) in the selected ion-monitoring mode at a resolution of 10,000 or greater. A DB5 column was used for initial analysis of the seventeen 2,3,7,8-PCDD/PCDF; and a DB225 column was used for second column confirmation of 2,3,7,8-TCDF.

The following revisions to Method 1613 as well as several items to note specifically related to these analyses are summarized below:

1. Quality control samples processed with this batch of samples included one method blank, one LCS, one fish standard reference material (SRM) sample, two matrix spikes (one each for crayfish and emerging insect), one matrix spike duplicate (crayfish only), and two duplicate samples (one each for crayfish and emerging insect).

2. The GC/HRMS instrumentation was calibrated for PCDD/PCDF at levels specified in Method 1613 with one additional calibration standard at concentrations equivalent to ½ the level of Method 1613's lowest calibration point. The calibration range corresponds to the following levels in the samples assuming an average sample wet weight of 10 g of tissue and a final sample volume of 20 µL: 0.5 to 400 pg/g wet for tetra compounds, 2.5 to 2,000 pg/g wet for penta through hepta compounds, and 5 to 4,000 pg/g wet for octa compounds. For samples whose extracts were split in half, the calibration range is 1 to 800 pg/g wet for tetra

METHOD (cont):

compounds, 5 to 4,000 pg/g wet for penta through hepta compounds, and 10 to 8,000 pg/g wet for octa compounds.

3. 2,3,6,7-Tetrachloroxanthene and 1,2,4,5,7,8-hexachloroxanthene were added to the analyte list for these analyses. TCX and HCX were determined by the analysis of an initial calibration curve. 2,3,7,8-TCDD-$^{13}C_{12}$ was used as the internal standard for TCX and 1,2,3,7,8,9-HxCDF-$^{13}C_{12}$ was used as the internal standard for HCX. For TCX, the calibration range corresponds to the following levels in the samples assuming an average sample wet weight of 10 g of tissue and a final sample volume of 20 µL: 2.5 to 8,000 pg/g wet; and for HCX the calibration range corresponds to the following levels in the samples assuming an average sample wet weight of 10 g of tissue and a final sample volume of 20 µL: 20 to 8,000 pg/g wet. For samples whose extracts were split in half, the calibration range is 5 to 16,000 pg/g wet for TCX and 40 to 16,000 pg/g wet for HCX.

4. Several confirmations of 2,3,7,8-TCDF were affected by an interfering compound. If the concentration of 2,3,7,8-TCDF increased upon confirmation, the initial concentration was reported and flagged.

5. Sample RWR-CF-5004-0000-01 was lost due to a glassware break during preparation and was re-extracted.

Any additional minor revisions to Method 1613 are fully documented in the analytical record.

HOLDING TIMES:

Samples were prepared for analysis in one analytical batch. Samples were extracted within 30 days of receipt at the laboratory and completely analyzed within 22 days of extraction.

Batch	Extraction Date	Analysis Date
49038-21	9/19/2001*	9/29-10/10/2001**

* 9/28/01 for 49038-21-10
** 10/19/2001 for confirmations

DETECTION LIMITS:

Dioxin/furan results are reported relative to the sample-specific reporting limits (also referred to as QL in the QAPP) for that compound. The sample-specific RL is based on the low calibration standard and adjusted for sample specific processing factors and volumes, as follows:

RL = (Concentration in Low Std. × final extract volume × dilution factors)/ Sample size

Where,
Concentration in low standard = 0.25 to 2.5 pg/µL
Final Extract Volume = 20 µL
Dilution Factor = documented in project file
Sample Size = approximately 10-g wet

Achieved RLs did not meet project detection limit goals for most target compounds. As noted in the QAPP, the project detection limit goals are provided for perspective rather than as a requirement for the analytical methods. If detection limits cannot be achieved, this will be addressed in the uncertainty discussions in the risk assessment.

DIOXIN/FURAN QA/QC SUMMARY
QC Batch 49038-21 – Crayfish and Emerging Insects

BLANKS:

One laboratory method blank was processed with the analytical batch. Blanks are analyzed to ensure that the sample extraction and analysis methods were free of contamination.

49038-21– Several analytes were detected at a trace level; however, the levels of PCDD/Fs detected were below the reporting level.

HCX was detected in the method blank above the reporting level so the HCX concentrations in subsequent samples were flagged. No QA flags were added to samples analyzed on the HRMS after the same method blank was analyzed a second time and no HCX was detected.

LABORATORY CONTROL SAMPLE

A laboratory control sample (LCS) was prepared with the analytical batch. The percent recoveries of target compounds were calculated to measure data quality in terms of accuracy.

49038-21–The LCS samples met the criteria found in Table 6 of Method 1613, Revision B for PCDD/PCDF.

The percent recovery for HCX in the LCS was found to be 92%. There are no applicable accuracy or precision requirements for HCX. This analyte was added to the LCS sample, as it was to the matrix spike samples, to investigate how it behaves in a typical PCDD/PCDF extraction and cleanup process.

MATRIX SPIKES:

One matrix spike (MS)/matrix spike duplicate (MSD) sample set (for crayfish tissue) and one stand alone MS (for emerging insect tissue) was prepared with the batch to measure data quality in terms of accuracy and precision. The MS and MSD were fortified with target compounds to monitor data quality in terms of accuracy and precision.

49038-21 Crayfish–For PCDD/PCDF, the matrix spike recoveries ranged from 95-109% and the matrix spike duplicate recoveries ranged from 91-103%, which all fell within the 50 – 120% limits. The RPD between duplicates for PCDD/PCDF ranged from 1 – 6%.

The matrix spike duplicate recovery for HCX was 109%. The matrix spike recovery for HCX was 420%. However, HCX follows a non-linear calibration curve and so two curves were generated to cover the calibration range for this project. The decision as to which curve to use was arbitrarily set as the HCX peak area mid way between the two calibration points where the curve response changed (7×10^7). HCX areas less than 7×10^7 are applied to curve 1 and areas greater than 7×10^7 to curve 2. The peak area for the MS is such that curve 2 should be applied by our criteria and results in 420% recovery; however, when the response factor for the lower concentration calibration solutions (curve 1) is applied to this sample, the recovery of HCX is 120% and the RPD between HCX in the MS and MSD is 16%. There are no applicable accuracy or precision requirements for HCX. This analyte was added to the matrix spike samples to investigate how well it behaves in a typical PCDD/PCDF extraction and cleanup process.

49038-21 Emerging Insect–A single matrix spike for emerging insect was processed with this SDG. For 16 of the 17 PCDD/PCDF compounds, the recoveries ranged from 92 – 124%, all of which are within or very close to the 50 – 120% limits. 1,2,3,7,8,9-HxCDD had a recovery of 138%. The HCX recovery in this matrix spike was 50%.

DIOXIN/FURAN QA/QC SUMMARY
QC Batch 49038-21 – Crayfish and Emerging Insects

INTERNAL STANDARDS: Fifteen internal standards were added to each sample prior to processing, one standard was added after extraction and prior to sample cleanup. Internal standard recoveries were calculated to measure data quality in terms of accuracy (sample processing efficiency).

49038-21– Recoveries of internal standards were within 25-150% for all analytes and samples with the exception of $^{13}C_{12}$-1,2,3,4,7,8-HxCDF which had a recovery of 12% in sample LPX-CF-4002-0000-01. This low recovery was likely caused by a matrix interference indicated by a large drop in lock mass signal.

REPLICATES: Two laboratory duplicates were prepared with the batch (one for crayfish, one for emerging insect). The relative percent differences (RPD) between laboratory replicate analyses for target compounds were calculated to measure data quality in terms of precision.

49038-21– Two samples were processed in duplicate. The RPD for the only analyte detected above the action level of >10× MDL, 2,3,7,8-TCDD, was 0.2% for crayfish and 1.9% for emerging insect.

SRM: A standard reference material was prepared with the analytical batch. The percent difference (PD) between detected concentrations and certified values was calculated to measure data quality in terms of accuracy.

49038-21–Eight of the analytes were found to be above the limit of 30% different from consensus values, but only three were different by more than 35%.

The low SRM recoveries are thought to be due to the high lipid content of the SRM as discussed in the QA/QC narrative for Whole Body Fish (SDG 48985-43). For this SDG, a smaller amount of SRM was extracted in an attempt to bring the lipid content of the SRM in line with the lipid content of the samples. In separate demonstrations and several other SDGs, reducing the amount of SRM extracted improved results. The results are somewhat improved in this SDG; however, the laboratory is continuing to look at other SRMs and varying ASE conditions in an attempt to eliminate the problems with SRM recovery.

Recovery in the crayfish and emerging insect tissue is demonstrated by very good recovery of matrix spike, matrix spike duplicate and LCS spikes into 100% vegetable oil as well as good internal standard recoveries in all samples.

REFERENCES:

Battelle 2001. *Centredale Manor Restoration Project Superfund Site Baseline Risk Assessment, Initial Project Planning and Support.* Tasks 19-22 QAPP prepared under contract to USACE NAE. Delivery Order #59. May 23, 2001. 509pp + apps.

QUALITY ASSURANCE STATEMENT

Project Title: **USACE/NED, Centredale Manor Task 22 Diet, Batch 1 of 2**

Project Number: **G487002-22A2**

Description of Data: **Crayfish and emerging tissue samples for dioxin/furan**

Description of audit and review activities:
1)Reviewed sample preparation Laboratory Record Books (LRB). Tracked COC from sample receipt to analytical injection. Reviewed standard/spike preparation records. Resolved all resulting LRB numbers (i.e. sample tracking numbers) with analytical designations. Reviewed data package for data recording consistent with Good Laboratory Practices (GLP's).

2)Reviewed analytical (HRMS) data. Reviewed all hand-entered parameters (e.g. sample masses, sample names, calibration curve date, etc) for each analytical run. Reviewed calibrations results to ensure that Relative Response Factors (RRF) were ±20% of calibration RRF. Reviewed 10% data transfer to spreadsheets. Reviewed confirmation runs and accurate data transfer.

3)Reviewed spreadsheets. Accessed e-file of excel spreadsheets and reviewed formula and relative and absolute cell addresses to ensure accurate data transposition.

4)Reviewed report. Ensured report accurately reflected raw data and resulting spreadsheets.

Description of outstanding issues or deficiencies which may affect data quality:
1) Minor QC issues were submitted to the analytical staff for correction, no outstanding issues present.

Zachary Willenberg
Quality Assurance Specialist
Atmospheric Science and Applied Technology
Battelle

12-21-01
Date

DIOXIN/FURAN/TCX/HCX QA/QC SUMMARY
QC Batch 49038-30 – Earthworm

PROJECT: USACE NAE Delivery Order #01 Centredale

PARAMETER: Dioxin/Furan/TCX/HCX by High Resolution Mass Spectrometry (HRMS)

LABORATORY: Battelle, Columbus, OH

MATRIX: Earthworm

SAMPLE CUSTODY: Earthworm homogenates were shipped from Battelle MSL on September 6, 2001 to Battelle Columbus for Dioxin/Furan/TCX/HCX and PCB congener analyses.

Earthworm homogenates were received at Battelle Columbus September 7, 2001. Samples were received in good condition and the cooler temperature upon receipt was 0.6 °C.

QA/QC MEASUREMENT PERFORMANCE CRITERIA:

	Reference Method	Blank	Surrogate Recovery	LCS/MS Recovery	SRM % Diff.	MS/MSD Replicate Relative Precision	Achieved RL (pg/g wet)	Project Goals * (pg/g wet)
Dioxin/ Furan/ HCX/ TCX	L-23 Battelle SOP ASAT.II-001-02	<5× MDL, or associated samples >10× blank values	25-150% Recovery	*LCS:* Method 1613B, Table 6 OPR[a] *MS:* 50-120% Recovery [b]	≤30% PD[c]	≤30% RPD[b, d]	Tetras: 0.5 – 4.97 Penta-Hepta and TCX: 2.48 – 24.83 Octas: 4.96 – 49.67 HCX: 19.84 – 198.67	TCX: N/A Tetras : 0.0007 – 0.0616 Penta- and Hepta: 0.0007 – 0.616 Octas: 7 – 61.6 HCX: 0.0007 – 0.00616

[a] Method 1613B, Table 6 OPR requirements documented on LCS summary report table.
[b] Analyte concentration in MS/MSD must be >5× background to be used for data quality assessment.
[c] Certified values must be >5× the MDL.
[d] *Sample replicate precision:* concentrations in sample replicate must be >10× the MDL.

METHOD: Earthworm tissue samples were processed and analyzed for seventeen 2,3,7,8-substituted polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/PCDF), 2,3,6.7-tetrachloroxanthene (TCX), and 1,2,4,5,7,8-hexachloroxanthene (HCX) following methods described in Battelle's Quality Assurance Project Plan (Battelle, 2001).

Sample Preparation – The samples were processed in batch 49038-30. Aliquots of each homogenized tissue were weighed into individual jars and mixed with Hydromatrix drying agent. Approximately 10 g wet weight of each tissue sample was used. Nine tissues were prepared for PCDD/PCDF, TCX, and HCX only while three tissues plus all six QC samples were prepared for PCB analysis in addition to PCDD/PCDF, TCX, and

METHOD (cont):

HCX. The tissue/Hydromatrix mixtures were placed into Accelerated Solvent Extraction (ASE) cells and spiked with $^{13}C_{12}$-labeled PCDD/PCDF internal standard solutions. Matrix spike, matrix spike duplicate, and the laboratory control spike (LCS) samples were spiked with native PCDD/PCDF and HCX at this time. Note that the samples prepared for both PCDD/PCDF/TCX/HCX and PCB analysis received internal standard and matrix spike standards at twice the usual level to accommodate the sample being split in half for separate PCB and PCDD/PCDF/TCX/HCX cleanup. The samples were ASE extracted using $MeCl_2$: hexane (1:1). Each extract was then spiked with 2,3,7,8-TCDD-$^{37}Cl_4$ cleanup standard for monitoring recovery of analytes through the cleanup procedures. Each extract was acid washed. After the acid wash step, the samples for both PCB and PCDD/PCDF/TCX/HCX were split in half with half the extract submitted for PCB cleanup. The remaining half plus the samples being analyzed for PCDD/PCDF/TCX/HCX only were then processed through acid/base silica, alumina, and carbon cleanup columns. The tissue extracts were spiked with 1,2,3,4-TCDD-$^{13}C_{12}$ and 1,2,3,7,8,9-HxCDD-$^{13}C_{12}$ recovery standard and concentrated to a final sample volume of 20 µL.

PCDD/PCDF/TCX/HCX Analysis – Each extract was analyzed by gas chromatography/high resolution mass spectrometry (GC/HRMS) in the selected ion-monitoring mode at a resolution of 10,000 or greater. A DB5 column was used for the analysis of seventeen 2,3,7,8-PCDD/PCDF, TCX, and HCX.

The following revisions to Method 1613 as well as several items to note specifically related to these analyses are summarized below:

1. Quality control samples processed with this batch of samples included one method blank, one LCS, one fish standard reference material, one matrix spike, one matrix spike duplicate, and one sample prepared in duplicate.

2. The GC/HRMS instrumentation was calibrated for PCDD/PCDF at levels specified in Method 1613 with one additional calibration standard at concentrations equivalent to ½ the level of Method 1613's lowest calibration point. The calibration range corresponds to the following levels in the samples assuming an average sample wet weight of 10 g of tissue and a final sample volume of 20 µL: 0.50 to 400 pg/g wet for tetra compounds, 2.50 to 2,000 pg/g wet for penta through hepta compounds, and 5.0 to 4,000 pg/g wet for octa compounds. For samples whose extracts were split in half, the calibration range is 1.00 to 800 pg/g wet for tetra compounds, 5.00 to 4,000 pg/g wet for penta through hepta compounds, and 10.0 to 8,000 pg/g wet for octa compounds.

3. 2,3,6,7-Tetrachloroxanthene and 1,2,4,5,7,8-hexachloroxanthene were added to the analyte list for these analyses. TCX and HCX were determined by the analysis of an initial calibration curve. 2,3,7,8-TCDD-$^{13}C_{12}$ was used as the internal standard for TCX and 1,2,3,7,8,9-HxCDF-$^{13}C_{12}$ was used as the internal standard for HCX. For TCX, the calibration range corresponds to the following levels in the samples assuming an average sample wet weight of 10 g of tissue and a final sample volume of 20 µL: 2.50 to 8,000 pg/g wet; and for HCX the calibration range corresponds to the following levels in the samples assuming an average sample wet weight of 10 g of tissue and a final sample volume of 20 µL: 20.0 to 8,000 pg/g wet. For samples whose extracts were split in half, the TCX ranges from 5.00 to 16,000 pg/g wet and the HCX ranges from 40.0 to 16,000 pg/g wet.

Any additional minor revisions to Method 1613 are fully documented in the analytical record.

DIOXIN/FURAN/TCX/HCX QA/QC SUMMARY
QC Batch 49038-30 – Earthworm

HOLDING TIMES:

Samples were prepared for analysis in one analytical batch. Samples were extracted within 2 months of collection and analyzed within 13 days of extraction.

Batch	Extraction Date	Analysis Date
49038-30	09/28/01	10/8-10/11/2001*

*Second column confirmation analysis was performed on 10/19/2001

DETECTION LIMITS:

Dioxin/furan, HCX and TCX results are reported relative to the sample-specific reporting limits (also referred to as QL in the QAPP) for that compound. The sample-specific RL is based on the low calibration standard and adjusted for sample specific processing factors and volumes, as follow:

RL = (Concentration in Low Std. × final extract volume × dilution factors)/ Sample size

Where,
Concentration in low standard = 0.25 to 2.5 pg/µL
Final Extract Volume = 20 µL
Dilution Factor = documented in project file
Sample Size = approximately 10-g wet

Achieved RLs did not meet project detection limit goals for most target compounds. As noted in the QAPP, the project detection limit goals are provided for perspective rather than as a requirement for the analytical methods. If detection limits cannot be achieved, this will be addressed in the uncertainty discussions in the risk assessment.

BLANKS:

One laboratory method blank was processed with the analytical batch. Blanks are analyzed to ensure that the sample extraction and analysis methods were free of contamination.

49038-30– OCDD and 1,2,3,4,6,7,8,-HpCDD were detected at a trace level; however, the analytes detected were well below the reporting level.

LABORATORY CONTROL SAMPLE

A laboratory control sample (LCS) was prepared with the analytical batch. The percent recoveries of target compounds were calculated to measure data quality in terms of accuracy.

49038-30– The LCS samples met the criteria found in Table 6 of Method 1613, Revision B for PCDD/PCDF for all analytes.

The percent recovery for HCX in the LCS was found to be 150%. There are no applicable accuracy or precision requirements for HCX. This analyte was added to the LCS sample, as it was to the matrix spike samples, to investigate how it behaves in a typical PCDD/PCDF extraction and cleanup process.

DIOXIN/FURAN/TCX/HCX QA/QC SUMMARY
QC Batch 49038-30 – Earthworm

MATRIX SPIKES:

One matrix spike (MS)/matrix spike duplicate (MSD) sample set was prepared with the batch to measure data quality in terms of accuracy and precision. The MS and MSD were fortified with target compounds to monitor data quality in terms of accuracy and precision.

49038-30– For PCDD/PCDF, the matrix spike recoveries range from 93 - 108%, which all fell within the 50 – 120% limits. The matrix spike duplicate recoveries for PCDD/PCDF range from 91 – 112%, which all fell within the 50 – 120% limits. The RPD between duplicates for PCDD/PCDF ranged from 0 - 9%.

The matrix spike recovery for HCX was 93% and the matrix spike duplicate recovery for HCX was 73%. The RPD between duplicates for HCX was 24%. There are no applicable accuracy or precision requirements for HCX. This analyte was added to the matrix spike samples to investigate how well it behaves in a typical PCDD/PCDF extraction and cleanup process.

INTERNAL STANDARDS:

Fifteen internal standards were added to each sample prior to processing, one standard was added after extraction and prior to sample cleanup. Internal standard recoveries were calculated to measure data quality in terms of accuracy (sample processing efficiency).

49038-30– Recoveries of internal standards were within 25-150% for most analytes in all samples. $^{13}C_{12}$-2,3,7,8-TCDF was recovered below the QC range in most field samples and $^{13}C_{12}$-2,3,7,8-TCDD and $^{37}Cl_4$-2,3,7,8-TCDD were recovered low in four field samples.

The low recoveries appear to be a result of the matrix affecting recovery of analytes from the cleanup column; rather than due to poor extraction efficiency. These lower results are expected to have a minimal impact on the results of the natives since the samples were analyzed using the isotope dilution method. In addition the tetras were recovered well in the MS and MSD in spite of lower tetra internal standard recovery in these samples.

REPLICATES:

A laboratory duplicate was prepared with the batch. The RPD between laboratory replicate analyses for target compounds was calculated to measure data quality in terms of precision.

49038-30– The relative percent difference (RPD) for the only PCDD/PCDF analyte detected above the action level of >10× MDL was 16%. The RPD between duplicates for HCX was 62.7%.

Note that 2,3,7,8 TCDD was also detected in the laboratory replicates at conc. >10xMDL; RPD between replicates was 67.8%.
DTD 8/7/02

SRM: A standard reference material was prepared with the analytical batch. The percent difference (PD) between detected concentrations and certified values was calculated to measure data quality in terms of accuracy.

49038-30– Eight of the analytes in the SRM were found to be within the limit of 30% difference from consensus values. The nine remaining analytes ranged in percent difference from 31.0% to 39.9%.

A smaller aliquot of SRM was extracted for this batch as had been specified as a corrective action in the report for Whole Body Fish Batch 4 of 4 Fish (SDG 48985-43). Although the recoveries are not entirely within the QC limits, they are significantly improved using the smaller aliquot of SRM. The laboratory is further investigating the out-of-range SRM results. Recovery of analytes in the SRM is further evidenced by good matrix spike recoveries.

REFERENCES:

Battelle 2001. *Centredale Manor Restoration Project Superfund Site Baseline Risk Assessment, Initial Project Planning and Support.* Tasks 19-22 QAPP prepared under contract to USACE NAE. Delivery Order #59. May 23, 2001. 509pp + apps.

QUALITY ASSURANCE STATEMENT

Project Title: **USACE/NED, Centredale Manor Task 22 Diet, Batch 2 of 2**

Project Number: **G487002-22A2**

Description of Data: **Earthworm tissue samples for dioxin/furan**

Description of audit and review activities:
1)Reviewed sample preparation Laboratory Record Books (LRB). Tracked COC from sample receipt to analytical injection. Reviewed standard/spike preparation records. Resolved all resulting LRB numbers (i.e. sample tracking numbers) with analytical designations. Reviewed data package for data recording consistent with Good Laboratory Practices (GLP's).

2)Reviewed analytical (HRMS) data. Reviewed all hand-entered parameters (e.g. sample masses, sample names, calibration curve date, etc) for each analytical run. Reviewed calibrations results to ensure that Relative Response Factors (RRF) were ±20% of calibration RRF. Reviewed 10% data transfer to spreadsheets. Reviewed confirmation runs and accurate data transfer.

3)Reviewed spreadsheets. Accessed e-file of excel spreadsheets and reviewed formula and relative and absolute cell addresses to ensure accurate data transposition.

4)Reviewed report. Ensured report accurately reflected raw data and resulting spreadsheets.

Description of outstanding issues or deficiencies which may affect data quality:
1) Minor QC issues were submitted to the analytical staff for correction, no outstanding issues present.

Zachary Willenberg
Quality Assurance Specialist
Atmospheric Science and Applied Technology
Battelle

12-21-01
Date

Diet Tissue and QC Results

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.79	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.36	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.63	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.57	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.37	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	1.17	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	5.27	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.79	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	3.93	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	3.93	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.69	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.56	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	0.72	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.59	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.69	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	1.00	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	4.27	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	3.93	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	39.55	pg/g - Wet Wt	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.79	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.79	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	3.93	pg/g - Wet Wt	U
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	0.55	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.60	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	1.57	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.69	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	1.17	pg/g - Wet Wt	J
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	82	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	79	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	82	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	90	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	98	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	91	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	72	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	75	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	74	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	80	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	88	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	84	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	87	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	94	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	92	%RECOVERY	
	48401-44-03		M_BLANK		9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	69	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	261.17	pg/g - Wet Wt	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.11	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.22	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.23	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	1.26	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	7.24	pg/g - Wet Wt	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.83	pg/g - Wet Wt	E
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.32	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.21	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		0.79		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		7.85		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		0.79		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		7.85		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		31.41		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		0.79		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		0.79		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03		3.93		1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	6.37	G_WET				T
CMS-CF-4006-0000-01	48401-98-03		0.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	261.17			T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.3	U		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.11	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.22	U		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.22	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	1.26	UJ		T
CMS-CF-4006-0000-01	48401-98-03		5.00		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	7.24	U		T
CMS-CF-4006-0000-01	48401-98-03		0.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.83	J		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.43	U		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.51	U		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.32	U		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.21	UJ		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.16	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.65	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.06	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.66	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	246.46	pg/g - Wet Wt	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.88	pg/g - Wet Wt	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	261.17	pg/g - Wet Wt	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	8.32	pg/g - Wet Wt	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	3.26	pg/g - Wet Wt	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	0.96	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.04	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	2.32	pg/g - Wet Wt	J
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	52	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	55	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	56	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	60	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	72	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	70	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	36	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	54	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	47	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	58	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	58	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	63	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	59	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	69	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	60	%RECOVERY	
CMS-CF-4006-0000-01	48401-98-03		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	67	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.41	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.19	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.12	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	0.83	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	4.25	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.53	pg/g - Wet Wt	#
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	0.15	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.19	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.26	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.09	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.46	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.49	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	19.94	pg/g - Wet Wt	U
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.36	pg/g - Wet Wt	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.90	pg/g - Wet Wt	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	5.42	pg/g - Wet Wt	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	0.19	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.07	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.67	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.16	U		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.65	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.06	U		T
CMS-CF-4006-0000-01	48401-98-03		5.00		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.66	U		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET		R		T
CMS-CF-4006-0000-01	48401-98-03		19.99		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	246.46	J		T
CMS-CF-4006-0000-01	48401-98-03		0.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	1.88	J		T
CMS-CF-4006-0000-01	48401-98-03		0.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	261.17	J		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	8.32	J		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.3	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	3.26	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	0.96	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	1.04	UJ		T
CMS-CF-4006-0000-01	48401-98-03		2.50		1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET	2.32	UJ		T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
CMS-CF-4006-0000-01	48401-98-03				1.00		Lab Extraction ID = 49038-21-02	10.00	G_WET				T
RWR-CF-5003-0000-01	48401-98-04		0.50		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.41	J		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.19	U		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.22	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.12	U		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.21	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.83	UJ		T
RWR-CF-5003-0000-01	48401-98-04		4.99		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	4.25	U		T
RWR-CF-5003-0000-01	48401-98-04		0.50		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.53	$		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.15	J		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.19	J		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.26	U		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.19	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.23	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.09	U		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.46	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.29	U		T
RWR-CF-5003-0000-01	48401-98-04		4.99		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.49	U		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET		R		T
RWR-CF-5003-0000-01	48401-98-04		19.94		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	19.94	UJ		T
RWR-CF-5003-0000-01	48401-98-04		0.50		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	1.36	J		T
RWR-CF-5003-0000-01	48401-98-04		0.50		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.9	J		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	5.42	J		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.19	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	2.07	UJ		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	0.34	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	0.71	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	1.48	pg/g - Wet Wt	J
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	51	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	53	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	58	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	62	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	70	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	66	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	44	%RECOVERY	#
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	53	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	47	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	56	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	59	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	62	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	58	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	66	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	65	%RECOVERY	
RWR-CF-5003-0000-01	48401-98-04		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	61	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	83.31	pg/g - Wet Wt	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.18	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	1.50	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	8.93	pg/g - Wet Wt	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.71	pg/g - Wet Wt	#
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	0.11	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.15	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.10	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.60	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.83	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	59.30	pg/g - Wet Wt	B
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	2.79	pg/g - Wet Wt	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	83.31	pg/g - Wet Wt	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	5.21	pg/g - Wet Wt	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	0.25	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	1.82	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	0.53	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	0.97	pg/g - Wet Wt	J
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	2.76	pg/g - Wet Wt	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	55	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	60	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	58	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	65	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	72	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	67	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	47	%RECOVERY	#
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	60	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	48	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.34	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	0.71	UJ		T
RWR-CF-5003-0000-01	48401-98-04		2.49		1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET	1.48	UJ		T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
RWR-CF-5003-0000-01	48401-98-04				1.00		Lab Extraction ID = 49038-21-03	10.03	G_WET				T
LPX-CF-4004-0000-01	48401-98-06		0.50		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	83.31			T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.28	U		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.13	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.18	U		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.12	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	1.5	UJ		T
LPX-CF-4004-0000-01	48401-98-06		4.99		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	8.93	U		T
LPX-CF-4004-0000-01	48401-98-06		0.50		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.71	$		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.11	J		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.15	J		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.08	U		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.1	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.1	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.1	U		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.6	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.15	U		T
LPX-CF-4004-0000-01	48401-98-06		4.99		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.83	U		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET		R		T
LPX-CF-4004-0000-01	48401-98-06		19.96		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	59.3	UJ		T
LPX-CF-4004-0000-01	48401-98-06		0.50		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	2.79	J		T
LPX-CF-4004-0000-01	48401-98-06		0.50		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	83.31	J		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	5.21	J		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.25	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	1.82	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.53	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	0.97	UJ		T
LPX-CF-4004-0000-01	48401-98-06		2.49		1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET	2.76	UJ		T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	62	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	60	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	67	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	58	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	69	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	69	%RECOVERY	
LPX-CF-4004-0000-01	48401-98-06		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	65	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	227.66	pg/g - Wet Wt	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.18	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.14	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	1.06	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	6.17	pg/g - Wet Wt	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.58	pg/g - Wet Wt	E
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.20	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.11	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.10	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.64	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.74	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	163.78	pg/g - Wet Wt	B
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.76	pg/g - Wet Wt	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	227.66	pg/g - Wet Wt	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	7.09	pg/g - Wet Wt	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.65	pg/g - Wet Wt	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	0.82	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.08	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	2.06	pg/g - Wet Wt	J
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	50	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	60	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	66	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	71	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	80	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	77	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	36	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	61	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	50	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	66	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	69	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	75	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	75	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	81	%RECOVERY	
CMS-CF-4007-0000-01	48401-98-07		NORMAL	07/04/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	59	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.39	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
LPX-CF-4004-0000-01	48401-98-06				1.00		Lab Extraction ID = 49038-21-04	10.02	G_WET				T
CMS-CF-4007-0000-01	48401-98-07		0.50		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	227.66			T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.3	U		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.14	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.18	U		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.14	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	1.06	UJ		T
CMS-CF-4007-0000-01	48401-98-07		4.99		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	6.17	U		T
CMS-CF-4007-0000-01	48401-98-07		0.50		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.58	J		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.32	U		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.4	U		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.2	U		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.11	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.39	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.1	U		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.64	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.2	U		T
CMS-CF-4007-0000-01	48401-98-07		4.99		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.74	U		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET		R		T
CMS-CF-4007-0000-01	48401-98-07		19.94		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	163.78	J		T
CMS-CF-4007-0000-01	48401-98-07		0.50		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	1.76	J		T
CMS-CF-4007-0000-01	48401-98-07		0.50		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	227.66	J		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	7.09	J		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.3	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	2.65	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	0.82	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	1.08	UJ		T
CMS-CF-4007-0000-01	48401-98-07		2.49		1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET	2.06	UJ		T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
CMS-CF-4007-0000-01	48401-98-07				1.00		Lab Extraction ID = 49038-21-05	10.03	G_WET				T
RAB-CF-5004-0000-01	48401-98-08		0.50		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.38	J		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.19	U		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.13	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.14	U		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.13	UJ		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	1.20	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.28	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.04	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.04	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.08	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.13	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	19.87	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.55	pg/g - Wet Wt	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.38	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	0.42	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	0.13	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	0.08	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	0.18	pg/g - Wet Wt	J
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	63	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	64	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	63	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	70	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	83	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	82	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	54	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	64	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	57	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	62	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	65	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	72	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	64	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	75	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	82	%RECOVERY	
RAB-CF-5004-0000-01	48401-98-08		NORMAL	06/27/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	69	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.34	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.20	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.32	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.22	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	1.53	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	8.58	pg/g - Wet Wt	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.77	pg/g - Wet Wt	#
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.21	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.22	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.15	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.80	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.66	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	2.93	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.12	UJ		T
RAB-CF-5004-0000-01	48401-98-08		4.97		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	1.2	U		T
RAB-CF-5004-0000-01	48401-98-08		0.50		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.28	J		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.24	U		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.27	U		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.04	U		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.11	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.13	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.04	U		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.08	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.1	U		T
RAB-CF-5004-0000-01	48401-98-08		4.97		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.13	U		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET		R		T
RAB-CF-5004-0000-01	48401-98-08		19.87		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	19.87	UJ		T
RAB-CF-5004-0000-01	48401-98-08		0.50		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.55	J		T
RAB-CF-5004-0000-01	48401-98-08		0.50		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.38	J		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.42	J		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.19	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.13	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.13	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.08	UJ		T
RAB-CF-5004-0000-01	48401-98-08		2.48		1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET	0.18	UJ		T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
RAB-CF-5004-0000-01	48401-98-08				1.00		Lab Extraction ID = 49038-21-06	10.06	G_WET				T
GMP-CF-5002-0000-01	48401-98-09		0.50		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.34	J		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.44	U		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.2	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.32	U		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.22	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	1.53	UJ		T
GMP-CF-5002-0000-01	48401-98-09		4.95		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	8.58	U		T
GMP-CF-5002-0000-01	48401-98-09		0.50		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.77	$		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.37	U		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.21	J		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.22	U		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.15	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.29	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.25	U		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.8	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.66	U		T
GMP-CF-5002-0000-01	48401-98-09		4.95		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	2.93	U		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	24.35	pg/g - Wet Wt	B
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	2.11	pg/g - Wet Wt	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	1.11	pg/g - Wet Wt	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	5.13	pg/g - Wet Wt	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.17	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	1.43	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.66	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	2.38	pg/g - Wet Wt	J
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	58	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	56	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	60	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	65	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	78	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	78	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	55	%RECOVERY	#
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	55	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	51	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	61	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	61	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	65	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	63	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	72	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	70	%RECOVERY	
GMP-CF-5002-0000-01	48401-98-09		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	67	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	128.03	pg/g - Wet Wt	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	0.82	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	4.72	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.62	pg/g - Wet Wt	#
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.12	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.42	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.46	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	104.49	pg/g - Wet Wt	B
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	2.29	pg/g - Wet Wt	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	128.04	pg/g - Wet Wt	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	6.69	pg/g - Wet Wt	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.47	pg/g - Wet Wt	U
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.13	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	0.43	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	0.65	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	1.59	pg/g - Wet Wt	J
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	59	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	59	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET		R		T
GMP-CF-5002-0000-01	48401-98-09		19.81		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	24.35	UJ		T
GMP-CF-5002-0000-01	48401-98-09		0.50		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	2.11	J		T
GMP-CF-5002-0000-01	48401-98-09		0.50		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	1.11	J		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	5.13	J		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	0.44	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	2.16	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	1.43	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	1.66	UJ		T
GMP-CF-5002-0000-01	48401-98-09		2.48		1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET	2.38	UJ		T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
GMP-CF-5002-0000-01	48401-98-09				1.00		Lab Extraction ID = 49038-21-07	10.10	G_WET				T
WRL-CF-4005-0000-01	48401-98-10		0.49		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	128.04			T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.23	U		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.1	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.11	U		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.1	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.82	UJ		T
WRL-CF-4005-0000-01	48401-98-10		4.95		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	4.72	U		T
WRL-CF-4005-0000-01	48401-98-10		0.49		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.62	$		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.25	U		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.27	U		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.23	U		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.12	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.26	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.24	U		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.42	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.13	U		T
WRL-CF-4005-0000-01	48401-98-10		4.95		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.46	U		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET		R		T
WRL-CF-4005-0000-01	48401-98-10		19.79		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	104.79	UJ		T
WRL-CF-4005-0000-01	48401-98-10		0.49		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	2.29	J		T
WRL-CF-4005-0000-01	48401-98-10		0.49		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	128.04	J		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	6.69	J		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.23	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	2.14	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.43	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	0.65	UJ		T
WRL-CF-4005-0000-01	48401-98-10		2.47		1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET	1.59	UJ		T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	61	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	68	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	82	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	83	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	54	%RECOVERY	#
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	58	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	54	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	62	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	65	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	71	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	66	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	74	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	78	%RECOVERY	
WRL-CF-4005-0000-01	48401-98-10		NORMAL	06/29/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	66	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	43.02	pg/g - Wet Wt	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	0.87	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	5.77	pg/g - Wet Wt	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.43	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.12	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.31	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.62	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	19.85	pg/g - Wet Wt	JB
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.73	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	43.02	pg/g - Wet Wt	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	3.34	pg/g - Wet Wt	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	0.97	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	0.49	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	1.47	pg/g - Wet Wt	J
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	72	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	85	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	84	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	50	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	65	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	58	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	67	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	75	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	67	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	75	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
WRL-CF-4005-0000-01	48401-98-10				1.00		Lab Extraction ID = 49038-21-08	10.11	G_WET				T
CMS-CF-4003-0000-01	48401-98-12		0.50		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	43.02			T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.17	U		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.14	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.14	U		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.13	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.87	UJ		T
CMS-CF-4003-0000-01	48401-98-12		4.97		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	5.77	U		T
CMS-CF-4003-0000-01	48401-98-12		0.50		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.43	J		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.17	U		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.2	U		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.12	U		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.2	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.22	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.2	U		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.31	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.12	U		T
CMS-CF-4003-0000-01	48401-98-12		4.97		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.62	U		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET		R		T
CMS-CF-4003-0000-01	48401-98-12		19.87		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	19.85	UJ		T
CMS-CF-4003-0000-01	48401-98-12		0.50		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.73	J		T
CMS-CF-4003-0000-01	48401-98-12		0.50		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	43.02	J		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	3.34	J		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.17	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.97	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.14	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	0.49	UJ		T
CMS-CF-4003-0000-01	48401-98-12		2.48		1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET	1.46	UJ		T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	83	%RECOVERY	
CMS-CF-4003-0000-01	48401-98-12		NORMAL	07/09/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	69	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	30.62	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	2.86	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	19.75	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.99	pg/g - Wet Wt	U#
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.28	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.97	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	2.21	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	13.42	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.62	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	30.62	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	5.41	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.24	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	0.88	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.60	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	6.19	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	69	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	83	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	79	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	82	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	88	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	80	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	56	%RECOVERY	#
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	77	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	12	%RECOVERY	&
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	74	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	74	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	81	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	79	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	81	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	81	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	67	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	30.55	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.45	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	4.99	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.41	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.31	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	2.89	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	19.62	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.71	pg/g - Wet Wt	JE
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	0.52	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.49	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
CMS-CF-4003-0000-01	48401-98-12				1.00		Lab Extraction ID = 49038-21-09	10.07	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		0.99		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	30.62			T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.25	U		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.35	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.34	U		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.33	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2.86	UJ		T
LPX-CF-4002-0000-01	48401-98-02		9.92		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	19.75	U		T
LPX-CF-4002-0000-01	48401-98-02		0.99		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.62	J		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.45	U		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	4.07	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.28	U		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.19	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.21	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.2	U		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.97	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.33	U		T
LPX-CF-4002-0000-01	48401-98-02		9.92		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2.21	U		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET		R		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	13.42	UJ		T
LPX-CF-4002-0000-01	48401-98-02		0.99		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.62	J		T
LPX-CF-4002-0000-01	48401-98-02		0.99		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	30.62	J		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	5.41	J		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.25	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2.24	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.88	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1.6	UJ		T
LPX-CF-4002-0000-01	48401-98-02		4.96		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	6.19	UJ		T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		1.00		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		9.98		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		1.00		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.37	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	4.99	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	0.09	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.17	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.95	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	4.99	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	1.69	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	4.99	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	16.13	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.19	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	30.55	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	4.53	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	0.67	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.54	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	1.31	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.67	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	5.82	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	72	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	78	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	84	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	87	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	97	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	95	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	59	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	76	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	71	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	81	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	81	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	90	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	84	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	91	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	90	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02		DUPLICATE	07/03/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	69	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	1.56	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.37	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	2.54	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.63	pg/g - Wet Wt	JE
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.28	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.36	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	62.47	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.63	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	1.56	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	2.89	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		9.98		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		1.00		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		1.00		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		4.99		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		1.56		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.47	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.39	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.37	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.38	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.36	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.48	UJ		T
GMP-CF-5001-0000-01	48401-98-05		15.62		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	2.69	U		T
GMP-CF-5001-0000-01	48401-98-05		1.56		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.67	J		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.43	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.46	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.3	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.65	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.73	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.68	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.19	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.24	U		T
GMP-CF-5001-0000-01	48401-98-05		15.62		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.38	U		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET		R		T
GMP-CF-5001-0000-01	48401-98-05		62.47		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	66.19	UJ		T
GMP-CF-5001-0000-01	48401-98-05		1.56		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.67	J		T
GMP-CF-5001-0000-01	48401-98-05		1.56		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.47	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	3.06	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	0.37	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	1.29	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	0.20	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	7.81	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	84	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	85	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	86	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	96	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	104	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	70	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	79	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	85	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	89	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	96	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	100	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	97	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		NORMAL	07/02/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	78	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	156.03	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.22	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.19	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	1.73	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	10.56	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.85	pg/g - Wet Wt	J#
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.26	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.71	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	9.99	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	89.34	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	2.94	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	156.03	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	7.89	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.64	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	1.27	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.33	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	3.44	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	71	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	72	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	82	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	88	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	101	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	95	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	67	%RECOVERY	#

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.39	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1.36	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.37	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.21	UJ		T
GMP-CF-5001-0000-01	48401-98-05		7.81		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.48	UJ		T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		1.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	156.03			T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.32	U		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.21	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.22	U		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.19	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1.73	UJ		T
LPX-CF-4001-0000-01	48401-98-11		9.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	10.56	U		T
LPX-CF-4001-0000-01	48401-98-11		1.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.85	J$		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.31	U		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.34	U		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.26	U		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.37	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.43	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.38	U		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.71	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.24	U		T
LPX-CF-4001-0000-01	48401-98-11		9.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.2	U		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET		R		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	89.34	UJ		T
LPX-CF-4001-0000-01	48401-98-11		1.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2.94	J		T
LPX-CF-4001-0000-01	48401-98-11		1.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	156.03	J		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	7.89	J		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	0.32	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2.64	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1.27	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1.33	UJ		T
LPX-CF-4001-0000-01	48401-98-11		5.00		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	3.44	UJ		T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	70	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	64	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	78	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	82	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	89	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	84	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	91	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	94	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11		NORMAL	07/03/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	68	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	245.57	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.52	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	12.46	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	31.34	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	1.75	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	1.39	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	1.43	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	163.51	pg/g - Wet Wt	JK
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.75	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	245.57	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	3.86	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	47.33	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	0.91	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	2.52	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	2.77	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	19.56	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	50	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	50	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	53	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	59	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	70	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	67	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	38	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	51	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	45	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	52	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	56	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	60	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	55	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	66	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	67	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		NORMAL	06/25/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	43	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	241.04	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		9.47		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	245.57			T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	4.48	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2.51	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2.52	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2.42	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	12.46	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		94.66		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	31.34	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		9.47		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.75	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	3.48	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	4.05	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.62	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.55	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.76	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.62	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.39	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2.58	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		94.66		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.43	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET		R		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	63.51	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		9.47		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1.75	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		9.47		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	245.57	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	3.86	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	4.48	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	0.91	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2.52	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2.77	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		47.33		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	19.56	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		7.99		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	1.46	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	10.29	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	27.41	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	1.37	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	1.62	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	1.15	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	142.85	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.37	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	241.04	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	3.81	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	39.97	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	0.66	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	5.09	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	2.88	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	15.92	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	74	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	76	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	90	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	93	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	112	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	113	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	61	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	77	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	69	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	87	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	89	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	94	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	91	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	107	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	109	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17		DUPLICATE	06/25/01	9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	65	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	1.41	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	9.88	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.19	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.60	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.24	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	3.08	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	8.01	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.77	pg/g - Wet Wt	EJ
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	0.29	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	9.88	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.41	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.20	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	9.88	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	9.88	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.81	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		79.95		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		7.99		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		79.95		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		7.99		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		7.99		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		39.97		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		1.98		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1.41	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.89	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.19	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.6	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.24	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	3.08	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		19.77		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	8.01	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		1.98		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.77	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.29	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.63	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.41	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.2	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.34	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.32	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.81	UJ		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	9.88	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	0.42	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TCX		DIOXIN	MOD 1613B	9.88	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	79.07	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.77	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	1.89	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	1.57	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	9.88	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	1.76	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	2.19	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.07	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	5.12	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	71	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	68	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	80	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	82	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	111	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	114	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	54	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	73	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	54	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	76	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	79	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	93	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	82	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	119	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	115	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18		NORMAL	06/25/01	9/19/2001	9/30/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	64	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	92	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	118	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	123	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	124	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	138	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	124	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	105	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	100	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	123	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	122	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	118	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	118	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	114	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	121	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	120	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	120	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	107	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TCX		DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	50	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.31	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		19.77		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.42	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET		R		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	79.07	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		1.98		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.77	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		1.98		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1.88	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1.57	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	0.89	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1.76	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2.19	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1.07	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		9.88		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	5.12	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	71	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	68	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	73	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	79	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	102	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	105	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	55	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	77	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	55	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	70	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	74	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	88	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	77	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	101	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	106	%RECOVERY	
GMP-EI-5001-5005-0000-01	48514-99-18		MS	06/25/01	9/19/2001	9/30/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	64	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	26.1	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	29.9	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	41.1	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	30.1	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	36.5	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	32.8	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	27.5	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	15.1	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	25.2	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	24.1	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	29.7	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	33.4	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	37.0	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	30.3	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	32.8	%DIFFERENCE	&
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	27.3	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	27.1	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TCX		DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	91	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	94	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	96	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	100	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	119	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	117	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	88	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	94	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	90	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	91	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	93	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	100	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48514-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
	48514-77-04		5.76		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		57.59		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		5.76		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		57.59		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		5.76		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		5.76		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		28.80		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	97	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	103	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	113	%RECOVERY	
	48514-77-04		SRM		9/19/2001	9/30/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	80	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	96	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	100	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	109	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	104	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	99	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	100	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	100	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	99	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TCX		DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	420	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	79	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	86	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	94	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	77	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	72	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	79	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	84	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	70	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	70	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	86	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	79	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	86	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MS	07/02/01	9/19/2001	9/30/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	72	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	97	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	100	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	99	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	102	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	98	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	99	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	96	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	97	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	97	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	99	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TCX		DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	109	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	78	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	76	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	89	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	105	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	110	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	64	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	75	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	71	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	81	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	84	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	88	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	86	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05		MSD	07/02/01	9/19/2001	9/30/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	72	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	1.63	pg/g - Wet Wt	J
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	15.01	pg/g - Wet Wt	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.66	pg/g - Wet Wt	E
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	0.55	pg/g - Wet Wt	J
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	4.95	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	19.81	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.66	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
RWR-CF-5004-0000-01	48401-98-13		0.50		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.42	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.8	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.47	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.47	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.44	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	1.63	UJ		T
RWR-CF-5004-0000-01	48401-98-13		4.95		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	15.01	U		T
RWR-CF-5004-0000-01	48401-98-13		0.50		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.66	J		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.7	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.73	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.3	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.3	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.33	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.32	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.54	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.27	U		T
RWR-CF-5004-0000-01	48401-98-13		4.95		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.49	U		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET		R		T
RWR-CF-5004-0000-01	48401-98-13		19.81		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	19.81	UJ		T
RWR-CF-5004-0000-01	48401-98-13		0.50		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.66	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.65	pg/g - Wet Wt	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	3.16	pg/g - Wet Wt	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	1.15	pg/g - Wet Wt	J
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	2.94	pg/g - Wet Wt	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	47	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	44	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	43	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	43	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	54	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	53	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	37	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	44	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	43	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	43	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	42	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	47	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	44	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	46	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	51	%RECOVERY	
RWR-CF-5004-0000-01	48401-98-13		NORMAL	07/05/01	9/28/2001	10/11/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	55	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	92	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	98	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	100	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	99	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	100	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	97	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	OCDD	3268-87-9	DIOXIN	MOD 1613B	100	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	98	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	102	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	102	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	99	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	98	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	95	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	99	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	98	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	98	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	OCDF	39001-02-0	DIOXIN	MOD 1613B	101	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TCX		DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	HCX	38178-99-3	DIOXIN	MOD 1613B	92	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	86	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	85	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	87	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	95	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	103	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-CF-5004-0000-01	48401-98-13		0.50		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.65	J		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	3.16	J		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.8	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.31	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	0.46	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	1.14	UJ		T
RWR-CF-5004-0000-01	48401-98-13		2.48		1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET	2.94	UJ		T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
RWR-CF-5004-0000-01	48401-98-13				1.00		Lab Extraction ID = 49038-21-10	10.10	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	97	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	80	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	81	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	80	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	83	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	87	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	91	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	89	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	98	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	96	%RECOVERY	
	48401-44-03		LCS		9/19/2001	9/29/2001		49038-21	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	69	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	0.10	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	0.52	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		09/28/01	10/19/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U#
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	5.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TCX		DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	20.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	0.17	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	67	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	66	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	69	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	75	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	83	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	76	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/19/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	71	%RECOVERY	#
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	63	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	69	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	70	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	72	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	70	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	71	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	80	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	79	%RECOVERY	
	48401-44-03	BCO	M_BLANK		09/28/01	10/08/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	63	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.47	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.39	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.45	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	1.57	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	1.29	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	25.53	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	184.87	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.76	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.61	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		0.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		5.00		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		0.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		5.00		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		2.50		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		20.00		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		10.00		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		10.00		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		49.98		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		49.98		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		49.98		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		49.98		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		49.98		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03		49.98		1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-19	10.00	G_WET				T
RWR-EW-5001-0000-01	49037-04-02		0.50		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.47	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.39	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.45	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	1.57	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	1.29	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	25.53	J		T
RWR-EW-5001-0000-01	49037-04-02		4.96		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	184.87	J		T
RWR-EW-5001-0000-01	49037-04-02		0.50		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	1.82	UJ		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.72	UJ		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.8	UJ		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.76	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.61	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.42	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	8.80	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.53	pg/g - Wet Wt	J
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	16.96	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	19.84	pg/g - Wet Wt	U
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.80	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	26.86	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.76	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	40.92	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	23.59	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	21.66	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	89.63	pg/g - Wet Wt	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	30	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	51	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	60	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	63	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	73	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	69	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	12	%RECOVERY	&
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	50	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	47	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	60	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	58	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	63	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	62	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	71	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	72	%RECOVERY	
RWR-EW-5001-0000-01	49037-04-02	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	31	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.45	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.87	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.73	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.06	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	51.80	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	359.45	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	0.42	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.59	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	1.85	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	1.53	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.94	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	20.28	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	1.17	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	35.15	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TCX		DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	19.90	pg/g - Wet Wt	U
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	14.57	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	0.97	pg/g - Wet Wt	J
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	24.25	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.44	UJ		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.42	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	8.8	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.53	J		T
RWR-EW-5001-0000-01	49037-04-02		4.96		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	16.96	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET		R		T
RWR-EW-5001-0000-01	49037-04-02		19.84		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	19.84	UJ		T
RWR-EW-5001-0000-01	49037-04-02		0.50		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	1.82	UJ		T
RWR-EW-5001-0000-01	49037-04-02		0.50		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	0.8	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	26.86	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	2.76	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	40.92	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	23.59	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	21.66	J		T
RWR-EW-5001-0000-01	49037-04-02		2.48		1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET	89.63	J		T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5001-0000-01	49037-04-02				1.00		Lab Extraction ID = 49038-30-02	10.08	G_WET				T
RWR-EW-5004-0000-01	49037-04-06		0.50		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.72	UJ		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.45	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.87	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	2.73	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	2.06	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	51.8	J		T
RWR-EW-5004-0000-01	49037-04-06		4.97		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	359.45	J		T
RWR-EW-5004-0000-01	49037-04-06		0.50		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	1.97	UJ		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.42	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.59	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	1.85	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	1.53	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.58	UJ		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.94	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	20.28	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	1.17	J		T
RWR-EW-5004-0000-01	49037-04-06		4.97		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	35.15	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET		R		T
RWR-EW-5004-0000-01	49037-04-06		19.90		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	19.9	UJ		T
RWR-EW-5004-0000-01	49037-04-06		0.50		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	1.97	UJ		T
RWR-EW-5004-0000-01	49037-04-06		0.50		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.72	UJ		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	14.57	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	0.97	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	24.25	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	16.36	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	41.69	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	103.46	pg/g - Wet Wt	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	28	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	43	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	57	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	58	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	71	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	69	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	10	%RECOVERY	&
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	42	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	37	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	55	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	52	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	63	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	58	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	73	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	74	%RECOVERY	
RWR-EW-5004-0000-01	49037-04-06	BCO	NORMAL	07/18/01	09/28/01	10/08/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	32	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.43	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.33	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.51	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	1.95	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	1.48	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	39.65	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	324.37	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/19/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.86	pg/g - Wet Wt	#
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	0.47	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.56	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	1.65	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	1.26	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.77	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	16.92	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.71	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	25.96	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TCX		DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	19.93	pg/g - Wet Wt	U
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.86	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.43	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	17.48	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.12	pg/g - Wet Wt	J
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	22.28	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	14.36	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	33.44	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	110.46	pg/g - Wet Wt	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	38	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	60	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	80	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	76	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	96	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	94	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/19/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	10	%RECOVERY	&#
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	57	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	51	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	16.36	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	41.69	J		T
RWR-EW-5004-0000-01	49037-04-06		2.49		1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET	103.46	J		T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5004-0000-01	49037-04-06				1.00		Lab Extraction ID = 49038-30-03	10.05	G_WET				T
RWR-EW-5003-0000-01	49037-04-05		0.50		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.43	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.33	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.51	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	1.95	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	1.48	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	39.65	J		T
RWR-EW-5003-0000-01	49037-04-05		4.98		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	324.37	J		T
RWR-EW-5003-0000-01	49037-04-05		0.50		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.86	J$		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.47	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.56	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	1.65	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	1.26	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.38	UJ		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.77	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	16.92	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.71	J		T
RWR-EW-5003-0000-01	49037-04-05		4.98		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	25.96	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET		R		T
RWR-EW-5003-0000-01	49037-04-05		19.93		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	19.93	UJ		T
RWR-EW-5003-0000-01	49037-04-05		0.50		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	1.86	J		T
RWR-EW-5003-0000-01	49037-04-05		0.50		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	0.43	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	17.48	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	2.12	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	22.28	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	14.36	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	33.44	J		T
RWR-EW-5003-0000-01	49037-04-05		2.49		1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET	110.46	J		T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	75	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	74	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	80	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	79	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	102	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	101	%RECOVERY	
RWR-EW-5003-0000-01	49037-04-05	BCO	NORMAL	07/17/01	09/28/01	10/08/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	33	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	4.88	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.18	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.16	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.53	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	8.83	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	51.21	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/19/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.16	pg/g - Wet Wt	J#
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.75	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.29	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.35	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	2.65	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.15	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	4.38	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TCX		DIOXIN	MOD 1613B	2.50	pg/g - Wet Wt	U
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	19.98	pg/g - Wet Wt	U
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.14	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	4.88	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	4.23	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	1.51	pg/g - Wet Wt	J
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	5.68	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	5.47	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	5.30	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	18.08	pg/g - Wet Wt	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	50	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	54	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	58	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	58	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	68	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	67	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/19/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	43	%RECOVERY	#
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	53	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	52	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	56	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	57	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	60	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	59	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	66	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	69	%RECOVERY	
LPX-EW-4006-0000-01	49037-04-08	BCO	NORMAL	07/19/01	09/28/01	10/08/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	50	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	3.04	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	1.30	pg/g - Wet Wt	J
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	3.70	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	9.06	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	9.56	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
RWR-EW-5003-0000-01	49037-04-05				1.00		Lab Extraction ID = 49038-30-04	10.03	G_WET				T
LPX-EW-4006-0000-01	49037-04-08		0.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	4.88	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.18	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.16	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.53	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.5	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	8.83	J		T
LPX-EW-4006-0000-01	49037-04-08		4.99		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	51.21	J		T
LPX-EW-4006-0000-01	49037-04-08		0.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.16	J$		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.42	UJ		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.42	UJ		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.75	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.29	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.35	UJ		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.35	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	2.65	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	0.15	J		T
LPX-EW-4006-0000-01	49037-04-08		4.99		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	4.38	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET		R		T
LPX-EW-4006-0000-01	49037-04-08		19.98		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	19.98	UJ		T
LPX-EW-4006-0000-01	49037-04-08		0.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	1.14	J		T
LPX-EW-4006-0000-01	49037-04-08		0.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	4.88	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	4.23	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	1.51	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	5.68	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	5.47	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	5.3	J		T
LPX-EW-4006-0000-01	49037-04-08		2.50		1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET	18.08	J		T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4006-0000-01	49037-04-08				1.00		Lab Extraction ID = 49038-30-05	10.01	G_WET				T
LPX-EW-4007-0000-01	49037-04-09		0.50		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	3.04	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	1.3	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	3.7	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	9.06	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	9.56	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	240.13	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	1648.85	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	3.60	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	3.79	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	2.55	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	115.06	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	5.36	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	265.43	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TCX		DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	19.93	pg/g - Wet Wt	U
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	3.04	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	14.11	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	3.62	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	96.47	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	59.86	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	249.38	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	446.93	pg/g - Wet Wt	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	19	%RECOVERY	&
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	41	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	61	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	65	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	87	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	87	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	6	%RECOVERY	&
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	41	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	33	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	59	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	58	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	68	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	62	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	83	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	87	%RECOVERY	
LPX-EW-4007-0000-01	49037-04-09	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	16	%RECOVERY	&
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	140.25	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.32	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.73	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.12	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	1.87	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	49.89	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	387.43	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	0.23	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.91	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.87	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.49	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	12.42	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.79	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	32.76	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	240.13	J		T
LPX-EW-4007-0000-01	49037-04-09		4.98		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	1648.85	J		T
LPX-EW-4007-0000-01	49037-04-09		0.50		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET		R		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	1.49	UJ		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	1.95	UJ		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	3.6	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	3.79	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	1.41	UJ		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	2.55	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	115.06	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	5.36	J		T
LPX-EW-4007-0000-01	49037-04-09		4.98		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	265.43	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET		R		T
LPX-EW-4007-0000-01	49037-04-09		19.93		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	19.93	UJ		T
LPX-EW-4007-0000-01	49037-04-09		0.50		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	4.51	UJ		T
LPX-EW-4007-0000-01	49037-04-09		0.50		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	3.04	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	14.11	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	3.62	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	96.47	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	59.86	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	249.38	J		T
LPX-EW-4007-0000-01	49037-04-09		2.49		1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET	446.93	J		T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
LPX-EW-4007-0000-01	49037-04-09				1.00		Lab Extraction ID = 49038-30-06	10.03	G_WET				T
CMS-EW-4001-0000-01	49037-04-10		0.50		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	140.25	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.32	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.73	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	2.12	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	1.87	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	49.89	J		T
CMS-EW-4001-0000-01	49037-04-10		4.95		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	387.43	J		T
CMS-EW-4001-0000-01	49037-04-10		0.50		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	1.76	UJ		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.23	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.78	UJ		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.91	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.87	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	1.21	UJ		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.49	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	12.42	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	0.79	J		T
CMS-EW-4001-0000-01	49037-04-10		4.95		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	32.76	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	5135.48	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	140.25	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	18.61	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	1.61	pg/g - Wet Wt	J
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	23.18	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	16.09	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	29.53	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	99.20	pg/g - Wet Wt	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	32	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	61	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	73	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	75	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	90	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	88	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	12	%RECOVERY	&
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	58	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	53	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	69	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	69	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	75	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	74	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	88	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	91	%RECOVERY	
CMS-EW-4001-0000-01	49037-04-10	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	29	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	215.50	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.67	pg/g - Wet Wt	J
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	1.05	pg/g - Wet Wt	J
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	2.79	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	2.52	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	69.46	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	472.01	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/19/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.67	pg/g - Wet Wt	#
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	1.29	pg/g - Wet Wt	J
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.97	pg/g - Wet Wt	J
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.69	pg/g - Wet Wt	J
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	16.13	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.80	pg/g - Wet Wt	J
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	37.44	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	8689.96	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.16	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	215.50	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	37.58	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	3.01	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	31.04	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	22.98	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	36.89	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	143.02	pg/g - Wet Wt	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	24	%RECOVERY	&
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	46	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET		R		T
CMS-EW-4001-0000-01	49037-04-10		19.81		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	5135.48	J		T
CMS-EW-4001-0000-01	49037-04-10		0.50		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	1.76	UJ		T
CMS-EW-4001-0000-01	49037-04-10		0.50		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	140.25	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	18.61	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	1.61	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	23.18	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	16.09	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	29.53	J		T
CMS-EW-4001-0000-01	49037-04-10		2.48		1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET	99.2	J		T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4001-0000-01	49037-04-10				1.00		Lab Extraction ID = 49038-30-07	10.10	G_WET				T
CMS-EW-4002-0000-01	49037-04-11		0.50		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	215.5	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.67	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	1.05	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	2.79	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	2.52	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	69.46	J		T
CMS-EW-4002-0000-01	49037-04-11		4.97		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	472.01	J		T
CMS-EW-4002-0000-01	49037-04-11		0.50		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.67	J$		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.42	UJ		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.5	UJ		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	1.29	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.97	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.36	UJ		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.69	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	16.13	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	0.8	J		T
CMS-EW-4002-0000-01	49037-04-11		4.97		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	37.44	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET		R		T
CMS-EW-4002-0000-01	49037-04-11		19.87		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	8689.96	J		T
CMS-EW-4002-0000-01	49037-04-11		0.50		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	1.16	J		T
CMS-EW-4002-0000-01	49037-04-11		0.50		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	215.5	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	37.58	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	3.01	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	31.04	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	22.98	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	36.89	J		T
CMS-EW-4002-0000-01	49037-04-11		2.48		1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET	143.02	J		T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	62	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	75	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	81	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	82	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/19/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	10	%RECOVERY	&#
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	46	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	40	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	61	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	68	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	67	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	67	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	86	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	83	%RECOVERY	
CMS-EW-4002-0000-01	49037-04-11	BCO	NORMAL	07/18/01	09/28/01	10/09/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	23	%RECOVERY	&
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	180.06	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.75	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	1.39	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	4.44	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	3.64	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	107.19	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	754.24	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.34	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	2.05	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	1.79	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.92	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	27.04	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	1.32	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	64.23	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TCX		DIOXIN	MOD 1613B	2.48	pg/g - Wet Wt	U
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	8651.47	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	180.06	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	19.87	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	2.17	pg/g - Wet Wt	J
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	34.16	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	29.34	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	60.19	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	213.29	pg/g - Wet Wt	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	24	%RECOVERY	&
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	47	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	59	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	70	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	74	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	69	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	7	%RECOVERY	&
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	45	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	40	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	58	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	63	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	72	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4002-0000-01	49037-04-11				1.00		Lab Extraction ID = 49038-30-08	10.07	G_WET				T
CMS-EW-4003-0000-01	49037-04-12		0.50		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	180.06	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	0.75	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	1.39	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	4.44	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	3.64	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	107.19	J		T
CMS-EW-4003-0000-01	49037-04-12		4.96		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	754.24	J		T
CMS-EW-4003-0000-01	49037-04-12		0.50		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET		R		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	1.15	UJ		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	0.34	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	2.05	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	1.79	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	0.84	UJ		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	0.92	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	27.04	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	1.32	J		T
CMS-EW-4003-0000-01	49037-04-12		4.96		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	64.23	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET		R		T
CMS-EW-4003-0000-01	49037-04-12		19.82		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	8651.47	J		T
CMS-EW-4003-0000-01	49037-04-12		0.50		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	3.04	UJ		T
CMS-EW-4003-0000-01	49037-04-12		0.50		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	180.06	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	19.87	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	2.17	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	34.16	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	29.34	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	60.19	J		T
CMS-EW-4003-0000-01	49037-04-12		2.48		1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET	213.29	J		T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	70	%RECOVERY	
CMS-EW-4003-0000-01	49037-04-12	BCO	NORMAL	07/19/01	09/28/01	10/09/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	24	%RECOVERY	&
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	122.94	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.84	pg/g - Wet Wt	J
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	1.61	pg/g - Wet Wt	J
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	4.61	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	5.09	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	116.69	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	775.02	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	1.27	pg/g - Wet Wt	J
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	1.08	pg/g - Wet Wt	J
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.74	pg/g - Wet Wt	J
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	18.35	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	1.11	pg/g - Wet Wt	J
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	44.69	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	2.49	pg/g - Wet Wt	U
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	4074.07	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.50	pg/g - Wet Wt	U
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	122.94	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	11.96	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	3.59	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	25.54	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	41.34	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	41.20	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	316.16	pg/g - Wet Wt	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	19	%RECOVERY	&
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	45	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	65	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	62	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	78	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	79	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	5	%RECOVERY	&
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	44	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	38	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	59	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	56	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	64	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	62	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	80	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	77	%RECOVERY	
CMS-EW-4005-0000-01	49037-04-13	BCO	NORMAL	07/20/01	09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	21	%RECOVERY	&
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	79.54	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	0.52	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.40	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	13.08	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	94.74	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.48	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.28	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4003-0000-01	49037-04-12				1.00		Lab Extraction ID = 49038-30-09	10.09	G_WET				T
CMS-EW-4005-0000-01	49037-04-13		0.50		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	122.94	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	0.84	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	1.61	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	4.6	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	5.08	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	116.69	J		T
CMS-EW-4005-0000-01	49037-04-13		4.98		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	775.02	J		T
CMS-EW-4005-0000-01	49037-04-13		0.50		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET		R		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	0.47	UJ		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	0.55	UJ		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	1.27	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	1.08	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	0.36	UJ		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	0.74	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	18.35	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	1.11	J		T
CMS-EW-4005-0000-01	49037-04-13		4.98		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	44.69	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET		R		T
CMS-EW-4005-0000-01	49037-04-13		19.94		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	4074.07	J		T
CMS-EW-4005-0000-01	49037-04-13		0.50		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	3.38	UJ		T
CMS-EW-4005-0000-01	49037-04-13		0.50		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	122.94	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	11.96	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	3.59	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	25.54	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	41.34	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	41.2	J		T
CMS-EW-4005-0000-01	49037-04-13		2.49		1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET	316.16	J		T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
CMS-EW-4005-0000-01	49037-04-13				1.00		Lab Extraction ID = 49038-30-10	10.03	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	79.54	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.88	UJ		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.59	UJ		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.52	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.4	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	13.08	J		T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	94.74	J		T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.48	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.85	UJ		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.28	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.44	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	4.53	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.29	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	9.41	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	405.06	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.82	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	79.54	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	40.59	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	7.67	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	4.48	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	9.46	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	28.54	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	64	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	72	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	83	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	84	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	98	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	100	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	37	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	70	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	70	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	85	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	82	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	82	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	81	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	90	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	92	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	07/19/01	09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	59	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	161.06	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	1.09	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	0.71	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	15.26	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	111.00	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.48	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	0.38	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	0.79	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	5.90	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	0.33	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	10.07	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	769.03	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	0.98	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	161.06	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	57.11	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.44	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.79	UJ		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.92	UJ		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.84	UJ		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	4.53			T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.29	J		T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	9.41			T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET		R		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	405.06	J		T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.82	J		T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	79.54	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	40.59	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	0.88	UJ		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	7.66	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	4.48	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	9.46	J		T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET	28.54	J		T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		1.00		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	10.72	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	6.32	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	12.16	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	33.71	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	47	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	58	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	64	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	67	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	80	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	83	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	22	%RECOVERY	&
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	55	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	55	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	62	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	61	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	65	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	65	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	73	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	78	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	07/19/01	09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	49	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	0.30	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	0.48	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	1.67	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	1.02	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	26.67	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	202.35	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	0.99	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	0.69	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	10.33	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	22.77	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	39.70	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.29	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	0.30	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	9.48	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	4.96	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	13.37	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	9.95	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	21.16	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	51.66	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	42	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	56	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	70	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	69	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	84	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	90	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	20	%RECOVERY	&

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		4.98		1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 49038-30-12	5.02	G_WET				T
RWR-EW-5002-0000-01	49037-04-03		0.99		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.3	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.98	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.48	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.67	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.02	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	26.67	J		T
RWR-EW-5002-0000-01	49037-04-03		9.93		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	202.35	J		T
RWR-EW-5002-0000-01	49037-04-03		0.99		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.56	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.01	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.07	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.97	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.69	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.16	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.05	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	10.33	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.91	UJ		T
RWR-EW-5002-0000-01	49037-04-03		9.93		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	22.78	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET		R		T
RWR-EW-5002-0000-01	49037-04-03		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	39.7	UJ		T
RWR-EW-5002-0000-01	49037-04-03		0.99		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1.29	J		T
RWR-EW-5002-0000-01	49037-04-03		0.99		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.3	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	9.48	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	0.98	UJ		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	13.37	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	9.95	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	21.16	J		T
RWR-EW-5002-0000-01	49037-04-03		4.96		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	51.66	J		T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	54	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	52	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	66	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	65	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	66	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	67	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	78	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	83	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	NORMAL	07/16/01	09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	36	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	301.36	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	0.79	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	4.26	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	3.90	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	93.56	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	652.95	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	1.00	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	1.64	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	1.31	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	0.86	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	19.75	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	1.15	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	48.99	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	4.98	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	17932.55	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	1.00	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	301.36	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	31.76	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	1.72	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	35.92	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	29.56	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	44.90	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	181.43	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	32	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	56	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	71	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	73	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	90	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	96	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	12	%RECOVERY	&
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	54	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	50	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	71	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	66	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	71	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	71	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	92	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	91	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	07/20/01	09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	32	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	93	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	101	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	100	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
CMS-DU-072001-A	49037-04-14		1.00		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	301.36	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	0.79	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	0.62	UJ		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	4.26	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3.9	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	93.56	J		T
CMS-DU-072001-A	49037-04-14		9.95		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	652.95	J		T
CMS-DU-072001-A	49037-04-14		1.00		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2.69	UJ		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	0.6	UJ		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	0.66	UJ		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1.64	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1.31	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	0.75	UJ		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	0.86	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	19.75	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1.16	J		T
CMS-DU-072001-A	49037-04-14		9.95		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	48.99	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET		R		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	17932.55	J		T
CMS-DU-072001-A	49037-04-14		1.00		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2.69	UJ		T
CMS-DU-072001-A	49037-04-14		1.00		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	301.36	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	31.76	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1.72	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	35.92	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	29.56	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	44.9	J		T
CMS-DU-072001-A	49037-04-14		4.98		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	181.43	J		T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	99	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	101	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	97	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	93	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	98	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	104	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	102	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	96	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	96	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	93	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	98	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	97	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	98	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	108	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	93	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	47	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	62	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	77	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	76	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	90	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	102	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	25	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	58	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	57	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	71	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	69	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	71	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	74	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	86	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	91	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MS	07/16/01	09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	43	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	92	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	100	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	101	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	99	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	103	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	99	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	101	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	100	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	103	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	100	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	95	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	96	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	91	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	96	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	98	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	97	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	112	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	73	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	45	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	62	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	71	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	71	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	87	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	95	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	22	%RECOVERY	&
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	58	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	60	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	69	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	68	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	66	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	69	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	83	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	85	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03	BCO	MSD	07/16/01	09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	41	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	31.0	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	26.5	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	39.9	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	33.5	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	35.9	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	34.1	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	23.3	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	8.0	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	26.8	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	25.3	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	31.2	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	34.1	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	36.1	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	27.6	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	34.5	%DIFFERENCE	&
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	29.1	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	21.8	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TCX		DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%DIFFERENCE	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03				1.00		Lab Extraction ID = 49038-30-15	5.01	G_WET				T
	48514-92-10		4.97		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		49.67		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		4.97		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		49.67		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		4.97		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		4.97		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10		24.83		1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	57	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	56	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	63	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	65	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	79	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	83	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	51	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	52	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	58	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	61	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	62	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	60	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	63	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	69	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	75	%RECOVERY	
	48514-92-10	BCO	SRM		09/28/01	10/11/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	53	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	2,3,7,8-TCDD	1746-01-6	DIOXIN	MOD 1613B	91	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDD	40321-76-4	DIOXIN	MOD 1613B	102	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDD	39227-28-6	DIOXIN	MOD 1613B	108	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDD	57653-85-7	DIOXIN	MOD 1613B	97	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDD	19408-74-3	DIOXIN	MOD 1613B	104	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDD	35822-46-9	DIOXIN	MOD 1613B	100	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	OCDD	3268-87-9	DIOXIN	MOD 1613B	104	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	2,3,7,8-TCDF	51207-31-9	DIOXIN	MOD 1613B	104	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,7,8-PeCDF	57117-41-6	DIOXIN	MOD 1613B	102	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	2,3,4,7,8-PeCDF	57117-31-4	DIOXIN	MOD 1613B	99	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,4,7,8-HxCDF	70648-26-9	DIOXIN	MOD 1613B	99	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,6,7,8-HxCDF	57117-44-9	DIOXIN	MOD 1613B	100	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,7,8,9-HxCDF	72918-21-9	DIOXIN	MOD 1613B	95	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	2,3,4,6,7,8-HxCDF	60851-34-5	DIOXIN	MOD 1613B	101	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,4,6,7,8-HpCDF	67562-39-4	DIOXIN	MOD 1613B	103	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	1,2,3,4,7,8,9-HpCDF	55673-89-7	DIOXIN	MOD 1613B	99	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	OCDF	39001-02-0	DIOXIN	MOD 1613B	107	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TCX		DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	HCX	38178-99-3	DIOXIN	MOD 1613B	150	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL TETRA-FURANS	51207-31-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL TETRA-DIOXINS	41903-57-5	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL PENTA-FURANS	30402-15-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL PENTA-DIOXINS	36088-22-9	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL HEXA-FURANS	55684-94-1	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL -HEXA-DIOXINS	34465-46-8	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL HEPTA-FURANS	38998-75-3	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	TOTAL HEPTA-DIOXINS	37871-00-4	DIOXIN	MOD 1613B	NA	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDD	76523-40-5	DIOXIN	MOD 1613B	67	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDD	109719-79-1	DIOXIN	MOD 1613B	68	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDD	109719-80-4	DIOXIN	MOD 1613B	67	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDD	109719-81-5	DIOXIN	MOD 1613B	79	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDD	109719-83-7	DIOXIN	MOD 1613B	87	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-OCDD	114423-97-1	DIOXIN	MOD 1613B	83	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-2,3,7,8-TCDF	89059-46-1	DIOXIN	MOD 1613B	59	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,7,8-PeCDF	109719-77-9	DIOXIN	MOD 1613B	66	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-2,3,4,7,8-PeCDF	116843-02-8	DIOXIN	MOD 1613B	68	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8-HxCDF	114423-98-2	DIOXIN	MOD 1613B	70	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,6,7,8-HxCDF	116843-03-9	DIOXIN	MOD 1613B	73	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,7,8,9-HxCDF	116843-04-0	DIOXIN	MOD 1613B	75	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 49038-30-17	1.01	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-2,3,4,6,7,8-HxCDF	116843-05-1	DIOXIN	MOD 1613B	74	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,4,6,7,8-HpCDF	116843-09-5	DIOXIN	MOD 1613B	81	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	13C-1,2,3,4,7,8,9-HpCDF	109719-94-0	DIOXIN	MOD 1613B	82	%RECOVERY	
	48401-44-03	BCO	LCS		09/28/01	10/08/01		49038-30	37Cl-2,3,7,8-TCDD	85508-50-5	DIOXIN	MOD 1613B	58	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-30-18	0.54	G_WET				T

Section 2
PCB Congener Results

QA/QC Narratives
Diet Tissue and QC Results

QA/QC Narratives

PCB CONGENERS QA/QC SUMMARY
QC Batch 49038-21 – Crayfish and Emerging Insects

PROJECT: USACE NAE Delivery Order #01 Centredale

PARAMETER: PCB Congeners by High Resolution Mass Spectrometry (HRMS)

LABORATORY: Battelle, Columbus, OH

MATRIX: Crayfish and Emerging Insects

SAMPLE CUSTODY: Crayfish and emerging insects were received from Battelle MSL on August 31, 2001. Samples were received in good condition and the cooler temperature upon receipt was 0.8 °C.

QA/QC MEASUREMENT PERFORMANCE CRITERIA:

	Reference Method	Blank	Surrogate Recovery	LCS/MS Recovery	SRM % Diff.	MS/MSD Replicate Relative Precision	Achieved RL (pg/g wet)	Project Goals * (pg/g wet)
PCB Congeners	L-32 Battelle SOP ASAT.II-009	<5× EML, or associated samples > 10x blank values	25-150% Recovery	*LCS:* 50-150%[a] *MS:* 50-150% Recovery for at least 90% of congeners [b]	≤30% PD[c]	≤30% RPD for at least 90% of analytes [b, d]	MDL listed for each sample is EML from 1668A Table 2 adjusted for the amount of sample extracted	Selected congeners range from 0.007-61.6, most do not have an available goal

[a] Method 1668A, Table 6 OPR requirements for native PCBs.
[b] Analyte concentration in MS/MSD must be >5× background to be used for data quality assessment.
[c] Certified values must be >3× the EML.
[d] *Sample replicate precision:* concentrations in sample replicate must be >3× the EML.
* = Range of HH goal and ECO goal from Table #9b of QAPP (pp 85-89 of 509)

METHOD: Crayfish and emerging insect tissue samples were processed and analyzed for the extended list of PCB congeners following methods described in Battelle's Quality Assurance Project Plan (Battelle, 2001). Briefly,

Sample Preparation – The samples were processed in BATCH 49038-21. Aliquots of each homogenized tissue were weighed into individual jars and mixed with Hydromatrix drying agent. Approximately 1-10 g wet weight of each tissue sample was used depending on the amount of sample available. Nine of the field samples were prepared for PCDD/PCDF, TCX, and HCX only. Five of the field samples and all eight QC samples were prepared for PCB analysis in addition to PCDD/PCDF, TCX, and HCX. The tissue/Hydromatrix mixtures for the five field samples and eight QC samples processed for both PCDD/PCDF, TCX, HCX and PCB analyses were placed into Accelerated Solvent Extraction (ASE) cells and spiked with $^{13}C_{12}$-labeled PCB internal standard solutions. Matrix spike, matrix spike duplicate, and the laboratory control spike (LCS) samples were spiked with native PCBs at this time. The spiking level for these 13 samples for both internal and matrix spike solutions was at twice the typical spiking level to accommodate the sample being split in half for separate PCB

METHOD (cont):

and PCDD/PCDF/TCX/HCX cleanup. The samples were ASE extracted using $MeCl_2$: hexane (1:1). Each extract was then spiked with $^{13}C_{12}$-labeled PCB cleanup standards for monitoring recovery of analytes through the cleanup procedures. Each extract was acid washed. After the acid wash step, the 13 samples for both PCB and PCDD/PCDF/TCX/HCX were split in half. Half of each extract was submitted for PCB cleanup which included acid/base silica, alumina, followed by additional acid/base silica cleanup columns. The tissue extracts were spiked with $^{13}C_{12}$-labeled PCB recovery standards and concentrated to a final sample volume of 50 µL.

PCB Analysis – Each extract was analyzed by gas chromatography/high resolution mass spectrometry (GC/HRMS) in the selected ion-monitoring mode at a resolution of 10,000 or greater. An SPB-Octyl column was used for analysis of the PCB congeners.

The continuing calibrations met Method criteria at all times for the native PCB analytes. Several internal standards did not meet method criteria during continuing calibration. In these instances, average daily response factors were used to report internal standard concentrations.

The following revisions to Method 1668A as well as several items to note specifically related to these analyses are summarized below:

1. Quality control samples processed with this batch of samples included one method blank, one LCS, one fish standard reference material, one matrix spike and one matrix spike duplicate in crayfish, one matrix spike in emerging insect and one sample prepared in duplicate for each crayfish and emerging insect.

2. The GC/HRMS instrumentation was calibrated for PCBs using a 6-point calibration of a subset of PCB congeners to assess linearity of the calibration range, and a single point 209 calibration to generate response factors for each PCB congener. The range of the 6 point calibration corresponds to the following levels in the samples assuming an average sample wet weight of 3 g of tissue and a final sample volume of 50 µL: 3.33 to 33,333 pg/g wet.

Any additional minor revisions to Method 1668A are fully documented in the analytical record.

HOLDING TIMES:

Samples were prepared for analysis in one analytical batch. Samples were extracted within 3 weeks of receipt and analyzed within 12 weeks of extraction.

Batch	Extraction Date	Analysis Date
49038-21	9/19/2001	12/10-11/2001

PCB CONGENERS QA/QC SUMMARY
QC Batch 49038-21 – Crayfish and Emerging Insects

DETECTION LIMITS:

PCB results are reported relative to the sample-specific reporting limits (also referred to as QL in the QAPP) for that compound. The sample-specific RL is based on the EML (estimated minimum level) for each individual PCB congener listed in Method 1668A, Table 2, adjusted for the amount of sample extracted as follows:

RL = (EML)/ Sample size

Where,
EML = (pg/g EML value from Method 1668A, Table 2) × 10
to adjust for an assumed sample volume of 10 g in the table
Sample Size = approximately 3-g wet

Limited project detection limit goals were available for the PCB congeners. For congeners which had a detection limit goal, achieved RLs did not meet the goals in many instances. As noted in the QAPP, the project detection limit goals are provided for perspective rather than as a requirement for the analytical methods. If detection limits cannot be achieved, this will be addressed in the uncertainty discussions in the risk assessment.

BLANKS:

One laboratory method blank was processed with the analytical batch. Blanks are analyzed to ensure that the sample extraction and analysis methods were free of contamination.

49038-21– Many PCB congeners were detected at a trace level as is common in low-level HRMS PCB analysis due to the prevalence of PCBs in the environment contributing to background; however, the levels detected were all below the reporting level.

LABORATORY CONTROL SAMPLE

A laboratory control sample (LCS) was prepared with the analytical batch. The percent recoveries of target compounds were calculated to measure data quality in terms of accuracy.

49038-21– The recovery of all PCBs in the LCS sample were within the 50-150% criteria found in Table 6 of Method 1668A for all but PCB 209. An interference causing unusual lock mass instability in the window for PCB 209 prevented the determination of PCB 209.

MATRIX SPIKES:

One matrix spike (MS)/matrix spike duplicate (MSD) sample set was prepared from crayfish and a single MS was prepared from emerging insects to measure data quality in terms of accuracy and precision. The MS and MSD samples were fortified with target compounds to monitor data quality in terms of accuracy and precision.

49038-- For **crayfish**, the matrix spike and spike duplicate recoveries for analytes spiked >5× background concentration were within the 50-150% limits with the exception of PCB 209. For **emerging insects**, the matrix spike recoveries were all within the 50-150% limits with the exception of PCB 209.

The background sample used for both crayfish and emerging insects had an interference causing unusual lock mass instability in the window for PCB 209 which prevented the determination of PCB 209 in the background samples. This caused high spike recoveries since the background contribution for PCB 209 could not be subtracted out.

The relative percent difference between matrix spike duplicates for crayfish was <30% for analytes spiked >5× the background concentration.

PCB CONGENERS QA/QC SUMMARY
QC Batch 49038-21 – Crayfish and Emerging Insects

INTERNAL STANDARDS: Twenty-seven internal standards were added to each sample prior to processing, three standards were added after extraction and prior to sample cleanup. Internal standard recoveries were calculated to measure data quality in terms of accuracy (sample processing efficiency).

49038-21– Recoveries of internal standards were within 25-150% for most analytes in the samples. As mentioned above, for several samples, PCB 209 could not be determined due to interferences causing lock mass instability in the PCB 209 window.

REPLICATES: A laboratory duplicate for crayfish and emerging insects was prepared with the batch. The RPD between laboratory replicate analyses for target compounds was calculated to measure data quality in terms of precision.

49038-21– For crayfish and emerging insects, analytes present in concentrations >3× EML had <30% RPD between duplicates.

SRM: A standard reference material (CIL EDF 2526) was prepared with the analytical batch. The percent difference (PD) between detected concentrations and certified values was calculated to measure data quality in terms of accuracy.

49038-21- Four of the five certified analytes were within 30% of the consensus values, one analyte (PCB 126) was within 35% of the consensus value.

In an effort to improve SRM recoveries, this SRM had been processed using a smaller amount of tissue to adjust for the high lipid content of the SRM as was discussed as a corrective action in the report for PCDD/PCDF/TCX/HCX for Whole Body Fish Batch SDG 48985-43. The recovery of analytes is significantly better using the lesser amount of SRM. Recovery in the crayfish and emerging insects is also demonstrated by very good matrix spike, matrix spike duplicate, LCS, and internal standard recoveries.

REFERENCES:

Battelle 2001. *Centredale Manor Restoration Project Superfund Site Baseline Risk Assessment, Initial Project Planning and Support.* Tasks 19-22 QAPP prepared under contract to USACE NAE. Delivery Order #59. May 23, 2001. 509pp + apps.

QUALITY ASSURANCE STATEMENT

Project Title: **USACE/NED, Centredale Manor Task 22 Diet, Batch 1 of 2**

Project Number: **G487002-22A2**

Description of Data: **Emerging insect and crayfish tissue samples for PCBs**

Description of audit and review activities:
1)Reviewed sample preparation Laboratory Record Books (LRB). Tracked COC from sample receipt to analytical injection. Reviewed standard/spike preparation records. Resolved all resulting LRB numbers (i.e. sample tracking numbers) with analytical designations. Reviewed data package for data recording consistent with Good Laboratory Practices (GLP's).

2)Reviewed analytical (HRMS) data. Reviewed all hand-entered parameters (e.g. sample masses, sample names, calibration curve date, etc) for each analytical run. Reviewed calibrations results to ensure that Relative Response Factors (RRF) were ±20% of calibration RRF. Reviewed 10% data transfer to spreadsheets. Reviewed confirmation runs and accurate data transfer.

3)Reviewed spreadsheets. Accessed e-file of excel spreadsheets and reviewed formula and relative and absolute cell addresses to ensure accurate data transposition.

4)Reviewed report. Ensured report accurately reflected raw data and resulting spreadsheets.

Description of outstanding issues or deficiencies which may affect data quality:
1) Minor QC issues were submitted to the analytical staff for correction, no outstanding issues present.

Zachary Willenberg
Quality Assurance Specialist
Atmospheric Science and Applied Technology
Battelle

1-02-02
Date

PCB CONGENERS QA/QC SUMMARY
QC Batch 49038-30 – Earthworm

PROJECT: USACE NAE Delivery Order #01 Centredale
PARAMETER: PCB Congeners by High Resolution Mass Spectrometry (HRMS)
LABORATORY: Battelle, Columbus, OH
MATRIX: Earthworms
SAMPLE CUSTODY: Earthworms were received from Battelle MSL on September 7, 2001. Samples were received in good condition and the cooler temperature upon receipt was 0.6 °C.

QA/QC MEASUREMENT PERFORMANCE CRITERIA:

	Reference Method	Blank	Surrogate Recovery	LCS/MS Recovery	SRM % Diff.	MS/MSD Replicate Relative Precision	Achieved RL (pg/g wet)	Project Goals * (pg/g wet)
PCB Congeners	L-32 Battelle SOP ASAT.II-009	<5× EML, or associated samples > 10× blank values	25-150% Recovery	*LCS*: 50-150%[a] *MS:* 50-150% Recovery for at least 90% of congeners [b]	≤30% PD[c]	≤30% RPD for at least 90% of analytes [b, d]	MDL listed for each sample is EML from 1668A Table 2 adjusted for the amount of sample extracted	Selected congeners range from 0.007-61.6, most do not have an available goal

[a] Method 1668A, Table 6 OPR requirements for native PCBs.
[b] Analyte concentration in MS/MSD must be >5× background to be used for data quality assessment.
[c] Certified values must be >3× the EML.
[d] *Sample replicate precision:* concentrations in sample replicate must be >3× the EML.
* = Range of HH goal and ECO goal from Table #9b of QAPP (pp 85-89 of 509)

METHOD: Earthworm tissue samples were processed and analyzed for the extended list of PCB congeners following methods described in Battelle's Quality Assurance Project Plan (Battelle, 2001). Briefly,

Sample Preparation – The samples were processed in BATCH 49038-30. Aliquots of each homogenized tissue were weighed into individual jars and mixed with Hydromatrix drying agent. Approximately 10 g wet weight of each tissue sample was used. Eight of the field samples were prepared for PCDD/PCDF, TCX, and HCX only. Three of the field samples and all of six QC samples were prepared for PCB analysis in addition to PCDD/PCDF, TCX, and HCX. The tissue/Hydromatrix mixtures for the three field samples and six QC samples processed for both PCDD/PCDF, TCX, HCX and PCB analyses were placed into Accelerated Solvent Extraction (ASE) cells and spiked with $^{13}C_{12}$-labeled PCB internal standard solutions. Matrix spike, matrix spike duplicate, and the laboratory control spike (LCS) samples were spiked with native PCBs at this time. The spiking level for these 9 samples for both internal and matrix spike solutions was at twice the typical spiking level to accommodate the sample being split in half for separate PCB and PCDD/PCDF/TCX/HCX cleanup. The samples were ASE extracted using $MeCl_2$: hexane (1:1). Each extract was then spiked with $^{13}C_{12}$-labeled PCB cleanup

METHOD (cont):

standards for monitoring recovery of analytes through the cleanup procedures. Each extract was acid washed. After the acid wash step, the 9 samples for both PCB and PCDD/PCDF/TCX/HCX were split in half. Half of each extract was submitted for PCB cleanup which included acid/base silica, alumina, followed by additional acid/base silica cleanup columns. The tissue extracts were spiked with $^{13}C_{12}$-labeled PCB recovery standards and concentrated to a final sample volume of 50 µL.

PCB Analysis – Each extract was analyzed by gas chromatography/high resolution mass spectrometry (GC/HRMS) in the selected ion-monitoring mode at a resolution of 10,000 or greater. An SPB-Octyl column was used for analysis of the PCB congeners.

The continuing calibrations met Method criteria at all times for the native PCB analytes. Several internal standards did not meet method criteria during continuing calibration. In these instances, average daily response factors were used to report internal standard concentrations.

The following revisions to Method 1668A as well as several items to note specifically related to these analyses are summarized below:

1. Quality control samples processed with this batch of samples included one method blank, one LCS, one fish standard reference material, one matrix spike, one matrix spike duplicate, and one sample prepared in duplicate.

2. The GC/HRMS instrumentation was calibrated for PCBs using a 6-point calibration of a subset of PCB congeners to assess linearity of the calibration range, and a single point 209 calibration to generate response factors for each PCB congener. The range of the 6 point calibration corresponds to the following levels in the samples assuming an average sample wet weight of 5 g of tissue and a final sample volume of 50 µL: 2.0 to 20,000 pg/g wet.

Any additional minor revisions to Method 1668A are fully documented in the analytical record.

HOLDING TIMES:

Samples were prepared for analysis in one analytical batch. Samples were extracted within 3 weeks of receipt and analyzed within 11 weeks of extraction.

Batch	Extraction Date	Analysis Date
49038-30	9/28/2001	12/9-10/2001

BLANKS:

One laboratory method blank was processed with the analytical batch. Blanks are analyzed to ensure that the sample extraction and analysis methods were free of contamination.

49038-30– Many PCB congeners were detected at a trace level as is common in low-level HRMS PCB analysis due to the prevalence of PCBs in the environment contributing to background; however, the levels detected were below the reporting level for all but the co-eluting PCBs 52/73/43.

All concentrations of PCB 52/73/43 in the samples were >10× the blank level and as such did not require the "B" flag.

PCB CONGENERS QA/QC SUMMARY
QC Batch 49038-30 – Earthworm

LABORATORY CONTROL SAMPLE

A laboratory control sample (LCS) was prepared with the analytical batch. The percent recoveries of target compounds were calculated to measure data quality in terms of accuracy.

49038-30– The recovery of all PCBs in the LCS sample were within the 50-150% criteria found in Table 6 of Method 1668A.

MATRIX SPIKES:

One matrix spike (MS)/matrix spike duplicate (MSD) sample set was prepared with the batch to measure data quality in terms of accuracy and precision. The MS and MSD were fortified with target compounds to monitor data quality in terms of accuracy and precision.

49038-30–The matrix spike recoveries for PCBs spiked >5× background concentration in both the MS and MSD were within the 50-150% limits.

The relative percent difference between matrix spike duplicates was <11% for analytes spiked >5× the background concentration.

INTERNAL STANDARDS:

Twenty-seven internal standards were added to each sample prior to processing, three standards were added after extraction and prior to sample cleanup. Internal standard recoveries were calculated to measure data quality in terms of accuracy (sample processing efficiency).

49038-30– Recoveries of internal standards were within 25-150% for most analytes in the samples.

REPLICATES:

A laboratory duplicate was prepared with the batch. The RPD between laboratory replicate analyses for target compounds was calculated to measure data quality in terms of precision.

49038-30– The majority of analytes were between 30 and 40% difference between the duplicates, slightly exceeding the 30% difference goal.

SRM:

A standard reference material (CIL EDF 2526) was prepared with the analytical batch. The percent difference (PD) between detected concentrations and certified values was calculated to measure data quality in terms of accuracy.

49038-30- Four of the five certified analytes were within 35% of the consensus values, just outside of the <30 percent difference criteria.

In an effort to improve SRM recoveries, this SRM had been processed using a smaller amount of tissue to adjust for the high lipid content of the SRM as was discussed as a corrective action in the report for PCDD/PCDF/TCX/HCX for Whole Body Fish SDG 48985-43. The recovery of analytes is significantly better using the lesser amount of SRM.

Recovery in the earthworms is also demonstrated by very good matrix spike, matrix spike duplicate, LCS, and internal standard recoveries.

REFERENCES:

Battelle 2001. *Centredale Manor Restoration Project Superfund Site Baseline Risk Assessment, Initial Project Planning and Support.* Tasks 19-22 QAPP prepared under contract to USACE NAE. Delivery Order #59. May 23, 2001. 509pp + apps.

QUALITY ASSURANCE STATEMENT

Project Title: **USACE/NED, Centredale Manor Task 22 Diet, Batch 2 of 2**

Project Number: **G487002-22A2**

Description of Data: **Earthworm tissue samples for PCBs**

Description of audit and review activities:
1)Reviewed sample preparation Laboratory Record Books (LRB). Tracked COC from sample receipt to analytical injection. Reviewed standard/spike preparation records. Resolved all resulting LRB numbers (i.e. sample tracking numbers) with analytical designations. Reviewed data package for data recording consistent with Good Laboratory Practices (GLP's).

2)Reviewed analytical (HRMS) data. Reviewed all hand-entered parameters (e.g. sample masses, sample names, calibration curve date, etc) for each analytical run. Reviewed calibrations results to ensure that Relative Response Factors (RRF) were ±20% of calibration RRF. Reviewed 10% data transfer to spreadsheets. Reviewed confirmation runs and accurate data transfer.

3)Reviewed spreadsheets. Accessed e-file of excel spreadsheets and reviewed formula and relative and absolute cell addresses to ensure accurate data transposition.

4)Reviewed report. Ensured report accurately reflected raw data and resulting spreadsheets.

Description of outstanding issues or deficiencies which may affect data quality:
1) Minor QC issues were submitted to the analytical staff for correction, no outstanding issues present.

Zachary Willenberg
Quality Assurance Specialist
Atmospheric Science and Applied Technology
Battelle

12-21-01
Date

Diet Tissue and QC Results

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		16.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		16.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		16.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		16.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		16.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		33.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		33.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		33.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		33.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	1.62	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	166.67	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	13.27	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	37.24	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	28.18	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	11.70	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	64.78	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	0.96	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	333.33	pg/g - Wet Wt	UC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	9.76	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	14.81	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	2.57	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	67.48	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	27.03	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	2.51	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	103.85	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	1.46	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	62.98	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	4.22	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	1.20	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	12.46	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	92.38	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	4.98	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	166.67	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	166.67	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	5.81	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	11.03	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	10.20	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	13.36	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	16.98	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	166.67	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	7.57	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	68.46	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	61.15	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	6.97	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	8.02	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	2.28	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	166.67	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	22.69	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	7.80	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	333.33	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	37.65	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	0.99	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	3.14	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	15.90	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	4.63	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	46.84	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	333.33	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	333.33	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	22.48	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	166.67	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	4.89	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	1.03	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	11.23	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	5.21	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	6.18	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	2.72	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	66.67	pg/g - Wet Wt	UC
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	333.33	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	7.23	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	1.18	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	7.90	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	333.33	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	1.25	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	1313.26	pg/g - Wet Wt	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	41	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	51	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	56	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	57	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	43	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		66.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		333.33		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03		166.67		1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	39	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	84	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	116	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	70	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	105	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	90	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	103	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	90	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	86	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	88	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	86	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	86	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	102	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	80	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	79	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	79	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	72	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	85	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	101	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	79	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	68	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	80	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	28	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	56	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/19/2001	12/10/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	73	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	6.72	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	5.59	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	16.41	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	9.92	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	9.92	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	9.92	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	99.24	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	9.92	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	9.92	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	19.85	pg/g - Wet Wt	UC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	12.27	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	8.95	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	121.62	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	1.73	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	623.00	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	13.30	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	6.10	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	59.90	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	287.83	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	4.32	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	37.71	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-23	3.00	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	6.72	UJ		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	5.59	UJ		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	16.41	J		T
LPX-CF-4002-0000-01	48401-98-02		9.92		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	9.92	U		T
LPX-CF-4002-0000-01	48401-98-02		9.92		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	9.92	U		T
LPX-CF-4002-0000-01	48401-98-02		9.92		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	9.92	U		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	99.24	U		T
LPX-CF-4002-0000-01	48401-98-02		9.92		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	9.92	U		T
LPX-CF-4002-0000-01	48401-98-02		9.92		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	9.92	U		T
LPX-CF-4002-0000-01	48401-98-02		19.85		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	19.85	U		T
LPX-CF-4002-0000-01	48401-98-02		19.85		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		19.85		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	12.27	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	8.95	UJ		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	121.62	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		19.85		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1.73	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	623	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	13.3	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	6.1	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	59.9	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	287.83	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	4.32	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	37.71	U		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	12.48	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	1764.72	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	357.57	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	6.74	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	1.72	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	17.84	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	177.86	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	8.38	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	121.29	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	30.99	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	108.81	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	38.49	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	21.76	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	1142.55	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	1043.32	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	62.21	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	2.90	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	99.24	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	1234.62	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	79.45	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	326.79	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	893.58	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	1.05	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	2816.07	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	123.30	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	405.88	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	6.28	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	621.07	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	12.48	U		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1764.72			T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	357.57			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	6.74	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1.72	U		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	17.84	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	177.86			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	8.38	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	121.29			T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	30.99	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	108.81			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	38.49	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	21.76	U		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1142.55			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1043.32			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	62.21	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2.9	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	99.24	U		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1234.62			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	79.45	U		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	326.79			T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	893.58			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1.05	U		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2816.07			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	123.3			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	405.88			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	6.28	U		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	621.07			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	585.19	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	92.18	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	252.94	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	32.80	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	2146.68	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	180.52	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	5.93	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	214.12	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	2257.96	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	148.78	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	12.01	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	213.73	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	70.00	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	249.06	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	81.41	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	334.36	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	360.28	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	50.67	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	311.38	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	1065.02	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	1692.72	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	243.60	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	114.20	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	95.99	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	10.27	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	148.45	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	17.40	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	46.17	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	265.56	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	4.14	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	13.40	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	109.90	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	64.32	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	494.56	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	2.46	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	585.19			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	92.18	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	252.94	U		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	32.8	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2146.68			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	180.52	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	5.93	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	214.12			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2257.96			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	148.78			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	12.01	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	213.73			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	70	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	249.06			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	81.41			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	334.36			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	360.28			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	50.67	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	311.38			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1065.02			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	1692.72			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	243.6			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	114.2			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	95.99	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	10.27	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	148.45			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	17.4	U		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	46.17	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	265.56			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	4.14	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	13.4	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	109.9			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	64.32			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	494.56			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	2.46	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	0.56	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	378.96	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	10.08	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	39.12	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	7.27	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	46.96	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	15.27	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	31.63	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	11.68	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	280.78	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	16.20	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	92.27	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	3.60	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	117.31	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	13.53	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	64.31	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	25750.86	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	52	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	56	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	65	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	62	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	81	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	56	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	66	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	78	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	58	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	71	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	66	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	91	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	85	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	104	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	80	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	80	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	77	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	118	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	70	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	69	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	69	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	63	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	88	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	106	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	73	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	72	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	93	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	71	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	77	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	77	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	8.06	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	7.75	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	12.50	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	9.98	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	9.98	pg/g - Wet Wt	U

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	0.56	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	378.96			T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	10.08	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	39.12	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	7.27	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	46.96	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	15.27	U		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	31.63	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	11.68	J		T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.70		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	280.78			T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	16.2	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	92.27	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	3.6	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	117.31	J		T
LPX-CF-4002-0000-01	48401-98-02		198.48		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	13.53	J		T
LPX-CF-4002-0000-01	48401-98-02		99.24		1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	64.31	J		T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET	25283.54			T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-11	5.04	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		9.98		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		9.98		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	9.98	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	99.78	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	9.98	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	9.98	pg/g - Wet Wt	U
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	19.96	pg/g - Wet Wt	UC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	17.31	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	13.90	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	154.40	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	2.07	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	574.92	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	20.28	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	7.36	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	62.54	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	271.72	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	6.54	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	52.68	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	15.46	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	2118.33	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	445.35	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	8.06	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	2.31	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	26.59	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	225.02	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	8.44	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	146.27	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	36.33	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	131.66	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	50.24	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	32.22	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	1338.33	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	1248.72	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	61.96	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	2.19	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02		9.98		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		9.98		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		9.98		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		19.96		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		19.96		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		19.96		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		19.96		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	18.15	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	1307.43	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	87.85	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	345.03	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	943.74	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	0.75	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	2923.23	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	124.42	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	417.44	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	8.16	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	658.63	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	585.30	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	96.42	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	276.28	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	34.43	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	2226.37	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	177.32	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	5.41	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	218.26	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	2171.40	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	149.08	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	12.21	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	213.98	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	74.18	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	249.60	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	83.37	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	340.74	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	369.87	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	51.08	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	308.78	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	1069.32	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	1682.04	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	243.52	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	112.39	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	95.23	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	16.62	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	152.94	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	19.58	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	48.62	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	292.80	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	4.40	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	14.34	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	118.01	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	69.80	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	511.02	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	1.95	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	0.59	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	398.62	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	10.69	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	37.87	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	7.67	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	43.65	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	15.79	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	32.12	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	13.08	pg/g - Wet Wt	JC
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	293.08	pg/g - Wet Wt	C
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	17.07	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	95.26	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	3.29	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	117.30	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	13.67	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	64.95	pg/g - Wet Wt	J
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	27205.70	pg/g - Wet Wt	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	48	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	49	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	63	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	59	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	70	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	53	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	71	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	64	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	65	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	64	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		39.91		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		199.56		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02		99.78		1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	57	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	97	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	89	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	134	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	85	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	82	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	66	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	155	%RECOVERY	&
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	76	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	74	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	74	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	47	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	107	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	119	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	76	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	79	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	116	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	59	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	80	%RECOVERY	
LPX-CF-4002-0000-01	48401-98-02	BCO	DUPLICATE	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	83	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	7.33	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	8.06	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	165.48	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	16.55	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	16.55	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	16.55	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	165.48	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	16.55	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	16.55	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	33.10	pg/g - Wet Wt	UC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	7.50	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	9.30	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	42.98	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	1.87	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	160.52	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	10.90	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	3.55	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	16.12	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	83.58	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	4.86	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	39.60	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	16.37	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	1012.50	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
LPX-CF-4002-0000-01	48401-98-02				1.00		Lab Extraction ID = 49038-21-12	5.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	7.33	UJ		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	8.06	UJ		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	165.48	U		T
GMP-CF-5001-0000-01	48401-98-05		16.55		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	16.55	U		T
GMP-CF-5001-0000-01	48401-98-05		16.55		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	16.55	U		T
GMP-CF-5001-0000-01	48401-98-05		16.55		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	16.55	U		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	165.48	U		T
GMP-CF-5001-0000-01	48401-98-05		16.55		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	16.55	U		T
GMP-CF-5001-0000-01	48401-98-05		16.55		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	16.55	U		T
GMP-CF-5001-0000-01	48401-98-05		33.10		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	33.10	U		T
GMP-CF-5001-0000-01	48401-98-05		33.10		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		33.10		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	7.50	UJ		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	9.30	UJ		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	42.98	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		33.10		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1.87	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	160.52	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	10.90	UJ		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	3.55	J		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	16.12	J		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	83.58	J		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	4.86	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	39.60	U		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	16.37	U		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1012.50			T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	283.23	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	5.76	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	0.95	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	13.49	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	182.44	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	5.10	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	68.75	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	23.76	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	90.41	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	23.08	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	32.90	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	483.93	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	636.92	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	30.45	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	2.06	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	19.53	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	801.27	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	73.88	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	204.75	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	561.36	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	1.00	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	1515.72	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	90.86	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	245.17	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	21.12	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	439.93	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	438.82	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	50.82	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	363.68	pg/g - Wet Wt	C

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	283.23			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	5.76	U		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	0.95	U		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	13.49	U		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	182.44			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	5.10	J		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	68.75	U		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	23.76	J		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	90.41	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	23.08	J		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	32.90	U		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	483.93			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	636.92			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	30.45	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	2.06	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	19.53	U		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	801.27			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	73.88	U		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	204.75			T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	561.36			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1.00	U		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1515.72			T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	90.86	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	245.17			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	21.12	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	439.93			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	438.82			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	50.82	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	363.68	U		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	23.95	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	1208.76	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	106.98	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	4.40	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	208.42	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	1753.48	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	98.08	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	9.55	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	168.40	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	44.50	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	341.52	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	72.99	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	197.62	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	286.27	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	52.50	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	310.60	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	1063.72	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	1720.20	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	158.88	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	126.93	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	64.77	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	52.06	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	245.68	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	56.36	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	98.80	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	332.43	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	14.54	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	27.32	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	224.40	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	188.49	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	960.78	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	6.89	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	3.86	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	982.05	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	14.29	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	60.09	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	23.95	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1208.76			T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	106.98	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	4.40	UJ		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	208.42			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1753.48			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	98.08	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	9.55	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	168.40			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	44.50	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	341.52			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	72.99			T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	197.62	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	286.27			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	52.50	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	310.60	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1063.72			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	1720.20			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	158.88	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	126.93			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	64.77	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	52.06	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	245.68			T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	56.36	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	98.80	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	332.43			T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	14.54	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	27.32	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	224.40			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	188.49			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	960.78			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	6.89	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	3.86	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	982.05			T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	14.29	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	60.09	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	12.82	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	116.75	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	43.29	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	121.52	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	42.48	pg/g - Wet Wt	JC
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	993.26	pg/g - Wet Wt	C
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	77.99	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	362.64	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	11.50	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	452.30	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	57.69	pg/g - Wet Wt	J
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	165.48	pg/g - Wet Wt	U
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	21718.98	pg/g - Wet Wt	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	60	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	65	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	75	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	74	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	71	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	47	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	79	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	77	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	66	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	72	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	108	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	90	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	139	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	96	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	164	%RECOVERY	&
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	83	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	83	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	66	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	117	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	134	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	84	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	89	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	0	%RECOVERY	&E
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	44	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	85	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	NORMAL	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	83	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	111	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	106	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	103	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	12.82	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	116.75	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	43.29	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	121.52	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	42.48	J		T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		66.19		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	993.26	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	77.99	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	362.64	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	11.50	J		T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	452.30			T
GMP-CF-5001-0000-01	48401-98-05		330.95		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	57.69	J		T
GMP-CF-5001-0000-01	48401-98-05		165.48		1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET		R		T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET	21035.58			T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-13	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	87	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	97	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	99	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	65	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	25	%RECOVERY	-
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	84	%RECOVERY	C
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	89	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	96	%RECOVERY	C
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	83	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	57	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	157	%RECOVERY	&
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	60	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	64	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	56	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	70	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	96	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	71	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	72	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	100	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	59	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	102	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	94	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	86	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	108	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	105	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	105	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	108	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	110	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	125	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	94	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	93	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	93	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	92	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	121	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	80	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	83	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	81	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	85	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MS	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	81	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	110	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	107	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	89	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-14	3.02	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	97	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	85	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	90	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	87	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	90	%RECOVERY	C
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	85	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	97	%RECOVERY	C
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	79	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	93	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	77	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	169	%RECOVERY	&
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	NA	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	62	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	66	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	58	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	70	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	110	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	72	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	68	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	58	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	101	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	105	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	87	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	99	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	102	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	106	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	97	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	92	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	93	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	93	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	98	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	91	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	110	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	79	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	78	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	80	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	95	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	82	%RECOVERY	
GMP-CF-5001-0000-01	48401-98-05	BCO	MSD	7/2/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	78	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	9.45	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	9.50	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	19.53	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	35.00	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	22.36	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	9.99	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	18.60	pg/g - Wet Wt	JC
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	24.39	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	18.82	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	266.12	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
GMP-CF-5001-0000-01	48401-98-05				1.00		Lab Extraction ID = 49038-21-15	3.01	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9.45	UJ		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9.5	UJ		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	19.53	J		T
LPX-CF-4001-0000-01	48401-98-11		9.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9.99	U		T
LPX-CF-4001-0000-01	48401-98-11		9.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	35			T
LPX-CF-4001-0000-01	48401-98-11		9.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9.99	U		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	22.36	J		T
LPX-CF-4001-0000-01	48401-98-11		9.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9.99	U		T
LPX-CF-4001-0000-01	48401-98-11		9.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9.99	U		T
LPX-CF-4001-0000-01	48401-98-11		19.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	18.6	J		T
LPX-CF-4001-0000-01	48401-98-11		19.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		19.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	24.39	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	18.82	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	266.12	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	2.48	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	1212.12	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	39.98	pg/g - Wet Wt	U
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	15.66	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	97.04	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	519.39	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	10.37	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	86.13	pg/g - Wet Wt	JC
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	44.27	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	5073.09	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	1018.23	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	11.32	pg/g - Wet Wt	JC
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	2.93	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	49.43	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	653.24	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	13.46	pg/g - Wet Wt	JC
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	309.16	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	75.18	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	265.74	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	125.05	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	71.09	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	3156.46	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	2795.48	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	181.63	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	8.32	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	53.82	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	4971.54	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	191.60	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	1316.04	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	3363.12	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4001-0000-01	48401-98-11		19.99		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2.48	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1212.12	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	39.98	UJ		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	15.66	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	97.04	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	519.39	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	10.37	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	86.13	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	44.27			T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	5073.09			T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1018.23			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	11.32	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2.93	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	49.43			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	653.24			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	13.46	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	309.16			T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	75.18			T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	265.74			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	125.05			T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	71.09			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	3156.46			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2795.48			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	181.63			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	8.32	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	53.82	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	4971.54			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	191.6			T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1316.04			T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	3363.12			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	2.12	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	9556.89	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	280.84	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	1378.60	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	18.80	pg/g - Wet Wt	JC
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	2060.91	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	2114.60	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	380.24	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	1035.76	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	124.90	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	7930.72	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	703.57	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	17.53	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	930.26	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	9797.92	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	666.89	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	48.25	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	753.45	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	321.00	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	996.12	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	252.93	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	1324.50	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	1377.25	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	212.48	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	1202.96	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	3936.80	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	7018.32	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	931.04	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	500.69	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2.12	U		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9556.89			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	280.84			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1378.6			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	18.8	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2060.91			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	2114.6			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	380.24			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1035.76			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	124.9			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	7930.72			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	703.57			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	17.53	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	930.26			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	9797.92			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	666.89			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	48.25	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	753.45			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	321			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	996.12			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	252.93			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1324.5			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1377.25			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	212.48			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1202.96			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	3936.8			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	7018.32			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	931.04			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	500.69			T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	351.29	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	81.49	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	586.85	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	68.50	pg/g - Wet Wt	JC
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	151.44	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	946.68	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	15.12	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	39.85	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	424.77	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	240.45	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	1541.44	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	5.93	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	1.70	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	1508.29	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	34.03	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	118.28	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	26.73	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	145.34	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	52.38	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	113.53	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	38.16	pg/g - Wet Wt	JC
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	1207.56	pg/g - Wet Wt	C
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	60.95	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	332.78	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	10.83	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	513.17	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	55.84	pg/g - Wet Wt	J
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	313.64	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	90980.52	pg/g - Wet Wt	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	66	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	70	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	79	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	78	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	100	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	63	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	70	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	70	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	60	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	78	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	69	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	116	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	99	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	121	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	97	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	95	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	100	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	141	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	74	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	74	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	351.29			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	81.49	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	586.85			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	68.5	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	151.44	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	946.68			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	15.12	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	39.85	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	424.77			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	240.45			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1541.44			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	5.93	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1.7	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1508.29			T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	34.03	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	118.28			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	26.73	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	145.34			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	52.38	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	113.53	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	38.16	J		T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		39.98		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	1207.56			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	60.95	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	332.78			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	10.83	J		T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	513.17			T
LPX-CF-4001-0000-01	48401-98-11		199.88		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	55.84	J		T
LPX-CF-4001-0000-01	48401-98-11		99.94		1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	313.64	J		T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET	90959.45			T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	74	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	61	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	100	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	123	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	79	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	83	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	107	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	54	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	85	%RECOVERY	
LPX-CF-4001-0000-01	48401-98-11	BCO	NORMAL	7/3/2001	9/19/2001	12/10/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	78	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	62.28	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	56.12	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	119.16	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	94.66	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	94.66	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	94.66	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	946.61	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	94.66	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	94.66	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	189.32	pg/g - Wet Wt	UC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	80.55	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	78.33	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	164.44	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	21.12	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	798.84	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	125.52	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	36.94	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	66.38	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	445.81	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	76.94	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	235.89	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	188.63	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	1581.39	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	808.59	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	45.90	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	16.98	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	72.73	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	769.58	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	44.12	pg/g - Wet Wt	JC

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-CF-4001-0000-01	48401-98-11				1.00		Lab Extraction ID = 49038-21-16	5.00	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	62.28	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	56.12	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	119.16	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		94.66		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	94.66	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		94.66		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	94.66	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		94.66		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	94.66	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	946.61	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		94.66		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	94.66	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		94.66		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	94.66	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		189.32		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	189.32	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		189.32		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		189.32		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	80.55	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	78.33	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	164.44	UJ		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		189.32		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	21.12	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	798.84	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	125.52	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	36.94	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	66.38	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	445.81	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	76.94	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	235.89	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	188.63	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1581.39			T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	808.59	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	45.9	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	16.98	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	72.73	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	769.58	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	44.12	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	258.42	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	82.77	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	288.59	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	149.43	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	443.07	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	1411.82	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	3021.24	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	302.67	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	56.02	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	394.57	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	4549.92	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	323.95	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	1681.02	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	2640.36	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	7.18	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	5100.30	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	290.32	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	845.75	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	66.16	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	2294.07	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	2152.38	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	156.84	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	4170.58	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	195.42	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	6964.65	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	541.19	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	47.14	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	2365.64	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	12951.12	pg/g - Wet Wt	C

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	258.42	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	82.77	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	288.59	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	149.43	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	443.07			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1411.82			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	3021.24			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	302.67	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	56.02	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	394.57	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	4549.92			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	323.95	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1681.02			T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2640.36			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	7.18	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	5100.3			T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	290.32	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	845.75	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	66.16	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2294.07			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2152.38			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	156.84	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	4170.58			T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	195.42	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	6964.65			T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	541.19	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	47.14	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2365.64			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	12951.12			T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	1308.26	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	83.61	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	886.22	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	946.61	pg/g - Wet Wt	UC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	1150.29	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	165.55	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	642.10	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	660.47	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	227.07	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	2764.38	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	3198.22	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	13239.06	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	2547.08	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	677.59	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	329.32	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	138.21	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	2164.42	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	176.54	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	408.96	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	896.76	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	61.51	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	32.62	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	564.50	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	270.70	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	2722.34	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	3.41	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	0.89	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	2234.32	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	129.33	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	491.87	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	26.56	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	806.15	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	152.49	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	283.93	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	33.14	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	2359.04	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	106.57	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	1419.92	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1308.26			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	83.61	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	886.22	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	946.61	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1150.29			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	165.55	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	642.1	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	660.47			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	227.07	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2764.38			T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	3198.22			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	13239.06			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2547.08			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	677.59			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	329.32	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	138.21	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2164.42			T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	176.54	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	408.96	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	896.76	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	61.51	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	32.62	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	564.5	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	270.7	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2722.34			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	3.41	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	0.89	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2234.32			T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	129.33	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	491.87	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	26.56	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	806.15	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	152.49	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	283.93	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	33.14	U		T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		378.64		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	2359.04			T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	106.57	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1419.92	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	53.95	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	3181.97	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	149.91	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	1722.18	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	108120.24	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	68	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	71	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	81	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	79	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	86	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	56	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	51	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	64	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	46	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	83	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	76	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	97	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	93	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	68	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	87	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	91	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	94	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	82	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	66	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	73	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	73	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	76	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	72	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	94	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	72	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	64	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	60	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	55	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	72	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	71	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	71.45	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	58.18	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	799.49	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	79.95	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	79.95	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	79.95	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	799.49	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	79.95	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	79.95	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	159.90	pg/g - Wet Wt	UC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	17.40	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	91.21	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	162.26	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	20.16	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	876.56	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	53.95	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	3181.97			T
LPX-EI-4006-4010-0000-01	48401-99-17		1893.22		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	149.91	J		T
LPX-EI-4006-4010-0000-01	48401-99-17		946.61		1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	1722.18	J		T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET	104466.35			T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-17	0.53	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		79.95		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		79.95		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		79.95		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		79.95		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		79.95		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		159.90		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		159.90		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		159.90		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		159.90		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	319.80	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	37.99	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	64.66	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	431.22	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	88.00	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	256.14	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	229.82	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	1731.45	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	869.55	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	53.04	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	6.38	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	73.02	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	873.92	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	52.46	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	253.53	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	92.94	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	277.35	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	155.85	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	480.02	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	1506.66	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	3009.48	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	285.06	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	799.49	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	418.17	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	4523.10	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	315.71	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	1619.31	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	2641.26	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	799.49	pg/g - Wet Wt	U

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	5173.08	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	313.92	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	794.37	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	60.60	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	2162.59	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	2063.90	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	153.08	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	4476.70	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	190.64	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	6755.11	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	452.06	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	44.22	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	2334.52	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	13100.92	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	1248.14	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	80.33	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	891.78	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	172.28	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	1194.84	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	172.54	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	715.08	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	663.49	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	216.64	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	2801.34	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	3271.00	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	13780.16	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	2264.92	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	707.49	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	290.38	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	139.60	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	2064.41	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	150.54	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	393.70	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	894.87	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	60.55	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	36.01	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	547.97	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	235.05	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	2593.02	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	2.77	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	1598.98	pg/g - Wet Wt	U
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	2208.60	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	107.92	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	459.89	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	19.13	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	818.50	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	146.22	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	283.73	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	32.70	pg/g - Wet Wt	JC
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	2341.42	pg/g - Wet Wt	C
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	118.76	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	1497.99	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	49.63	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	3062.29	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	137.30	pg/g - Wet Wt	J
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	1633.32	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	108225.32	pg/g - Wet Wt	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	32	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	33	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	38	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	36	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	36	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	26	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	28	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	30	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	24	%RECOVERY	&
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	37	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	32	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	45	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	42	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	28	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	41	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	40	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	46	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	34	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	33	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	33	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	33	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	36	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	37	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	43	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	34	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		319.80		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		1598.98		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17		799.49		1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	32	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	36	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	36	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	35	%RECOVERY	
LPX-EI-4006-4010-0000-01	48401-99-17	BCO	DUPLICATE	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	31	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	21.41	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	12.63	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	48.25	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	19.77	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	19.77	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	19.77	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	197.67	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	19.77	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	19.77	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	39.53	pg/g - Wet Wt	UC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	23.52	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	28.59	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	57.04	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	5.78	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	111.68	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	79.07	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	2.92	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	6.04	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	46.38	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	14.84	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	49.77	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	31.02	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	287.10	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	124.35	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	7.24	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	2.36	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	9.93	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	133.88	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	3.38	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	32.07	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	11.58	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
LPX-EI-4006-4010-0000-01	48401-99-17				1.00		Lab Extraction ID = 49038-21-18	0.63	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	21.41	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	12.63	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	48.25	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		19.77		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	19.77	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		19.77		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	19.77	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		19.77		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	19.77	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	197.67	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		19.77		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	19.77	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		19.77		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	19.77	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		39.53		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	39.53	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		39.53		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		39.53		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	23.52	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	28.59	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	57.04	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		39.53		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	5.78	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	111.68	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	79.07	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2.92	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	6.04	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	46.38	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	14.84	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	49.77	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	31.02	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	287.1	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	124.35	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	7.24	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2.36	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	9.93	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	133.88	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	3.38	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	32.07	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	11.58	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	56.91	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	23.60	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	75.81	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	176.11	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	396.28	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	50.93	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	197.67	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	62.49	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	659.28	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	51.90	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	229.56	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	383.34	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	1.55	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	715.41	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	41.96	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	111.07	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	9.32	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	275.05	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	362.59	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	20.46	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	531.64	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	33.55	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	1033.74	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	97.80	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	6.44	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	367.34	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	2048.04	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	177.60	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	13.58	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	56.91	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	23.6	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	75.81	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	176.11	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	396.28	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	50.93	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	197.67	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	62.49	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	659.28			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	51.9	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	229.56			T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	383.34	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1.55	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	715.41			T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	41.96	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	111.07	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	9.32	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	275.05	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	362.59			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	20.46	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	531.64	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	33.55	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1033.74			T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	97.8	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	6.44	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	367.34			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2048.04			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	177.6	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	13.58	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	148.21	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	26.20	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	233.40	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	79.07	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	44.64	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	125.06	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	38.23	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	453.70	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	532.98	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	2373.00	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	332.52	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	112.71	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	50.06	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	184.68	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	419.41	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	50.90	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	165.97	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	410.22	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	395.34	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	11.40	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	193.84	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	190.91	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	800.24	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	3.25	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	2.24	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	1126.70	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	29.61	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	76.73	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	6.83	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	299.31	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	65.32	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	198.22	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	38.88	pg/g - Wet Wt	JC
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	2117.18	pg/g - Wet Wt	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	139.17	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	1280.52	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	28.82	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	2245.65	pg/g - Wet Wt	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	53.41	pg/g - Wet Wt	J
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	197.67	pg/g - Wet Wt	U
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	23693.70	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	148.21	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	26.2	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	233.4			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	79.07	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	44.64	U		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	125.06			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	38.23	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	453.7			T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	532.98			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2373			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	332.52			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	112.71			T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	50.06	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	184.68	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	419.41	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	50.9	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	165.97	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	410.22	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	395.34	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	11.4	UJ		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	193.84	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	190.91	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	800.24	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	3.25	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2.24	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1126.7	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	29.61	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	76.73	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	6.83	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	299.31	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	65.32	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	198.22	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	38.88	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		79.07		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2117.18	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	139.17	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	1280.52	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	28.82	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	2245.65			T
GMP-EI-5001-5005-0000-01	48401-99-18		395.34		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	53.41	J		T
GMP-EI-5001-5005-0000-01	48401-99-18		197.67		1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET		R		T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET	21018.88			T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	80	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	77	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	86	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	88	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	99	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	64	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	65	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	59	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	60	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	72	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	70	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	107	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	98	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	161	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	95	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	89	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	86	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	191	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	72	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	69	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	69	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	44	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	130	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	139	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	54	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	92	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	0	%RECOVERY	&E
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	57	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	89	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	NORMAL	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	75	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	119	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	110	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	96	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	86	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-19	2.53	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	105	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	104	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	115	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	97	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	139	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	100	%RECOVERY	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	96	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	110	%RECOVERY	C
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	100	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	57	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	102	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	94	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	82	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	366	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	NA	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	51	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	59	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	55	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	69	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	71	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	52	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	63	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	94	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	67	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	87	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	79	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	70	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	92	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	258	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	89	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	89	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	71	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	264	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	83	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	81	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	81	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	48	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	139	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	168	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	56	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	94	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	183	%RECOVERY	&
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	50	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	69	%RECOVERY	
GMP-EI-5001-5005-0000-01	48401-99-18	BCO	MS	6/25/2001	9/19/2001	12/11/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	77	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T
GMP-EI-5001-5005-0000-01	48401-99-18				1.00		Lab Extraction ID = 49038-21-20	2.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%DIFFERENCE	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		57.59		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		57.59		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		57.59		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		57.59		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		57.59		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		115.18		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		115.18		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		115.18		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		115.18		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	23.6	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	3.7	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	23.7	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	34.6	%DIFFERENCE	&
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%DIFFERENCE	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	26.4	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	68	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	72	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	62	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	76	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	119	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		230.36		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		1151.81		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04		575.90		1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	76	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	74	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	108	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	66	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	103	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	92	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	96	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	130	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	130	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	123	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	118	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	118	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	137	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	100	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	97	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	97	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	102	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	120	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	137	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	96	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	103	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	0	%RECOVERY	&E
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	97	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	86	%RECOVERY	
	48514-77-04	BCO	SRM		9/19/2001	12/10/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	80	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-1	2051-60-7	PCB	MOD 1668A	119	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-3	2051-62-9	PCB	MOD 1668A	113	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-4	13029-08-8	PCB	MOD 1668A	112	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-19	38444-73-4	PCB	MOD 1668A	88	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CROL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48514-77-04				1.00		Lab Extraction ID = 49038-21-21	0.87	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-77	32598-13-3	PCB	MOD 1668A	91	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-81	70362-50-4	PCB	MOD 1668A	94	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-105	32598-14-4	PCB	MOD 1668A	97	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-114	74472-37-0	PCB	MOD 1668A	88	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-118	31508-00-6	PCB	MOD 1668A	108	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-106	70424-69-0	PCB	MOD 1668A	86	%RECOVERY	C
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-126	57465-28-8	PCB	MOD 1668A	84	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-156	38380-08-4	PCB	MOD 1668A	93	%RECOVERY	C
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-167	52663-72-6	PCB	MOD 1668A	87	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-169	32774-16-6	PCB	MOD 1668A	89	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-189	39635-31-9	PCB	MOD 1668A	94	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-205	74472-53-0	PCB	MOD 1668A	93	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-206	40186-72-9	PCB	MOD 1668A	95	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	PCB-209	2051-24-3	PCB	MOD 1668A	0	%RECOVERY	&E
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	TOTAL PCB		PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-1	2051-60-7	PCB	MOD 1668A	36	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-3	2051-62-9	PCB	MOD 1668A	46	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-4	13029-08-8	PCB	MOD 1668A	50	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-19	38444-73-4	PCB	MOD 1668A	51	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-15	2050-68-2	PCB	MOD 1668A	49	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-54	15968-05-5	PCB	MOD 1668A	34	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-104	56558-16-8	PCB	MOD 1668A	80	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-37	38444-90-5	PCB	MOD 1668A	100	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-155	33979-03-02	PCB	MOD 1668A	64	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-81	70362-50-4	PCB	MOD 1668A	86	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-77	32598-13-3	PCB	MOD 1668A	79	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-123	65510-44-3	PCB	MOD 1668A	95	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-118	31508-00-6	PCB	MOD 1668A	83	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-188	74487-85-7	PCB	MOD 1668A	88	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-114	74472-37-0	PCB	MOD 1668A	79	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-105	32598-14-4	PCB	MOD 1668A	80	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-126	57465-28-8	PCB	MOD 1668A	81	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-202	2136-99-4	PCB	MOD 1668A	94	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-167	52663-72-6	PCB	MOD 1668A	77	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-156	38380-08-4	PCB	MOD 1668A	78	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-157	69782-90-7	PCB	MOD 1668A	78	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-169	32774-16-6	PCB	MOD 1668A	73	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-208	52663-77-1	PCB	MOD 1668A	81	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-189	39635-31-9	PCB	MOD 1668A	94	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-205	74472-53-0	PCB	MOD 1668A	75	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-206	40186-72-9	PCB	MOD 1668A	64	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-209	2051-24-3	PCB	MOD 1668A	0	%RECOVERY	&E
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-28	7012-37-5	PCB	MOD 1668A	29	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-111	39635-32-0	PCB	MOD 1668A	66	%RECOVERY	
	48401-44-03	BCO	LCS		9/19/2001	12/10/2001		49038-21	13C-PCB-178	52663-67-9	PCB	MOD 1668A	71	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 49038-21-22	0.50	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	6.55	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	6.63	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	10.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	20.00	pg/g - Wet Wt	UC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	6.69	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	7.07	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	12.21	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	2.26	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	27.06	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	8.96	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	1.13	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	2.29	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	14.63	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	3.81	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	13.63	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	6.18	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	53.27	pg/g - Wet Wt	C
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	29.57	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	2.48	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	1.42	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	4.66	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	14.87	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	1.49	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	10.11	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	1.61	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	5.07	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	0.58	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	11.73	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	22.61	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	50.37	pg/g - Wet Wt	JC

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		10.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		10.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		10.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		10.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		10.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		20.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		20.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		20.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		20.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	1.34	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	7.66	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	23.04	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	19.63	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	7.91	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	40.49	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	0.62	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	52.01	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	7.75	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	9.52	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	1.98	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	52.43	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	13.26	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	1.80	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	61.75	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	34.35	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	2.55	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	5.59	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	29.49	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	3.05	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	1.10	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	16.30	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	2.84	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	10.84	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	6.34	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	7.61	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	5.76	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	1.35	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	2.86	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	25.14	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	19.47	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	2.51	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	3.56	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	0.95	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	3.21	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	2.16	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	8.49	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	0.91	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	2.69	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	2.02	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	7.43	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	4.97	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	100.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	0.72	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	2.07	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	0.75	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	0.86	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	0.24	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	2.35	pg/g - Wet Wt	JC
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	1.35	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	0.42	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	200.00	pg/g - Wet Wt	U
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	1.06	pg/g - Wet Wt	J
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	837.73	pg/g - Wet Wt	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	41	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	41	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	58	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	56	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	81	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		40.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		200.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03		100.00		1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	40	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	69	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	82	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	41	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	68	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	63	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	79	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	74	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	56	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	69	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	74	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	76	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	67	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	63	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	72	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	72	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	68	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	43	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	76	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	50	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	36	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	26	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	61	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	54	%RECOVERY	
	48401-44-03	BCO	M_BLANK		9/28/2001	12/9/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	65	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	10.73	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	13.60	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	23.46	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	73.36	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	19.92	pg/g - Wet Wt	UC
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	35.70	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	44.28	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	98.32	pg/g - Wet Wt	JC
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	6.74	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	438.88	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	92.87	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	20.71	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	48.90	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	302.85	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	41.11	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	286.53	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-19	5.00	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	10.73	UJ		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	13.6	UJ		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	23.46	J		T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	9.96	UJ		T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	9.96	UJ		T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	9.96	UJ		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	73.36	J		T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	9.96	UJ		T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	9.96	UJ		T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	19.92	UJ		T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	35.7	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	44.28	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	98.32	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	6.74	UJ		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	438.88	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	92.87	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	20.71	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	48.9	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	302.85	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	41.11	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	286.53	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	204.85	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	2098.71	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	893.97	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	53.10	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	12.98	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	92.98	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	811.02	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	55.48	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	299.53	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	60.93	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	99.02	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	36.27	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	407.30	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	1046.81	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	1926.68	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	78.39	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	99.61	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	397.16	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	2733.90	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	903.45	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	734.25	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	3155.88	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	14.96	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	6266.94	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	583.36	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	1272.40	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	104.52	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	4582.02	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	204.85	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	2098.71	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	893.97	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	53.1	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	12.98	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	92.98	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	811.02	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	55.48	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	299.53	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	60.93	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	99.02	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	36.27	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	407.3	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1046.81	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1926.68	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	78.39	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	99.61	UJ		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	397.16	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	2733.9	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	903.45	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	734.25	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	3155.88	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	14.96	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	6266.94	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	583.36	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1272.4	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	104.52	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	4582.02	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	1131.70	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	214.48	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	6541.74	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	50.87	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	3692.07	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	398.21	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	12.11	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	1092.34	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	7345.84	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	437.63	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	72.11	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	1792.60	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	232.08	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	2046.96	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	666.64	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	982.72	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	844.06	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	170.55	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	1544.02	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	9492.06	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	4690.94	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	586.64	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	476.55	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	239.64	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	42.88	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	594.42	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	197.82	pg/g - Wet Wt	JC
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	163.30	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	1138.53	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	27.60	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	66.48	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	437.37	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	214.65	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	1313.42	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	6.41	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1131.7	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	214.48	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	6541.74	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	50.87	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	3692.07	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	398.21	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	12.11	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1092.34	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	7345.84	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	437.63	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	72.11	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1792.6	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	232.08	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	2046.96	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	666.64	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	982.72	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	844.06	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	170.55	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1544.02	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	9492.06	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	4690.94	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	586.64	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	476.55	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	239.64	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	42.88	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	594.42	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	197.82	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	163.3	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1138.53	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	27.6	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	66.48	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	437.37	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	214.65	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1313.42	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	6.41	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	2.12	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	4801.96	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	27.95	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	71.58	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	22.01	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	181.80	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	60.68	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	129.26	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	52.42	pg/g - Wet Wt	JC
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	1483.10	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	87.23	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	428.68	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	199.23	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	1738.60	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	118.95	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	1764.15	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	90260.04	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	41	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	52	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	64	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	70	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	95	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	64	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	67	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	88	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	75	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	87	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	83	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	96	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	89	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	142	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	85	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	88	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	80	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	141	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	81	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	78	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	78	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	58	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	79	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	107	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	73	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	71	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	94	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	102	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	81	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	NORMAL	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	82	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	13.89	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	18.11	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	26.64	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	2.12	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	4801.96	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	27.95	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	71.58	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	22.01	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	181.8	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	60.68	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	129.26	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	52.42	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1483.1	J		T
LPX-EW-4004-0000-01	49037-04-07		39.85		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	87.23	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	428.68	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	199.23	UJ		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1738.6	J		T
LPX-EW-4004-0000-01	49037-04-07		199.23		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	118.95	J		T
LPX-EW-4004-0000-01	49037-04-07		99.61		1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	1764.15	J		T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET	90361.76	J		T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-11	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	71.19	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	9.96	pg/g - Wet Wt	U
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	19.92	pg/g - Wet Wt	UC
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	50.82	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	61.66	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	137.94	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	10.98	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	614.40	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	128.53	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	29.99	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	69.66	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	413.26	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	58.71	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	409.89	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	301.32	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	3041.88	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	1270.95	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	76.98	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	18.28	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	136.54	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	1171.70	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	75.64	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	414.77	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	95.43	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	141.57	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	51.64	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	602.38	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	1508.58	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	2861.72	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	109.21	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	99.58	pg/g - Wet Wt	U

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		9.96		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		19.92		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	511.45	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	3806.25	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	1298.14	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	1060.23	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	4332.78	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	21.09	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	8914.29	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	855.10	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	1869.06	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	151.40	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	6780.02	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	1559.10	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	317.34	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	8794.76	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	64.82	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	5172.70	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	574.80	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	13.33	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	1604.44	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	11174.16	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	637.11	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	89.69	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	2733.29	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	360.68	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	2912.25	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	1012.78	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	1458.72	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	1220.33	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	255.20	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	2350.92	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	15410.64	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	7016.26	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	813.98	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	719.22	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	349.40	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	67.12	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	800.19	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	291.40	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	228.19	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	1668.21	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	39.96	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	102.15	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	646.87	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	320.00	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	1964.08	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	12.88	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	3.49	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	7098.93	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	40.15	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	104.08	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	28.97	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	242.45	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	81.78	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	177.75	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	77.28	pg/g - Wet Wt	JC
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	2118.32	pg/g - Wet Wt	C
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	120.86	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	588.45	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	23.08	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	2344.15	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	157.49	pg/g - Wet Wt	J
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	2456.40	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	131894.31	pg/g - Wet Wt	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	46	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	59	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	72	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	75	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	108	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	65	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	78	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	95	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	77	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	84	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		39.83		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		199.16		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07		99.58		1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	84	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	101	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	92	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	173	%RECOVERY	&
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	87	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	88	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	79	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	161	%RECOVERY	&
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	79	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	74	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	74	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	55	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	83	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	114	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	72	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	77	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	98	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	107	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	83	%RECOVERY	
LPX-EW-4004-0000-01	49037-04-07	BCO	DUPLICATE	7/19/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	84	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	8.81	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	7.60	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	99.26	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	29.37	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	9.93	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	19.85	pg/g - Wet Wt	UC
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	26.97	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	32.19	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	64.30	pg/g - Wet Wt	JC
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	5.89	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	389.96	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	99.91	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	18.83	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	39.74	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	210.75	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	37.28	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	348.33	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	207.09	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	1648.86	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
LPX-EW-4004-0000-01	49037-04-07				1.00		Lab Extraction ID = 40938-30-12	5.02	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	8.81	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	7.60	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	99.26	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		9.93		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	9.93	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		9.93		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	9.93	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		9.93		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	9.93	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	29.37	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		9.93		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	9.93	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		9.93		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	9.93	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		19.85		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	19.85	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		19.85		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		19.85		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	26.97	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	32.19	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	64.3	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		19.85		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	5.89	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	389.96	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	99.91	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	18.83	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	39.74	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	210.75	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	37.28	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	348.33	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	207.09	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1648.86	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	746.19	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	57.88	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	18.42	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	88.92	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	513.36	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	66.48	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	167.89	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	48.93	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	56.99	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	18.52	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	277.86	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	644.26	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	1134.00	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	39.19	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	99.26	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	299.09	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	1529.94	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	882.13	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	405.06	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	2088.84	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	17.24	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	3843.33	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	458.38	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	879.38	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	128.40	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	3392.97	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	756.66	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	162.16	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	4485.14	pg/g - Wet Wt	C

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	746.19	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	57.88	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	18.42	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	88.92	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	513.36	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	66.48	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	167.89	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	48.93	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	56.99	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	18.52	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	277.86	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	644.26	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1134	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	39.19	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	99.26	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	299.09	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1529.94	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	882.13	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	405.06	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	2088.84	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	17.24	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	3843.33	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	458.38	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	879.38	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	128.4	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	3392.97	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	756.66	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	162.16	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	4485.14	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	17.61	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	2275.88	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	288.22	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	198.52	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	758.76	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	4832.32	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	298.16	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	51.87	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	1281.40	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	139.10	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	1219.20	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	449.80	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	682.92	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	527.17	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	80.80	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	1036.36	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	5640.90	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	2535.12	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	369.00	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	264.23	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	165.69	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	53.10	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	404.49	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	121.76	pg/g - Wet Wt	JC
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	131.93	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	760.80	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	17.62	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	43.66	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	291.01	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	229.52	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	926.28	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	198.52	pg/g - Wet Wt	U
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	2.85	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	3356.27	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	23.68	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	41.12	pg/g - Wet Wt	J

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	17.61	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	2275.88	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	288.22	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	198.52	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	758.76	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	4832.32	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	298.16	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	51.87	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1281.4	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	139.1	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1219.2	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	449.8	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	682.92	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	527.17	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	80.8	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	1036.36	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	5640.9	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	2535.12	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	369	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	264.23	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	165.69	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	53.1	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	404.49	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	121.76	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	131.93	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	760.8	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	17.62	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	43.66	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	291.01	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	229.52	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	926.28	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	198.52	UJ		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	2.85	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	3356.27	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	23.68	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	41.12	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	12.79	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	203.71	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	50.49	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	156.24	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	62.12	pg/g - Wet Wt	JC
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	2285.14	pg/g - Wet Wt	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	111.53	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	546.71	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	19.90	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	2331.07	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	180.94	pg/g - Wet Wt	J
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	2551.05	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	64085.84	pg/g - Wet Wt	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	38	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	49	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	62	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	61	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	94	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	60	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	81	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	90	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	78	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	76	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	72	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	96	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	88	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	153	%RECOVERY	&
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	83	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	84	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	72	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	144	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	80	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	75	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	75	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	61	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	84	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	116	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	72	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	72	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	88	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	89	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	70	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	NORMAL	7/16/2001	9/28/2001	12/9/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	75	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	86.78	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	109.80	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	234.48	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	22.89	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	131.38	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	51.26	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	799.93	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	52.81	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	12.42	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	108.98	pg/g - Wet Wt	C

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	12.79	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	203.71	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	50.49	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	156.24	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	62.12	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	2285.14	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		39.70		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	111.53	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	546.71	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	19.9	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	2331.07	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		198.52		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	180.94	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04		99.26		1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	2551.05	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET	64132.32	J		T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 49038-30-13	5.04	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	86.78	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	109.8	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	234.48	J		T
CMS-DU-072001-A	49037-04-14		9.95		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	22.89	J		T
CMS-DU-072001-A	49037-04-14		9.95		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	131.38	J		T
CMS-DU-072001-A	49037-04-14		9.95		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	51.26	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	799.93	J		T
CMS-DU-072001-A	49037-04-14		9.95		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	52.81	J		T
CMS-DU-072001-A	49037-04-14		9.95		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	12.42	J		T
CMS-DU-072001-A	49037-04-14		19.91		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	108.98	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A		pg/g - Wet Wt	C12
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	186.33	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	784.80	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	1275.68	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A		pg/g - Wet Wt	C18
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	136.73	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	4755.64	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A		pg/g - Wet Wt	C20
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A		pg/g - Wet Wt	C20
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A		pg/g - Wet Wt	C20
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	939.01	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A		pg/g - Wet Wt	C16
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A		pg/g - Wet Wt	C16
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	232.83	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	620.90	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A		pg/g - Wet Wt	C26
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	3121.40	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	885.73	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	4629.87	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A		pg/g - Wet Wt	C40
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A		pg/g - Wet Wt	C40
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	3079.44	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	23969.76	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A		pg/g - Wet Wt	C43
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A		pg/g - Wet Wt	C43
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	12430.95	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A		pg/g - Wet Wt	C44
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A		pg/g - Wet Wt	C44
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	883.28	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A		pg/g - Wet Wt	C45
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	39.81	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	1252.76	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	7005.72	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A		pg/g - Wet Wt	C49
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	868.74	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A		pg/g - Wet Wt	C50
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	2960.31	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	728.73	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A		pg/g - Wet Wt	C59
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A		pg/g - Wet Wt	C59
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	939.47	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	326.16	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	4386.45	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	8521.39	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	16876.80	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A		pg/g - Wet Wt	C61
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A		pg/g - Wet Wt	C61
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	421.57	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	99.54	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	2924.18	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	12861.75	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A		pg/g - Wet Wt	C83
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A		pg/g - Wet Wt	C83
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	9630.81	pg/g - Wet Wt	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-DU-072001-A	49037-04-14		19.91		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		19.91		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	186.33	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	784.8	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1275.68	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		19.91		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	136.73	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	4755.64	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	939.01	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	232.83	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	620.9	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3121.4	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	885.73	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	4629.87	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3079.44	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	23969.76	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	12430.95	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	883.28	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	39.81	UJ		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1252.76	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	7005.72	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	868.74	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2960.31	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	728.73	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	939.47	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	326.16	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	4386.45	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	8521.39	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	16876.8	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	421.57	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	99.54	UJ		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2924.18	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	12861.75	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	9630.81	J		T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	3493.53	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C85
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A		pg/g - Wet Wt	C85
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	19459.50	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A		pg/g - Wet Wt	C86
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A		pg/g - Wet Wt	C86
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A		pg/g - Wet Wt	C86
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A		pg/g - Wet Wt	C86
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	126.31	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	32516.91	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A		pg/g - Wet Wt	C90
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A		pg/g - Wet Wt	C90
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	3825.78	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A		pg/g - Wet Wt	C88
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	6574.15	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	603.16	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	32575.02	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A		pg/g - Wet Wt	C93
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A		pg/g - Wet Wt	C93
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A		pg/g - Wet Wt	C93
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	5508.44	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	987.74	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A		pg/g - Wet Wt	C108
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	37252.88	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A		pg/g - Wet Wt	C110
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	265.27	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	16933.55	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	2081.32	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		pg/g - Wet Wt	C106
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		pg/g - Wet Wt	C106
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	199.07	pg/g - Wet Wt	U
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	5300.12	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A		pg/g - Wet Wt	C128
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	38524.96	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A		pg/g - Wet Wt	C129
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A		pg/g - Wet Wt	C129
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A		pg/g - Wet Wt	C129
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	2476.99	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	593.36	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	12250.16	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	1239.04	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A		pg/g - Wet Wt	C134
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	9624.96	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A		pg/g - Wet Wt	C135
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A		pg/g - Wet Wt	C135
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	5772.14	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	5119.28	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A		pg/g - Wet Wt	C137
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	4278.51	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	1003.88	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	6465.10	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A		pg/g - Wet Wt	C146
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	47567.50	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A		pg/g - Wet Wt	C147

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3493.53	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	19459.5	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	126.31	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	32516.91	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3825.78	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	6574.15	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	603.16	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	32575.02	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	5508.44	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	987.74	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	37252.88	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	265.27	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	16933.55	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2081.32	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	199.07	UJ		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	5300.12	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	38524.96	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2476.99	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	593.36	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	12250.16	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1239.04	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	9624.96	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	5772.14	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	5119.28	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	4278.51	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1003.88	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	6465.1	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	47567.5	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	17636.54	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A		pg/g - Wet Wt	C153
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	2347.68	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		pg/g - Wet Wt	C156
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	2626.43	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	866.98	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	44.22	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	2281.05	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	805.20	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A		pg/g - Wet Wt	C171
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	430.98	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	3249.39	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	71.07	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	271.50	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	1472.44	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	529.30	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	3452.34	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A		pg/g - Wet Wt	C180
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	20.24	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A		pg/g - Wet Wt	C174
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	3.26	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A		pg/g - Wet Wt	C174
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	8953.70	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	92.60	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	316.10	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	80.94	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	383.89	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	170.40	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	265.48	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	101.16	pg/g - Wet Wt	CJ
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	2099.46	pg/g - Wet Wt	C
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A		pg/g - Wet Wt	C198
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A		pg/g - Wet Wt	C197
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	110.51	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	591.25	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	28.22	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	1944.54	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	139.55	pg/g - Wet Wt	J
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	1713.20	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	484658.68	pg/g - Wet Wt	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	34	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	47	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	61	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	60	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	87	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	49	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	67	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	81	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	54	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	66	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	62	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	81	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	72	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	99	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	71	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	17636.54	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2347.68	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2626.43	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	866.98	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	44.22	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2281.05	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	805.2	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	430.98	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3249.39	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	71.07	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	271.5	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1472.44	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	529.3	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3452.34	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	20.24	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	3.26	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	8953.7	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	92.6	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	316.1	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	80.94	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	383.89	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	170.4	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	265.48	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	101.16	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	2099.46	J		T
CMS-DU-072001-A	49037-04-14		39.81		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	110.51	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	591.25	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	28.22	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1944.54	J		T
CMS-DU-072001-A	49037-04-14		199.07		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	139.55	J		T
CMS-DU-072001-A	49037-04-14		99.54		1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	1713.2	J		T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET	484767.1	J		T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	71	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	63	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	94	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	59	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	46	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	46	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	53	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	46	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	86	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	52	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	45	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	45	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	75	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	58	%RECOVERY	
CMS-DU-072001-A	49037-04-14	BCO	REPLICATE	7/20/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	64	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	86	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	91	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	110	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	83	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
CMS-DU-072001-A	49037-04-14				1.00		Lab Extraction ID = 49038-30-16	5.02	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	88	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	122	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	90	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	93	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	55	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	83	%RECOVERY	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	95	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	88	%RECOVERY	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	85	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	56	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	100	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	97	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	0	%RECOVERY	-
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	6	%RECOVERY	-
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	51	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	65	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	95	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	81	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	121	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	61	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	73	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	93	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	77	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	83	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	77	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	95	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	85	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	156	%RECOVERY	&
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	83	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	82	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	75	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	154	%RECOVERY	&
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	78	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	71	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	71	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	58	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	75	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	112	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	70	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	69	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	72	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	91	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	72	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MS	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	77	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	89	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	92	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	110	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-14	5.03	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	87	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	87	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	122	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	81	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	95	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	78	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	85	%RECOVERY	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	94	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	90	%RECOVERY	C
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	83	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	56	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	97	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	96	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	179	%RECOVERY	-
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	143	%RECOVERY	-
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	NA	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	50	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	57	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	86	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	65	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	100	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	52	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	54	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	82	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	48	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	77	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	70	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	82	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	72	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	99	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	71	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	73	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	64	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	102	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	62	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	63	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	63	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	54	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	50	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	92	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	53	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	43	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	36	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	73	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	56	%RECOVERY	
RWR-EW-5002-0000-01	49037-04-03 and -04-04	BCO	MSD	7/16/2001	9/28/2001	12/10/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	63	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%DIFFERENCE	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
RWR-EW-5002-0000-01	49037-04-03 and -04-04				1.00		Lab Extraction ID = 40938-30-15	5.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		49.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		49.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		49.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		49.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		49.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		99.33		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		99.33		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		99.33		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		99.33		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	30.9	%DIFFERENCE	&
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	30.6	%DIFFERENCE	&
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	68.8	%DIFFERENCE	&
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	35.0	%DIFFERENCE	&
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%DIFFERENCE	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	30.5	%DIFFERENCE	&
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%DIFFERENCE	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		198.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	NA	%DIFFERENCE	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	40	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	39	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	49	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	49	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	76	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	54	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	48	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	66	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	49	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	81	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	73	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	91	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	86	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	92	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	84	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	86	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	84	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	102	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	67	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	67	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	67	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	59	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	71	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	92	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	72	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	68	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	72	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	100	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	85	%RECOVERY	
	48514-92-10	BCO	SRM		9/28/2001	12/10/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	77	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-1	2051-60-7	PCB	MOD 1668A	111	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-3	2051-62-9	PCB	MOD 1668A	105	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-4	13029-08-8	PCB	MOD 1668A	110	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-5	16605-91-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-6	25569-80-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-7	33284-50-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-8	34883-43-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-9	34883-39-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-10	33146-45-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-12	2974-92-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-13	2974-90-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-16	38444-78-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-17	37680-66-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-18	37680-65-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-30	35693-92-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-19	38444-73-4	PCB	MOD 1668A	92	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-20	38444-84-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-21	55702-46-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-28	7012-37-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-33	38444-86-9	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		993.34		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10		496.67		1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48514-92-10				1.00		Lab Extraction ID = 40938-30-17	1.01	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-22	38444-85-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-24	55702-45-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-27	38444-76-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-25	55712-37-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-26	38444-81-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-29	15862-07-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-31	16606-02-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-32	38444-77-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-40	38444-93-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-41	52663-59-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-71	41464-46-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-42	36559-22-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-43	70362-46-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-52	35693-99-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-73	74338-23-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-44	41464-39-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-47	2437-79-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-65	33284-54-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-45	70362-45-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-51	68194-04-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-46	41464-47-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-48	70362-47-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-49	41464-40-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-69	60233-24-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-50	62796-65-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-53	41464-41-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-56	41464-43-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-59	74472-33-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-62	54230-22-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-75	32598-12-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-60	33025-41-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-63	74472-34-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-64	52663-58-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-66	32598-10-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-61	33284-53-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-70	32598-11-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-74	32690-93-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-76	70362-48-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-77	32598-13-3	PCB	MOD 1668A	90	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-81	70362-50-4	PCB	MOD 1668A	91	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-82	52663-62-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-83	60145-20-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-99	38380-01-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-112	74472-36-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-84	52663-60-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-85	65510-45-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-116	18259-05-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-117	68194-11-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-86	55312-69-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-87	38380-02-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-97	41464-51-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-109	74472-35-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-119	56558-17-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-125	74472-39-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-89	73575-57-2	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-90	68194-07-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-101	37680-73-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-113	68194-10-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-88	55215-17-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-91	68194-05-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-92	52663-61-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-93	73575-56-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-95	38379-99-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-98	60233-25-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-100	39485-83-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-102	68194-06-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-105	32598-14-4	PCB	MOD 1668A	97	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-108	70362-41-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-124	70424-70-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-110	38380-03-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-115	74472-38-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-114	74472-37-0	PCB	MOD 1668A	86	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-118	31508-00-6	PCB	MOD 1668A	106	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-106	70424-69-0	PCB	MOD 1668A	86	%RECOVERY	C
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-107	70424-68-9	PCB	MOD 1668A		%RECOVERY	C106
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-123	65510-44-3	PCB	MOD 1668A		%RECOVERY	C106
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-126	57465-28-8	PCB	MOD 1668A	86	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-128	38380-07-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-166	41411-63-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-129	55215-18-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-138	35065-28-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-160	41411-62-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-163	74472-44-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-130	52663-66-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-131	61798-70-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-132	38380-05-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-134	52704-70-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-143	68194-15-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-135	52744-13-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-151	52663-63-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-154	60145-22-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-136	38411-22-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-137	35694-06-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-164	74472-45-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-141	52712-04-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-144	68194-14-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-146	51908-16-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-161	74474-43-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-147	68194-13-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-149	38380-04-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-153	35065-27-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-168	59291-65-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-156	38380-08-4	PCB	MOD 1668A	92	%RECOVERY	C
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-157	69782-90-7	PCB	MOD 1668A		%RECOVERY	C156
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-158	74472-42-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-167	52663-72-6	PCB	MOD 1668A	87	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-169	32774-16-6	PCB	MOD 1668A	85	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-170	35065-30-6	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-171	52663-71-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-173	68194-16-1	PCB	MOD 1668A	NA	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-172	52663-74-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-174	38411-25-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-175	40186-70-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-176	52663-65-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-177	52663-70-4	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-178	52663-67-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-180	35065-29-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-193	69782-91-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-182	60145-23-5	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-183	52663-69-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-184	74472-48-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-185	52712-05-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-187	52663-68-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-189	39635-31-9	PCB	MOD 1668A	96	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-190	41411-64-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-191	74472-50-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-194	35694-08-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-195	52663-78-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-196	42740-50-1	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-197	33091-17-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-198	68194-17-2	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-199	52663-75-9	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-200	52663-73-7	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-201	40186-71-8	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-203	52663-76-0	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-205	74472-53-0	PCB	MOD 1668A	93	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-206	40186-72-9	PCB	MOD 1668A	97	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-207	52663-79-3	PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	PCB-209	2051-24-3	PCB	MOD 1668A	94	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	TOTAL PCB		PCB	MOD 1668A	NA	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-1	2051-60-7	PCB	MOD 1668A	38	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-3	2051-62-9	PCB	MOD 1668A	40	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-4	13029-08-8	PCB	MOD 1668A	51	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-19	38444-73-4	PCB	MOD 1668A	48	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-15	2050-68-2	PCB	MOD 1668A	60	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-54	15968-05-5	PCB	MOD 1668A	35	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-104	56558-16-8	PCB	MOD 1668A	63	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-37	38444-90-5	PCB	MOD 1668A	89	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-155	33979-03-02	PCB	MOD 1668A	61	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-81	70362-50-4	PCB	MOD 1668A	72	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-77	32598-13-3	PCB	MOD 1668A	65	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-123	65510-44-3	PCB	MOD 1668A	85	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-118	31508-00-6	PCB	MOD 1668A	76	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-188	74487-85-7	PCB	MOD 1668A	83	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-114	74472-37-0	PCB	MOD 1668A	72	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-105	32598-14-4	PCB	MOD 1668A	73	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-126	57465-28-8	PCB	MOD 1668A	70	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-202	2136-99-4	PCB	MOD 1668A	87	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-167	52663-72-6	PCB	MOD 1668A	69	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-156	38380-08-4	PCB	MOD 1668A	68	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-157	69782-90-7	PCB	MOD 1668A	68	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-169	32774-16-6	PCB	MOD 1668A	65	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-208	52663-77-1	PCB	MOD 1668A	72	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-189	39635-31-9	PCB	MOD 1668A	87	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-205	74472-53-0	PCB	MOD 1668A	67	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T

SAMPLE_NO	LAB_ID	LABORATORY	QC_TYPE	SAMP_DATE	EXTR_DATE	ANAL_DATE	CASE	SDG	PARAMETER	CAS_NO	CLASS	METHOD	LAB_RESULT	UNITS	LAB_QUAL
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-206	40186-72-9	PCB	MOD 1668A	50	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-209	2051-24-3	PCB	MOD 1668A	55	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-28	7012-37-5	PCB	MOD 1668A	42	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-111	39635-32-0	PCB	MOD 1668A	64	%RECOVERY	
	48401-44-03	BCO	LCS		9/28/2001	12/9/2001		49038-30	13C-PCB-178	52663-67-9	PCB	MOD 1668A	71	%RECOVERY	

SAMPLE_NO	LAB_ID	IDL	MDL	CRDL_CRQL	DIL_FACTOR	PCT_MOIST	COMMENTS	SAMPLE_SIZE	SAMPLE_SIZE_UNITS	FINAL_RESULT	FINAL_QUAL	VALID_COMMENT	FRACTION
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T
	48401-44-03				1.00		Lab Extraction ID = 40938-30-18	0.54	G_WET				T