ATTACHMENT 4

STL's Sample Data Summary Packages

STL Burlington
Colchester, Vermont

Sample Data Summary Package

SDG: 100226

SEVERN TRENT STL

STL Burlington
208 South Park Drive, Suite 1
Colchester, VT 05446

Tel: 802 655 1203 Fax: 802 655 1248
www.stl-inc.com

June 16, 2004

Mr. Chris Milone
Roux Associates
25 Corporate Drive
Suite 230
Burlington, MA 01803

Re: Laboratory Project No. 24000
Case 24000; SDG: 100226

Dear Mr. Milone:

Enclosed are the analytical results for samples received by STL Burlington on May 15, 2004. This report is sequentially numbered starting with page 0001 and ending with page 0379.

Laboratory numbers have been assigned and designated as follows:

Lab ID	Client Sample ID	Sample Date	Sample Matrix
	Received: 05/15/04 ETR No: 100226		
571912	SG-ABC ROOFING	05/13/04	Air
571913	SG-VINING	05/13/04	Air
571914	SG-GANGLIANI	05/13/04	Air
571915	SG-SACCO/A	05/13/04	Air
571916	SG-GRAPHIQUE	05/13/04	Air
571917	SG-SACCO/B	05/13/04	Air
571918	SG-PACER	05/13/04	Air

Documentation of the condition of the samples at the time their receipt and any exceptions to the laboratory's Sample Acceptance Policy is included in the Sample Handling section of this submittal.

Method TO-15 – Volatile Organics:
The original volatile organics analysis for samples SG-ABC ROOFING and SG-PACER yielded concentrations of the target compound Acetone that exceeded the range of calibrated instrument response. This sample was diluted and re-analyzed within the holding time yielding results that were within the calibration range of the instrument. Both sets of analyses have been included in this case submittal.

The analysis of the blank spike sample W9ICVLCS exhibited percent recoveries of the target compound Acetone that exceeded the control criterion. This exceedence is presented on the analytical form 3s.

The analysis of the blank spike sample X1LCS and the associated blank spike duplicate sample X1LCSD exhibited percent recoveries of select target compounds that exceeded the control criterion. These exceedences are presented on the analytical form 3s.

Leaders in Environmental Testing

Severn Trent Laboratories, Inc.

Method TO-15 – Volatile Organics (cont.)
Methyl Ethyl Ketone was quantitated from the secondary mass ion 72 in of the field samples and method blank sample of this delivery group due to interference with mass ion 43. The blank spike and associated blank spike duplicate samples were quantitated from the mass ion 43. The analytical form 6s and 7s were manually edited to reflect response factors from the mass ion 72 quantitation.

The analytical results presented in this data report were generated under a quality system that adheres to the requirements specified in the NELAC standard. This report shall not be reproduced, except in full, without the written approval of the laboratory. The release of the data in this report is authorized by the Laboratory Director or his designee, as verified by the following signature.

If there are any questions regarding this submittal, please contact Ron Pentkowski at (802) 655-1203.

Sincerely,

Ron Pentkowski for

Michael F. Wheeler, Ph.D.
Laboratory Director

Enclosure

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-ABC ROOFING

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571912

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.77		0.50	3.8		2.5
Chloromethane	74-87-3	0.69		0.50	1.4		1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.50	U	0.50	2.8	U	2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	2.6		0.50	9.0		1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.70		0.50	2.2		1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	4.4		0.50	17		1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.77		0.50	5.2		3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	2.4		0.50	10		2.2
Xylene (m,p)	1330-20-7	7.7		0.50	33		2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	2.0		0.50	8.7		2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-ABC ROOFING

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571912

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	1.0		0.50	4.9		2.5
1,2,4-Trimethylbenzene	95-63-6	2.8		0.50	14		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
Acetone	67-64-1	66	E	5.0	160	E	12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	3.4		0.50	12		1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	2.4	U	0.50	7.1	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	3.2		0.50	16		2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	4.4		0.50	16		1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.85		0.50	3.5		2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-ABC ROOFINGDL

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571912D1

Date Analyzed: 06/10/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	2.0	U	2.0	9.9	U	9.9
Chloromethane	74-87-3	2.0	U	2.0	4.1	U	4.1
Vinyl Chloride	75-01-4	2.0	U	2.0	5.1	U	5.1
Bromomethane	74-83-9	2.0	U	2.0	7.8	U	7.8
Chloroethane	75-00-3	2.0	U	2.0	5.3	U	5.3
Trichlorofluoromethane	75-69-4	2.0	U	2.0	11	U	11
Freon TF	76-13-1	2.0	U	2.0	15	U	15
1,1-Dichloroethene	75-35-4	2.0	U	2.0	7.9	U	7.9
Methylene Chloride	75-09-2	3.7	D	2.0	13	D	6.9
1,1-Dichloroethane	75-34-3	2.0	U	2.0	8.1	U	8.1
cis-1,2-Dichloroethene	156-59-2	2.0	U	2.0	7.9	U	7.9
Chloroform	67-66-3	2.0	U	2.0	9.8	U	9.8
1,1,1-Trichloroethane	71-55-6	2.0	U	2.0	11	U	11
Carbon Tetrachloride	56-23-5	2.0	U	2.0	13	U	13
Benzene	71-43-2	2.0	U	2.0	6.4	U	6.4
1,2-Dichloroethane	107-06-2	2.0	U	2.0	8.1	U	8.1
Trichloroethene	79-01-6	2.0	U	2.0	11	U	11
1,2-Dichloropropane	78-87-5	2.0	U	2.0	9.2	U	9.2
cis-1,3-Dichloropropene	10061-01-5	2.0	U	2.0	9.1	U	9.1
Toluene	108-88-3	5.1	D	2.0	19	D	7.5
trans-1,3-Dichloropropene	10061-02-6	2.0	U	2.0	9.1	U	9.1
1,1,2-Trichloroethane	79-00-5	2.0	U	2.0	11	U	11
Tetrachloroethene	127-18-4	2.0	U	2.0	14	U	14
Chlorobenzene	108-90-7	2.0	U	2.0	9.2	U	9.2
Ethylbenzene	100-41-4	2.9	D	2.0	13	D	8.7
Xylene (m,p)	1330-20-7	8.6	D	2.0	37	D	8.7
Styrene	100-42-5	2.0	U	2.0	8.5	U	8.5
Xylene (o)	95-47-6	2.2	D	2.0	9.6	D	8.7
1,1,2,2-Tetrachloroethane	79-34-5	2.0	U	2.0	14	U	14
1,3-Dichlorobenzene	541-73-1	2.0	U	2.0	12	U	12
1,4-Dichlorobenzene	106-46-7	2.0	U	2.0	12	U	12
1,2-Dichlorobenzene	95-50-1	2.0	U	2.0	12	U	12

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-ABC ROOFINGDL

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571912D1

Date Analyzed: 06/10/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	2.0	U	2.0	15	U	15
Hexachlorobutadiene	87-68-3	2.0	U	2.0	21	U	21
1,3,5-Trimethylbenzene	108-67-8	2.0	U	2.0	9.8	U	9.8
1,2,4-Trimethylbenzene	95-63-6	2.9	D	2.0	14	D	9.8
1,2-Dichlorotetrafluoroethane	76-14-2	2.0	U	2.0	14	U	14
1,2-Dibromoethane	106-93-4	2.0	U	2.0	15	U	15
1,3-Butadiene	106-99-0	2.0	U	2.0	4.4	U	4.4
Carbon Disulfide	75-15-0	2.0	U	2.0	6.2	U	6.2
Acetone	67-64-1	74	D	20	180	D	48
Isopropyl Alcohol	67-63-0	20	U	20	49	U	49
Methyl tert-Butyl Ether	1634-04-4	2.0	U	2.0	7.2	U	7.2
Cyclohexane	110-82-7	2.0	U	2.0	6.9	U	6.9
Dibromochloromethane	124-48-1	2.0	U	2.0	17	U	17
Methyl Ethyl Ketone	78-93-3	3.2	U	2.0	9.4	U	5.9
Methyl Isobutyl Ketone	108-10-1	2.0	U	2.0	8.2	U	8.2
Methyl Butyl Ketone	591-78-6	2.0	U	2.0	8.2	U	8.2
Bromodichloromethane	75-27-4	2.0	U	2.0	13	U	13
trans-1,2-Dichloroethene	156-60-5	2.0	U	2.0	7.9	U	7.9
4-Ethyltoluene	622-96-8	3.4	D	2.0	17	D	9.8
2-Chlorotoluene	95-49-8	2.0	U	2.0	10	U	10
n-Hexane	110-54-3	3.9	D	2.0	14	D	7.0
Tetrahydrofuran	109-99-9	20	U	20	59	U	59
n-Heptane	142-82-5	2.0	U	2.0	8.2	U	8.2

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-VINING

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571913

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.88		0.50	4.4		2.5
Chloromethane	74-87-3	0.65		0.50	1.3		1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.77		0.50	4.3		2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	5.8		0.50	20		1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.50	U	0.50	1.6	U	1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	0.61		0.50	2.3		1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.50	U	0.50	2.2	U	2.2
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	0.50	U	0.50	2.2	U	2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-VINING

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571913

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
1,2,4-Trimethylbenzene	95-63-6	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
Acetone	67-64-1	5.0		5.0	12		12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	0.50	U	0.50	1.5	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	0.50	U	0.50	2.5	U	2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	4.1		0.50	14		1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-GANGLIANI

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571914

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	24		0.50	120		2.5
Chloromethane	74-87-3	0.73		0.50	1.5		1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.51		0.50	2.9		2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.50	U	0.50	1.6	U	1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	3.8		0.50	14		1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	2.9		0.50	13		2.2
Xylene (m,p)	1330-20-7	11		0.50	48		2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	2.8		0.50	12		2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-GANGLIANI

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571914

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.59		0.50	2.9		2.5
1,2,4-Trimethylbenzene	95-63-6	1.8		0.50	8.8		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
Acetone	67-64-1	16		5.0	38		12
Isopropyl Alcohol	67-63-0	7.0		5.0	17		12
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	1.2	U	0.50	3.5	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	1.6		0.50	7.9		2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	0.97		0.50	3.4		1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-SACCO/A

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571915

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.75		0.50	3.7		2.5
Chloromethane	74-87-3	0.66		0.50	1.4		1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.50	U	0.50	2.8	U	2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.50	U	0.50	1.6	U	1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	0.50	U	0.50	1.9	U	1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.50	U	0.50	2.2	U	2.2
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	0.50	U	0.50	2.2	U	2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-SACCO/A

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571915

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
1,2,4-Trimethylbenzene	95-63-6	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
Acetone	67-64-1	5.0	U	5.0	12	U	12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	0.71	U	0.50	2.1	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	0.50	U	0.50	2.5	U	2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	0.50	U	0.50	1.8	U	1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-GRAPHIQUE

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571916

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.82		0.50	4.1		2.5
Chloromethane	74-87-3	0.56		0.50	1.2		1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.50	U	0.50	2.8	U	2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.76		0.50	2.4		1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	1.1		0.50	4.1		1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.50	U	0.50	2.2	U	2.2
Xylene (m,p)	1330-20-7	0.72		0.50	3.1		2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	0.50	U	0.50	2.2	U	2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-GRAPHIQUE

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571916

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
1,2,4-Trimethylbenzene	95-63-6	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	1.1		0.50	2.4		1.1
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
Acetone	67-64-1	8.4		5.0	20		12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	1.3	U	0.50	3.8	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	0.50	U	0.50	2.5	U	2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	0.50	U	0.50	1.8	U	1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-SACCO/B

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571917

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.81		0.50	4.0		2.5
Chloromethane	74-87-3	0.50	U	0.50	1.0	U	1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.50	U	0.50	2.8	U	2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.51		0.50	2.5		2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.76		0.50	2.4		1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	2.1		0.50	7.9		1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.61		0.50	2.6		2.2
Xylene (m,p)	1330-20-7	1.8		0.50	7.8		2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	0.62		0.50	2.7		2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-SACCO/B

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571917

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
1,2,4-Trimethylbenzene	95-63-6	0.68		0.50	3.3		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	1.4		0.50	3.1		1.1
Carbon Disulfide	75-15-0	1.1		0.50	3.4		1.6
Acetone	67-64-1	20		5.0	48		12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	0.51		0.50	1.8		1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	2.6	U	0.50	7.7	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	0.51		0.50	2.5		2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	0.57		0.50	2.0		1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-PACER

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571918

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.77		0.50	3.8		2.5
Chloromethane	74-87-3	0.57		0.50	1.2		1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.50	U	0.50	2.8	U	2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	5.5		0.50	18		1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	6.9		0.50	26		1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.97		0.50	4.2		2.2
Xylene (m,p)	1330-20-7	2.6		0.50	11		2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	0.84		0.50	3.6		2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-PACER

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571918

Date Analyzed: 06/09/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
1,2,4-Trimethylbenzene	95-63-6	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	9.1		0.50	20		1.1
Carbon Disulfide	75-15-0	1.0		0.50	3.1		1.6
Acetone	67-64-1	96	E	5.0	230	E	12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	1.3		0.50	4.7		1.8
Cyclohexane	110-82-7	0.71		0.50	2.4		1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	39	U	0.50	120	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	0.50	U	0.50	2.5	U	2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	3.8		0.50	13		1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	2.7		0.50	11		2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-PACERDL

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571918D1

Date Analyzed: 06/10/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	2.0	U	2.0	9.9	U	9.9
Chloromethane	74-87-3	2.0	U	2.0	4.1	U	4.1
Vinyl Chloride	75-01-4	2.0	U	2.0	5.1	U	5.1
Bromomethane	74-83-9	2.0	U	2.0	7.8	U	7.8
Chloroethane	75-00-3	2.0	U	2.0	5.3	U	5.3
Trichlorofluoromethane	75-69-4	2.0	U	2.0	11	U	11
Freon TF	76-13-1	2.0	U	2.0	15	U	15
1,1-Dichloroethene	75-35-4	2.0	U	2.0	7.9	U	7.9
Methylene Chloride	75-09-2	2.0	U	2.0	6.9	U	6.9
1,1-Dichloroethane	75-34-3	2.0	U	2.0	8.1	U	8.1
cis-1,2-Dichloroethene	156-59-2	2.0	U	2.0	7.9	U	7.9
Chloroform	67-66-3	2.0	U	2.0	9.8	U	9.8
1,1,1-Trichloroethane	71-55-6	2.0	U	2.0	11	U	11
Carbon Tetrachloride	56-23-5	2.0	U	2.0	13	U	13
Benzene	71-43-2	5.2	D	2.0	17	D	6.4
1,2-Dichloroethane	107-06-2	2.0	U	2.0	8.1	U	8.1
Trichloroethene	79-01-6	2.0	U	2.0	11	U	11
1,2-Dichloropropane	78-87-5	2.0	U	2.0	9.2	U	9.2
cis-1,3-Dichloropropene	10061-01-5	2.0	U	2.0	9.1	U	9.1
Toluene	108-88-3	6.4	D	2.0	24	D	7.5
trans-1,3-Dichloropropene	10061-02-6	2.0	U	2.0	9.1	U	9.1
1,1,2-Trichloroethane	79-00-5	2.0	U	2.0	11	U	11
Tetrachloroethene	127-18-4	2.0	U	2.0	14	U	14
Chlorobenzene	108-90-7	2.0	U	2.0	9.2	U	9.2
Ethylbenzene	100-41-4	2.0	U	2.0	8.7	U	8.7
Xylene (m,p)	1330-20-7	2.5	D	2.0	11	D	8.7
Styrene	100-42-5	2.0	U	2.0	8.5	U	8.5
Xylene (o)	95-47-6	2.0	U	2.0	8.7	U	8.7
1,1,2,2-Tetrachloroethane	79-34-5	2.0	U	2.0	14	U	14
1,3-Dichlorobenzene	541-73-1	2.0	U	2.0	12	U	12
1,4-Dichlorobenzene	106-46-7	2.0	U	2.0	12	U	12
1,2-Dichlorobenzene	95-50-1	2.0	U	2.0	12	U	12

TO-14/15
Result Summary

CLIENT SAMPLE NO.

SG-PACERDL

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: Air

Lab Sample No.: 571918D1

Date Analyzed: 06/10/04

Date Received: 05/15/04

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	2.0	U	2.0	15	U	15
Hexachlorobutadiene	87-68-3	2.0	U	2.0	21	U	21
1,3,5-Trimethylbenzene	108-67-8	2.0	U	2.0	9.8	U	9.8
1,2,4-Trimethylbenzene	95-63-6	2.0	U	2.0	9.8	U	9.8
1,2-Dichlorotetrafluoroethane	76-14-2	2.0	U	2.0	14	U	14
1,2-Dibromoethane	106-93-4	2.0	U	2.0	15	U	15
1,3-Butadiene	106-99-0	7.8	D	2.0	17	D	4.4
Carbon Disulfide	75-15-0	2.0	U	2.0	6.2	U	6.2
Acetone	67-64-1	89	D	20	210	D	48
Isopropyl Alcohol	67-63-0	20	U	20	49	U	49
Methyl tert-Butyl Ether	1634-04-4	2.0	U	2.0	7.2	U	7.2
Cyclohexane	110-82-7	2.0	U	2.0	6.9	U	6.9
Dibromochloromethane	124-48-1	2.0	U	2.0	17	U	17
Methyl Ethyl Ketone	78-93-3	38	U	2.0	110	U	5.9
Methyl Isobutyl Ketone	108-10-1	2.0	U	2.0	8.2	U	8.2
Methyl Butyl Ketone	591-78-6	2.0	U	2.0	8.2	U	8.2
Bromodichloromethane	75-27-4	2.0	U	2.0	13	U	13
trans-1,2-Dichloroethene	156-60-5	2.0	U	2.0	7.9	U	7.9
4-Ethyltoluene	622-96-8	2.0	U	2.0	9.8	U	9.8
2-Chlorotoluene	95-49-8	2.0	U	2.0	10	U	10
n-Hexane	110-54-3	3.8	D	2.0	13	D	7.0
Tetrahydrofuran	109-99-9	20	U	20	59	U	59
n-Heptane	142-82-5	2.0	U	2.0	8.2	U	8.2

TO-14/15
Result Summary

CLIENT SAMPLE NO.

ABLKW9

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: ABLKW9

Date Analyzed: 06/08/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.50	U	0.50	2.5	U	2.5
Chloromethane	74-87-3	0.50	U	0.50	1.0	U	1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.50	U	0.50	2.8	U	2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.50	U	0.50	1.6	U	1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	0.50	U	0.50	1.9	U	1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.50	U	0.50	2.2	U	2.2
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	0.50	U	0.50	2.2	U	2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

ABLKW9

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: ABLKW9

Date Analyzed: 06/08/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
1,2,4-Trimethylbenzene	95-63-6	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
Acetone	67-64-1	5.0	U	5.0	12	U	12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	0.50	U	0.50	1.5	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	0.50	U	0.50	2.5	U	2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	0.50	U	0.50	1.8	U	1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

CLICK TO CONTINUE

TO-14/15
Result Summary

CLIENT SAMPLE NO.

ABLKX1

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: ABLKX1

Date Analyzed: 06/09/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.50	U	0.50	2.5	U	2.5
Chloromethane	74-87-3	0.50	U	0.50	1.0	U	1.0
Vinyl Chloride	75-01-4	0.50	U	0.50	1.3	U	1.3
Bromomethane	74-83-9	0.50	U	0.50	1.9	U	1.9
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Trichlorofluoromethane	75-69-4	0.50	U	0.50	2.8	U	2.8
Freon TF	76-13-1	0.50	U	0.50	3.8	U	3.8
1,1-Dichloroethene	75-35-4	0.50	U	0.50	2.0	U	2.0
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
1,1-Dichloroethane	75-34-3	0.50	U	0.50	2.0	U	2.0
cis-1,2-Dichloroethene	156-59-2	0.50	U	0.50	2.0	U	2.0
Chloroform	67-66-3	0.50	U	0.50	2.4	U	2.4
1,1,1-Trichloroethane	71-55-6	0.50	U	0.50	2.7	U	2.7
Carbon Tetrachloride	56-23-5	0.50	U	0.50	3.1	U	3.1
Benzene	71-43-2	0.50	U	0.50	1.6	U	1.6
1,2-Dichloroethane	107-06-2	0.50	U	0.50	2.0	U	2.0
Trichloroethene	79-01-6	0.50	U	0.50	2.7	U	2.7
1,2-Dichloropropane	78-87-5	0.50	U	0.50	2.3	U	2.3
cis-1,3-Dichloropropene	10061-01-5	0.50	U	0.50	2.3	U	2.3
Toluene	108-88-3	0.50	U	0.50	1.9	U	1.9
trans-1,3-Dichloropropene	10061-02-6	0.50	U	0.50	2.3	U	2.3
1,1,2-Trichloroethane	79-00-5	0.50	U	0.50	2.7	U	2.7
Tetrachloroethene	127-18-4	0.50	U	0.50	3.4	U	3.4
Chlorobenzene	108-90-7	0.50	U	0.50	2.3	U	2.3
Ethylbenzene	100-41-4	0.50	U	0.50	2.2	U	2.2
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Styrene	100-42-5	0.50	U	0.50	2.1	U	2.1
Xylene (o)	95-47-6	0.50	U	0.50	2.2	U	2.2
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U	0.50	3.4	U	3.4
1,3-Dichlorobenzene	541-73-1	0.50	U	0.50	3.0	U	3.0
1,4-Dichlorobenzene	106-46-7	0.50	U	0.50	3.0	U	3.0
1,2-Dichlorobenzene	95-50-1	0.50	U	0.50	3.0	U	3.0