TO-14/15
Result Summary

CLIENT SAMPLE NO.

ABLKX1

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: ABLKX1

Date Analyzed: 06/09/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.50	U	0.50	5.3	U	5.3
1,3,5-Trimethylbenzene	108-67-8	0.50	U	0.50	2.5	U	2.5
1,2,4-Trimethylbenzene	95-63-6	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.50	U	0.50	3.5	U	3.5
1,2-Dibromoethane	106-93-4	0.50	U	0.50	3.8	U	3.8
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
Acetone	67-64-1	5.0	U	5.0	12	U	12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
Cyclohexane	110-82-7	0.50	U	0.50	1.7	U	1.7
Dibromochloromethane	124-48-1	0.50	U	0.50	4.3	U	4.3
Methyl Ethyl Ketone	78-93-3	0.50	U	0.50	1.5	U	1.5
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Bromodichloromethane	75-27-4	0.50	U	0.50	3.4	U	3.4
trans-1,2-Dichloroethene	156-60-5	0.50	U	0.50	2.0	U	2.0
4-Ethyltoluene	622-96-8	0.50	U	0.50	2.5	U	2.5
2-Chlorotoluene	95-49-8	0.50	U	0.50	2.6	U	2.6
n-Hexane	110-54-3	0.50	U	0.50	1.8	U	1.8
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
n-Heptane	142-82-5	0.50	U	0.50	2.0	U	2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

W9ICVLCS

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: W9ICVLC

Date Analyzed: 06/08/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	11		0.50	54		2.5
Chloromethane	74-87-3	11		0.50	23		1.0
Vinyl Chloride	75-01-4	11		0.50	28		1.3
Bromomethane	74-83-9	12		0.50	47		1.9
Chloroethane	75-00-3	11		0.50	29		1.3
Trichlorofluoromethane	75-69-4	12		0.50	67		2.8
Freon TF	76-13-1	12		0.50	92		3.8
1,1-Dichloroethene	75-35-4	12		0.50	48		2.0
Methylene Chloride	75-09-2	10		0.50	35		1.7
1,1-Dichloroethane	75-34-3	12		0.50	49		2.0
cis-1,2-Dichloroethene	156-59-2	11		0.50	44		2.0
Chloroform	67-66-3	12		0.50	59		2.4
1,1,1-Trichloroethane	71-55-6	12		0.50	65		2.7
Carbon Tetrachloride	56-23-5	12		0.50	75		3.1
Benzene	71-43-2	11		0.50	35		1.6
1,2-Dichloroethane	107-06-2	12		0.50	49		2.0
Trichloroethene	79-01-6	12		0.50	64		2.7
1,2-Dichloropropane	78-87-5	11		0.50	51		2.3
cis-1,3-Dichloropropene	10061-01-5	11		0.50	50		2.3
Toluene	108-88-3	11		0.50	41		1.9
trans-1,3-Dichloropropene	10061-02-6	11		0.50	50		2.3
1,1,2-Trichloroethane	79-00-5	12		0.50	65		2.7
Tetrachloroethene	127-18-4	12		0.50	81		3.4
Chlorobenzene	108-90-7	12		0.50	55		2.3
Ethylbenzene	100-41-4	12		0.50	52		2.2
Xylene (m,p)	1330-20-7	24		0.50	100		2.2
Styrene	100-42-5	12		0.50	51		2.1
Xylene (o)	95-47-6	12		0.50	52		2.2
1,1,2,2-Tetrachloroethane	79-34-5	12		0.50	82		3.4
1,3-Dichlorobenzene	541-73-1	13		0.50	78		3.0
1,4-Dichlorobenzene	106-46-7	12		0.50	72		3.0
1,2-Dichlorobenzene	95-50-1	13		0.50	78		3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

W9ICVLCS

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: W9ICVLC

Date Analyzed: 06/08/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	13		0.50	96		3.7
Hexachlorobutadiene	87-68-3	13		0.50	140		5.3
1,3,5-Trimethylbenzene	108-67-8	10		0.50	49		2.5
1,2,4-Trimethylbenzene	95-63-6	12		0.50	59		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	12		0.50	84		3.5
1,2-Dibromoethane	106-93-4	12		0.50	92		3.8
1,3-Butadiene	106-99-0	11		0.50	24		1.1
Carbon Disulfide	75-15-0	11		0.50	34		1.6
Acetone	67-64-1	16		5.0	38		12
Isopropyl Alcohol	67-63-0	11		5.0	27		12
Methyl tert-Butyl Ether	1634-04-4	12		0.50	43		1.8
Cyclohexane	110-82-7	11		0.50	38		1.7
Dibromochloromethane	124-48-1	12		0.50	100		4.3
Methyl Ethyl Ketone	78-93-3	11		0.50	32		1.5
Methyl Isobutyl Ketone	108-10-1	10		0.50	41		2.0
Methyl Butyl Ketone	591-78-6	9.4		0.50	39		2.0
Bromodichloromethane	75-27-4	12		0.50	80		3.4
trans-1,2-Dichloroethene	156-60-5	12		0.50	48		2.0
4-Ethyltoluene	622-96-8	13		0.50	64		2.5
2-Chlorotoluene	95-49-8	12		0.50	62		2.6
n-Hexane	110-54-3	11		0.50	39		1.8
Tetrahydrofuran	109-99-9	11		5.0	32		15
n-Heptane	142-82-5	12		0.50	49		2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

W9ICVLCSD

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: W9ICVLC

Date Analyzed: 06/08/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	10		0.50	49		2.5
Chloromethane	74-87-3	9.9		0.50	20		1.0
Vinyl Chloride	75-01-4	9.3		0.50	24		1.3
Bromomethane	74-83-9	10		0.50	39		1.9
Chloroethane	75-00-3	10		0.50	26		1.3
Trichlorofluoromethane	75-69-4	11		0.50	62		2.8
Freon TF	76-13-1	10		0.50	77		3.8
1,1-Dichloroethene	75-35-4	10		0.50	40		2.0
Methylene Chloride	75-09-2	9.1		0.50	32		1.7
1,1-Dichloroethane	75-34-3	10		0.50	40		2.0
cis-1,2-Dichloroethene	156-59-2	9.8		0.50	39		2.0
Chloroform	67-66-3	10		0.50	49		2.4
1,1,1-Trichloroethane	71-55-6	10		0.50	55		2.7
Carbon Tetrachloride	56-23-5	10		0.50	63		3.1
Benzene	71-43-2	9.9		0.50	32		1.6
1,2-Dichloroethane	107-06-2	10		0.50	40		2.0
Trichloroethene	79-01-6	10		0.50	54		2.7
1,2-Dichloropropane	78-87-5	9.8		0.50	45		2.3
cis-1,3-Dichloropropene	10061-01-5	9.9		0.50	45		2.3
Toluene	108-88-3	9.9		0.50	37		1.9
trans-1,3-Dichloropropene	10061-02-6	9.9		0.50	45		2.3
1,1,2-Trichloroethane	79-00-5	10		0.50	55		2.7
Tetrachloroethene	127-18-4	11		0.50	75		3.4
Chlorobenzene	108-90-7	11		0.50	51		2.3
Ethylbenzene	100-41-4	10		0.50	43		2.2
Xylene (m,p)	1330-20-7	22		0.50	96		2.2
Styrene	100-42-5	10		0.50	43		2.1
Xylene (o)	95-47-6	11		0.50	48		2.2
1,1,2,2-Tetrachloroethane	79-34-5	11		0.50	76		3.4
1,3-Dichlorobenzene	541-73-1	11		0.50	66		3.0
1,4-Dichlorobenzene	106-46-7	11		0.50	66		3.0
1,2-Dichlorobenzene	95-50-1	11		0.50	66		3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

W9ICVLCSD

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: W9ICVLC

Date Analyzed: 06/08/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	11		0.50	82		3.7
Hexachlorobutadiene	87-68-3	11		0.50	120		5.3
1,3,5-Trimethylbenzene	108-67-8	9.6		0.50	47		2.5
1,2,4-Trimethylbenzene	95-63-6	10		0.50	49		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	11		0.50	77		3.5
1,2-Dibromoethane	106-93-4	10		0.50	77		3.8
1,3-Butadiene	106-99-0	9.5		0.50	21		1.1
Carbon Disulfide	75-15-0	9.8		0.50	31		1.6
Acetone	67-64-1	13		5.0	31		12
Isopropyl Alcohol	67-63-0	9.3		5.0	23		12
Methyl tert-Butyl Ether	1634-04-4	10		0.50	36		1.8
Cyclohexane	110-82-7	9.9		0.50	34		1.7
Dibromochloromethane	124-48-1	10		0.50	85		4.3
Methyl Ethyl Ketone	78-93-3	9.8		0.50	29		1.5
Methyl Isobutyl Ketone	108-10-1	8.9		0.50	36		2.0
Methyl Butyl Ketone	591-78-6	8.1		0.50	33		2.0
Bromodichloromethane	75-27-4	10		0.50	67		3.4
trans-1,2-Dichloroethene	156-60-5	10		0.50	40		2.0
4-Ethyltoluene	622-96-8	11		0.50	54		2.5
2-Chlorotoluene	95-49-8	11		0.50	57		2.6
n-Hexane	110-54-3	9.4		0.50	33		1.8
Tetrahydrofuran	109-99-9	9.8		5.0	29		15
n-Heptane	142-82-5	10		0.50	41		2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

X1LCS

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: X1LCS

Date Analyzed: 06/09/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	11		0.50	54		2.5
Chloromethane	74-87-3	10		0.50	21		1.0
Vinyl Chloride	75-01-4	9.4		0.50	24		1.3
Bromomethane	74-83-9	11		0.50	43		1.9
Chloroethane	75-00-3	10		0.50	26		1.3
Trichlorofluoromethane	75-69-4	11		0.50	62		2.8
Freon TF	76-13-1	11		0.50	84		3.8
1,1-Dichloroethene	75-35-4	10		0.50	40		2.0
Methylene Chloride	75-09-2	9.5		0.50	33		1.7
1,1-Dichloroethane	75-34-3	10		0.50	40		2.0
cis-1,2-Dichloroethene	156-59-2	9.9		0.50	39		2.0
Chloroform	67-66-3	11		0.50	54		2.4
1,1,1-Trichloroethane	71-55-6	11		0.50	60		2.7
Carbon Tetrachloride	56-23-5	11		0.50	69		3.1
Benzene	71-43-2	10		0.50	32		1.6
1,2-Dichloroethane	107-06-2	11		0.50	45		2.0
Trichloroethene	79-01-6	10		0.50	54		2.7
1,2-Dichloropropane	78-87-5	10		0.50	46		2.3
cis-1,3-Dichloropropene	10061-01-5	10		0.50	45		2.3
Toluene	108-88-3	9.9		0.50	37		1.9
trans-1,3-Dichloropropene	10061-02-6	10		0.50	45		2.3
1,1,2-Trichloroethane	79-00-5	10		0.50	55		2.7
Tetrachloroethene	127-18-4	11		0.50	75		3.4
Chlorobenzene	108-90-7	11		0.50	51		2.3
Ethylbenzene	100-41-4	11		0.50	48		2.2
Xylene (m,p)	1330-20-7	22		0.50	96		2.2
Styrene	100-42-5	10		0.50	43		2.1
Xylene (o)	95-47-6	11		0.50	48		2.2
,1,2,2-Tetrachloroethane	79-34-5	11		0.50	76		3.4
,3-Dichlorobenzene	541-73-1	11		0.50	66		3.0
,4-Dichlorobenzene	106-46-7	12		0.50	72		3.0
,2-Dichlorobenzene	95-50-1	12		0.50	72		3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

X1LCS

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: X1LCS

Date Analyzed: 06/09/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	12		0.50	89		3.7
Hexachlorobutadiene	87-68-3	12		0.50	130		5.3
1,3,5-Trimethylbenzene	108-67-8	12		0.50	59		2.5
1,2,4-Trimethylbenzene	95-63-6	11		0.50	54		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	11		0.50	77		3.5
1,2-Dibromoethane	106-93-4	10		0.50	77		3.8
1,3-Butadiene	106-99-0	10		0.50	22		1.1
Carbon Disulfide	75-15-0	10		0.50	31		1.6
Acetone	67-64-1	15		5.0	36		12
Isopropyl Alcohol	67-63-0	9.8		5.0	24		12
Methyl tert-Butyl Ether	1634-04-4	11		0.50	40		1.8
Cyclohexane	110-82-7	10		0.50	34		1.7
Dibromochloromethane	124-48-1	11		0.50	94		4.3
Methyl Ethyl Ketone	78-93-3	10		0.50	29		1.5
Methyl Isobutyl Ketone	108-10-1	9.5		0.50	39		2.0
Methyl Butyl Ketone	591-78-6	8.6		0.50	35		2.0
Bromodichloromethane	75-27-4	11		0.50	74		3.4
trans-1,2-Dichloroethene	156-60-5	10		0.50	40		2.0
4-Ethyltoluene	622-96-8	10		0.50	49		2.5
2-Chlorotoluene	95-49-8	11		0.50	57		2.6
n-Hexane	110-54-3	9.6		0.50	34		1.8
Tetrahydrofuran	109-99-9	10		5.0	29		15
n-Heptane	142-82-5	11		0.50	45		2.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

X1LCSD

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: X1LCSD

Date Analyzed: 06/09/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	10		0.50	49		2.5
Chloromethane	74-87-3	10		0.50	21		1.0
Vinyl Chloride	75-01-4	9.4		0.50	24		1.3
Bromomethane	74-83-9	10		0.50	39		1.9
Chloroethane	75-00-3	10		0.50	26		1.3
Trichlorofluoromethane	75-69-4	11		0.50	62		2.8
Freon TF	76-13-1	11		0.50	84		3.8
1,1-Dichloroethene	75-35-4	10		0.50	40		2.0
Methylene Chloride	75-09-2	9.4		0.50	33		1.7
1,1-Dichloroethane	75-34-3	10		0.50	40		2.0
cis-1,2-Dichloroethene	156-59-2	9.7		0.50	38		2.0
Chloroform	67-66-3	10		0.50	49		2.4
1,1,1-Trichloroethane	71-55-6	11		0.50	60		2.7
Carbon Tetrachloride	56-23-5	11		0.50	69		3.1
Benzene	71-43-2	10		0.50	32		1.6
1,2-Dichloroethane	107-06-2	11		0.50	45		2.0
Trichloroethene	79-01-6	10		0.50	54		2.7
1,2-Dichloropropane	78-87-5	10		0.50	46		2.3
cis-1,3-Dichloropropene	10061-01-5	10		0.50	45		2.3
Toluene	108-88-3	9.9		0.50	37		1.9
trans-1,3-Dichloropropene	10061-02-6	10		0.50	45		2.3
1,1,2-Trichloroethane	79-00-5	10		0.50	55		2.7
Tetrachloroethene	127-18-4	11		0.50	75		3.4
Chlorobenzene	108-90-7	10		0.50	46		2.3
Ethylbenzene	100-41-4	10		0.50	43		2.2
Xylene (m,p)	1330-20-7	21		0.50	91		2.2
Styrene	100-42-5	10		0.50	43		2.1
Xylene (o)	95-47-6	10		0.50	43		2.2
1,1,2,2-Tetrachloroethane	79-34-5	11		0.50	76		3.4
1,3-Dichlorobenzene	541-73-1	11		0.50	66		3.0
1,4-Dichlorobenzene	106-46-7	11		0.50	66		3.0
1,2-Dichlorobenzene	95-50-1	11		0.50	66		3.0

TO-14/15
Result Summary

CLIENT SAMPLE NO.

X1LCSD

Lab Name: STL Burlington

SDG Number: 100226

Case Number:

Sample Matrix: AIR

Lab Sample No.: X1LCSD

Date Analyzed: 06/09/04

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
1,2,4-Trichlorobenzene	120-82-1	12		0.50	89		3.7
Hexachlorobutadiene	87-68-3	15		0.50	160		5.3
1,3,5-Trimethylbenzene	108-67-8	12		0.50	59		2.5
1,2,4-Trimethylbenzene	95-63-6	11		0.50	54		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	11		0.50	77		3.5
1,2-Dibromoethane	106-93-4	11		0.50	85		3.8
1,3-Butadiene	106-99-0	9.7		0.50	21		1.1
Carbon Disulfide	75-15-0	9.8		0.50	31		1.6
Acetone	67-64-1	14		5.0	33		12
Isopropyl Alcohol	67-63-0	9.8		5.0	24		12
Methyl tert-Butyl Ether	1634-04-4	11		0.50	40		1.8
Cyclohexane	110-82-7	10		0.50	34		1.7
Dibromochloromethane	124-48-1	11		0.50	94		4.3
Methyl Ethyl Ketone	78-93-3	10		0.50	29		1.5
Methyl Isobutyl Ketone	108-10-1	9.2		0.50	38		2.0
Methyl Butyl Ketone	591-78-6	8.5		0.50	35		2.0
Bromodichloromethane	75-27-4	11		0.50	74		3.4
trans-1,2-Dichloroethene	156-60-5	10		0.50	40		2.0
4-Ethyltoluene	622-96-8	10		0.50	49		2.5
2-Chlorotoluene	95-49-8	11		0.50	57		2.6
n-Hexane	110-54-3	9.9		0.50	35		1.8
Tetrahydrofuran	109-99-9	10		5.0	29		15
n-Heptane	142-82-5	11		0.50	45		2.0

TRENT STL
SEVERN TRENT LABORATORIES, INC.

STL Burlington
208 South Park Drive, Suite 1
Colchester, VT 05446 Tel 802 655 1203

CHAIN OF CUSTODY RECORD

Report to:
Company: ROUX ASSOCIATES
Address: 25 CORPORATE DR.
BURLINGTON, MA 01803
Contact: CHRIS MILONE
Phone: (781) 270-6600
Fax: (781) 270-9066
Contract/Quote:

Invoice to:
Company: SAME
Address: AS
REPORT TO:
Contact:
Phone:
Fax:

Sampler's Name: C. MILONE
Sampler's Signature: [signature]

Proj. No.: 06626M35
Project Name: Industri-plex

ANALYSIS REQUESTED: TO15

Lab Use Only
Due Date:
Temp. of coolers when received (C°): 1 | 2 | 3 | 4 | 5
Custody Seal N / Y
Intact N / Y
Screened For Radioactivity ☐

Matrix[1]	Date	Time	Comp	Grab	Identifying Marks of Sample(s)	VOA	A/G 1 Lt.	250 ml	P/O	TO15	Lab/Sample ID (Lab Use Only)
A	5/13/04	8:15		X	SG - ABC Roofing				1	X	
A	5/13/04	9:15		X	SG - Vining				1	X	
A	5/13/04	10:05		X	SG - Gangliani				1	X	
A	5/13/04	11:25		X	SG - SACCO/A				1	X	
A	5/13/04	13:20		X	SG - Graphique				1	X	
A	5/13/04	13:45		X	SG - SACCO/B				1	X	
A	5/14/04	10:20		X	SG - PACER				1	X	

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
[signature]	5/14/04	17:00	[signature]	5/15/04	1100

Remarks: Keep batch open pending receipt of two more samples to be collected on May 21, 2004.

Client's delivery of samples constitutes acceptance of Severn Trent Laboratories terms and conditions contained in the Price Schedule.

[1]Matrix WW - Wastewater W - Water S - Soil L - Liquid A - Air bag C - Charcoal Tube SL - Sludge O - Oil
[2]Container VOA - 40 ml vial A/G - Amber / Or Glass 1 Liter 250 ml - Glass wide mouth P/O - Plastic or other

STL cannot accept verbal changes. Please Fax written changes to

STL8234-200 (12/02)

SEVERN TRENT STL

METHOD TO-15

SAMPLE DATA SUMMARY PACKAGE

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-ABC ROOFING

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571912

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571912

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	0.77	
74-87-3	Chloromethane	0.69	
75-01-4	Vinyl Chloride	0.50	U
74-83-9	Bromomethane	0.50	U
75-00-3	Chloroethane	0.50	U
75-69-4	Trichlorofluoromethane	0.50	U
76-13-1	Freon TF	0.50	U
75-35-4	1,1-Dichloroethene	0.50	U
75-09-2	Methylene Chloride	2.6	
75-34-3	1,1-Dichloroethane	0.50	U
156-59-2	cis-1,2-Dichloroethene	0.50	U
67-66-3	Chloroform	0.50	U
71-55-6	1,1,1-Trichloroethane	0.50	U
56-23-5	Carbon Tetrachloride	0.50	U
71-43-2	Benzene	0.70	
107-06-2	1,2-Dichloroethane	0.50	U
79-01-6	Trichloroethene	0.50	U
78-87-5	1,2-Dichloropropane	0.50	U
10061-01-5	cis-1,3-Dichloropropene	0.50	U
108-88-3	Toluene	4.4	
10061-02-6	trans-1,3-Dichloropropene	0.50	U
79-00-5	1,1,2-Trichloroethane	0.50	U
127-18-4	Tetrachloroethene	0.77	
108-90-7	Chlorobenzene	0.50	U
100-41-4	Ethylbenzene	2.4	
1330-20-7	Xylene (m,p)	7.7	
100-42-5	Styrene	0.50	U
95-47-6	Xylene (o)	2.0	
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
541-73-1	1,3-Dichlorobenzene	0.50	U
106-46-7	1,4-Dichlorobenzene	0.50	U
95-50-1	1,2-Dichlorobenzene	0.50	U
120-82-1	1,2,4-Trichlorobenzene	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-ABC ROOFING

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571912

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571912

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	0.50	U
108-67-8	1,3,5-Trimethylbenzene	1.0	
95-63-6	1,2,4-Trimethylbenzene	2.8	
76-14-2	1,2-Dichlorotetrafluoroethan	0.50	U
106-93-4	1,2-Dibromoethane	0.50	U
106-99-0	1,3-Butadiene	0.50	U
75-15-0	Carbon Disulfide	0.50	U
67-64-1	Acetone	66	E
67-63-0	Isopropyl Alcohol	5.0	U
1634-04-4	Methyl tert-Butyl Ether	3.4	
110-82-7	Cyclohexane	0.50	U
124-48-1	Dibromochloromethane	0.50	U
78-93-3	Methyl Ethyl Ketone	2.4	
108-10-1	Methyl Isobutyl Ketone	0.50	U
591-78-6	Methyl Butyl Ketone	0.50	U
75-27-4	Bromodichloromethane	0.50	U
156-60-5	trans-1,2-Dichloroethene	0.50	U
622-96-8	4-Ethyltoluene	3.2	
95-49-8	2-Chlorotoluene	0.50	U
110-54-3	n-Hexane	4.4	
109-99-9	Tetrahydrofuran	5.0	U
142-82-5	n-Heptane	0.85	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-ABC R
OOFINGDL

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571912D1

Sample wt/vol: 50.00 (g/mL) ML Lab File ID: 571912D

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/10/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 4.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	2.0	U
74-87-3	Chloromethane	2.0	U
75-01-4	Vinyl Chloride	2.0	U
74-83-9	Bromomethane	2.0	U
75-00-3	Chloroethane	2.0	U
75-69-4	Trichlorofluoromethane	2.0	U
76-13-1	Freon TF	2.0	U
75-35-4	1,1-Dichloroethene	2.0	U
75-09-2	Methylene Chloride	3.7	D
75-34-3	1,1-Dichloroethane	2.0	U
156-59-2	cis-1,2-Dichloroethene	2.0	U
67-66-3	Chloroform	2.0	U
71-55-6	1,1,1-Trichloroethane	2.0	U
56-23-5	Carbon Tetrachloride	2.0	U
71-43-2	Benzene	2.0	U
107-06-2	1,2-Dichloroethane	2.0	U
79-01-6	Trichloroethene	2.0	U
78-87-5	1,2-Dichloropropane	2.0	U
10061-01-5	cis-1,3-Dichloropropene	2.0	U
108-88-3	Toluene	5.1	D
10061-02-6	trans-1,3-Dichloropropene	2.0	U
79-00-5	1,1,2-Trichloroethane	2.0	U
127-18-4	Tetrachloroethene	2.0	U
108-90-7	Chlorobenzene	2.0	U
100-41-4	Ethylbenzene	2.9	D
1330-20-7	Xylene (m,p)	8.6	D
100-42-5	Styrene	2.0	U
95-47-6	Xylene (o)	2.2	D
79-34-5	1,1,2,2-Tetrachloroethane	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U
106-46-7	1,4-Dichlorobenzene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U
120-82-1	1,2,4-Trichlorobenzene	2.0	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-ABC R
OOFINGDL

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571912D1

Sample wt/vol: 50.00 (g/mL) ML Lab File ID: 571912D

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/10/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 4.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	2.0	U
108-67-8	1,3,5-Trimethylbenzene	2.0	U
95-63-6	1,2,4-Trimethylbenzene	2.9	D
76-14-2	1,2-Dichlorotetrafluoroethan	2.0	U
106-93-4	1,2-Dibromoethane	2.0	U
106-99-0	1,3-Butadiene	2.0	U
75-15-0	Carbon Disulfide	2.0	U
67-64-1	Acetone	74	D
67-63-0	Isopropyl Alcohol	20	U
1634-04-4	Methyl tert-Butyl Ether	2.0	U
110-82-7	Cyclohexane	2.0	U
124-48-1	Dibromochloromethane	2.0	U
78-93-3	Methyl Ethyl Ketone	3.2	D
108-10-1	Methyl Isobutyl Ketone	2.0	U
591-78-6	Methyl Butyl Ketone	2.0	U
75-27-4	Bromodichloromethane	2.0	U
156-60-5	trans-1,2-Dichloroethene	2.0	U
622-96-8	4-Ethyltoluene	3.4	D
95-49-8	2-Chlorotoluene	2.0	U
110-54-3	n-Hexane	3.9	D
109-99-9	Tetrahydrofuran	20	U
142-82-5	n-Heptane	2.0	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-GANGLIANI

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571914

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571914

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	24	
74-87-3	Chloromethane	0.73	
75-01-4	Vinyl Chloride	0.50	U
74-83-9	Bromomethane	0.50	U
75-00-3	Chloroethane	0.50	U
75-69-4	Trichlorofluoromethane	0.51	
76-13-1	Freon TF	0.50	U
75-35-4	1,1-Dichloroethene	0.50	U
75-09-2	Methylene Chloride	0.50	U
75-34-3	1,1-Dichloroethane	0.50	U
156-59-2	cis-1,2-Dichloroethene	0.50	U
67-66-3	Chloroform	0.50	U
71-55-6	1,1,1-Trichloroethane	0.50	U
56-23-5	Carbon Tetrachloride	0.50	U
71-43-2	Benzene	0.50	U
107-06-2	1,2-Dichloroethane	0.50	U
79-01-6	Trichloroethene	0.50	U
78-87-5	1,2-Dichloropropane	0.50	U
10061-01-5	cis-1,3-Dichloropropene	0.50	U
108-88-3	Toluene	3.8	
10061-02-6	trans-1,3-Dichloropropene	0.50	U
79-00-5	1,1,2-Trichloroethane	0.50	U
127-18-4	Tetrachloroethene	0.50	U
108-90-7	Chlorobenzene	0.50	U
100-41-4	Ethylbenzene	2.9	
1330-20-7	Xylene (m,p)	11	
100-42-5	Styrene	0.50	U
95-47-6	Xylene (o)	2.8	
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
541-73-1	1,3-Dichlorobenzene	0.50	U
106-46-7	1,4-Dichlorobenzene	0.50	U
95-50-1	1,2-Dichlorobenzene	0.50	U
120-82-1	1,2,4-Trichlorobenzene	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-GANGLIANI

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571914

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571914

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	0.50	U
108-67-8	1,3,5-Trimethylbenzene	0.59	
95-63-6	1,2,4-Trimethylbenzene	1.8	
76-14-2	1,2-Dichlorotetrafluoroethan	0.50	U
106-93-4	1,2-Dibromoethane	0.50	U
106-99-0	1,3-Butadiene	0.50	U
75-15-0	Carbon Disulfide	0.50	U
67-64-1	Acetone	16	
67-63-0	Isopropyl Alcohol	7.0	
1634-04-4	Methyl tert-Butyl Ether	0.50	U
110-82-7	Cyclohexane	0.50	U
124-48-1	Dibromochloromethane	0.50	U
78-93-3	Methyl Ethyl Ketone	1.2	
108-10-1	Methyl Isobutyl Ketone	0.50	U
591-78-6	Methyl Butyl Ketone	0.50	U
75-27-4	Bromodichloromethane	0.50	U
156-60-5	trans-1,2-Dichloroethene	0.50	U
622-96-8	4-Ethyltoluene	1.6	
95-49-8	2-Chlorotoluene	0.50	U
110-54-3	n-Hexane	0.97	
109-99-9	Tetrahydrofuran	5.0	U
142-82-5	n-Heptane	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-GRAPHIQUE

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571916

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571916

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	0.82	
74-87-3	Chloromethane	0.56	
75-01-4	Vinyl Chloride	0.50	U
74-83-9	Bromomethane	0.50	U
75-00-3	Chloroethane	0.50	U
75-69-4	Trichlorofluoromethane	0.50	U
76-13-1	Freon TF	0.50	U
75-35-4	1,1-Dichloroethene	0.50	U
75-09-2	Methylene Chloride	0.50	U
75-34-3	1,1-Dichloroethane	0.50	U
156-59-2	cis-1,2-Dichloroethene	0.50	U
67-66-3	Chloroform	0.50	U
71-55-6	1,1,1-Trichloroethane	0.50	U
56-23-5	Carbon Tetrachloride	0.50	U
71-43-2	Benzene	0.76	
107-06-2	1,2-Dichloroethane	0.50	U
79-01-6	Trichloroethene	0.50	U
78-87-5	1,2-Dichloropropane	0.50	U
10061-01-5	cis-1,3-Dichloropropene	0.50	U
108-88-3	Toluene	1.1	
10061-02-6	trans-1,3-Dichloropropene	0.50	U
79-00-5	1,1,2-Trichloroethane	0.50	U
127-18-4	Tetrachloroethene	0.50	U
108-90-7	Chlorobenzene	0.50	U
100-41-4	Ethylbenzene	0.50	U
1330-20-7	Xylene (m,p)	0.72	
100-42-5	Styrene	0.50	U
95-47-6	Xylene (o)	0.50	U
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
541-73-1	1,3-Dichlorobenzene	0.50	U
106-46-7	1,4-Dichlorobenzene	0.50	U
95-50-1	1,2-Dichlorobenzene	0.50	U
120-82-1	1,2,4-Trichlorobenzene	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-GRAPHIQUE

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571916

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571916

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	0.50	U
108-67-8	1,3,5-Trimethylbenzene	0.50	U
95-63-6	1,2,4-Trimethylbenzene	0.50	U
76-14-2	1,2-Dichlorotetrafluoroethan	0.50	U
106-93-4	1,2-Dibromoethane	0.50	U
106-99-0	1,3-Butadiene	1.1	
75-15-0	Carbon Disulfide	0.50	U
67-64-1	Acetone	8.4	
67-63-0	Isopropyl Alcohol	5.0	U
1634-04-4	Methyl tert-Butyl Ether	0.50	U
110-82-7	Cyclohexane	0.50	U
124-48-1	Dibromochloromethane	0.50	U
78-93-3	Methyl Ethyl Ketone	1.3	
108-10-1	Methyl Isobutyl Ketone	0.50	U
591-78-6	Methyl Butyl Ketone	0.50	U
75-27-4	Bromodichloromethane	0.50	U
156-60-5	trans-1,2-Dichloroethene	0.50	U
622-96-8	4-Ethyltoluene	0.50	U
95-49-8	2-Chlorotoluene	0.50	U
110-54-3	n-Hexane	0.50	U
109-99-9	Tetrahydrofuran	5.0	U
142-82-5	n-Heptane	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-PACER

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571918

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571918

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	0.77	
74-87-3	Chloromethane	0.57	
75-01-4	Vinyl Chloride	0.50	U
74-83-9	Bromomethane	0.50	U
75-00-3	Chloroethane	0.50	U
75-69-4	Trichlorofluoromethane	0.50	U
76-13-1	Freon TF	0.50	U
75-35-4	1,1-Dichloroethene	0.50	U
75-09-2	Methylene Chloride	0.50	U
75-34-3	1,1-Dichloroethane	0.50	U
156-59-2	cis-1,2-Dichloroethene	0.50	U
67-66-3	Chloroform	0.50	U
71-55-6	1,1,1-Trichloroethane	0.50	U
56-23-5	Carbon Tetrachloride	0.50	U
71-43-2	Benzene	5.5	
107-06-2	1,2-Dichloroethane	0.50	U
79-01-6	Trichloroethene	0.50	U
78-87-5	1,2-Dichloropropane	0.50	U
10061-01-5	cis-1,3-Dichloropropene	0.50	U
108-88-3	Toluene	6.9	
10061-02-6	trans-1,3-Dichloropropene	0.50	U
79-00-5	1,1,2-Trichloroethane	0.50	U
127-18-4	Tetrachloroethene	0.50	U
108-90-7	Chlorobenzene	0.50	U
100-41-4	Ethylbenzene	0.97	
1330-20-7	Xylene (m,p)	2.6	
100-42-5	Styrene	0.50	U
95-47-6	Xylene (o)	0.84	
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
541-73-1	1,3-Dichlorobenzene	0.50	U
106-46-7	1,4-Dichlorobenzene	0.50	U
95-50-1	1,2-Dichlorobenzene	0.50	U
120-82-1	1,2,4-Trichlorobenzene	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-PACER

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571918

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571918

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	0.50	U
108-67-8	1,3,5-Trimethylbenzene	0.50	U
95-63-6	1,2,4-Trimethylbenzene	0.50	U
76-14-2	1,2-Dichlorotetrafluoroethan	0.50	U
106-93-4	1,2-Dibromoethane	0.50	U
106-99-0	1,3-Butadiene	9.1	
75-15-0	Carbon Disulfide	1.0	
67-64-1	Acetone	96	E
67-63-0	Isopropyl Alcohol	5.0	U
1634-04-4	Methyl tert-Butyl Ether	1.3	
110-82-7	Cyclohexane	0.71	
124-48-1	Dibromochloromethane	0.50	U
78-93-3	Methyl Ethyl Ketone	39	
108-10-1	Methyl Isobutyl Ketone	0.50	U
591-78-6	Methyl Butyl Ketone	0.50	U
75-27-4	Bromodichloromethane	0.50	U
156-60-5	trans-1,2-Dichloroethene	0.50	U
622-96-8	4-Ethyltoluene	0.50	U
95-49-8	2-Chlorotoluene	0.50	U
110-54-3	n-Hexane	3.8	
109-99-9	Tetrahydrofuran	5.0	U
142-82-5	n-Heptane	2.7	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-PACERDL

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571918D1

Sample wt/vol: 50.00 (g/mL) ML Lab File ID: 571918D

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/10/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 4.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	2.0	U
74-87-3	Chloromethane	2.0	U
75-01-4	Vinyl Chloride	2.0	U
74-83-9	Bromomethane	2.0	U
75-00-3	Chloroethane	2.0	U
75-69-4	Trichlorofluoromethane	2.0	U
76-13-1	Freon TF	2.0	U
75-35-4	1,1-Dichloroethene	2.0	U
75-09-2	Methylene Chloride	2.0	U
75-34-3	1,1-Dichloroethane	2.0	U
156-59-2	cis-1,2-Dichloroethene	2.0	U
67-66-3	Chloroform	2.0	U
71-55-6	1,1,1-Trichloroethane	2.0	U
56-23-5	Carbon Tetrachloride	2.0	U
71-43-2	Benzene	5.2	D
107-06-2	1,2-Dichloroethane	2.0	U
79-01-6	Trichloroethene	2.0	U
78-87-5	1,2-Dichloropropane	2.0	U
10061-01-5	cis-1,3-Dichloropropene	2.0	U
108-88-3	Toluene	6.4	D
10061-02-6	trans-1,3-Dichloropropene	2.0	U
79-00-5	1,1,2-Trichloroethane	2.0	U
127-18-4	Tetrachloroethene	2.0	U
108-90-7	Chlorobenzene	2.0	U
100-41-4	Ethylbenzene	2.0	U
1330-20-7	Xylene (m,p)	2.5	D
100-42-5	Styrene	2.0	U
95-47-6	Xylene (o)	2.0	U
79-34-5	1,1,2,2-Tetrachloroethane	2.0	U
541-73-1	1,3-Dichlorobenzene	2.0	U
106-46-7	1,4-Dichlorobenzene	2.0	U
95-50-1	1,2-Dichlorobenzene	2.0	U
120-82-1	1,2,4-Trichlorobenzene	2.0	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-PACERDL

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571918D1

Sample wt/vol: 50.00 (g/mL) ML Lab File ID: 571918D

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/10/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 4.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	2.0	U
108-67-8	1,3,5-Trimethylbenzene	2.0	U
95-63-6	1,2,4-Trimethylbenzene	2.0	U
76-14-2	1,2-Dichlorotetrafluoroethan	2.0	U
106-93-4	1,2-Dibromoethane	2.0	U
106-99-0	1,3-Butadiene	7.8	D
75-15-0	Carbon Disulfide	2.0	U
67-64-1	Acetone	89	D
67-63-0	Isopropyl Alcohol	20	U
1634-04-4	Methyl tert-Butyl Ether	2.0	U
110-82-7	Cyclohexane	2.0	U
124-48-1	Dibromochloromethane	2.0	U
78-93-3	Methyl Ethyl Ketone	38	D
108-10-1	Methyl Isobutyl Ketone	2.0	U
591-78-6	Methyl Butyl Ketone	2.0	U
75-27-4	Bromodichloromethane	2.0	U
156-60-5	trans-1,2-Dichloroethene	2.0	U
622-96-8	4-Ethyltoluene	2.0	U
95-49-8	2-Chlorotoluene	2.0	U
110-54-3	n-Hexane	3.8	D
109-99-9	Tetrahydrofuran	20	U
142-82-5	n-Heptane	2.0	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-SACCO_A

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571915

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571915

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	0.75	
74-87-3	Chloromethane	0.66	
75-01-4	Vinyl Chloride	0.50	U
74-83-9	Bromomethane	0.50	U
75-00-3	Chloroethane	0.50	U
75-69-4	Trichlorofluoromethane	0.50	U
76-13-1	Freon TF	0.50	U
75-35-4	1,1-Dichloroethene	0.50	U
75-09-2	Methylene Chloride	0.50	U
75-34-3	1,1-Dichloroethane	0.50	U
156-59-2	cis-1,2-Dichloroethene	0.50	U
67-66-3	Chloroform	0.50	U
71-55-6	1,1,1-Trichloroethane	0.50	U
56-23-5	Carbon Tetrachloride	0.50	U
71-43-2	Benzene	0.50	U
107-06-2	1,2-Dichloroethane	0.50	U
79-01-6	Trichloroethene	0.50	U
78-87-5	1,2-Dichloropropane	0.50	U
10061-01-5	cis-1,3-Dichloropropene	0.50	U
108-88-3	Toluene	0.50	U
10061-02-6	trans-1,3-Dichloropropene	0.50	U
79-00-5	1,1,2-Trichloroethane	0.50	U
127-18-4	Tetrachloroethene	0.50	U
108-90-7	Chlorobenzene	0.50	U
100-41-4	Ethylbenzene	0.50	U
1330-20-7	Xylene (m,p)	0.50	U
100-42-5	Styrene	0.50	U
95-47-6	Xylene (o)	0.50	U
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
541-73-1	1,3-Dichlorobenzene	0.50	U
106-46-7	1,4-Dichlorobenzene	0.50	U
95-50-1	1,2-Dichlorobenzene	0.50	U
120-82-1	1,2,4-Trichlorobenzene	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-SACCO_A

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571915

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571915

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	0.50	U
108-67-8	1,3,5-Trimethylbenzene	0.50	U
95-63-6	1,2,4-Trimethylbenzene	0.50	U
76-14-2	1,2-Dichlorotetrafluoroethan	0.50	U
106-93-4	1,2-Dibromoethane	0.50	U
106-99-0	1,3-Butadiene	0.50	U
75-15-0	Carbon Disulfide	0.50	U
67-64-1	Acetone	5.0	U
67-63-0	Isopropyl Alcohol	5.0	U
1634-04-4	Methyl tert-Butyl Ether	0.50	U
110-82-7	Cyclohexane	0.50	U
124-48-1	Dibromochloromethane	0.50	U
78-93-3	Methyl Ethyl Ketone	0.71	
108-10-1	Methyl Isobutyl Ketone	0.50	U
591-78-6	Methyl Butyl Ketone	0.50	U
75-27-4	Bromodichloromethane	0.50	U
156-60-5	trans-1,2-Dichloroethene	0.50	U
622-96-8	4-Ethyltoluene	0.50	U
95-49-8	2-Chlorotoluene	0.50	U
110-54-3	n-Hexane	0.50	U
109-99-9	Tetrahydrofuran	5.0	U
142-82-5	n-Heptane	0.50	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-SACCO_B

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571917

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571917

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	0.81	
74-87-3	Chloromethane	0.50	U
75-01-4	Vinyl Chloride	0.50	U
74-83-9	Bromomethane	0.50	U
75-00-3	Chloroethane	0.50	U
75-69-4	Trichlorofluoromethane	0.50	U
76-13-1	Freon TF	0.50	U
75-35-4	1,1-Dichloroethene	0.50	U
75-09-2	Methylene Chloride	0.50	U
75-34-3	1,1-Dichloroethane	0.50	U
156-59-2	cis-1,2-Dichloroethene	0.50	U
67-66-3	Chloroform	0.51	
71-55-6	1,1,1-Trichloroethane	0.50	U
56-23-5	Carbon Tetrachloride	0.50	U
71-43-2	Benzene	0.76	
107-06-2	1,2-Dichloroethane	0.50	U
79-01-6	Trichloroethene	0.50	U
78-87-5	1,2-Dichloropropane	0.50	U
10061-01-5	cis-1,3-Dichloropropene	0.50	U
108-88-3	Toluene	2.1	
10061-02-6	trans-1,3-Dichloropropene	0.50	U
79-00-5	1,1,2-Trichloroethane	0.50	U
127-18-4	Tetrachloroethene	0.50	U
108-90-7	Chlorobenzene	0.50	U
100-41-4	Ethylbenzene	0.61	
1330-20-7	Xylene (m,p)	1.8	
100-42-5	Styrene	0.50	U
95-47-6	Xylene (o)	0.62	
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U
541-73-1	1,3-Dichlorobenzene	0.50	U
106-46-7	1,4-Dichlorobenzene	0.50	U
95-50-1	1,2-Dichlorobenzene	0.50	U
120-82-1	1,2,4-Trichlorobenzene	0.50	U

CLICK TO CONTINUE

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX2 SAMPLE NO.

SG-SACCO_B

Lab Name: STL BURLINGTON Contract: 24000

Lab Code: STLVT Case No.: 24000 SAS No.: SDG No.: 100226

Matrix: (soil/water) AIR Lab Sample ID: 571917

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 571917

Level: (low/med) LOW Date Received: 05/15/04

% Moisture: not dec. _____ Date Analyzed: 06/09/04

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume:_____(uL) Soil Aliquot Volume: _____(uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
87-68-3	Hexachlorobutadiene	0.50	U
108-67-8	1,3,5-Trimethylbenzene	0.50	U
95-63-6	1,2,4-Trimethylbenzene	0.68	
76-14-2	1,2-Dichlorotetrafluoroethan	0.50	U
106-93-4	1,2-Dibromoethane	0.50	U
106-99-0	1,3-Butadiene	1.4	
75-15-0	Carbon Disulfide	1.1	
67-64-1	Acetone	20	
67-63-0	Isopropyl Alcohol	5.0	U
1634-04-4	Methyl tert-Butyl Ether	0.51	
110-82-7	Cyclohexane	0.50	U
124-48-1	Dibromochloromethane	0.50	U
78-93-3	Methyl Ethyl Ketone	2.6	
108-10-1	Methyl Isobutyl Ketone	0.50	U
591-78-6	Methyl Butyl Ketone	0.50	U
75-27-4	Bromodichloromethane	0.50	U
156-60-5	trans-1,2-Dichloroethene	0.50	U
622-96-8	4-Ethyltoluene	0.51	
95-49-8	2-Chlorotoluene	0.50	U
110-54-3	n-Hexane	0.57	
109-99-9	Tetrahydrofuran	5.0	U
142-82-5	n-Heptane	0.50	U