RETURN TO ESD AR INDEX

Superfund Records Center
SITE: New Bedford
BREAK: 7.2
462552

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
1	8/7/2008	SW6010B	ARSENIC	ND	U	11.9	24.5	µg/L
1	8/7/2008	SW6010B	BARIUM	103	J	1.7	200	µg/L
1	8/7/2008	SW6010B	CADMIUM	ND	UJ	0.13	5	µg/L
1	8/7/2008	SW6010B	CHROMIUM, TOTAL	13.3	J	0.14	10	µg/L
1	8/7/2008	SW6010B	COPPER	446		0.5	25	µg/L
1	8/7/2008	SW6010B	LEAD	ND	U	4.2	40	µg/L
1	8/7/2008	SW7470A	MERCURY	ND	U	1	0.2	µg/L
1	8/7/2008	SW6010B	SELENIUM	ND	U	12.7	57.35	µg/L
1	8/7/2008	SW6010B	SILVER	ND	U	0.53	10	µg/L
1	8/7/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	3143	48000	µg/kg
1	8/7/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	10571	48000	µg/kg
1	8/7/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	3714	48000	µg/kg
1	8/7/2008	SW8082	PCB-1242 (AROCLOR 1242)	440000		3429	48000	µg/kg
1	8/7/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	3143	48000	µg/kg
1	8/7/2008	SW8082	PCB-1254 (AROCLOR 1254)	340000		9714	48000	µg/kg
1	8/7/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	3143	48000	µg/kg
1	8/7/2008	SW8270C	1,4-DICHLOROBENZENE	18	J	0.67	50	µg/L
1	8/7/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
1	8/7/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L
1	8/7/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
1	8/7/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	U	0.32	50	µg/L
1	8/7/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	6.9	J	0.24	50	µg/L
1	8/7/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
1	8/7/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
1	8/7/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
1	8/7/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
1	8/7/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
1	8/7/2008	SW8270C	PYRIDINE	15	J	0.51	50	µg/L
1	8/7/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
1	8/7/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
1	8/7/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
1	8/7/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
1	8/7/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
1	8/7/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
1	8/7/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	6.6	44	µg/L
1	8/7/2008	SW8260B	TETRACHLOROETHENE(PCE)	62		2.2	44	µg/L
1	8/7/2008	SW8260B	TRICHLOROETHENE(TCE)	1600		1.23	44	µg/L
1	8/7/2008	SW8260B	VINYL CHLORIDE	9.8	J	2.64	44	µg/L
2	8/8/2008	SW6010B	ARSENIC	ND	U	18.9	24.5	µg/L
2	8/8/2008	SW6010B	BARIUM	184	J	1.7	200	µg/L
2	8/8/2008	SW6010B	CADMIUM	ND	UJ	0.13	5	µg/L
2	8/8/2008	SW6010B	CHROMIUM, TOTAL	ND	U	3.9	10	µg/L
2	8/8/2008	SW6010B	COPPER	187		0.5	25	µg/L
2	8/8/2008	SW6010B	LEAD	ND	U	5.9	40	µg/L
2	8/8/2008	SW7470A	MERCURY	ND	U	1	0.2	µg/L
2	8/8/2008	SW6010B	SELENIUM	ND	U	9.9	57.35	µg/L
2	8/8/2008	SW6010B	SILVER	ND	U	0.53	10	µg/L
2	8/8/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	4799	73000	µg/kg
2	8/8/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	16141	73000	µg/kg
2	8/8/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	5671	73000	µg/kg
2	8/8/2008	SW8082	PCB-1242 (AROCLOR 1242)	730000		5235	73000	µg/kg
2	8/8/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	4799	73000	µg/kg
2	8/8/2008	SW8082	PCB-1254 (AROCLOR 1254)	850000		14832	73000	µg/kg
2	8/8/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	4799	73000	µg/kg
2	8/8/2008	SW8270C	1,4-DICHLOROBENZENE	37	J	0.67	50	µg/L
2	8/8/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
2	8/8/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L

SDMS DocID 462552

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
2	8/8/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
2	8/8/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	U	0.32	50	µg/L
2	8/8/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	17	J	0.24	50	µg/L
2	8/8/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
2	8/8/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
2	8/8/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
2	8/8/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
2	8/8/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
2	8/8/2008	SW8270C	PYRIDINE	19	J	0.51	50	µg/L
2	8/8/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
2	8/8/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
2	8/8/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
2	8/8/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
2	8/8/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
2	8/8/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
2	8/8/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	87	261	µg/L
2	8/8/2008	SW8260B	TETRACHLOROETHENE(PCE)	140		2.2	44	µg/L
2	8/8/2008	SW8260B	TRICHLOROETHENE(TCE)	23000		17.1	610	µg/L
2	8/8/2008	SW8260B	VINYL CHLORIDE	25	J	2.64	44	µg/L
3	8/8/2008	SW6010B	ARSENIC	ND	U	17.5	24.5	µg/L
3	8/8/2008	SW6010B	BARIUM	113	J	1.7	200	µg/L
3	8/8/2008	SW6010B	CADMIUM	ND	UJ	0.13	5	µg/L
3	8/8/2008	SW6010B	CHROMIUM, TOTAL	11.7	J	0.14	10	µg/L
3	8/8/2008	SW6010B	COPPER	403		0.5	25	µg/L
3	8/8/2008	SW6010B	LEAD	ND	U	4.6	40	µg/L
3	8/8/2008	SW7470A	MERCURY	ND	U	1	0.2	µg/L
3	8/8/2008	SW6010B	SELENIUM	ND	U	10.9	57.35	µg/L
3	8/8/2008	SW6010B	SILVER	ND	U	0.97	10	µg/L
3	8/8/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	3373	51000	µg/kg
3	8/8/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	11347	51000	µg/kg
3	8/8/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	3987	51000	µg/kg
3	8/8/2008	SW8082	PCB-1242 (AROCLOR 1242)	450000		3680	51000	µg/kg
3	8/8/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	3373	51000	µg/kg
3	8/8/2008	SW8082	PCB-1254 (AROCLOR 1254)	490000		10427	51000	µg/kg
3	8/8/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	3373	51000	µg/kg
3	8/8/2008	SW8270C	1,4-DICHLOROBENZENE	42	J	0.67	50	µg/L
3	8/8/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
3	8/8/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L
3	8/8/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
3	8/8/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	U	0.32	50	µg/L
3	8/8/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	9.9	J	0.24	50	µg/L
3	8/8/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
3	8/8/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
3	8/8/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
3	8/8/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
3	8/8/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
3	8/8/2008	SW8270C	PYRIDINE	12	J	0.51	50	µg/L
3	8/8/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
3	8/8/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
3	8/8/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
3	8/8/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
3	8/8/2008	SW8260B	CHLOROBENZENE	8.8	J	1.23	44	µg/L
3	8/8/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
3	8/8/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	84	261	µg/L
3	8/8/2008	SW8260B	TETRACHLOROETHENE(PCE)	240		2.2	44	µg/L
3	8/8/2008	SW8260B	TRICHLOROETHENE(TCE)	23000		24.6	880	µg/L
3	8/8/2008	SW8260B	VINYL CHLORIDE	62		2.64	44	µg/L

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
4	8/8/2008	SW6010B	ARSENIC	ND	U	15.4	24.5	µg/L
4	8/8/2008	SW6010B	BARIUM	158	J	1.7	200	µg/L
4	8/8/2008	SW6010B	CADMIUM	ND	UJ	0.13	5	µg/L
4	8/8/2008	SW6010B	CHROMIUM, TOTAL	12.4	J	0.14	10	µg/L
4	8/8/2008	SW6010B	COPPER	373		0.5	25	µg/L
4	8/8/2008	SW6010B	LEAD	ND	U	4.3	40	µg/L
4	8/8/2008	SW7470A	MERCURY	ND	U	1	0.2	µg/L
4	8/8/2008	SW6010B	SELENIUM	ND	U	11.9	57.35	µg/L
4	8/8/2008	SW6010B	SILVER	ND	U	1.5	10	µg/L
4	8/8/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	1833	28000	µg/kg
4	8/8/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	6167	28000	µg/kg
4	8/8/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	2167	28000	µg/kg
4	8/8/2008	SW8082	PCB-1242 (AROCLOR 1242)	370000		2000	28000	µg/kg
4	8/8/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	1833	28000	µg/kg
4	8/8/2008	SW8082	PCB-1254 (AROCLOR 1254)	400000		5667	28000	µg/kg
4	8/8/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	1833	28000	µg/kg
4	8/8/2008	SW8270C	1,4-DICHLOROBENZENE	10	J	0.67	50	µg/L
4	8/8/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
4	8/8/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L
4	8/8/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
4	8/8/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	U	0.32	50	µg/L
4	8/8/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	8.7	J	0.24	50	µg/L
4	8/8/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
4	8/8/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
4	8/8/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
4	8/8/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
4	8/8/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
4	8/8/2008	SW8270C	PYRIDINE	9.7	J	0.51	50	µg/L
4	8/8/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
4	8/8/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
4	8/8/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
4	8/8/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
4	8/8/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
4	8/8/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
4	8/8/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	6.6	44	µg/L
4	8/8/2008	SW8260B	TETRACHLOROETHENE(PCE)	25	J	2.2	44	µg/L
4	8/8/2008	SW8260B	TRICHLOROETHENE(TCE)	660		1.23	44	µg/L
4	8/8/2008	SW8260B	VINYL CHLORIDE	21	J	2.64	44	µg/L
5	8/11/2008	SW6010B	ARSENIC	ND	U	20.3	24.5	µg/L
5	8/11/2008	SW6010B	BARIUM	152	J	1.7	200	µg/L
5	8/11/2008	SW6010B	CADMIUM	ND	UJ	0.13	5	µg/L
5	8/11/2008	SW6010B	CHROMIUM, TOTAL	4.9	J	0.14	10	µg/L
5	8/11/2008	SW6010B	COPPER	203		0.5	25	µg/L
5	8/11/2008	SW6010B	LEAD	ND	U	5.6	40	µg/L
5	8/11/2008	SW7470A	MERCURY	ND	U	1	0.2	µg/L
5	8/11/2008	SW6010B	SELENIUM	ND	U	9.1	57.35	µg/L
5	8/11/2008	SW6010B	SILVER	ND	U	0.53	10	µg/L
5	8/11/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	1447	22000	µg/kg
5	8/11/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	4868	22000	µg/kg
5	8/11/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	1711	22000	µg/kg
5	8/11/2008	SW8082	PCB-1242 (AROCLOR 1242)	180000		1579	22000	µg/kg
5	8/11/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	1447	22000	µg/kg
5	8/11/2008	SW8082	PCB-1254 (AROCLOR 1254)	130000		4474	22000	µg/kg
5	8/11/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	1447	22000	µg/kg
5	8/11/2008	SW8270C	1,4-DICHLOROBENZENE	3	J	0.67	50	µg/L
5	8/11/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
5	8/11/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
5	8/11/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
5	8/11/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	U	0.32	50	µg/L
5	8/11/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	5.8	J	0.24	50	µg/L
5	8/11/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
5	8/11/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
5	8/11/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
5	8/11/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
5	8/11/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
5	8/11/2008	SW8270C	PYRIDINE	2.3	J	0.51	50	µg/L
5	8/11/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
5	8/11/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
5	8/11/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
5	8/11/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
5	8/11/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
5	8/11/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
5	8/11/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	6.6	44	µg/L
5	8/11/2008	SW8260B	TETRACHLOROETHENE(PCE)	11	J	2.2	44	µg/L
5	8/11/2008	SW8260B	TRICHLOROETHENE(TCE)	200		1.23	44	µg/L
5	8/11/2008	SW8260B	VINYL CHLORIDE	ND	U	2.64	44	µg/L
6	10/24/2008	SW6010B	ARSENIC	ND	U	12.9	30	µg/L
6	10/24/2008	SW6010B	BARIUM	210	J	3.4	200	µg/L
6	10/24/2008	SW6010B	CADMIUM	47.9	J	0.12	5	µg/L
6	10/24/2008	SW6010B	CHROMIUM, TOTAL	85.9		0.18	10	µg/L
6	10/24/2008	SW6010B	COPPER	102		0.7	25	µg/L
6	10/24/2008	SW6010B	LEAD	983		0.93	10	µg/L
6	10/24/2008	SW7470A	MERCURY	ND	UJ	1	2	µg/L
6	10/24/2008	SW6010B	SELENIUM	ND	UJ	2	35	µg/L
6	10/24/2008	SW6010B	SILVER	ND	UJ	0.51	10	µg/L
6	10/24/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	369	5600	µg/kg
6	10/24/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	1242	5600	µg/kg
6	10/24/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	436	5600	µg/kg
6	10/24/2008	SW8082	PCB-1242 (AROCLOR 1242)	83000		403	5600	µg/kg
6	10/24/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	369	5600	µg/kg
6	10/24/2008	SW8082	PCB-1254 (AROCLOR 1254)	83000		1141	5600	µg/kg
6	10/24/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	369	5600	µg/kg
6	10/24/2008	SW8270C	1,4-DICHLOROBENZENE	ND	UJ	0.67	50	µg/L
6	10/24/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
6	10/24/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L
6	10/24/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
6	10/24/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	U	0.32	50	µg/L
6	10/24/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	ND	U	0.24	50	µg/L
6	10/24/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
6	10/24/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
6	10/24/2008	SW8270C	HEXACHLOROETHANE	ND	UJ	0.66	50	µg/L
6	10/24/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
6	10/24/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
6	10/24/2008	SW8270C	PYRIDINE	ND	U	0.51	50	µg/L
6	10/24/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
6	10/24/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
6	10/24/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
6	10/24/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
6	10/24/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
6	10/24/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
6	10/24/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	6.6	44	µg/L
6	10/24/2008	SW8260B	TETRACHLOROETHENE(PCE)	ND	U	2.2	44	µg/L
6	10/24/2008	SW8260B	TRICHLOROETHENE(TCE)	130		1.23	44	µg/L
6	10/24/2008	SW8260B	VINYL CHLORIDE	ND	U	2.64	44	µg/L

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
7	10/24/2008	SW6010B	ARSENIC	ND	U	16.2	30	µg/L
7	10/24/2008	SW6010B	BARIUM	255	J	3.4	200	µg/L
7	10/24/2008	SW6010B	CADMIUM	ND	UJ	0.7	5	µg/L
7	10/24/2008	SW6010B	CHROMIUM, TOTAL	ND	U	4.3	10	µg/L
7	10/24/2008	SW6010B	COPPER	196		0.7	25	µg/L
7	10/24/2008	SW6010B	LEAD	ND	U	7.8	10	µg/L
7	10/24/2008	SW7470A	MERCURY	ND	UJ	1	2	µg/L
7	10/24/2008	SW6010B	SELENIUM	ND	UJ	13.6	35	µg/L
7	10/24/2008	SW6010B	SILVER	ND	UJ	0.8	10	µg/L
7	10/24/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	1608	24000	µg/kg
7	10/24/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	5409	24000	µg/kg
7	10/24/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	1901	24000	µg/kg
7	10/24/2008	SW8082	PCB-1242 (AROCLOR 1242)	360000		1754	24000	µg/kg
7	10/24/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	1608	24000	µg/kg
7	10/24/2008	SW8082	PCB-1254 (AROCLOR 1254)	350000		4971	24000	µg/kg
7	10/24/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	1608	24000	µg/kg
7	10/24/2008	SW8270C	1,4-DICHLOROBENZENE	26	J	0.67	50	µg/L
7	10/24/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
7	10/24/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L
7	10/24/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
7	10/24/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	UJ	0.32	50	µg/L
7	10/24/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	3.8	J	0.24	50	µg/L
7	10/24/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
7	10/24/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
7	10/24/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
7	10/24/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
7	10/24/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
7	10/24/2008	SW8270C	PYRIDINE	6.1	J	0.51	50	µg/L
7	10/24/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
7	10/24/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
7	10/24/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
7	10/24/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
7	10/24/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
7	10/24/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
7	10/24/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	6.6	44	µg/L
7	10/24/2008	SW8260B	TETRACHLOROETHENE(PCE)	29	J	2.2	44	µg/L
7	10/24/2008	SW8260B	TRICHLOROETHENE(TCE)	710		1.23	44	µg/L
7	10/24/2008	SW8260B	VINYL CHLORIDE	ND	U	2.64	44	µg/L
7	10/24/2008	SW6010B	ARSENIC	ND	UJ	11.4	30	µg/L
7	10/24/2008	SW6010B	BARIUM	236		3.4	200	µg/L
7	10/24/2008	SW6010B	CADMIUM	ND	UJ	0.65	5	µg/L
7	10/24/2008	SW6010B	CHROMIUM, TOTAL	6	J	0.18	10	µg/L
7	10/24/2008	SW6010B	COPPER	259		0.7	25	µg/L
7	10/24/2008	SW6010B	LEAD	ND	U	6.9	10	µg/L
7	10/24/2008	SW7470A	MERCURY	ND	UJ	1	2	µg/L
7	10/24/2008	SW6010B	SELENIUM	ND	UJ	5.5	35	µg/L
7	10/24/2008	SW6010B	SILVER	ND	UJ	0.51	10	µg/L
7	10/24/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	3250	49000	µg/kg
7	10/24/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	10931	49000	µg/kg
7	10/24/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	3840	49000	µg/kg
7	10/24/2008	SW8082	PCB-1242 (AROCLOR 1242)	480000		3545	49000	µg/kg
7	10/24/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	3250	49000	µg/kg
7	10/24/2008	SW8082	PCB-1254 (AROCLOR 1254)	500000		10044	49000	µg/kg
7	10/24/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	3250	49000	µg/kg
7	10/24/2008	SW8270C	1,4-DICHLOROBENZENE	11	J	0.67	50	µg/L
7	10/24/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
7	10/24/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
7	10/24/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
7	10/24/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	UJ	0.32	50	µg/L
7	10/24/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	3.2	J	0.24	50	µg/L
7	10/24/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
7	10/24/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
7	10/24/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
7	10/24/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
7	10/24/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
7	10/24/2008	SW8270C	PYRIDINE	5.7	J	0.51	50	µg/L
7	10/24/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
7	10/24/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
7	10/24/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
7	10/24/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
7	10/24/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
7	10/24/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
7	10/24/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	6.6	44	µg/L
7	10/24/2008	SW8260B	TETRACHLOROETHENE(PCE)	28	J	2.2	44	µg/L
7	10/24/2008	SW8260B	TRICHLOROETHENE(TCE)	870		1.23	44	µg/L
7	10/24/2008	SW8260B	VINYL CHLORIDE	ND	U	2.64	44	µg/L
8	10/24/2008	SW6010B	ARSENIC	ND	U	17.4	30	µg/L
8	10/24/2008	SW6010B	BARIUM	198	J	3.4	200	µg/L
8	10/24/2008	SW6010B	CADMIUM	ND	UJ	0.33	5	µg/L
8	10/24/2008	SW6010B	CHROMIUM, TOTAL	6.1	J	0.18	10	µg/L
8	10/24/2008	SW6010B	COPPER	216		0.7	25	µg/L
8	10/24/2008	SW6010B	LEAD	ND	U	6.6	10	µg/L
8	10/24/2008	SW7470A	MERCURY	ND	UJ	1	2	µg/L
8	10/24/2008	SW6010B	SELENIUM	ND	UJ	10.5	35	µg/L
8	10/24/2008	SW6010B	SILVER	ND	UJ	0.51	10	µg/L
8	10/24/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	1639	25000	µg/kg
8	10/24/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	5514	25000	µg/kg
8	10/24/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	1937	25000	µg/kg
8	10/24/2008	SW8082	PCB-1242 (AROCLOR 1242)	360000		1788	25000	µg/kg
8	10/24/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	1639	25000	µg/kg
8	10/24/2008	SW8082	PCB-1254 (AROCLOR 1254)	250000		5067	25000	µg/kg
8	10/24/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	1639	25000	µg/kg
8	10/24/2008	SW8270C	1,4-DICHLOROBENZENE	9.9	J	0.67	50	µg/L
8	10/24/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
8	10/24/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L
8	10/24/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
8	10/24/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	UJ	0.32	50	µg/L
8	10/24/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	3.2	J	0.24	50	µg/L
8	10/24/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
8	10/24/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
8	10/24/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
8	10/24/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
8	10/24/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
8	10/24/2008	SW8270C	PYRIDINE	4.7	J	0.51	50	µg/L
8	10/24/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	0.801	44	µg/L
8	10/24/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	1.06	44	µg/L
8	10/24/2008	SW8260B	BENZENE	ND	U	1.5	44	µg/L
8	10/24/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	1.06	44	µg/L
8	10/24/2008	SW8260B	CHLOROBENZENE	ND	U	1.23	44	µg/L
8	10/24/2008	SW8260B	CHLOROFORM	ND	U	0.862	44	µg/L
8	10/24/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	6.6	44	µg/L
8	10/24/2008	SW8260B	TETRACHLOROETHENE(PCE)	28	J	2.2	44	µg/L
8	10/24/2008	SW8260B	TRICHLOROETHENE(TCE)	870		1.23	44	µg/L
8	10/24/2008	SW8260B	VINYL CHLORIDE	ND	U	2.64	44	µg/L

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
9	10/24/2008	SW6010B	ARSENIC	ND	UJ	8.6	30	µg/L
9	10/24/2008	SW6010B	BARIUM	276	J	3.4	200	µg/L
9	10/24/2008	SW6010B	CADMIUM	2.9	J	0.12	5	µg/L
9	10/24/2008	SW6010B	CHROMIUM, TOTAL	5	J	0.18	10	µg/L
9	10/24/2008	SW6010B	COPPER	271		0.7	25	µg/L
9	10/24/2008	SW6010B	LEAD	ND	U	8.7	10	µg/L
9	10/24/2008	SW7470A	MERCURY	ND	UJ	1	2	µg/L
9	10/24/2008	SW6010B	SELENIUM	ND	UJ	11.8	35	µg/L
9	10/24/2008	SW6010B	SILVER	ND	UJ	2.1	10	µg/L
9	10/24/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	5132	78000	µg/kg
9	10/24/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	17263	78000	µg/kg
9	10/24/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	6065	78000	µg/kg
9	10/24/2008	SW8082	PCB-1242 (AROCLOR 1242)	1100000		5599	78000	µg/kg
9	10/24/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	5132	78000	µg/kg
9	10/24/2008	SW8082	PCB-1254 (AROCLOR 1254)	830000		15863	78000	µg/kg
9	10/24/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	5132	78000	µg/kg
9	10/24/2008	SW8270C	1,4-DICHLOROBENZENE	32	J	0.67	50	µg/L
9	10/24/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
9	10/24/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L
9	10/24/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
9	10/24/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	UJ	0.32	50	µg/L
9	10/24/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	5.3	J	0.24	50	µg/L
9	10/24/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
9	10/24/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
9	10/24/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
9	10/24/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
9	10/24/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
9	10/24/2008	SW8270C	PYRIDINE	10	J	0.51	50	µg/L
9	10/24/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	26.7	1500	µg/L
9	10/24/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	35.2	1500	µg/L
9	10/24/2008	SW8260B	BENZENE	ND	U	49.8	1500	µg/L
9	10/24/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	35.2	1500	µg/L
9	10/24/2008	SW8260B	CHLOROBENZENE	ND	U	41	1500	µg/L
9	10/24/2008	SW8260B	CHLOROFORM	ND	U	28.7	1500	µg/L
9	10/24/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	220	1500	µg/L
9	10/24/2008	SW8260B	TETRACHLOROETHENE(PCE)	320	J	73.3	1500	µg/L
9	10/24/2008	SW8260B	TRICHLOROETHENE(TCE)	43000		41	1500	µg/L
9	10/24/2008	SW8260B	VINYL CHLORIDE	ND	U	87.9	1500	µg/L
10	10/27/2008	SW6010B	ARSENIC	ND	U	13.1	30	µg/L
10	10/27/2008	SW6010B	BARIUM	293	J	3.4	200	µg/L
10	10/27/2008	SW6010B	CADMIUM	2.7	J	0.12	5	µg/L
10	10/27/2008	SW6010B	CHROMIUM, TOTAL	5.9	J	0.18	10	µg/L
10	10/27/2008	SW6010B	COPPER	126		0.7	25	µg/L
10	10/27/2008	SW6010B	LEAD	11.8		0.93	10	µg/L
10	10/27/2008	SW7470A	MERCURY	ND	UJ	1	2	µg/L
10	10/27/2008	SW6010B	SELENIUM	ND	UJ	10.3	35	µg/L
10	10/27/2008	SW6010B	SILVER	ND	UJ	0.51	10	µg/L
10	10/27/2008	SW8082	PCB-1016 (AROCLOR 1016)	ND	U	1615	25000	µg/kg
10	10/27/2008	SW8082	PCB-1221 (AROCLOR 1221)	ND	U	5433	25000	µg/kg
10	10/27/2008	SW8082	PCB-1232 (AROCLOR 1232)	ND	U	1909	25000	µg/kg
10	10/27/2008	SW8082	PCB-1242 (AROCLOR 1242)	220000		1762	25000	µg/kg
10	10/27/2008	SW8082	PCB-1248 (AROCLOR 1248)	ND	U	1615	25000	µg/kg
10	10/27/2008	SW8082	PCB-1254 (AROCLOR 1254)	160000		4993	25000	µg/kg
10	10/27/2008	SW8082	PCB-1260 (AROCLOR 1260)	ND	U	1615	25000	µg/kg
10	10/27/2008	SW8270C	1,4-DICHLOROBENZENE	9.5	J	0.67	50	µg/L
10	10/27/2008	SW8270C	2,4,5-TRICHLOROPHENOL	ND	U	0.91	130	µg/L
10	10/27/2008	SW8270C	2,4,6-TRICHLOROPHENOL	ND	U	0.49	50	µg/L

Cell 1 Stabilized Material Validated TCLP Summary
New Bedford Harbor Superfund Site - 2008 Season

TCLP Composite Number	Collection Date	Test Method	Analyte	Result	Qualifier	Detection Limit	Report Limit	Units
10	10/27/2008	SW8270C	2,4-DINITROTOLUENE	ND	U	0.51	50	µg/L
10	10/27/2008	SW8270C	2-METHYLPHENOL (O-CRESOL)	ND	UJ	0.32	50	µg/L
10	10/27/2008	SW8270C	4-METHYLPHENOL (P-CRESOL)	5.9	J	0.24	50	µg/L
10	10/27/2008	SW8270C	HEXACHLOROBENZENE	ND	U	0.36	50	µg/L
10	10/27/2008	SW8270C	HEXACHLOROBUTADIENE	ND	U	0.65	50	µg/L
10	10/27/2008	SW8270C	HEXACHLOROETHANE	ND	U	0.66	50	µg/L
10	10/27/2008	SW8270C	NITROBENZENE	ND	U	0.38	50	µg/L
10	10/27/2008	SW8270C	PENTACHLOROPHENOL	ND	U	0.5	130	µg/L
10	10/27/2008	SW8270C	PYRIDINE	4.5	J	0.51	50	µg/L
10	10/27/2008	SW8260B	1,1-DICHLOROETHENE	ND	U	1.6	88	µg/L
10	10/27/2008	SW8260B	1,2-DICHLOROETHANE	ND	U	2.11	88	µg/L
10	10/27/2008	SW8260B	BENZENE	ND	U	2.99	88	µg/L
10	10/27/2008	SW8260B	CARBON TETRACHLORIDE	ND	U	2.11	88	µg/L
10	10/27/2008	SW8260B	CHLOROBENZENE	ND	U	2.46	88	µg/L
10	10/27/2008	SW8260B	CHLOROFORM	ND	U	1.72	88	µg/L
10	10/27/2008	SW8260B	METHYL ETHYL KETONE (2-BUTANONE)	ND	U	13.2	88	µg/L
10	10/27/2008	SW8260B	TETRACHLOROETHENE(PCE)	34	J	4.4	88	µg/L
10	10/27/2008	SW8260B	TRICHLOROETHENE(TCE)	2700		2.46	88	µg/L
10	10/27/2008	SW8260B	VINYL CHLORIDE	28	J	5.28	88	µg/L

Notes:

Data source: Jacobs, 12 March 2009, New Bedford Harbor Site Environmental Evaluation (SEE) Database.

J= qualifier denoting estimated data

TCLP = Toxicity Characteristic Leaching Procedure

U = qualifier denoting analyte not detected above detection limit

UJ= qualifier denoting estimated non-detect above detection limit

µg/kg = micrograms per kilogram

µg/L = micrograms per liter