

From: [Colarusso, Phil](#)
To: [Catri, Cindy](#)
Cc: [Williams, Ann](#); [Dierker, Carl](#); [Lederer, Dave](#); [Stanley, Elaine](#); [LeClair, Jacqueline](#); [Tisa, Kimberly](#); [Marsh, Michael](#); [Abele, Ralph](#)
Subject: Re: Fw: Fish Deterrent System Report
Date: Thursday, January 31, 2013 1:22:24 PM

Cindy,

Looked over this report and as one expects in the ocean in the winter, things didn't quite go entirely according to plan. I am surprised at how poorly the silt curtains faired. They were installed new on January 10, 2 weeks later they report them to be in fair to moderate condition. At this rate, they will not last the winter. Divers did not see any fish, nor did sonar detect any. They were due out again the end of last week, so it will be interesting to get the next update.

Phil

From: Cynthia Catri/R1/USEPA/US

To: Phil Colarusso/R1/USEPA/US@EPA, Mike Marsh/R1/USEPA/US@EPA, Ann Williams/R1/USEPA/US@EPA, Elaine T Stanley/R1/USEPA/US@EPA, Dave Lederer/R1/USEPA/US@EPA, Jackie Leclair/R1/USEPA/US@EPA, Ralph Abele/R1/USEPA/US@EPA, Kimberly Tisa/R1/USEPA/US@EPA

Cc: Carl Dierker/R1/USEPA/US@EPA

Date: 01/31/2013 12:02 PM

Subject: Fw: Fish Deterrent System Report

Please let me know if you plan to comment on this report. Even though it is a weekly report, it may be a good time to let Apex know about things you'd like to see in future reports or things you don't need to see.

Also, I'd like to provide Jay with a mailing list for these reports...let me know if you want to be included.

Jackie, I'll rely on you to pass this along to Paul if you think it appropriate.

I'll also post on Q share.

----- Forwarded by Cynthia Catri/R1/USEPA/US on 01/31/2013 11:54 AM -----

From: Jay Borkland <jborkland@apexc.com>

To: Cynthia Catri/R1/USEPA/US@EPA

Cc: Bill White <bwhite@MassCEC.com>, "Davis, Gary (DCR)" <gary.davis@state.ma.us>, Chet Myers <cmyers@apexc.com>, Gregory Dolan <gdolan@apexc.com>

Date: 01/31/2013 09:48 AM

Subject: Fish Deterrent System Report

Hi Cindy:

Attached please find our Fish Deterrent System report for week of: 1/15-22 (first report). It took a little extra time for this one because it has the whole installation and methods and maintenance descriptions. Future reports will just cover the weekly inspections and maintenance and will be a lot shorter and will be submitted more quickly. We were not sure who this should go to or what the distribution should be, so for this one we are just sending it to you. If you could distribute to the appropriate folks we would be greatly appreciative. If you have someone at EPA send us an email list we can send future weekly reports to more folks if you wish.

Let us know if you would like us to come over to discuss the report. We would be happy to do so.

Thanks. - Jay

Jay Borkland

Apex Companies, LLC

125 Broad Street, 5th Floor

Boston, MA 02110

O) 617-728-0070 x111 M) 617-513-0640

Follow Apex on and Like us on

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named

image001.jpg

which may be a computer program. This attached computer program could

contain a computer virus which could cause harm to EPA's computers,

network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced

into the EPA network. EPA is deleting all computer program attachments

sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you

should contact the sender and request that they rename the file name

extension and resend the Email with the renamed attachment. After

receiving the revised Email, containing the renamed attachment, you can

rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

[attachment "NBMCT_OR_RC_FDP_FISR01_012213.pdf" deleted by Phil Colarusso/R1/USEPA/US]