

From: [Tisa, Kimberly](#)
To: [Michael Bingham](#)
Cc: [Chet Myers](#); [Gregory Dolan](#); [Catri, Cindy](#); [Stanley, Elaine](#); [Cote, Molly \(DEP\)](#)
Subject: RE: New Bedford Stockpile sampling
Date: Tuesday, August 20, 2013 9:49:52 AM
Attachments: [image001.png](#)
[image002.png](#)

Mike-

Thanks for the information. As discussed, the next steps include the following:

1. Off-site disposal of stockpiles C1 and D1 as a > 50 ppm PCB waste.
2. Sampling of discrete samples associated with composites A2-SW-01; A2-SW-03; A1-SW-01; A1-SW-02; and A1-SE-01.
3. Sampling of Areas C1 and D1 on a 25 foot grid spacing.

We discussed off-site disposal of stockpiles A3 and B1 as a < 50 ppm PCB waste. I would like to wait on this action until you get the results of the A1 and A2 discrete samples. The A3 and B1 stockpiles were derived from areas located between the A1 and A2 areas where potentially > 50 ppm PCBs were identified. I will also need the laboratory reports associated with the composite and discrete samples.

Kimberly N. Tisa, PCB Coordinator (OSRR07-2)

USEPA

5 Post Office Square, Suite 100

Boston, MA 02109-3912

(o) 617.918.1527

(f) 617.918-0527

From: Michael Bingham [mailto:MBingham@apexcos.com]
Sent: Monday, August 19, 2013 10:54 AM
To: Tisa, Kimberly
Cc: Chet Myers; Gregory Dolan
Subject: New Bedfors Stockpile sampling

Kim

We have completed the sampling of all the existing stockpiles on-site per our discussion. We are currently waiting for all the analytical, but I wanted to forward you the first group of data so we could plan our strategy. We have a total of 11 stockpiles sampled, with 36 composite samples from each (we went with 12 composites for all piles). All the discrete samples are on hold at the lab.

Attached, please find a figure with the stockpile and source area locations. Also, there is a table of composite results for areas A-1, A-2, A-3, and B-1.
All results are below 50 ppm, but several are above 20 ppm.

We also completed the grid sampling of area D-2, and are awaiting the analytical results.

Feel free to call, or I can call you when it would be convenient for you.

Mike

	<p>Michael Bingham, LSP, LEP, CPG Senior Project Manager</p> <p>Apex Companies, LLC 125 Broad Street, 5th Floor Boston, MA 02210</p> <p>O) 617-728-0070 x127 M) 508-713-1990</p>
---	--

Follow Apex on and Like us on

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****