

From: [Colarusso, Phil](#)
To: [Chet Myers](#); [Marsh, Michael](#); [Williams, Ann](#)
Subject: RE: NBH-NMFS call and modeling info
Date: Wednesday, July 10, 2013 2:53:44 PM
Attachments: [image001.png](#)
[image002.png](#)

Chet,

I have skimmed your response and the issue for blasting in the September time frame was Atlantic sturgeon, but anadromous fish mortality. Sturgeon mortality from blasting may not be the most sensitive endpoint to answer the anadromous fish question. I don't think anyone wants to go down the wormhole of whether the modeling results are overly conservative or conservative enough. Ultimately, we need to know that the blasting proposed by Cashman will be consistent/less impactful than what was modeled by Jasco. Perhaps having the expert you mentioned review both the JASco model and the proposed blasting plan by Cashman would be sufficient to connect those dots. Before you do that, Mike and Ann should weigh in.

Phil

From: Chet Myers [mailto:cmyers@apexc.com]
Sent: Wednesday, July 10, 2013 2:31 PM
To: Marsh, Michael; Williams, Ann; Colarusso, Phil
Subject: FW: NBH-NMFS call and modeling info

Mike, Ann, and Phil,

I went back to the source documents received from NMFS at the start of the modeling process to see if they could shed some light on the issues we discussed yesterday.

Attached to this e-mail, please find the study that was originally forwarded to Apex (from NMFS) prior to modeling. The study was used to determine whether Atlantic Sturgeon would be impacted by subaqueous blasting by testing shortnose sturgeon. The study was set up as follows:

- Shortnose sturgeon were set into cages at various distances from the detonation (35 feet, 70 feet, 140 feet, 280 feet, and 560 feet).
- The detonations were initiated, and the level of mortality in the sturgeon was assessed based on distance.
- The detonations consisted of 32-33 blasts, of 24-28 kg each (approximately 50-60 pounds each), that were delayed by 25 msec. (i.e. the total charge was 1600-2000 pounds, subdivided into 33 blasts of no more than 60 pounds, with a 25 msec delay between blasts).
- The results of the study concluded that peak pressure should be below 75.6 psi and peak impulse should be below 18.4 psi-msec, which is why those levels were set by Jasco when modeling was conducted.
- More specifically, the study states, on page 5: "Based on this and the best available information, we believe that peak pressure levels at, or below, 75.6psi, and peak impulse levels at, or below 18.4 psi-msec, will cause no injury or mortality to species

of sturgeon, including Atlantic sturgeon.”

- Please note that NMFS has stated “peak” impulse and not “total” impulse, indicating that they are looking to minimize the impulse over one delay, rather than the whole blast.
- Peak impulse then would be the integrated area under one blast curve. So long as a sufficient time period elapses between curves (so that they don’t overlap), the peak impulses are considered separately, and are not additive. NMFS utilized a delay level of 25 msec, which is supported by the results of this study. It is possible that a shorter delay would also be acceptable, but we will accept EPA setting the delay at this level.
- The results are borne out based on the survival of the shortnose sturgeon, where mortality impacts occur at 35 feet, and injuries occurred at 70 feet, but that neither mortality nor injury occurred at 140 feet.
- Also please note that there was 100% survival at 140 feet from the explosions, whereas the Jasco model indicates that the peak impulse for a 50 pound blast would be approximately 1000 feet from the blast (unmitigated). This is further indication that the Jasco model is overly conservative, and indicates that the impacts from blasting associated with the NBMCT would be lower than anticipated based on the modeling results.

This study seems to answer the questions that were posed by Mike and Ann yesterday. We will still work on getting Jasco involved, but this seems to be pretty comprehensive evidence.

The blast pattern is virtually identical to what is being proposed (multiple 50 pound maximum blasts).

Please let me know if you would like to discuss.

Thanks,



Follow Apex on and Like us on

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

From: Kelly Risotto [<mailto:krisotto@landuse.us>]
Sent: Tuesday, October 02, 2012 3:44 PM
To: Jay Borkland; Chet Myers; Marie-Noel Matthews
Subject: NBH-NMFS call and modeling info

Good Afternoon All,

Below is a summary of the discussion Chet and I had with Danielle Palmer of NMFS this afternoon regarding the acoustic modeling for NBH in-water work:

1. Blasting
 - a. NMFS currently has no formal criteria for assessment of hydroacoustic impacts of blasting on finfish.
 - b. Per Danielle, do not use the criteria established for pile driving for assessment of blasting effects. She emailed me the attached consultation wherein the assessment was performed using peak pressure levels reported in psi (≤ 75.6 psi no injury or mortality) and impulse pressure levels reported in psi-msec (≤ 18.4 psi-msec no injury or mortality).
2. Non-Blasting Rock Removal & Pile Driving
 - a. NMFS has dual criteria for assessment of injury in finfish
 - i. Threshold for onset of injury—peak measurement: peak SPL of any strike exceeds 206dB re: 1 μ Pa
 - ii. Threshold for onset of injury—cumulative measurement: cumulative SEL (cSEL), accumulated over all pile strikes, exceeds 187 dB re 1 μ Pa•s
 - iii. For vibratory hammer, assessment of cSEL can be done using two methods, either equating the # of vibratory periods to # of pile strikes, or using the duration of vibration in the calculation
 - b. NMFS has separate criteria for assessment of behavioral effects in finfish
 - i. Threshold for behavioral effects: 150 dB_{RMS}
 - c. Map/Output can be a single figure that depicts the three metrics color coded to show the zones of potential impact, or we can produce a single figure for each metric (our choice).
3. # Locations to model for each of the above should be based on the existing conditions within the proposed work area. If a single location will produce results applicable to the entire project site, we can utilize one location; or, we must model one location for each significant change in conditions that would change the model output.

We should have a call to discuss the modeling required and revise our scenarios in light of our discussion with NMFS, to make sure that we produce the results that will enable EPA and NMFS to evaluate and sign off on the project. I am available all day tomorrow, Thursday morning, and all day Friday to discuss.

Thanks,

Kelly Risotto, Senior Ecologist
 LAND USE ECOLOGICAL SERVICES, INC.
 570 Expressway Drive South, Suite 2F, Medford, NY 11763
 Tel. 631-727-2400 Ext. 302, Fax. 631-727-2605
 Mobile 631-764-7983

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments

sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****