

EPA Official Record

Notes ID: 36D5E0A7426EF1D886257A380067EAD0

From: Chet Myers <cmyers@apexcos.com>

To: Ann Williams/R1/USEPA/US@EPA; "Davis, Gary (DCR)" <gary.davis@state.ma.us>

Copy To: Carl Dierker/R1/USEPA/US@EPA; Jay Borkland <jborkland@apexcos.com>; Cynthia Catri/R1/USEPA/US@EPA; Phil Colarusso/R1/USEPA/US@EPA; Mike Marsh/R1/USEPA/US@EPA; "paul.j.sneeringer@usace.army.mil" <paul.j.sneeringer@usace.army.mil>; Jackie Leclair/R1/USEPA/US@EPA; Carl Deloi/R1/USEPA/US@EPA; William Walshrogalski/R1/USEPA/US@EPA

Delivered Date: 06/26/2012 07:08 PM EDT

Subject: RE: Follow up questions re New Bedford/South Terminal

Hi Ann,

Again, this is additional information that EPA requested.

The Commonwealth's impact analysis of CAD Cell #3 (8.76 acres) was based upon the anticipated largest CAD Cell that would be constructed in association with the anticipated work. The design for that larger CAD Cell is attached to this e-mail.

Attached are the Top of CAD #3, Bottom of CAD #3, Cross Sections, and a CAD #3 disposal plan for the largest CAD Cell anticipated, which, again, is correlated with the 8.76 acres of impact.

The design previously forwarded to EPA (as Attachment A to the Commonwealth's June 18, 2012 response to EPA Questions) is a smaller CAD Cell that can only accommodate a smaller volume of material, and correlates to a smaller area of impact (approximately 6.3 acres).

The current proposed mitigation associated with this project assumes that the larger (i.e. 8.76 acre) CAD Cell will be constructed, even though the Commonwealth currently anticipates that only the smaller (i.e. approximately 6.3 acre) CAD Cell will be constructed in association with this project.

Thanks,

[IMAGE]	
	Chet Myers
	Apex Companies, LLC
	184 High Street, Suite 502
	Boston, MA 02210
	O) 617-728-0070 M) 617-908-5778

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may

contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

From: Ann Williams [mailto:Williams.Ann@epamail.epa.gov]

Sent: Tuesday, June 26, 2012 10:03 AM

To: Davis, Gary (DCR)

Cc: Carl Dierker; Chet Myers; Jay Borkland; Cynthia Catri; Phil Colarusso; Mike Marsh; paul.j.sneeringer@usace.army.mil; Jackie Leclair; Carl Deloi; William Walshrogalski

Subject: RE: Follow up questions re New Bedford/South Terminal

Dear Gary:

Attached are the Region's questions following our review of the Commonwealth's June 18, 2012 submission. These questions all pertain to evaluations we are making in order to prepare a draft decision. Therefore we would appreciate responses as soon as possible. If some answers are available sooner than others, we encourage the Commonwealth to provide those early responses right away rather than waiting until all of the responses are complete. In addition to the attached questions, we have also asked for information about the "Readiness Plan" in a June 20, 2012 email to you.

Please call me at 617-918-1097 if you have any questions about the attached.

Sincerely,

Ann

Ann H. Williams
Senior Assistant Regional Counsel

U.S. EPA Region 1
5 Post Office Square - Suite 100
Mail Code ORA18-1
Boston, MA 02109-3912
617-918-1097 (phone)
617-918-0097 (fax)
williams.ann@epa.gov

(See attached file: EPA questions 6.25.12.docx)

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could
contain a computer virus which could cause harm to EPA's computers,
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced
into the EPA network. EPA is deleting all computer program attachments
sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you
should contact the sender and request that they rename the file name
extension and resend the Email with the renamed attachment. After
receiving the revised Email, containing the renamed attachment, you can
rename the file extension to its correct name.

For further information, please contact the EPA Call Center at
(866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could

contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****



- Largest CAD Cell #3.pdf