

EPA Official Record

Notes ID: ED7CE8706F82844A85257AD8007194D7

From: Susan Tuxbury <susan.tuxbury@noaa.gov>

To: Phil Colarusso/R1/USEPA/US@EPA

Copy To: christine.vaccaro@noaa.gov

Delivered Date: 10/25/2012 03:00 PM EST

Subject: Re: Fw: South Terminal -- Additional Comments on Draft Mitigation Plans

ATTACHMENT: 18060669.gif

ATTACHMENT: 18915107.gif

Phil,

Looks like the only acoustic monitoring was done for the cutter dredge. It's hard to provide a "preferred" option without analysis from the others.

However, if this modeling is accurate, it appears as though there will be limited impacts on anadromous fish since there is still a substantial portion of the harbor available for passage.

I will defer to Chris if there is any preferences for sturgeon.

Thanks.

Sue

On Tue, Oct 23, 2012 at 11:43 AM, <colarusso.phil@epamail.epa.gov> wrote:

Sue, Chris,

Here's the latest, which we received last night. It includes a quick summary of the acoustic analysis results, but is by no means the full report. It includes a biological assessment for Atlantic sturgeon and an amended EFH assessment. We didn't ask for either of those documents. We (EPA) have a number of decisions to make and we will be meeting this afternoon and hopefully will get some clarity on management's desires on a number of issues. As of right now, blasting is still off the table.

Phil

----- Forwarded by Phil Colarusso/R1/USEPA/US on 10/23/2012 11:38 AM -----

From: Chet Myers <cmyers@apexcos.com>

To: Ann Williams/R1/USEPA/US@EPA

Cc: Carl Dierker/R1/USEPA/US@EPA, Cynthia Catri/R1/USEPA/US@EPA, "Davis, Gary (DCR)" <gary.davis@state.ma.us>, Jackie Leclair/R1/USEPA/US@EPA, Jay Borkland

<jborkland@apexcos.com>, Mike Marsh/R1/USEPA/US@EPA, "Sneeringer, Paul J NAE"
<Paul.J.Sneeringer@usace.army.mil>, Phil Colarusso/R1/USEPA/US@EPA, Eric Macaux
<EMacaux@MassCEC.com>
Date: 10/22/2012 09:01 PM
Subject: RE: South Terminal -- Additional Comments on Draft Mitigation Plans

Hi Ann,

Attached please find out latest "answer to questions" that includes the supplemental EFH Addendum as well as the Biological Assessment for the Atlantic Sturgeon.

The acoustic modeling was conducted by a separate firm, in concert with the firm that completed the BA. The results of the acoustic modeling are incorporated into the results of the BA.

Please call if you have questions.

We will have this included on the CDs we will deliver tomorrow.

Thanks,

Chet Myers
Apex Companies, LLC
125 Broad Street, 5th Floor
Boston, MA 02110
O) 617-728-0070 x113 M) 617-908-5778

Follow Apex on  and Like us on 

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

From: Williams.Ann@epamail.epa.gov [mailto:Williams.Ann@epamail.epa.gov]
Sent: Monday, October 22, 2012 5:58 PM
To: Chet Myers
Cc: Dierker.Carl@epamail.epa.gov; Catri.Cynthia@epamail.epa.gov; Davis, Gary (DCR); Leclair.Jackie@epamail.epa.gov; Jay Borkland; marsh.mike@epamail.epa.gov; Sneeringer, Paul J NAE; colarusso.phil@epamail.epa.gov

Subject: RE: South Terminal -- Additional Comments on Draft Mitigation Plans

Hi Chet,
I have to leave shortly. I think it would make sense to deliver the CDs tomorrow.
Thanks,
Ann

Chet Myers ---10/22/2012 05:49:08 PM---Hi Ann, Attached please find the text for the Final Mitigation Plan updated to respond to EPA commen

From: Chet Myers <cmyers@apexcos.com>
To: Ann Williams/R1/USEPA/US@EPA, Carl Dierker/R1/USEPA/US@EPA
Cc: Mike Marsh/R1/USEPA/US@EPA, Phil Colarusso/R1/USEPA/US@EPA, Jackie Leclair/R1/USEPA/US@EPA, Cynthia Catri/R1/USEPA/US@EPA, "Sneeringer, Paul J NAE" <Paul.J.Sneeringer@usace.army.mil>, "Davis, Gary (DCR)" <gary.davis@state.ma.us>, Jay Borkland <jborkland@apexcos.com>
Date: 10/22/2012 05:49 PM
Subject: RE: South Terminal -- Additional Comments on Draft Mitigation Plans

Hi Ann,

Attached please find the text for the Final Mitigation Plan updated to respond to EPA comments and the Construction Management Plan.

We are finalizing the Biological Assessment and the Addendum to the Essential Fish Habitat Assessment. They should be done in a few hours.

If we burn CDs, will anyone be at EPA to receive them? Otherwise, we will be prepared to deliver them tomorrow morning, but electronic versions will go out tonight.

Thanks,

Chet Myers
Apex Companies, LLC
125 Broad Street, 5th Floor
Boston, MA 02110
O) 617-728-0070 x113 M) 617-908-5778

Follow Apex on [IMAGE]and Like us on [IMAGE]

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain

information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

From: Williams.Ann@epamail.epa.gov [mailto:Williams.Ann@epamail.epa.gov]
Sent: Friday, October 19, 2012 10:23 PM
To: Davis, Gary (DCR); Jay Borkland; Chet Myers
Cc: Dierker.Carl@epamail.epa.gov; marsh.mike@epamail.epa.gov;
colarusso.phil@epamail.epa.gov; Leclair.Jackie@epamail.epa.gov;
Catri.Cynthia@epamail.epa.gov; Sneeringer, Paul J NAE
Subject: South Terminal -- Additional Comments on Draft Mitigation Plans

Gary, Chet, and Jay --

Attached are the Region's additional comments on the draft mitigation plans.

Please let me (617-918-1097) or Mike Marsh (617-918-1556) know if you have any questions.

Thanks and have a good weekend,

Ann

Ann H. Williams
Senior Assistant Regional Counsel
U.S. EPA Region 1
5 Post Office Square - Suite 100
Mail Code ORA18-1
Boston, MA 02109-3912
617-918-1097 (phone)
617-918-0097 (fax)
williams.ann@epa.gov

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name

extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

[attachment "Final_Mitigation Plan.pdf" deleted by Ann Williams/R1/USEPA/US]
[attachment "NBMCT CMP.pdf" deleted by Ann Williams/R1/USEPA/US]

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

(See attached file: Question-Answer Responses-10-22-12_Acoustic_Modelingrev.pdf) - 18060669.gif - 18915107.gif