

## EPA Official Record

---

**Notes ID:** 2090F71E04FB16E385257AD800705BAD

**From:** Chet Myers <cmyers@apexcos.com>

**To:** Ann Williams/R1/USEPA/US@EPA; Carl Dierker/R1/USEPA/US@EPA

**Copy To:** Cynthia Catri/R1/USEPA/US@EPA; Eric Macaux <EMacaux@MassCEC.com>; "Davis, Gary (DCR)" <gary.davis@state.ma.us>; "Jay Borkland" <jborkland@apexcos.com>; Mike Marsh/R1/USEPA/US@EPA; "Sneeringer, Paul J NAE" <Paul.J.Sneeringer@usace.army.mil>; Phil Colarusso/R1/USEPA/US@EPA

**Delivered Date:** 10/17/2012 05:58 PM EST

**Subject:** Fish Deterrent Plan and Confirmation on Easement Parcels

ATTACHMENT: image002.png  
ATTACHMENT: image003.png  
ATTACHMENT: Question-Answer Responses-10-17-12.pdf  
Hi Ann and Carl,

Attached please find the Commonwealth's Fish Deterrent Plan as well as its Confirmation on Easement Parcels.

Thanks,

[IMAGE]

Chet Myers

Apex Companies, LLC

125 Broad Street, 5th Floor

Boston, MA 02110

O) 617-728-0070 x113      M) 617-908-5778

Follow Apex on [IMAGE] and Like us on [IMAGE]

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

From: Chet Myers  
Sent: Friday, October 12, 2012 4:00 PM  
To: 'Ann Williams'; 'Carl Dierker'  
Cc: 'Cynthia Catri'; 'Eric Macaux'; 'Davis, Gary (DCR)'; Jay Borkland; 'Mike Marsh'; 'Sneeringer, Paul J NAE'; 'Phil Colarusso'  
Subject: Information on Non-Blasting Alternatives

Hi Ann and Carl,

Attached please find the information that EPA requested regarding non-blasting alternatives.

Additionally, responses associated with the timing of the Marsh Island project and the destination of dredged CDF material are attached.

Thanks,

[IMAGE]

Chet Myers

Apex Companies, LLC

125 Broad Street, 5th Floor

Boston, MA 02110

O) 617-728-0070 x113      M) 617-908-5778

Follow Apex on [IMAGE] and Like us on [IMAGE]

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

From: Chet Myers  
Sent: Tuesday, October 09, 2012 10:24 AM  
To: 'Ann Williams'; Carl Dierker  
Cc: Cynthia Catri; Eric Macaux; Davis, Gary (DCR); Jay Borkland; Mike Marsh; Sneeringer, Paul J NAE; Phil Colarusso  
Subject: RE: Draft Final Mitigation Plan

Hi Ann and Carl,

Did the Commonwealth ever submit this letter to EPA? Carl asked for it in his 9/19/12 e-mail to the Commonwealth. It's the "cross-walk" table that NHPA requested. The letter is dated September 24th. I suspect it was submitted previously by Jay, since the NHPA letter went out on 10/1, but he is currently out of the office so I cannot confirm, and I have been busy on other items so I know that I did not submit it myself and I may not have been copied on its submission to EPA.

Carl's 9/19/12 email did not specify a due date for this item, but I believe we were trying to get it into EPA as soon as possible. If we have previously submitted this letter, please disregard.

Thanks,

[IMAGE]

Chet Myers

Apex Companies, LLC

125 Broad Street, 5th Floor

Boston, MA 02110

O) 617-728-0070 x113      M) 617-908-5778

Follow Apex on [IMAGE] and Like us on [IMAGE]

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

From: Ann Williams [mailto:Williams.Ann@epamail.epa.gov]  
Sent: Tuesday, October 09, 2012 9:24 AM  
To: Chet Myers  
Cc: Carl Dierker; Cynthia Catri; Eric Macaux; Davis, Gary (DCR); Jay Borkland; Mike Marsh; Sneeringer, Paul J NAE; Phil Colarusso  
Subject: Re: Draft Final Mitigation Plan

Thanks, Chet. Just wanted to let you know that I received the CDs with the draft mitigation plans when I arrived this morning.  
Ann.

Chet Myers ---10/05/2012 07:44:00 PM---Carl and Ann, Attached please find the text for the Draft Final Mitigation Plan.

From: Chet Myers <cmyers@apexcos.com>  
To: Ann Williams/R1/USEPA/US@EPA, Carl Dierker/R1/USEPA/US@EPA  
Cc: Jay Borkland <jborkland@apexcos.com>, "Davis, Gary (DCR)"  
<gary.davis@state.ma.us>, Eric Macaux <EMacaux@MassCEC.com>, Mike  
Marsh/R1/USEPA/US@EPA, "Sneeringer, Paul J NAE"  
<Paul.J.Sneeringer@usace.army.mil>, Cynthia Catri/R1/USEPA/US@EPA, Phil  
Colarusso/R1/USEPA/US@EPA  
Date: 10/05/2012 07:44 PM  
Subject: Draft Final Mitigation Plan

Carl and Ann,

Attached please find the text for the Draft Final Mitigation Plan.

There are figures and appendices to go with it, but we were unable to finalize the report in time to hand deliver CDs with that material on them, and the figures and appendices are large, unfortunately.

Please note that the design of the River's End Park Mitigation Project is not complete. A conceptual plan is included in the appendices, a 90% design area estimate and estimate of proportional mitigation ratio is included in the document. Therefore, some of the numbers that still have some uncertainty (for example, the final area of that mitigation project) are highlighted in yellow and a range is given.

In addition, there are references to the final plans that we have not yet received. A resource delineation for that project is currently underway, and will be forwarded upon completion (the incomplete resource delineation is the source of uncertainty regarding the final area of the River's End Mitigation Project).

Unless someone is working on Monday (we will be working), we will deliver 10 CDs of the completed Draft Final Mitigation Plan to EPA on Tuesday morning.

Thanks,

Chet Myers

Apex Companies, LLC

125 Broad Street, 5th Floor

Boston, MA 02110

O) 617-728-0070 x113 M) 617-908-5778

Follow Apex on [IMAGE]and Like us on [IMAGE]

Privacy Notice: This message and any attachment(s) hereto are intended solely for the individual(s) listed in the masthead. This message may contain information that is privileged or otherwise protected from disclosure. Any review, dissemination or use of this message or its contents by persons other than the addressee(s) is strictly prohibited and may be unlawful. If you have received this message in error, please notify the sender by return e-mail and delete the message from your system. Thank you.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

[attachment "Draft\_Final\_Mitigation Plan\_NBMCT.pdf" deleted by Ann Williams/R1/USEPA/US]

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

This Email message contained an attachment named image001.jpg which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

- image002.png - image003.png - Question-Answer Responses-10-17-12.pdf