TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-2-1921		OU2-DP1-2-2931		OU2-GW-12		OU1-PC-12B-01		OU1-MW-PC12B-07	
Sample Location	DP1-2		DP1-2		GW-12		MW-PC12B		MW-PC12B	
Date Sampled	7/28/1997		7/28/1997		3/31/1999		12/3/1997		1/21/2003	
Interval	19.0-21.0		29.0-31.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Aroclor-1232		NA		NA		NA	1.0	U	1.0	U
Aroclor-1242		NA		NA		NA	1.0	U	1.0	U
Aroclor-1248		NA		NA		NA	1.0	U	1.0	U
Aroclor-1254		NA		NA		NA	1.0	U	0.25	U
Aroclor-1260		NA		NA		NA	1.0	U	0.25	U
Aroclor-1262		NA		NA		NA	1.0	UJ	0.28	U
Aroclor-1268		NA		NA		NA	1.0	U	1.0	U
beta-BHC		NA		NA		NA	0.050	U	0.050	U
delta-BHC		NA		NA		NA	0.050	U	0.050	U
Dieldrin		NA		NA		NA	0.10	U	0.050	U
Endosulfan I		NA		NA		NA	0.050	U	0.050	U
Endosulfan II		NA		NA		NA	0.10	U	0.10	U
Endosulfan Sulfate		NA		NA		NA	0.10	U	0.10	U
Endrin		NA		NA		NA	0.10	U	0.050	U
Endrin Aldehyde		NA		NA		NA	0.10	U	0.10	U
Endrin Ketone		NA		NA		NA	0.10	U	0.10	U
gamma-BHC		NA		NA		NA	0.050	U	0.051	
gamma-Chlordane		NA		NA		NA	0.050	U	0.050	U
Heptachlor		NA		NA		NA	0.050	U	0.020	U
Heptachlor Epoxide		NA		NA		NA	0.050	U	0.020	U
Methoxychlor		NA		NA		NA	0.50	U	0.50	U
Toxaphene		NA		NA		NA	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA	2.4	U
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA	1.7	U
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA	2.4	U
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA	1.8	U
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA	1.7	JB
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA	1.8	U
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA	1.6	JB
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA	1.8	U
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA	2.0	JB
1,2,3,7,8-PeCDD		NA		NA		NA		NA	1.8	U
1,2,3,7,8-PeCDF		NA		NA		NA		NA	2.2	EMPC
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA	1.7	JB
2,3,4,7,8-PeCDF		NA		NA		NA		NA	2.0	EMPC
2,3,7,8-TCDD		NA		NA		NA		NA	1.8	U
2,3,7,8-TCDF		NA		NA		NA		NA	1.5	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-2-1921		OU2-DP1-2-2931		OU2-GW-12		OU1-PC-12B-01		OU1-MW-PC12B-07	
Sample Location	DP1-2		DP1-2		GW-12		MW-PC12B		MW-PC12B	
Date Sampled	7/28/1997		7/28/1997		3/31/1999		12/3/1997		1/21/2003	
Interval	19.0-21.0		29.0-31.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
OCDD		NA		NA		NA		NA	12.1	JB
OCDF		NA		NA		NA		NA	3.2	U
Total HpCDD		NA		NA		NA		NA	2.4	U
Total HpCDF		NA		NA		NA		NA	2.0	U
Total HxCDD		NA		NA		NA		NA	14.0	EMPC
Total HxCDF		NA		NA		NA		NA	7.1	
Total PeCDD		NA		NA		NA		NA	6.6	EMPC
Total PeCDF		NA		NA		NA		NA	4.2	EMPC
Total TCDD		NA		NA		NA		NA	2.5	EMPC
Total TCDF		NA		NA		NA		NA	1.5	U
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA	131	U	181	U
Antimony		NA		NA		NA	50.0	U	1.8	U
Arsenic		NA		NA		NA	1.0	U	3.6	U
Barium		NA		NA		NA	154		89.1	
Beryllium		NA		NA		NA	1.0	U	0.20	U
Cadmium		NA		NA		NA	3.2	J	3.3	
Calcium		NA		NA		NA	189000		87100	
Chromium		NA		NA		NA	15.8		1.8	
Chromium VI		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA	165		118	
Copper		NA		NA		NA	9.2		15.9	
Cyanide		NA		NA		NA		NA		NA
Iron		NA		NA		NA	1450		1000	
Lead		NA		NA		NA	1.0	U	2.1	J
Magnesium		NA		NA		NA	95100		34900	
Manganese		NA		NA		NA	32200		14000	
Mercury		NA		NA		NA	0.10	U	0.10	U
Nickel		NA		NA		NA	267		151	
Potassium		NA		NA		NA	17900		6100	J
Selenium		NA		NA		NA	1.0	UJ	8.1	UJ
Silver		NA		NA		NA	3.0	U	0.80	U
Sodium		NA		NA		NA	192000		108000	
Thallium		NA		NA		NA	1.0	UJ	20.2	
Vanadium		NA		NA		NA	3.0	U	0.70	U
Zinc		NA		NA		NA	498		458	
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-2-1921		OU2-DP1-2-2931		OU2-GW-12		OU1-PC-12B-01		OU1-MW-PC12B-07	
Sample Location	DP1-2		DP1-2		GW-12		MW-PC12B		MW-PC12B	
Date Sampled	7/28/1997		7/28/1997		3/31/1999		12/3/1997		1/21/2003	
Interval	19.0-21.0		29.0-31.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Alkalinity		NA		NA		NA	182		44.0	J
Carbon Dioxide		NA		NA		NA		NA	101	J
Chloride		NA		NA		NA	324		216	
Ferrous Iron		NA		NA		NA		NA	0.54	J
Nitrate		NA		NA		NA		NA	49.4	J
Nitrate-Nitrite (as N)		NA		NA		NA	140			NA
Nitrite-N		NA		NA		NA		NA	0.235	J
Sulfate		NA		NA		NA	219		73.8	
Sulfide		NA		NA		NA		NA		R
Total Organic Carbon		NA		NA		NA		NA	7.06	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	100		110		1	J	10	U	1	U
1,1,2,2-Tetrachloroethane	375	U	10	U	10	U	10	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA	10	U		NA
1,1,2-Trichloroethane	375	U	5	J	10	U	10	U		NA
1,1-Dichloroethane	375	U	37		8	J	20		1	U
1,1-Dichloroethene	375	U	87		10	U	0.9	U		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA	10	U		NA	10	U		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA	10	U		NA	10	U		NA
1,2-Dibromoethane		NA	10	U		NA	10	U		NA
1,2-Dichlorobenzene		NA	10	U		NA	10	U		NA
1,2-Dichloroethane	375	U	4	J	10	U	10	U		NA
1,2-Dichloroethene (total)	645			NA	13			NA		NA
1,2-Dichloropropane	375	U	10	U	10	U	10	U		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA	10	U		NA	10	U		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA	10	U		NA	10	U		NA
1,4-Dioxane		NA	350	J		NA	150	J		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone	375	U	10	UJ	10	U	10	UJ		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone	375	U	10	UJ	2	J	10	UJ		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	375	U	10	U	10	U	10	U		NA
Acetone	375	U	10	UJ	6	J	10	UJ		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene	375	U	6	J	10		4	J		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane	375	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	375	U	10	U	10	U	10	U		NA
Bromomethane	375	U	10	U	10	U	10	U		NA
Carbon Disulfide	375	U	10	U	10	U	10	U		NA
Carbon Tetrachloride	375	U	10	U	10	U	10	U		NA
Chlorobenzene	375	U	110		170		95			NA
Chloroethane	375	U	10	U	10	U	10	U		NA
Chloroform	375	U	26		10	U	10	U	1	U
Chloromethane	375	U	10	U	10	U	10	U		NA
cis-1,2-Dichloroethene		NA	300			NA	10	U		NA
cis-1,3-Dichloropropene	375	U	10	U	10	U	10	U		NA
Cyclohexane		NA	10	U		NA	10	U		NA
Dibromochloromethane	375	U	10	U	10	U	10	U		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA	10	UJ		NA	10	UJ		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene	375	U	2	J	10	U	10	U	1	U
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA	10	U		NA	10	U		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA	10	U		NA	10	U		NA
Methyl tert-Butyl Ether		NA	10	U		NA	10	U		NA
Methylcyclohexane		NA	10	U		NA	10	U		NA
Methylene Chloride	375	U	79	J	10	U	10	UJ		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene	375	U	10	U	10	U	10	U		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene	375	U	20		10	U	10	U	3	
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene	375	U	50		3	J	10	U	1	U
Total Xylenes	375	U	30		10	U	10	U	1	U
trans-1,2-Dichloroethene		NA	3	J		NA	10	U	1	U
trans-1,3-Dichloropropene	375	U	10	U	10	U	10	U		NA
Trichloroethene	4150		7200	*	10	U	10	U	40	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA	10	U		NA	10	U		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride	330		73		60		19			NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA	10.0	U		NA	10.0	U		NA
Ethene		NA	10.0	U		NA	10.0	U		NA
Methane		NA	280			NA	360			NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA	10	U		NA	10	U		NA
1,2,4-Trichlorobenzene	30	U		NA	10	U		NA		NA
1,2-Dichlorobenzene	30	U		NA	10	U		NA		NA
1,3-Dichlorobenzene	30	U		NA	10	U		NA		NA
1,4-Dichlorobenzene	30	U		NA	10	U		NA		NA
2,2'-oxybis(1-Chloropropane)	30	U	10	U	10	U	10	U		NA
2,4,5-Trichlorophenol	72.5	U	25	U	25	U	25	U		NA
2,4,6-Trichlorophenol	30	U	10	U	10	U	10	U		NA
2,4-Dichlorophenol	30	U	10	U	10	U	10	U		NA
2,4-Dimethylphenol	30	U	10	U	10	U	10	U		NA
2,4-Dinitrophenol	580		310	*		R	25	U		NA
2,4-Dinitrotoluene	30	U	10	U	10	UJ	10	U		NA
2,6-Dinitrotoluene	30	U	10	U	10	U	10	U		NA
2-Chloronaphthalene	30	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	30	U	10	U	2	J	10	U		NA
2-Methylnaphthalene	30	U	10	U	10	U	10	U		NA
2-Methylphenol	30	U	10	U	10	U	10	U		NA
2-Nitroaniline	72.5	U	25	U	25	U	25	U		NA
2-Nitrophenol	22		30		10	U	10	U		NA
3,3'-Dichlorobenzidine	30	U	10	U	10	U	10	U		NA
3-Nitroaniline	72.5	U	25	U	25	U	25	U		NA
4,6-Dinitro-2-methylphenol	6		8	J	25	U	25	U		NA
4-Bromophenyl-phenylether	30	U	10	U	10	U	10	U		NA
4-Chloro-3-methylphenol	30	U	10	U	10	U	10	U		NA
4-Chloroaniline	30	U	10	UJ	10	U	10	UJ		NA
4-Chlorophenyl-phenylether	30	U	10	U	10	U	10	U		NA
4-Methylphenol	13.5		1	J	10	U	10	U		NA
4-Nitroaniline	72.5	U	25	U	25	U	25	U		NA
4-Nitrophenol	420		510	*	25	U	25	U		NA
Acenaphthene	30	U	10	U	10	U	10	U		NA
Acenaphthylene	30	U	10	U	10	U	10	U		NA
Acetophenone		NA	10	U		NA	10	U		NA
Anthracene	30	U	10	U	10	U	10	U		NA
Atrazine		NA	10	U		NA	10	U		NA
Benzaldehyde		NA	1	J		NA	10	UJ		NA
Benzo(a)anthracene	30	U	10	U	10	U	10	U		NA
Benzo(a)pyrene	30	U	10	U	10	U	10	U		NA
Benzo(b)fluoranthene	30	U	10	U	10	U	10	U		NA
Benzo(g,h,i)perylene	30	U	10	U	10	U	10	U		NA
Benzo(k)fluoranthene	30	U	10	U	10	U	10	U		NA
Bis(2-Chloroethoxy)methane	30	U	10	U	10	U	10	U		NA
Bis(2-Chloroethyl)ether	30	U	10	U	10	U	10	U		NA
bis(2-Ethylhexyl)phthalate	40.5	U	10	U	38	U	10	U		NA
Butylbenzylphthalate	30	U	10	U	10	U	10	U		NA
Caprolactam		NA	10	U		NA	10	U		NA
Carbazole	30	U	10	U	10	U	10	U		NA
Chrysene	30	U	10	U	10	U	10	U		NA
Dibenzo(a,h)anthracene	30	U	10	U	10	U	10	U		NA
Dibenzofuran	30	U	10	U	10	U	10	U		NA
Diethylphthalate	30	U	10	U	10	U	10	U		NA
Dimethylphthalate	30	U	10	U	10	U	10	U		NA
Di-n-Butylphthalate	30	U	10	U	2	J	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	30	U	10	U	10	U	10	U		NA
Fluoranthene	30	U	10	U	10	U	10	U		NA
Fluorene	30	U	10	U	10	U	10	U		NA
Hexachlorobenzene	30	U	10	U	10	U	10	U		NA
Hexachlorobutadiene	30	U	10	U	10	U	10	U		NA
Hexachlorocyclopentadiene	30	U	10	U	10	U	10	U		NA
Hexachloroethane	30	U	10	U	10	U	10	U		NA
Indeno(1,2,3-cd)pyrene	30	U	10	U	10	U	10	U		NA
Isophorone	30	U	10	U	10	U	10	U		NA
Naphthalene	13		10	U	10	U	10	U		NA
Nitrobenzene	30	U	10	U	10	U	10	U		NA
N-Nitroso-di-n-propylamine	30	U	10	U	10	U	10	U		NA
N-Nitroso-diphenylamine	30	U	10	U	10	U	10	U		NA
Pentachlorophenol	72.5	U	25	U	25	UJ	25	U		NA
Phenanthrene	30	U	10	U	10	U	10	U		NA
Phenol	30	U	4	J	10	U	10	U		NA
Pyrene	30	U	10	U	10	U	10	U		NA
Total PAH	13			NA	10	U		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA	0.20	U		NA	0.20	U		NA
Benzo(a)anthracene		NA	0.20	U		NA	0.20	U		NA
Benzo(a)pyrene		NA	0.20	U		NA	0.20	U		NA
Benzo(b)fluoranthene		NA	0.20	U		NA	0.20	U		NA
Benzo(k)fluoranthene		NA	0.20	U		NA	0.20	U		NA
Chrysene		NA	0.20	U		NA	0.20	U		NA
Dibenzo(a,h)anthracene		NA	0.20	U		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA	0.20	U		NA
Phenanthrene		NA	0.20	U		NA	0.20	U		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U		NA
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U		NA
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U		NA
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U		NA
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Aroclor, Total	1.1	U		NA	1.1	U		NA		NA
Aroclor-1016	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1221	2.0	U	0.25	U	2.0	U	0.25	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1242	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1248	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1254	1.0	U	0.25	U	1.0	U	0.25	U		NA
Aroclor-1260	1.0	U	0.25	U	1.0	U	0.25	U		NA
Aroclor-1262	1.0	U	0.28	U	1.0	UJ	0.28	U		NA
Aroclor-1268	1.0	U	1.0	U	1.0	U	1.0	U		NA
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
Dieldrin	0.10	U	0.050	U	0.10	U	0.050	U		NA
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U		NA
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin	0.10	U	0.050	U	0.10	U	0.050	U		NA
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U		NA
gamma-BHC	0.050	U	0.27	J	0.050	U	0.050	U		NA
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Heptachlor	0.050	U	0.020	U	0.050	U	0.020	U		NA
Heptachlor Epoxide	0.050	U	0.66	J	0.050	U	0.020	U		NA
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U		NA
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA	5.7	U		NA	9.7	U		NA
1,2,3,4,6,7,8-HpCDF		NA	3.0	U		NA	4.8	U		NA
1,2,3,4,7,8,9-HpCDF		NA	3.8	U		NA	6.1	U		NA
1,2,3,4,7,8-HxCDD		NA	3.4	U		NA	5.3	U		NA
1,2,3,4,7,8-HxCDF		NA	2.2	U		NA	3.2	U		NA
1,2,3,6,7,8-HxCDD		NA	3.4	U		NA	5.2	U		NA
1,2,3,6,7,8-HxCDF		NA	2.1	U		NA	3.0	U		NA
1,2,3,7,8,9-HxCDD		NA	3.3	U		NA	5.1	U		NA
1,2,3,7,8,9-HxCDF		NA	2.5	U		NA	3.8	U		NA
1,2,3,7,8-PeCDD		NA	2.2	U		NA	3.5	U		NA
1,2,3,7,8-PeCDF		NA	1.6	U		NA	2.3	U		NA
2,3,4,6,7,8-HxCDF		NA	2.3	U		NA	3.4	U		NA
2,3,4,7,8-PeCDF		NA	1.6	U		NA	2.3	U		NA
2,3,7,8-TCDD		NA	2.6	U		NA	3.5	U		NA
2,3,7,8-TCDF		NA	2.0	U		NA	2.6	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA	8.8	U		NA	32.2	U		NA
OCDF		NA	7.0	U		NA	11.6	U		NA
Total HpCDD		NA	5.7	UJ		NA	9.7	UJ		NA
Total HpCDF		NA	3.3	UJ		NA	5.3	UJ		NA
Total HxCDD		NA	3.3	UJ		NA	5.2	UJ		NA
Total HxCDF		NA	2.3	UJ		NA	3.4	UJ		NA
Total PeCDD		NA	2.2	UJ		NA	3.5	UJ		NA
Total PeCDF		NA	1.6	UJ		NA	2.3	UJ		NA
Total TCDD		NA	2.6	UJ		NA	3.5	UJ		NA
Total TCDF		NA	2.0	UJ		NA	2.6	UJ		NA
Toxicity Equivalency		NA	0.00	U		NA	0.00	U		NA
TAL Metal Analysis (UG/L)										
Aluminum	1885		1450		29.4	UJ	15.5	U		NA
Antimony	50.0	U	3.5	U	50.0	U	3.5	U		NA
Arsenic	1.0	U	2.3	U	5.4		2.3	U		NA
Barium	143		65.6		1450		241		500	U
Beryllium	1.0	U	1.1	U	1.0	U	1.1	U		NA
Cadmium	10.95		13.5		2.0	U	0.50	UJ	80.0	
Calcium	147000		206000		66000		99500			NA
Chromium	5.0	U	3.1	J	5.0	U	0.50	U	400	
Chromium VI		NA		NA		NA		NA	50.0	U
Cobalt	421		359		3.0	U	0.70	U		NA
Copper	2.0	U	6.3	J	2.0	U	120		1700	
Cyanide		NA		NA		NA		NA	50.0	U
Iron	9215		7190		28900		20600		14400	
Lead	1.15	U	1.5	UJ	1.6	UJ	1.5	UJ	50.0	U
Magnesium	135000		159000		143000		232000			NA
Manganese	37700		51600	J	2460		4910			NA
Mercury	0.10	U	0.10	U	0.10	U	0.10	U		NA
Nickel	463		649		10.0	U	12.1	J	1500	
Potassium	17800		28300	J	14700		27800	J		NA
Selenium	1.0	U	13.6	UJ	1.0	UJ	2.2	UJ		NA
Silver	3.0	U	0.80	UJ	3.0	U	0.80	UJ		NA
Sodium	207000		443000	J	54800		169000	J		NA
Thallium	5.0	U	25.0		1.0	UJ	4.0	U		NA
Vanadium	3.0	U	0.80	U	3.0	U	0.80	U		NA
Zinc	2540		2050	J	4.0	U	45.3	UJ	3600	
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-12D-01-AVG		OU1-MW-PC12D-07		OU1-PC-12S-01		OU1-MW-PC12S-07		PZ-12-021892	
Sample Location	MW-PC12D		MW-PC12D		MW-PC12S		MW-PC12S		PZ-12	
Date Sampled	12/3/1997		1/16/2003		12/3/1997		1/16/2003		2/18/1992	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		7.0-17.0	
QC Identifier	Field Dup. 4		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity	129		76.0		691		534			NA
Carbon Dioxide		NA	370	J		NA	635	J		NA
Chloride	424.5		164		110	J	78.6		18.0	
Ferrous Iron		NA	5.4			NA	3.03			NA
Nitrate		NA	46.9			NA	0.050	U		NA
Nitrate-Nitrite (as N)	138.5			NA	0.10	U		NA		NA
Nitrite-N		NA	0.050	U		NA	0.050	U		NA
Sulfate	248		82.5		53.4		104			NA
Sulfide		NA	0.50	U		NA	0.88			NA
Total Organic Carbon		NA	17.5			NA	66.4			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)												
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	1	U	1	U	1	U	1	U	1	U	1	U
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA		NA
1,1-Dichloroethane	1	U	1	U	1	U	1	U	1	U	1	U
1,1-Dichloroethene		NA		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA		NA
Chloroform	2		1	U	2		1	U	1	U	4	
Chloromethane		NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA		NA
Ethylbenzene	1	U	1	U		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA		NA
Tetrachloroethene	6		5		6		3		2		1	U
Tetrahydrofuran		NA		NA		NA		NA		NA		NA
Toluene	1	U	1	U		NA		NA		NA		NA
Total Xylenes	1	U	1	U		NA		NA		NA		NA
trans-1,2-Dichloroethene	1	U	4		1	U	1	U	1	U	1	U
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA		NA
Trichloroethene	117		80		114		80		65		393	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)												
Ethane		NA		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)												
1,1,1-Trichloroethane		NA		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)												
1,1'-Biphenyl		NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)												
Acenaphthylene		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)												
4,4'-DDD		NA		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA		NA
Dioxin Analysis (PG/L)												
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)												
Aluminum		NA		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA		NA
Barium	500	U	500	U		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA		NA
Cadmium	60.0		70.0		50.0		40.0		30.0		70.0	
Calcium		NA		NA		NA		NA		NA		NA
Chromium	460		16000		610		180		110		140	
Chromium VI	50.0	U	2100			NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA		NA
Copper	1400		10.0	U		NA		NA		NA		NA
Cyanide	50.0	U	3000		50.0	U	50.0	U	50.0	U	220	
Iron	7600		64000			NA		NA		NA		NA
Lead	50.0	U	50.0	U		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA		NA
Nickel	1900		2100		2840		1590		490		1030	
Potassium		NA		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA		NA
Zinc	3100		4000		2860		1240		950		2950	
Wet Chemistry Analysis												

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-051892		PZ-12-081892		PZ-12-111992		PZ-12-050193		PZ-12-080193		PZ-12-111693	
Sample Location	PZ-12		PZ-12		PZ-12		PZ-12		PZ-12		PZ-12	
Date Sampled	5/18/1992		8/18/1992		11/19/1992		5/1/1993		8/1/1993		11/16/1993	
Interval	7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0		7.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity		NA		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA		NA
Chloride	17.0		0.070			NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1,2-Tetrachloroethane		NA	20	U	20	U	20	U
1,1,1-Trichloroethane	1	U	1100		1100		1000	
1,1,2,2-Tetrachloroethane	1	U	20	U	20	U	20	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	20	U	20	U	20	U
1,1,2-Trichloroethane	1	U	20	U	20	U	20	U
1,1-Dichloroethane	1	U	200		200		200	
1,1-Dichloroethene	1	U	640		680		670	
1,1-Dichloropropene		NA	20	U	20	U	20	U
1,2,3-Trichlorobenzene		NA	20	U	20	U	20	U
1,2,3-Trichloropropane		NA	20	U	20	U	20	U
1,2,4-Trichlorobenzene		NA	20	U	20	U	20	U
1,2,4-Trimethylbenzene		NA	20	U	20	U	20	U
1,2-Dibromo-3-chloropropane		NA	20	U	20	U	20	U
1,2-Dibromoethane		NA	20	U	20	U	20	U
1,2-Dichlorobenzene	1	U	20	U	20	U	20	U
1,2-Dichloroethane	1	U	20	U	20	U	20	U
1,2-Dichloroethene (total)		NA		NA		NA		NA
1,2-Dichloropropane	1	U	20	U	20	U	20	U
1,3,5-Trimethylbenzene		NA	20	U	20	U	20	U
1,3-Dichlorobenzene	1	U	20	U	20	U	20	U
1,3-Dichloropropane		NA	20	U	20	U	20	U
1,4-Dichlorobenzene	1	U	20	U	20	U	20	U
1,4-Dioxane		NA		NA		NA		NA
2,2-Dichloropropane		NA	20	U	20	U	20	U
2-Butanone		NA	80	U	80	U	80	U
2-Chloroethylvinylether	10	U	60	U	60	U	60	U
2-Chlorotoluene		NA	20	U	20	U	20	U
2-Hexanone		NA	12	U	12	U	12	U
4-Chlorotoluene		NA	20	U	20	U	20	U
4-Methyl-2-Pentanone		NA	10	U	10	U	10	U
Acetone		NA	60	B	32		40	U
Acrolein		NA	200	U	200	U	200	U
Acrylonitrile		NA	100	U	100	U	100	U
Benzene		NA	20	U	20	U	20	U
Bromobenzene		NA	20	U	20	U	20	U
Bromochloromethane		NA	20	U	20	U	20	U
Bromodichloromethane	1.6		20	U	20	U	20	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform	1	U	20	U	20	U	20	U
Bromomethane	10	U	20	U	20	U	20	U
Carbon Disulfide		NA	60	U	60	U	60	U
Carbon Tetrachloride	1	U	20	U	20	U	20	U
Chlorobenzene	1	U	20	U	20	U	20	U
Chloroethane	10	U	20	U	20	U	20	U
Chloroform	5.8		20	U	20	U	20	U
Chloromethane	10	U	20	U	20	U	20	U
cis-1,2-Dichloroethene		NA	370		420		410	
cis-1,3-Dichloropropene	1	U	20	U	20	U	20	U
Cyclohexane		NA		NA		NA		NA
Dibromochloromethane	1	U	20	U	20	U	20	U
Dibromomethane		NA	20	U	20	U	20	U
Dichlorodifluoromethane	10	U	20	U	20	U	20	U
Ethyl Ether		NA	60	U	60	U	60	U
Ethylbenzene		NA	20	U	20	U	20	U
Hexachlorobutadiene		NA	20	U	20	U	20	U
Isopropylbenzene		NA	20	U	20	U	20	U
m&p-Xylene		NA	40	U	40	U	40	U
Methyl Acetate		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA	20	U	20	U	20	U
Methylcyclohexane		NA		NA		NA		NA
Methylene Chloride	1	U	20	U	20	U	20	U
Naphthalene		NA	20	U	20	U	20	U
n-Butylbenzene		NA	20	U	20	U	20	U
n-Propylbenzene		NA	20	U	20	U	20	U
o-Xylene		NA	20	U	20	U	20	U
p-Isopropyltoluene		NA	20	U	20	U	20	U
sec-Butylbenzene		NA	20	U	20	U	20	U
Styrene		NA	20	U	20	U	20	U
tert-Butylbenzene		NA	20	U	20	U	20	U
Tetrachloroethene	2.7		20	U	20	U	20	U
Tetrahydrofuran		NA	140	U	140	U	140	U
Toluene		NA	20	U	20	U	20	U
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA	20	U	20	U	20	U
trans-1,3-Dichloropropene	1	U	20	U	20	U	20	U
Trichloroethene	140		490		480		450	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	1	U	20	U	20	U	20	U
Vinyl Acetate		NA	120	U	120	U	120	U
Vinyl Chloride	10	U	20	U	20	U	20	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA		NA
Ethene		NA		NA		NA		NA
Methane		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								
1,1'-Biphenyl		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Phenol		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA
Endrin		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
OCDD		NA		NA		NA		NA
OCDF		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum		NA		NA		NA		NA
Antimony		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA
Barium		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA
Calcium		NA		NA		NA		NA
Chromium	250			NA		NA		NA
Chromium VI		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA
Copper		NA		NA		NA		NA
Cyanide	11.0			NA		NA		NA
Iron		NA		NA		NA		NA
Lead		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA
Manganese		NA		NA		NA		NA
Mercury		NA		NA		NA		NA
Nickel	1300			NA		NA		NA
Potassium		NA		NA		NA		NA
Selenium		NA		NA		NA		NA
Silver		NA		NA		NA		NA
Sodium		NA		NA		NA		NA
Thallium		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA
Zinc	1800			NA		NA		NA
Wet Chemistry Analysis								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	PZ-12-120894		RM-GW13-0023		RM-GW13-0028-AVG		RM-GW13-0028	
Sample Location	PZ-12		13		13		13	
Date Sampled	12/8/1994		2/22/2002		2/22/2002		2/22/2002	
Interval	7.0-17.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier	None		None		Field Dup. RM-GW13-0028		Field Dup. RM-GW13-0028	
Zone	Overburden		Overburden		Overburden		Overburden	
Alkalinity		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA
Chloride	22.0			NA		NA		NA
Ferrous Iron		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane	20	U	50	U		NA		NA		NA
1,1,1-Trichloroethane	1100		1400			NA		NA	28	J
1,1,2,2-Tetrachloroethane	20	U	50	U		NA		NA	250	UJ
1,1,2-Trichloro-1,2,2-trifluoroethane	20	U	50	U		NA		NA		NA
1,1,2-Trichloroethane	20	U	50	U		NA		NA	250	UJ
1,1-Dichloroethane	200		260			NA		NA	250	UJ
1,1-Dichloroethene	690		1000			NA		NA	250	UJ
1,1-Dichloropropene	20	U	50	U		NA		NA		NA
1,2,3-Trichlorobenzene	20	U	50	U		NA		NA		NA
1,2,3-Trichloropropane	20	U	50	U		NA		NA		NA
1,2,4-Trichlorobenzene	20	U	50	U		NA		NA		NA
1,2,4-Trimethylbenzene	20	U	50	U		NA		NA		NA
1,2-Dibromo-3-chloropropane	20	U	50	U		NA		NA		NA
1,2-Dibromoethane	20	U	50	U		NA		NA		NA
1,2-Dichlorobenzene	20	U	50	U		NA		NA		NA
1,2-Dichloroethane	20	U	50	U		NA		NA	250	UJ
1,2-Dichloroethene (total)		NA		NA		NA		NA	250	UJ
1,2-Dichloropropane	20	U	50	U		NA		NA	250	UJ
1,3,5-Trimethylbenzene	20	U	50	U		NA		NA		NA
1,3-Dichlorobenzene	20	U	50	U		NA		NA		NA
1,3-Dichloropropane	20	U	50	U		NA		NA		NA
1,4-Dichlorobenzene	20	U	50	U		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane	20	U	50	U		NA		NA		NA
2-Butanone	80	U	200	U		NA		NA	250	UJ
2-Chloroethylvinylether	60	U	150	U		NA		NA		NA
2-Chlorotoluene	20	U	50	U		NA		NA		NA
2-Hexanone	12	U	30	U		NA		NA	250	UJ
4-Chlorotoluene	20	U	50	U		NA		NA		NA
4-Methyl-2-Pentanone	10	U	25	U		NA		NA		R
Acetone	44	B	180	BJ		NA		NA	250	UJ
Acrolein	200	U	500	U		NA		NA		NA
Acrylonitrile	100	U	250	U		NA		NA		NA
Benzene	20	U	50	U		NA		NA	250	UJ
Bromobenzene	20	U	50	U		NA		NA		NA
Bromochloromethane	20	U	50	U		NA		NA		NA
Bromodichloromethane	20	U	50	U		NA		NA	250	UJ

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
Bromoform	20	U	50	U		NA		NA	250	UJ
Bromomethane	20	U	50	U		NA		NA	250	UJ
Carbon Disulfide	60	U	150	U		NA		NA	250	UJ
Carbon Tetrachloride	20	U	50	U		NA		NA	250	UJ
Chlorobenzene	20	U	50	U		NA		NA	250	UJ
Chloroethane	20	U	50	U		NA		NA	250	UJ
Chloroform	20	U	50	U		NA		NA	250	UJ
Chloromethane	20	U	50	U		NA		NA	250	UJ
cis-1,2-Dichloroethene	420		430			NA		NA		NA
cis-1,3-Dichloropropene	20	U	50	U		NA		NA	250	UJ
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	20	U	50	U		NA		NA	250	UJ
Dibromomethane	20	U	50	U		NA		NA		NA
Dichlorodifluoromethane	20	U	50	U		NA		NA		NA
Ethyl Ether	60	U	150	U		NA		NA		NA
Ethylbenzene	20	U	50	U		NA		NA	250	UJ
Hexachlorobutadiene	20	U	50	U		NA		NA		NA
Isopropylbenzene	20	U	50	U		NA		NA		NA
m&p-Xylene	40	U	100	U		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	20	U	50	U		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	20	U	50	U		NA		NA	250	UJ
Naphthalene	20	U	50	U		NA		NA		NA
n-Butylbenzene	20	U	50	U		NA		NA		NA
n-Propylbenzene	20	U	50	U		NA		NA		NA
o-Xylene	20	U	50	U		NA		NA		NA
p-Isopropyltoluene	20	U	50	U		NA		NA		NA
sec-Butylbenzene	20	U	50	U		NA		NA		NA
Styrene	20	U	50	U		NA		NA	250	UJ
tert-Butylbenzene	20	U	50	U		NA		NA		NA
Tetrachloroethene	20	U	50	U		NA		NA	250	UJ
Tetrahydrofuran	140	U	350	U		NA		NA		NA
Toluene	20	U	50	U		NA		NA	250	UJ
Total Xylenes		NA		NA		NA		NA	250	UJ
trans-1,2-Dichloroethene	20	U	50	U		NA		NA		NA
trans-1,3-Dichloropropene	20	U	50	U		NA		NA	250	UJ
Trichloroethene	510		620			NA		NA	2000	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
Trichlorofluoromethane	20	U	50	U		NA		NA		NA
Vinyl Acetate	120	U	300	U		NA		NA		NA
Vinyl Chloride	20	U	50	U		NA		NA	250	UJ
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA	46		65			NA
1,1-Dichloroethane		NA		NA	140		150			NA
1,1-Dichloroethene		NA		NA	160		210			NA
1,2-Dichloroethane		NA		NA	10	U	10	U		NA
Benzene		NA		NA	10	U	10	U		NA
Chlorobenzene		NA		NA	10	U	10	U		NA
cis-1,2-Dichloroethene		NA		NA	160		170			NA
Ethylbenzene		NA		NA	10	U	10	U		NA
m&p-Xylene		NA		NA	10	U	10	U		NA
o-Xylene		NA		NA	10	U	10	U		NA
Tetrachloroethene		NA		NA	10	U	10	U		NA
Toluene		NA		NA	10	U	10	U		NA
trans-1,2-Dichloroethene		NA		NA	10	U	10	U		NA
Trichloroethene		NA		NA	36		29			NA
Vinyl Chloride		NA		NA	11		19			NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA	10	U
1,2-Dichlorobenzene		NA		NA		NA		NA	3	J
1,3-Dichlorobenzene		NA		NA		NA		NA	10	U
1,4-Dichlorobenzene		NA		NA		NA		NA	10	U
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA	10	U
2,4,5-Trichlorophenol		NA		NA		NA		NA	25	U
2,4,6-Trichlorophenol		NA		NA		NA		NA	10	U
2,4-Dichlorophenol		NA		NA		NA		NA	10	U
2,4-Dimethylphenol		NA		NA		NA		NA	10	U
2,4-Dinitrophenol		NA		NA		NA		NA	25	U
2,4-Dinitrotoluene		NA		NA		NA		NA	10	U
2,6-Dinitrotoluene		NA		NA		NA		NA	10	U
2-Chloronaphthalene		NA		NA		NA		NA	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
2-Chlorophenol		NA		NA		NA		NA	10	U
2-Methylnaphthalene		NA		NA		NA		NA	10	U
2-Methylphenol		NA		NA		NA		NA	10	U
2-Nitroaniline		NA		NA		NA		NA	25	U
2-Nitrophenol		NA		NA		NA		NA	10	U
3,3'-Dichlorobenzidine		NA		NA		NA		NA	10	UJ
3-Nitroaniline		NA		NA		NA		NA	25	UJ
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA	25	U
4-Bromophenyl-phenylether		NA		NA		NA		NA	10	U
4-Chloro-3-methylphenol		NA		NA		NA		NA	10	U
4-Chloroaniline		NA		NA		NA		NA	10	UJ
4-Chlorophenyl-phenylether		NA		NA		NA		NA	10	U
4-Methylphenol		NA		NA		NA		NA	10	U
4-Nitroaniline		NA		NA		NA		NA	25	UJ
4-Nitrophenol		NA		NA		NA		NA	27	J
Acenaphthene		NA		NA		NA		NA	10	U
Acenaphthylene		NA		NA		NA		NA	10	U
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA	10	U
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA	10	U
Benzo(a)pyrene		NA		NA		NA		NA	10	U
Benzo(b)fluoranthene		NA		NA		NA		NA	10	U
Benzo(g,h,i)perylene		NA		NA		NA		NA	10	U
Benzo(k)fluoranthene		NA		NA		NA		NA	10	U
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA	10	U
Bis(2-Chloroethyl)ether		NA		NA		NA		NA	10	U
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA	10	U
Butylbenzylphthalate		NA		NA		NA		NA	10	U
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA	10	U
Chrysene		NA		NA		NA		NA	10	U
Dibenzo(a,h)anthracene		NA		NA		NA		NA	10	U
Dibenzofuran		NA		NA		NA		NA	10	U
Diethylphthalate		NA		NA		NA		NA	10	U
Dimethylphthalate		NA		NA		NA		NA	10	U
Di-n-Butylphthalate		NA		NA		NA		NA	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
Di-n-octylphthalate		NA		NA		NA		NA	10	U
Fluoranthene		NA		NA		NA		NA	10	U
Fluorene		NA		NA		NA		NA	10	U
Hexachlorobenzene		NA		NA		NA		NA	10	U
Hexachlorobutadiene		NA		NA		NA		NA	10	UJ
Hexachlorocyclopentadiene		NA		NA		NA		NA		R
Hexachloroethane		NA		NA		NA		NA	10	U
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA	10	U
Isophorone		NA		NA		NA		NA	10	U
Naphthalene		NA		NA		NA		NA	10	U
Nitrobenzene		NA		NA		NA		NA	10	U
N-Nitroso-di-n-propylamine		NA		NA		NA		NA	10	U
N-Nitroso-diphenylamine		NA		NA		NA		NA	10	UJ
Pentachlorophenol		NA		NA		NA		NA	25	U
Phenanthrene		NA		NA		NA		NA	10	U
Phenol		NA		NA		NA		NA	10	U
Pyrene		NA		NA		NA		NA	10	U
Total PAH		NA		NA		NA		NA	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA	0.10	U
4,4'-DDE		NA		NA		NA		NA	0.10	U
4,4'-DDT		NA		NA		NA		NA	0.10	U
Aldrin		NA		NA		NA		NA	0.050	U
alpha-BHC		NA		NA		NA		NA	0.050	U
alpha-Chlordane		NA		NA		NA		NA	0.050	U
Aroclor, Total		NA		NA		NA		NA	1.1	U
Aroclor-1016		NA		NA		NA		NA	1.0	U
Aroclor-1221		NA		NA		NA		NA	2.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
Aroclor-1232		NA		NA		NA		NA	1.0	U
Aroclor-1242		NA		NA		NA		NA	1.0	U
Aroclor-1248		NA		NA		NA		NA	1.0	U
Aroclor-1254		NA		NA		NA		NA	1.0	U
Aroclor-1260		NA		NA		NA		NA	1.0	U
Aroclor-1262		NA		NA		NA		NA	1.0	UJ
Aroclor-1268		NA		NA		NA		NA	1.0	U
beta-BHC		NA		NA		NA		NA	0.050	U
delta-BHC		NA		NA		NA		NA	0.050	U
Dieldrin		NA		NA		NA		NA	0.10	U
Endosulfan I		NA		NA		NA		NA	0.050	U
Endosulfan II		NA		NA		NA		NA	0.10	U
Endosulfan Sulfate		NA		NA		NA		NA	0.10	U
Endrin		NA		NA		NA		NA	0.10	U
Endrin Aldehyde		NA		NA		NA		NA	0.10	U
Endrin Ketone		NA		NA		NA		NA	0.10	U
gamma-BHC		NA		NA		NA		NA	0.050	U
gamma-Chlordane		NA		NA		NA		NA	0.050	U
Heptachlor		NA		NA		NA		NA	0.050	U
Heptachlor Epoxide		NA		NA		NA		NA	0.050	U
Methoxychlor		NA		NA		NA		NA	0.50	U
Toxaphene		NA		NA		NA		NA	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA	20.0	U
Antimony		NA		NA		NA		NA	50.0	U
Arsenic		NA		NA		NA		NA	1.0	U
Barium		NA		NA		NA		NA	48.0	
Beryllium		NA		NA		NA		NA	1.0	U
Cadmium		NA		NA		NA		NA	16.6	U
Calcium		NA		NA		NA		NA	201000	
Chromium		NA		NA		NA		NA	5.0	U
Chromium VI		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA	25.6	
Copper		NA		NA		NA		NA	2.0	U
Cyanide		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA	124	U
Lead		NA		NA		NA		NA	1.0	UJ
Magnesium		NA		NA		NA		NA	58200	
Manganese		NA		NA		NA		NA	2990	
Mercury		NA		NA		NA		NA	0.10	U
Nickel		NA		NA		NA		NA	91.0	
Potassium		NA		NA		NA		NA	10600	
Selenium		NA		NA		NA		NA	1.0	J
Silver		NA		NA		NA		NA	3.0	U
Sodium		NA		NA		NA		NA	204000	
Thallium		NA		NA		NA		NA	1.0	U
Vanadium		NA		NA		NA		NA	3.0	U
Zinc		NA		NA		NA		NA	366	
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP03		RM-GW13-0035		OU2-DP1-3-0813		OU2-DP1-3-1621		OU1-PC-13B-01	
Sample Location	13		13		DP1-3		DP1-3		MW-PC13B	
Date Sampled	2/22/2002		3/1/2002		7/28/1997		7/28/1997		11/19/1997	
Interval	0.0-28.0		0.0-35.0		8.0-13.0		16.0-21.0		0.0-0.0	
QC Identifier	Field Dup. RM-GW13-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock	
Alkalinity		NA		NA		NA		NA	37.3	J
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA	388	
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA	39.6	
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA	452	J
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA
1,1,1-Trichloroethane	8	J	38	J	9	J	39	
1,1,2,2-Tetrachloroethane	10	U	83	U	10	UJ	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U		NA	10	UJ		NA
1,1,2-Trichloroethane	10	U	83	U	10	UJ	10	U
1,1-Dichloroethane	4	J	83	U	5	J	15.5	
1,1-Dichloroethene	6		17	J	7	J	9.5	
1,1-Dichloropropene		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U		NA	10	UJ		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	10	U		NA	10	UJ		NA
1,2-Dibromoethane	10	U		NA	10	UJ		NA
1,2-Dichlorobenzene	3	J		NA	10	UJ		NA
1,2-Dichloroethane	10	U	83	U	10	UJ	10	U
1,2-Dichloroethene (total)		NA	12	J		NA	4	
1,2-Dichloropropane	10	U	83	U	10	UJ	10	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA
1,3-Dichlorobenzene	10	U		NA	10	UJ		NA
1,3-Dichloropropane		NA		NA		NA		NA
1,4-Dichlorobenzene	10	U		NA	10	UJ		NA
1,4-Dioxane	100	UJ		NA	100	UJ		NA
2,2-Dichloropropane		NA		NA		NA		NA
2-Butanone	10	U	83	U	10	UJ	10	U
2-Chloroethylvinylether		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA
2-Hexanone	10	U	83	U	10	UJ	10	U
4-Chlorotoluene		NA		NA		NA		NA
4-Methyl-2-Pentanone	10	UJ		R	10	UJ		NA
Acetone	10	U	83	U	10	UJ	10	U
Acrolein		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA
Benzene	10	U	83	U	10	UJ	10	U
Bromobenzene		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA
Bromodichloromethane	10	U	83	U	10	UJ	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
Bromoform	10	U	83	UJ	10	UJ	10	U
Bromomethane	10	U	83	U	10	UJ	10	U
Carbon Disulfide	10	U	83	U	10	UJ	10	U
Carbon Tetrachloride	10	U	83	U	10	UJ	10	U
Chlorobenzene	52		83	U	10	UJ	10	U
Chloroethane	10	U	83	U	10	UJ	10	U
Chloroform	9	J	9	J	5	J	11.5	U
Chloromethane	10	U	83	U	10	UJ	10	U
cis-1,2-Dichloroethene	24			NA	4	J		NA
cis-1,3-Dichloropropene	10	U	83	U	10	UJ	10	U
Cyclohexane	10	U		NA	10	UJ		NA
Dibromochloromethane	10	U	83	U	10	UJ	10	U
Dibromomethane		NA		NA		NA		NA
Dichlorodifluoromethane	10	UJ		NA	10	UJ		NA
Ethyl Ether		NA		NA		NA		NA
Ethylbenzene	10	U	83	U	10	UJ	10	U
Hexachlorobutadiene		NA		NA		NA		NA
Isopropylbenzene	10	U		NA	10	UJ		NA
m&p-Xylene		NA		NA		NA		NA
Methyl Acetate	10	U		NA	10	UJ		NA
Methyl tert-Butyl Ether	10	U		NA	10	UJ		NA
Methylcyclohexane	10	U		NA	10	UJ		NA
Methylene Chloride	10	UJ	83	U	10	UJ	10	U
Naphthalene		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA
Styrene	10	U	83	U	10	UJ	10	U
tert-Butylbenzene		NA		NA		NA		NA
Tetrachloroethene	14		9	J	3	J	4.5	
Tetrahydrofuran		NA		NA		NA		NA
Toluene	10	U	83	U	10	UJ	10	U
Total Xylenes	10	U	83	U	10	UJ	10	U
trans-1,2-Dichloroethene	10	U		NA	10	UJ		NA
trans-1,3-Dichloropropene	10	U	83	U	10	UJ	10	U
Trichloroethene	3900	*	840		400	*	25	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
Trichlorofluoromethane	10	U		NA	10	UJ		NA
Vinyl Acetate		NA		NA		NA		NA
Vinyl Chloride	1	U	83	U	1	UJ	10	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane	10.0	U		NA	10.0	U		NA
Ethene	10.0	U		NA	10.0	U		NA
Methane	23.0			NA	21.0			NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								
1,1'-Biphenyl	10	U		NA	10	U		NA
1,2,4-Trichlorobenzene		NA	10	U		NA	10	U
1,2-Dichlorobenzene		NA	10	U		NA	10	U
1,3-Dichlorobenzene		NA	10	U		NA	10	U
1,4-Dichlorobenzene		NA	10	U		NA	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	UJ	25	U	25	U	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
2-Chlorophenol	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	UJ	10	U	10	U
3-Nitroaniline	25	U	25	UJ	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U
4-Chloroaniline	10	UJ	10	UJ	10	UJ	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U
4-Nitroaniline	25	U	25	UJ	25	U	25	U
4-Nitrophenol	11	J	5	J	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U
Acetophenone	10	U		NA	10	U		NA
Anthracene	10	U	10	U	10	U	10	U
Atrazine	10	UJ		NA	10	U		NA
Benzaldehyde	10	U		NA	10	UJ		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U
Benzo(g,h,i)perylene	10	UJ	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U
Caprolactam	10	U		NA	10	U		NA
Carbazole	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	UJ	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
Di-n-octylphthalate	10	U	10	U	10	UJ	10	U
Fluoranthene	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	UJ	10	U	10	U
Hexachlorocyclopentadiene	10	U		R	10	U		NA
Hexachloroethane	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	UJ	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	UJ	10	U	10	U
Pentachlorophenol	25	UJ	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U
Total PAH		NA	10	U		NA	10	U
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene	0.20	U		NA	0.20	U		NA
Benzo(a)anthracene	0.20	U		NA	0.20	U		NA
Benzo(a)pyrene	0.20	UJ		NA	0.20	UJ		NA
Benzo(b)fluoranthene	0.20	U		NA	0.20	U		NA
Benzo(k)fluoranthene	0.20	U		NA	0.20	U		NA
Chrysene	0.20	U		NA	0.20	U		NA
Dibenzo(a,h)anthracene	0.20	U		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene	0.20	U		NA	0.20	U		NA
Phenanthrene	0.20	U		NA	0.20	U		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total		NA	1.1	U		NA	1.1	U
Aroclor-1016	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1221	0.25	U	2.0	U	0.25	U	2.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1242	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1248	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1254	0.25	U	1.0	U	0.25	U	1.0	U
Aroclor-1260	0.25	U	1.0	U	0.25	U	1.0	U
Aroclor-1262	0.28	U	1.0	UJ	0.28	U	1.0	U
Aroclor-1268	1.0	U	1.0	U	1.0	U	1.0	U
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.050	U	0.10	U	0.050	U	0.10	U
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.050	U	0.10	U	0.050	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.020	U	0.050	U	0.020	U	0.050	U
Heptachlor Epoxide	0.020	U	0.050	U	0.020	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD	19.9	U		NA	12.7	U		NA
1,2,3,4,6,7,8-HpCDF	8.9	U		NA	5.2	U		NA
1,2,3,4,7,8,9-HpCDF	12.6	U		NA	7.4	U		NA
1,2,3,4,7,8-HxCDD	14.2	U		NA	9.5	U		NA
1,2,3,4,7,8-HxCDF	7.2	U		NA	4.2	U		NA
1,2,3,6,7,8-HxCDD	13.7	U		NA	9.2	U		NA
1,2,3,6,7,8-HxCDF	6.9	U		NA	4.1	U		NA
1,2,3,7,8,9-HxCDD	15.2	U		NA	10.1	U		NA
1,2,3,7,8,9-HxCDF	9.7	U		NA	5.7	U		NA
1,2,3,7,8-PeCDD	11.0	U		NA	7.5	U		NA
1,2,3,7,8-PeCDF	5.8	U		NA	3.8	U		NA
2,3,4,6,7,8-HxCDF	7.3	U		NA	4.3	U		NA
2,3,4,7,8-PeCDF	6.1	U		NA	4.0	U		NA
2,3,7,8-TCDD	9.2	U		NA	5.7	U		NA
2,3,7,8-TCDF	7.2	U		NA	4.1	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
OCDD	54.1	U		NA	30.0	U		NA
OCDF	38.2	U		NA	20.6	U		NA
Total HpCDD	19.9	UJ		NA	12.7	UJ		NA
Total HpCDF	10.4	UJ		NA	6.1	UJ		NA
Total HxCDD	14.3	UJ		NA	8.4	UEMPC		NA
Total HxCDF	7.6	UJ		NA	4.5	UJ		NA
Total PeCDD	11.0	UJ		NA	7.5	UJ		NA
Total PeCDF	6.0	UJ		NA	3.9	UJ		NA
Total TCDD	9.2	UJ		NA	4.6	UEMPC		NA
Total TCDF	7.2	UJ		NA	4.1	UJ		NA
Toxicity Equivalency	0.00	U		NA	0.00	U		NA
TAL Metal Analysis (UG/L)								
Aluminum	133	U	20.0	U	98.4	UJ	506	
Antimony	3.5	U	50.0	U	1.8	UJ	50.0	U
Arsenic	2.3	U	1.0	U	3.6	UJ	1.0	U
Barium	76.5	UJ	31.5	U	84.5	J	19.45	U
Beryllium		R	1.0	U	0.20	UJ	1.0	U
Cadmium	0.50	UJ	208		110	J	2.0	U
Calcium	256000		110000		73300	J	46350	
Chromium	1.3		5.0	U	2.6	J	5.0	U
Chromium VI		NA		NA		NA		NA
Cobalt	3.5	U	34.8		24.3	J	13.4	
Copper	1.8	UJ	4.0	U	15.7	J	51.1	
Cyanide	5.6	UJ		NA	2.0	UJ		NA
Iron	159		219	U	113	J	667	
Lead	1.5	U	1.0	UJ	2.1	UJ	1.25	U
Magnesium	53000		47700		29300	J	20600	
Manganese	965		9870		6330	J	3070	
Mercury	0.10	U	0.10	U	0.10	U	0.10	U
Nickel	4.7		595		373	J	28.35	U
Potassium	11600	J	9720		9750		4090	
Selenium		R	1.0	UJ	2.1	UJ	5.0	U
Silver	0.80	UJ	3.0	U	0.80	UJ	3.0	U
Sodium	67300	J	265000		232000	J	342000	
Thallium	4.0	U	1.0	U	6.5	J	1.0	U
Vanadium	0.80	U	3.0	U	0.99	UJ	3.0	U
Zinc	15.0	UJ	989		306	J	329	
Wet Chemistry Analysis								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC13B-07		OU1-PC-13D-01		OU1-MW-PC13D-07		OU1-PC-13M-01-AVG	
Sample Location	MW-PC13B		MW-PC13D		MW-PC13D		MW-PC13M	
Date Sampled	1/29/2003		11/20/1997		1/24/2003		11/19/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		Field Dup. 7	
Zone	Bedrock		Overburden		Overburden		Overburden	
Alkalinity	88.0		57.1	J	56.0	J	63.3	
Carbon Dioxide	97.1			NA	112	J		NA
Chloride	266		389		322		273	
Ferrous Iron	0.030	U		NA	0.030			NA
Nitrate	79.9	J		NA	3.02			NA
Nitrate-Nitrite (as N)		NA	9.1			NA	0.10	U
Nitrite-N	0.070	J		NA	0.050	U		NA
Sulfate	258		456	J	413		575.5	
Sulfide	0.50	U		NA		R		NA
Total Organic Carbon	5.08			NA	5.59			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)									
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA	
1,1,1-Trichloroethane	36.5		11		12		120		2
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	20	U	10
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA		NA	10
1,1,2-Trichloroethane	10	U	10	U	10	U	20	U	10
1,1-Dichloroethane	16.5		13		6	J	20	U	2
1,1-Dichloroethene	7		4		4	J	20	U	0.9
1,1-Dichloropropene		NA		NA		NA		NA	
1,2,3-Trichlorobenzene		NA		NA		NA		NA	
1,2,3-Trichloropropane		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA	10	U		NA		NA	10
1,2,4-Trimethylbenzene		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA	10	U		NA		NA	10
1,2-Dibromoethane		NA	10	U		NA		NA	10
1,2-Dichlorobenzene		NA	10	U		NA		NA	10
1,2-Dichloroethane	10	U	10	U	10	U	20	U	10
1,2-Dichloroethene (total)	5.5			NA	10	J	4	J	
1,2-Dichloropropane	10	U	10	U	10	U	20	U	10
1,3,5-Trimethylbenzene		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA	10	U		NA		NA	10
1,3-Dichloropropane		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA	10	U		NA		NA	10
1,4-Dioxane		NA	100	UJ		NA		NA	100
2,2-Dichloropropane		NA		NA		NA		NA	
2-Butanone	10	U	10	U	10	U	20	UJ	10
2-Chloroethylvinylether		NA		NA		NA		NA	
2-Chlorotoluene		NA		NA		NA		NA	
2-Hexanone	10	U	10	U	10	U	20	UJ	10
4-Chlorotoluene		NA		NA		NA		NA	
4-Methyl-2-Pentanone	10	U	10	UJ		R	20	UJ	10
Acetone	10	U	10	U	10	U	20	UJ	10
Acrolein		NA		NA		NA		NA	
Acrylonitrile		NA		NA		NA		NA	
Benzene	10	U	10	U	10	U	20	U	10
Bromobenzene		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA	
Bromodichloromethane	10	U	10	U	10	U	20	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform	10	U	10	U	10	U	20	U	10
Bromomethane	10	U	10	U	10	U	20	U	10
Carbon Disulfide	10	U	10	U	10	U	20	U	10
Carbon Tetrachloride	10	U	10	U	10	U	18	J	10
Chlorobenzene	3		10	U	10	U	20	U	10
Chloroethane	10	U	10	U	10	U	20	U	10
Chloroform	15		2	J	10	U	20	U	10
Chloromethane	10	U	10	U	10	U	20	UJ	10
cis-1,2-Dichloroethene		NA	3	J		NA		NA	10
cis-1,3-Dichloropropene	10	U	10	U	10	U	20	U	10
Cyclohexane		NA	10	U		NA		NA	10
Dibromochloromethane	10	U	10	U	10	U	20	U	10
Dibromomethane		NA		NA		NA		NA	
Dichlorodifluoromethane		NA	10	UJ		NA		NA	10
Ethyl Ether		NA		NA		NA		NA	
Ethylbenzene	10	U	10	U	10	U	20	U	10
Hexachlorobutadiene		NA		NA		NA		NA	
Isopropylbenzene		NA	10	U		NA		NA	10
m&p-Xylene		NA		NA		NA		NA	
Methyl Acetate		NA	10	U		NA		NA	10
Methyl tert-Butyl Ether		NA	10	U		NA		NA	1
Methylcyclohexane		NA	10	U		NA		NA	10
Methylene Chloride	10	U	10	UJ	10	U	20	U	10
Naphthalene		NA		NA		NA		NA	
n-Butylbenzene		NA		NA		NA		NA	
n-Propylbenzene		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA	
p-Isopropyltoluene		NA		NA		NA		NA	
sec-Butylbenzene		NA		NA		NA		NA	
Styrene	10	U	10	U	10	U	20	U	10
tert-Butylbenzene		NA		NA		NA		NA	
Tetrachloroethene	4		5	J	10	U	20	U	10
Tetrahydrofuran		NA		NA		NA		NA	
Toluene	10	U	10	U	10	U	20	U	10
Total Xylenes	10	U	10	U	10	U	20	U	10
trans-1,2-Dichloroethene		NA	10	U		NA		NA	10
trans-1,3-Dichloropropene	10	U	10	U	10	U	20	U	10
Trichloroethene	31		42		70		300		34

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA	10	U		NA		NA	10
Vinyl Acetate		NA		NA		NA		NA	
Vinyl Chloride	10	U	1	U	6	J	20	U	1
Dissolved Methane, Ethane, Ethene Analysis (UG/L)									
Ethane		NA	10.0	U		NA		NA	10.0
Ethene		NA	10.0	U		NA		NA	10.0
Methane		NA	78.0			NA		NA	5.0
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)									
1,1'-Biphenyl		NA	10	U		NA		NA	10
1,2,4-Trichlorobenzene	10	U		NA	10	U	10	U	
1,2-Dichlorobenzene	10	U		NA	10	U	10	U	
1,3-Dichlorobenzene	10	U		NA	10	U	10	U	
1,4-Dichlorobenzene	10	U		NA	10	U	10	U	
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10
2,4-Dinitrophenol	25	U	25	UJ	25	U	25	U	25
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
2-Chlorophenol	10	U	10	U	10	U	10	U	10
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10
2-Methylphenol	10	U	10	U	10	U	10	U	10
2-Nitroaniline	25	U	25	U	25	U	25	U	25
2-Nitrophenol	10	U	10	U	10	U	10	U	10
3,3'-Dichlorobenzidine	10	U	10	U	10	UJ	10	U	10
3-Nitroaniline	25	U	25	U	25	UJ	25	U	25
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10
4-Chloroaniline	10	U	10	UJ	10	UJ	10	U	10
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10
4-Methylphenol	10	U	10	U	10	U	10	U	10
4-Nitroaniline	25	U	25	U	25	UJ	25	U	25
4-Nitrophenol	0.55		25	UJ	25	UJ	0.6	J	25
Acenaphthene	10	U	10	U	10	U	10	U	10
Acenaphthylene	10	U	10	U	10	U	10	U	10
Acetophenone		NA	10	U		NA		NA	10
Anthracene	10	U	10	U	10	U	10	U	10
Atrazine		NA	10	UJ		NA		NA	10
Benzaldehyde		NA	10	U		NA		NA	10
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10
Benzo(g,h,i)perylene	10	U	10	UJ	10	U	10	UJ	10
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10
Caprolactam		NA	10	U		NA		NA	10
Carbazole	10	U	10	U	10	U	10	U	10
Chrysene	10	U	10	U	10	U	10	U	10
Dibenzo(a,h)anthracene	10	U	10	UJ	10	U	10	UJ	10
Dibenzofuran	10	U	10	U	10	U	10	U	10
Diethylphthalate	10	U	10	U	10	U	10	U	10
Dimethylphthalate	10	U	10	U	10	U	10	U	10
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Di-n-octylphthalate	10	U	10	U	10	U	10	U	10
Fluoranthene	10	U	10	U	10	U	10	U	10
Fluorene	10	U	10	U	10	U	10	U	10
Hexachlorobenzene	10	U	10	U	10	U	10	U	10
Hexachlorobutadiene	10	U	10	U	10	UJ	10	U	10
Hexachlorocyclopentadiene	10	U	10	U		R	10	U	10
Hexachloroethane	10	U	10	U	10	U	10	U	10
Indeno(1,2,3-cd)pyrene	10	U	10	UJ	10	U	10	U	10
Isophorone	10	U	10	U	10	U	10	U	10
Naphthalene	10	U	10	U	10	U	10	U	10
Nitrobenzene	10	U	10	U	10	U	10	U	10
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U	10
N-Nitroso-diphenylamine	10	U	10	U	10	UJ	10	U	10
Pentachlorophenol	25	U	25	UJ	25	U	25	U	25
Phenanthrene	10	U	10	U	10	U	10	U	10
Phenol	10	U	10	U	10	U	10	U	10
Pyrene	10	U	10	U	10	U	10	U	10
Total PAH	10	U		NA	10	U	10	U	
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene		NA	0.20	U		NA		NA	0.20
Benzo(a)anthracene		NA	0.20	U		NA		NA	0.20
Benzo(a)pyrene		NA	0.20	UJ		NA		NA	0.20
Benzo(b)fluoranthene		NA	0.20	U		NA		NA	0.20
Benzo(k)fluoranthene		NA	0.20	U		NA		NA	0.20
Chrysene		NA	0.20	U		NA		NA	0.20
Dibenzo(a,h)anthracene		NA	0.20	U		NA		NA	0.20
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA		NA	0.20
Phenanthrene		NA	0.20	U		NA		NA	0.20
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.10
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050
alpha-BHC	0.050	U	0.050	UJ	0.050	U	0.050	U	0.050
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050
Aroclor, Total	1.1	U		NA	1.1	U	1.1	U	
Aroclor-1016	1.0	U	1.0	U	1.0	U	1.0	U	1.0
Aroclor-1221	2.0	U	0.25	U	2.0	U	2.0	U	0.25

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Aroclor-1232	1.0	U	1.0	U	1.0	U	1.0	U	1.0
Aroclor-1242	1.0	U	1.0	U	1.0	U	1.0	U	1.0
Aroclor-1248	1.0	U	1.0	U	1.0	U	1.0	U	1.0
Aroclor-1254	1.0	U	0.25	U	1.0	U	1.0	U	0.25
Aroclor-1260	1.0	U	0.25	U	1.0	U	1.0	U	0.25
Aroclor-1262	1.0	U	0.28	U	1.0	UJ	1.0	U	0.28
Aroclor-1268	1.0	U	1.0	U	1.0	U	1.0	U	1.0
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050
Dieldrin	0.10	U	0.050	U	0.10	U	0.10	U	0.050
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U	0.050
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U	0.10
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.10
Endrin	0.10	U	0.050	U	0.10	U	0.10	U	0.050
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U	0.10
gamma-BHC		NA	0.050	UJ	0.050	U		R	0.050
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050
Heptachlor	0.050	U	0.020	U	0.050	U	0.050	U	0.020
Heptachlor Epoxide	0.050	U	0.020	U	0.050	U	0.050	U	0.020
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0
Dioxin Analysis (PG/L)									
1,2,3,4,6,7,8-HpCDD		NA	3.0	U		NA		NA	2.2
1,2,3,4,6,7,8-HpCDF		NA	1.7	UEMPC		NA		NA	1.1
1,2,3,4,7,8,9-HpCDF		NA	1.7	U		NA		NA	1.3
1,2,3,4,7,8-HxCDD		NA	1.5	U		NA		NA	1.2
1,2,3,4,7,8-HxCDF		NA	2.3	U		NA		NA	2.7
1,2,3,6,7,8-HxCDD		NA	1.5	U		NA		NA	1.2
1,2,3,6,7,8-HxCDF		NA	2.1	UEMPC		NA		NA	1.5
1,2,3,7,8,9-HxCDD		NA	1.5	U		NA		NA	1.1
1,2,3,7,8,9-HxCDF		NA	2.6	U		NA		NA	0.80
1,2,3,7,8-PeCDD		NA	2.8	U		NA		NA	1.2
1,2,3,7,8-PeCDF		NA	3.1	U		NA		NA	2.4
2,3,4,6,7,8-HxCDF		NA	1.0	U		NA		NA	0.70
2,3,4,7,8-PeCDF		NA	2.5	U		NA		NA	0.70
2,3,7,8-TCDD		NA	1.3	U		NA		NA	1.1
2,3,7,8-TCDF		NA	1.0	U		NA		NA	0.80

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
OCDD		NA	15.5	U		NA		NA	8.3
OCDF		NA	3.4	U		NA		NA	2.4
Total HpCDD		NA	3.0	UJ		NA		NA	2.2
Total HpCDF		NA	1.7	UEMPC		NA		NA	1.2
Total HxCDD		NA	1.5	UJ		NA		NA	1.2
Total HxCDF		NA	7.0	UEMPC		NA		NA	4.1
Total PeCDD		NA	2.8	UJ		NA		NA	1.2
Total PeCDF		NA	5.5	UJ		NA		NA	2.4
Total TCDD		NA	1.3	UJ		NA		NA	1.1
Total TCDF		NA	1.0	UJ		NA		NA	0.80
Toxicity Equivalency		NA	0.00	U		NA		NA	0.00
TAL Metal Analysis (UG/L)									
Aluminum	552		217	U	259	U	65.2	U	45.9
Antimony	4.0	U	3.5	U	50.0	U	4.0	UJ	1.8
Arsenic	2.95	U	3.9	UJ	1.8		2.9	UJ	3.6
Barium	15.3		29.4	U	58.9		72.5		13.9
Beryllium	0.60	U	0.50	U	1.0	U	0.60	U	0.20
Cadmium	0.40	U	0.50	U	44.7		33.9		4.4
Calcium	37700		27700		40100		25700		5360
Chromium	11.0		2.0		21.7		2.3		2.7
Chromium VI		NA		NA		NA		NA	
Cobalt	18.65		6.6		32.1		23.4		3.1
Copper	86.75		5.0	U	17.6	U	36.2		9.9
Cyanide	5.4		6.7	UJ		NA	3.9		0.96
Iron	641		1930		4560		127	UJ	73.6
Lead	2.325		1.5	U	5.6	UJ	5.6	UJ	1.3
Magnesium	18650		11500		17200		10300		2210
Manganese	2660		3260		7690		3590		799
Mercury	0.10	U	0.10	U	0.10	U	0.10	U	0.10
Nickel	40.2		30.8		795		482		150
Potassium	5490		6220	J	6230		10100		3970
Selenium	1.9	U	2.1	U	1.0	UJ	1.9	U	2.5
Silver	1.1	U	0.80	UJ	3.0	U	1.1	U	0.80
Sodium	386000		294000	J	108000		106000		31400
Thallium	3.6	U	5.6	UJ	1.0	U	4.8	UJ	3.8
Vanadium	2.9	U	0.93	UJ	3.0	U	2.9	U	0.70
Zinc	25.95		31.3	U	1410		487		20.7
Wet Chemistry Analysis									

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-13M-02-AVG		OU1-MW-PC13M-07		OU1-PC-13S-01		OU1-PC-13S-02		OU1-MW-PC13S-07
Sample Location	MW-PC13M		MW-PC13M		MW-PC13S		MW-PC13S		MW-PC13S
Date Sampled	12/3/1998		1/29/2003		11/20/1997		12/3/1998		1/24/2003
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	Field Dup. OU1-PC-13M-02		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Alkalinity	34.45		352		19.8	J	19.7	U	52.0
Carbon Dioxide		NA	532			NA		NA	82.6
Chloride	316.5		230		67.6		18.2		5.48
Ferrous Iron		NA	1.8			NA		NA	0.030
Nitrate		NA	0.050	U		NA		NA	2.29
Nitrate-Nitrite (as N)	0.2625			NA	0.10	U	0.93	J	
Nitrite-N		NA	0.050	U		NA		NA	0.050
Sulfate	390		300		330	J	300	J	37.5
Sulfide		NA	0.50	U		NA		NA	
Total Organic Carbon		NA	12.6			NA		NA	4.11

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	J	10	U	1	J	10	U	150		130	
1,1,2,2-Tetrachloroethane	U	10	U	10	UJ	10	U	10	UJ	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	U	10	U		NA	10	U		NA	10	U
1,1,2-Trichloroethane	U	10	U	10	U	10	U	5	J	3	J
1,1-Dichloroethane	J	10	U	10	U	10	U	36		37	
1,1-Dichloroethene	U	0.9	U	5	J	0.9	U	64		73	
1,1-Dichloropropene	NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	UJ	10	UJ		NA	10	UJ		NA	10	UJ
1,2,4-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	U	10	U		NA	10	U		NA	10	U
1,2-Dibromoethane	U	10	U		NA	10	U		NA	10	U
1,2-Dichlorobenzene	U	10	U		NA	10	U		NA	10	U
1,2-Dichloroethane	U	10	U	10	U	10	U	5	J	4	J
1,2-Dichloroethene (total)	NA		NA	20			NA	160			NA
1,2-Dichloropropane	U	10	U	10	U	10	U	10	U	10	U
1,3,5-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	U	10	U		NA	10	U		NA	10	U
1,3-Dichloropropane	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	U	10	U		NA	10	U		NA	10	U
1,4-Dioxane	UJ	100	UJ		NA	100	UJ		NA	92	J
2,2-Dichloropropane	NA		NA		NA		NA		NA		NA
2-Butanone	U	10	U	10	UJ	10	U	10	UJ	10	U
2-Chloroethylvinylether	NA		NA		NA		NA		NA		NA
2-Chlorotoluene	NA		NA		NA		NA		NA		NA
2-Hexanone	UJ	10	UJ	10	UJ	10	UJ	10	UJ	10	UJ
4-Chlorotoluene	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	U	10	U	10	UJ	10	U	10	UJ	10	U
Acetone	UJ	10	U	57	UJ	10	U	12	UJ	10	U
Acrolein	NA		NA		NA		NA		NA		NA
Acrylonitrile	NA		NA		NA		NA		NA		NA
Benzene	U	10	U	6	J	10	U	15		13	
Bromobenzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	U	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
Bromoform	U	10	U	10	U	10	U	10	U	10	U
Bromomethane	U	10	U	10	U	10	U	3	J	10	U
Carbon Disulfide	U	10	U	10	U	10	U	10	U	10	U
Carbon Tetrachloride	U	10	U	10	U	10	U	10	U	10	U
Chlorobenzene	U	10	U	49		10	U	160		160	J
Chloroethane	U	10	U	10	U	10	U	3	J	2	J
Chloroform	U	10	U	10	U	10	U	34	U	46	
Chloromethane	U	10	U	10	U	10	U	4	J	10	U
cis-1,2-Dichloroethene	U	10	U		NA	10	U		NA	190	
cis-1,3-Dichloropropene	U	10	U	10	U	10	U	10	U	10	U
Cyclohexane	U	10	U		NA	10	U		NA	10	U
Dibromochloromethane	U	10	U	10	U	10	U	10	U	10	U
Dibromomethane	NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane	U	10	U		NA	10	U		NA	10	U
Ethyl Ether	NA		NA		NA		NA		NA		NA
Ethylbenzene	U	10	U	10	U	10	U	11		10	
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Isopropylbenzene	U	10	U		NA	10	U		NA	10	U
m&p-Xylene	NA		NA		NA		NA		NA		NA
Methyl Acetate	U	10	U		NA	10	U		NA	10	U
Methyl tert-Butyl Ether	J	10	U		NA	10	U		NA	10	U
Methylcyclohexane	U	10	U		NA	10	U		NA	10	U
Methylene Chloride	U	10	U	20	U	10	U	330	*	190	
Naphthalene	NA		NA		NA		NA		NA		NA
n-Butylbenzene	NA		NA		NA		NA		NA		NA
n-Propylbenzene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
p-Isopropyltoluene	NA		NA		NA		NA		NA		NA
sec-Butylbenzene	NA		NA		NA		NA		NA		NA
Styrene	U	10	U	10	U	10	U	10	U	10	U
tert-Butylbenzene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	U	10	U	1	J	10	U	26		21	
Tetrahydrofuran	NA		NA		NA		NA		NA		NA
Toluene	U	10	U	3	J	10	U	350	*	280	
Total Xylenes	U	10	U	2	J	10	U	120		120	
trans-1,2-Dichloroethene	U	10	U		NA	10	U		NA	10	U
trans-1,3-Dichloropropene	U	10	U	10	U	10	U	10	U	10	U
Trichloroethene		10	U	940	*	13	U	7700	*	11000	*

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
Trichlorofluoromethane	U	10	U		NA	10	U		NA	10	U
Vinyl Acetate	NA		NA		NA		NA		NA		NA
Vinyl Chloride	U	1	U	6	J	1	U	27		29	
Dissolved Methane, Ethane, Ethene Analysis (UG/L)											
Ethane	U		NA		NA	10.0	U		NA	10.0	U
Ethene	U		NA		NA	10.0	U		NA	10.0	U
Methane	U		NA		NA	5.0	U		NA	540	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	U	10	U		NA	10	U		NA	10	U
1,2,4-Trichlorobenzene	NA		NA	10	U		NA	100	U		NA
1,2-Dichlorobenzene	NA		NA	10	U		NA	100	U		NA
1,3-Dichlorobenzene	NA		NA	10	U		NA	100	U		NA
1,4-Dichlorobenzene	NA		NA	10	U		NA	100	U		NA
2,2'-oxybis(1-Chloropropane)	U	10	U	10	U	10	U	100	U	10	U
2,4,5-Trichlorophenol	U	25	U		R	25	U		R		R
2,4,6-Trichlorophenol	U	10	U		R	10	U		R		R
2,4-Dichlorophenol	U	10	U		R	10	U		R		R
2,4-Dimethylphenol	U	10	U		R	10	U		R		R
2,4-Dinitrophenol	U	25	U		R	25	U	2600	J	1700	*J
2,4-Dinitrotoluene	U	10	U	10	U	10	U	100	U	10	U
2,6-Dinitrotoluene	U	10	U	10	U	10	U	100	U	10	U
2-Chloronaphthalene	U	10	U	10	U	10	U	100	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
2-Chlorophenol	U	10	U		R	10	U		R		R
2-Methylnaphthalene	U	10	U	10	U	10	U	100	U	10	U
2-Methylphenol	U	10	U		R	10	U		R	7	J
2-Nitroaniline	U	25	U	25	UJ	25	U	250	U	25	U
2-Nitrophenol	U	10	U		R	10	U	69	J	56	J
3,3'-Dichlorobenzidine	U	10	U	10	U	10	U	100	U	10	U
3-Nitroaniline	U	25	U		R	25	U		R	25	U
4,6-Dinitro-2-methylphenol	U	25	U		R	25	U	160	J	110	J
4-Bromophenyl-phenylether	U	10	U	10	U	10	U	100	U	10	U
4-Chloro-3-methylphenol	U	10	U		R	10	U		R		R
4-Chloroaniline	UJ	10	UJ	10	U	10	UJ	100	U	10	UJ
4-Chlorophenyl-phenylether	U	10	U	10	U	10	U	100	U	10	U
4-Methylphenol	U	10	U		R	10	U		R		R
4-Nitroaniline	U	25	U	25	U	25	U	250	U	25	U
4-Nitrophenol	U	25	U		R	2	J	1300	J	890	*J
Acenaphthene	U	10	U	10	U	10	U	100	U	10	UJ
Acenaphthylene	U	10	U	10	U	10	U	100	U	10	U
Acetophenone	U	10	U		NA	10	U		NA	10	U
Anthracene	U	10	U	10	U	10	U	100	U	10	U
Atrazine	U	10	U		NA	10	U		NA	10	U
Benzaldehyde	UJ	10	UJ		NA	10	UJ		NA	120	J
Benzo(a)anthracene	U	10	U	10	U	10	U	100	U	10	U
Benzo(a)pyrene	U	10	U	10	U	10	U	100	U	600	U*
Benzo(b)fluoranthene	U	10	U	10	U	10	U	100	U	600	U*
Benzo(g,h,i)perylene	U	10	U	10	U	10	U	100	U	600	U*
Benzo(k)fluoranthene	U	10	U	10	U	10	U	100	U	600	U*
Bis(2-Chloroethoxy)methane	U	10	U	10	U	10	U	100	U	10	U
Bis(2-Chloroethyl)ether	U	10	U	10	U	10	U	100	U	10	U
bis(2-Ethylhexyl)phthalate	U	10	U	10	U	10	U	100	U	10	U
Butylbenzylphthalate	U	10	U	10	U	10	U	100	UJ	10	U
Caprolactam	U	10	U		NA	10	U		NA	10	U
Carbazole	U	10	U	10	U	10	U	100	U	10	U
Chrysene	U	10	U	10	U	10	U	100	U	10	U
Dibenzo(a,h)anthracene	U	10	U	10	U	10	U	100	U	600	U*
Dibenzofuran	U	10	U	10	U	10	U	100	U	10	U
Diethylphthalate	U	10	U	10	U	10	U	100	U	10	U
Dimethylphthalate	U	10	U	10	U	10	U	100	U	10	U
Di-n-Butylphthalate	U	10	U	10	U	10	U	100	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
Di-n-octylphthalate	U	10	UJ	10	U	10	UJ	100	UJ	600	U*
Fluoranthene	U	10	U	10	U	10	U	100	U	10	U
Fluorene	U	10	U	10	U	10	U	100	U	10	U
Hexachlorobenzene	U	10	U	10	U	10	U	100	U	10	U
Hexachlorobutadiene	U	10	U	10	U	10	U	100	U	10	U
Hexachlorocyclopentadiene	U	10	U	10	UJ	10	U	100	U	10	U
Hexachloroethane	U	10	U	10	U	10	U	100	U	10	U
Indeno(1,2,3-cd)pyrene	U	10	U	10	U	10	U	100	U	600	U*
Isophorone	U	10	U	10	U	10	U	100	U	10	U
Naphthalene	U	10	U	10	U	10	U	100	U	2	J
Nitrobenzene	U	10	U	10	U	10	U	100	U	1	J
N-Nitroso-di-n-propylamine	U	10	U	10	UJ	10	U	100	U	10	U
N-Nitroso-diphenylamine	U	10	U	10	U	10	U	100	U	10	U
Pentachlorophenol	U	25	U		R	25	U		R		R
Phenanthrene	U	10	U	10	U	10	U	100	U	10	U
Phenol	U	10	U		R	10	U		R		R
Pyrene	U	10	U	10	U	10	U	100	U	10	UJ
Total PAH	NA		NA	10	U		NA	100	U		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	U	0.20	U		NA	0.20	U		NA		R
Benzo(a)anthracene	U	0.20	U		NA	0.20	U		NA	0.20	UJ
Benzo(a)pyrene	U	0.20	UJ		NA	0.20	UJ		NA	0.20	U
Benzo(b)fluoranthene	U	0.20	U		NA	0.20	U		NA	0.20	U
Benzo(k)fluoranthene	U	0.20	U		NA	0.20	U		NA	0.20	U
Chrysene	U	0.20	U		NA	0.20	U		NA	0.20	U
Dibenzo(a,h)anthracene	U	0.20	U		NA	0.20	U		NA	0.20	U
Indeno(1,2,3-cd)pyrene	U	0.20	U		NA	0.20	U		NA	0.20	U
Phenanthrene	U	0.20	U		NA	0.20	U		NA	0.20	U
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	UJ
4,4'-DDE	U	0.10	U		R	0.10	U		R	0.10	UJ
4,4'-DDT	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	UJ
Aldrin	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	UJ
alpha-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U	0.50	U*
alpha-Chlordane	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	UJ
Aroclor, Total	NA		NA	1.1	U		NA	1.1	U		NA
Aroclor-1016	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	UJ
Aroclor-1221	U	0.25	U	2.0	U	0.25	U	2.0	U	0.25	UJ

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
Aroclor-1232	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	UJ
Aroclor-1242	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	UJ
Aroclor-1248	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	UJ
Aroclor-1254	U	0.25	U	1.0	U	0.25	U	1.0	U	0.25	UJ
Aroclor-1260	U	0.25	U	1.0	U	0.25	U	1.0	U	0.25	UJ
Aroclor-1262	U	0.28	U	1.0	U	0.28	U	1.0	U	0.28	UJ
Aroclor-1268	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	UJ
beta-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	UJ
delta-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	UJ
Dieldrin	U	0.050	U		R	0.050	U		R	0.050	UJ
Endosulfan I	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	UJ
Endosulfan II	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	UJ
Endosulfan Sulfate	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	UJ
Endrin	U	0.050	U	0.10	U	0.050	U	0.10	U	0.050	UJ
Endrin Aldehyde	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	UJ
Endrin Ketone	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	UJ
gamma-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U		R
gamma-Chlordane	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	UJ
Heptachlor	U	0.020	U	0.050	U	0.020	U	0.050	U	0.020	UJ
Heptachlor Epoxide	U	0.020	U	0.050	U	0.020	U	0.050	U	0.020	UJ
Methoxychlor	U	0.50	U	0.50	U	0.50	U	0.50	U	0.50	UJ
Toxaphene	U	5.0	U	5.0	U	5.0	U	5.0	U	5.0	UJ
Dioxin Analysis (PG/L)											
1,2,3,4,6,7,8-HpCDD	U		NA		NA	5.3	J		NA	3.6	U
1,2,3,4,6,7,8-HpCDF	U		NA		NA	2.1	J		NA	2.0	U
1,2,3,4,7,8,9-HpCDF	U		NA		NA	1.2	U		NA	2.4	U
1,2,3,4,7,8-HxCDD	U		NA		NA	1.0	U		NA	1.9	U
1,2,3,4,7,8-HxCDF	U		NA		NA	0.70	U		NA	1.4	U
1,2,3,6,7,8-HxCDD	U		NA		NA	1.0	U		NA	2.0	U
1,2,3,6,7,8-HxCDF	UEMPC		NA		NA	0.70	U		NA	1.3	U
1,2,3,7,8,9-HxCDD	U		NA		NA	1.0	U		NA	1.9	U
1,2,3,7,8,9-HxCDF	U		NA		NA	0.80	U		NA	1.6	U
1,2,3,7,8-PeCDD	U		NA		NA	1.4	U		NA	2.7	U
1,2,3,7,8-PeCDF	U		NA		NA	0.80	U		NA	1.6	U
2,3,4,6,7,8-HxCDF	U		NA		NA	0.70	U		NA	1.4	U
2,3,4,7,8-PeCDF	U		NA		NA	0.80	U		NA	1.6	U
2,3,7,8-TCDD	U		NA		NA	1.1	U		NA	2.1	U
2,3,7,8-TCDF	U		NA		NA	0.70	U		NA	1.5	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
OCDD	UEMPC		NA		NA	34.4	JB		NA	5.7	U
OCDF	U		NA		NA	4.6	EMPC		NA	4.0	U
Total HpCDD	UJ		NA		NA	9.0			NA	3.6	U
Total HpCDF	UJ		NA		NA	2.1			NA	2.2	U
Total HxCDD	UJ		NA		NA	1.0	U		NA	1.9	U
Total HxCDF	UEMPC		NA		NA	0.70	U		NA	1.4	U
Total PeCDD	UJ		NA		NA	1.4	U		NA	2.7	U
Total PeCDF	UJ		NA		NA	0.80	U		NA	1.6	U
Total TCDD	UJ		NA		NA	1.1	U		NA	2.1	U
Total TCDF	UJ		NA		NA	0.70	U		NA	1.5	U
Toxicity Equivalency	U		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	UJ	413	J	71.5	UJ	174	UJ	116000	J	47600	J
Antimony	UJ	1.8	UJ	50.0	U	1.8	UJ	50.0	U	1.8	UJ
Arsenic	UJ	3.6	UJ	1.7	J	3.6	UJ	1.0	UJ	9.9	J
Barium	UJ	1.3	UJ	91.2	J	27.6	J	102	J	48.3	J
Beryllium	UJ	0.20	UJ	1.0	U	0.20	UJ	15.3		8.4	J
Cadmium	J	1.7	UJ	2.0	U	0.30	UJ	8.8		5.1	J
Calcium	J	14200	J	278000		10600	J	278000		199000	J
Chromium	UJ	21.9	J	18.6	J	3.7	UJ	50.8	J	17.2	J
Chromium VI	NA		NA		NA		NA		NA		NA
Cobalt	J	4.2	J	3.0	U	0.90	UJ	307	J	196	J
Copper	J	11.4	J	29.5	J	8.1	J	3410		1300	J
Cyanide	UJ		NA		NA	1.1	UJ		NA	48.4	J
Iron	UJ	165	J	325	UJ	441	J	4290	J	2380	J
Lead	UJ	1.3	UJ	1.8	UJ	2.7	UJ	672	J	12.6	UJ
Magnesium	J	2170	J	38700		1160	J	150000		100000	J
Manganese	J	40.4	UJ	277	J	49.6	J	23800	J	15000	J
Mercury	U	0.10	U	0.10	U	0.10	U	0.13	J	0.10	U
Nickel	J	398	J	16.5	J	22.2	J	562		324	J
Potassium		1470		16100	J	1140		14800	J	15300	
Selenium	UJ	2.1	UJ	1.0	UJ	2.1	UJ	5.0	UJ	7.7	UJ
Silver	UJ	0.80	UJ	3.0	UJ	0.80	UJ	3.0	UJ	0.80	UJ
Sodium	J	5940	J	39100	J	44700	J	256000	J	210000	J
Thallium	UJ	3.8	UJ	1.0	UJ	3.8	UJ	1.0	UJ	20.6	J
Vanadium	UJ	7.4	J	3.0	U	2.8	UJ		R	0.70	UJ
Zinc	J	18.9	J		R	175	J	2290	J	1210	J
Wet Chemistry Analysis											

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-PZ13-07		OU1-PC-14B-01		OU1-MW-PC14B-07		OU1-PC-14D-01		OU1-MW-PC14D-07	
Sample Location		MW-PZ13		MW-PC14B		MW-PC14B		MW-PC14D		MW-PC14D	
Date Sampled		1/23/2003		12/9/1997		1/23/2003		12/9/1997		1/22/2003	
Interval		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Bedrock		Bedrock		Overburden		Overburden	
Alkalinity	J		NA	15.5	J	14.0	J	2.0	U		R
Carbon Dioxide	J		NA		NA	15.4	J		NA		R
Chloride			NA	128		66.6		656		608	
Ferrous Iron	U		NA		NA	0.030	U		NA	3.2	
Nitrate			NA		NA	0.93			NA	278	J
Nitrate-Nitrite (as N)	NA		NA	148	J		NA	421	J		NA
Nitrite-N	U		NA		NA	0.050	U		NA	3.24	
Sulfate			NA	260		5.0	U	219		270	
Sulfide	R		NA		NA		R		NA		R
Total Organic Carbon			NA		NA	2.05			NA	96.6	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA	1	U
1,1,1-Trichloroethane	3	J	200	U	7	J	10	U	22	
1,1,2,2-Tetrachloroethane	10	UJ	200	U	10	U	10	U	1	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA	10	U	10	U	1	U
1,1,2-Trichloroethane	10	U	200	U	10	U	10	U	1	U
1,1-Dichloroethane	32		200	U	29		10	U	3.9	
1,1-Dichloroethene	7	J	200	U	12		0.9	U	11	
1,1-Dichloropropene		NA		NA		NA		NA	1	U
1,2,3-Trichlorobenzene		NA		NA		NA		NA	1	U
1,2,3-Trichloropropane		NA		NA		NA		NA	1	U
1,2,4-Trichlorobenzene		NA		NA	10	UJ	10	UJ	1	U
1,2,4-Trimethylbenzene		NA		NA		NA		NA	1	U
1,2-Dibromo-3-chloropropane		NA		NA	10	U	10	U	1	U
1,2-Dibromoethane		NA		NA	10	U	10	U	1	U
1,2-Dichlorobenzene		NA		NA	10	U	10	U	1	U
1,2-Dichloroethane	3	J	200	U	10	U	10	U	1	U
1,2-Dichloroethene (total)	1700	*	2600			NA		NA		NA
1,2-Dichloropropane	10	U	200	U	10	U	10	U	1	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA	1	U
1,3-Dichlorobenzene		NA		NA	10	U	10	U	1	U
1,3-Dichloropropane		NA		NA		NA		NA	1	U
1,4-Dichlorobenzene		NA		NA	10	U	10	U	1	U
1,4-Dioxane		NA		NA	100	UJ	100	UJ		NA
2,2-Dichloropropane		NA		NA		NA		NA	1	U
2-Butanone	10	UJ	200	UJ	10	U	10	U	4	U
2-Chloroethylvinylether		NA		NA		NA		NA	3	U
2-Chlorotoluene		NA		NA		NA		NA	1	U
2-Hexanone	10	UJ	200	UJ	10	UJ	10	UJ	0.6	U
4-Chlorotoluene		NA		NA		NA		NA	1	U
4-Methyl-2-Pentanone	10	UJ	200	U	10	U	10	U	0.5	U
Acetone	10	UJ	200	UJ	10	UJ	10	U	3.8	BJ
Acrolein		NA		NA		NA		NA	10	U
Acrylonitrile		NA		NA		NA		NA	5	U
Benzene	45		28	J	13		10	U	1	U
Bromobenzene		NA		NA		NA		NA	1	U
Bromochloromethane		NA		NA		NA		NA	1	U
Bromodichloromethane	10	U	200	U	10	U	10	U	1	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	200	U	10	U	10	U	1	U
Bromomethane	10	U	200	U	10	U	10	U	1	U
Carbon Disulfide	10	U	200	U	10	U	10	U	3	U
Carbon Tetrachloride	10	U	200	U	10	U	10	U	1	U
Chlorobenzene	700	*	960		740	*	10	U	1	U
Chloroethane	3	J	200	U	10	U	10	U	1	U
Chloroform	180	U	200	U	61		10	U	1	U
Chloromethane	10	U	200	U	10	U	10	U	1	U
cis-1,2-Dichloroethene		NA		NA	2500	*	10	U	5.9	
cis-1,3-Dichloropropene	10	U	200	U	10	U	10	U	1	U
Cyclohexane		NA		NA	10	U	10	U		NA
Dibromochloromethane	10	U	200	U	10	U	10	U	1	U
Dibromomethane		NA		NA		NA		NA	1	U
Dichlorodifluoromethane		NA		NA	10	U	10	U	1	U
Ethyl Ether		NA		NA		NA		NA	3	U
Ethylbenzene	47		48	J	16		10	U	1	U
Hexachlorobutadiene		NA		NA		NA		NA	1	U
Isopropylbenzene		NA		NA	10	U	10	U	1	U
m&p-Xylene		NA		NA		NA		NA	2	U
Methyl Acetate		NA		NA	10	U	10	U		NA
Methyl tert-Butyl Ether		NA		NA	10	U	10	U	1	U
Methylcyclohexane		NA		NA	10	U	10	U		NA
Methylene Chloride	13	U	200	U	10	U	10	U	1	U
Naphthalene		NA		NA		NA		NA	1	U
n-Butylbenzene		NA		NA		NA		NA	1	U
n-Propylbenzene		NA		NA		NA		NA	1	U
o-Xylene		NA		NA		NA		NA	1	U
p-Isopropyltoluene		NA		NA		NA		NA	1	U
sec-Butylbenzene		NA		NA		NA		NA	1	U
Styrene	10	U	200	U	10	U	10	U	1	U
tert-Butylbenzene		NA		NA		NA		NA	1	U
Tetrachloroethene	10	U	200	U	10	U	10	U	1	U
Tetrahydrofuran		NA		NA		NA		NA	7	U
Toluene	32		38	J	140		10	U	0.79	L
Total Xylenes	47		87	J	47		10	U		NA
trans-1,2-Dichloroethene		NA		NA	5	J	10	U	1	U
trans-1,3-Dichloropropene	10	U	200	U	10	U	10	U	1	U
Trichloroethene	120	J	200	U	180		10	U	11	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA	10	U	10	U	1	U
Vinyl Acetate		NA		NA		NA		NA	6	U
Vinyl Chloride	680	*	1500		530	*	1	U	1	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA	39.0			NA		NA
Ethene		NA		NA	69.0			NA		NA
Methane		NA		NA	930			NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA	22	
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA	10	
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA	0.7	U
Chlorobenzene		NA		NA		NA		NA	2	U
cis-1,2-Dichloroethene		NA		NA		NA		NA	5.8	
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA	0.5	U
Toluene		NA		NA		NA		NA	1	U
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA	14	
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA	10	U	10	U		NA
1,2,4-Trichlorobenzene	20	U	10	U		NA		NA		NA
1,2-Dichlorobenzene	20	U	0.9	J		NA		NA		NA
1,3-Dichlorobenzene	20	U	10	U		NA		NA		NA
1,4-Dichlorobenzene	20	U	10	U		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	20	U	10	U	10	U	10	U		NA
2,4,5-Trichlorophenol	50	U	25	U	25	U	25	U		NA
2,4,6-Trichlorophenol	20	U	10	U	10	U	10	U		NA
2,4-Dichlorophenol	20	U	10	U	10	U	10	U		NA
2,4-Dimethylphenol	20	U	66		10	U	10	U		NA
2,4-Dinitrophenol	50	U	25	U	25	U	25	U		NA
2,4-Dinitrotoluene	20	U	10	U	10	U	10	U		NA
2,6-Dinitrotoluene	20	U	10	U	10	U	10	U		NA
2-Chloronaphthalene	20	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	20	U	10	U	10	U	10	U		NA
2-Methylnaphthalene	20	U	10	U	10	U	10	U		NA
2-Methylphenol	24	J	44		10	U	10	U		NA
2-Nitroaniline	50	U	25	U	25	U	25	U		NA
2-Nitrophenol	20	U	10	U	10	U	10	U		NA
3,3'-Dichlorobenzidine	20	UJ	10	U	10	U	10	U		NA
3-Nitroaniline		R	25	U	25	U	25	U		NA
4,6-Dinitro-2-methylphenol	50	U	25	U	25	U	25	U		NA
4-Bromophenyl-phenylether	20	U	10	U	10	U	10	U		NA
4-Chloro-3-methylphenol	20	U	9	J	10	U	10	U		NA
4-Chloroaniline	20	U	10	U	10	UJ	10	UJ		NA
4-Chlorophenyl-phenylether	20	U	10	U	10	U	10	U		NA
4-Methylphenol	92		29		10	U	10	U		NA
4-Nitroaniline	50	U	25	UJ	25	U	25	U		NA
4-Nitrophenol	50	U	25	UJ	25	U	25	U		NA
Acenaphthene	20	U	10	U	10	U	10	U		NA
Acenaphthylene	20	U	10	U	10	U	10	U		NA
Acetophenone		NA		NA	10	U	10	U		NA
Anthracene	20	U	10	U	10	U	10	U		NA
Atrazine		NA		NA	10	U	10	U		NA
Benzaldehyde		NA		NA	10	UJ	10	UJ		NA
Benzo(a)anthracene	20	U	10	U	10	U	10	U		NA
Benzo(a)pyrene	20	U	10	U	10	U	10	U		NA
Benzo(b)fluoranthene	20	U	10	U	10	U	10	U		NA
Benzo(g,h,i)perylene	20	U	10	U	10	UJ	10	UJ		NA
Benzo(k)fluoranthene	20	U	10	U	10	U	10	U		NA
Bis(2-Chloroethoxy)methane	20	U	10	U	10	U	10	U		NA
Bis(2-Chloroethyl)ether	20	U	10	U	10	U	10	U		NA
bis(2-Ethylhexyl)phthalate	20	U	10	U	10	U	10	U		NA
Butylbenzylphthalate	20	U	10	U	10	U	10	U		NA
Caprolactam		NA		NA	10	U	7	J		NA
Carbazole	20	UJ	10	U	10	U	10	U		NA
Chrysene	20	U	10	U	10	U	10	U		NA
Dibenzo(a,h)anthracene	20	U	10	U	10	UJ	10	UJ		NA
Dibenzofuran	20	U	10	U	10	U	10	U		NA
Diethylphthalate	20	U	10	U	10	U	10	U		NA
Dimethylphthalate	20	U	10	U	10	U	10	U		NA
Di-n-Butylphthalate	20	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	20	U	10	U	10	UJ	10	UJ		NA
Fluoranthene	20	U	10	UJ	10	U	10	U		NA
Fluorene	20	U	10	U	10	U	10	U		NA
Hexachlorobenzene	20	U	10	U	10	U	10	U		NA
Hexachlorobutadiene	20	U	10	U	10	U	10	U		NA
Hexachlorocyclopentadiene	20	U	10	U	10	U	10	U		NA
Hexachloroethane	20	U	10	U	10	U	10	U		NA
Indeno(1,2,3-cd)pyrene	20	U	10	U	10	UJ	10	UJ		NA
Isophorone	20	U	10	U	10	U	10	U		NA
Naphthalene	3	J	8	J	10	U	10	U		NA
Nitrobenzene	20	U	10	U	10	U	10	U		NA
N-Nitroso-di-n-propylamine	20	U	10	U	10	U	10	U		NA
N-Nitroso-diphenylamine	20	U	10	U	10	U	10	U		NA
Pentachlorophenol	50	U	25	U	25	U	25	U		NA
Phenanthrene	20	U	10	U	10	U	10	U		NA
Phenol	20	U	10	U	10	U	10	U		NA
Pyrene	20	U	10	U	10	U	10	U		NA
Total PAH	3		8			NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA	0.20	U	0.20	U		NA
Benzo(a)anthracene		NA		NA	0.20	U	0.20	U		NA
Benzo(a)pyrene		NA		NA	0.20	U	0.20	U		NA
Benzo(b)fluoranthene		NA		NA	0.20	U	0.20	U		NA
Benzo(k)fluoranthene		NA		NA	0.20	U	0.20	U		NA
Chrysene		NA		NA	0.20	U	0.20	U		NA
Dibenzo(a,h)anthracene		NA		NA	0.20	U	0.20	U		NA
Indeno(1,2,3-cd)pyrene		NA		NA	0.20	U	0.20	U		NA
Phenanthrene		NA		NA	0.20	U	0.20	U		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U		NA
4,4'-DDE		R	0.10	U	0.10	U	0.10	U		NA
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U		NA
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U		NA
alpha-BHC	0.050	U	0.0036	J	0.050	U	0.050	U		NA
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Aroclor, Total	1.1	U	1.1	U		NA		NA		NA
Aroclor-1016	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1221	2.0	U	2.0	U	0.25	U	0.25	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1242	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1248	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1254	1.0	U	1.0	U	0.25	U	0.25	U		NA
Aroclor-1260	1.0	U	1.0	U	0.25	U	0.25	U		NA
Aroclor-1262	1.0	U	1.0	U	0.28	U	0.28	U		NA
Aroclor-1268	1.0	U	1.0	U	1.0	U	1.0	U		NA
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
Dieldrin		R	0.10	U	0.050	U	0.050	U		NA
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U		NA
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin	0.10	U	0.041	J	0.050	U	0.050	U		NA
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U		NA
gamma-BHC	0.050	UJ		R	0.050	U	0.050	U		NA
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Heptachlor	0.050	U	0.050	U	0.020	U	0.020	U		NA
Heptachlor Epoxide	0.050	U	0.050	U	0.020	U	0.020	U		NA
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U		NA
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA	2.2	U		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA	1.2	U		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA	1.5	U		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA	1.2	U		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA	3.5	EMPC		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA	1.2	U		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA	3.2	JB		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA	1.2	U		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA	4.2	JB		NA		NA
1,2,3,7,8-PeCDD		NA		NA	1.6	U		NA		NA
1,2,3,7,8-PeCDF		NA		NA	1.0	U		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA	3.2	JB		NA		NA
2,3,4,7,8-PeCDF		NA		NA	1.0	U		NA		NA
2,3,7,8-TCDD		NA		NA	1.2	U		NA		NA
2,3,7,8-TCDF		NA		NA	0.90	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA		NA	14.4	JB		NA		NA
OCDF		NA		NA	7.3	JB		NA		NA
Total HpCDD		NA		NA	2.2	U		NA		NA
Total HpCDF		NA		NA	1.3	U		NA		NA
Total HxCDD		NA		NA	1.2	U		NA		NA
Total HxCDF		NA		NA	14.0	EMPC		NA		NA
Total PeCDD		NA		NA	1.6	U		NA		NA
Total PeCDF		NA		NA	1.0	U		NA		NA
Total TCDD		NA		NA	1.2	U		NA		NA
Total TCDF		NA		NA	0.90	U		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	47.6	UJ	35.3		245	UJ	207	UJ		NA
Antimony	50.0	U	4.0	U	1.8	UJ	1.8	UJ		NA
Arsenic	39.8		55.5		28.5	J	3.6	UJ		NA
Barium	333	J	237		48.4	J	3.5	UJ		NA
Beryllium	1.0	U	0.60	U	0.20	UJ	0.20	UJ		NA
Cadmium	2.0	U	4.9		0.30	UJ	0.60	UJ		NA
Calcium	40500		48800		40200	J	8330	J		NA
Chromium	5.0	UJ	0.90	U	0.88	UJ	4.1	UJ		NA
Chromium VI		NA		NA		NA		NA		NA
Cobalt		R	3.2	U	14.3	J	0.90	UJ		NA
Copper		R	2.3	U	11.3	J	8.6	J		NA
Cyanide		NA	7.3		7.3	J		NA		NA
Iron	127000	J	157000		134000	J	135	J		NA
Lead	1.0	UJ	1.7	U	4.3	UJ	1.5	UJ		NA
Magnesium	117000		103000		98100	J	2110	J		NA
Manganese	1220	J	1320		3970	J	35.5	UJ		NA
Mercury	0.10	U	0.10	U	0.10	U	0.10	U		NA
Nickel	15.3	J	6.9		9.2	J	74.0	J		NA
Potassium	21000	J	30100		19800		670			NA
Selenium	1.0	UJ	3.9		4.8	UJ	2.1	UJ		NA
Silver	3.0	UJ	3.9		0.80	UJ	0.80	UJ		NA
Sodium	128000	J	139000		88300	J	7980	J		NA
Thallium	1.0	UJ	7.7		12.4	J	3.8	UJ		NA
Vanadium		R	2.9	U	0.70	UJ	1.7	UJ		NA
Zinc	482	J	8.9		86.9	J	30.8	J		NA
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-14S-01		OU1-PC-14S-02		OU1-MW-PC14S-07		OU2-MW-PZ14-07		RM-GW15-0022.5	
Sample Location	MW-PC14S		MW-PC14S		MW-PC14S		MW-PZ14		15	
Date Sampled	12/9/1997		12/2/1998		1/23/2003		1/23/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-22.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity	400	J	322		108	J		NA		NA
Carbon Dioxide		NA		NA	275	J		NA		NA
Chloride	168		258		91.1			NA		NA
Ferrous Iron		NA		NA	96.0			NA		NA
Nitrate		NA		NA	0.050	U		NA		NA
Nitrate-Nitrite (as N)	0.36	J	0.050	UJ		NA		NA		NA
Nitrite-N		NA		NA	0.050	U		NA		NA
Sulfate	311		467	J	718			NA		NA
Sulfide		NA		NA	0.84	J		NA		NA
Total Organic Carbon		NA		NA	16.9			NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane	2	U	5	U	10	U		NA		NA
1,1,1-Trichloroethane	90		110		89		2500	U	400	U
1,1,2,2-Tetrachloroethane	2	U	5	U	10	U	2500	U	400	U
1,1,2-Trichloro-1,2,2-trifluoroethane	2	U	5	U	10	U		NA		NA
1,1,2-Trichloroethane	2	U	5	U	10	U	2500	U	400	U
1,1-Dichloroethane	34		47		20		2500	U	400	U
1,1-Dichloroethene	65		80		35		2500	U	400	U
1,1-Dichloropropene	2	U	5	U	10	U		NA		NA
1,2,3-Trichlorobenzene	2	U	5	U	10	U		NA		NA
1,2,3-Trichloropropane	2	U	5	U	10	U		NA		NA
1,2,4-Trichlorobenzene	2	U	5	U	10	U		NA		NA
1,2,4-Trimethylbenzene	2	U	5	U	10	U		NA		NA
1,2-Dibromo-3-chloropropane	2	U	5	U	10	U		NA		NA
1,2-Dibromoethane	2	U	5	U	10	U		NA		NA
1,2-Dichlorobenzene	2	U	5	U	10	U		NA		NA
1,2-Dichloroethane	2	U	5	U	10	U	2500	U	400	U
1,2-Dichloroethene (total)		NA		NA		NA	2500	U	400	U
1,2-Dichloropropane	2	U	5	U	10	U	2500	U	400	U
1,3,5-Trimethylbenzene	2	U	5	U	10	U		NA		NA
1,3-Dichlorobenzene	2	U	5	U	10	U		NA		NA
1,3-Dichloropropane	2	U	5	U	10	U		NA		NA
1,4-Dichlorobenzene	2	U	5	U	10	U		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane	2	U	5	U	10	U		NA		NA
2-Butanone	8	U	20	U	40	U	2500	U	400	U
2-Chloroethylvinylether	6	U	15	U	30	U		NA		NA
2-Chlorotoluene	2	U	5	U	10	U		NA		NA
2-Hexanone	1.2	U	3	U	6	U	2500	U	400	U
4-Chlorotoluene	2	U	5	U	10	U		NA		NA
4-Methyl-2-Pentanone	1	U	2.5	U	5	U	2500	U	400	U
Acetone	7.2	BJ	14	JB	49	JB	1400	JTB	250	JTB
Acrolein	20	U	50	U	100	U		NA		NA
Acrylonitrile	10	U	25	U	50	U		NA		NA
Benzene	2	U	5	U	10	U	2500	U	400	U
Bromobenzene	2	U	5	U	10	U		NA		NA
Bromochloromethane	2	U	5	U	10	U		NA		NA
Bromodichloromethane	2	U	5	U	10	U	2500	U	400	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	2	U	5	U	10	U	2500	U	400	U
Bromomethane	2	U	5	U	10	U	2500	U	400	U
Carbon Disulfide	6	U	15	U	30	U	2500	UJ	400	UJ
Carbon Tetrachloride	2	U	5	U	10	U	2500	U	400	U
Chlorobenzene	2	U	5	U	10	U	2500	U	400	U
Chloroethane	2	U	5	U	10	U	2500	UJ	400	UJ
Chloroform	2	U	5	U	10	U	2500	U	400	U
Chloromethane	2	U	5	U	10	U	2500	U	400	U
cis-1,2-Dichloroethene	52		73		30			NA		NA
cis-1,3-Dichloropropene	2	U	5	U	10	U	2500	U	400	U
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	2	U	5	U	10	U	2500	U	400	U
Dibromomethane	2	U	5	U	10	U		NA		NA
Dichlorodifluoromethane	2	U	5	U	10	U		NA		NA
Ethyl Ether	6	U	15	U	30	U		NA		NA
Ethylbenzene	2	U	5	U	10	U	1200	J	1200	
Hexachlorobutadiene	2	U	5	U	10	U		NA		NA
Isopropylbenzene	2	U	5	U	10	U		NA		NA
m&p-Xylene	4	U	10	U	20	U		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	2	U	5	U	10	U		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	2	U	5	U	10	U	2500	U	44	J
Naphthalene	2	U	5	U	10	U		NA		NA
n-Butylbenzene	2	U	5	U	10	U		NA		NA
n-Propylbenzene	2	U	5	U	10	U		NA		NA
o-Xylene	2	U	5	U	10	U		NA		NA
p-Isopropyltoluene	2	U	5	U	10	U		NA		NA
sec-Butylbenzene	2	U	5	U	10	U		NA		NA
Styrene	2	U	5	U	10	U	2500	U	400	U
tert-Butylbenzene	2	U	5	U	10	U		NA		NA
Tetrachloroethene	2	U	5	U	10	U	2500	U	400	U
Tetrahydrofuran	14	U	35	U	70	U		NA		NA
Toluene	2.3		5	U	10	U	48000		2700	
Total Xylenes		NA		NA		NA	8000		4600	
trans-1,2-Dichloroethene	2	U	5	U	10	U		NA		NA
trans-1,3-Dichloropropene	2	U	5	U	10	U	2500	U	400	U
Trichloroethene	120		160		73		2500	U	400	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	2	U	5	U	10	U		NA		NA
Vinyl Acetate	12	U	30	U	60	U		NA		NA
Vinyl Chloride	2	U	5	U	10	U	2500	U	400	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	90		101			NA	5000	U	500	U
1,1-Dichloroethane		NA		NA		NA	5000	U	500	U
1,1-Dichloroethene	69		87			NA	5000	U	500	U
1,2-Dichloroethane		NA		NA		NA	5000	U	500	U
Benzene	22	U	20	U		NA	5000	U	500	U
Chlorobenzene	62	U	50	U		NA	5000	U	500	U
cis-1,2-Dichloroethene	44		57			NA	5000	U	500	U
Ethylbenzene		NA		NA		NA	5000	U	1300	
m&p-Xylene		NA		NA		NA	5000	U	4800	
o-Xylene		NA		NA		NA	5000	U	500	U
Tetrachloroethene	16	U	13	U		NA	5000	U	500	U
Toluene	31	U	25	U		NA	54000		3000	
trans-1,2-Dichloroethene		NA		NA		NA	5000	U	500	U
Trichloroethene	118		161			NA	5000	U	500	U
Vinyl Chloride		NA		NA		NA	5000	U	500	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA	35.6	U	35.6	U
Antimony		NA		NA		NA	25.2	U	25.2	U
Arsenic		NA		NA		NA	6.1		28.0	
Barium		NA		NA		NA	282		177	
Beryllium		NA		NA		NA	2.3	U	2.3	U
Cadmium		NA		NA		NA	4.3	U	4.3	U
Calcium		NA		NA		NA	23400		12100	
Chromium		NA		NA		NA	6.3	U	6.3	U
Chromium VI		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA	5.5	U	5.5	U
Copper		NA		NA		NA	5.2	U	5.2	U
Cyanide		NA		NA		NA		NA		NA
Iron		NA		NA		NA	50100	J	77500	J
Lead		NA		NA		NA	0.90	UJ	1.0	UJ
Magnesium		NA		NA		NA	7540		5490	
Manganese		NA		NA		NA	11300		11300	
Mercury		NA		NA		NA	0.20	U	0.20	U
Nickel		NA		NA		NA	13.8	U	13.8	U
Potassium		NA		NA		NA	5070		3350	
Selenium		NA		NA		NA	1.4	U	1.4	U
Silver		NA		NA		NA	3.7	U	3.7	U
Sodium		NA		NA		NA	91100		24500	U
Thallium		NA		NA		NA	0.80	UJ	0.80	UJ
Vanadium		NA		NA		NA	3.0	U	3.0	U
Zinc		NA		NA		NA	33.5	U	31.9	U
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW15-0027.5		RM-GW15-0032.5		RM-GW15-0043		AA-DPA1-5-0914		AA-DPA1-5-1924	
Sample Location	15		15		15		AA-DPA1-5		AA-DPA1-5	
Date Sampled	2/25/2002		2/25/2002		2/25/2002		9/9/1997		9/9/1997	
Interval	0.0-27.5		0.0-32.5		0.0-43.0		9.0-14.0		19.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	7	J	25	J	6	J	10	U	20	U
1,1,2,2-Tetrachloroethane	10	UJ	100	U	10	U	10	UJ	20	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA	10	U		NA		NA
1,1,2-Trichloroethane	10	UJ	100	U	10	U	10	U	20	U
1,1-Dichloroethane	56	J	78	J	46		120		24	
1,1-Dichloroethene	14	J	16	J	12		10	U	20	UJ
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA	10	U		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA	10	U		NA		NA
1,2-Dibromoethane		NA		NA	10	U		NA		NA
1,2-Dichlorobenzene		NA		NA	10	U		NA		NA
1,2-Dichloroethane	10	UJ	100	U	10	U	10	U	20	UJ
1,2-Dichloroethene (total)	98	J	390			NA	200		26	
1,2-Dichloropropane	10	UJ	100	U	10	U	10	U	20	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA	10	U		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA	10	U		NA		NA
1,4-Dioxane		NA		NA	450	J		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone	10	UJ	100	UJ	10	U	10	U	20	UJ
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone	10	UJ	100	UJ	10	U	10	UJ	20	UJ
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	10	U	100	UJ	10	U	10	U	20	U
Acetone	10	UJ	100	UJ	10	U	10	U	20	UJ
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene	10	J	13	J	6	J	3	J	2	J
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane	10	UJ	100	U	10	U	10	U	20	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
Bromoform	10	UJ	100	U	10	U	10	U	20	U
Bromomethane	10	UJ	100	U	10	U	10	UJ	20	U
Carbon Disulfide	10	UJ	100	U	10	U	10	U	20	U
Carbon Tetrachloride	10	UJ	100	U	10	U	10	U	20	U
Chlorobenzene	220	*	320		210		190	*	180	
Chloroethane	10	UJ	100	U	1	J	520	*	120	
Chloroform	10	UJ	100	U	1	J	10	U	20	U
Chloromethane	10	UJ	100	UJ	10	U	10	U	20	U
cis-1,2-Dichloroethene		NA		NA	140			NA		NA
cis-1,3-Dichloropropene	10	UJ	100	U	10	U	10	U	20	U
Cyclohexane		NA		NA	10	U		NA		NA
Dibromochloromethane	10	UJ	100	U	10	U	10	U	20	U
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA	10	UJ		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene	10	U	100	U	10	U	4	J	20	U
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA	10	U		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA	10	U		NA		NA
Methyl tert-Butyl Ether		NA		NA	10	U		NA		NA
Methylcyclohexane		NA		NA	10	U		NA		NA
Methylene Chloride	12	UJ	100	U	10	UJ	10	U	20	U
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene	10	U	100	U	10	U	10	U	20	U
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene	10	U	100	U	1	J	10	U	20	U
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene	10	U	100	U	10	U	9	J	20	U
Total Xylenes	2	J	100	U	10	U	7	J	2	J
trans-1,2-Dichloroethene		NA		NA	1	J		NA		NA
trans-1,3-Dichloropropene	10	UJ	100	U	10	U	10	U	20	U
Trichloroethene	1200	*	1300		1200	*	4	J	3	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
Trichlorofluoromethane		NA		NA	10	UJ		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride	19	J	100	U	10		95		10	J
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA	10.0	U		NA		NA
Ethene		NA		NA	10.0	U		NA		NA
Methane		NA		NA	42.0			NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA	10	U		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U		NA	10	U	10	U
1,2-Dichlorobenzene	10	U	10	U		NA	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U		NA	10	U	10	U
1,4-Dichlorobenzene	10	U	10	U		NA	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	UJ	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol		R	25	UJ	25	UJ		R	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	0.6	J
2-Nitroaniline	25	U	25	U	25	UJ	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	0.8	J	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	UJ	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U	0.9	J
4-Nitroaniline	25	UJ	25	U	25	UJ	25	U	25	U
4-Nitrophenol	25	UJ	15	J	12	J	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone		NA		NA	10	UJ		NA		NA
Anthracene	10	U	10	U	10	U	10	U	10	U
Atrazine		NA		NA	10	U		NA		NA
Benzaldehyde		NA		NA	10	UJ		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U
Benzo(g,h,i)perylene	10	U	10	UJ	10	UJ	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	U
Caprolactam		NA		NA	10	U		NA		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
Di-n-octylphthalate	10	UJ	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	UJ	10	UJ	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	2	J
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	UJ	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U		NA	10	U	2	
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA	0.20	U		NA		NA
Benzo(a)anthracene		NA		NA	0.20	U		NA		NA
Benzo(a)pyrene		NA		NA	0.20	U		NA		NA
Benzo(b)fluoranthene		NA		NA	0.20	U		NA		NA
Benzo(k)fluoranthene		NA		NA	0.20	U		NA		NA
Chrysene		NA		NA	0.20	U		NA		NA
Dibenzo(a,h)anthracene		NA		NA	0.20	U		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA	0.20	U		NA		NA
Phenanthrene		NA		NA	0.20	U		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE		R	0.10	U	0.10	U		R	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	1.1	U	1.1	U		NA	1.1	U	1.1	U
Aroclor-1016	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1221	2.0	U	2.0	U	0.25	U	2.0	U	2.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1242	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1248	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1254	1.0	U	1.0	U	0.25	U	1.0	U	1.0	U
Aroclor-1260	1.0	U	1.0	U	0.25	U	1.0	U	1.0	U
Aroclor-1262	1.0	U	1.0	U	0.28	U	1.0	U	1.0	U
Aroclor-1268	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U
beta-BHC	0.050	U	0.050	U	0.26		0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin		R	0.10	U	0.050	U		R	0.016	J
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.050	U	0.10	U	0.022	J
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U		R	0.050	U	0.050	U		R
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.050	U	0.020	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.050	U	0.020	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA	2.0	U		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA	1.0	U		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA	1.2	U		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA	1.1	U		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA	0.60	U		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA	1.1	U		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA	0.60	U		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA	1.0	U		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA	0.70	U		NA		NA
1,2,3,7,8-PeCDD		NA		NA	1.1	U		NA		NA
1,2,3,7,8-PeCDF		NA		NA	0.60	U		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA	0.70	U		NA		NA
2,3,4,7,8-PeCDF		NA		NA	0.60	U		NA		NA
2,3,7,8-TCDD		NA		NA	0.90	U		NA		NA
2,3,7,8-TCDF		NA		NA	0.70	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
OCDD		NA		NA	6.9	U		NA		NA
OCDF		NA		NA	2.5	U		NA		NA
Total HpCDD		NA		NA	2.0	UJ		NA		NA
Total HpCDF		NA		NA	1.1	UJ		NA		NA
Total HxCDD		NA		NA	1.1	UJ		NA		NA
Total HxCDF		NA		NA	0.70	UJ		NA		NA
Total PeCDD		NA		NA	1.1	UJ		NA		NA
Total PeCDF		NA		NA	0.60	UJ		NA		NA
Total TCDD		NA		NA	0.90	UJ		NA		NA
Total TCDF		NA		NA	0.70	UJ		NA		NA
Toxicity Equivalency		NA		NA	0.00	U		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	52.1	UJ	224		18.0	U	20.0	U	187	
Antimony	50.0	U	4.0	U	3.5	U	50.0	U	4.0	U
Arsenic	1.0	U	2.0	U	2.3	U	25.1		120	
Barium	33.1	J	38.0		26.4		354	J	596	
Beryllium	1.0	U	0.60	U	1.1	U	1.0	U	0.60	U
Cadmium	2.0	U	0.40	U	0.50	UJ	2.0	U	0.58	
Calcium	141000		136000		112000		39500		42200	
Chromium	5.0	UJ	8.5		0.50	U	5.0	UJ	0.90	U
Chromium VI		NA		NA		NA		NA		NA
Cobalt	14.0		27.6		9.1		10.9		6.4	
Copper	3.9	J	5.5		0.80	UJ	2.0	U	2.3	U
Cyanide		NA	4.5			NA		NA	2.8	
Iron	229	UJ	701		22.8	U	13500	J	33200	
Lead	1.1	UJ	2.4		1.5	UJ	1.4	UJ	2.2	
Magnesium	61000		58300		38700		70500		75600	
Manganese	4010	J	3560		2110		1290	J	830	
Mercury	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Nickel	10.0	U	11.0		1.7	U	10.0	U	4.2	
Potassium	8900	J	9210		6190	J	7120	J	11400	
Selenium	1.0	UJ	1.9	U	2.2	UJ	1.0	UJ	2.3	
Silver	3.0	UJ	1.5		0.80	UJ	3.0	UJ	1.3	
Sodium	38700	J	40400		30200	J	69500	J	96900	
Thallium	1.0	UJ	3.6	U	4.0	U	1.0	UJ	3.6	U
Vanadium	3.0	U	2.9	U	0.80	U	3.0	U	2.9	U
Zinc	4.0	UJ	8.0		22.2	UJ	149	UJ	11.5	
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-15B-01		OU1-PC-15B-02		OU1-MW-PC15B-07		OU1-PC-15D-01		OU1-PC-15D-02	
Sample Location	MW-PC15B		MW-PC15B		MW-PC15B		MW-PC15D		MW-PC15D	
Date Sampled	12/8/1997		12/1/1998		1/16/2003		12/8/1997		12/1/1998	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Bedrock		Bedrock		Bedrock		Overburden		Overburden	
Alkalinity	275	J	307		212		345	J	316	
Carbon Dioxide		NA		NA	206	J		NA		NA
Chloride	146		169		141		78.5		104	
Ferrous Iron		NA		NA	0.030	U		NA		NA
Nitrate		NA		NA	10.1			NA		NA
Nitrate-Nitrite (as N)	11.2	J	2.9	J		NA		R	0.050	UJ
Nitrite-N		NA		NA	0.23			NA		NA
Sulfate	24.6		127	J	90.3		96.4		183	J
Sulfide		NA		NA	0.50	U		NA		NA
Total Organic Carbon		NA		NA	7.77			NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA	10	U
1,1,1-Trichloroethane	10	U	10	U	10	U	10	U	380	
1,1,2,2-Tetrachloroethane	10	U	10	UJ	10	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U		NA		NA	10	U	10	U
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethane	43		150		20		41		57	
1,1-Dichloroethene	2		2	J	10	UJ	0.9	U	200	
1,1-Dichloropropene		NA		NA		NA		NA	10	U
1,2,3-Trichlorobenzene		NA		NA		NA		NA	10	U
1,2,3-Trichloropropane		NA		NA		NA		NA	10	U
1,2,4-Trichlorobenzene	10	U		NA		NA	10	U	10	U
1,2,4-Trimethylbenzene		NA		NA		NA		NA	10	U
1,2-Dibromo-3-chloropropane	10	U		NA		NA	10	U	10	U
1,2-Dibromoethane	10	U		NA		NA	10	U	10	U
1,2-Dichlorobenzene	10	U		NA		NA	10	U	10	U
1,2-Dichloroethane	10	U	10	U	10	UJ	10	U	10	U
1,2-Dichloroethene (total)		NA	300	*	8	J		NA		NA
1,2-Dichloropropane	10	U	10	U	10	U	10	U	10	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA	10	U
1,3-Dichlorobenzene	10	U		NA		NA	10	U	10	U
1,3-Dichloropropane		NA		NA		NA		NA	10	U
1,4-Dichlorobenzene	10	U		NA		NA	10	U	10	U
1,4-Dioxane	470	J		NA		NA	430	J		NA
2,2-Dichloropropane		NA		NA		NA		NA	10	U
2-Butanone	10	U	10	U	10	UJ	10	U	40	U
2-Chloroethylvinylether		NA		NA		NA		NA	30	U
2-Chlorotoluene		NA		NA		NA		NA	10	U
2-Hexanone	10	U	10	UJ	10	UJ	10	U	6	U
4-Chlorotoluene		NA		NA		NA		NA	10	U
4-Methyl-2-Pentanone	10	U	10	U	10	U	10	U	5	U
Acetone	10	U	10	U	10	UJ	10	U	34	JB
Acrolein		NA		NA		NA		NA	100	U
Acrylonitrile		NA		NA		NA		NA	50	U
Benzene	2	J	16		4	J	1	J	10	U
Bromobenzene		NA		NA		NA		NA	10	U
Bromochloromethane		NA		NA		NA		NA	10	U
Bromodichloromethane	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	10	U	10	U	10	U	10	U
Bromomethane	10	UJ	10	UJ	10	U	10	U	10	U
Carbon Disulfide	10	U	10	U	10	U	10	U	30	U
Carbon Tetrachloride	10	U	10	U	10	U	10	U	10	U
Chlorobenzene	160		280	*	100		84		10	U
Chloroethane	8	J	1500	*	10	U	10	U	10	U
Chloroform	10	U	10	U	10	U	10	U	10	U
Chloromethane	10	U	10	U	10	U	10	U	10	U
cis-1,2-Dichloroethene	9	J		NA		NA	1	J	95	
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Cyclohexane	10	U		NA		NA	10	U		NA
Dibromochloromethane	10	U	10	U	10	U	10	U	10	U
Dibromomethane		NA		NA		NA		NA	10	U
Dichlorodifluoromethane	10	UJ		NA		NA	10	UJ	10	U
Ethyl Ether		NA		NA		NA		NA	30	U
Ethylbenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene		NA		NA		NA		NA	10	U
Isopropylbenzene	10	U		NA		NA	10	U	10	U
m&p-Xylene		NA		NA		NA		NA	20	U
Methyl Acetate	10	U		NA		NA	10	U		NA
Methyl tert-Butyl Ether	10	U		NA		NA	10	U	10	U
Methylcyclohexane	10	U		NA		NA	10	U		NA
Methylene Chloride	10	UJ	10	U	10	U	10	UJ	10	U
Naphthalene		NA		NA		NA		NA	10	U
n-Butylbenzene		NA		NA		NA		NA	10	U
n-Propylbenzene		NA		NA		NA		NA	10	U
o-Xylene		NA		NA		NA		NA	10	U
p-Isopropyltoluene		NA		NA		NA		NA	10	U
sec-Butylbenzene		NA		NA		NA		NA	10	U
Styrene	10	U	10	U	10	U	10	U	10	U
tert-Butylbenzene		NA		NA		NA		NA	10	U
Tetrachloroethene	10	U	10	U	10	U	10	U	10	U
Tetrahydrofuran		NA		NA		NA		NA	70	U
Toluene	1	J	10		2	J	10	U	10	U
Total Xylenes	10	U	15		10	U	10	U		NA
trans-1,2-Dichloroethene	10	U		NA		NA	10	U	10	U
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Trichloroethene	25		10	U	10	U	5	J	170	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	10	UJ		NA		NA	10	UJ	10	U
Vinyl Acetate		NA		NA		NA		NA	60	U
Vinyl Chloride	4		190		6	J	1	U	10	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane	10.0	U		NA		NA	10.0	U		NA
Ethene	10.0	U		NA		NA	10.0	U		NA
Methane	1600			NA		NA	780			NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA	350	
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA	212	
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA	20	U
Chlorobenzene		NA		NA		NA		NA	54	U
cis-1,2-Dichloroethene		NA		NA		NA		NA	88	
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA	14	U
Toluene		NA		NA		NA		NA	27	U
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA	173	
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl	10	U		NA		NA	10	U		NA
1,2,4-Trichlorobenzene		NA	10	U	10	U		NA		NA
1,2-Dichlorobenzene		NA	10	U	10	U		NA		NA
1,3-Dichlorobenzene		NA	10	U	10	U		NA		NA
1,4-Dichlorobenzene		NA	10	U	10	U		NA		NA
2,2'-oxybis(1-Chloropropane)	10	U	10	UJ	10	U	10	UJ		NA
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U		NA
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U		NA
2,4-Dichlorophenol	10	U	10	U	10	U	10	U		NA
2,4-Dimethylphenol	10	U	10	U	10	U	10	U		NA
2,4-Dinitrophenol	25	UJ		R	25	UJ	25	UJ		NA
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U		NA
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U		NA
2-Chloronaphthalene	10	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	10	U	10	U	10	U	10	U		NA
2-Methylnaphthalene	10	U	10	U	10	U	10	U		NA
2-Methylphenol	10	U	10	U	10	U	10	U		NA
2-Nitroaniline	25	UJ	25	U	25	U	25	UJ		NA
2-Nitrophenol	10	U	10	U	10	U	10	U		NA
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U		NA
3-Nitroaniline	25	U	25	U	25	U	25	U		NA
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U		NA
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U		NA
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U		NA
4-Chloroaniline	10	UJ	10	U	10	U	10	UJ		NA
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U		NA
4-Methylphenol	10	U	10	U	10	U	10	U		NA
4-Nitroaniline	25	UJ	25	UJ	25	U	25	UJ		NA
4-Nitrophenol	1	J	25	UJ	25	U	25	U		NA
Acenaphthene	10	U	10	U	10	U	10	U		NA
Acenaphthylene	10	U	10	U	10	U	10	U		NA
Acetophenone	10	UJ		NA		NA	10	U		NA
Anthracene	10	U	10	U	10	U	10	U		NA
Atrazine	10	U		NA		NA	10	U		NA
Benzaldehyde	10	UJ		NA		NA	10	UJ		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U		NA
Benzo(a)pyrene	10	U	10	U	10	U	10	U		NA
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U		NA
Benzo(g,h,i)perylene	10	UJ	10	U	10	UJ	10	UJ		NA
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U		NA
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U		NA
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U		NA
bis(2-Ethylhexyl)phthalate	1	J	10	U	10	U	10	U		NA
Butylbenzylphthalate	10	U	10	U	10	U	10	U		NA
Caprolactam	10	U		NA		NA	2	J		NA
Carbazole	10	U	10	U	10	U	10	U		NA
Chrysene	10	U	10	U	10	U	10	U		NA
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U		NA
Dibenzofuran	10	U	10	U	10	U	10	U		NA
Diethylphthalate	10	U	10	U	10	U	10	U		NA
Dimethylphthalate	10	U	10	U	10	U	10	U		NA
Di-n-Butylphthalate	10	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	10	U	10	UJ	10	U	10	U		NA
Fluoranthene	10	U	10	U	10	U	10	U		NA
Fluorene	10	U	10	U	10	U	10	U		NA
Hexachlorobenzene	10	U	10	U	10	U	10	U		NA
Hexachlorobutadiene	10	U	10	U	10	U	10	U		NA
Hexachlorocyclopentadiene	10	U	10	UJ	10	UJ	10	U		NA
Hexachloroethane	10	U	10	U	10	U	10	U		NA
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U		NA
Isophorone	10	U	10	U	10	U	10	U		NA
Naphthalene	10	U	10	U	10	U	10	U		NA
Nitrobenzene	10	U	10	U	10	U	10	U		NA
N-Nitroso-di-n-propylamine	10	UJ	10	U	10	U	10	UJ		NA
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U		NA
Pentachlorophenol	25	U	25	U	25	U	25	U		NA
Phenanthrene	10	U	10	U	10	U	10	U		NA
Phenol	10	U	10	U	10	U	10	U		NA
Pyrene	10	U	10	U	10	U	10	U		NA
Total PAH		NA	10	U	10	U		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene	0.20	U		NA		NA	0.20	U		NA
Benzo(a)anthracene	0.20	U		NA		NA	0.20	U		NA
Benzo(a)pyrene	0.20	U		NA		NA	0.20	U		NA
Benzo(b)fluoranthene	0.20	U		NA		NA	0.20	U		NA
Benzo(k)fluoranthene	0.20	U		NA		NA	0.20	U		NA
Chrysene	0.20	U		NA		NA	0.20	U		NA
Dibenzo(a,h)anthracene	0.20	U		NA		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene	0.20	U		NA		NA	0.20	U		NA
Phenanthrene	0.20	U		NA		NA	0.20	U		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U		NA
4,4'-DDE	0.10	U		R	0.10	U	0.10	U		NA
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U		NA
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U		NA
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Aroclor, Total		NA	1.1	U	1.1	U		NA		NA
Aroclor-1016	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1221	0.25	U	2.0	U	2.0	U	0.25	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1242	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1248	1.0	U	1.0	U	1.0	U	1.0	U		NA
Aroclor-1254	0.25	U	1.0	U	1.0	U	0.25	U		NA
Aroclor-1260	0.25	U	1.0	U	1.0	U	0.25	U		NA
Aroclor-1262	0.28	U	1.0	U	1.0	U	0.28	U		NA
Aroclor-1268	1.0	U	1.0	U	1.0	U	1.0	U		NA
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
Dieldrin	0.050	U		R	0.10	U	0.050	U		NA
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U		NA
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin	0.050	U	0.10	U	0.10	U	0.050	U		NA
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U		NA
gamma-BHC	0.050	U	0.050	U		R	0.050	U		NA
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Heptachlor	0.020	U	0.050	U	0.050	U	0.020	U		NA
Heptachlor Epoxide	0.020	U	0.050	U	0.050	U	0.020	U		NA
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U		NA
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD	8.6	U		NA		NA	2.4	U		NA
1,2,3,4,6,7,8-HpCDF	4.8	U		NA		NA	1.2	U		NA
1,2,3,4,7,8,9-HpCDF	6.5	U		NA		NA	1.5	U		NA
1,2,3,4,7,8-HxCDD	4.9	U		NA		NA	1.3	U		NA
1,2,3,4,7,8-HxCDF	3.1	U		NA		NA	0.70	U		NA
1,2,3,6,7,8-HxCDD	4.9	U		NA		NA	1.3	U		NA
1,2,3,6,7,8-HxCDF	2.8	U		NA		NA	0.70	U		NA
1,2,3,7,8,9-HxCDD	4.8	U		NA		NA	1.3	U		NA
1,2,3,7,8,9-HxCDF	4.0	U		NA		NA	0.90	U		NA
1,2,3,7,8-PeCDD	5.0	U		NA		NA	1.0	U		NA
1,2,3,7,8-PeCDF	2.7	U		NA		NA	0.60	U		NA
2,3,4,6,7,8-HxCDF	3.3	U		NA		NA	0.80	U		NA
2,3,4,7,8-PeCDF	2.7	U		NA		NA	0.60	U		NA
2,3,7,8-TCDD	4.4	U		NA		NA	0.90	U		NA
2,3,7,8-TCDF	3.3	U		NA		NA	0.70	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD	101	J		NA		NA	5.9	U		NA
OCDF	10.6	UJ		NA		NA	2.9	U		NA
Total HpCDD	8.6	UJ		NA		NA	2.4	UJ		NA
Total HpCDF	5.5	UJ		NA		NA	1.4	UJ		NA
Total HxCDD	4.9	UJ		NA		NA	1.3	UJ		NA
Total HxCDF	3.2	UJ		NA		NA	0.80	UJ		NA
Total PeCDD	5.0	UJ		NA		NA	1.0	UJ		NA
Total PeCDF	2.7	UJ		NA		NA	0.60	UJ		NA
Total TCDD	4.4	UJ		NA		NA	0.90	UJ		NA
Total TCDF	3.3	UJ		NA		NA	0.70	UJ		NA
Toxicity Equivalency	0.010	J		NA		NA	0.00	U		NA
TAL Metal Analysis (UG/L)										
Aluminum	133	U	68.0	UJ	81.7		431			NA
Antimony	3.5	U	50.0	U	4.0	U	1.8	U		NA
Arsenic	99.3		14.0		28.1		54.3			NA
Barium	115		2760	J	717		23.0			NA
Beryllium	1.1	U	1.0	U	0.60	U	0.20	U		NA
Cadmium	0.50	UJ	2.0	U	0.40	U	0.30	U		NA
Calcium	55300		43700		50900		58100			NA
Chromium	0.50	U	5.0	UJ	0.90	U	0.70	U		NA
Chromium VI		NA		NA		NA		NA		NA
Cobalt	3.6	U	3.0	U	3.2	U	5.8			NA
Copper	0.80	UJ	12.5		31.3		18.7			NA
Cyanide		NA		NA	3.6			NA		NA
Iron	47000		13500	J	17100		26900			NA
Lead	1.5	UJ	18.4	UJ	16.9		1.3	U		NA
Magnesium	67800		63100		108000		60700			NA
Manganese	1250		2140	J	2760		619			NA
Mercury	0.10	U	0.10	U	0.10	U	0.10	U		NA
Nickel	1.7	U	10.0	U	5.9		50.0			NA
Potassium	16700	J	5960	J	8220		11600	J		NA
Selenium	2.2	UJ	1.0	UJ	1.9	U	4.3	UJ		NA
Silver	0.80	UJ	3.0	UJ	1.9		0.80	U		NA
Sodium	155000	J	82900	J	66900		167000			NA
Thallium	4.0	U	1.0	UJ	3.6	U	3.8	U		NA
Vanadium	0.80	U	3.0	U	2.9	U	0.70	U		NA
Zinc	144	J	80.2	UJ	63.7		240			NA
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC15D-07		OU1-PC-15S-01		OU1-PC-15S-02		OU1-MW-PC15S-07		RM-GW16-0024	
Sample Location	MW-PC15D		MW-PC15S		MW-PC15S		MW-PC15S		16	
Date Sampled	1/16/2003		12/8/1997		12/1/1998		1/20/2003		2/25/2002	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		0.0-24.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity	170		440	J	494		170			NA
Carbon Dioxide	273	J		NA		NA	235			NA
Chloride	27.6		92.3		90.3		147			NA
Ferrous Iron	2.46			NA		NA	7.2			NA
Nitrate	0.050	U		NA		NA	0.050	UJ		NA
Nitrate-Nitrite (as N)		NA		R	0.050	UJ		NA		NA
Nitrite-N	0.050	U		NA		NA	0.050	UJ		NA
Sulfate	102		10.9		116	J	433			NA
Sulfide	0.50	U		NA		NA	0.50	U		NA
Total Organic Carbon	13.7			NA		NA	14.7			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane	10	U	10	U	10	U		NA		NA
1,1,1-Trichloroethane	390		390		290			NA		NA
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U	10	U	10	U		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U		NA		NA
1,1-Dichloroethane	59		61		40			NA		NA
1,1-Dichloroethene	210		220		140			NA		NA
1,1-Dichloropropene	10	U	10	U	10	U		NA		NA
1,2,3-Trichlorobenzene	10	U	10	U	10	U		NA		NA
1,2,3-Trichloropropane	10	U	10	U	10	U		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U		NA		NA
1,2,4-Trimethylbenzene	10	U	10	U	10	U		NA		NA
1,2-Dibromo-3-chloropropane	10	U	10	U	10	U		NA		NA
1,2-Dibromoethane	10	U	10	U	10	U		NA		NA
1,2-Dichlorobenzene	10	U	10	U	10	U		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane	10	U	10	U	10	U		NA		NA
1,3,5-Trimethylbenzene	10	U	10	U	10	U		NA		NA
1,3-Dichlorobenzene	10	U	10	U	10	U		NA		NA
1,3-Dichloropropane	10	U	10	U	10	U		NA		NA
1,4-Dichlorobenzene	10	U	10	U	10	U		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane	10	U	10	U	10	U		NA		NA
2-Butanone	40	U	40	U	40	U		NA		NA
2-Chloroethylvinylether	30	U	30	U	30	U		NA		NA
2-Chlorotoluene	10	U	10	U	10	U		NA		NA
2-Hexanone	6	U	6	U	6	U		NA		NA
4-Chlorotoluene	10	U	10	U	10	U		NA		NA
4-Methyl-2-Pentanone	5	U	5	U	5	U		NA		NA
Acetone	35	JB	25	JB	20	U		NA		NA
Acrolein	100	U	100	U	100	U		NA		NA
Acrylonitrile	50	U	50	U	50	U		NA		NA
Benzene	10	U	10	U	10	U		NA		NA
Bromobenzene	10	U	10	U	10	U		NA		NA
Bromochloromethane	10	U	10	U	10	U		NA		NA
Bromodichloromethane	10	U	10	U	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	10	U	10	U		NA		NA
Bromomethane	10	U	10	U	10	U		NA		NA
Carbon Disulfide	30	U	30	U	30	U		NA		NA
Carbon Tetrachloride	10	U	10	U	10	U		NA		NA
Chlorobenzene	10	U	10	U	10	U		NA		NA
Chloroethane	10	U	10	U	10	U		NA		NA
Chloroform	10	U	10	U	10	U		NA		NA
Chloromethane	10	U	10	U	10	U		NA		NA
cis-1,2-Dichloroethene	110		110		76			NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U		NA		NA
Dibromomethane	10	U	10	U	10	U		NA		NA
Dichlorodifluoromethane	10	U	10	U	10	U		NA		NA
Ethyl Ether	30	U	30	U	30	U		NA		NA
Ethylbenzene	10	U	10	U	10	U		NA		NA
Hexachlorobutadiene	10	U	10	U	10	U		NA		NA
Isopropylbenzene	10	U	10	U	10	U		NA		NA
m&p-Xylene	20	U	20	U	20	U		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	10	U	10	U	10	U		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U		NA		NA
Naphthalene	10	U	10	U	10	U		NA		NA
n-Butylbenzene	10	U	10	U	10	U		NA		NA
n-Propylbenzene	10	U	10	U	10	U		NA		NA
o-Xylene	10	U	10	U	10	U		NA		NA
p-Isopropyltoluene	10	U	10	U	10	U		NA		NA
sec-Butylbenzene	10	U	10	U	10	U		NA		NA
Styrene	10	U	10	U	10	U		NA		NA
tert-Butylbenzene	10	U	10	U	10	U		NA		NA
Tetrachloroethene	10	U	10	U	10	U		NA		NA
Tetrahydrofuran	70	U	70	U	70	U		NA		NA
Toluene	10	U	10	U	10	U		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	10	U	10	U	10	U		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U		NA		NA
Trichloroethene	160		150		100			NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	10	U	10	U	10	U		NA		NA
Vinyl Acetate	60	U	60	U	60	U		NA		NA
Vinyl Chloride	10	U	10	U	10	U		NA		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	354			NA		NA	1	U	1	U
1,1-Dichloroethane		NA		NA		NA	1	U	1.1	
1,1-Dichloroethene	230			NA		NA	1	U	1	U
1,2-Dichloroethane		NA		NA		NA	1	U	1	U
Benzene	20	U		NA		NA	1	U	1.9	
Chlorobenzene	56	U		NA		NA	1	U	1	U
cis-1,2-Dichloroethene	92			NA		NA	1	U	3.3	
Ethylbenzene		NA		NA		NA	1	U	1	U
m&p-Xylene		NA		NA		NA	3.3		2.9	
o-Xylene		NA		NA		NA	1	U	1	U
Tetrachloroethene	14	U		NA		NA	1	U	1	U
Toluene	28	U		NA		NA	2.9		3	
trans-1,2-Dichloroethene		NA		NA		NA	1	U	1	U
Trichloroethene	187			NA		NA	1	U	1	U
Vinyl Chloride		NA		NA		NA	1	U	1	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Chromium VI		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Cyanide		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW16-0029		RM-GW16-034		RM-GW16-0044		OU2-DP1-6-0914		OU2-DP1-6-2025	
Sample Location	16		16		16		DP1-6		DP1-6	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		8/5/1997		8/5/1997	
Interval	0.0-29.0		0.0-34.0		0.0-44.0		9.0-14.0		20.0-25.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA
1,1,1-Trichloroethane		NA	12000		3900	*	410	
1,1,2,2-Tetrachloroethane		NA	710	U	10	U	170	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA	7	J		NA
1,1,2-Trichloroethane		NA	710	U	10	U	170	U
1,1-Dichloroethane		NA	610	J	230		170	U
1,1-Dichloroethene		NA	3300		2300	*	94	J
1,1-Dichloropropene		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA	10	UJ		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA	10	U		NA
1,2-Dibromoethane		NA		NA	10	U		NA
1,2-Dichlorobenzene		NA		NA	10	U		NA
1,2-Dichloroethane		NA	710	U	23		170	U
1,2-Dichloroethene (total)		NA	710	U		NA	100	J
1,2-Dichloropropane		NA	710	U	10	U	170	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA	10	U		NA
1,3-Dichloropropane		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA	10	U		NA
1,4-Dioxane		NA		NA	100	UJ		NA
2,2-Dichloropropane		NA		NA		NA		NA
2-Butanone		NA	710	U	10	U	170	U
2-Chloroethylvinylether		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA
2-Hexanone		NA	710	U	10	UJ	170	U
4-Chlorotoluene		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		R	10	UJ		R
Acetone		NA	710	U	10	U	170	U
Acrolein		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA
Benzene		NA	710	U	10	U	46	J
Bromobenzene		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA
Bromodichloromethane		NA	710	U	10	U	170	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
Bromoform		NA	710	UJ	10	U	170	U
Bromomethane		NA	710	U	10	U	170	U
Carbon Disulfide		NA	710	U	10	U	170	UJ
Carbon Tetrachloride		NA	710	U	10	U	170	U
Chlorobenzene		NA	710	U	5	J	64	J
Chloroethane		NA	710	U	10	U	170	U
Chloroform		NA	710	U	7	J	170	U
Chloromethane		NA	710	U	10	U	170	UJ
cis-1,2-Dichloroethene		NA		NA	26			NA
cis-1,3-Dichloropropene		NA	710	U	10	U	170	U
Cyclohexane		NA		NA	10	U		NA
Dibromochloromethane		NA	710	U	10	U	170	U
Dibromomethane		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA	10	U		NA
Ethyl Ether		NA		NA		NA		NA
Ethylbenzene		NA	710	U	10	U	170	U
Hexachlorobutadiene		NA		NA		NA		NA
Isopropylbenzene		NA		NA	10	U		NA
m&p-Xylene		NA		NA		NA		NA
Methyl Acetate		NA		NA	10	U		NA
Methyl tert-Butyl Ether		NA		NA	10	UJ		NA
Methylcyclohexane		NA		NA	10	U		NA
Methylene Chloride		NA	710	U	26		370	U
Naphthalene		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA
Styrene		NA	710	U	10	U	170	U
tert-Butylbenzene		NA		NA		NA		NA
Tetrachloroethene		NA	88	J	51		170	U
Tetrahydrofuran		NA		NA		NA		NA
Toluene		NA	710	U	10	U	77	J
Total Xylenes		NA	710	U	10	U	150	J
trans-1,2-Dichloroethene		NA		NA	10	U		NA
trans-1,3-Dichloropropene		NA	710	U	10	U	170	U
Trichloroethene		NA	560	J	500	*	2400	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
Trichlorofluoromethane		NA		NA	10	U		NA
Vinyl Acetate		NA		NA		NA		NA
Vinyl Chloride		NA	710	U	5		170	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA	10.0	U		NA
Ethene		NA		NA	10.0	U		NA
Methane		NA		NA	27.0			NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane	1	U		NA		NA		NA
1,1-Dichloroethane	1	U		NA		NA		NA
1,1-Dichloroethene	1	U		NA		NA		NA
1,2-Dichloroethane	1	U		NA		NA		NA
Benzene	1.8			NA		NA		NA
Chlorobenzene	1	U		NA		NA		NA
cis-1,2-Dichloroethene	1	U		NA		NA		NA
Ethylbenzene	1	U		NA		NA		NA
m&p-Xylene	4			NA		NA		NA
o-Xylene	1	U		NA		NA		NA
Tetrachloroethene	1	U		NA		NA		NA
Toluene	1.5			NA		NA		NA
trans-1,2-Dichloroethene	1	U		NA		NA		NA
Trichloroethene	1	U		NA		NA		NA
Vinyl Chloride	1	U		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								
1,1'-Biphenyl		NA		NA	10	U		NA
1,2,4-Trichlorobenzene		NA	10	U		NA	10	U
1,2-Dichlorobenzene		NA	10	U		NA	10	U
1,3-Dichlorobenzene		NA	10	U		NA	10	U
1,4-Dichlorobenzene		NA	10	U		NA	10	U
2,2'-oxybis(1-Chloropropane)		NA	10	U	10	U	10	U
2,4,5-Trichlorophenol		NA	25	U	25	U	25	U
2,4,6-Trichlorophenol		NA	10	U	10	U	10	U
2,4-Dichlorophenol		NA	10	U	10	U	10	U
2,4-Dimethylphenol		NA	10	U	10	U	10	U
2,4-Dinitrophenol		NA	25	U	25	UJ	95	J
2,4-Dinitrotoluene		NA	10	U	10	U	10	U
2,6-Dinitrotoluene		NA	10	U	10	U	10	U
2-Chloronaphthalene		NA	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
2-Chlorophenol		NA	10	U	10	U	10	U
2-Methylnaphthalene		NA	10	U	10	U	10	U
2-Methylphenol		NA	10	U	10	U	10	U
2-Nitroaniline		NA	25	U	25	U	25	U
2-Nitrophenol		NA	10	U	10	U	120	*
3,3'-Dichlorobenzidine		NA	10	UJ	10	U	10	U
3-Nitroaniline		NA	25	UJ	25	U	25	UJ
4,6-Dinitro-2-methylphenol		NA	25	U	25	U	25	U
4-Bromophenyl-phenylether		NA	10	U	10	U	10	U
4-Chloro-3-methylphenol		NA	10	U	10	U	10	U
4-Chloroaniline		NA	10	UJ	10	UJ	10	U
4-Chlorophenyl-phenylether		NA	10	U	10	U	10	U
4-Methylphenol		NA	10	U	10	U	10	U
4-Nitroaniline		NA	25	UJ	25	U	25	U
4-Nitrophenol		NA	5	J	11	J	3300	*
Acenaphthene		NA	10	U	10	U	10	U
Acenaphthylene		NA	10	U	10	U	10	U
Acetophenone		NA		NA	10	U		NA
Anthracene		NA	10	U	10	U	10	U
Atrazine		NA		NA	10	UJ		NA
Benzaldehyde		NA		NA	10	U		NA
Benzo(a)anthracene		NA	10	U	10	U	10	U
Benzo(a)pyrene		NA	10	U	10	U	10	U
Benzo(b)fluoranthene		NA	10	U	10	U	10	U
Benzo(g,h,i)perylene		NA	10	U	10	U	10	U
Benzo(k)fluoranthene		NA	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane		NA	10	U	10	U	10	U
Bis(2-Chloroethyl)ether		NA	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate		NA	10	U	10	U	10	U
Butylbenzylphthalate		NA	10	U	10	U	10	U
Caprolactam		NA		NA	10	U		NA
Carbazole		NA	10	U	10	U	10	UJ
Chrysene		NA	10	U	10	U	10	U
Dibenzo(a,h)anthracene		NA	10	U	10	U	10	U
Dibenzofuran		NA	10	U	10	U	10	U
Diethylphthalate		NA	0.7	J	10	U	10	U
Dimethylphthalate		NA	10	U	10	U	10	U
Di-n-Butylphthalate		NA	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
Di-n-octylphthalate		NA	10	U	10	U	10	U
Fluoranthene		NA	10	U	10	U	10	U
Fluorene		NA	10	U	10	U	10	U
Hexachlorobenzene		NA	10	U	10	U	10	U
Hexachlorobutadiene		NA	10	UJ	10	U	10	U
Hexachlorocyclopentadiene		NA		R	10	U		R
Hexachloroethane		NA	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene		NA	10	U	10	U	10	U
Isophorone		NA	10	U	10	U	10	U
Naphthalene		NA	10	U	10	U	2	J
Nitrobenzene		NA	10	U	10	U	1	J
N-Nitroso-di-n-propylamine		NA	10	U	10	U	10	U
N-Nitroso-diphenylamine		NA	10	UJ	10	U	10	U
Pentachlorophenol		NA	25	U	25	UJ	25	UJ
Phenanthrene		NA	10	U	10	U	10	U
Phenol		NA	10	U	10	U	10	U
Pyrene		NA	10	U	10	U	10	U
Total PAH		NA	10	U		NA	2	
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA	0.20	U		NA
Benzo(a)anthracene		NA		NA	0.20	U		NA
Benzo(a)pyrene		NA		NA	0.20	UJ		NA
Benzo(b)fluoranthene		NA		NA	0.20	U		NA
Benzo(k)fluoranthene		NA		NA	0.20	U		NA
Chrysene		NA		NA	0.20	U		NA
Dibenzo(a,h)anthracene		NA		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene		NA		NA	0.20	U		NA
Phenanthrene		NA		NA	0.20	U		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD		NA	0.10	UJ	0.10	U	0.10	U
4,4'-DDE		NA	0.10	UJ	0.10	U	0.10	U
4,4'-DDT		NA	0.10	UJ	0.10	U	0.10	U
Aldrin		NA	0.050	UJ	0.050	U	0.050	U
alpha-BHC		NA	0.050	UJ	0.050	UJ	0.050	U
alpha-Chlordane		NA	0.050	UJ	0.050	U	0.050	U
Aroclor, Total		NA	1.1	U		NA	1.1	U
Aroclor-1016		NA	1.0	UJ	1.0	U	1.0	U
Aroclor-1221		NA	2.0	UJ	0.25	U	2.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
Aroclor-1232		NA	1.0	UJ	1.0	U	1.0	U
Aroclor-1242		NA	1.0	UJ	1.0	U	1.0	U
Aroclor-1248		NA	1.0	UJ	1.0	U	1.0	U
Aroclor-1254		NA	1.0	UJ	0.25	U	1.0	U
Aroclor-1260		NA	1.0	UJ	0.25	U	1.0	U
Aroclor-1262		NA	1.0	UJ	0.28	U	1.0	UJ
Aroclor-1268		NA	1.0	UJ	1.0	U	1.0	U
beta-BHC		NA	0.050	UJ	0.050	U	0.050	U
delta-BHC		NA	0.050	UJ	0.050	U	0.050	U
Dieldrin		NA	0.10	UJ	0.050	U	0.10	U
Endosulfan I		NA	0.050	UJ	0.050	U	0.050	U
Endosulfan II		NA	0.10	UJ	0.10	U	0.10	U
Endosulfan Sulfate		NA	0.10	UJ	0.10	U	0.10	U
Endrin		NA	0.10	UJ	0.050	U	0.10	U
Endrin Aldehyde		NA	0.10	UJ	0.10	U	0.10	U
Endrin Ketone		NA	0.10	UJ	0.10	U	0.10	U
gamma-BHC		NA	0.050	UJ	0.050	UJ	0.050	U
gamma-Chlordane		NA	0.050	UJ	0.050	U	0.050	U
Heptachlor		NA	0.050	UJ	0.020	U	0.050	U
Heptachlor Epoxide		NA	0.050	UJ	0.020	U	0.050	U
Methoxychlor		NA	0.50	UJ	0.50	U	0.50	U
Toxaphene		NA	5.0	UJ	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA	3.7	U		NA
1,2,3,4,6,7,8-HpCDF		NA		NA	1.7	U		NA
1,2,3,4,7,8,9-HpCDF		NA		NA	2.1	U		NA
1,2,3,4,7,8-HxCDD		NA		NA	2.1	U		NA
1,2,3,4,7,8-HxCDF		NA		NA	1.1	U		NA
1,2,3,6,7,8-HxCDD		NA		NA	2.1	U		NA
1,2,3,6,7,8-HxCDF		NA		NA	1.1	U		NA
1,2,3,7,8,9-HxCDD		NA		NA	2.1	U		NA
1,2,3,7,8,9-HxCDF		NA		NA	1.4	U		NA
1,2,3,7,8-PeCDD		NA		NA	2.5	U		NA
1,2,3,7,8-PeCDF		NA		NA	1.5	U		NA
2,3,4,6,7,8-HxCDF		NA		NA	1.3	U		NA
2,3,4,7,8-PeCDF		NA		NA	1.5	U		NA
2,3,7,8-TCDD		NA		NA	2.4	U		NA
2,3,7,8-TCDF		NA		NA	1.8	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
OCDD		NA		NA	6.2	U		NA
OCDF		NA		NA	4.5	U		NA
Total HpCDD		NA		NA	3.7	UJ		NA
Total HpCDF		NA		NA	1.9	UJ		NA
Total HxCDD		NA		NA	3.3	UEMPC		NA
Total HxCDF		NA		NA	1.2	UJ		NA
Total PeCDD		NA		NA	2.5	UJ		NA
Total PeCDF		NA		NA	1.5	UJ		NA
Total TCDD		NA		NA	2.4	UJ		NA
Total TCDF		NA		NA	1.8	UJ		NA
Toxicity Equivalency		NA		NA	0.00	U		NA
TAL Metal Analysis (UG/L)								
Aluminum		NA	1570		663		286	U
Antimony		NA	50.0	U	3.5	U	50.0	U
Arsenic		NA	1.2		2.3	U	1.0	U
Barium		NA	56.4		58.0	U	127	
Beryllium		NA	1.0	U	0.63	U	1.0	U
Cadmium		NA	2.0	U	0.50	UJ	2.8	UJ
Calcium		NA	151000		113000		209000	
Chromium		NA	142		11.8		35.8	
Chromium VI		NA		NA		NA		NA
Cobalt		NA	6.2		6.0		33.3	
Copper		NA	13.6	U	7.6	U	5.8	U
Cyanide		NA		NA	6.9	UJ		NA
Iron		NA	3460		1350		1420	
Lead		NA	2.9	UJ	1.5	U	3.3	UJ
Magnesium		NA	35400		29700		98300	
Manganese		NA	420		403		2710	
Mercury		NA	0.10	U	0.10	U	0.10	U
Nickel		NA	106		147		60.3	U
Potassium		NA	8660		6630	J	11700	
Selenium		NA	1.0	UJ	2.1	U	1.0	UJ
Silver		NA	3.0	U	0.80	UJ	3.0	U
Sodium		NA	100000		110000	J	209000	
Thallium		NA	1.0	U	4.0	U	1.0	U
Vanadium		NA	4.4	UJ	1.5	UJ	3.0	U
Zinc		NA	1020		26.1	U	672	
Wet Chemistry Analysis								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-6A-2530-AVG		OU1-PC-16B-01		OU1-MW-PC16B-07		OU1-PC-16D-01	
Sample Location	DP1-6A		MW-PC16B		MW-PC16B		MW-PC16D	
Date Sampled	8/6/1997		11/20/1997		1/31/2003		11/21/1997	
Interval	25.0-30.0		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. (D5s)		None		None		None	
Zone	Overburden		Bedrock		Bedrock		Overburden	
Alkalinity		NA	152	J	100		186	J
Carbon Dioxide		NA		NA	113			NA
Chloride		NA	254		242		244	
Ferrous Iron		NA		NA	0.39			NA
Nitrate		NA		NA	0.455			NA
Nitrate-Nitrite (as N)		NA	0.37			NA	225	
Nitrite-N		NA		NA	0.075			NA
Sulfate		NA	250	J	199		254	J
Sulfide		NA		NA	0.50	U		NA
Total Organic Carbon		NA		NA	5.4			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)						
1,1,1,2-Tetrachloroethane		NA		NA		NA
1,1,1-Trichloroethane	370		370	J		NA
1,1,2,2-Tetrachloroethane	10	U	10	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U	10	U		NA
1,1,2-Trichloroethane	10	U	10	U		NA
1,1-Dichloroethane	16		16			NA
1,1-Dichloroethene	150		150			NA
1,1-Dichloropropene		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA
1,2,4-Trichlorobenzene	10	UJ	10	UJ		NA
1,2,4-Trimethylbenzene		NA		NA		NA
1,2-Dibromo-3-chloropropane	10	U	10	U		NA
1,2-Dibromoethane	10	U	10	U		NA
1,2-Dichlorobenzene	10	U	10	U		NA
1,2-Dichloroethane	10	U	10	U		NA
1,2-Dichloroethene (total)		NA		NA		NA
1,2-Dichloropropane	10	U	10	U		NA
1,3,5-Trimethylbenzene		NA		NA		NA
1,3-Dichlorobenzene	10	U	10	U		NA
1,3-Dichloropropane		NA		NA		NA
1,4-Dichlorobenzene	10	U	10	U		NA
1,4-Dioxane		NA	50	J		NA
2,2-Dichloropropane		NA		NA		NA
2-Butanone	10	U	10	U		NA
2-Chloroethylvinylether		NA		NA		NA
2-Chlorotoluene		NA		NA		NA
2-Hexanone	10	UJ	10	UJ		NA
4-Chlorotoluene		NA		NA		NA
4-Methyl-2-Pentanone	10	UJ	10	UJ		NA
Acetone	10	U	10	U		NA
Acrolein		NA		NA		NA
Acrylonitrile		NA		NA		NA
Benzene	20		20			NA
Bromobenzene		NA		NA		NA
Bromochloromethane		NA		NA		NA
Bromodichloromethane	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
Bromoform	10	U	10	U		NA
Bromomethane	10	U	10	U		NA
Carbon Disulfide	10	U	10	U		NA
Carbon Tetrachloride	10	U	10	U		NA
Chlorobenzene	42		42			NA
Chloroethane	10	U	10	U		NA
Chloroform	8		8	J		NA
Chloromethane	10	U	10	U		NA
cis-1,2-Dichloroethene	110		110			NA
cis-1,3-Dichloropropene	10	U	10	U		NA
Cyclohexane	10	U	10	U		NA
Dibromochloromethane	10	U	10	U		NA
Dibromomethane		NA		NA		NA
Dichlorodifluoromethane	10	U	10	U		NA
Ethyl Ether		NA		NA		NA
Ethylbenzene	10	U	10	U		NA
Hexachlorobutadiene		NA		NA		NA
Isopropylbenzene	10	U	10	U		NA
m&p-Xylene		NA		NA		NA
Methyl Acetate	10	U	10	U		NA
Methyl tert-Butyl Ether	10	UJ	10	UJ		NA
Methylcyclohexane	10	U	10	U		NA
Methylene Chloride	140		140			NA
Naphthalene		NA		NA		NA
n-Butylbenzene		NA		NA		NA
n-Propylbenzene		NA		NA		NA
o-Xylene		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA
sec-Butylbenzene		NA		NA		NA
Styrene	10	U	10	U		NA
tert-Butylbenzene		NA		NA		NA
Tetrachloroethene	6		6	J		NA
Tetrahydrofuran		NA		NA		NA
Toluene	10	U	10	U		NA
Total Xylenes	25		25			NA
trans-1,2-Dichloroethene	10	U	10	U		NA
trans-1,3-Dichloropropene	10	U	10	U		NA
Trichloroethene	1600		1600	*		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
Trichlorofluoromethane	10	U	10	U		NA
Vinyl Acetate		NA		NA		NA
Vinyl Chloride	36		36			NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)						
Ethane	10.0	U	10.0	U		NA
Ethene	10.0	U	10.0	U		NA
Methane	610		610			NA
Volatile Organic Screening Analysis (UG/L)						
1,1,1-Trichloroethane		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA
Benzene		NA		NA		NA
Chlorobenzene		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA
Ethylbenzene		NA		NA		NA
m&p-Xylene		NA		NA		NA
o-Xylene		NA		NA		NA
Tetrachloroethene		NA		NA		NA
Toluene		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA
Trichloroethene		NA		NA		NA
Vinyl Chloride		NA		NA		NA
Semivolatile Organic Analysis (UG/L)						
1,1'-Biphenyl	10	U	10	U		NA
1,2,4-Trichlorobenzene		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	10	U	10	U		NA
2,4,5-Trichlorophenol	25	UJ	25	UJ		NA
2,4,6-Trichlorophenol	10	UJ	10	UJ		NA
2,4-Dichlorophenol	10	UJ	10	UJ		NA
2,4-Dimethylphenol	10	UJ	10	UJ		NA
2,4-Dinitrophenol	19		19	J		NA
2,4-Dinitrotoluene	10	U	10	U		NA
2,6-Dinitrotoluene	10	U	10	U		NA
2-Chloronaphthalene	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
2-Chlorophenol	10	UJ	10	UJ		NA
2-Methylnaphthalene	10	U	10	U		NA
2-Methylphenol	10	UJ	10	UJ		NA
2-Nitroaniline	25	U	25	U		NA
2-Nitrophenol	29		29	J		NA
3,3'-Dichlorobenzidine	10	U	10	U		NA
3-Nitroaniline	25	U	25	U		NA
4,6-Dinitro-2-methylphenol	1		1	J		NA
4-Bromophenyl-phenylether	10	U	10	U		NA
4-Chloro-3-methylphenol	10	UJ	10	UJ		NA
4-Chloroaniline	10	UJ	10	UJ		NA
4-Chlorophenyl-phenylether	10	U	10	U		NA
4-Methylphenol	10	UJ	10	UJ		NA
4-Nitroaniline	25	U	25	U		NA
4-Nitrophenol	670		670	J*		NA
Acenaphthene	10	U	10	U		NA
Acenaphthylene	10	U	10	U		NA
Acetophenone	10	U	10	U		NA
Anthracene	10	U	10	U		NA
Atrazine	10	UJ	10	UJ		NA
Benzaldehyde	10	U	10	U		NA
Benzo(a)anthracene	10	U	10	U		NA
Benzo(a)pyrene	10	U	10	U		NA
Benzo(b)fluoranthene	10	U	10	U		NA
Benzo(g,h,i)perylene	10	U	10	U		NA
Benzo(k)fluoranthene	10	U	10	U		NA
Bis(2-Chloroethoxy)methane	10	U	10	U		NA
Bis(2-Chloroethyl)ether	10	U	10	U		NA
bis(2-Ethylhexyl)phthalate	10	U	10	U		NA
Butylbenzylphthalate	10	U	10	U		NA
Caprolactam	10	U	10	U		NA
Carbazole	10	U	10	U		NA
Chrysene	10	U	10	U		NA
Dibenzo(a,h)anthracene	10	U	10	U		NA
Dibenzofuran	10	U	10	U		NA
Diethylphthalate	10	U	10	U		NA
Dimethylphthalate	10	U	10	U		NA
Di-n-Butylphthalate	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
Di-n-octylphthalate	10	U	10	U		NA
Fluoranthene	10	U	10	U		NA
Fluorene	10	U	10	U		NA
Hexachlorobenzene	10	U	10	U		NA
Hexachlorobutadiene	10	U	10	U		NA
Hexachlorocyclopentadiene	10	U	10	U		NA
Hexachloroethane	10	U	10	U		NA
Indeno(1,2,3-cd)pyrene	10	U	10	U		NA
Isophorone	10	U	10	U		NA
Naphthalene	1		1	J		NA
Nitrobenzene	10	U	10	U		NA
N-Nitroso-di-n-propylamine	10	U	10	U		NA
N-Nitroso-diphenylamine	10	U	10	U		NA
Pentachlorophenol	25	UJ	25	UJ		NA
Phenanthrene	10	U	10	U		NA
Phenol	10	UJ	10	UJ		NA
Pyrene	10	U	10	U		NA
Total PAH		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)						
Acenaphthylene	0.20	U	0.20	U		NA
Benzo(a)anthracene	0.20	U	0.20	U		NA
Benzo(a)pyrene	0.20	UJ	0.20	UJ		NA
Benzo(b)fluoranthene	0.20	U	0.20	U		NA
Benzo(k)fluoranthene	0.20	U	0.20	U		NA
Chrysene	0.20	U	0.20	U		NA
Dibenzo(a,h)anthracene	0.20	U	0.20	U		NA
Indeno(1,2,3-cd)pyrene	0.20	U	0.20	U		NA
Phenanthrene	0.20	U	0.20	U		NA
Pesticide/PCB Analysis (UG/L)						
4,4'-DDD	0.10	U	0.10	U		NA
4,4'-DDE	0.10	U	0.10	U		NA
4,4'-DDT	0.10	U	0.10	U		NA
Aldrin	0.050	U	0.050	U		NA
alpha-BHC	0.23		0.23	J		NA
alpha-Chlordane	0.050	U	0.050	U		NA
Aroclor, Total		NA		NA		NA
Aroclor-1016	1.0	U	1.0	U		NA
Aroclor-1221	0.25	U	0.25	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U		NA
Aroclor-1242	1.0	U	1.0	U		NA
Aroclor-1248	1.0	U	1.0	U		NA
Aroclor-1254	0.25	U	0.25	U		NA
Aroclor-1260	0.25	U	0.25	U		NA
Aroclor-1262	0.28	U	0.28	U		NA
Aroclor-1268	1.0	U	1.0	U		NA
beta-BHC	0.060		0.060	J		NA
delta-BHC	0.050	U	0.050	U		NA
Dieldrin	0.050	U	0.050	U		NA
Endosulfan I	0.050	U	0.050	U		NA
Endosulfan II	0.10	U	0.10	U		NA
Endosulfan Sulfate	0.10	U	0.10	U		NA
Endrin	0.050	U	0.050	U		NA
Endrin Aldehyde	0.10	U	0.10	U		NA
Endrin Ketone	0.10	U	0.10	U		NA
gamma-BHC	0.050	UJ	0.050	UJ		NA
gamma-Chlordane	0.050	U	0.050	U		NA
Heptachlor	0.020	U	0.020	U		NA
Heptachlor Epoxide	0.020	U	0.020	U		NA
Methoxychlor	0.50	U	0.50	U		NA
Toxaphene	5.0	U	5.0	U		NA
Dioxin Analysis (PG/L)						
1,2,3,4,6,7,8-HpCDD	6.1	UJ	6.1	UJ		NA
1,2,3,4,6,7,8-HpCDF	5.2	UJ	5.2	UJ		NA
1,2,3,4,7,8,9-HpCDF	4.5	UJ	4.5	UJ		NA
1,2,3,4,7,8-HxCDD	4.4	UEMPC	4.4	UEMPC		NA
1,2,3,4,7,8-HxCDF	7.0	UEMPC	7.0	UEMPC		NA
1,2,3,6,7,8-HxCDD	4.9	UJ	4.9	UJ		NA
1,2,3,6,7,8-HxCDF	7.3		7.3	J		NA
1,2,3,7,8,9-HxCDD	6.8	UJ	6.8	UJ		NA
1,2,3,7,8,9-HxCDF	8.1	UEMPC	8.1	UEMPC		NA
1,2,3,7,8-PeCDD	8.0		8.0	J		NA
1,2,3,7,8-PeCDF	7.7	UJ	7.7	UJ		NA
2,3,4,6,7,8-HxCDF	6.4	UJ	6.4	UJ		NA
2,3,4,7,8-PeCDF	5.0	UEMPC	5.0	UEMPC		NA
2,3,7,8-TCDD	2.2	UJ	2.2	UJ		NA
2,3,7,8-TCDF	1.7	UJ	1.7	UJ		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
OCDD	9.9	UJ	9.9	UJ		NA
OCDF	8.9		8.9	J		NA
Total HpCDD	6.1	UJ	6.1	UJ		NA
Total HpCDF	9.7	UJ	9.7	UJ		NA
Total HxCDD	16.2	UEMPC	16.2	UEMPC		NA
Total HxCDF	28.8	UEMPC	28.8	UEMPC		NA
Total PeCDD	8.0	UJ	8.0	UJ		NA
Total PeCDF	12.8	UEMPC	12.8	UEMPC		NA
Total TCDD	2.2	UJ	2.2	UJ		NA
Total TCDF	1.7	UJ	1.7	UJ		NA
Toxicity Equivalency	8.7		8.7	J		NA
TAL Metal Analysis (UG/L)						
Aluminum	72.5	U	72.5	U		NA
Antimony	3.5	U	3.5	U		NA
Arsenic	2.3	U	2.3	U		NA
Barium	49.8	U	49.8	U		NA
Beryllium	0.52	U	0.52	U		NA
Cadmium	0.91	UJ	0.91	UJ		NA
Calcium	107000		107000			NA
Chromium	0.76		0.76	J		NA
Chromium VI		NA		NA		NA
Cobalt	23.9		23.9			NA
Copper	2.2	U	2.2	U		NA
Cyanide	4.7	UJ	4.7	UJ	7.6	UJ
Iron	19.5	U	19.5	U		NA
Lead	1.5	U	1.5	U		NA
Magnesium	51200		51200			NA
Manganese	1500		1500			NA
Mercury	0.10	U	0.10	U		NA
Nickel	5.9		5.9			NA
Potassium	9160		9160	J		NA
Selenium	2.1	U	2.1	U		NA
Silver	0.80	UJ	0.80	UJ		NA
Sodium	174000		174000	J		NA
Thallium	4.0	U	4.0	U		NA
Vanadium	1.2	UJ	1.2	UJ		NA
Zinc	21.1	U	21.1	U		NA
Wet Chemistry Analysis						

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-MW-PC16D-07-AVG		OU1-MW-PC16D-07		OU1-MW-DUP26-07	
Sample Location	MW-PC16D		MW-PC16D		MW-PC16D	
Date Sampled	1/31/2003		1/31/2003		1/31/2003	
Interval	0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07		Field Dup. OU1-MW-PC16D-07	
Zone	Overburden		Overburden		Overburden	
Alkalinity	170		170			NA
Carbon Dioxide	257		257			NA
Chloride	135		135			NA
Ferrous Iron	0.030	U	0.030	U		NA
Nitrate	55.1		55.1			NA
Nitrate-Nitrite (as N)		NA		NA		NA
Nitrite-N	1.8		1.84			NA
Sulfate	219		219			NA
Sulfide	0.50	U	0.50	U		NA
Total Organic Carbon	8.7		8.68			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	200	*	430	*	4	J	2	J		NA
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA	10	U		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U		NA
1,1-Dichloroethane	22		22		3	J	10	U		NA
1,1-Dichloroethene	71	J	180		10	UJ	0.9	U		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA	10	UJ		NA	10	UJ		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA	10	U		NA	10	U		NA
1,2-Dibromoethane		NA	10	U		NA	10	U		NA
1,2-Dichlorobenzene		NA	10	U		NA	10	U		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U		NA
1,2-Dichloroethene (total)	2	J		NA	10	U		NA		NA
1,2-Dichloropropane	10	U	10	U	10	U	10	U		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA	10	U		NA	10	U		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA	10	U		NA	10	U		NA
1,4-Dioxane		NA	100	UJ		NA	100	UJ		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone	10	UJ	10	U	10	UJ	10	U		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone	10	UJ	10	UJ	10	UJ	10	UJ		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		R	10	UJ		R	10	UJ		NA
Acetone	10	U	10	U	10	U	10	U		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene	10	U	10	U	10	U	10	U		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane	3	J	1	J	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	10	U	10	U	10	U		NA
Bromomethane	10	U	10	U	10	U	10	U		NA
Carbon Disulfide	10	UJ	10	U	10	UJ	10	U		NA
Carbon Tetrachloride	10	U	10	U	10	U	10	U		NA
Chlorobenzene	3	J	4	J	46		10	U		NA
Chloroethane	10	U	10	U	42		10	U		NA
Chloroform	18	U	8	J	10	U	10	U		NA
Chloromethane	10	UJ	10	U	10	UJ	10	U		NA
cis-1,2-Dichloroethene		NA	2	J		NA	10	U		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U		NA
Cyclohexane		NA	10	U		NA	10	U		NA
Dibromochloromethane	10	U	10	U	10	U	10	U		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA	10	U		NA	10	U		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	10	U		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA	10	U		NA	10	U		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA	10	U		NA	10	U		NA
Methyl tert-Butyl Ether		NA	10	UJ		NA	10	UJ		NA
Methylcyclohexane		NA	10	U		NA	10	U		NA
Methylene Chloride	590	*	39		10	U	10	U		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene	10	U	10	U	10	U	10	U		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene	2	J	4	J	10	U	10	U		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene	3	J	10	U	10	UJ	10	U		NA
Total Xylenes	10	U	10	U	10	U	10	U		NA
trans-1,2-Dichloroethene		NA	10	U		NA	10	U		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U		NA
Trichloroethene	59		73		6	J	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA	10	U		NA	10	U		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride	10	U	0.9	J	10	U	1	U		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA	10.0	U		NA	10.0	U		NA
Ethene		NA	10.0	U		NA	10.0	U		NA
Methane		NA	70.0			NA	5.0	U		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA	10	U
1,1-Dichloroethane		NA		NA		NA		NA	43	
1,1-Dichloroethene		NA		NA		NA		NA	12	
1,2-Dichloroethane		NA		NA		NA		NA	10	U
Benzene		NA		NA		NA		NA	10	U
Chlorobenzene		NA		NA		NA		NA	13	
cis-1,2-Dichloroethene		NA		NA		NA		NA	140	
Ethylbenzene		NA		NA		NA		NA	10	U
m&p-Xylene		NA		NA		NA		NA	10	U
o-Xylene		NA		NA		NA		NA	10	U
Tetrachloroethene		NA		NA		NA		NA	10	U
Toluene		NA		NA		NA		NA	10	U
trans-1,2-Dichloroethene		NA		NA		NA		NA	10	U
Trichloroethene		NA		NA		NA		NA	53	
Vinyl Chloride		NA		NA		NA		NA	64	
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA	10	UJ		NA	10	U		NA
1,2,4-Trichlorobenzene	10	U		NA	10	UJ		NA		NA
1,2-Dichlorobenzene	10	U		NA	10	U		NA		NA
1,3-Dichlorobenzene	10	U		NA	10	U		NA		NA
1,4-Dichlorobenzene	10	U		NA	10	UJ		NA		NA
2,2'-oxybis(1-Chloropropane)	10	U	10	UJ	10	U	10	U		NA
2,4,5-Trichlorophenol	25	U	25	UJ	25	U	25	U		NA
2,4,6-Trichlorophenol	10	U	10	UJ	10	U	10	U		NA
2,4-Dichlorophenol	10	U	10	UJ	10	U	10	U		NA
2,4-Dimethylphenol	10	U	10	UJ	10	U	10	U		NA
2,4-Dinitrophenol	25	U	2	J	25	U	25	UJ		NA
2,4-Dinitrotoluene	10	U	10	UJ	10	U	10	U		NA
2,6-Dinitrotoluene	10	U	10	UJ	10	U	10	U		NA
2-Chloronaphthalene	10	U	10	UJ	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	10	U	10	UJ	10	U	10	U		NA
2-Methylnaphthalene	10	U	10	UJ	10	U	10	U		NA
2-Methylphenol	10	U	10	UJ	10	U	10	U		NA
2-Nitroaniline	25	U	25	UJ	25	U	25	U		NA
2-Nitrophenol	2	J	10	UJ	10	U	10	U		NA
3,3'-Dichlorobenzidine	10	UJ	10	UJ	10	U	10	U		NA
3-Nitroaniline	25	U	25	UJ	25	U	25	U		NA
4,6-Dinitro-2-methylphenol	1	J	1	J	25	U	25	U		NA
4-Bromophenyl-phenylether	10	U	10	UJ	10	U	10	U		NA
4-Chloro-3-methylphenol	10	U	10	UJ	10	U	10	U		NA
4-Chloroaniline	10	UJ	10	UJ	10	U	10	UJ		NA
4-Chlorophenyl-phenylether	10	U	10	UJ	10	U	10	U		NA
4-Methylphenol	10	U	10	UJ	10	U	10	U		NA
4-Nitroaniline	25	U	25	UJ	25	U	25	U		NA
4-Nitrophenol	19	J	33	J	25	UJ	25	U		NA
Acenaphthene	10	U	10	UJ	10	UJ	10	U		NA
Acenaphthylene	10	U	10	UJ	10	U	10	U		NA
Acetophenone		NA	10	UJ		NA	10	U		NA
Anthracene	10	U	10	UJ	10	U	10	U		NA
Atrazine		NA	10	UJ		NA	10	UJ		NA
Benzaldehyde		NA	10	UJ		NA	10	U		NA
Benzo(a)anthracene	10	U	10	UJ	10	U	10	U		NA
Benzo(a)pyrene	10	U	10	UJ	10	U	10	U		NA
Benzo(b)fluoranthene	10	U	10	UJ	10	U	10	U		NA
Benzo(g,h,i)perylene	10	U	10	UJ	10	U	10	U		NA
Benzo(k)fluoranthene	10	U	10	UJ	10	U	10	U		NA
Bis(2-Chloroethoxy)methane	10	U	10	UJ	10	U	10	U		NA
Bis(2-Chloroethyl)ether	10	U	10	UJ	10	U	10	U		NA
bis(2-Ethylhexyl)phthalate	10	U	10	UJ	10	U	10	U		NA
Butylbenzylphthalate	10	U	10	UJ	10	U	10	U		NA
Caprolactam		NA	10	UJ		NA	10	U		NA
Carbazole	10	UJ	10	UJ	10	U	10	U		NA
Chrysene	10	U	10	UJ	10	U	10	U		NA
Dibenzo(a,h)anthracene	10	U	10	UJ	10	U	10	U		NA
Dibenzofuran	10	U	10	UJ	10	U	10	U		NA
Diethylphthalate	10	U	10	UJ	10	U	10	U		NA
Dimethylphthalate	10	U	10	UJ	10	U	10	U		NA
Di-n-Butylphthalate	10	U	10	UJ	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	10	U	10	UJ	10	U	10	U		NA
Fluoranthene	10	U	10	UJ	10	U	10	U		NA
Fluorene	10	U	10	UJ	10	U	10	U		NA
Hexachlorobenzene	10	U	10	UJ	10	U	10	U		NA
Hexachlorobutadiene	10	U	10	UJ	10	U	10	U		NA
Hexachlorocyclopentadiene		R	10	UJ		R	10	U		NA
Hexachloroethane	10	U	10	UJ	10	U	10	U		NA
Indeno(1,2,3-cd)pyrene	10	U	10	UJ	10	U	10	U		NA
Isophorone	10	U	10	UJ	10	U	10	U		NA
Naphthalene	10	U	10	UJ	10	U	10	U		NA
Nitrobenzene	10	U	10	UJ	10	U	10	U		NA
N-Nitroso-di-n-propylamine	10	U	10	UJ	10	UJ	10	U		NA
N-Nitroso-diphenylamine	10	U	10	UJ	10	U	10	U		NA
Pentachlorophenol	25	UJ	25	UJ	25	U	25	UJ		NA
Phenanthrene	10	U	10	UJ	10	U	10	U		NA
Phenol	10	U	10	UJ	10	U	10	U		NA
Pyrene	10	U	10	UJ	10	U	10	U		NA
Total PAH	10	U		NA	10	U		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA	0.20	U		NA	0.20	U		NA
Benzo(a)anthracene		NA	0.20	U		NA	0.20	U		NA
Benzo(a)pyrene		NA	0.20	UJ		NA	0.20	UJ		NA
Benzo(b)fluoranthene		NA	0.20	U		NA	0.20	U		NA
Benzo(k)fluoranthene		NA	0.20	U		NA	0.20	U		NA
Chrysene		NA	0.20	U		NA	0.20	U		NA
Dibenzo(a,h)anthracene		NA	0.20	U		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA	0.20	U		NA
Phenanthrene		NA	0.20			NA	0.20	U		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
4,4'-DDE	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
4,4'-DDT	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
Aldrin	0.050	UJ	0.050	U	0.050	U	0.050	U		NA
alpha-BHC	0.050	UJ	0.050	UJ	0.050	U	0.050	UJ		NA
alpha-Chlordane	0.050	UJ	0.050	U	0.050	U	0.050	U		NA
Aroclor, Total	1.1	U		NA	1.1	U		NA		NA
Aroclor-1016	1.0	UJ	1.0	U	1.0	U	1.0	U		NA
Aroclor-1221	2.0	UJ	0.25	U	2.0	U	0.25	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	UJ	1.0	U	1.0	U	1.0	U		NA
Aroclor-1242	1.0	UJ	1.0	U	1.0	U	1.0	U		NA
Aroclor-1248	1.0	UJ	1.0	U	1.0	U	1.0	U		NA
Aroclor-1254	1.0	UJ	0.25	U	1.0	U	0.25	U		NA
Aroclor-1260	1.0	UJ	0.25	U	1.0	U	0.25	U		NA
Aroclor-1262	1.0	UJ	0.28	U	1.0	UJ	0.28	U		NA
Aroclor-1268	1.0	UJ	1.0	U	1.0	U	1.0	U		NA
beta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U		NA
delta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U		NA
Dieldrin	0.10	UJ	0.050	U	0.10	U	0.050	U		NA
Endosulfan I	0.050	UJ	0.050	U	0.050	U	0.050	U		NA
Endosulfan II	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
Endosulfan Sulfate	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
Endrin	0.10	UJ	0.050	U	0.10	U	0.050	U		NA
Endrin Aldehyde	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
Endrin Ketone	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
gamma-BHC	0.050	UJ	0.050	UJ	0.050	U	0.050	UJ		NA
gamma-Chlordane	0.050	UJ	0.050	U	0.050	U	0.050	U		NA
Heptachlor	0.050	UJ	0.020	U	0.050	U	0.020	U		NA
Heptachlor Epoxide	0.050	UJ	0.020	U	0.050	U	0.020	U		NA
Methoxychlor	0.50	UJ	0.50	U	0.50	U	0.50	U		NA
Toxaphene	5.0	UJ	5.0	U	5.0	U	5.0	U		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA	2.4	U		NA	2.8	U		NA
1,2,3,4,6,7,8-HpCDF		NA	1.2	U		NA	1.2	U		NA
1,2,3,4,7,8,9-HpCDF		NA	1.6	U		NA	1.6	U		NA
1,2,3,4,7,8-HxCDD		NA	1.3	U		NA	1.3	U		NA
1,2,3,4,7,8-HxCDF		NA	1.6	U		NA	2.1	U		NA
1,2,3,6,7,8-HxCDD		NA	1.2	U		NA	1.2	U		NA
1,2,3,6,7,8-HxCDF		NA	0.80	U		NA	1.7	UEMPC		NA
1,2,3,7,8,9-HxCDD		NA	1.2	UEMPC		NA	1.1	U		NA
1,2,3,7,8,9-HxCDF		NA	1.0	U		NA	1.5	UEMPC		NA
1,2,3,7,8-PeCDD		NA	1.0	U		NA	1.0	U		NA
1,2,3,7,8-PeCDF		NA	0.50	U		NA	3.3	U		NA
2,3,4,6,7,8-HxCDF		NA	0.80	U		NA	1.4	U		NA
2,3,4,7,8-PeCDF		NA	0.60	U		NA	2.2	U		NA
2,3,7,8-TCDD		NA	0.90	U		NA	0.90	U		NA
2,3,7,8-TCDF		NA	0.70	U		NA	0.70	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA	4.9	EMPC		NA	4.4	U		NA
OCDF		NA	2.5	U		NA	3.2	U		NA
Total HpCDD		NA	2.4	UJ		NA	2.8	UJ		NA
Total HpCDF		NA	1.4	UJ		NA	1.4	UJ		NA
Total HxCDD		NA	5.0	UEMPC		NA	2.0	UEMPC		NA
Total HxCDF		NA	1.6	UJ		NA	6.7	UEMPC		NA
Total PeCDD		NA	1.0	UJ		NA	1.0	UJ		NA
Total PeCDF		NA	0.60	UJ		NA	5.5	UJ		NA
Total TCDD		NA	1.3	UEMPC		NA	0.90	UJ		NA
Total TCDF		NA	3.0	UEMPC		NA	5.0	UEMPC		NA
Toxicity Equivalency		NA	0.00049	J		NA	0.00	UJ		NA
TAL Metal Analysis (UG/L)										
Aluminum	470		258	U	1020		498			NA
Antimony	50.0	U	3.5	U	50.0	U	3.5	U		NA
Arsenic	1.0	U	2.3	U	1.0	U	2.3	U		NA
Barium	21.2	U	19.5	U	80.1		198			NA
Beryllium	1.0	U	0.59	U	1.0	U	0.61	U		NA
Cadmium	2140		387		43.7		22.1			NA
Calcium	60600		99500		4000		5030	U		NA
Chromium	5.0	U	5.2		5.0	U	0.78	J		NA
Chromium VI		NA		NA		NA		NA		NA
Cobalt	605		195		28.3		23.5			NA
Copper	107		81.1		43.5		26.7	U		NA
Cyanide		NA	4.4	UJ		NA	7.2	UJ		NA
Iron	968		19.5	U	986		19.5	U		NA
Lead	1.0	UJ	1.5	UJ	3.7	UJ	12.6	U		NA
Magnesium	20900		43300		1070		1550	U		NA
Manganese	17400		18200		547		212			NA
Mercury	0.10	UJ	0.10	U	0.10	U	0.10	U		NA
Nickel	71500		17900		2580		728			NA
Potassium	25800		51300	J	27500		3800	J		NA
Selenium	1.0	UJ	3.0	UJ	1.0	UJ	2.7	UJ		NA
Silver	3.0	U	0.80	UJ	3.0	U	0.80	UJ		NA
Sodium	355000		231000	J	26900		28100	J		NA
Thallium	5.0	U	27.0	U	1.0	U	4.0	U		NA
Vanadium	3.0	U	0.80	U	3.0	U	0.80	U		NA
Zinc	44800		10800		2880		1070			NA
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU1-PC-16M-01		OU1-MW-PC16M-07		OU1-PC-16S-01		OU1-MW-PC16S-07		OU2-DP1-7-0611	
Sample Location	MW-PC16M		MW-PC16M		MW-PC16S		MW-PC16S		DP1-7	
Date Sampled	11/20/1997		1/31/2003		11/20/1997		1/31/2003		7/29/1997	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0		6.0-11.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity	19.5	J	34.0		20.7	J	36.0			NA
Carbon Dioxide		NA	166			NA	82.6			NA
Chloride	424		129		10.6		3.84			NA
Ferrous Iron		NA	0.030	U		NA	0.030	U		NA
Nitrate		NA	16.3			NA	4.99			NA
Nitrate-Nitrite (as N)	5.13			NA	1.83			NA		NA
Nitrite-N		NA	0.47			NA	0.050	U		NA
Sulfate	695	J	709		76.8	J	25.2			NA
Sulfide		NA	0.50	U		NA	0.50	U		NA
Total Organic Carbon		NA	9.08			NA	3.1			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane	1	U	10	U	50	U	10	U		NA
1,1,1-Trichloroethane	23		150		270		330		6	
1,1,2,2-Tetrachloroethane	1	U	10	U	50	U	10	U	50	U
1,1,2-Trichloro-1,2,2-trifluoroethane	1	U	10	U	50	U	10	U		NA
1,1,2-Trichloroethane	1	U	10	U	50	U	10	U	50	U
1,1-Dichloroethane	3.3		50		350		120		87.5	
1,1-Dichloroethene	10		89		270		210		16	
1,1-Dichloropropene	1	U	10	U	50	U	10	U		NA
1,2,3-Trichlorobenzene	1	U	10	U	50	U	10	U		NA
1,2,3-Trichloropropane	1	U	10	U	50	U	10	U		NA
1,2,4-Trichlorobenzene	1	U	10	U	50	U	10	U		NA
1,2,4-Trimethylbenzene	1	U	10	U	50	U	10	U		NA
1,2-Dibromo-3-chloropropane	1	U	10	U	50	U	10	U		NA
1,2-Dibromoethane	1	U	10	U	50	U	10	U		NA
1,2-Dichlorobenzene	1	U	10	U	50	U	10	U		NA
1,2-Dichloroethane	1	U	10	U	50	U	10	U	50	U
1,2-Dichloroethene (total)		NA		NA		NA		NA	460	
1,2-Dichloropropane	1	U	10	U	50	U	10	U	50	U
1,3,5-Trimethylbenzene	1	U	10	U	50	U	10	U		NA
1,3-Dichlorobenzene	1	U	10	U	50	U	10	U		NA
1,3-Dichloropropane	1	U	10	U	50	U	10	U		NA
1,4-Dichlorobenzene	1	U	10	U	50	U	10	U		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane	1	U	10	U	50	U	10	U		NA
2-Butanone	4	U	40	U	200	U	40	U	50	U
2-Chloroethylvinylether	3	U	30	U	150	U	30	U		NA
2-Chlorotoluene	1	U	10	U	50	U	10	U		NA
2-Hexanone	0.6	U	6	U	30	U	6	U	50	U
4-Chlorotoluene	1	U	10	U	50	U	10	U		NA
4-Methyl-2-Pentanone	0.5	U	5	U	25	U	5	U	50	U
Acetone	3.8	JB	20	U	100	U	20	U	50	U
Acrolein	10	U	100	U	500	U	100	U		NA
Acrylonitrile	5	U	50	U	250	U	50	U		NA
Benzene	1	U	10	U	50	U	10	U	50	U
Bromobenzene	1	U	10	U	50	U	10	U		NA
Bromochloromethane	1	U	10	U	50	U	10	U		NA
Bromodichloromethane	1	U	10	U	50	U	10	U	50	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	1	U	10	U	50	U	10	U	50	U
Bromomethane	1	U	5.9	BL	50	U	10	U	50	U
Carbon Disulfide	3	U	30	U	150	U	30	U	50	U
Carbon Tetrachloride	1	U	10	U	50	U	10	U	15.5	
Chlorobenzene	1	U	10	U	50	U	10	U	32.5	
Chloroethane	1	U	10	U	50	U	10	U	30	
Chloroform	1	U	10	U	50	U	10	U		NA
Chloromethane	1	U	10	U	50	U	10	U	50	U
cis-1,2-Dichloroethene	5.7		76		560		180			NA
cis-1,3-Dichloropropene	1	U	10	U	50	U	10	U	50	U
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	1	U	10	U	50	U	10	U	50	U
Dibromomethane	1	U	10	U	50	U	10	U		NA
Dichlorodifluoromethane	1	U	10	U	50	U	10	U		NA
Ethyl Ether	3	U	30	U	150	U	30	U		NA
Ethylbenzene	1	U	10	U	50	U	10	U	50	U
Hexachlorobutadiene	1	U	10	U	50	U	10	U		NA
Isopropylbenzene	1	U	10	U	50	U	10	U		NA
m&p-Xylene	2	U	20	U	100	U	20	U		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	1	U	7.2	L	50	U	10	U		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	1	U	10	U	50	U	10	U	30	U
Naphthalene	1	U	10	U	50	U	10	U		NA
n-Butylbenzene	1	U	10	U	50	U	10	U		NA
n-Propylbenzene	1	U	10	U	50	U	10	U		NA
o-Xylene	1	U	10	U	50	U	10	U		NA
p-Isopropyltoluene	1	U	10	U	50	U	10	U		NA
sec-Butylbenzene	1	U	10	U	50	U	10	U		NA
Styrene	1	U	10	U	50	U	10	U	50	U
tert-Butylbenzene	1	U	10	U	50	U	10	U		NA
Tetrachloroethene	1	U	10	U	50	U	10	U	25.5	
Tetrahydrofuran	7	U	70	U	350	U	70	U		NA
Toluene	0.78	L	10	U	50	U	10	U	50	U
Total Xylenes		NA		NA		NA		NA	50	U
trans-1,2-Dichloroethene	1	U	10	U	50	U	10	U		NA
trans-1,3-Dichloropropene	1	U	10	U	50	U	10	U	50	U
Trichloroethene	12		120		960		360		72.5	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	1	U	10	U	50	U	10	U		NA
Vinyl Acetate	6	U	60	U	300	U	60	U		NA
Vinyl Chloride	1	U	10	U	50	U	10	U	125	
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA	376		50	U
1,1-Dichloroethane		NA		NA		NA		NA	94	
1,1-Dichloroethene		NA		NA		NA	212		50	U
1,2-Dichloroethane		NA		NA		NA		NA	50	U
Benzene		NA		NA		NA	28	U	50	U
Chlorobenzene		NA		NA		NA	58	U	50	U
cis-1,2-Dichloroethene		NA		NA		NA	192		480	
Ethylbenzene		NA		NA		NA		NA	50	U
m&p-Xylene		NA		NA		NA		NA	50	U
o-Xylene		NA		NA		NA		NA	50	U
Tetrachloroethene		NA		NA		NA	15	U	50	U
Toluene		NA		NA		NA	18	U	50	U
trans-1,2-Dichloroethene		NA		NA		NA		NA	50	U
Trichloroethene		NA		NA		NA	438		57	
Vinyl Chloride		NA		NA		NA		NA	120	
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA	53.75	U
Antimony		NA		NA		NA		NA	27.3	U
Arsenic		NA		NA		NA		NA	28.3	
Barium		NA		NA		NA		NA	191.5	
Beryllium		NA		NA		NA		NA	0.10	U
Cadmium		NA		NA		NA		NA	2.6	U
Calcium		NA		NA		NA		NA	38550	
Chromium		NA		NA		NA		NA	2.9	U
Chromium VI		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA	4.525	
Copper		NA		NA		NA		NA	2.5	U
Cyanide		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA	7255	
Lead		NA		NA		NA		NA	1.5	
Magnesium		NA		NA		NA		NA	32250	
Manganese		NA		NA		NA		NA	1300	
Mercury		NA		NA		NA		NA	0.10	U
Nickel		NA		NA		NA		NA	15.2	U
Potassium		NA		NA		NA		NA	5135	
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA	3.0	U
Sodium		NA		NA		NA		NA	64050	
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA	4.6	U
Zinc		NA		NA		NA		NA	52.55	U
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW18-0021		RM-GW18-0026		RM-GW18-0031		RM-GW18-0041		OU2-DP1-8-1217-AVG	
Sample Location	18		18		18		18		DP1-8	
Date Sampled	2/25/2002		2/25/2002		2/26/2002		2/26/2002		7/29/1997	
Interval	0.0-21.0		0.0-26.0		0.0-31.0		0.0-41.0		12.0-17.0	
QC Identifier	None		None		None		None		Field Dup. (D1)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	50	U	1	U	20	U	200	U	20	U
1,1-Dichloroethane	120		1	U	140		200	U	60	
1,1-Dichloroethene	50	U	1	U	20	U	200	U	20	U
1,2-Dichloroethane	50	U	1	U	20	U	200	U	20	U
Benzene	50	U	1	U	20	U	200	U	20	U
Chlorobenzene	75		1	U	130		200	U	110	
cis-1,2-Dichloroethene	410		1	U	240		260		100	
Ethylbenzene	50	U	1	U	20	U	200	U	20	U
m&p-Xylene	50	U	1	U	20	U	200	U	20	U
o-Xylene	50	U	1	U	20	U	200	U	20	U
Tetrachloroethene	50	U	1	U	20	U	200	U	20	U
Toluene	50	U	1	U	20	U	200	U	20	U
trans-1,2-Dichloroethene	50	U	1	U	20	U	200	U	20	U
Trichloroethene	84		1	U	20	U	2100		20	U
Vinyl Chloride	120		1	U	92.5		200	U	52	
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Chromium VI		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Cyanide		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-8-2328		OU2-DP1-9-1318		OU2-DP1-9-2328-AVG		OU2-DP1-9A-3338		OU2-DP1-9A-4348	
Sample Location	DP1-8		DP1-9		DP1-9		DP1-9A		DP1-9A	
Date Sampled	7/29/1997		7/29/1997		7/29/1997		7/29/1997		7/29/1997	
Interval	23.0-28.0		13.0-18.0		23.0-28.0		33.0-38.0		43.0-48.0	
QC Identifier	None		None		Field Dup. (D1s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA	2	U	20	U	2	U	10	U	25
1,1,1-Trichloroethane	10	U	61		330		51		120		170
1,1,2,2-Tetrachloroethane	10	U	2	U	20	U	2	U	10	U	25
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	2	U	20	U	2	U	10	U	25
1,1,2-Trichloroethane	10	U	2	U	20	U	2	U	10	U	25
1,1-Dichloroethane	81		14		84		12		56		150
1,1-Dichloroethene	2	J	33		190		27		81		150
1,1-Dichloropropene		NA	2	U	20	U	2	U	10	U	25
1,2,3-Trichlorobenzene		NA	2	U	20	U	2	U	10	U	25
1,2,3-Trichloropropane		NA	2	U	20	U	2	U	10	U	25
1,2,4-Trichlorobenzene		NA	2	U	20	U	2	U	10	U	25
1,2,4-Trimethylbenzene		NA	2	U	20	U	2	U	10	U	25
1,2-Dibromo-3-chloropropane		NA	2	U	20	U	2	U	10	U	25
1,2-Dibromoethane		NA	2	U	20	U	2	U	10	U	25
1,2-Dichlorobenzene		NA	2	U	20	U	2	U	10	U	25
1,2-Dichloroethane	10	U	2	U	20	U	2	U	10	U	25
1,2-Dichloroethene (total)	170			NA		NA		NA		NA	
1,2-Dichloropropane	10	U	2	U	20	U	2	U	10	U	25
1,3,5-Trimethylbenzene		NA	2	U	20	U	2	U	10	U	25
1,3-Dichlorobenzene		NA	2	U	20	U	2	U	10	U	25
1,3-Dichloropropane		NA	2	U	20	U	2	U	10	U	25
1,4-Dichlorobenzene		NA	2	U	20	U	2	U	10	U	25
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA	2	U	20	U	2	U	10	U	25
2-Butanone	10	U	8	U	80	U	8	U	40	U	100
2-Chloroethylvinylether		NA	6	U	60	U	6	U	30	U	75
2-Chlorotoluene		NA	2	U	20	U	2	U	10	U	25
2-Hexanone	10	U	1.2	U	12	U	1.2	U	6	U	15
4-Chlorotoluene		NA	2	U	20	U	2	U	10	U	25
4-Methyl-2-Pentanone	10	U	1	U	10	U	1	U	5	U	12
Acetone	10	UJ	4	U	40	U	4	U	20	U	50
Acrolein		NA	20	U	200	U	20	U	100	U	250
Acrylonitrile		NA	10	U	100	U	10	U	50	U	130
Benzene	5	J	2	U	20	U	2	U	10	U	25
Bromobenzene		NA	2	U	20	U	2	U	10	U	25
Bromochloromethane		NA	2	U	20	U	2	U	10	U	25
Bromodichloromethane	10	U	2	U	20	U	2	U	10	U	25

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform	10	U	2	U	20	U	2	U	10	U	25
Bromomethane	10	U	2	U	20	U	2	U	10	U	25
Carbon Disulfide	10	U	6	U	60	U	6	U	30	U	75
Carbon Tetrachloride	10	UJ	2	U	20	U	2	U	10	U	25
Chlorobenzene	120		2	U	20	U	2	U	10	U	25
Chloroethane	10	U	2	U	20	U	2	U	10	U	25
Chloroform		R	2	U	20	U	2	U	10	U	25
Chloromethane	10	U	2	U	20	U	2	U	10	U	25
cis-1,2-Dichloroethene		NA	23		130		19		83		230
cis-1,3-Dichloropropene	10	U	2	U	20	U	2	U	10	U	25
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane	10	U	2	U	20	U	2	U	10	U	25
Dibromomethane		NA	2	U	20	U	2	U	10	U	25
Dichlorodifluoromethane		NA	2	U	20	U	2	U	10	U	25
Ethyl Ether		NA	6	U	60	U	6	U	30	U	75
Ethylbenzene	10	U	2	U	20	U	2	U	10	U	25
Hexachlorobutadiene		NA	2	U	20	U	2	U	10	U	25
Isopropylbenzene		NA	2	U	20	U	2	U	10	U	25
m&p-Xylene		NA	4	U	40	U	4	U	20	U	50
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA	2	U	20	U	2	U	10	U	25
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride	10	U	2	U	20	U	2	U	10	U	25
Naphthalene		NA	2	U	20	U	2	U	10	U	25
n-Butylbenzene		NA	2	U	20	U	2	U	10	U	25
n-Propylbenzene		NA	2	U	20	U	2	U	10	U	25
o-Xylene		NA	2	U	20	U	2	U	10	U	25
p-Isopropyltoluene		NA	2	U	20	U	2	U	10	U	25
sec-Butylbenzene		NA	2	U	20	U	2	U	10	U	25
Styrene	10	U	2	U	20	U	2	U	10	U	25
tert-Butylbenzene		NA	2	U	20	U	2	U	10	U	25
Tetrachloroethene	10	U	2	U	20	U	2	U	10	U	25
Tetrahydrofuran		NA	14	U	140	U	14	U	70	U	180
Toluene	5	J	3.2		20	U	2	U	10	U	25
Total Xylenes	2	J		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA	2	U	20	U	2	U	10	U	25
trans-1,3-Dichloropropene	10	U	2	U	20	U	2	U	10	U	25
Trichloroethene	5	J	38		240		35		160		25

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA	2	U	20	U	2	U	10	U	25
Vinyl Acetate		NA	12	U	120	U	12	U	60	U	150
Vinyl Chloride	69		2	U	20	U	2	U	10	U	25
Dissolved Methane, Ethane, Ethene Analysis (UG/L)											
Ethane		NA		NA		NA		NA		NA	
Ethene		NA		NA		NA		NA		NA	
Methane		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	10	U	64			NA	57			NA	
1,1-Dichloroethane	89			NA		NA		NA		NA	
1,1-Dichloroethene	10	U	24			NA	22			NA	
1,2-Dichloroethane	10	U		NA		NA		NA		NA	
Benzene	10	U	20	U		NA	20	U		NA	
Chlorobenzene	120		58	U		NA	47	U		NA	
cis-1,2-Dichloroethene	160		18			NA	21			NA	
Ethylbenzene	10	U		NA		NA		NA		NA	
m&p-Xylene	11.8			NA		NA		NA		NA	
o-Xylene	10	U		NA		NA		NA		NA	
Tetrachloroethene	10	U	15	U		NA	12	U		NA	
Toluene	10	U	18	U		NA	18	U		NA	
trans-1,2-Dichloroethene	10	U		NA		NA		NA		NA	
Trichloroethene	10	U	42			NA	43			NA	
Vinyl Chloride	77			NA		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Total PAH		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor, Total		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
Dioxin Analysis (PG/L)											
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,7,8-TCDD		NA		NA		NA		NA		NA	
2,3,7,8-TCDF		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
OCDD		NA		NA		NA		NA		NA	
OCDF		NA		NA		NA		NA		NA	
Total HpCDD		NA		NA		NA		NA		NA	
Total HpCDF		NA		NA		NA		NA		NA	
Total HxCDD		NA		NA		NA		NA		NA	
Total HxCDF		NA		NA		NA		NA		NA	
Total PeCDD		NA		NA		NA		NA		NA	
Total PeCDF		NA		NA		NA		NA		NA	
Total TCDD		NA		NA		NA		NA		NA	
Total TCDF		NA		NA		NA		NA		NA	
Toxicity Equivalency		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum	22.7	U		NA		NA		NA		NA	
Antimony	27.3	U		NA		NA		NA		NA	
Arsenic	90.0			NA		NA		NA		NA	
Barium	274			NA		NA		NA		NA	
Beryllium	0.10	UJ		NA		NA		NA		NA	
Cadmium	2.6	U		NA		NA		NA		NA	
Calcium	41700			NA		NA		NA		NA	
Chromium	2.9	U		NA		NA		NA		NA	
Chromium VI		NA		NA		NA		NA		NA	
Cobalt	4.9	U		NA		NA		NA		NA	
Copper	2.5	U		NA		NA		NA		NA	
Cyanide		NA		NA		NA		NA		NA	
Iron	32400			NA		NA		NA		NA	
Lead		R		NA		NA		NA		NA	
Magnesium	53900			NA		NA		NA		NA	
Manganese	3320			NA		NA		NA		NA	
Mercury	0.10	U		NA		NA		NA		NA	
Nickel	15.2	U		NA		NA		NA		NA	
Potassium	7250			NA		NA		NA		NA	
Selenium		R		NA		NA		NA		NA	
Silver	3.0	UJ		NA		NA		NA		NA	
Sodium	64200			NA		NA		NA		NA	
Thallium		R		NA		NA		NA		NA	
Vanadium	9.1			NA		NA		NA		NA	
Zinc	76.8	UJ		NA		NA		NA		NA	
Wet Chemistry Analysis											

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-9A-5358		RM-GW20-0022		RM-GW20-0027		RM-GW21-0020		RM-GW21-0025		RM-GW21-0030
Sample Location	DP1-9A		20		20		21		21		21
Date Sampled	7/30/1997		2/26/2002		2/26/2002		2/26/2002		2/26/2002		2/26/2002
Interval	53.0-58.0		0.0-22.0		0.0-27.0		0.0-20.0		0.0-25.0		0.0-30.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Alkalinity		NA		NA		NA		NA		NA	
Carbon Dioxide		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Ferrous Iron		NA		NA		NA		NA		NA	
Nitrate		NA		NA		NA		NA		NA	
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA	
Nitrite-N		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	
Sulfide		NA		NA		NA		NA		NA	
Total Organic Carbon		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Volatile Organic Analysis (UG/L)					
1,1,1,2-Tetrachloroethane	U	1	U		NA
1,1,1-Trichloroethane		6.3			NA
1,1,2,2-Tetrachloroethane	U	1	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1	U		NA
1,1,2-Trichloroethane	U	1	U		NA
1,1-Dichloroethane		11			NA
1,1-Dichloroethene		10			NA
1,1-Dichloropropene	U	1	U		NA
1,2,3-Trichlorobenzene	U	1	U		NA
1,2,3-Trichloropropane	U	1	U		NA
1,2,4-Trichlorobenzene	U	1	U		NA
1,2,4-Trimethylbenzene	U	1	U		NA
1,2-Dibromo-3-chloropropane	U	1	U		NA
1,2-Dibromoethane	U	1	U		NA
1,2-Dichlorobenzene	U	1	U		NA
1,2-Dichloroethane	U	1	U		NA
1,2-Dichloroethene (total)	NA		NA		NA
1,2-Dichloropropane	U	1	U		NA
1,3,5-Trimethylbenzene	U	1	U		NA
1,3-Dichlorobenzene	U	1	U		NA
1,3-Dichloropropane	U	1	U		NA
1,4-Dichlorobenzene	U	1	U		NA
1,4-Dioxane	NA		NA		NA
2,2-Dichloropropane	U	1	U		NA
2-Butanone	U	4	U		NA
2-Chloroethylvinylether	U	3	U		NA
2-Chlorotoluene	U	1	U		NA
2-Hexanone	U	0.6	U		NA
4-Chlorotoluene	U	1	U		NA
4-Methyl-2-Pentanone	U	0.5	U		NA
Acetone	U	3.8	B		NA
Acrolein	U	10	U		NA
Acrylonitrile	U	5	U		NA
Benzene	U	1	U		NA
Bromobenzene	U	1	U		NA
Bromochloromethane	U	1	U		NA
Bromodichloromethane	U	1	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Bromoform	U	1	U		NA
Bromomethane	U	1	U		NA
Carbon Disulfide	U	3	U		NA
Carbon Tetrachloride	U	1	U		NA
Chlorobenzene	U	1	U		NA
Chloroethane	U	1	U		NA
Chloroform	U	1	U		NA
Chloromethane	U	1	U		NA
cis-1,2-Dichloroethene		23			NA
cis-1,3-Dichloropropene	U	1	U		NA
Cyclohexane	NA		NA		NA
Dibromochloromethane	U	1	U		NA
Dibromomethane	U	1	U		NA
Dichlorodifluoromethane	U	1	U		NA
Ethyl Ether	U	3	U		NA
Ethylbenzene	U	1	U		NA
Hexachlorobutadiene	U	1	U		NA
Isopropylbenzene	U	1	U		NA
m&p-Xylene	U	2	U		NA
Methyl Acetate	NA		NA		NA
Methyl tert-Butyl Ether	U	1	U		NA
Methylcyclohexane	NA		NA		NA
Methylene Chloride	U	1	U		NA
Naphthalene	U	1	U		NA
n-Butylbenzene	U	1	U		NA
n-Propylbenzene	U	1	U		NA
o-Xylene	U	1	U		NA
p-Isopropyltoluene	U	1	U		NA
sec-Butylbenzene	U	1	U		NA
Styrene	U	1	U		NA
tert-Butylbenzene	U	1	U		NA
Tetrachloroethene	U	1	U		NA
Tetrahydrofuran	U	7	U		NA
Toluene	U	1	U		NA
Total Xylenes	NA		NA		NA
trans-1,2-Dichloroethene	U	1	U		NA
trans-1,3-Dichloropropene	U	1	U		NA
Trichloroethene	U	59			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Trichlorofluoromethane	U	1	U		NA
Vinyl Acetate	U	6	U		NA
Vinyl Chloride	U	1	U		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)					
Ethane	NA		NA		NA
Ethene	NA		NA		NA
Methane	NA		NA		NA
Volatile Organic Screening Analysis (UG/L)					
1,1,1-Trichloroethane	NA	18		1	U
1,1-Dichloroethane	NA		NA	18	
1,1-Dichloroethene	NA	9		3.8	
1,2-Dichloroethane	NA		NA	1	U
Benzene	NA	26	U	6.3	
Chlorobenzene	NA	52	U	11	
cis-1,2-Dichloroethene	NA	20		9.1	
Ethylbenzene	NA		NA	1	U
m&p-Xylene	NA		NA	2.6	
o-Xylene	NA		NA	1	U
Tetrachloroethene	NA	0.5	U	2.9	
Toluene	NA	20	U	1	U
trans-1,2-Dichloroethene	NA		NA	1	U
Trichloroethene	NA	55		1.5	
Vinyl Chloride	NA		NA	2.3	
Semivolatile Organic Analysis (UG/L)					
1,1'-Biphenyl	NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA
2-Chloronaphthalene	NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
2-Chlorophenol	NA		NA		NA
2-Methylnaphthalene	NA		NA		NA
2-Methylphenol	NA		NA		NA
2-Nitroaniline	NA		NA		NA
2-Nitrophenol	NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA
3-Nitroaniline	NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA
4-Bromophenyl-phenylether	NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA
4-Chloroaniline	NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA
4-Methylphenol	NA		NA		NA
4-Nitroaniline	NA		NA		NA
4-Nitrophenol	NA		NA		NA
Acenaphthene	NA		NA		NA
Acenaphthylene	NA		NA		NA
Acetophenone	NA		NA		NA
Anthracene	NA		NA		NA
Atrazine	NA		NA		NA
Benzaldehyde	NA		NA		NA
Benzo(a)anthracene	NA		NA		NA
Benzo(a)pyrene	NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA
Butylbenzylphthalate	NA		NA		NA
Caprolactam	NA		NA		NA
Carbazole	NA		NA		NA
Chrysene	NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA
Dibenzofuran	NA		NA		NA
Diethylphthalate	NA		NA		NA
Dimethylphthalate	NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Di-n-octylphthalate	NA		NA		NA
Fluoranthene	NA		NA		NA
Fluorene	NA		NA		NA
Hexachlorobenzene	NA		NA		NA
Hexachlorobutadiene	NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA
Hexachloroethane	NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA
Isophorone	NA		NA		NA
Naphthalene	NA		NA		NA
Nitrobenzene	NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA
Pentachlorophenol	NA		NA		NA
Phenanthrene	NA		NA		NA
Phenol	NA		NA		NA
Pyrene	NA		NA		NA
Total PAH	NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)					
Acenaphthylene	NA		NA		NA
Benzo(a)anthracene	NA		NA		NA
Benzo(a)pyrene	NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA
Chrysene	NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA
Phenanthrene	NA		NA		NA
Pesticide/PCB Analysis (UG/L)					
4,4'-DDD	NA		NA		NA
4,4'-DDE	NA		NA		NA
4,4'-DDT	NA		NA		NA
Aldrin	NA		NA		NA
alpha-BHC	NA		NA		NA
alpha-Chlordane	NA		NA		NA
Aroclor, Total	NA		NA		NA
Aroclor-1016	NA		NA		NA
Aroclor-1221	NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Aroclor-1232	NA		NA		NA
Aroclor-1242	NA		NA		NA
Aroclor-1248	NA		NA		NA
Aroclor-1254	NA		NA		NA
Aroclor-1260	NA		NA		NA
Aroclor-1262	NA		NA		NA
Aroclor-1268	NA		NA		NA
beta-BHC	NA		NA		NA
delta-BHC	NA		NA		NA
Dieldrin	NA		NA		NA
Endosulfan I	NA		NA		NA
Endosulfan II	NA		NA		NA
Endosulfan Sulfate	NA		NA		NA
Endrin	NA		NA		NA
Endrin Aldehyde	NA		NA		NA
Endrin Ketone	NA		NA		NA
gamma-BHC	NA		NA		NA
gamma-Chlordane	NA		NA		NA
Heptachlor	NA		NA		NA
Heptachlor Epoxide	NA		NA		NA
Methoxychlor	NA		NA		NA
Toxaphene	NA		NA		NA
Dioxin Analysis (PG/L)					
1,2,3,4,6,7,8-HpCDD	NA		NA		NA
1,2,3,4,6,7,8-HpCDF	NA		NA		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA
1,2,3,7,8-PeCDD	NA		NA		NA
1,2,3,7,8-PeCDF	NA		NA		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA
2,3,4,7,8-PeCDF	NA		NA		NA
2,3,7,8-TCDD	NA		NA		NA
2,3,7,8-TCDF	NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
OCDD	NA		NA		NA
OCDF	NA		NA		NA
Total HpCDD	NA		NA		NA
Total HpCDF	NA		NA		NA
Total HxCDD	NA		NA		NA
Total HxCDF	NA		NA		NA
Total PeCDD	NA		NA		NA
Total PeCDF	NA		NA		NA
Total TCDD	NA		NA		NA
Total TCDF	NA		NA		NA
Toxicity Equivalency	NA		NA		NA
TAL Metal Analysis (UG/L)					
Aluminum	NA		NA		NA
Antimony	NA		NA		NA
Arsenic	NA		NA		NA
Barium	NA		NA		NA
Beryllium	NA		NA		NA
Cadmium	NA		NA		NA
Calcium	NA		NA		NA
Chromium	NA		NA		NA
Chromium VI	NA		NA		NA
Cobalt	NA		NA		NA
Copper	NA		NA		NA
Cyanide	NA		NA		NA
Iron	NA		NA		NA
Lead	NA		NA		NA
Magnesium	NA		NA		NA
Manganese	NA		NA		NA
Mercury	NA		NA		NA
Nickel	NA		NA		NA
Potassium	NA		NA		NA
Selenium	NA		NA		NA
Silver	NA		NA		NA
Sodium	NA		NA		NA
Thallium	NA		NA		NA
Vanadium	NA		NA		NA
Zinc	NA		NA		NA
Wet Chemistry Analysis					

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW21-0040		OU2-DP2-1-1116	
Sample Location		21		DP2-1	
Date Sampled		2/27/2002		7/30/1997	
Interval		0.0-40.0		11.0-16.0	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Alkalinity	NA		NA		NA
Carbon Dioxide	NA		NA		NA
Chloride	NA		NA		NA
Ferrous Iron	NA		NA		NA
Nitrate	NA		NA		NA
Nitrate-Nitrite (as N)	NA		NA		NA
Nitrite-N	NA		NA		NA
Sulfate	NA		NA		NA
Sulfide	NA		NA		NA
Total Organic Carbon	NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-1-2328		OU2-DP2-1-3237		OU2-DP2-1-4348		OU2-DP2-1-5459		OU2-DP2-1-6469		OU2-DP2-1-7479	
Sample Location	DP2-1		DP2-1		DP2-1		DP2-1		DP2-1		DP2-1	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	23.0-28.0		32.0-37.0		43.0-48.0		54.0-59.0		64.0-69.0		74.0-79.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)												
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA	10	U		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA	10	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA	10	U		NA		NA
1,1-Dichloroethane		NA		NA		NA	10	U		NA		NA
1,1-Dichloroethene		NA		NA		NA	10	U		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA	2	J		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA	3	J		NA		NA
1,2-Dichloropropane		NA		NA		NA	10	U		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA	10	U		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA	10	U		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA	10	U		NA		NA
Acetone		NA		NA		NA	10	UJ		NA		NA
Acrolein		NA		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA		NA
Benzene		NA		NA		NA	2	J		NA		NA
Bromobenzene		NA		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-1-2328		OU2-DP2-1-3237		OU2-DP2-1-4348		OU2-DP2-1-5459		OU2-DP2-1-6469		OU2-DP2-1-7479	
Sample Location	DP2-1		DP2-1		DP2-1		DP2-1		DP2-1		DP2-1	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	23.0-28.0		32.0-37.0		43.0-48.0		54.0-59.0		64.0-69.0		74.0-79.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA	10	U		NA		NA
Bromomethane		NA		NA		NA	10	U		NA		NA
Carbon Disulfide		NA		NA		NA	10	U		NA		NA
Carbon Tetrachloride		NA		NA		NA	10	UJ		NA		NA
Chlorobenzene		NA		NA		NA	8	J		NA		NA
Chloroethane		NA		NA		NA	10	U		NA		NA
Chloroform		NA		NA		NA	1	J		NA		NA
Chloromethane		NA		NA		NA	10	U		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA	10	U		NA		NA
Cyclohexane		NA		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA	10	U		NA		NA
Dibromomethane		NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA	10	U		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA	10	U		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA		NA
Styrene		NA		NA		NA	10	U		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA	3	J		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA		NA
Toluene		NA		NA		NA	2	J		NA		NA
Total Xylenes		NA		NA		NA	2	J		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA	10	U		NA		NA
Trichloroethene		NA		NA		NA	7	J		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-1-2328		OU2-DP2-1-3237		OU2-DP2-1-4348		OU2-DP2-1-5459		OU2-DP2-1-6469		OU2-DP2-1-7479	
Sample Location	DP2-1		DP2-1		DP2-1		DP2-1		DP2-1		DP2-1	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	23.0-28.0		32.0-37.0		43.0-48.0		54.0-59.0		64.0-69.0		74.0-79.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA	10	U		NA		NA
Volatile Organic Screening Analysis (UG/L)												
1,1,1-Trichloroethane	1	U	1	U	1	U	1	U	1	U	1	U
1,1-Dichloroethane	1	U	1	U	4.8		1	U	1	U	1	U
1,1-Dichloroethene	1	U	1	U	1.3		1	U	1	U	1	U
1,2-Dichloroethane	2		2.8		1	U	1.8		1.9		1	U
Benzene	1.3		4.5		14		2.2		2.9		1.2	
Chlorobenzene	14		18		13		9.4		7.2		1.3	
cis-1,2-Dichloroethene	13		7.1		4.2		3.2		2.6		1.1	
Ethylbenzene	1	U	1	U	1.4		1.3		1.1		1	U
m&p-Xylene	2.2		2.5		3		3		2.7		3.3	
o-Xylene	1	U	1	U	2.1		1.1		1.1		1.3	
Tetrachloroethene	20		8.1		1	U	4.9		3.5		1	U
Toluene	1.7		1.7		3		2.2		2.3		3	
trans-1,2-Dichloroethene	1	U	1	U	1	U	1	U	1	U	1	U
Trichloroethene	8.8		3.9		1	U	8.8		18		7.6	
Vinyl Chloride	4.6		2.7		1.2		1.2		1.2		1	U
Semivolatile Organic Analysis (UG/L)												
1,1'-Biphenyl		NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-1-2328		OU2-DP2-1-3237		OU2-DP2-1-4348		OU2-DP2-1-5459		OU2-DP2-1-6469		OU2-DP2-1-7479	
Sample Location	DP2-1		DP2-1		DP2-1		DP2-1		DP2-1		DP2-1	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	23.0-28.0		32.0-37.0		43.0-48.0		54.0-59.0		64.0-69.0		74.0-79.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-1-2328		OU2-DP2-1-3237		OU2-DP2-1-4348		OU2-DP2-1-5459		OU2-DP2-1-6469		OU2-DP2-1-7479	
Sample Location	DP2-1		DP2-1		DP2-1		DP2-1		DP2-1		DP2-1	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	23.0-28.0		32.0-37.0		43.0-48.0		54.0-59.0		64.0-69.0		74.0-79.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)												
Acenaphthylene		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)												
4,4'-DDD		NA		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-1-2328		OU2-DP2-1-3237		OU2-DP2-1-4348		OU2-DP2-1-5459		OU2-DP2-1-6469		OU2-DP2-1-7479	
Sample Location	DP2-1		DP2-1		DP2-1		DP2-1		DP2-1		DP2-1	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	23.0-28.0		32.0-37.0		43.0-48.0		54.0-59.0		64.0-69.0		74.0-79.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)												
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-1-2328		OU2-DP2-1-3237		OU2-DP2-1-4348		OU2-DP2-1-5459		OU2-DP2-1-6469		OU2-DP2-1-7479	
Sample Location	DP2-1		DP2-1		DP2-1		DP2-1		DP2-1		DP2-1	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	23.0-28.0		32.0-37.0		43.0-48.0		54.0-59.0		64.0-69.0		74.0-79.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)												
Aluminum		NA		NA		NA	35300			NA		NA
Antimony		NA		NA		NA	27.3	U		NA		NA
Arsenic		NA		NA		NA	6.0			NA		NA
Barium		NA		NA		NA	193	J		NA		NA
Beryllium		NA		NA		NA	18.8			NA		NA
Cadmium		NA		NA		NA	8.2	J		NA		NA
Calcium		NA		NA		NA	281000			NA		NA
Chromium		NA		NA		NA	2.9	U		NA		NA
Cobalt		NA		NA		NA	624	J		NA		NA
Copper		NA		NA		NA	24.9	J		NA		NA
Iron		NA		NA		NA	49400			NA		NA
Lead		NA		NA		NA		R		NA		NA
Magnesium		NA		NA		NA	37800			NA		NA
Manganese		NA		NA		NA	18300			NA		NA
Mercury		NA		NA		NA	0.10	U		NA		NA
Nickel		NA		NA		NA	402			NA		NA
Potassium		NA		NA		NA	11000			NA		NA
Selenium		NA		NA		NA		R		NA		NA
Silver		NA		NA		NA	3.0	UJ		NA		NA
Sodium		NA		NA		NA	50900			NA		NA
Thallium		NA		NA		NA		R		NA		NA
Vanadium		NA		NA		NA		R		NA		NA
Zinc		NA		NA		NA	1350	J		NA		NA
Wet Chemistry Analysis												
Alkalinity		NA		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW22-0018		RM-GW22-0023		RM-GW22-0028		RM-GW22-0038		RM-GW22-0043		OU2-DP2-2-1116	
Sample Location	22		22		22		22		22		DP2-2	
Date Sampled	2/27/2002		2/27/2002		2/27/2002		2/27/2002		2/27/2002		7/31/1997	
Interval	0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-43.0		11.0-16.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)												
1,1,1,2-Tetrachloroethane	2	U	20	U	20	U	50	U	50	U		NA
1,1,1-Trichloroethane	95		590		1100		2000		2900			NA
1,1,2,2-Tetrachloroethane	2	U	20	U	20	U	50	U	50	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	2	U	20	U	20	U	50	U	50	U		NA
1,1,2-Trichloroethane	2	U	20	U	20	U	50	U	50	U		NA
1,1-Dichloroethane	26		130		190		220		380			NA
1,1-Dichloroethene	48		350		600		1000		1500			NA
1,1-Dichloropropene	2	U	20	U	20	U	50	U	50	U		NA
1,2,3-Trichlorobenzene	2	U	20	U	20	U	50	U	50	U		NA
1,2,3-Trichloropropane	2	U	20	U	20	U	50	U	50	U		NA
1,2,4-Trichlorobenzene	2	U	20	U	20	U	50	U	50	U		NA
1,2,4-Trimethylbenzene	2	U	20	U	20	U	50	U	50	U		NA
1,2-Dibromo-3-chloropropane	2	U	20	U	20	U	50	U	50	U		NA
1,2-Dibromoethane	2	U	20	U	20	U	50	U	50	U		NA
1,2-Dichlorobenzene	2	U	20	U	20	U	50	U	50	U		NA
1,2-Dichloroethane	2	U	20	U	20	U	50	U	50	U		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	2	U	20	U	20	U	50	U	50	U		NA
1,3,5-Trimethylbenzene	2	U	20	U	20	U	50	U	50	U		NA
1,3-Dichlorobenzene	2	U	20	U	20	U	50	U	50	U		NA
1,3-Dichloropropane	2	U	20	U	20	U	50	U	50	U		NA
1,4-Dichlorobenzene	2	U	20	U	20	U	50	U	50	U		NA
1,4-Dioxane		NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	2	U	20	U	20	U	50	U	50	U		NA
2-Butanone	8	U	80	U	80	U	200	U	200	U		NA
2-Chloroethylvinylether	6	U	60	U	60	U	150	U	150	U		NA
2-Chlorotoluene	2	U	20	U	20	U	50	U	50	U		NA
2-Hexanone	1.2	U	12	U	12	U	30	U	30	U		NA
4-Chlorotoluene	2	U	20	U	20	U	50	U	50	U		NA
4-Methyl-2-Pentanone	1	U	10	U	10	U	25	U	25	U		NA
Acetone	4	U	40	U	40	U	100	U	100	U		NA
Acrolein	20	U	200	U	200	U	500	U	500	U		NA
Acrylonitrile	10	U	100	U	100	U	250	U	250	U		NA
Benzene	2	U	20	U	20	U	50	U	50	U		NA
Bromobenzene	2	U	20	U	20	U	50	U	50	U		NA
Bromochloromethane	2	U	20	U	20	U	50	U	50	U		NA
Bromodichloromethane	2	U	20	U	20	U	50	U	50	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW22-0018		RM-GW22-0023		RM-GW22-0028		RM-GW22-0038		RM-GW22-0043		OU2-DP2-2-1116	
Sample Location	22		22		22		22		22		DP2-2	
Date Sampled	2/27/2002		2/27/2002		2/27/2002		2/27/2002		2/27/2002		7/31/1997	
Interval	0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-43.0		11.0-16.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	2	U	20	U	20	U	50	U	50	U		NA
Bromomethane	1.5	BL	20	U	12	BL	50	U	50	U		NA
Carbon Disulfide	6	U	60	U	60	U	150	U	150	U		NA
Carbon Tetrachloride	2	U	20	U	20	U	50	U	50	U		NA
Chlorobenzene	2	U	20	U	20	U	50	U	50	U		NA
Chloroethane	2	U	20	U	20	U	50	U	50	U		NA
Chloroform	2	U	20	U	20	U	50	U	50	U		NA
Chloromethane	2	U	20	U	20	U	50	U	50	U		NA
cis-1,2-Dichloroethene	52		290		480		410		730			NA
cis-1,3-Dichloropropene	2	U	20	U	20	U	50	U	50	U		NA
Cyclohexane		NA		NA		NA		NA		NA		NA
Dibromochloromethane	2	U	20	U	20	U	50	U	50	U		NA
Dibromomethane	2	U	20	U	20	U	50	U	50	U		NA
Dichlorodifluoromethane	2	U	20	U	20	U	50	U	50	U		NA
Ethyl Ether	6	U	60	U	60	U	150	U	150	U		NA
Ethylbenzene	2	U	20	U	20	U	50	U	50	U		NA
Hexachlorobutadiene	2	U	20	U	20	U	50	U	50	U		NA
Isopropylbenzene	2	U	20	U	20	U	50	U	50	U		NA
m&p-Xylene	4	U	40	U	40	U	100	U	100	U		NA
Methyl Acetate		NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	2	U	20	U	20	U	50	U	50	U		NA
Methylcyclohexane		NA		NA		NA		NA		NA		NA
Methylene Chloride	2	U	20	U	20	U	50	U	50	U		NA
Naphthalene	2	U	20	U	20	U	50	U	50	U		NA
n-Butylbenzene	2	U	20	U	20	U	50	U	50	U		NA
n-Propylbenzene	2	U	20	U	20	U	50	U	50	U		NA
o-Xylene	2	U	20	U	20	U	50	U	50	U		NA
p-Isopropyltoluene	2	U	20	U	20	U	50	U	50	U		NA
sec-Butylbenzene	2	U	20	U	20	U	50	U	50	U		NA
Styrene	2	U	20	U	20	U	50	U	50	U		NA
tert-Butylbenzene	2	U	20	U	20	U	50	U	50	U		NA
Tetrachloroethene	2	U	20	U	20	U	50	U	50	U		NA
Tetrahydrofuran	14	U	140	U	140	U	350	U	350	U		NA
Toluene	2	U	20	U	20	U	50	U	50	U		NA
Total Xylenes		NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	2	U	20	U	20	U	50	U	50	U		NA
trans-1,3-Dichloropropene	2	U	20	U	20	U	50	U	50	U		NA
Trichloroethene	27		210		270		460		720			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW22-0018		RM-GW22-0023		RM-GW22-0028		RM-GW22-0038		RM-GW22-0043		OU2-DP2-2-1116	
Sample Location	22		22		22		22		22		DP2-2	
Date Sampled	2/27/2002		2/27/2002		2/27/2002		2/27/2002		2/27/2002		7/31/1997	
Interval	0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-43.0		11.0-16.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	2	U	20	U	20	U	50	U	50	U		NA
Vinyl Acetate	12	U	120	U	120	U	300	U	300	U		NA
Vinyl Chloride	2	U	20	U	27		26		50	U		NA
Volatile Organic Screening Analysis (UG/L)												
1,1,1-Trichloroethane		NA	718			NA		NA	1950		1	U
1,1-Dichloroethane		NA		NA		NA		NA		NA	1	U
1,1-Dichloroethene		NA	303			NA		NA	1150		1	U
1,2-Dichloroethane		NA		NA		NA		NA		NA	1	U
Benzene		NA	28	U		NA		NA	27	U	1	U
Chlorobenzene		NA	56	U		NA		NA	54	U	1	U
cis-1,2-Dichloroethene		NA	330			NA		NA	502		1	U
Ethylbenzene		NA		NA		NA		NA		NA	1	U
m&p-Xylene		NA		NA		NA		NA		NA	1	U
o-Xylene		NA		NA		NA		NA		NA	1	U
Tetrachloroethene		NA	14	U		NA		NA	14	U	1	U
Toluene		NA	28	U		NA		NA	27	U	1	U
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	1	U
Trichloroethene		NA	199			NA		NA	704		1	U
Vinyl Chloride		NA		NA		NA		NA		NA	1	U
Semivolatile Organic Analysis (UG/L)												
1,1'-Biphenyl		NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW22-0018		RM-GW22-0023		RM-GW22-0028		RM-GW22-0038		RM-GW22-0043		OU2-DP2-2-1116	
Sample Location	22		22		22		22		22		DP2-2	
Date Sampled	2/27/2002		2/27/2002		2/27/2002		2/27/2002		2/27/2002		7/31/1997	
Interval	0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-43.0		11.0-16.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW22-0018		RM-GW22-0023		RM-GW22-0028		RM-GW22-0038		RM-GW22-0043		OU2-DP2-2-1116	
Sample Location	22		22		22		22		22		DP2-2	
Date Sampled	2/27/2002		2/27/2002		2/27/2002		2/27/2002		2/27/2002		7/31/1997	
Interval	0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-43.0		11.0-16.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)												
Acenaphthylene		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)												
4,4'-DDD		NA		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW22-0018		RM-GW22-0023		RM-GW22-0028		RM-GW22-0038		RM-GW22-0043		OU2-DP2-2-1116	
Sample Location	22		22		22		22		22		DP2-2	
Date Sampled	2/27/2002		2/27/2002		2/27/2002		2/27/2002		2/27/2002		7/31/1997	
Interval	0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-43.0		11.0-16.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)												
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW22-0018		RM-GW22-0023		RM-GW22-0028		RM-GW22-0038		RM-GW22-0043		OU2-DP2-2-1116	
Sample Location	22		22		22		22		22		DP2-2	
Date Sampled	2/27/2002		2/27/2002		2/27/2002		2/27/2002		2/27/2002		7/31/1997	
Interval	0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-43.0		11.0-16.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)												
Aluminum		NA		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis												
Alkalinity		NA		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-2-2227		OU2-DP2-2-3237		OU2-DP2-2-4348		OU2-DP3-1-0611		OU2-DP3-1-1621		OU2-DP3-1-2631	
Sample Location	DP2-2		DP2-2		DP2-2		DP3-1		DP3-1		DP3-1	
Date Sampled	7/31/1997		7/31/1997		7/31/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	22.0-27.0		32.0-37.0		43.0-48.0		6.0-11.0		16.0-21.0		26.0-31.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)												
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-2-2227		OU2-DP2-2-3237		OU2-DP2-2-4348		OU2-DP3-1-0611		OU2-DP3-1-1621		OU2-DP3-1-2631	
Sample Location	DP2-2		DP2-2		DP2-2		DP3-1		DP3-1		DP3-1	
Date Sampled	7/31/1997		7/31/1997		7/31/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	22.0-27.0		32.0-37.0		43.0-48.0		6.0-11.0		16.0-21.0		26.0-31.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-2-2227		OU2-DP2-2-3237		OU2-DP2-2-4348		OU2-DP3-1-0611		OU2-DP3-1-1621		OU2-DP3-1-2631	
Sample Location	DP2-2		DP2-2		DP2-2		DP3-1		DP3-1		DP3-1	
Date Sampled	7/31/1997		7/31/1997		7/31/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	22.0-27.0		32.0-37.0		43.0-48.0		6.0-11.0		16.0-21.0		26.0-31.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)												
1,1,1-Trichloroethane	1	U	1	U	1	U	1	U	1	U	200	U
1,1-Dichloroethane	6.3		1	U	1	U	1	U	1	U	200	U
1,1-Dichloroethene	1.3		1	U	1	U	1	U	1	U	200	U
1,2-Dichloroethane	1	U	1	U	1	U	1	U	1	U	200	U
Benzene	8.1		1	U	1	U	1	U	1	U	200	U
Chlorobenzene	12		1	U	1	U	1	U	1	U	3200	
cis-1,2-Dichloroethene	3.5		1	U	1	U	1.5		1	U	200	U
Ethylbenzene	1	U	1	U	1	U	1	U	1	U	200	U
m&p-Xylene	1.2		1	U	1	U	1	U	1	U	200	U
o-Xylene	1	U	1	U	1	U	1	U	1	U	200	U
Tetrachloroethene	1	U	1	U	1	U	1	U	1	U	200	U
Toluene	1	U	1	U	1	U	1	U	1	U	200	U
trans-1,2-Dichloroethene	1	U	1	U	1	U	1	U	1	U	200	U
Trichloroethene	1	U	1	U	1	U	5.2		1.1		200	U
Vinyl Chloride	1.5		1	U	1	U	1	U	1	U	200	U
Semivolatile Organic Analysis (UG/L)												
1,1'-Biphenyl		NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-2-2227		OU2-DP2-2-3237		OU2-DP2-2-4348		OU2-DP3-1-0611		OU2-DP3-1-1621		OU2-DP3-1-2631	
Sample Location	DP2-2		DP2-2		DP2-2		DP3-1		DP3-1		DP3-1	
Date Sampled	7/31/1997		7/31/1997		7/31/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	22.0-27.0		32.0-37.0		43.0-48.0		6.0-11.0		16.0-21.0		26.0-31.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-2-2227		OU2-DP2-2-3237		OU2-DP2-2-4348		OU2-DP3-1-0611		OU2-DP3-1-1621		OU2-DP3-1-2631	
Sample Location	DP2-2		DP2-2		DP2-2		DP3-1		DP3-1		DP3-1	
Date Sampled	7/31/1997		7/31/1997		7/31/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	22.0-27.0		32.0-37.0		43.0-48.0		6.0-11.0		16.0-21.0		26.0-31.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)												
Acenaphthylene		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)												
4,4'-DDD		NA		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-2-2227		OU2-DP2-2-3237		OU2-DP2-2-4348		OU2-DP3-1-0611		OU2-DP3-1-1621		OU2-DP3-1-2631	
Sample Location	DP2-2		DP2-2		DP2-2		DP3-1		DP3-1		DP3-1	
Date Sampled	7/31/1997		7/31/1997		7/31/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	22.0-27.0		32.0-37.0		43.0-48.0		6.0-11.0		16.0-21.0		26.0-31.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)												
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP2-2-2227		OU2-DP2-2-3237		OU2-DP2-2-4348		OU2-DP3-1-0611		OU2-DP3-1-1621		OU2-DP3-1-2631	
Sample Location	DP2-2		DP2-2		DP2-2		DP3-1		DP3-1		DP3-1	
Date Sampled	7/31/1997		7/31/1997		7/31/1997		7/30/1997		7/30/1997		7/30/1997	
Interval	22.0-27.0		32.0-37.0		43.0-48.0		6.0-11.0		16.0-21.0		26.0-31.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)												
Aluminum		NA		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis												
Alkalinity		NA		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-1-3641-AVG		OU2-DP3-1-4651		OU2-DP3-1-5156		AA-DPA3-2-1015-AVG		AA-DPA3-2-2025	
Sample Location	DP3-1		DP3-1		DP3-1		AA-DPA3-2		AA-DPA3-2	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		9/8/1997		9/8/1997	
Interval	36.0-41.0		46.0-51.0		51.0-56.0		10.0-15.0		20.0-25.0	
QC Identifier	Field Dup. (D2s)		None		None		Field Dup. (D1c)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA	10	U		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA	10	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA	10	U		NA
1,1-Dichloroethane		NA		NA		NA	10	U		NA
1,1-Dichloroethene		NA		NA		NA	10	U		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA	10	U		NA
1,2-Dichloroethene (total)		NA		NA		NA	10	U		NA
1,2-Dichloropropane		NA		NA		NA	10	U		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA	10	U		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA	10	U		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA	10	U		NA
Acetone		NA		NA		NA	10	U		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA	10	U		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-1-3641-AVG		OU2-DP3-1-4651		OU2-DP3-1-5156		AA-DPA3-2-1015-AVG		AA-DPA3-2-2025	
Sample Location	DP3-1		DP3-1		DP3-1		AA-DPA3-2		AA-DPA3-2	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		9/8/1997		9/8/1997	
Interval	36.0-41.0		46.0-51.0		51.0-56.0		10.0-15.0		20.0-25.0	
QC Identifier	Field Dup. (D2s)		None		None		Field Dup. (D1c)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA	10	U		NA
Bromomethane		NA		NA		NA	10	U		NA
Carbon Disulfide		NA		NA		NA	10	U		NA
Carbon Tetrachloride		NA		NA		NA	10	U		NA
Chlorobenzene		NA		NA		NA	10	U		NA
Chloroethane		NA		NA		NA	10	U		NA
Chloroform		NA		NA		NA	10	U		NA
Chloromethane		NA		NA		NA	10	U		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA	10	U		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA	10	U		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA	10	U		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA	10	U		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA	10	U		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA	10	U		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA	1			NA
Total Xylenes		NA		NA		NA	2			NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA	10	U		NA
Trichloroethene		NA		NA		NA	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-1-3641-AVG		OU2-DP3-1-4651		OU2-DP3-1-5156		AA-DPA3-2-1015-AVG		AA-DPA3-2-2025	
Sample Location	DP3-1		DP3-1		DP3-1		AA-DPA3-2		AA-DPA3-2	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		9/8/1997		9/8/1997	
Interval	36.0-41.0		46.0-51.0		51.0-56.0		10.0-15.0		20.0-25.0	
QC Identifier	Field Dup. (D2s)		None		None		Field Dup. (D1c)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA	10	U		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	500	U	200	U	100	U	1	U	1	U
1,1-Dichloroethane	500	U	200	U	100	U	1	U	1	U
1,1-Dichloroethene	500	U	200	U	100	U	1	U	1	U
1,2-Dichloroethane	500	U	200	U	100	U	1	U	1	U
Benzene	500	U	200	U	100	U	1	U	1	U
Chlorobenzene	6800		3600		770		1	U	1	U
cis-1,2-Dichloroethene	500	U	200	U	100	U	1	U	1	U
Ethylbenzene	500	U	200	U	100	U	1	U	1	U
m&p-Xylene	500	U	200	U	100	U	1.1		1	U
o-Xylene	500	U	200	U	100	U	1	U	1	U
Tetrachloroethene	500	U	200	U	100	U	1	U	1	U
Toluene	500	U	200	U	100	U	1	U	1.1	
trans-1,2-Dichloroethene	500	U	200	U	100	U	1	U	1	U
Trichloroethene	500	U	200	U	100	U	1	U	1	U
Vinyl Chloride	500	U	200	U	100	U	1	U	1	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-1-3641-AVG		OU2-DP3-1-4651		OU2-DP3-1-5156		AA-DPA3-2-1015-AVG		AA-DPA3-2-2025	
Sample Location	DP3-1		DP3-1		DP3-1		AA-DPA3-2		AA-DPA3-2	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		9/8/1997		9/8/1997	
Interval	36.0-41.0		46.0-51.0		51.0-56.0		10.0-15.0		20.0-25.0	
QC Identifier	Field Dup. (D2s)		None		None		Field Dup. (D1c)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-1-3641-AVG		OU2-DP3-1-4651		OU2-DP3-1-5156		AA-DPA3-2-1015-AVG		AA-DPA3-2-2025	
Sample Location	DP3-1		DP3-1		DP3-1		AA-DPA3-2		AA-DPA3-2	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		9/8/1997		9/8/1997	
Interval	36.0-41.0		46.0-51.0		51.0-56.0		10.0-15.0		20.0-25.0	
QC Identifier	Field Dup. (D2s)		None		None		Field Dup. (D1c)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-1-3641-AVG		OU2-DP3-1-4651		OU2-DP3-1-5156		AA-DPA3-2-1015-AVG		AA-DPA3-2-2025	
Sample Location	DP3-1		DP3-1		DP3-1		AA-DPA3-2		AA-DPA3-2	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		9/8/1997		9/8/1997	
Interval	36.0-41.0		46.0-51.0		51.0-56.0		10.0-15.0		20.0-25.0	
QC Identifier	Field Dup. (D2s)		None		None		Field Dup. (D1c)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-1-3641-AVG		OU2-DP3-1-4651		OU2-DP3-1-5156		AA-DPA3-2-1015-AVG		AA-DPA3-2-2025	
Sample Location	DP3-1		DP3-1		DP3-1		AA-DPA3-2		AA-DPA3-2	
Date Sampled	7/30/1997		7/30/1997		7/30/1997		9/8/1997		9/8/1997	
Interval	36.0-41.0		46.0-51.0		51.0-56.0		10.0-15.0		20.0-25.0	
QC Identifier	Field Dup. (D2s)		None		None		Field Dup. (D1c)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA	14650			NA
Antimony		NA		NA		NA	25.2	U		NA
Arsenic		NA		NA		NA	1.2	U		NA
Barium		NA		NA		NA	86.9			NA
Beryllium		NA		NA		NA	5.8			NA
Cadmium		NA		NA		NA	4.3	U		NA
Calcium		NA		NA		NA	73800			NA
Chromium		NA		NA		NA	6.3	U		NA
Cobalt		NA		NA		NA	36.55			NA
Copper		NA		NA		NA	47.25			NA
Iron		NA		NA		NA	8190			NA
Lead		NA		NA		NA	31.15			NA
Magnesium		NA		NA		NA	15300			NA
Manganese		NA		NA		NA	2705			NA
Mercury		NA		NA		NA	0.20	U		NA
Nickel		NA		NA		NA	78.2			NA
Potassium		NA		NA		NA	3540			NA
Selenium		NA		NA		NA	2.55	U		NA
Silver		NA		NA		NA	3.7	U		NA
Sodium		NA		NA		NA	102500			NA
Thallium		NA		NA		NA	0.80	U		NA
Vanadium		NA		NA		NA	3.0	U		NA
Zinc		NA		NA		NA	279.5			NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	AA-DPA3-2-3136		OU2-DP3-2-0712		OU2-DP3-2-1722		OU2-DP3-2-2732		OU2-DP3-2-3742		OU2-DP3-2-4752
Sample Location	AA-DPA3-2		DP3-2		DP3-2		DP3-2		DP3-2		DP3-2
Date Sampled	9/8/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997
Interval	31.0-36.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0		47.0-52.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,1-Trichloroethane		NA		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA		NA	
1,1-Dichloropropene		NA		NA		NA		NA		NA	
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,3-Trichloropropane		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA		NA	
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA		NA	
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichloropropane		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA		NA	
2-Chloroethylvinylether		NA		NA		NA		NA		NA	
2-Chlorotoluene		NA		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA		NA	
4-Chlorotoluene		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA		NA	
Acrolein		NA		NA		NA		NA		NA	
Acrylonitrile		NA		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA		NA	
Bromobenzene		NA		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	AA-DPA3-2-3136		OU2-DP3-2-0712		OU2-DP3-2-1722		OU2-DP3-2-2732		OU2-DP3-2-3742		OU2-DP3-2-4752
Sample Location	AA-DPA3-2		DP3-2		DP3-2		DP3-2		DP3-2		DP3-2
Date Sampled	9/8/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997
Interval	31.0-36.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0		47.0-52.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA		NA	
Dibromomethane		NA		NA		NA		NA		NA	
Dichlorodifluoromethane		NA		NA		NA		NA		NA	
Ethyl Ether		NA		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Isopropylbenzene		NA		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA		NA	
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA	
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
n-Butylbenzene		NA		NA		NA		NA		NA	
n-Propylbenzene		NA		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA		NA	
p-Isopropyltoluene		NA		NA		NA		NA		NA	
sec-Butylbenzene		NA		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA		NA	
tert-Butylbenzene		NA		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA		NA	
Tetrahydrofuran		NA		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	AA-DPA3-2-3136		OU2-DP3-2-0712		OU2-DP3-2-1722		OU2-DP3-2-2732		OU2-DP3-2-3742		OU2-DP3-2-4752
Sample Location	AA-DPA3-2		DP3-2		DP3-2		DP3-2		DP3-2		DP3-2
Date Sampled	9/8/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997
Interval	31.0-36.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0		47.0-52.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA		NA		NA		NA		NA	
Vinyl Acetate		NA		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	1	U	1	U	1	U	1	U	1	U	1
1,1-Dichloroethane	1	U	1	U	1	U	1	U	1	U	1
1,1-Dichloroethene	1	U	1	U	1	U	1	U	1	U	1
1,2-Dichloroethane	1	U	1	U	1	U	1	U	1	U	1.8
Benzene	1	U	1	U	1	U	1	U	1	U	1
Chlorobenzene	1	U	1	U	1	U	1	U	1	U	1
cis-1,2-Dichloroethene	1	U	1	U	1	U	1	U	1	U	1
Ethylbenzene	1	U	1	U	1	U	1	U	1	U	1
m&p-Xylene	1	U	1	U	1	U	1	U	1	U	1
o-Xylene	1	U	1	U	1	U	1	U	1	U	1
Tetrachloroethene	1.1		1	U	1	U	1	U	1	U	1
Toluene	1	U	1	U	1	U	1	U	1	U	1
trans-1,2-Dichloroethene	1	U	1	U	1	U	1	U	1	U	1
Trichloroethene	1	U	1	U	1	U	1	U	1	U	4.7
Vinyl Chloride	1	U	1	U	1	U	1	U	1	U	1
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	AA-DPA3-2-3136		OU2-DP3-2-0712		OU2-DP3-2-1722		OU2-DP3-2-2732		OU2-DP3-2-3742		OU2-DP3-2-4752
Sample Location	AA-DPA3-2		DP3-2		DP3-2		DP3-2		DP3-2		DP3-2
Date Sampled	9/8/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997
Interval	31.0-36.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0		47.0-52.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	AA-DPA3-2-3136		OU2-DP3-2-0712		OU2-DP3-2-1722		OU2-DP3-2-2732		OU2-DP3-2-3742		OU2-DP3-2-4752
Sample Location	AA-DPA3-2		DP3-2		DP3-2		DP3-2		DP3-2		DP3-2
Date Sampled	9/8/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997
Interval	31.0-36.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0		47.0-52.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	AA-DPA3-2-3136		OU2-DP3-2-0712		OU2-DP3-2-1722		OU2-DP3-2-2732		OU2-DP3-2-3742		OU2-DP3-2-4752
Sample Location	AA-DPA3-2		DP3-2		DP3-2		DP3-2		DP3-2		DP3-2
Date Sampled	9/8/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997
Interval	31.0-36.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0		47.0-52.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,7,8-TCDD		NA		NA		NA		NA		NA	
2,3,7,8-TCDF		NA		NA		NA		NA		NA	
OCDD		NA		NA		NA		NA		NA	
OCDF		NA		NA		NA		NA		NA	
Total HpCDD		NA		NA		NA		NA		NA	
Total HpCDF		NA		NA		NA		NA		NA	
Total HxCDD		NA		NA		NA		NA		NA	
Total HxCDF		NA		NA		NA		NA		NA	
Total PeCDD		NA		NA		NA		NA		NA	
Total PeCDF		NA		NA		NA		NA		NA	
Total TCDD		NA		NA		NA		NA		NA	
Total TCDF		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	AA-DPA3-2-3136		OU2-DP3-2-0712		OU2-DP3-2-1722		OU2-DP3-2-2732		OU2-DP3-2-3742		OU2-DP3-2-4752
Sample Location	AA-DPA3-2		DP3-2		DP3-2		DP3-2		DP3-2		DP3-2
Date Sampled	9/8/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997		7/31/1997
Interval	31.0-36.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0		47.0-52.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Toxicity Equivalency		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA		NA	
Barium		NA		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA		NA	
Copper		NA		NA		NA		NA		NA	
Iron		NA		NA		NA		NA		NA	
Lead		NA		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA		NA	
Nickel		NA		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA		NA	
Silver		NA		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA		NA	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Carbon Dioxide		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate		NA		NA		NA		NA		NA	
Nitrite-N		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	
Sulfide		NA		NA		NA		NA		NA	
Total Organic Carbon		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP2-2-5762		OU2-DP3-3-0712		OU2-DP3-3-1722		OU2-DP3-3-2732-AVG		OU2-DP3-3-3742	
Sample Location		DP3-2		DP3-3		DP3-3		DP3-3		DP3-3	
Date Sampled		7/31/1997		7/31/1997		7/31/1997		8/1/1997		8/1/1997	
Interval		57.0-62.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0	
QC Identifier		None		None		None		Field Dup. (D3s)		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	NA	10	U		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA	10	U		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA	10	U		NA		NA		NA		NA
1,1-Dichloroethane	NA	10	U		NA		NA		NA		NA
1,1-Dichloroethene	NA	10	U		NA		NA		NA		NA
1,1-Dichloropropene	NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA	10	U		NA		NA		NA		NA
1,2-Dichloroethene (total)	NA	10	U		NA		NA		NA		NA
1,2-Dichloropropane	NA	10	U		NA		NA		NA		NA
1,3,5-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,3-Dichloropropane	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dioxane	NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	NA		NA		NA		NA		NA		NA
2-Butanone	NA	10	U		NA		NA		NA		NA
2-Chloroethylvinylether	NA		NA		NA		NA		NA		NA
2-Chlorotoluene	NA		NA		NA		NA		NA		NA
2-Hexanone	NA	10	U		NA		NA		NA		NA
4-Chlorotoluene	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA	10	U		NA		NA		NA		NA
Acetone	NA	10	UJ		NA		NA		NA		NA
Acrolein	NA		NA		NA		NA		NA		NA
Acrylonitrile	NA		NA		NA		NA		NA		NA
Benzene	NA	10	U		NA		NA		NA		NA
Bromobenzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA	10	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP2-2-5762		OU2-DP3-3-0712		OU2-DP3-3-1722		OU2-DP3-3-2732-AVG		OU2-DP3-3-3742	
Sample Location		DP3-2		DP3-3		DP3-3		DP3-3		DP3-3	
Date Sampled		7/31/1997		7/31/1997		7/31/1997		8/1/1997		8/1/1997	
Interval		57.0-62.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0	
QC Identifier		None		None		None		Field Dup. (D3s)		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA	10	U		NA		NA		NA		NA
Bromomethane	NA	10	U		NA		NA		NA		NA
Carbon Disulfide	NA	10	U		NA		NA		NA		NA
Carbon Tetrachloride	NA	10	UJ		NA		NA		NA		NA
Chlorobenzene	NA	1	J		NA		NA		NA		NA
Chloroethane	NA	10	U		NA		NA		NA		NA
Chloroform	NA		R		NA		NA		NA		NA
Chloromethane	NA	10	U		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA	10	U		NA		NA		NA		NA
Cyclohexane	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA	10	U		NA		NA		NA		NA
Dibromomethane	NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane	NA		NA		NA		NA		NA		NA
Ethyl Ether	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA	10	U		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Isopropylbenzene	NA		NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA		NA
Methyl Acetate	NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	NA		NA		NA		NA		NA		NA
Methylcyclohexane	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA	10	U		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
n-Butylbenzene	NA		NA		NA		NA		NA		NA
n-Propylbenzene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
p-Isopropyltoluene	NA		NA		NA		NA		NA		NA
sec-Butylbenzene	NA		NA		NA		NA		NA		NA
Styrene	NA	10	U		NA		NA		NA		NA
tert-Butylbenzene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	NA	10	U		NA		NA		NA		NA
Tetrahydrofuran	NA		NA		NA		NA		NA		NA
Toluene	NA	10	U		NA		NA		NA		NA
Total Xylenes	NA	10	U		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA	10	U		NA		NA		NA		NA
Trichloroethene	NA	10	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP2-2-5762		OU2-DP3-3-0712		OU2-DP3-3-1722		OU2-DP3-3-2732-AVG		OU2-DP3-3-3742	
Sample Location		DP3-2		DP3-3		DP3-3		DP3-3		DP3-3	
Date Sampled		7/31/1997		7/31/1997		7/31/1997		8/1/1997		8/1/1997	
Interval		57.0-62.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0	
QC Identifier		None		None		None		Field Dup. (D3s)		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	NA		NA		NA		NA		NA		NA
Vinyl Acetate	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA	10	U		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	U	1	U	1	U	1	U	1	U	1	U
1,1-Dichloroethane	U	1	U	1	U	1	U	1	U	1	U
1,1-Dichloroethene	U	1	U	1	U	1	U	1	U	1	U
1,2-Dichloroethane		1	U	1	U	1	U	1	U	17	
Benzene	U	1	U	1	U	1	U	1	U	1	U
Chlorobenzene	U	1.1		1	U	1	U	1	U	1.2	
cis-1,2-Dichloroethene	U	1	U	1	U	1	U	1	U	2.4	
Ethylbenzene	U	1	U	1	U	1	U	1	U	1	U
m&p-Xylene	U	1	U	1	U	1	U	1	U	1	U
o-Xylene	U	1	U	1	U	1	U	1	U	1	U
Tetrachloroethene	U	1	U	1	U	1	U	1	U	1	U
Toluene	U	1	U	1	U	1	U	1	U	1	U
trans-1,2-Dichloroethene	U	1	U	1	U	1	U	1	U	1	U
Trichloroethene		1	U	1	U	1	U	4.5		18	
Vinyl Chloride	U	1	U	1	U	1	U	1	U	1	U
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA
2-Chlorophenol	NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP2-2-5762		OU2-DP3-3-0712		OU2-DP3-3-1722		OU2-DP3-3-2732-AVG		OU2-DP3-3-3742	
Sample Location		DP3-2		DP3-3		DP3-3		DP3-3		DP3-3	
Date Sampled		7/31/1997		7/31/1997		7/31/1997		8/1/1997		8/1/1997	
Interval		57.0-62.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0	
QC Identifier		None		None		None		Field Dup. (D3s)		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP2-2-5762		OU2-DP3-3-0712		OU2-DP3-3-1722		OU2-DP3-3-2732-AVG		OU2-DP3-3-3742	
Sample Location		DP3-2		DP3-3		DP3-3		DP3-3		DP3-3	
Date Sampled		7/31/1997		7/31/1997		7/31/1997		8/1/1997		8/1/1997	
Interval		57.0-62.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0	
QC Identifier		None		None		None		Field Dup. (D3s)		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA
Aroclor-1232	NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP2-2-5762		OU2-DP3-3-0712		OU2-DP3-3-1722		OU2-DP3-3-2732-AVG		OU2-DP3-3-3742	
Sample Location		DP3-2		DP3-3		DP3-3		DP3-3		DP3-3	
Date Sampled		7/31/1997		7/31/1997		7/31/1997		8/1/1997		8/1/1997	
Interval		57.0-62.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0	
QC Identifier		None		None		None		Field Dup. (D3s)		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I	NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF	NA		NA		NA		NA		NA		NA
OCDD	NA		NA		NA		NA		NA		NA
OCDF	NA		NA		NA		NA		NA		NA
Total HpCDD	NA		NA		NA		NA		NA		NA
Total HpCDF	NA		NA		NA		NA		NA		NA
Total HxCDD	NA		NA		NA		NA		NA		NA
Total HxCDF	NA		NA		NA		NA		NA		NA
Total PeCDD	NA		NA		NA		NA		NA		NA
Total PeCDF	NA		NA		NA		NA		NA		NA
Total TCDD	NA		NA		NA		NA		NA		NA
Total TCDF	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP2-2-5762		OU2-DP3-3-0712		OU2-DP3-3-1722		OU2-DP3-3-2732-AVG		OU2-DP3-3-3742	
Sample Location		DP3-2		DP3-3		DP3-3		DP3-3		DP3-3	
Date Sampled		7/31/1997		7/31/1997		7/31/1997		8/1/1997		8/1/1997	
Interval		57.0-62.0		7.0-12.0		17.0-22.0		27.0-32.0		37.0-42.0	
QC Identifier		None		None		None		Field Dup. (D3s)		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency	NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA	35.4	UJ		NA		NA		NA		NA
Antimony	NA	27.3	U		NA		NA		NA		NA
Arsenic	NA	1.8	U		NA		NA		NA		NA
Barium	NA	116			NA		NA		NA		NA
Beryllium	NA	0.21	U		NA		NA		NA		NA
Cadmium	NA	2.6	U		NA		NA		NA		NA
Calcium	NA	49900			NA		NA		NA		NA
Chromium	NA	2.9	U		NA		NA		NA		NA
Cobalt	NA	4.9	U		NA		NA		NA		NA
Copper	NA	2.5	U		NA		NA		NA		NA
Iron	NA	86.2			NA		NA		NA		NA
Lead	NA	1.6	J		NA		NA		NA		NA
Magnesium	NA	32700			NA		NA		NA		NA
Manganese	NA	2180			NA		NA		NA		NA
Mercury	NA	0.10	U		NA		NA		NA		NA
Nickel	NA	15.2	U		NA		NA		NA		NA
Potassium	NA	6620			NA		NA		NA		NA
Selenium	NA		R		NA		NA		NA		NA
Silver	NA	3.0	UJ		NA		NA		NA		NA
Sodium	NA	305000			NA		NA		NA		NA
Thallium	NA		R		NA		NA		NA		NA
Vanadium	NA	4.6	U		NA		NA		NA		NA
Zinc	NA	63.2	UJ		NA		NA		NA		NA
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA		NA		NA
Carbon Dioxide	NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA
Nitrate	NA		NA		NA		NA		NA		NA
Nitrite-N	NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA
Sulfide	NA		NA		NA		NA		NA		NA
Total Organic Carbon	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-3-4752		AA-DPA3-5-0712-AVG		RM-GW40-0016		RM-GW40-0021		RM-GW40-0026		RM-GW40-0036
Sample Location	DP3-3		AA-DPA3-5		40		40		40		40
Date Sampled	8/1/1997		9/8/1997		2/27/2002		2/28/2002		2/28/2002		2/28/2002
Interval	47.0-52.0		7.0-12.0		0.0-16.0		0.0-21.0		0.0-26.0		0.0-36.0
QC Identifier	None		Field Dup. (D1s)a		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA		NA	1	U	1	U	20	U	100
1,1,1-Trichloroethane		NA		NA	1	U	0.48	L	20	U	100
1,1,2,2-Tetrachloroethane		NA		NA	1	U	1	U	20	U	100
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA	1	U	1	U	20	U	100
1,1,2-Trichloroethane		NA		NA	1	U	1	U	20	U	100
1,1-Dichloroethane		NA		NA	1	U	1	U	20	U	100
1,1-Dichloroethene		NA		NA	1	U	1	U	20	U	100
1,1-Dichloropropene		NA		NA	1	U	1	U	20	U	100
1,2,3-Trichlorobenzene		NA		NA	1	U	1	U	20	U	100
1,2,3-Trichloropropane		NA		NA	1	U	1	U	20	U	100
1,2,4-Trichlorobenzene		NA		NA	1	U	1	U	20	U	100
1,2,4-Trimethylbenzene		NA		NA	1	U	1	U	20	U	100
1,2-Dibromo-3-chloropropane		NA		NA	1	U	1	U	20	U	100
1,2-Dibromoethane		NA		NA	1	U	1	U	20	U	100
1,2-Dichlorobenzene		NA		NA	1	U	1	U	20	U	100
1,2-Dichloroethane		NA		NA	1	U	1	U	20	U	100
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA	1	U	1	U	20	U	100
1,3,5-Trimethylbenzene		NA		NA	1	U	1	U	20	U	100
1,3-Dichlorobenzene		NA		NA	1	U	1	U	20	U	100
1,3-Dichloropropane		NA		NA	1	U	1	U	20	U	100
1,4-Dichlorobenzene		NA		NA	1	U	1	U	20	U	100
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA		NA	1	U	1	U	20	U	100
2-Butanone		NA		NA	4	U	4	U	80	U	400
2-Chloroethylvinylether		NA		NA	3	U	3	U	60	U	300
2-Chlorotoluene		NA		NA	1	U	1	U	20	U	100
2-Hexanone		NA		NA	0.6	U	0.6	U	12	U	60
4-Chlorotoluene		NA		NA	1	U	1	U	20	U	100
4-Methyl-2-Pentanone		NA		NA	0.5	U	0.5	U	10	U	50
Acetone		NA		NA	3.6	B	2	U	40	U	200
Acrolein		NA		NA	10	U	10	U	200	U	1000
Acrylonitrile		NA		NA	5	U	5	U	100	U	500
Benzene		NA		NA	1	U	1	U	20	U	100
Bromobenzene		NA		NA	1	U	1	U	20	U	100
Bromochloromethane		NA		NA	1	U	1	U	20	U	100
Bromodichloromethane		NA		NA	1	U	1	U	20	U	100

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-3-4752		AA-DPA3-5-0712-AVG		RM-GW40-0016		RM-GW40-0021		RM-GW40-0026		RM-GW40-0036
Sample Location	DP3-3		AA-DPA3-5		40		40		40		40
Date Sampled	8/1/1997		9/8/1997		2/27/2002		2/28/2002		2/28/2002		2/28/2002
Interval	47.0-52.0		7.0-12.0		0.0-16.0		0.0-21.0		0.0-26.0		0.0-36.0
QC Identifier	None		Field Dup. (D1s)a		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA		NA	1	U	1	U	20	U	100
Bromomethane		NA		NA	1	U	1	U	11	BL	100
Carbon Disulfide		NA		NA	3	U	3	U	60	U	300
Carbon Tetrachloride		NA		NA	1	U	1	U	20	U	100
Chlorobenzene		NA		NA	1	U	1	U	20	U	100
Chloroethane		NA		NA	1	U	1	U	20	U	100
Chloroform		NA		NA	1	U	1	U	20	U	100
Chloromethane		NA		NA	1	U	1	U	20	U	100
cis-1,2-Dichloroethene		NA		NA	1	U	0.43	L	20	U	100
cis-1,3-Dichloropropene		NA		NA	1	U	1	U	20	U	100
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA	1	U	1	U	20	U	100
Dibromomethane		NA		NA	1	U	1	U	20	U	100
Dichlorodifluoromethane		NA		NA	1	U	1	U	20	U	100
Ethyl Ether		NA		NA	3	U	3	U	60	U	300
Ethylbenzene		NA		NA	1	U	1	U	20	U	100
Hexachlorobutadiene		NA		NA	1	U	1	U	20	U	100
Isopropylbenzene		NA		NA	1	U	1	U	20	U	100
m&p-Xylene		NA		NA	2	U	2	U	40	U	200
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA		NA	4.1		20		3000		120000
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA	1	U	1	U	20	U	100
Naphthalene		NA		NA	1	U	1	U	20	U	100
n-Butylbenzene		NA		NA	1	U	1	U	20	U	100
n-Propylbenzene		NA		NA	1	U	1	U	20	U	100
o-Xylene		NA		NA	1	U	1	U	20	U	100
p-Isopropyltoluene		NA		NA	1	U	1	U	20	U	100
sec-Butylbenzene		NA		NA	1	U	1	U	20	U	100
Styrene		NA		NA	1	U	1	U	20	U	100
tert-Butylbenzene		NA		NA	1	U	1	U	20	U	100
Tetrachloroethene		NA		NA	1	U	1	U	20	U	100
Tetrahydrofuran		NA		NA	7	U	7	U	140	U	700
Toluene		NA		NA	1	U	1	U	20	U	100
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA	1	U	1	U	20	U	100
trans-1,3-Dichloropropene		NA		NA	1	U	1	U	20	U	100
Trichloroethene		NA		NA	1	U	1	U	20	U	100

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-3-4752		AA-DPA3-5-0712-AVG		RM-GW40-0016		RM-GW40-0021		RM-GW40-0026		RM-GW40-0036
Sample Location	DP3-3		AA-DPA3-5		40		40		40		40
Date Sampled	8/1/1997		9/8/1997		2/27/2002		2/28/2002		2/28/2002		2/28/2002
Interval	47.0-52.0		7.0-12.0		0.0-16.0		0.0-21.0		0.0-26.0		0.0-36.0
QC Identifier	None		Field Dup. (D1s)a		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA		NA	1	U	1	U	20	U	100
Vinyl Acetate		NA		NA	6	U	6	U	120	U	600
Vinyl Chloride		NA		NA	1	U	1	U	20	U	100
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	10	U	1	U	0.5	U		NA		NA	
1,1-Dichloroethane	10	U	1	U		NA		NA		NA	
1,1-Dichloroethene	10	U	1	U	1	U		NA		NA	
1,2-Dichloroethane	29		1	U		NA		NA		NA	
Benzene	10	U	1	U	0.5	U		NA		NA	
Chlorobenzene	10	U	1	U	3	U		NA		NA	
cis-1,2-Dichloroethene	10	U	1	U	1	U		NA		NA	
Ethylbenzene	10	U	1	U		NA		NA		NA	
m&p-Xylene	10	U	1	U		NA		NA		NA	
o-Xylene	10	U	1	U		NA		NA		NA	
Tetrachloroethene	10	U	1	U	0.5	U		NA		NA	
Toluene	10	U	1	U	2	U		NA		NA	
trans-1,2-Dichloroethene	10	U	1	U		NA		NA		NA	
Trichloroethene	11		1	U	0.5	U		NA		NA	
Vinyl Chloride	10	U	1	U		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-3-4752		AA-DPA3-5-0712-AVG		RM-GW40-0016		RM-GW40-0021		RM-GW40-0026		RM-GW40-0036
Sample Location	DP3-3		AA-DPA3-5		40		40		40		40
Date Sampled	8/1/1997		9/8/1997		2/27/2002		2/28/2002		2/28/2002		2/28/2002
Interval	47.0-52.0		7.0-12.0		0.0-16.0		0.0-21.0		0.0-26.0		0.0-36.0
QC Identifier	None		Field Dup. (D1s)a		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-3-4752		AA-DPA3-5-0712-AVG		RM-GW40-0016		RM-GW40-0021		RM-GW40-0026		RM-GW40-0036
Sample Location	DP3-3		AA-DPA3-5		40		40		40		40
Date Sampled	8/1/1997		9/8/1997		2/27/2002		2/28/2002		2/28/2002		2/28/2002
Interval	47.0-52.0		7.0-12.0		0.0-16.0		0.0-21.0		0.0-26.0		0.0-36.0
QC Identifier	None		Field Dup. (D1s)a		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-3-4752		AA-DPA3-5-0712-AVG		RM-GW40-0016		RM-GW40-0021		RM-GW40-0026		RM-GW40-0036
Sample Location	DP3-3		AA-DPA3-5		40		40		40		40
Date Sampled	8/1/1997		9/8/1997		2/27/2002		2/28/2002		2/28/2002		2/28/2002
Interval	47.0-52.0		7.0-12.0		0.0-16.0		0.0-21.0		0.0-26.0		0.0-36.0
QC Identifier	None		Field Dup. (D1s)a		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,7,8-TCDD		NA		NA		NA		NA		NA	
2,3,7,8-TCDF		NA		NA		NA		NA		NA	
OCDD		NA		NA		NA		NA		NA	
OCDF		NA		NA		NA		NA		NA	
Total HpCDD		NA		NA		NA		NA		NA	
Total HpCDF		NA		NA		NA		NA		NA	
Total HxCDD		NA		NA		NA		NA		NA	
Total HxCDF		NA		NA		NA		NA		NA	
Total PeCDD		NA		NA		NA		NA		NA	
Total PeCDF		NA		NA		NA		NA		NA	
Total TCDD		NA		NA		NA		NA		NA	
Total TCDF		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP3-3-4752		AA-DPA3-5-0712-AVG		RM-GW40-0016		RM-GW40-0021		RM-GW40-0026		RM-GW40-0036
Sample Location	DP3-3		AA-DPA3-5		40		40		40		40
Date Sampled	8/1/1997		9/8/1997		2/27/2002		2/28/2002		2/28/2002		2/28/2002
Interval	47.0-52.0		7.0-12.0		0.0-16.0		0.0-21.0		0.0-26.0		0.0-36.0
QC Identifier	None		Field Dup. (D1s)a		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Toxicity Equivalency		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA		NA	
Barium		NA		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA		NA	
Copper		NA		NA		NA		NA		NA	
Iron		NA		NA		NA		NA		NA	
Lead		NA		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA		NA	
Nickel		NA		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA		NA	
Silver		NA		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA		NA	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Carbon Dioxide		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate		NA		NA		NA		NA		NA	
Nitrite-N		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	
Sulfide		NA		NA		NA		NA		NA	
Total Organic Carbon		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW40-0046		RM-GW41-0018		RM-GW41-0033		RM-GW41-0043		OU2-DP4-1-1217		OU2-DP4-1-2530	
Sample Location		40		41		41		41		DP4-1		DP4-1	
Date Sampled		2/28/2002		2/27/2002		2/27/2002		2/28/2002		7/31/1997		7/31/1997	
Interval		0.0-46.0		0.0-18.0		0.0-33.0		0.0-43.0		12.0-17.0		25.0-30.0	
QC Identifier		None		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)													
1,1,1,2-Tetrachloroethane	U	100	U	50	U	100	U	100	U		NA		NA
1,1,1-Trichloroethane	U	100	U	2600		4400		5200			NA		NA
1,1,2,2-Tetrachloroethane	U	100	U	50	U	100	U	100	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	U	100	U	50	U	100	U	100	U		NA		NA
1,1,2-Trichloroethane	U	100	U	50	U	100	U	100	U		NA		NA
1,1-Dichloroethane	U	100	U	220		360		390			NA		NA
1,1-Dichloroethene	U	100	U	630		2200		1600			NA		NA
1,1-Dichloropropene	U	100	U	50	U	100	U	100	U		NA		NA
1,2,3-Trichlorobenzene	U	100	U	50	U	100	U	100	U		NA		NA
1,2,3-Trichloropropane	U	100	U	50	U	100	U	100	U		NA		NA
1,2,4-Trichlorobenzene	U	100	U	50	U	100	U	100	U		NA		NA
1,2,4-Trimethylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
1,2-Dibromo-3-chloropropane	U	100	U	50	U	100	U	100	U		NA		NA
1,2-Dibromoethane	U	100	U	50	U	100	U	100	U		NA		NA
1,2-Dichlorobenzene	U	100	U	50	U	100	U	100	U		NA		NA
1,2-Dichloroethane	U	100	U	50	U	100	U	100	U		NA		NA
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	U	100	U	50	U	100	U	100	U		NA		NA
1,3,5-Trimethylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
1,3-Dichlorobenzene	U	100	U	50	U	100	U	100	U		NA		NA
1,3-Dichloropropane	U	100	U	50	U	100	U	100	U		NA		NA
1,4-Dichlorobenzene	U	100	U	50	U	100	U	100	U		NA		NA
1,4-Dioxane	NA		NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	U	100	U	50	U	100	U	100	U		NA		NA
2-Butanone	U	400	U	200	U	400	U	400	U		NA		NA
2-Chloroethylvinylether	U	300	U	150	U	300	U	300	U		NA		NA
2-Chlorotoluene	U	100	U	50	U	100	U	100	U		NA		NA
2-Hexanone	U	60	U	30	U	60	U	60	U		NA		NA
4-Chlorotoluene	U	100	U	50	U	100	U	100	U		NA		NA
4-Methyl-2-Pentanone	U	50	U	25	U	50	U	50	U		NA		NA
Acetone	U	200	U	100	U	200	U	200	U		NA		NA
Acrolein	U	1000	U	500	U	1000	U	1000	U		NA		NA
Acrylonitrile	U	500	U	250	U	500	U	500	U		NA		NA
Benzene	U	210		50	U	100	U	100	U		NA		NA
Bromobenzene	U	100	U	50	U	100	U	100	U		NA		NA
Bromochloromethane	U	100	U	50	U	100	U	100	U		NA		NA
Bromodichloromethane	U	100	U	50	U	100	U	100	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW40-0046		RM-GW41-0018		RM-GW41-0033		RM-GW41-0043		OU2-DP4-1-1217		OU2-DP4-1-2530	
Sample Location		40		41		41		41		DP4-1		DP4-1	
Date Sampled		2/28/2002		2/27/2002		2/27/2002		2/28/2002		7/31/1997		7/31/1997	
Interval		0.0-46.0		0.0-18.0		0.0-33.0		0.0-43.0		12.0-17.0		25.0-30.0	
QC Identifier		None		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	U	100	U	50	U	100	U	100	U		NA		NA
Bromomethane	U	100	U	50	U	100	U	100	U		NA		NA
Carbon Disulfide	U	300	U	150	U	300	U	300	U		NA		NA
Carbon Tetrachloride	U	100	U	50	U	100	U	100	U		NA		NA
Chlorobenzene	U	100	U	50	U	100	U	100	U		NA		NA
Chloroethane	U	100	U	50	U	100	U	100	U		NA		NA
Chloroform	U	100	U	50	U	100	U	100	U		NA		NA
Chloromethane	U	100	U	50	U	100	U	100	U		NA		NA
cis-1,2-Dichloroethene	U	100	U	410		1100		810			NA		NA
cis-1,3-Dichloropropene	U	100	U	50	U	100	U	100	U		NA		NA
Cyclohexane	NA		NA		NA		NA		NA		NA		NA
Dibromochloromethane	U	100	U	50	U	100	U	100	U		NA		NA
Dibromomethane	U	100	U	50	U	100	U	100	U		NA		NA
Dichlorodifluoromethane	U	100	U	50	U	100	U	100	U		NA		NA
Ethyl Ether	U	300	U	150	U	300	U	300	U		NA		NA
Ethylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
Hexachlorobutadiene	U	100	U	50	U	100	U	100	U		NA		NA
Isopropylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
m&p-Xylene	U	200	U	100	U	200	U	200	U		NA		NA
Methyl Acetate	NA		NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		15000		50	U	100	U	100	U		NA		NA
Methylcyclohexane	NA		NA		NA		NA		NA		NA		NA
Methylene Chloride	U	100	U	50	U	100	U	100	U		NA		NA
Naphthalene	U	100	U	50	U	100	U	100	U		NA		NA
n-Butylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
n-Propylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
o-Xylene	U	100	U	50	U	100	U	100	U		NA		NA
p-Isopropyltoluene	U	100	U	50	U	100	U	100	U		NA		NA
sec-Butylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
Styrene	U	100	U	50	U	100	U	100	U		NA		NA
tert-Butylbenzene	U	100	U	50	U	100	U	100	U		NA		NA
Tetrachloroethene	U	100	U	50	U	100	U	100	U		NA		NA
Tetrahydrofuran	U	700	U	350	U	700	U	700	U		NA		NA
Toluene	U	100	U	50	U	100	U	100	U		NA		NA
Total Xylenes	NA		NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	U	100	U	50	U	100	U	100	U		NA		NA
trans-1,3-Dichloropropene	U	100	U	50	U	100	U	100	U		NA		NA
Trichloroethene	U	100	U	720		900		1300			NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW40-0046		RM-GW41-0018		RM-GW41-0033		RM-GW41-0043		OU2-DP4-1-1217		OU2-DP4-1-2530	
Sample Location		40		41		41		41		DP4-1		DP4-1	
Date Sampled		2/28/2002		2/27/2002		2/27/2002		2/28/2002		7/31/1997		7/31/1997	
Interval		0.0-46.0		0.0-18.0		0.0-33.0		0.0-43.0		12.0-17.0		25.0-30.0	
QC Identifier		None		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	U	100	U	50	U	100	U	100	U		NA		NA
Vinyl Acetate	U	600	U	300	U	600	U	600	U		NA		NA
Vinyl Chloride	U	100	U	50	U	75	L	100	U		NA		NA
Volatile Organic Screening Analysis (UG/L)													
1,1,1-Trichloroethane	NA		NA	2130			NA		NA	10	U	100	U
1,1-Dichloroethane	NA		NA		NA		NA		NA	10	U	100	U
1,1-Dichloroethene	NA		NA	410			NA		NA	10	U	100	U
1,2-Dichloroethane	NA		NA		NA		NA		NA	10	U	100	U
Benzene	NA		NA	29	U		NA		NA	10	U	100	U
Chlorobenzene	NA		NA	60	U		NA		NA	28		360	
cis-1,2-Dichloroethene	NA		NA	356			NA		NA	10	U	100	U
Ethylbenzene	NA		NA		NA		NA		NA	10	U	100	U
m&p-Xylene	NA		NA		NA		NA		NA	10	U	100	U
o-Xylene	NA		NA		NA		NA		NA	10	U	100	U
Tetrachloroethene	NA		NA	15	U		NA		NA	10	U	100	U
Toluene	NA		NA	29	U		NA		NA	10	U	100	U
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA	10	U	100	U
Trichloroethene	NA		NA	192			NA		NA	10	U	100	U
Vinyl Chloride	NA		NA		NA		NA		NA	10	U	100	U
Semivolatile Organic Analysis (UG/L)													
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA		NA
2-Chlorophenol	NA		NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW40-0046		RM-GW41-0018		RM-GW41-0033		RM-GW41-0043		OU2-DP4-1-1217		OU2-DP4-1-2530	
Sample Location		40		41		41		41		DP4-1		DP4-1	
Date Sampled		2/28/2002		2/27/2002		2/27/2002		2/28/2002		7/31/1997		7/31/1997	
Interval		0.0-46.0		0.0-18.0		0.0-33.0		0.0-43.0		12.0-17.0		25.0-30.0	
QC Identifier		None		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA		NA
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW40-0046		RM-GW41-0018		RM-GW41-0033		RM-GW41-0043		OU2-DP4-1-1217		OU2-DP4-1-2530	
Sample Location		40		41		41		41		DP4-1		DP4-1	
Date Sampled		2/28/2002		2/27/2002		2/27/2002		2/28/2002		7/31/1997		7/31/1997	
Interval		0.0-46.0		0.0-18.0		0.0-33.0		0.0-43.0		12.0-17.0		25.0-30.0	
QC Identifier		None		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone	NA		NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)													
Acenaphthylene	NA		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)													
4,4'-DDD	NA		NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA		NA
Aroclor-1232	NA		NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW40-0046		RM-GW41-0018		RM-GW41-0033		RM-GW41-0043		OU2-DP4-1-1217		OU2-DP4-1-2530	
Sample Location		40		41		41		41		DP4-1		DP4-1	
Date Sampled		2/28/2002		2/27/2002		2/27/2002		2/28/2002		7/31/1997		7/31/1997	
Interval		0.0-46.0		0.0-18.0		0.0-33.0		0.0-43.0		12.0-17.0		25.0-30.0	
QC Identifier		None		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I	NA		NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)													
1,2,3,4,6,7,8-HpCDD	NA		NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF	NA		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD	NA		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF	NA		NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF	NA		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD	NA		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF	NA		NA		NA		NA		NA		NA		NA
OCDD	NA		NA		NA		NA		NA		NA		NA
OCDF	NA		NA		NA		NA		NA		NA		NA
Total HpCDD	NA		NA		NA		NA		NA		NA		NA
Total HpCDF	NA		NA		NA		NA		NA		NA		NA
Total HxCDD	NA		NA		NA		NA		NA		NA		NA
Total HxCDF	NA		NA		NA		NA		NA		NA		NA
Total PeCDD	NA		NA		NA		NA		NA		NA		NA
Total PeCDF	NA		NA		NA		NA		NA		NA		NA
Total TCDD	NA		NA		NA		NA		NA		NA		NA
Total TCDF	NA		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW40-0046		RM-GW41-0018		RM-GW41-0033		RM-GW41-0043		OU2-DP4-1-1217		OU2-DP4-1-2530	
Sample Location		40		41		41		41		DP4-1		DP4-1	
Date Sampled		2/28/2002		2/27/2002		2/27/2002		2/28/2002		7/31/1997		7/31/1997	
Interval		0.0-46.0		0.0-18.0		0.0-33.0		0.0-43.0		12.0-17.0		25.0-30.0	
QC Identifier		None		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency	NA		NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)													
Aluminum	NA		NA		NA		NA		NA		NA		NA
Antimony	NA		NA		NA		NA		NA		NA		NA
Arsenic	NA		NA		NA		NA		NA		NA		NA
Barium	NA		NA		NA		NA		NA		NA		NA
Beryllium	NA		NA		NA		NA		NA		NA		NA
Cadmium	NA		NA		NA		NA		NA		NA		NA
Calcium	NA		NA		NA		NA		NA		NA		NA
Chromium	NA		NA		NA		NA		NA		NA		NA
Cobalt	NA		NA		NA		NA		NA		NA		NA
Copper	NA		NA		NA		NA		NA		NA		NA
Iron	NA		NA		NA		NA		NA		NA		NA
Lead	NA		NA		NA		NA		NA		NA		NA
Magnesium	NA		NA		NA		NA		NA		NA		NA
Manganese	NA		NA		NA		NA		NA		NA		NA
Mercury	NA		NA		NA		NA		NA		NA		NA
Nickel	NA		NA		NA		NA		NA		NA		NA
Potassium	NA		NA		NA		NA		NA		NA		NA
Selenium	NA		NA		NA		NA		NA		NA		NA
Silver	NA		NA		NA		NA		NA		NA		NA
Sodium	NA		NA		NA		NA		NA		NA		NA
Thallium	NA		NA		NA		NA		NA		NA		NA
Vanadium	NA		NA		NA		NA		NA		NA		NA
Zinc	NA		NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis													
Alkalinity	NA		NA		NA		NA		NA		NA		NA
Carbon Dioxide	NA		NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA		NA
Nitrate	NA		NA		NA		NA		NA		NA		NA
Nitrite-N	NA		NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA		NA
Sulfide	NA		NA		NA		NA		NA		NA		NA
Total Organic Carbon	NA		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW42-0024		RM-GW43-0018		RM-GW43-0023		RM-GW43-0028		RM-GW43-0038		RM-GW43-0048	
Sample Location	42		43		43		43		43		43	
Date Sampled	2/27/2002		2/28/2002		2/28/2002		2/28/2002		3/1/2002		3/1/2002	
Interval	0.0-24.0		0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-48.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)												
1,1,1,2-Tetrachloroethane	10	U	10	U	100	U	100	U	100	U	50	U
1,1,1-Trichloroethane	420		960		2800		4900		560		5600	E
1,1,2,2-Tetrachloroethane	10	U	10	U	100	U	100	U	100	U	50	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U	10	U	100	U	100	U	100	U	50	U
1,1,2-Trichloroethane	10	U	10	U	100	U	100	U	100	U	50	U
1,1-Dichloroethane	60		170		760		420		49		570	
1,1-Dichloroethene	190		480		2800		2400		210		1800	
1,1-Dichloropropene	10	U	10	U	100	U	100	U	100	U	50	U
1,2,3-Trichlorobenzene	10	U	10	U	100	U	100	U	100	U	50	U
1,2,3-Trichloropropane	10	U	10	U	100	U	100	U	100	U	50	U
1,2,4-Trichlorobenzene	10	U	10	U	100	U	100	U	100	U	50	U
1,2,4-Trimethylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
1,2-Dibromo-3-chloropropane	10	U	10	U	100	U	100	U	100	U	50	U
1,2-Dibromoethane	10	U	10	U	100	U	100	U	100	U	50	U
1,2-Dichlorobenzene	10	U	10	U	100	U	100	U	100	U	50	U
1,2-Dichloroethane	10	U	10	U	100	U	100	U	100	U	50	U
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	10	U	10	U	100	U	100	U	100	U	50	U
1,3,5-Trimethylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
1,3-Dichlorobenzene	10	U	10	U	100	U	100	U	100	U	50	U
1,3-Dichloropropane	10	U	10	U	100	U	100	U	100	U	50	U
1,4-Dichlorobenzene	10	U	10	U	100	U	100	U	100	U	50	U
1,4-Dioxane		NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	10	U	10	U	100	U	100	U	100	U	50	U
2-Butanone	40	U	40	U	400	U	400	U	400	U	200	U
2-Chloroethylvinylether	30	U	30	U	300	U	300	U	300	U	150	U
2-Chlorotoluene	10	U	10	U	100	U	100	U	100	U	50	U
2-Hexanone	6	U	6	U	60	U	60	U	60	U	30	U
4-Chlorotoluene	10	U	10	U	100	U	100	U	100	U	50	U
4-Methyl-2-Pentanone	5	U	5	U	50	U	50	U	50	U	25	U
Acetone	20	U	20	U	200	U	210	B	19	BJ	130	BJ
Acrolein	100	U	100	U	1000	U	1000	U	1000	U	500	U
Acrylonitrile	50	U	50	U	500	U	500	U	500	U	250	U
Benzene	10	U	10	U	100	U	100	U	100	U	50	U
Bromobenzene	10	U	10	U	100	U	100	U	100	U	50	U
Bromochloromethane	10	U	10	U	100	U	100	U	100	U	50	U
Bromodichloromethane	10	U	10	U	100	U	100	U	100	U	50	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW42-0024		RM-GW43-0018		RM-GW43-0023		RM-GW43-0028		RM-GW43-0038		RM-GW43-0048	
Sample Location	42		43		43		43		43		43	
Date Sampled	2/27/2002		2/28/2002		2/28/2002		2/28/2002		3/1/2002		3/1/2002	
Interval	0.0-24.0		0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-48.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	10	U	100	U	100	U	100	U	50	U
Bromomethane	10	U	10	U	100	U	100	U	100	U	50	U
Carbon Disulfide	30	U	30	U	300	U	300	U	300	U	150	U
Carbon Tetrachloride	10	U	10	U	100	U	100	U	100	U	50	U
Chlorobenzene	10	U	10	U	100	U	100	U	100	U	50	U
Chloroethane	10	U	10	U	100	U	100	U	100	U	50	U
Chloroform	10	U	10	U	100	U	100	U	100	U	50	U
Chloromethane	10	U	10	U	100	U	100	U	100	U	50	U
cis-1,2-Dichloroethene	120		350		2000		1200		110		1400	
cis-1,3-Dichloropropene	10	U	10	U	100	U	100	U	100	U	50	U
Cyclohexane		NA		NA		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	100	U	100	U	100	U	50	U
Dibromomethane	10	U	10	U	100	U	100	U	100	U	50	U
Dichlorodifluoromethane	10	U	10	U	100	U	100	U	100	U	50	U
Ethyl Ether	30	U	30	U	300	U	300	U	300	U	150	U
Ethylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
Hexachlorobutadiene	10	U	10	U	100	U	100	U	100	U	50	U
Isopropylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
m&p-Xylene	20	U	20	U	200	U	200	U	200	U	100	U
Methyl Acetate		NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	10	U	10	U	100	U	100	U	100	U	50	U
Methylcyclohexane		NA		NA		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	100	U	100	U	100	U	50	U
Naphthalene	10	U	10	U	100	U	100	U	100	U	50	U
n-Butylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
n-Propylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
o-Xylene	10	U	10	U	100	U	100	U	100	U	50	U
p-Isopropyltoluene	10	U	10	U	100	U	100	U	100	U	50	U
sec-Butylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
Styrene	10	U	10	U	100	U	100	U	100	U	50	U
tert-Butylbenzene	10	U	10	U	100	U	100	U	100	U	50	U
Tetrachloroethene	10	U	10	U	100	U	100	U	100	U	50	U
Tetrahydrofuran	70	U	70	U	700	U	700	U	700	U	350	U
Toluene	10	U	10	U	100	U	100	U	100	U	50	U
Total Xylenes		NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	10	U	10	U	100	U	100	U	100	U	50	U
trans-1,3-Dichloropropene	10	U	10	U	100	U	100	U	100	U	50	U
Trichloroethene	170		380		2000		1200		130		930	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW42-0024		RM-GW43-0018		RM-GW43-0023		RM-GW43-0028		RM-GW43-0038		RM-GW43-0048	
Sample Location	42		43		43		43		43		43	
Date Sampled	2/27/2002		2/28/2002		2/28/2002		2/28/2002		3/1/2002		3/1/2002	
Interval	0.0-24.0		0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-48.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	10	U	10	U	100	U	100	U	100	U	50	U
Vinyl Acetate	60	U	60	U	600	U	600	U	600	U	300	U
Vinyl Chloride	10	U	10	U	180		100	U	100	U	62	
Volatile Organic Screening Analysis (UG/L)												
1,1,1-Trichloroethane	412		946			NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA		NA
1,1-Dichloroethene	166		420			NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA		NA
Benzene	30	U	28	U		NA		NA		NA		NA
Chlorobenzene	60	U	3	U		NA		NA		NA		NA
cis-1,2-Dichloroethene	107		280			NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA		NA
Tetrachloroethene	15	U	0.5	U		NA		NA		NA		NA
Toluene	30	U	2	U		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA		NA
Trichloroethene	152		369			NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)												
1,1'-Biphenyl		NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW42-0024		RM-GW43-0018		RM-GW43-0023		RM-GW43-0028		RM-GW43-0038		RM-GW43-0048	
Sample Location	42		43		43		43		43		43	
Date Sampled	2/27/2002		2/28/2002		2/28/2002		2/28/2002		3/1/2002		3/1/2002	
Interval	0.0-24.0		0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-48.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW42-0024		RM-GW43-0018		RM-GW43-0023		RM-GW43-0028		RM-GW43-0038		RM-GW43-0048	
Sample Location	42		43		43		43		43		43	
Date Sampled	2/27/2002		2/28/2002		2/28/2002		2/28/2002		3/1/2002		3/1/2002	
Interval	0.0-24.0		0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-48.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)												
Acenaphthylene		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)												
4,4'-DDD		NA		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW42-0024		RM-GW43-0018		RM-GW43-0023		RM-GW43-0028		RM-GW43-0038		RM-GW43-0048	
Sample Location	42		43		43		43		43		43	
Date Sampled	2/27/2002		2/28/2002		2/28/2002		2/28/2002		3/1/2002		3/1/2002	
Interval	0.0-24.0		0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-48.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)												
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW42-0024		RM-GW43-0018		RM-GW43-0023		RM-GW43-0028		RM-GW43-0038		RM-GW43-0048	
Sample Location	42		43		43		43		43		43	
Date Sampled	2/27/2002		2/28/2002		2/28/2002		2/28/2002		3/1/2002		3/1/2002	
Interval	0.0-24.0		0.0-18.0		0.0-23.0		0.0-28.0		0.0-38.0		0.0-48.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)												
Aluminum		NA		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis												
Alkalinity		NA		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW43-0052		OU2-DP4-3A-1217		OU2-DP4-3A-1823		OU4-MW-3-07		OU2-DP4-4-0510		OU2-DP4-4A-1520
Sample Location	43		DP4-3A		DP4-3A		OU4-MW-3		DP4-4		DP4-4A
Date Sampled	3/1/2002		8/1/1997		8/1/1997		2/6/2003		8/8/1997		8/8/1997
Interval	0.0-52.0		12.0-17.0		18.0-23.0		0.0-0.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	50	U		NA		NA		NA		NA	
1,1,1-Trichloroethane	5500	E	20	U		NA	10	U	1700		
1,1,2,2-Tetrachloroethane	50	U	20	U		NA	10	U	160	U	
1,1,2-Trichloro-1,2,2-trifluoroethane	50	U		NA		NA	10	U		NA	
1,1,2-Trichloroethane	50	U	20	U		NA	10	U	160	U	
1,1-Dichloroethane	480		85			NA	10	U	630		
1,1-Dichloroethene	2200		7	J		NA	0.9	U	390		
1,1-Dichloropropene	50	U		NA		NA		NA		NA	
1,2,3-Trichlorobenzene	50	U		NA		NA		NA		NA	
1,2,3-Trichloropropane	50	U		NA		NA		NA		NA	
1,2,4-Trichlorobenzene	50	U		NA		NA	10	U		NA	
1,2,4-Trimethylbenzene	50	U		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane	50	U		NA		NA	10	U		NA	
1,2-Dibromoethane	50	U		NA		NA	10	U		NA	
1,2-Dichlorobenzene	50	U		NA		NA	10	U		NA	
1,2-Dichloroethane	50	U	20	U		NA	10	U	160	U	
1,2-Dichloroethene (total)		NA	300			NA		NA	660		
1,2-Dichloropropane	50	U	20	U		NA	10	U	160	U	
1,3,5-Trimethylbenzene	50	U		NA		NA		NA		NA	
1,3-Dichlorobenzene	50	U		NA		NA	10	U		NA	
1,3-Dichloropropane	50	U		NA		NA		NA		NA	
1,4-Dichlorobenzene	50	U		NA		NA	10	U		NA	
1,4-Dioxane		NA		NA		NA	100	UJ		NA	
2,2-Dichloropropane	50	U		NA		NA		NA		NA	
2-Butanone	200	U	20	U		NA	10	U	160	U	
2-Chloroethylvinylether	150	U		NA		NA		NA		NA	
2-Chlorotoluene	50	U		NA		NA		NA		NA	
2-Hexanone	30	U	20	U		NA	10	U	160	UJ	
4-Chlorotoluene	50	U		NA		NA		NA		NA	
4-Methyl-2-Pentanone	25	U	20	U		NA	10	UJ	160	UJ	
Acetone	130	BJ	20	UJ		NA	10	U	160	U	
Acrolein	500	U		NA		NA		NA		NA	
Acrylonitrile	250	U		NA		NA		NA		NA	
Benzene	50	U	20	U		NA	10	U	82	J	
Bromobenzene	50	U		NA		NA		NA		NA	
Bromochloromethane	50	U		NA		NA		NA		NA	
Bromodichloromethane	50	U	20	U		NA	10	U	160	U	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW43-0052		OU2-DP4-3A-1217		OU2-DP4-3A-1823		OU4-MW-3-07		OU2-DP4-4-0510		OU2-DP4-4A-1520
Sample Location	43		DP4-3A		DP4-3A		OU4-MW-3		DP4-4		DP4-4A
Date Sampled	3/1/2002		8/1/1997		8/1/1997		2/6/2003		8/8/1997		8/8/1997
Interval	0.0-52.0		12.0-17.0		18.0-23.0		0.0-0.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform	50	U	20	U		NA	10	U		R	
Bromomethane	50	U	20	U		NA	10	U	160	U	
Carbon Disulfide	150	U	20	U		NA	10	U	160	U	
Carbon Tetrachloride	50	U	20	U		NA	10	U	160	U	
Chlorobenzene	50	U	20	U		NA	10	U	160	U	
Chloroethane	50	U	20	U		NA	10	U	40	J	
Chloroform	50	U		R		NA	10	U	160	U	
Chloromethane	50	U	20	U		NA	10	U	160	U	
cis-1,2-Dichloroethene	1400			NA		NA	10	U		NA	
cis-1,3-Dichloropropene	50	U	20	U		NA	10	U	160	U	
Cyclohexane		NA		NA		NA	10	U		NA	
Dibromochloromethane	50	U	20	U		NA	10	U		R	
Dibromomethane	50	U		NA		NA		NA		NA	
Dichlorodifluoromethane	50	U		NA		NA	10	UJ		NA	
Ethyl Ether	150	U		NA		NA		NA		NA	
Ethylbenzene	50	U	20	U		NA	10	U	160	U	
Hexachlorobutadiene	50	U		NA		NA		NA		NA	
Isopropylbenzene	50	U		NA		NA	10	U		NA	
m&p-Xylene	100	U		NA		NA		NA		NA	
Methyl Acetate		NA		NA		NA	10	U		NA	
Methyl tert-Butyl Ether	50	U		NA		NA	10	U		NA	
Methylcyclohexane		NA		NA		NA	10	U		NA	
Methylene Chloride	50	U	20	U		NA	10	UJ	160	U	
Naphthalene	50	U		NA		NA		NA		NA	
n-Butylbenzene	50	U		NA		NA		NA		NA	
n-Propylbenzene	50	U		NA		NA		NA		NA	
o-Xylene	50	U		NA		NA		NA		NA	
p-Isopropyltoluene	50	U		NA		NA		NA		NA	
sec-Butylbenzene	50	U		NA		NA		NA		NA	
Styrene	50	U	20	U		NA	10	U	160	U	
tert-Butylbenzene	50	U		NA		NA		NA		NA	
Tetrachloroethene	50	U	20	U		NA	10	U	160	U	
Tetrahydrofuran	350	U		NA		NA		NA		NA	
Toluene	50	U	20	U		NA	10	U	160	U	
Total Xylenes		NA	20	U		NA	10	U	160	U	
trans-1,2-Dichloroethene	50	U		NA		NA	10	U		NA	
trans-1,3-Dichloropropene	50	U	20	U		NA	10	U	160	U	
Trichloroethene	870		13	J		NA	10	U	67	J	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW43-0052		OU2-DP4-3A-1217		OU2-DP4-3A-1823		OU4-MW-3-07		OU2-DP4-4-0510		OU2-DP4-4A-1520
Sample Location	43		DP4-3A		DP4-3A		OU4-MW-3		DP4-4		DP4-4A
Date Sampled	3/1/2002		8/1/1997		8/1/1997		2/6/2003		8/8/1997		8/8/1997
Interval	0.0-52.0		12.0-17.0		18.0-23.0		0.0-0.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane	50	U		NA		NA	10	U		NA	
Vinyl Acetate	300	U		NA		NA		NA		NA	
Vinyl Chloride	63		19	J		NA	1	U	92	J	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane		NA	100	U	100	U		NA	2600		6700
1,1-Dichloroethane		NA	110		130			NA	600		500
1,1-Dichloroethene		NA	100	U	100	U		NA	500	U	510
1,2-Dichloroethane		NA	100	U	100	U		NA	500	U	500
Benzene		NA	100	U	100	U		NA	500	U	500
Chlorobenzene		NA	100	U	100	U		NA	500	U	500
cis-1,2-Dichloroethene		NA	350		420			NA	650		1100
Ethylbenzene		NA	100	U	100	U		NA	500	U	500
m&p-Xylene		NA	100	U	100	U		NA	500	U	500
o-Xylene		NA	100	U	100	U		NA	500	U	500
Tetrachloroethene		NA	100	U	100	U		NA	500	U	500
Toluene		NA	100	U	100	U		NA	500	U	500
trans-1,2-Dichloroethene		NA	100	U	100	U		NA	500	U	500
Trichloroethene		NA	100	U	100	U		NA	500	U	500
Vinyl Chloride		NA	100	U	180			NA	500	U	500
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA	10	U		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA	10	U		NA	
2,4,5-Trichlorophenol		NA		NA		NA	25	U		NA	
2,4,6-Trichlorophenol		NA		NA		NA	10	U		NA	
2,4-Dichlorophenol		NA		NA		NA	10	U		NA	
2,4-Dimethylphenol		NA		NA		NA	10	U		NA	
2,4-Dinitrophenol		NA		NA		NA	25	UJ		NA	
2,4-Dinitrotoluene		NA		NA		NA	10	U		NA	
2,6-Dinitrotoluene		NA		NA		NA	10	U		NA	
2-Chloronaphthalene		NA		NA		NA	10	U		NA	
2-Chlorophenol		NA		NA		NA	10	U		NA	
2-Methylnaphthalene		NA		NA		NA	10	U		NA	
2-Methylphenol		NA		NA		NA	10	U		NA	
2-Nitroaniline		NA		NA		NA	25	U		NA	
2-Nitrophenol		NA		NA		NA	10	U		NA	
3,3'-Dichlorobenzidine		NA		NA		NA	10	U		NA	
3-Nitroaniline		NA		NA		NA	25	U		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA	25	U		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW43-0052		OU2-DP4-3A-1217		OU2-DP4-3A-1823		OU4-MW-3-07		OU2-DP4-4-0510		OU2-DP4-4A-1520
Sample Location	43		DP4-3A		DP4-3A		OU4-MW-3		DP4-4		DP4-4A
Date Sampled	3/1/2002		8/1/1997		8/1/1997		2/6/2003		8/8/1997		8/8/1997
Interval	0.0-52.0		12.0-17.0		18.0-23.0		0.0-0.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
4-Bromophenyl-phenylether		NA		NA		NA	10	U		NA	
4-Chloro-3-methylphenol		NA		NA		NA	10	U		NA	
4-Chloroaniline		NA		NA		NA	10	UJ		NA	
4-Chlorophenyl-phenylether		NA		NA		NA	10	U		NA	
4-Methylphenol		NA		NA		NA	10	U		NA	
4-Nitroaniline		NA		NA		NA	25	UJ		NA	
4-Nitrophenol		NA		NA		NA	25	U		NA	
Acenaphthene		NA		NA		NA	10	U		NA	
Acenaphthylene		NA		NA		NA	10	U		NA	
Acetophenone		NA		NA		NA	10	U		NA	
Anthracene		NA		NA		NA	10	U		NA	
Atrazine		NA		NA		NA	10	U		NA	
Benzaldehyde		NA		NA		NA	10	UJ		NA	
Benzo(a)anthracene		NA		NA		NA	10	U		NA	
Benzo(a)pyrene		NA		NA		NA	10	U		NA	
Benzo(b)fluoranthene		NA		NA		NA	10	U		NA	
Benzo(g,h,i)perylene		NA		NA		NA	10	U		NA	
Benzo(k)fluoranthene		NA		NA		NA	10	U		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA	10	U		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA	10	U		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA	10	U		NA	
Butylbenzylphthalate		NA		NA		NA	10	U		NA	
Caprolactam		NA		NA		NA	11	J		NA	
Carbazole		NA		NA		NA	10	U		NA	
Chrysene		NA		NA		NA	10	U		NA	
Dibenzo(a,h)anthracene		NA		NA		NA	10	U		NA	
Dibenzofuran		NA		NA		NA	10	U		NA	
Diethylphthalate		NA		NA		NA	10	U		NA	
Dimethylphthalate		NA		NA		NA	10	U		NA	
Di-n-Butylphthalate		NA		NA		NA	10	U		NA	
Di-n-octylphthalate		NA		NA		NA	10	U		NA	
Fluoranthene		NA		NA		NA	10	U		NA	
Fluorene		NA		NA		NA	10	U		NA	
Hexachlorobenzene		NA		NA		NA	10	U		NA	
Hexachlorobutadiene		NA		NA		NA	10	U		NA	
Hexachlorocyclopentadiene		NA		NA		NA	10	U		NA	
Hexachloroethane		NA		NA		NA	10	U		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA	10	U		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW43-0052		OU2-DP4-3A-1217		OU2-DP4-3A-1823		OU4-MW-3-07		OU2-DP4-4-0510		OU2-DP4-4A-1520
Sample Location	43		DP4-3A		DP4-3A		OU4-MW-3		DP4-4		DP4-4A
Date Sampled	3/1/2002		8/1/1997		8/1/1997		2/6/2003		8/8/1997		8/8/1997
Interval	0.0-52.0		12.0-17.0		18.0-23.0		0.0-0.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Isophorone		NA		NA		NA	10	U		NA	
Naphthalene		NA		NA		NA	10	U		NA	
Nitrobenzene		NA		NA		NA	10	U		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA	10	U		NA	
N-Nitroso-diphenylamine		NA		NA		NA	10	U		NA	
Pentachlorophenol		NA		NA		NA	25	UJ		NA	
Phenanthrene		NA		NA		NA	10	U		NA	
Phenol		NA		NA		NA	10	U		NA	
Pyrene		NA		NA		NA	10	U		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA	0.20	U		NA	
Benzo(a)anthracene		NA		NA		NA	0.20	U		NA	
Benzo(a)pyrene		NA		NA		NA	0.20	UJ		NA	
Benzo(b)fluoranthene		NA		NA		NA	0.20	U		NA	
Benzo(k)fluoranthene		NA		NA		NA	0.20	U		NA	
Chrysene		NA		NA		NA	0.20	U		NA	
Dibenzo(a,h)anthracene		NA		NA		NA	0.20	U		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA	0.20	U		NA	
Phenanthrene		NA		NA		NA	0.20	U		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA	0.10	U		NA	
4,4'-DDE		NA		NA		NA	0.10	U		NA	
4,4'-DDT		NA		NA		NA	0.10	U		NA	
Aldrin		NA		NA		NA	0.050	U		NA	
alpha-BHC		NA		NA		NA	0.050	UJ		NA	
alpha-Chlordane		NA		NA		NA	0.050	U		NA	
Aroclor-1016		NA		NA		NA	1.0	U		NA	
Aroclor-1221		NA		NA		NA	0.25	U		NA	
Aroclor-1232		NA		NA		NA	1.0	U		NA	
Aroclor-1242		NA		NA		NA	1.0	U		NA	
Aroclor-1248		NA		NA		NA	1.0	U		NA	
Aroclor-1254		NA		NA		NA	0.25	U		NA	
Aroclor-1260		NA		NA		NA	0.25	U		NA	
Aroclor-1262		NA		NA		NA	0.28	U		NA	
Aroclor-1268		NA		NA		NA	1.0	U		NA	
beta-BHC		NA		NA		NA	0.050	U		NA	
delta-BHC		NA		NA		NA	0.050	U		NA	
Dieldrin		NA		NA		NA	0.050	U		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW43-0052		OU2-DP4-3A-1217		OU2-DP4-3A-1823		OU4-MW-3-07		OU2-DP4-4-0510		OU2-DP4-4A-1520
Sample Location	43		DP4-3A		DP4-3A		OU4-MW-3		DP4-4		DP4-4A
Date Sampled	3/1/2002		8/1/1997		8/1/1997		2/6/2003		8/8/1997		8/8/1997
Interval	0.0-52.0		12.0-17.0		18.0-23.0		0.0-0.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Endosulfan I		NA		NA		NA	0.050	U		NA	
Endosulfan II		NA		NA		NA	0.10	U		NA	
Endosulfan Sulfate		NA		NA		NA	0.10	U		NA	
Endrin		NA		NA		NA	0.050	U		NA	
Endrin Aldehyde		NA		NA		NA	0.10	U		NA	
Endrin Ketone		NA		NA		NA	0.10	U		NA	
gamma-BHC		NA		NA		NA	0.050	UJ		NA	
gamma-Chlordane		NA		NA		NA	0.050	U		NA	
Heptachlor		NA		NA		NA	0.020	U		NA	
Heptachlor Epoxide		NA		NA		NA	0.020	U		NA	
Methoxychlor		NA		NA		NA	0.50	U		NA	
Toxaphene		NA		NA		NA	5.0	U		NA	
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,7,8-TCDD		NA		NA		NA		NA		NA	
2,3,7,8-TCDF		NA		NA		NA		NA		NA	
OCDD		NA		NA		NA		NA		NA	
OCDF		NA		NA		NA		NA		NA	
Total HpCDD		NA		NA		NA		NA		NA	
Total HpCDF		NA		NA		NA		NA		NA	
Total HxCDD		NA		NA		NA		NA		NA	
Total HxCDF		NA		NA		NA		NA		NA	
Total PeCDD		NA		NA		NA		NA		NA	
Total PeCDF		NA		NA		NA		NA		NA	
Total TCDD		NA		NA		NA		NA		NA	
Total TCDF		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW43-0052		OU2-DP4-3A-1217		OU2-DP4-3A-1823		OU4-MW-3-07		OU2-DP4-4-0510		OU2-DP4-4A-1520
Sample Location	43		DP4-3A		DP4-3A		OU4-MW-3		DP4-4		DP4-4A
Date Sampled	3/1/2002		8/1/1997		8/1/1997		2/6/2003		8/8/1997		8/8/1997
Interval	0.0-52.0		12.0-17.0		18.0-23.0		0.0-0.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Toxicity Equivalency		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA	22.7	U		NA	172	U	52.8	U	
Antimony		NA	27.3	U		NA	2.3	U		R	
Arsenic		NA	78.3			NA	4.8	U		R	
Barium		NA	234			NA	59.7		325	U	
Beryllium		NA	0.35	U		NA	0.12	UJ	0.10	U	
Cadmium		NA	2.6	U		NA	0.32	UJ	0.42	UJ	
Calcium		NA	21100			NA	45000		96400		
Chromium		NA	2.9	U		NA	0.60	U	0.60	U	
Cobalt		NA	4.9	U		NA	2.2		2.8		
Copper		NA	2.5	U		NA	3.5	U	33.8	U	
Iron		NA	7600			NA	8260		10100		
Lead		NA		R		NA	2.2	U	18.9	UJ	
Magnesium		NA	30200			NA	15700		17500		
Manganese		NA	1140			NA	2440		1360		
Mercury		NA	0.10	U		NA	0.10	U	0.10	UJ	
Nickel		NA	15.2	U		NA	9.7		4.1	J	
Potassium		NA	5490			NA	5180		9690		
Selenium		NA		R		NA	4.8	U		R	
Silver		NA	3.0	UJ		NA	0.60	U	0.80	U	
Sodium		NA	50600			NA	29100		72700		
Thallium		NA		R		NA	4.7	U	3.4	U	
Vanadium		NA	4.6	U		NA	0.50	U	1.5	U	
Zinc		NA	76.5	UJ		NA	76.0		151	U	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Carbon Dioxide		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate		NA		NA		NA		NA		NA	
Nitrite-N		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	
Sulfide		NA		NA		NA		NA		NA	
Total Organic Carbon		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP4-4A-2530		OU2-DP4-4A-3439		OU2-DP4-4A-4550		OU2-MW-4M(MW-4D)-07		OU2-DP4-5C-1419	
Sample Location		DP4-4A		DP4-4A		DP4-4A		MW-4M(MW-4D)		DP4-5C	
Date Sampled		8/8/1997		8/8/1997		8/8/1997		7/23/2003		8/6/1997	
Interval		25.0-30.0		34.0-39.0		45.0-50.0		0.0-0.0		14.0-19.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	NA		NA		NA		NA	10	U	620	
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA	10	U	40	U
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA		NA	10	U		NA
1,1,2-Trichloroethane	NA		NA		NA		NA	10	U	40	U
1,1-Dichloroethane	NA		NA		NA		NA	10	U	58	
1,1-Dichloroethene	NA		NA		NA		NA	0.9	U	140	
1,1-Dichloropropene	NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA	10	U		NA
1,2,4-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA	10	U		NA
1,2-Dibromoethane	NA		NA		NA		NA	10	U		NA
1,2-Dichlorobenzene	NA		NA		NA		NA	10	U		NA
1,2-Dichloroethane	NA		NA		NA		NA	10	U	40	U
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA	84	
1,2-Dichloropropane	NA		NA		NA		NA	10	U	40	U
1,3,5-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA	10	U		NA
1,3-Dichloropropane	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA	10	U		NA
1,4-Dioxane	NA		NA		NA		NA	100	UJ		NA
2,2-Dichloropropane	NA		NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA	10	U	40	U
2-Chloroethylvinylether	NA		NA		NA		NA		NA		NA
2-Chlorotoluene	NA		NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA	10	U	40	U
4-Chlorotoluene	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA	10	U	40	U
Acetone	NA		NA		NA		NA	9	J	40	U
Acrolein	NA		NA		NA		NA		NA		NA
Acrylonitrile	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA	10	U	40	U
Bromobenzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA	10	U	40	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP4-4A-2530		OU2-DP4-4A-3439		OU2-DP4-4A-4550		OU2-MW-4M(MW-4D)-07		OU2-DP4-5C-1419	
Sample Location		DP4-4A		DP4-4A		DP4-4A		MW-4M(MW-4D)		DP4-5C	
Date Sampled		8/8/1997		8/8/1997		8/8/1997		7/23/2003		8/6/1997	
Interval		25.0-30.0		34.0-39.0		45.0-50.0		0.0-0.0		14.0-19.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA		NA		NA		NA	10	U		R
Bromomethane	NA		NA		NA		NA	10	U	40	U
Carbon Disulfide	NA		NA		NA		NA	10	U	40	U
Carbon Tetrachloride	NA		NA		NA		NA	10	U	40	U
Chlorobenzene	NA		NA		NA		NA	10	U	40	U
Chloroethane	NA		NA		NA		NA	10	U	40	UJ
Chloroform	NA		NA		NA		NA	10	U	4	JEB
Chloromethane	NA		NA		NA		NA	10	U	40	UJ
cis-1,2-Dichloroethene	NA		NA		NA		NA	10	U		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA	10	U	40	U
Cyclohexane	NA		NA		NA		NA	10	U		NA
Dibromochloromethane	NA		NA		NA		NA	10	U		R
Dibromomethane	NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane	NA		NA		NA		NA	10	U		NA
Ethyl Ether	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA	10	U	40	U
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Isopropylbenzene	NA		NA		NA		NA	10	U		NA
m&p-Xylene	NA		NA		NA		NA		NA		NA
Methyl Acetate	NA		NA		NA		NA	10	U		NA
Methyl tert-Butyl Ether	NA		NA		NA		NA	10	U		NA
Methylcyclohexane	NA		NA		NA		NA	10	U		NA
Methylene Chloride	NA		NA		NA		NA	10	UJ	40	U
Naphthalene	NA		NA		NA		NA		NA		NA
n-Butylbenzene	NA		NA		NA		NA		NA		NA
n-Propylbenzene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
p-Isopropyltoluene	NA		NA		NA		NA		NA		NA
sec-Butylbenzene	NA		NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA	10	U	40	U
tert-Butylbenzene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA	10	U	40	U
Tetrahydrofuran	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA	10	U	40	U
Total Xylenes	NA		NA		NA		NA	10	U	40	U
trans-1,2-Dichloroethene	NA		NA		NA		NA	10	U		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA	10	U	40	U
Trichloroethene	NA		NA		NA		NA	10	U	110	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP4-4A-2530		OU2-DP4-4A-3439		OU2-DP4-4A-4550		OU2-MW-4M(MW-4D)-07		OU2-DP4-5C-1419	
Sample Location		DP4-4A		DP4-4A		DP4-4A		MW-4M(MW-4D)		DP4-5C	
Date Sampled		8/8/1997		8/8/1997		8/8/1997		7/23/2003		8/6/1997	
Interval		25.0-30.0		34.0-39.0		45.0-50.0		0.0-0.0		14.0-19.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	NA		NA		NA		NA	10	U		NA
Vinyl Acetate	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA	1	U	40	U
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane		5700		4600		5000			NA	670	
1,1-Dichloroethane	U	500	U	500	U	500	U		NA	100	U
1,1-Dichloroethene		500	U	500	U	500	U		NA	130	
1,2-Dichloroethane	U	500	U	500	U	500	U		NA	100	U
Benzene	U	500	U	500	U	500	U		NA	100	U
Chlorobenzene	U	500	U	500	U	500	U		NA	100	U
cis-1,2-Dichloroethene		1100		1100		1300			NA	100	U
Ethylbenzene	U	500	U	500	U	500	U		NA	100	U
m&p-Xylene	U	500	U	500	U	500	U		NA	100	U
o-Xylene	U	500	U	500	U	500	U		NA	100	U
Tetrachloroethene	U	500	U	500	U	500	U		NA	100	U
Toluene	U	500	U	500	U	500	U		NA	100	U
trans-1,2-Dichloroethene	U	500	U	500	U	500	U		NA	100	U
Trichloroethene	U	500	U	500	U	500	U		NA	120	
Vinyl Chloride	U	500	U	500	U	500	U		NA	100	U
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA	10	U		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA	10	U		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA	25	U		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA	10	U		NA
2,4-Dichlorophenol	NA		NA		NA		NA	10	U		NA
2,4-Dimethylphenol	NA		NA		NA		NA	10	U		NA
2,4-Dinitrophenol	NA		NA		NA		NA	25	U		NA
2,4-Dinitrotoluene	NA		NA		NA		NA	100	U		NA
2,6-Dinitrotoluene	NA		NA		NA		NA	10	U		NA
2-Chloronaphthalene	NA		NA		NA		NA	10	U		NA
2-Chlorophenol	NA		NA		NA		NA	100	U		NA
2-Methylnaphthalene	NA		NA		NA		NA	10	U		NA
2-Methylphenol	NA		NA		NA		NA	10	U		NA
2-Nitroaniline	NA		NA		NA		NA	25	U		NA
2-Nitrophenol	NA		NA		NA		NA	10	U		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA	10	U		NA
3-Nitroaniline	NA		NA		NA		NA	25	U		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA	25	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP4-4A-2530		OU2-DP4-4A-3439		OU2-DP4-4A-4550		OU2-MW-4M(MW-4D)-07		OU2-DP4-5C-1419	
Sample Location		DP4-4A		DP4-4A		DP4-4A		MW-4M(MW-4D)		DP4-5C	
Date Sampled		8/8/1997		8/8/1997		8/8/1997		7/23/2003		8/6/1997	
Interval		25.0-30.0		34.0-39.0		45.0-50.0		0.0-0.0		14.0-19.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether	NA		NA		NA		NA	10	U		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA	100	U		NA
4-Chloroaniline	NA		NA		NA		NA	10	U		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA	10	U		NA
4-Methylphenol	NA		NA		NA		NA	10	U		NA
4-Nitroaniline	NA		NA		NA		NA	25	U		NA
4-Nitrophenol	NA		NA		NA		NA	1	J		NA
Acenaphthene	NA		NA		NA		NA	100	U		NA
Acenaphthylene	NA		NA		NA		NA	10	U		NA
Acetophenone	NA		NA		NA		NA	10	U		NA
Anthracene	NA		NA		NA		NA	10	U		NA
Atrazine	NA		NA		NA		NA	10	U		NA
Benzaldehyde	NA		NA		NA		NA	10	U		NA
Benzo(a)anthracene	NA		NA		NA		NA	10	U		NA
Benzo(a)pyrene	NA		NA		NA		NA	10	U		NA
Benzo(b)fluoranthene	NA		NA		NA		NA	10	U		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA	10	U		NA
Benzo(k)fluoranthene	NA		NA		NA		NA	10	U		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA	10	U		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA	10	U		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA	10	U		NA
Butylbenzylphthalate	NA		NA		NA		NA	10	U		NA
Caprolactam	NA		NA		NA		NA	10	U		NA
Carbazole	NA		NA		NA		NA	10	U		NA
Chrysene	NA		NA		NA		NA	10	U		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA	10	U		NA
Dibenzofuran	NA		NA		NA		NA	10	U		NA
Diethylphthalate	NA		NA		NA		NA	10	U		NA
Dimethylphthalate	NA		NA		NA		NA	10	U		NA
Di-n-Butylphthalate	NA		NA		NA		NA	10	U		NA
Di-n-octylphthalate	NA		NA		NA		NA	10	U		NA
Fluoranthene	NA		NA		NA		NA	10	U		NA
Fluorene	NA		NA		NA		NA	10	U		NA
Hexachlorobenzene	NA		NA		NA		NA	10	U		NA
Hexachlorobutadiene	NA		NA		NA		NA	10	U		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA	10	U		NA
Hexachloroethane	NA		NA		NA		NA	10	U		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP4-4A-2530		OU2-DP4-4A-3439		OU2-DP4-4A-4550		OU2-MW-4M(MW-4D)-07		OU2-DP4-5C-1419	
Sample Location		DP4-4A		DP4-4A		DP4-4A		MW-4M(MW-4D)		DP4-5C	
Date Sampled		8/8/1997		8/8/1997		8/8/1997		7/23/2003		8/6/1997	
Interval		25.0-30.0		34.0-39.0		45.0-50.0		0.0-0.0		14.0-19.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone	NA		NA		NA		NA	10	U		NA
Naphthalene	NA		NA		NA		NA	10	U		NA
Nitrobenzene	NA		NA		NA		NA	10	U		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA	100	U		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA	10	U		NA
Pentachlorophenol	NA		NA		NA		NA	250	U		NA
Phenanthrene	NA		NA		NA		NA	10	U		NA
Phenol	NA		NA		NA		NA	100	U		NA
Pyrene	NA		NA		NA		NA	100	U		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA	0.20	UJ		NA
Benzo(a)anthracene	NA		NA		NA		NA	0.20	U		NA
Benzo(a)pyrene	NA		NA		NA		NA	0.20	U		NA
Benzo(b)fluoranthene	NA		NA		NA		NA	0.20	U		NA
Benzo(k)fluoranthene	NA		NA		NA		NA	0.20	U		NA
Chrysene	NA		NA		NA		NA	0.20	U		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA	0.20	U		NA
Phenanthrene	NA		NA		NA		NA	0.20	U		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA	0.10	U		NA
4,4'-DDE	NA		NA		NA		NA	0.10	U		NA
4,4'-DDT	NA		NA		NA		NA	0.063	J		NA
Aldrin	NA		NA		NA		NA	0.050	U		NA
alpha-BHC	NA		NA		NA		NA	0.050	UJ		NA
alpha-Chlordane	NA		NA		NA		NA	0.050	U		NA
Aroclor-1016	NA		NA		NA		NA	1.0	U		NA
Aroclor-1221	NA		NA		NA		NA	0.25	U		NA
Aroclor-1232	NA		NA		NA		NA	1.0	U		NA
Aroclor-1242	NA		NA		NA		NA	1.0	U		NA
Aroclor-1248	NA		NA		NA		NA	1.0	U		NA
Aroclor-1254	NA		NA		NA		NA	0.25	U		NA
Aroclor-1260	NA		NA		NA		NA	0.25	U		NA
Aroclor-1262	NA		NA		NA		NA	0.28	U		NA
Aroclor-1268	NA		NA		NA		NA	1.0	U		NA
beta-BHC	NA		NA		NA		NA	0.050	U		NA
delta-BHC	NA		NA		NA		NA	0.050	UJ		NA
Dieldrin	NA		NA		NA		NA	0.050	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP4-4A-2530		OU2-DP4-4A-3439		OU2-DP4-4A-4550		OU2-MW-4M(MW-4D)-07		OU2-DP4-5C-1419	
Sample Location		DP4-4A		DP4-4A		DP4-4A		MW-4M(MW-4D)		DP4-5C	
Date Sampled		8/8/1997		8/8/1997		8/8/1997		7/23/2003		8/6/1997	
Interval		25.0-30.0		34.0-39.0		45.0-50.0		0.0-0.0		14.0-19.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I	NA		NA		NA		NA	0.050	U		NA
Endosulfan II	NA		NA		NA		NA	0.10	U		NA
Endosulfan Sulfate	NA		NA		NA		NA	0.10	U		NA
Endrin	NA		NA		NA		NA	0.050	U		NA
Endrin Aldehyde	NA		NA		NA		NA	0.10	U		NA
Endrin Ketone	NA		NA		NA		NA	0.10	U		NA
gamma-BHC	NA		NA		NA		NA	0.050	UJ		NA
gamma-Chlordane	NA		NA		NA		NA	0.050	U		NA
Heptachlor	NA		NA		NA		NA	0.020	U		NA
Heptachlor Epoxide	NA		NA		NA		NA	0.020	U		NA
Methoxychlor	NA		NA		NA		NA	0.50	U		NA
Toxaphene	NA		NA		NA		NA	5.0	U		NA
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD	NA		NA		NA		NA	2.5	U		NA
1,2,3,4,6,7,8-HpCDF	NA		NA		NA		NA	1.4	U		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA		NA	1.9	UJ		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA		NA	1.4	U		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA		NA	1.0	U		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA		NA	1.3	U		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA		NA	1.0	U		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA		NA	1.4	U		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA		NA	1.2	UJ		NA
1,2,3,7,8-PeCDD	NA		NA		NA		NA	2.1	U		NA
1,2,3,7,8-PeCDF	NA		NA		NA		NA	0.90	UJ		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA		NA	1.0	U		NA
2,3,4,7,8-PeCDF	NA		NA		NA		NA	1.1	UJ		NA
2,3,7,8-TCDD	NA		NA		NA		NA	1.7	UJ		NA
2,3,7,8-TCDF	NA		NA		NA		NA	1.4	U		NA
OCDD	NA		NA		NA		NA	4.7	U		NA
OCDF	NA		NA		NA		NA	3.5	U		NA
Total HpCDD	NA		NA		NA		NA	2.5	UJ		NA
Total HpCDF	NA		NA		NA		NA	1.6	UJ		NA
Total HxCDD	NA		NA		NA		NA	1.4	UJ		NA
Total HxCDF	NA		NA		NA		NA	1.0	UJ		NA
Total PeCDD	NA		NA		NA		NA	2.1	UJ		NA
Total PeCDF	NA		NA		NA		NA	1.0	UJ		NA
Total TCDD	NA		NA		NA		NA	1.7	UJ		NA
Total TCDF	NA		NA		NA		NA	1.4	UJ		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP4-4A-2530		OU2-DP4-4A-3439		OU2-DP4-4A-4550		OU2-MW-4M(MW-4D)-07		OU2-DP4-5C-1419	
Sample Location		DP4-4A		DP4-4A		DP4-4A		MW-4M(MW-4D)		DP4-5C	
Date Sampled		8/8/1997		8/8/1997		8/8/1997		7/23/2003		8/6/1997	
Interval		25.0-30.0		34.0-39.0		45.0-50.0		0.0-0.0		14.0-19.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency	NA		NA		NA		NA	0.00	UJ		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA		NA		NA		NA	4820		103	U
Antimony	NA		NA		NA		NA	4.2	U		R
Arsenic	NA		NA		NA		NA	2.9	U		R
Barium	NA		NA		NA		NA	31.3		84.3	U
Beryllium	NA		NA		NA		NA	0.70	J	0.10	U
Cadmium	NA		NA		NA		NA	2.9	U	0.41	UJ
Calcium	NA		NA		NA		NA	65400		51600	
Chromium	NA		NA		NA		NA	2.2	J	0.60	U
Cobalt	NA		NA		NA		NA	41.9		2.0	J
Copper	NA		NA		NA		NA	32.3		67.0	U
Iron	NA		NA		NA		NA	3970		1720	
Lead	NA		NA		NA		NA	3.8	UJ	29.7	UJ
Magnesium	NA		NA		NA		NA	24200		7330	
Manganese	NA		NA		NA		NA	4350		180	
Mercury	NA		NA		NA		NA	0.10	U	0.10	UJ
Nickel	NA		NA		NA		NA	93.6		3.6	U
Potassium	NA		NA		NA		NA	1960		8710	
Selenium	NA		NA		NA		NA	3.6	UJ		R
Silver	NA		NA		NA		NA	2.4	UJ	0.80	U
Sodium	NA		NA		NA		NA	87700		161000	
Thallium	NA		NA		NA		NA	5.7	J	3.4	U
Vanadium	NA		NA		NA		NA	2.6	J	1.5	U
Zinc	NA		NA		NA		NA	917		64.5	U
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA	2.0	U		NA
Carbon Dioxide	NA		NA		NA		NA	2.0	U		NA
Chloride	NA		NA		NA		NA	134			NA
Nitrate	NA		NA		NA		NA	1.1			NA
Nitrite-N	NA		NA		NA		NA	0.050	U		NA
Sulfate	NA		NA		NA		NA	244			NA
Sulfide	NA		NA		NA		NA	0.50	U		NA
Total Organic Carbon	NA		NA		NA		NA	9.05			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-5C-2429		OU2-DP4-5C-3439		OU2-DP4-5C-4449-AVG		OU2-DP4-5C-5459		OU2-DP4-7-1823	
Sample Location	DP4-5C		DP4-5C		DP4-5C		DP4-5C		DP4-7	
Date Sampled	8/6/1997		8/6/1997		8/6/1997		8/6/1997		8/6/1997	
Interval	24.0-29.0		34.0-39.0		44.0-49.0		54.0-59.0		18.0-23.0	
QC Identifier	None		None		Field Dup. (D6s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA	1400	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	100	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA	100	U
1,1-Dichloroethane		NA		NA		NA		NA	160	
1,1-Dichloroethene		NA		NA		NA		NA	480	
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA	100	U
1,2-Dichloroethene (total)		NA		NA		NA		NA	240	
1,2-Dichloropropane		NA		NA		NA		NA	100	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA	100	U
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA	100	U
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA	100	UJ
Acetone		NA		NA		NA		NA	100	U
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA	100	U
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA	100	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-5C-2429		OU2-DP4-5C-3439		OU2-DP4-5C-4449-AVG		OU2-DP4-5C-5459		OU2-DP4-7-1823	
Sample Location	DP4-5C		DP4-5C		DP4-5C		DP4-5C		DP4-7	
Date Sampled	8/6/1997		8/6/1997		8/6/1997		8/6/1997		8/6/1997	
Interval	24.0-29.0		34.0-39.0		44.0-49.0		54.0-59.0		18.0-23.0	
QC Identifier	None		None		Field Dup. (D6s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		R
Bromomethane		NA		NA		NA		NA	100	U
Carbon Disulfide		NA		NA		NA		NA	100	U
Carbon Tetrachloride		NA		NA		NA		NA	100	U
Chlorobenzene		NA		NA		NA		NA	100	U
Chloroethane		NA		NA		NA		NA	100	UJ
Chloroform		NA		NA		NA		NA	100	U
Chloromethane		NA		NA		NA		NA	100	UJ
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA	100	U
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		R
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA	100	U
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA	100	U
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA	100	U
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA	100	U
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA	100	U
Total Xylenes		NA		NA		NA		NA	100	U
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA	100	U
Trichloroethene		NA		NA		NA		NA	240	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-5C-2429		OU2-DP4-5C-3439		OU2-DP4-5C-4449-AVG		OU2-DP4-5C-5459		OU2-DP4-7-1823	
Sample Location	DP4-5C		DP4-5C		DP4-5C		DP4-5C		DP4-7	
Date Sampled	8/6/1997		8/6/1997		8/6/1997		8/6/1997		8/6/1997	
Interval	24.0-29.0		34.0-39.0		44.0-49.0		54.0-59.0		18.0-23.0	
QC Identifier	None		None		Field Dup. (D6s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA	100	U
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	3300		4600		7850		10000		1200	
1,1-Dichloroethane	250		500	U	1000	U	1000	U	100	
1,1-Dichloroethene	820		1100		2500		3900		390	
1,2-Dichloroethane	200	U	500	U	1000	U	1000	U	50	U
Benzene	200	U	500	U	1000	U	1000	U	50	U
Chlorobenzene	200	U	500	U	1000	U	1000	U	50	U
cis-1,2-Dichloroethene	400		500	U	1000	U	1800		170	
Ethylbenzene	200	U	500	U	1000	U	1000	U	50	U
m&p-Xylene	200	U	500	U	1000	U	1000	U	50	U
o-Xylene	200	U	500	U	1000	U	1000	U	50	U
Tetrachloroethene	200	U	500	U	1000	U	1000	U	50	U
Toluene	200	U	500	U	1000	U	1000	U	50	U
trans-1,2-Dichloroethene	200	U	500	U	1000	U	1000	U	50	U
Trichloroethene	570		780		1400		5200		250	
Vinyl Chloride	200	U	500	U	1000	U	1000	U	50	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-5C-2429		OU2-DP4-5C-3439		OU2-DP4-5C-4449-AVG		OU2-DP4-5C-5459		OU2-DP4-7-1823	
Sample Location	DP4-5C		DP4-5C		DP4-5C		DP4-5C		DP4-7	
Date Sampled	8/6/1997		8/6/1997		8/6/1997		8/6/1997		8/6/1997	
Interval	24.0-29.0		34.0-39.0		44.0-49.0		54.0-59.0		18.0-23.0	
QC Identifier	None		None		Field Dup. (D6s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-5C-2429		OU2-DP4-5C-3439		OU2-DP4-5C-4449-AVG		OU2-DP4-5C-5459		OU2-DP4-7-1823	
Sample Location	DP4-5C		DP4-5C		DP4-5C		DP4-5C		DP4-7	
Date Sampled	8/6/1997		8/6/1997		8/6/1997		8/6/1997		8/6/1997	
Interval	24.0-29.0		34.0-39.0		44.0-49.0		54.0-59.0		18.0-23.0	
QC Identifier	None		None		Field Dup. (D6s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-5C-2429		OU2-DP4-5C-3439		OU2-DP4-5C-4449-AVG		OU2-DP4-5C-5459		OU2-DP4-7-1823	
Sample Location	DP4-5C		DP4-5C		DP4-5C		DP4-5C		DP4-7	
Date Sampled	8/6/1997		8/6/1997		8/6/1997		8/6/1997		8/6/1997	
Interval	24.0-29.0		34.0-39.0		44.0-49.0		54.0-59.0		18.0-23.0	
QC Identifier	None		None		Field Dup. (D6s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-5C-2429		OU2-DP4-5C-3439		OU2-DP4-5C-4449-AVG		OU2-DP4-5C-5459		OU2-DP4-7-1823	
Sample Location	DP4-5C		DP4-5C		DP4-5C		DP4-5C		DP4-7	
Date Sampled	8/6/1997		8/6/1997		8/6/1997		8/6/1997		8/6/1997	
Interval	24.0-29.0		34.0-39.0		44.0-49.0		54.0-59.0		18.0-23.0	
QC Identifier	None		None		Field Dup. (D6s)		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA	52.0	U
Antimony		NA		NA		NA		NA	4.7	U
Arsenic		NA		NA		NA		NA	2.0	U
Barium		NA		NA		NA		NA	72.8	U
Beryllium		NA		NA		NA		NA	0.10	U
Cadmium		NA		NA		NA		NA	0.30	U
Calcium		NA		NA		NA		NA	31700	
Chromium		NA		NA		NA		NA	0.60	U
Cobalt		NA		NA		NA		NA	2.1	J
Copper		NA		NA		NA		NA	20.8	U
Iron		NA		NA		NA		NA	868	
Lead		NA		NA		NA		NA	24.0	UJ
Magnesium		NA		NA		NA		NA	14800	
Manganese		NA		NA		NA		NA	194	
Mercury		NA		NA		NA		NA	0.10	UJ
Nickel		NA		NA		NA		NA	5.4	J
Potassium		NA		NA		NA		NA	5250	
Selenium		NA		NA		NA		NA		R
Silver		NA		NA		NA		NA	0.80	U
Sodium		NA		NA		NA		NA	94000	
Thallium		NA		NA		NA		NA	3.4	U
Vanadium		NA		NA		NA		NA	1.5	U
Zinc		NA		NA		NA		NA	37.8	U
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-9-2126		OU2-DP5-1-1419		OU2-DP5-1-2429		OU2-DP5-1-2833		OU2-DP5A-1-0510		OU2-DP5A-1-1520
Sample Location	DP4-9		DP5-1		DP5-1		DP5-1		DP5A-1		DP5A-1
Date Sampled	8/14/1997		8/7/1997		8/7/1997		8/8/1997		8/4/1997		8/4/1997
Interval	21.0-26.0		14.0-19.0		24.0-29.0		28.0-33.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,1-Trichloroethane		NA		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA		NA	
1,1-Dichloropropene		NA		NA		NA		NA		NA	
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,3-Trichloropropane		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA		NA	
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA		NA	
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichloropropane		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA		NA	
2-Chloroethylvinylether		NA		NA		NA		NA		NA	
2-Chlorotoluene		NA		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA		NA	
4-Chlorotoluene		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA		NA	
Acrolein		NA		NA		NA		NA		NA	
Acrylonitrile		NA		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA		NA	
Bromobenzene		NA		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-9-2126		OU2-DP5-1-1419		OU2-DP5-1-2429		OU2-DP5-1-2833		OU2-DP5A-1-0510		OU2-DP5A-1-1520
Sample Location	DP4-9		DP5-1		DP5-1		DP5-1		DP5A-1		DP5A-1
Date Sampled	8/14/1997		8/7/1997		8/7/1997		8/8/1997		8/4/1997		8/4/1997
Interval	21.0-26.0		14.0-19.0		24.0-29.0		28.0-33.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA		NA	
Dibromomethane		NA		NA		NA		NA		NA	
Dichlorodifluoromethane		NA		NA		NA		NA		NA	
Ethyl Ether		NA		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Isopropylbenzene		NA		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA		NA	
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA	
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
n-Butylbenzene		NA		NA		NA		NA		NA	
n-Propylbenzene		NA		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA		NA	
p-Isopropyltoluene		NA		NA		NA		NA		NA	
sec-Butylbenzene		NA		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA		NA	
tert-Butylbenzene		NA		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA		NA	
Tetrahydrofuran		NA		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-9-2126		OU2-DP5-1-1419		OU2-DP5-1-2429		OU2-DP5-1-2833		OU2-DP5A-1-0510		OU2-DP5A-1-1520
Sample Location	DP4-9		DP5-1		DP5-1		DP5-1		DP5A-1		DP5A-1
Date Sampled	8/14/1997		8/7/1997		8/7/1997		8/8/1997		8/4/1997		8/4/1997
Interval	21.0-26.0		14.0-19.0		24.0-29.0		28.0-33.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA		NA		NA		NA		NA	
Vinyl Acetate		NA		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	450		1	U	1	U	1	U	200	U	780
1,1-Dichloroethane	100	U	5.3		1	U	1	U	1900		660
1,1-Dichloroethene	120		1	U	1	U	1	U	200	U	280
1,2-Dichloroethane	100	U	1	U	1	U	1	U	200	U	100
Benzene	100	U	1	U	1	U	1	U	200	U	220
Chlorobenzene	100	U	1	U	1	U	1	U	200	U	100
cis-1,2-Dichloroethene	100	U	2		1	U	1	U	340		520
Ethylbenzene	100	U	1	U	1	U	1	U	200	U	100
m&p-Xylene	100	U	1	U	1	U	1	U	200	U	100
o-Xylene	100	U	1	U	1	U	1	U	200	U	100
Tetrachloroethene	100	U	1	U	1	U	1	U	200	U	100
Toluene	100	U	1	U	1	U	1	U	200	U	100
trans-1,2-Dichloroethene	100	U	1	U	1	U	1	U	200	U	100
Trichloroethene	100	U	1	U	1	U	1	U	200	U	100
Vinyl Chloride	100	U	3.5		1	U	1	U	200	U	100
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-9-2126		OU2-DP5-1-1419		OU2-DP5-1-2429		OU2-DP5-1-2833		OU2-DP5A-1-0510		OU2-DP5A-1-1520
Sample Location	DP4-9		DP5-1		DP5-1		DP5-1		DP5A-1		DP5A-1
Date Sampled	8/14/1997		8/7/1997		8/7/1997		8/8/1997		8/4/1997		8/4/1997
Interval	21.0-26.0		14.0-19.0		24.0-29.0		28.0-33.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-9-2126		OU2-DP5-1-1419		OU2-DP5-1-2429		OU2-DP5-1-2833		OU2-DP5A-1-0510		OU2-DP5A-1-1520
Sample Location	DP4-9		DP5-1		DP5-1		DP5-1		DP5A-1		DP5A-1
Date Sampled	8/14/1997		8/7/1997		8/7/1997		8/8/1997		8/4/1997		8/4/1997
Interval	21.0-26.0		14.0-19.0		24.0-29.0		28.0-33.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-9-2126		OU2-DP5-1-1419		OU2-DP5-1-2429		OU2-DP5-1-2833		OU2-DP5A-1-0510		OU2-DP5A-1-1520
Sample Location	DP4-9		DP5-1		DP5-1		DP5-1		DP5A-1		DP5A-1
Date Sampled	8/14/1997		8/7/1997		8/7/1997		8/8/1997		8/4/1997		8/4/1997
Interval	21.0-26.0		14.0-19.0		24.0-29.0		28.0-33.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,7,8-TCDD		NA		NA		NA		NA		NA	
2,3,7,8-TCDF		NA		NA		NA		NA		NA	
OCDD		NA		NA		NA		NA		NA	
OCDF		NA		NA		NA		NA		NA	
Total HpCDD		NA		NA		NA		NA		NA	
Total HpCDF		NA		NA		NA		NA		NA	
Total HxCDD		NA		NA		NA		NA		NA	
Total HxCDF		NA		NA		NA		NA		NA	
Total PeCDD		NA		NA		NA		NA		NA	
Total PeCDF		NA		NA		NA		NA		NA	
Total TCDD		NA		NA		NA		NA		NA	
Total TCDF		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP4-9-2126		OU2-DP5-1-1419		OU2-DP5-1-2429		OU2-DP5-1-2833		OU2-DP5A-1-0510		OU2-DP5A-1-1520
Sample Location	DP4-9		DP5-1		DP5-1		DP5-1		DP5A-1		DP5A-1
Date Sampled	8/14/1997		8/7/1997		8/7/1997		8/8/1997		8/4/1997		8/4/1997
Interval	21.0-26.0		14.0-19.0		24.0-29.0		28.0-33.0		5.0-10.0		15.0-20.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Toxicity Equivalency		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA		NA	
Barium		NA		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA		NA	
Copper		NA		NA		NA		NA		NA	
Iron		NA		NA		NA		NA		NA	
Lead		NA		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA		NA	
Nickel		NA		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA		NA	
Silver		NA		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA		NA	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Carbon Dioxide		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate		NA		NA		NA		NA		NA	
Nitrite-N		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	
Sulfide		NA		NA		NA		NA		NA	
Total Organic Carbon		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5A-1-2631		OU2-DP5A-1-3540		OU2-DP5-2-1419		OU2-DP5-2-2429		OU2-DP5-2-3439-AVG	
Sample Location		DP5A-1		DP5A-1		DP5-2		DP5-2		DP5-2	
Date Sampled		8/4/1997		8/4/1997		8/7/1997		8/7/1997		8/8/1997	
Interval		26.0-31.0		35.0-40.0		14.0-19.0		24.0-29.0		34.0-39.0	
QC Identifier		None		None		None		None		Field Dup. (D7s)	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA		NA
1,1-Dichloropropene	NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,3-Dichloropropane	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dioxane	NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	NA		NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA		NA
2-Chloroethylvinylether	NA		NA		NA		NA		NA		NA
2-Chlorotoluene	NA		NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA		NA
4-Chlorotoluene	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA		NA
Acrolein	NA		NA		NA		NA		NA		NA
Acrylonitrile	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA		NA
Bromobenzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5A-1-2631		OU2-DP5A-1-3540		OU2-DP5-2-1419		OU2-DP5-2-2429		OU2-DP5-2-3439-AVG	
Sample Location		DP5A-1		DP5A-1		DP5-2		DP5-2		DP5-2	
Date Sampled		8/4/1997		8/4/1997		8/7/1997		8/7/1997		8/8/1997	
Interval		26.0-31.0		35.0-40.0		14.0-19.0		24.0-29.0		34.0-39.0	
QC Identifier		None		None		None		None		Field Dup. (D7s)	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA		NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Cyclohexane	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA		NA
Dibromomethane	NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane	NA		NA		NA		NA		NA		NA
Ethyl Ether	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Isopropylbenzene	NA		NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA		NA
Methyl Acetate	NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	NA		NA		NA		NA		NA		NA
Methylcyclohexane	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
n-Butylbenzene	NA		NA		NA		NA		NA		NA
n-Propylbenzene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
p-Isopropyltoluene	NA		NA		NA		NA		NA		NA
sec-Butylbenzene	NA		NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA		NA
tert-Butylbenzene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA		NA		NA
Tetrahydrofuran	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5A-1-2631		OU2-DP5A-1-3540		OU2-DP5-2-1419		OU2-DP5-2-2429		OU2-DP5-2-3439-AVG	
Sample Location		DP5A-1		DP5A-1		DP5-2		DP5-2		DP5-2	
Date Sampled		8/4/1997		8/4/1997		8/7/1997		8/7/1997		8/8/1997	
Interval		26.0-31.0		35.0-40.0		14.0-19.0		24.0-29.0		34.0-39.0	
QC Identifier		None		None		None		None		Field Dup. (D7s)	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	NA		NA		NA		NA		NA		NA
Vinyl Acetate	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane		3400		3100		1.6		1	U	1	U
1,1-Dichloroethane		310		270		1	U	1	U	1	U
1,1-Dichloroethene		370		420		1	U	1	U	1	U
1,2-Dichloroethane	U	200	U	200	U	1	U	1	U	1	U
Benzene		200	U	200	U	1	U	1	U	1	U
Chlorobenzene	U	200	U	200	U	1	U	1	U	1	U
cis-1,2-Dichloroethene		590		510		1	U	1	U	1	U
Ethylbenzene	U	200	U	200	U	1	U	1	U	1	U
m&p-Xylene	U	200	U	200	U	1	U	1	U	1	U
o-Xylene	U	200	U	200	U	1	U	1	U	1	U
Tetrachloroethene	U	200	U	200	U	1	U	1	U	1	U
Toluene	U	200	U	200	U	1	U	1	U	1	U
trans-1,2-Dichloroethene	U	200	U	200	U	1	U	1	U	1	U
Trichloroethene	U	200	U	200	U	1	U	1	U	1	U
Vinyl Chloride	U	200	U	200	U	1	U	1	U	1	U
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA
2-Chlorophenol	NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5A-1-2631		OU2-DP5A-1-3540		OU2-DP5-2-1419		OU2-DP5-2-2429		OU2-DP5-2-3439-AVG	
Sample Location		DP5A-1		DP5A-1		DP5-2		DP5-2		DP5-2	
Date Sampled		8/4/1997		8/4/1997		8/7/1997		8/7/1997		8/8/1997	
Interval		26.0-31.0		35.0-40.0		14.0-19.0		24.0-29.0		34.0-39.0	
QC Identifier		None		None		None		None		Field Dup. (D7s)	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5A-1-2631		OU2-DP5A-1-3540		OU2-DP5-2-1419		OU2-DP5-2-2429		OU2-DP5-2-3439-AVG	
Sample Location		DP5A-1		DP5A-1		DP5-2		DP5-2		DP5-2	
Date Sampled		8/4/1997		8/4/1997		8/7/1997		8/7/1997		8/8/1997	
Interval		26.0-31.0		35.0-40.0		14.0-19.0		24.0-29.0		34.0-39.0	
QC Identifier		None		None		None		None		Field Dup. (D7s)	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA
Aroclor-1232	NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5A-1-2631		OU2-DP5A-1-3540		OU2-DP5-2-1419		OU2-DP5-2-2429		OU2-DP5-2-3439-AVG	
Sample Location		DP5A-1		DP5A-1		DP5-2		DP5-2		DP5-2	
Date Sampled		8/4/1997		8/4/1997		8/7/1997		8/7/1997		8/8/1997	
Interval		26.0-31.0		35.0-40.0		14.0-19.0		24.0-29.0		34.0-39.0	
QC Identifier		None		None		None		None		Field Dup. (D7s)	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I	NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF	NA		NA		NA		NA		NA		NA
OCDD	NA		NA		NA		NA		NA		NA
OCDF	NA		NA		NA		NA		NA		NA
Total HpCDD	NA		NA		NA		NA		NA		NA
Total HpCDF	NA		NA		NA		NA		NA		NA
Total HxCDD	NA		NA		NA		NA		NA		NA
Total HxCDF	NA		NA		NA		NA		NA		NA
Total PeCDD	NA		NA		NA		NA		NA		NA
Total PeCDF	NA		NA		NA		NA		NA		NA
Total TCDD	NA		NA		NA		NA		NA		NA
Total TCDF	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5A-1-2631		OU2-DP5A-1-3540		OU2-DP5-2-1419		OU2-DP5-2-2429		OU2-DP5-2-3439-AVG	
Sample Location		DP5A-1		DP5A-1		DP5-2		DP5-2		DP5-2	
Date Sampled		8/4/1997		8/4/1997		8/7/1997		8/7/1997		8/8/1997	
Interval		26.0-31.0		35.0-40.0		14.0-19.0		24.0-29.0		34.0-39.0	
QC Identifier		None		None		None		None		Field Dup. (D7s)	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency	NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA		NA		NA		NA		NA		NA
Antimony	NA		NA		NA		NA		NA		NA
Arsenic	NA		NA		NA		NA		NA		NA
Barium	NA		NA		NA		NA		NA		NA
Beryllium	NA		NA		NA		NA		NA		NA
Cadmium	NA		NA		NA		NA		NA		NA
Calcium	NA		NA		NA		NA		NA		NA
Chromium	NA		NA		NA		NA		NA		NA
Cobalt	NA		NA		NA		NA		NA		NA
Copper	NA		NA		NA		NA		NA		NA
Iron	NA		NA		NA		NA		NA		NA
Lead	NA		NA		NA		NA		NA		NA
Magnesium	NA		NA		NA		NA		NA		NA
Manganese	NA		NA		NA		NA		NA		NA
Mercury	NA		NA		NA		NA		NA		NA
Nickel	NA		NA		NA		NA		NA		NA
Potassium	NA		NA		NA		NA		NA		NA
Selenium	NA		NA		NA		NA		NA		NA
Silver	NA		NA		NA		NA		NA		NA
Sodium	NA		NA		NA		NA		NA		NA
Thallium	NA		NA		NA		NA		NA		NA
Vanadium	NA		NA		NA		NA		NA		NA
Zinc	NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA		NA		NA
Carbon Dioxide	NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA
Nitrate	NA		NA		NA		NA		NA		NA
Nitrite-N	NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA
Sulfide	NA		NA		NA		NA		NA		NA
Total Organic Carbon	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5-2-5459		OU2-DP5-2-6469		OU2-DP5-2-7479		OU2-DP5-2-8489		OU2-DP5-2-9499		OU2-DP5-2-104109
Sample Location	DP5-2		DP5-2		DP5-2		DP5-2		DP5-2		DP5-2
Date Sampled	8/8/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	54.0-59.0		64.0-69.0		74.0-79.0		84.0-89.0		94.0-99.0		104.0-109.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,1-Trichloroethane		NA		NA		NA		NA	2000		
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	160	U	
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA	160	U	
1,1-Dichloroethane		NA		NA		NA		NA	210		
1,1-Dichloroethene		NA		NA		NA		NA	170		
1,1-Dichloropropene		NA		NA		NA		NA		NA	
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,3-Trichloropropane		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	160	U	
1,2-Dichloroethene (total)		NA		NA		NA		NA	540		
1,2-Dichloropropane		NA		NA		NA		NA	160	U	
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichloropropane		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA	160	U	
2-Chloroethylvinylether		NA		NA		NA		NA		NA	
2-Chlorotoluene		NA		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA	160	UJ	
4-Chlorotoluene		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA	160	UJ	
Acetone		NA		NA		NA		NA	160	U	
Acrolein		NA		NA		NA		NA		NA	
Acrylonitrile		NA		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	160	U	
Bromobenzene		NA		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA	160	U	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5-2-5459		OU2-DP5-2-6469		OU2-DP5-2-7479		OU2-DP5-2-8489		OU2-DP5-2-9499		OU2-DP5-2-104109
Sample Location	DP5-2		DP5-2		DP5-2		DP5-2		DP5-2		DP5-2
Date Sampled	8/8/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	54.0-59.0		64.0-69.0		74.0-79.0		84.0-89.0		94.0-99.0		104.0-109.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA		NA		NA		NA		R	
Bromomethane		NA		NA		NA		NA	160	U	
Carbon Disulfide		NA		NA		NA		NA	160	U	
Carbon Tetrachloride		NA		NA		NA		NA	160	U	
Chlorobenzene		NA		NA		NA		NA	160	U	
Chloroethane		NA		NA		NA		NA	160	UJ	
Chloroform		NA		NA		NA		NA	160	U	
Chloromethane		NA		NA		NA		NA	160	UJ	
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA	160	U	
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA		R	
Dibromomethane		NA		NA		NA		NA		NA	
Dichlorodifluoromethane		NA		NA		NA		NA		NA	
Ethyl Ether		NA		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	160	U	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Isopropylbenzene		NA		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA		NA	
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA	
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA	160	U	
Naphthalene		NA		NA		NA		NA		NA	
n-Butylbenzene		NA		NA		NA		NA		NA	
n-Propylbenzene		NA		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA		NA	
p-Isopropyltoluene		NA		NA		NA		NA		NA	
sec-Butylbenzene		NA		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA	160	U	
tert-Butylbenzene		NA		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA	160	U	
Tetrahydrofuran		NA		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	160	U	
Total Xylenes		NA		NA		NA		NA	160	U	
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA	160	U	
Trichloroethene		NA		NA		NA		NA	130	J	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5-2-5459		OU2-DP5-2-6469		OU2-DP5-2-7479		OU2-DP5-2-8489		OU2-DP5-2-9499		OU2-DP5-2-104109
Sample Location	DP5-2		DP5-2		DP5-2		DP5-2		DP5-2		DP5-2
Date Sampled	8/8/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	54.0-59.0		64.0-69.0		74.0-79.0		84.0-89.0		94.0-99.0		104.0-109.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA		NA		NA		NA		NA	
Vinyl Acetate		NA		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	160	U	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	50	U	490		3000		2700		3100		5800
1,1-Dichloroethane	120		50	U	1000	U	1000	U	500	U	500
1,1-Dichloroethene	50	U	99		1300		1000	U	500	U	570
1,2-Dichloroethane	50	U	50	U	1000	U	1000	U	500	U	500
Benzene	50	U	50	U	1000	U	1000	U	500	U	500
Chlorobenzene	50	U	50	U	1000	U	1000	U	500	U	500
cis-1,2-Dichloroethene	720		130		1000	U	1000	U	520		620
Ethylbenzene	50	U	50	U	1000	U	1000	U	500	U	500
m&p-Xylene	50	U	50	U	1000	U	1000	U	500	U	500
o-Xylene	50	U	50	U	1000	U	1000	U	500	U	500
Tetrachloroethene	50	U	50	U	1000	U	1000	U	500	U	500
Toluene	50	U	50	U	1000	U	1000	U	500	U	500
trans-1,2-Dichloroethene	50	U	50	U	1000	U	1000	U	500	U	500
Trichloroethene	50	U	99		1000	U	1000	U	500	U	500
Vinyl Chloride	50	U	50	U	1000	U	1000	U	500	U	500
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5-2-5459		OU2-DP5-2-6469		OU2-DP5-2-7479		OU2-DP5-2-8489		OU2-DP5-2-9499		OU2-DP5-2-104109
Sample Location	DP5-2		DP5-2		DP5-2		DP5-2		DP5-2		DP5-2
Date Sampled	8/8/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	54.0-59.0		64.0-69.0		74.0-79.0		84.0-89.0		94.0-99.0		104.0-109.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5-2-5459		OU2-DP5-2-6469		OU2-DP5-2-7479		OU2-DP5-2-8489		OU2-DP5-2-9499		OU2-DP5-2-104109
Sample Location	DP5-2		DP5-2		DP5-2		DP5-2		DP5-2		DP5-2
Date Sampled	8/8/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	54.0-59.0		64.0-69.0		74.0-79.0		84.0-89.0		94.0-99.0		104.0-109.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5-2-5459		OU2-DP5-2-6469		OU2-DP5-2-7479		OU2-DP5-2-8489		OU2-DP5-2-9499		OU2-DP5-2-104109
Sample Location	DP5-2		DP5-2		DP5-2		DP5-2		DP5-2		DP5-2
Date Sampled	8/8/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	54.0-59.0		64.0-69.0		74.0-79.0		84.0-89.0		94.0-99.0		104.0-109.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,7,8-TCDD		NA		NA		NA		NA		NA	
2,3,7,8-TCDF		NA		NA		NA		NA		NA	
OCDD		NA		NA		NA		NA		NA	
OCDF		NA		NA		NA		NA		NA	
Total HpCDD		NA		NA		NA		NA		NA	
Total HpCDF		NA		NA		NA		NA		NA	
Total HxCDD		NA		NA		NA		NA		NA	
Total HxCDF		NA		NA		NA		NA		NA	
Total PeCDD		NA		NA		NA		NA		NA	
Total PeCDF		NA		NA		NA		NA		NA	
Total TCDD		NA		NA		NA		NA		NA	
Total TCDF		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5-2-5459		OU2-DP5-2-6469		OU2-DP5-2-7479		OU2-DP5-2-8489		OU2-DP5-2-9499		OU2-DP5-2-104109
Sample Location	DP5-2		DP5-2		DP5-2		DP5-2		DP5-2		DP5-2
Date Sampled	8/8/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	54.0-59.0		64.0-69.0		74.0-79.0		84.0-89.0		94.0-99.0		104.0-109.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Toxicity Equivalency		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA	44.4	U	
Antimony		NA		NA		NA		NA	4.7	U	
Arsenic		NA		NA		NA		NA	2.0	U	
Barium		NA		NA		NA		NA	97.0	U	
Beryllium		NA		NA		NA		NA	0.10	U	
Cadmium		NA		NA		NA		NA	0.78		
Calcium		NA		NA		NA		NA	31300		
Chromium		NA		NA		NA		NA	0.60	U	
Cobalt		NA		NA		NA		NA	13.4		
Copper		NA		NA		NA		NA	9.2	U	
Iron		NA		NA		NA		NA	1970		
Lead		NA		NA		NA		NA	13.6	UJ	
Magnesium		NA		NA		NA		NA	20900		
Manganese		NA		NA		NA		NA	5660		
Mercury		NA		NA		NA		NA	0.10	UJ	
Nickel		NA		NA		NA		NA	13.9		
Potassium		NA		NA		NA		NA	5030		
Selenium		NA		NA		NA		NA		R	
Silver		NA		NA		NA		NA	0.80	U	
Sodium		NA		NA		NA		NA	100000		
Thallium		NA		NA		NA		NA	3.4	U	
Vanadium		NA		NA		NA		NA	1.5	U	
Zinc		NA		NA		NA		NA	50.5	U	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Carbon Dioxide		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate		NA		NA		NA		NA		NA	
Nitrite-N		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	
Sulfide		NA		NA		NA		NA		NA	
Total Organic Carbon		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-2-114119		OU2-DP5-2-124129		OU2-DP5-2-134139		OU2-DP5A-2-0510		OU2-DP5A-2-1520	
Sample Location		DP5-2		DP5-2		DP5-2		DP5A-2		DP5A-2	
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/4/1997		8/4/1997	
Interval		114.0-119.0		124.0-129.0		134.0-139.0		5.0-10.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	NA		NA		NA		NA		NA	200	U
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA	200	U
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA	200	U
1,1-Dichloroethane	NA		NA		NA		NA		NA	200	U
1,1-Dichloroethene	NA		NA		NA		NA		NA	200	U
1,1-Dichloropropene	NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA	200	U
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA	200	U
1,2-Dichloropropane	NA		NA		NA		NA		NA	200	U
1,3,5-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,3-Dichloropropane	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dioxane	NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	NA		NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA	200	U
2-Chloroethylvinylether	NA		NA		NA		NA		NA		NA
2-Chlorotoluene	NA		NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA	200	U
4-Chlorotoluene	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA	200	U
Acetone	NA		NA		NA		NA		NA	200	U
Acrolein	NA		NA		NA		NA		NA		NA
Acrylonitrile	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA	2500	J
Bromobenzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA	200	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-2-114119		OU2-DP5-2-124129		OU2-DP5-2-134139		OU2-DP5A-2-0510		OU2-DP5A-2-1520	
Sample Location		DP5-2		DP5-2		DP5-2		DP5A-2		DP5A-2	
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/4/1997		8/4/1997	
Interval		114.0-119.0		124.0-129.0		134.0-139.0		5.0-10.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA		NA		NA		NA		NA		R
Bromomethane	NA		NA		NA		NA		NA	200	U
Carbon Disulfide	NA		NA		NA		NA		NA	200	U
Carbon Tetrachloride	NA		NA		NA		NA		NA	200	U
Chlorobenzene	NA		NA		NA		NA		NA	200	UJ
Chloroethane	NA		NA		NA		NA		NA	200	UJ
Chloroform	NA		NA		NA		NA		NA	200	U
Chloromethane	NA		NA		NA		NA		NA	200	U
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA	200	U
Cyclohexane	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA		R
Dibromomethane	NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane	NA		NA		NA		NA		NA		NA
Ethyl Ether	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA	200	UJ
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Isopropylbenzene	NA		NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA		NA
Methyl Acetate	NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	NA		NA		NA		NA		NA		NA
Methylcyclohexane	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA	200	U
Naphthalene	NA		NA		NA		NA		NA		NA
n-Butylbenzene	NA		NA		NA		NA		NA		NA
n-Propylbenzene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
p-Isopropyltoluene	NA		NA		NA		NA		NA		NA
sec-Butylbenzene	NA		NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA	200	UJ
tert-Butylbenzene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA		NA	200	U
Tetrahydrofuran	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA	110	J
Total Xylenes	NA		NA		NA		NA		NA	200	UJ
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA	200	U
Trichloroethene	NA		NA		NA		NA		NA	200	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-2-114119		OU2-DP5-2-124129		OU2-DP5-2-134139		OU2-DP5A-2-0510		OU2-DP5A-2-1520	
Sample Location		DP5-2		DP5-2		DP5-2		DP5A-2		DP5A-2	
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/4/1997		8/4/1997	
Interval		114.0-119.0		124.0-129.0		134.0-139.0		5.0-10.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	NA		NA		NA		NA		NA		NA
Vinyl Acetate	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA	200	U
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane		9300		17000		14000		1000	U	1000	U
1,1-Dichloroethane	U	500	U	1000	U	1000	U	1000	U	1000	U
1,1-Dichloroethene		3300		8100		6200		1000	U	1000	U
1,2-Dichloroethane	U	500	U	1000	U	1000	U	1000	U	1000	U
Benzene	U	500	U	1000	U	1000	U	9600		3400	
Chlorobenzene	U	500	U	1000	U	1000	U	1000	U	1000	U
cis-1,2-Dichloroethene		500	U	1000	U	1000	U	1000	U	1000	U
Ethylbenzene	U	500	U	1000	U	1000	U	1000	U	1000	U
m&p-Xylene	U	500	U	1000	U	1000	U	1000	U	1000	U
o-Xylene	U	500	U	1000	U	1000	U	1000	U	1000	U
Tetrachloroethene	U	500	U	1000	U	1000	U	1000	U	1000	U
Toluene	U	500	U	1000	U	1000	U	5800		1000	U
trans-1,2-Dichloroethene	U	500	U	1000	U	1000	U	1000	U	1000	U
Trichloroethene	U	1100		1400		1400		1000	U	1000	U
Vinyl Chloride	U	500	U	1000	U	1000	U	1000	U	1000	U
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA
2-Chlorophenol	NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-2-114119		OU2-DP5-2-124129		OU2-DP5-2-134139		OU2-DP5A-2-0510		OU2-DP5A-2-1520	
Sample Location		DP5-2		DP5-2		DP5-2		DP5A-2		DP5A-2	
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/4/1997		8/4/1997	
Interval		114.0-119.0		124.0-129.0		134.0-139.0		5.0-10.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-2-114119		OU2-DP5-2-124129		OU2-DP5-2-134139		OU2-DP5A-2-0510		OU2-DP5A-2-1520	
Sample Location		DP5-2		DP5-2		DP5-2		DP5A-2		DP5A-2	
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/4/1997		8/4/1997	
Interval		114.0-119.0		124.0-129.0		134.0-139.0		5.0-10.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA
Aroclor-1232	NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-2-114119		OU2-DP5-2-124129		OU2-DP5-2-134139		OU2-DP5A-2-0510		OU2-DP5A-2-1520	
Sample Location		DP5-2		DP5-2		DP5-2		DP5A-2		DP5A-2	
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/4/1997		8/4/1997	
Interval		114.0-119.0		124.0-129.0		134.0-139.0		5.0-10.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I	NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF	NA		NA		NA		NA		NA		NA
OCDD	NA		NA		NA		NA		NA		NA
OCDF	NA		NA		NA		NA		NA		NA
Total HpCDD	NA		NA		NA		NA		NA		NA
Total HpCDF	NA		NA		NA		NA		NA		NA
Total HxCDD	NA		NA		NA		NA		NA		NA
Total HxCDF	NA		NA		NA		NA		NA		NA
Total PeCDD	NA		NA		NA		NA		NA		NA
Total PeCDF	NA		NA		NA		NA		NA		NA
Total TCDD	NA		NA		NA		NA		NA		NA
Total TCDF	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-2-114119		OU2-DP5-2-124129		OU2-DP5-2-134139		OU2-DP5A-2-0510		OU2-DP5A-2-1520	
Sample Location		DP5-2		DP5-2		DP5-2		DP5A-2		DP5A-2	
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/4/1997		8/4/1997	
Interval		114.0-119.0		124.0-129.0		134.0-139.0		5.0-10.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency	NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA		NA		NA		NA		NA	80.4	UJ
Antimony	NA		NA		NA		NA		NA		R
Arsenic	NA		NA		NA		NA		NA	38.9	J
Barium	NA		NA		NA		NA		NA	142	UJ
Beryllium	NA		NA		NA		NA		NA	0.10	UJ
Cadmium	NA		NA		NA		NA		NA	0.30	UJ
Calcium	NA		NA		NA		NA		NA	16700	J
Chromium	NA		NA		NA		NA		NA	0.60	UJ
Cobalt	NA		NA		NA		NA		NA	1.4	UJ
Copper	NA		NA		NA		NA		NA	20.0	UJ
Iron	NA		NA		NA		NA		NA	5430	J
Lead	NA		NA		NA		NA		NA	20.8	UJ
Magnesium	NA		NA		NA		NA		NA	6730	J
Manganese	NA		NA		NA		NA		NA	114	J
Mercury	NA		NA		NA		NA		NA	0.10	UJ
Nickel	NA		NA		NA		NA		NA	3.6	UJ
Potassium	NA		NA		NA		NA		NA	13000	J
Selenium	NA		NA		NA		NA		NA		R
Silver	NA		NA		NA		NA		NA	0.80	UJ
Sodium	NA		NA		NA		NA		NA	569000	J
Thallium	NA		NA		NA		NA		NA	3.4	UJ
Vanadium	NA		NA		NA		NA		NA	1.5	UJ
Zinc	NA		NA		NA		NA		NA	49.8	UJ
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA		NA		NA
Carbon Dioxide	NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA
Nitrate	NA		NA		NA		NA		NA		NA
Nitrite-N	NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA
Sulfide	NA		NA		NA		NA		NA		NA
Total Organic Carbon	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-2-2025		OU2-DP5A-2A-2530		OU2-DP5A-3A-1419		OU2-DP5A-3A-2530		OU2-DP5A-3A-3439	
Sample Location	DP5A-2		DP5A-2A		DP5A-3A		DP5A-3A		DP5A-3A	
Date Sampled	8/4/1997		8/4/1997		8/1/1997		8/4/1997		8/4/1997	
Interval	20.0-25.0		25.0-30.0		14.0-19.0		25.0-30.0		34.0-39.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-2-2025		OU2-DP5A-2A-2530		OU2-DP5A-3A-1419		OU2-DP5A-3A-2530		OU2-DP5A-3A-3439	
Sample Location	DP5A-2		DP5A-2A		DP5A-3A		DP5A-3A		DP5A-3A	
Date Sampled	8/4/1997		8/4/1997		8/1/1997		8/4/1997		8/4/1997	
Interval	20.0-25.0		25.0-30.0		14.0-19.0		25.0-30.0		34.0-39.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-2-2025		OU2-DP5A-2A-2530		OU2-DP5A-3A-1419		OU2-DP5A-3A-2530		OU2-DP5A-3A-3439	
Sample Location	DP5A-2		DP5A-2A		DP5A-3A		DP5A-3A		DP5A-3A	
Date Sampled	8/4/1997		8/4/1997		8/1/1997		8/4/1997		8/4/1997	
Interval	20.0-25.0		25.0-30.0		14.0-19.0		25.0-30.0		34.0-39.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	1000	U	100	U	100	U	16		50	U
1,1-Dichloroethane	1000	U	100	U	100	U	68		50	U
1,1-Dichloroethene	1000	U	100	U	100	U	10	U	50	U
1,2-Dichloroethane	1000	U	100	U	100	U	10	U	50	U
Benzene	4300		1500		100	U	68		50	U
Chlorobenzene	1000	U	100	U	100	U	43		100	
cis-1,2-Dichloroethene	1000	U	100	U	100	U	29		400	
Ethylbenzene	1000	U	100	U	100	U	10	U	50	U
m&p-Xylene	1000	U	100	U	100	U	10	U	50	U
o-Xylene	1000	U	100	U	100	U	10	U	50	U
Tetrachloroethene	1000	U	100	U	100	U	10	U	50	U
Toluene	1000	U	100	U	100	U	10	U	50	U
trans-1,2-Dichloroethene	1000	U	100	U	100	U	10	U	50	U
Trichloroethene	1000	U	100	U	100	U	10	U	50	U
Vinyl Chloride	1000	U	100	U	120		50		270	
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-2-2025		OU2-DP5A-2A-2530		OU2-DP5A-3A-1419		OU2-DP5A-3A-2530		OU2-DP5A-3A-3439	
Sample Location	DP5A-2		DP5A-2A		DP5A-3A		DP5A-3A		DP5A-3A	
Date Sampled	8/4/1997		8/4/1997		8/1/1997		8/4/1997		8/4/1997	
Interval	20.0-25.0		25.0-30.0		14.0-19.0		25.0-30.0		34.0-39.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-2-2025		OU2-DP5A-2A-2530		OU2-DP5A-3A-1419		OU2-DP5A-3A-2530		OU2-DP5A-3A-3439	
Sample Location	DP5A-2		DP5A-2A		DP5A-3A		DP5A-3A		DP5A-3A	
Date Sampled	8/4/1997		8/4/1997		8/1/1997		8/4/1997		8/4/1997	
Interval	20.0-25.0		25.0-30.0		14.0-19.0		25.0-30.0		34.0-39.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-2-2025		OU2-DP5A-2A-2530		OU2-DP5A-3A-1419		OU2-DP5A-3A-2530		OU2-DP5A-3A-3439	
Sample Location	DP5A-2		DP5A-2A		DP5A-3A		DP5A-3A		DP5A-3A	
Date Sampled	8/4/1997		8/4/1997		8/1/1997		8/4/1997		8/4/1997	
Interval	20.0-25.0		25.0-30.0		14.0-19.0		25.0-30.0		34.0-39.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-2-2025		OU2-DP5A-2A-2530		OU2-DP5A-3A-1419		OU2-DP5A-3A-2530		OU2-DP5A-3A-3439	
Sample Location	DP5A-2		DP5A-2A		DP5A-3A		DP5A-3A		DP5A-3A	
Date Sampled	8/4/1997		8/4/1997		8/1/1997		8/4/1997		8/4/1997	
Interval	20.0-25.0		25.0-30.0		14.0-19.0		25.0-30.0		34.0-39.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-3A-4550		OU2-DP5-4-0914		OU2-DP5-4-2025		OU2-DP5-4-3035		OU2-DP5-4-4045	
Sample Location	DP5A-3A		DP5-4		DP5-4		DP5-4		DP5-4	
Date Sampled	8/4/1997		8/7/1997		8/7/1997		8/7/1997		8/7/1997	
Interval	45.0-50.0		9.0-14.0		20.0-25.0		30.0-35.0		40.0-45.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-3A-4550		OU2-DP5-4-0914		OU2-DP5-4-2025		OU2-DP5-4-3035		OU2-DP5-4-4045	
Sample Location	DP5A-3A		DP5-4		DP5-4		DP5-4		DP5-4	
Date Sampled	8/4/1997		8/7/1997		8/7/1997		8/7/1997		8/7/1997	
Interval	45.0-50.0		9.0-14.0		20.0-25.0		30.0-35.0		40.0-45.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-3A-4550		OU2-DP5-4-0914		OU2-DP5-4-2025		OU2-DP5-4-3035		OU2-DP5-4-4045	
Sample Location	DP5A-3A		DP5-4		DP5-4		DP5-4		DP5-4	
Date Sampled	8/4/1997		8/7/1997		8/7/1997		8/7/1997		8/7/1997	
Interval	45.0-50.0		9.0-14.0		20.0-25.0		30.0-35.0		40.0-45.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	200	U	5000		8700		6600		7400	
1,1-Dichloroethane	200	U	3000		1600		970		1400	
1,1-Dichloroethene	200	U	450		500		500	U	560	
1,2-Dichloroethane	200	U	250	U	500	U	500	U	500	U
Benzene	200	U	3200		500	U	500	U	500	U
Chlorobenzene	200	U	250	U	500	U	500	U	500	U
cis-1,2-Dichloroethene	740		880		1200		1100		1100	
Ethylbenzene	200	U	250	U	500	U	500	U	500	U
m&p-Xylene	200	U	250	U	500	U	500	U	500	U
o-Xylene	200	U	250	U	500	U	500	U	500	U
Tetrachloroethene	200	U	250	U	500	U	500	U	500	U
Toluene	200	U	250	U	500	U	500	U	500	U
trans-1,2-Dichloroethene	200	U	250	U	500	U	500	U	500	U
Trichloroethene	890		250	U	500	U	500	U	500	U
Vinyl Chloride	250		250	U	500	U	500	U	500	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-3A-4550		OU2-DP5-4-0914		OU2-DP5-4-2025		OU2-DP5-4-3035		OU2-DP5-4-4045	
Sample Location	DP5A-3A		DP5-4		DP5-4		DP5-4		DP5-4	
Date Sampled	8/4/1997		8/7/1997		8/7/1997		8/7/1997		8/7/1997	
Interval	45.0-50.0		9.0-14.0		20.0-25.0		30.0-35.0		40.0-45.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-3A-4550		OU2-DP5-4-0914		OU2-DP5-4-2025		OU2-DP5-4-3035		OU2-DP5-4-4045	
Sample Location	DP5A-3A		DP5-4		DP5-4		DP5-4		DP5-4	
Date Sampled	8/4/1997		8/7/1997		8/7/1997		8/7/1997		8/7/1997	
Interval	45.0-50.0		9.0-14.0		20.0-25.0		30.0-35.0		40.0-45.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-3A-4550		OU2-DP5-4-0914		OU2-DP5-4-2025		OU2-DP5-4-3035		OU2-DP5-4-4045	
Sample Location	DP5A-3A		DP5-4		DP5-4		DP5-4		DP5-4	
Date Sampled	8/4/1997		8/7/1997		8/7/1997		8/7/1997		8/7/1997	
Interval	45.0-50.0		9.0-14.0		20.0-25.0		30.0-35.0		40.0-45.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-3A-4550		OU2-DP5-4-0914		OU2-DP5-4-2025		OU2-DP5-4-3035		OU2-DP5-4-4045	
Sample Location	DP5A-3A		DP5-4		DP5-4		DP5-4		DP5-4	
Date Sampled	8/4/1997		8/7/1997		8/7/1997		8/7/1997		8/7/1997	
Interval	45.0-50.0		9.0-14.0		20.0-25.0		30.0-35.0		40.0-45.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-4A-0914		OU2-DP5-5-1520		OU2-DP5-5-2530		OU2-DP5-5-3439		OU2-DP5-5-4550		OU2-DP5-5-5560
Sample Location	DP5A-4A		DP5-5		DP5-5		DP5-5		DP5-5		DP5-5
Date Sampled	8/1/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	9.0-14.0		15.0-20.0		25.0-30.0		34.0-39.0		45.0-50.0		55.0-60.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,1-Trichloroethane		NA		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA		NA	
1,1-Dichloropropene		NA		NA		NA		NA		NA	
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,3-Trichloropropane		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA		NA	
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA		NA	
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichloropropane		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA		NA	
2-Chloroethylvinylether		NA		NA		NA		NA		NA	
2-Chlorotoluene		NA		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA		NA	
4-Chlorotoluene		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA		NA	
Acrolein		NA		NA		NA		NA		NA	
Acrylonitrile		NA		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA		NA	
Bromobenzene		NA		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-4A-0914		OU2-DP5-5-1520		OU2-DP5-5-2530		OU2-DP5-5-3439		OU2-DP5-5-4550		OU2-DP5-5-5560
Sample Location	DP5A-4A		DP5-5		DP5-5		DP5-5		DP5-5		DP5-5
Date Sampled	8/1/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	9.0-14.0		15.0-20.0		25.0-30.0		34.0-39.0		45.0-50.0		55.0-60.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA		NA	
Dibromomethane		NA		NA		NA		NA		NA	
Dichlorodifluoromethane		NA		NA		NA		NA		NA	
Ethyl Ether		NA		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Isopropylbenzene		NA		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA		NA	
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA	
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
n-Butylbenzene		NA		NA		NA		NA		NA	
n-Propylbenzene		NA		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA		NA	
p-Isopropyltoluene		NA		NA		NA		NA		NA	
sec-Butylbenzene		NA		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA		NA	
tert-Butylbenzene		NA		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA		NA	
Tetrahydrofuran		NA		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-4A-0914		OU2-DP5-5-1520		OU2-DP5-5-2530		OU2-DP5-5-3439		OU2-DP5-5-4550		OU2-DP5-5-5560
Sample Location	DP5A-4A		DP5-5		DP5-5		DP5-5		DP5-5		DP5-5
Date Sampled	8/1/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	9.0-14.0		15.0-20.0		25.0-30.0		34.0-39.0		45.0-50.0		55.0-60.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA		NA		NA		NA		NA	
Vinyl Acetate		NA		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	200	U	41		1	U	3500		2200		9200
1,1-Dichloroethane	200	U	13		1	U	1000	U	500	U	500
1,1-Dichloroethene	200	U	5.9		1	U	1000	U	500	U	950
1,2-Dichloroethane	200	U	2	U	1	U	1000	U	500	U	500
Benzene	200	U	2	U	1	U	1000	U	500	U	500
Chlorobenzene	200	U	2	U	1	U	1000	U	500	U	500
cis-1,2-Dichloroethene	700		8.4		1	U	1000	U	520		1300
Ethylbenzene	200	U	2	U	1	U	1000	U	500	U	500
m&p-Xylene	200	U	2	U	1	U	1000	U	500	U	500
o-Xylene	200	U	2	U	1	U	1000	U	500	U	500
Tetrachloroethene	200	U	2	U	1	U	1000	U	500	U	500
Toluene	200	U	2	U	1	U	1000	U	500	U	500
trans-1,2-Dichloroethene	200	U	2	U	1	U	1000	U	500	U	500
Trichloroethene	200	U	2.5		1	U	1000	U	500	U	500
Vinyl Chloride	200	U	2	U	1	U	1000	U	500	U	500
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-4A-0914		OU2-DP5-5-1520		OU2-DP5-5-2530		OU2-DP5-5-3439		OU2-DP5-5-4550		OU2-DP5-5-5560
Sample Location	DP5A-4A		DP5-5		DP5-5		DP5-5		DP5-5		DP5-5
Date Sampled	8/1/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	9.0-14.0		15.0-20.0		25.0-30.0		34.0-39.0		45.0-50.0		55.0-60.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-4A-0914		OU2-DP5-5-1520		OU2-DP5-5-2530		OU2-DP5-5-3439		OU2-DP5-5-4550		OU2-DP5-5-5560
Sample Location	DP5A-4A		DP5-5		DP5-5		DP5-5		DP5-5		DP5-5
Date Sampled	8/1/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	9.0-14.0		15.0-20.0		25.0-30.0		34.0-39.0		45.0-50.0		55.0-60.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-4A-0914		OU2-DP5-5-1520		OU2-DP5-5-2530		OU2-DP5-5-3439		OU2-DP5-5-4550		OU2-DP5-5-5560
Sample Location	DP5A-4A		DP5-5		DP5-5		DP5-5		DP5-5		DP5-5
Date Sampled	8/1/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	9.0-14.0		15.0-20.0		25.0-30.0		34.0-39.0		45.0-50.0		55.0-60.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA	
2,3,7,8-TCDD		NA		NA		NA		NA		NA	
2,3,7,8-TCDF		NA		NA		NA		NA		NA	
OCDD		NA		NA		NA		NA		NA	
OCDF		NA		NA		NA		NA		NA	
Total HpCDD		NA		NA		NA		NA		NA	
Total HpCDF		NA		NA		NA		NA		NA	
Total HxCDD		NA		NA		NA		NA		NA	
Total HxCDF		NA		NA		NA		NA		NA	
Total PeCDD		NA		NA		NA		NA		NA	
Total PeCDF		NA		NA		NA		NA		NA	
Total TCDD		NA		NA		NA		NA		NA	
Total TCDF		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP5A-4A-0914		OU2-DP5-5-1520		OU2-DP5-5-2530		OU2-DP5-5-3439		OU2-DP5-5-4550		OU2-DP5-5-5560
Sample Location	DP5A-4A		DP5-5		DP5-5		DP5-5		DP5-5		DP5-5
Date Sampled	8/1/1997		8/8/1997		8/8/1997		8/8/1997		8/11/1997		8/11/1997
Interval	9.0-14.0		15.0-20.0		25.0-30.0		34.0-39.0		45.0-50.0		55.0-60.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Toxicity Equivalency		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA		NA	
Barium		NA		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA		NA	
Copper		NA		NA		NA		NA		NA	
Iron		NA		NA		NA		NA		NA	
Lead		NA		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA		NA	
Nickel		NA		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA		NA	
Silver		NA		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA		NA	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Carbon Dioxide		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate		NA		NA		NA		NA		NA	
Nitrite-N		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	
Sulfide		NA		NA		NA		NA		NA	
Total Organic Carbon		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-5-6671		OU2-DP5-5-7580		OU2-DP5-5-8590		OU2-DP5-6-1520		OU2-DP5-6-2530		OU2-DP5-6-3338
Sample Location		DP5-5		DP5-5		DP5-5		DP5-6		DP5-6		DP5-6
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/7/1997		8/7/1997		8/7/1997
Interval		66.0-71.0		75.0-80.0		85.0-90.0		15.0-20.0		25.0-30.0		33.0-38.0
QC Identifier		None		None		None		None		None		None
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)												
1,1,1,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA	
1,1,1-Trichloroethane	NA		NA		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA	
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane	NA		NA		NA		NA		NA		NA	
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA	
1,1-Dichloroethene	NA		NA		NA		NA		NA		NA	
1,1-Dichloropropene	NA		NA		NA		NA		NA		NA	
1,2,3-Trichlorobenzene	NA		NA		NA		NA		NA		NA	
1,2,3-Trichloropropane	NA		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA	
1,2,4-Trimethylbenzene	NA		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA	
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA	
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA	
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA		NA	
1,2-Dichloropropane	NA		NA		NA		NA		NA		NA	
1,3,5-Trimethylbenzene	NA		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA	
1,3-Dichloropropane	NA		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA	
1,4-Dioxane	NA		NA		NA		NA		NA		NA	
2,2-Dichloropropane	NA		NA		NA		NA		NA		NA	
2-Butanone	NA		NA		NA		NA		NA		NA	
2-Chloroethylvinylether	NA		NA		NA		NA		NA		NA	
2-Chlorotoluene	NA		NA		NA		NA		NA		NA	
2-Hexanone	NA		NA		NA		NA		NA		NA	
4-Chlorotoluene	NA		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA		NA	
Acetone	NA		NA		NA		NA		NA		NA	
Acrolein	NA		NA		NA		NA		NA		NA	
Acrylonitrile	NA		NA		NA		NA		NA		NA	
Benzene	NA		NA		NA		NA		NA		NA	
Bromobenzene	NA		NA		NA		NA		NA		NA	
Bromochloromethane	NA		NA		NA		NA		NA		NA	
Bromodichloromethane	NA		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-5-6671		OU2-DP5-5-7580		OU2-DP5-5-8590		OU2-DP5-6-1520		OU2-DP5-6-2530		OU2-DP5-6-3338
Sample Location		DP5-5		DP5-5		DP5-5		DP5-6		DP5-6		DP5-6
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/7/1997		8/7/1997		8/7/1997
Interval		66.0-71.0		75.0-80.0		85.0-90.0		15.0-20.0		25.0-30.0		33.0-38.0
QC Identifier		None		None		None		None		None		None
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform	NA		NA		NA		NA		NA		NA	
Bromomethane	NA		NA		NA		NA		NA		NA	
Carbon Disulfide	NA		NA		NA		NA		NA		NA	
Carbon Tetrachloride	NA		NA		NA		NA		NA		NA	
Chlorobenzene	NA		NA		NA		NA		NA		NA	
Chloroethane	NA		NA		NA		NA		NA		NA	
Chloroform	NA		NA		NA		NA		NA		NA	
Chloromethane	NA		NA		NA		NA		NA		NA	
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA	
Cyclohexane	NA		NA		NA		NA		NA		NA	
Dibromochloromethane	NA		NA		NA		NA		NA		NA	
Dibromomethane	NA		NA		NA		NA		NA		NA	
Dichlorodifluoromethane	NA		NA		NA		NA		NA		NA	
Ethyl Ether	NA		NA		NA		NA		NA		NA	
Ethylbenzene	NA		NA		NA		NA		NA		NA	
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA	
Isopropylbenzene	NA		NA		NA		NA		NA		NA	
m&p-Xylene	NA		NA		NA		NA		NA		NA	
Methyl Acetate	NA		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether	NA		NA		NA		NA		NA		NA	
Methylcyclohexane	NA		NA		NA		NA		NA		NA	
Methylene Chloride	NA		NA		NA		NA		NA		NA	
Naphthalene	NA		NA		NA		NA		NA		NA	
n-Butylbenzene	NA		NA		NA		NA		NA		NA	
n-Propylbenzene	NA		NA		NA		NA		NA		NA	
o-Xylene	NA		NA		NA		NA		NA		NA	
p-Isopropyltoluene	NA		NA		NA		NA		NA		NA	
sec-Butylbenzene	NA		NA		NA		NA		NA		NA	
Styrene	NA		NA		NA		NA		NA		NA	
tert-Butylbenzene	NA		NA		NA		NA		NA		NA	
Tetrachloroethene	NA		NA		NA		NA		NA		NA	
Tetrahydrofuran	NA		NA		NA		NA		NA		NA	
Toluene	NA		NA		NA		NA		NA		NA	
Total Xylenes	NA		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA	
Trichloroethene	NA		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-5-6671		OU2-DP5-5-7580		OU2-DP5-5-8590		OU2-DP5-6-1520		OU2-DP5-6-2530		OU2-DP5-6-3338
Sample Location		DP5-5		DP5-5		DP5-5		DP5-6		DP5-6		DP5-6
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/7/1997		8/7/1997		8/7/1997
Interval		66.0-71.0		75.0-80.0		85.0-90.0		15.0-20.0		25.0-30.0		33.0-38.0
QC Identifier		None		None		None		None		None		None
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane	NA		NA		NA		NA		NA		NA	
Vinyl Acetate	NA		NA		NA		NA		NA		NA	
Vinyl Chloride	NA		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)												
1,1,1-Trichloroethane		10000		9200		9400		1	U	1	U	1
1,1-Dichloroethane	U	500	U	500	U	500	U	1.1		1	U	1
1,1-Dichloroethene		1200		890		760		1	U	1	U	1
1,2-Dichloroethane	U	500	U	500	U	500	U	1	U	1	U	1
Benzene	U	500	U	500	U	500	U	1	U	1	U	1
Chlorobenzene	U	500	U	500	U	500	U	1	U	1	U	11
cis-1,2-Dichloroethene		1300		1200		1200		1	U	1	U	1
Ethylbenzene	U	500	U	500	U	500	U	1	U	1	U	1
m&p-Xylene	U	500	U	500	U	500	U	1	U	1	U	1
o-Xylene	U	500	U	500	U	500	U	1	U	1	U	1
Tetrachloroethene	U	500	U	500	U	500	U	1	U	1	U	1
Toluene	U	500	U	500	U	500	U	1	U	1	U	1
trans-1,2-Dichloroethene	U	500	U	500	U	500	U	1	U	1	U	1
Trichloroethene	U	500	U	500	U	500	U	1	U	1	U	1
Vinyl Chloride	U	500	U	500	U	500	U	1	U	1	U	1
Semivolatile Organic Analysis (UG/L)												
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA	
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA	
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA	
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA	
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA	
2-Chlorophenol	NA		NA		NA		NA		NA		NA	
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA	
2-Methylphenol	NA		NA		NA		NA		NA		NA	
2-Nitroaniline	NA		NA		NA		NA		NA		NA	
2-Nitrophenol	NA		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA	
3-Nitroaniline	NA		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-5-6671		OU2-DP5-5-7580		OU2-DP5-5-8590		OU2-DP5-6-1520		OU2-DP5-6-2530		OU2-DP5-6-3338
Sample Location		DP5-5		DP5-5		DP5-5		DP5-6		DP5-6		DP5-6
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/7/1997		8/7/1997		8/7/1997
Interval		66.0-71.0		75.0-80.0		85.0-90.0		15.0-20.0		25.0-30.0		33.0-38.0
QC Identifier		None		None		None		None		None		None
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA	
4-Chloroaniline	NA		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA	
4-Methylphenol	NA		NA		NA		NA		NA		NA	
4-Nitroaniline	NA		NA		NA		NA		NA		NA	
4-Nitrophenol	NA		NA		NA		NA		NA		NA	
Acenaphthene	NA		NA		NA		NA		NA		NA	
Acenaphthylene	NA		NA		NA		NA		NA		NA	
Acetophenone	NA		NA		NA		NA		NA		NA	
Anthracene	NA		NA		NA		NA		NA		NA	
Atrazine	NA		NA		NA		NA		NA		NA	
Benzaldehyde	NA		NA		NA		NA		NA		NA	
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA	
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA	
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA	
Caprolactam	NA		NA		NA		NA		NA		NA	
Carbazole	NA		NA		NA		NA		NA		NA	
Chrysene	NA		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA	
Dibenzofuran	NA		NA		NA		NA		NA		NA	
Diethylphthalate	NA		NA		NA		NA		NA		NA	
Dimethylphthalate	NA		NA		NA		NA		NA		NA	
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA	
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA	
Fluoranthene	NA		NA		NA		NA		NA		NA	
Fluorene	NA		NA		NA		NA		NA		NA	
Hexachlorobenzene	NA		NA		NA		NA		NA		NA	
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA	
Hexachloroethane	NA		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-5-6671		OU2-DP5-5-7580		OU2-DP5-5-8590		OU2-DP5-6-1520		OU2-DP5-6-2530		OU2-DP5-6-3338
Sample Location		DP5-5		DP5-5		DP5-5		DP5-6		DP5-6		DP5-6
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/7/1997		8/7/1997		8/7/1997
Interval		66.0-71.0		75.0-80.0		85.0-90.0		15.0-20.0		25.0-30.0		33.0-38.0
QC Identifier		None		None		None		None		None		None
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Isophorone	NA		NA		NA		NA		NA		NA	
Naphthalene	NA		NA		NA		NA		NA		NA	
Nitrobenzene	NA		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA	
Pentachlorophenol	NA		NA		NA		NA		NA		NA	
Phenanthrene	NA		NA		NA		NA		NA		NA	
Phenol	NA		NA		NA		NA		NA		NA	
Pyrene	NA		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)												
Acenaphthylene	NA		NA		NA		NA		NA		NA	
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA	
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA	
Chrysene	NA		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA	
Phenanthrene	NA		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)												
4,4'-DDD	NA		NA		NA		NA		NA		NA	
4,4'-DDE	NA		NA		NA		NA		NA		NA	
4,4'-DDT	NA		NA		NA		NA		NA		NA	
Aldrin	NA		NA		NA		NA		NA		NA	
alpha-BHC	NA		NA		NA		NA		NA		NA	
alpha-Chlordane	NA		NA		NA		NA		NA		NA	
Aroclor-1016	NA		NA		NA		NA		NA		NA	
Aroclor-1221	NA		NA		NA		NA		NA		NA	
Aroclor-1232	NA		NA		NA		NA		NA		NA	
Aroclor-1242	NA		NA		NA		NA		NA		NA	
Aroclor-1248	NA		NA		NA		NA		NA		NA	
Aroclor-1254	NA		NA		NA		NA		NA		NA	
Aroclor-1260	NA		NA		NA		NA		NA		NA	
Aroclor-1262	NA		NA		NA		NA		NA		NA	
Aroclor-1268	NA		NA		NA		NA		NA		NA	
beta-BHC	NA		NA		NA		NA		NA		NA	
delta-BHC	NA		NA		NA		NA		NA		NA	
Dieldrin	NA		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-5-6671		OU2-DP5-5-7580		OU2-DP5-5-8590		OU2-DP5-6-1520		OU2-DP5-6-2530		OU2-DP5-6-3338
Sample Location		DP5-5		DP5-5		DP5-5		DP5-6		DP5-6		DP5-6
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/7/1997		8/7/1997		8/7/1997
Interval		66.0-71.0		75.0-80.0		85.0-90.0		15.0-20.0		25.0-30.0		33.0-38.0
QC Identifier		None		None		None		None		None		None
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Endosulfan I	NA		NA		NA		NA		NA		NA	
Endosulfan II	NA		NA		NA		NA		NA		NA	
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA	
Endrin	NA		NA		NA		NA		NA		NA	
Endrin Aldehyde	NA		NA		NA		NA		NA		NA	
Endrin Ketone	NA		NA		NA		NA		NA		NA	
gamma-BHC	NA		NA		NA		NA		NA		NA	
gamma-Chlordane	NA		NA		NA		NA		NA		NA	
Heptachlor	NA		NA		NA		NA		NA		NA	
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA	
Methoxychlor	NA		NA		NA		NA		NA		NA	
Toxaphene	NA		NA		NA		NA		NA		NA	
Dioxin Analysis (pg/L)												
1,2,3,4,6,7,8-HpCDD	NA		NA		NA		NA		NA		NA	
1,2,3,4,6,7,8-HpCDF	NA		NA		NA		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF	NA		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDD	NA		NA		NA		NA		NA		NA	
1,2,3,4,7,8-HxCDF	NA		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDD	NA		NA		NA		NA		NA		NA	
1,2,3,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDD	NA		NA		NA		NA		NA		NA	
1,2,3,7,8,9-HxCDF	NA		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDD	NA		NA		NA		NA		NA		NA	
1,2,3,7,8-PeCDF	NA		NA		NA		NA		NA		NA	
2,3,4,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA	
2,3,4,7,8-PeCDF	NA		NA		NA		NA		NA		NA	
2,3,7,8-TCDD	NA		NA		NA		NA		NA		NA	
2,3,7,8-TCDF	NA		NA		NA		NA		NA		NA	
OCDD	NA		NA		NA		NA		NA		NA	
OCDF	NA		NA		NA		NA		NA		NA	
Total HpCDD	NA		NA		NA		NA		NA		NA	
Total HpCDF	NA		NA		NA		NA		NA		NA	
Total HxCDD	NA		NA		NA		NA		NA		NA	
Total HxCDF	NA		NA		NA		NA		NA		NA	
Total PeCDD	NA		NA		NA		NA		NA		NA	
Total PeCDF	NA		NA		NA		NA		NA		NA	
Total TCDD	NA		NA		NA		NA		NA		NA	
Total TCDF	NA		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP5-5-6671		OU2-DP5-5-7580		OU2-DP5-5-8590		OU2-DP5-6-1520		OU2-DP5-6-2530		OU2-DP5-6-3338
Sample Location		DP5-5		DP5-5		DP5-5		DP5-6		DP5-6		DP5-6
Date Sampled		8/11/1997		8/11/1997		8/11/1997		8/7/1997		8/7/1997		8/7/1997
Interval		66.0-71.0		75.0-80.0		85.0-90.0		15.0-20.0		25.0-30.0		33.0-38.0
QC Identifier		None		None		None		None		None		None
Zone		Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Toxicity Equivalency	NA		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)												
Aluminum	NA		NA		NA		NA		NA		NA	
Antimony	NA		NA		NA		NA		NA		NA	
Arsenic	NA		NA		NA		NA		NA		NA	
Barium	NA		NA		NA		NA		NA		NA	
Beryllium	NA		NA		NA		NA		NA		NA	
Cadmium	NA		NA		NA		NA		NA		NA	
Calcium	NA		NA		NA		NA		NA		NA	
Chromium	NA		NA		NA		NA		NA		NA	
Cobalt	NA		NA		NA		NA		NA		NA	
Copper	NA		NA		NA		NA		NA		NA	
Iron	NA		NA		NA		NA		NA		NA	
Lead	NA		NA		NA		NA		NA		NA	
Magnesium	NA		NA		NA		NA		NA		NA	
Manganese	NA		NA		NA		NA		NA		NA	
Mercury	NA		NA		NA		NA		NA		NA	
Nickel	NA		NA		NA		NA		NA		NA	
Potassium	NA		NA		NA		NA		NA		NA	
Selenium	NA		NA		NA		NA		NA		NA	
Silver	NA		NA		NA		NA		NA		NA	
Sodium	NA		NA		NA		NA		NA		NA	
Thallium	NA		NA		NA		NA		NA		NA	
Vanadium	NA		NA		NA		NA		NA		NA	
Zinc	NA		NA		NA		NA		NA		NA	
Wet Chemistry Analysis												
Alkalinity	NA		NA		NA		NA		NA		NA	
Carbon Dioxide	NA		NA		NA		NA		NA		NA	
Chloride	NA		NA		NA		NA		NA		NA	
Nitrate	NA		NA		NA		NA		NA		NA	
Nitrite-N	NA		NA		NA		NA		NA		NA	
Sulfate	NA		NA		NA		NA		NA		NA	
Sulfide	NA		NA		NA		NA		NA		NA	
Total Organic Carbon	NA		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-1-1116		OU2-DP6-1-2429		OU2-DP6-1-3540		OU2-DP6-2B-0409		OU2-DP6-2B-1520	
Sample Location		DP6-1		DP6-1		DP6-1		DP6-2B		DP6-2B	
Date Sampled		8/5/1997		8/5/1997		8/5/1997		8/6/1997		8/6/1997	
Interval		11.0-16.0		24.0-29.0		35.0-40.0		4.0-9.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA		NA
1,1-Dichloropropene	NA		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,3-Trichloropropane	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,3-Dichloropropane	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dioxane	NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	NA		NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA		NA
2-Chloroethylvinylether	NA		NA		NA		NA		NA		NA
2-Chlorotoluene	NA		NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA		NA
4-Chlorotoluene	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA		NA
Acrolein	NA		NA		NA		NA		NA		NA
Acrylonitrile	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA		NA
Bromobenzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-1-1116		OU2-DP6-1-2429		OU2-DP6-1-3540		OU2-DP6-2B-0409		OU2-DP6-2B-1520	
Sample Location		DP6-1		DP6-1		DP6-1		DP6-2B		DP6-2B	
Date Sampled		8/5/1997		8/5/1997		8/5/1997		8/6/1997		8/6/1997	
Interval		11.0-16.0		24.0-29.0		35.0-40.0		4.0-9.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA		NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Cyclohexane	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA		NA
Dibromomethane	NA		NA		NA		NA		NA		NA
Dichlorodifluoromethane	NA		NA		NA		NA		NA		NA
Ethyl Ether	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Isopropylbenzene	NA		NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA		NA
Methyl Acetate	NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	NA		NA		NA		NA		NA		NA
Methylcyclohexane	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
n-Butylbenzene	NA		NA		NA		NA		NA		NA
n-Propylbenzene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
p-Isopropyltoluene	NA		NA		NA		NA		NA		NA
sec-Butylbenzene	NA		NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA		NA
tert-Butylbenzene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA		NA		NA
Tetrahydrofuran	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-1-1116		OU2-DP6-1-2429		OU2-DP6-1-3540		OU2-DP6-2B-0409		OU2-DP6-2B-1520	
Sample Location		DP6-1		DP6-1		DP6-1		DP6-2B		DP6-2B	
Date Sampled		8/5/1997		8/5/1997		8/5/1997		8/6/1997		8/6/1997	
Interval		11.0-16.0		24.0-29.0		35.0-40.0		4.0-9.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	NA		NA		NA		NA		NA		NA
Vinyl Acetate	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	U	1	U	1	U	1	U	1	U	1	U
1,1-Dichloroethane	U	1	U	1	U	1	U	1	U	1	U
1,1-Dichloroethene	U	1	U	1	U	1	U	1	U	1	U
1,2-Dichloroethane	U	1	U	1	U	1	U	1	U	1	U
Benzene	U	1.2		1	U	1	U	1	U	1	U
Chlorobenzene		1	U	1	U	1	U	1	U	1	U
cis-1,2-Dichloroethene	U	1	U	1	U	1	U	1	U	1	U
Ethylbenzene	U	1	U	1	U	1	U	1	U	1	U
m&p-Xylene	U	1	U	1	U	1	U	1	U	1	U
o-Xylene	U	1	U	1	U	1	U	1	U	1	U
Tetrachloroethene	U	1	U	1	U	1	U	1	U	1	U
Toluene	U	1	U	1	U	1	U	1	U	1	U
trans-1,2-Dichloroethene	U	1	U	1	U	1	U	1	U	1	U
Trichloroethene	U	1	U	1	U	1	U	1	U	1	U
Vinyl Chloride	U	1	U	1	U	1	U	1	U	1	U
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA
2-Chlorophenol	NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-1-1116		OU2-DP6-1-2429		OU2-DP6-1-3540		OU2-DP6-2B-0409		OU2-DP6-2B-1520	
Sample Location		DP6-1		DP6-1		DP6-1		DP6-2B		DP6-2B	
Date Sampled		8/5/1997		8/5/1997		8/5/1997		8/6/1997		8/6/1997	
Interval		11.0-16.0		24.0-29.0		35.0-40.0		4.0-9.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-1-1116		OU2-DP6-1-2429		OU2-DP6-1-3540		OU2-DP6-2B-0409		OU2-DP6-2B-1520	
Sample Location		DP6-1		DP6-1		DP6-1		DP6-2B		DP6-2B	
Date Sampled		8/5/1997		8/5/1997		8/5/1997		8/6/1997		8/6/1997	
Interval		11.0-16.0		24.0-29.0		35.0-40.0		4.0-9.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA
Aroclor-1232	NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-1-1116		OU2-DP6-1-2429		OU2-DP6-1-3540		OU2-DP6-2B-0409		OU2-DP6-2B-1520	
Sample Location		DP6-1		DP6-1		DP6-1		DP6-2B		DP6-2B	
Date Sampled		8/5/1997		8/5/1997		8/5/1997		8/6/1997		8/6/1997	
Interval		11.0-16.0		24.0-29.0		35.0-40.0		4.0-9.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I	NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)											
1,2,3,4,6,7,8-HpCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD	NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD	NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF	NA		NA		NA		NA		NA		NA
OCDD	NA		NA		NA		NA		NA		NA
OCDF	NA		NA		NA		NA		NA		NA
Total HpCDD	NA		NA		NA		NA		NA		NA
Total HpCDF	NA		NA		NA		NA		NA		NA
Total HxCDD	NA		NA		NA		NA		NA		NA
Total HxCDF	NA		NA		NA		NA		NA		NA
Total PeCDD	NA		NA		NA		NA		NA		NA
Total PeCDF	NA		NA		NA		NA		NA		NA
Total TCDD	NA		NA		NA		NA		NA		NA
Total TCDF	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-1-1116		OU2-DP6-1-2429		OU2-DP6-1-3540		OU2-DP6-2B-0409		OU2-DP6-2B-1520	
Sample Location		DP6-1		DP6-1		DP6-1		DP6-2B		DP6-2B	
Date Sampled		8/5/1997		8/5/1997		8/5/1997		8/6/1997		8/6/1997	
Interval		11.0-16.0		24.0-29.0		35.0-40.0		4.0-9.0		15.0-20.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency	NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA		NA		NA		NA		NA		NA
Antimony	NA		NA		NA		NA		NA		NA
Arsenic	NA		NA		NA		NA		NA		NA
Barium	NA		NA		NA		NA		NA		NA
Beryllium	NA		NA		NA		NA		NA		NA
Cadmium	NA		NA		NA		NA		NA		NA
Calcium	NA		NA		NA		NA		NA		NA
Chromium	NA		NA		NA		NA		NA		NA
Cobalt	NA		NA		NA		NA		NA		NA
Copper	NA		NA		NA		NA		NA		NA
Iron	NA		NA		NA		NA		NA		NA
Lead	NA		NA		NA		NA		NA		NA
Magnesium	NA		NA		NA		NA		NA		NA
Manganese	NA		NA		NA		NA		NA		NA
Mercury	NA		NA		NA		NA		NA		NA
Nickel	NA		NA		NA		NA		NA		NA
Potassium	NA		NA		NA		NA		NA		NA
Selenium	NA		NA		NA		NA		NA		NA
Silver	NA		NA		NA		NA		NA		NA
Sodium	NA		NA		NA		NA		NA		NA
Thallium	NA		NA		NA		NA		NA		NA
Vanadium	NA		NA		NA		NA		NA		NA
Zinc	NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA		NA		NA
Carbon Dioxide	NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA
Nitrate	NA		NA		NA		NA		NA		NA
Nitrite-N	NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA
Sulfide	NA		NA		NA		NA		NA		NA
Total Organic Carbon	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-2B-2530		OU2-DP6-3-0813		OU2-DP6-3-2025		OU2-DP6-3-3035		OU2-DP6-3-3843		RM-GW65-0017	
Sample Location	DP6-2B		DP6-3		DP6-3		DP6-3		DP6-3		65	
Date Sampled	8/6/1997		8/5/1997		8/5/1997		8/5/1997		8/5/1997		2/28/2002	
Interval	25.0-30.0		8.0-13.0		20.0-25.0		30.0-35.0		38.0-43.0		0.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)												
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA	50	U
1,1,1-Trichloroethane		NA		NA		NA		NA		NA	9.6	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA	50	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA	50	U
1,1,2-Trichloroethane		NA		NA		NA		NA		NA	50	U
1,1-Dichloroethane		NA		NA		NA		NA		NA	2.7	
1,1-Dichloroethene		NA		NA		NA		NA		NA	1.8	L
1,1-Dichloropropene		NA		NA		NA		NA		NA	50	U
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA	50	U
1,2,3-Trichloropropane		NA		NA		NA		NA		NA	50	U
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	50	U
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA	50	U
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	50	U
1,2-Dibromoethane		NA		NA		NA		NA		NA	50	U
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	50	U
1,2-Dichloroethane		NA		NA		NA		NA		NA	50	U
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA	50	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA	50	U
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	50	U
1,3-Dichloropropane		NA		NA		NA		NA		NA	50	U
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	50	U
1,4-Dioxane		NA		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA	50	U
2-Butanone		NA		NA		NA		NA		NA	200	U
2-Chloroethylvinylether		NA		NA		NA		NA		NA	150	U
2-Chlorotoluene		NA		NA		NA		NA		NA	50	U
2-Hexanone		NA		NA		NA		NA		NA	30	U
4-Chlorotoluene		NA		NA		NA		NA		NA	50	U
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA	25	U
Acetone		NA		NA		NA		NA		NA	100	U
Acrolein		NA		NA		NA		NA		NA	500	U
Acrylonitrile		NA		NA		NA		NA		NA	250	U
Benzene		NA		NA		NA		NA		NA	4.2	
Bromobenzene		NA		NA		NA		NA		NA	50	U
Bromochloromethane		NA		NA		NA		NA		NA	50	U
Bromodichloromethane		NA		NA		NA		NA		NA	50	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-2B-2530		OU2-DP6-3-0813		OU2-DP6-3-2025		OU2-DP6-3-3035		OU2-DP6-3-3843		RM-GW65-0017	
Sample Location	DP6-2B		DP6-3		DP6-3		DP6-3		DP6-3		65	
Date Sampled	8/6/1997		8/5/1997		8/5/1997		8/5/1997		8/5/1997		2/28/2002	
Interval	25.0-30.0		8.0-13.0		20.0-25.0		30.0-35.0		38.0-43.0		0.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA	50	U
Bromomethane		NA		NA		NA		NA		NA	1.8	BL
Carbon Disulfide		NA		NA		NA		NA		NA	150	U
Carbon Tetrachloride		NA		NA		NA		NA		NA	50	U
Chlorobenzene		NA		NA		NA		NA		NA	160	
Chloroethane		NA		NA		NA		NA		NA	50	U
Chloroform		NA		NA		NA		NA		NA	50	U
Chloromethane		NA		NA		NA		NA		NA	50	U
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	2.1	
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA	50	U
Cyclohexane		NA		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA	50	U
Dibromomethane		NA		NA		NA		NA		NA	50	U
Dichlorodifluoromethane		NA		NA		NA		NA		NA	50	U
Ethyl Ether		NA		NA		NA		NA		NA	150	U
Ethylbenzene		NA		NA		NA		NA		NA	50	U
Hexachlorobutadiene		NA		NA		NA		NA		NA	50	U
Isopropylbenzene		NA		NA		NA		NA		NA	50	U
m&p-Xylene		NA		NA		NA		NA		NA	100	U
Methyl Acetate		NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA	1500	
Methylcyclohexane		NA		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA	50	U
Naphthalene		NA		NA		NA		NA		NA	50	U
n-Butylbenzene		NA		NA		NA		NA		NA	50	U
n-Propylbenzene		NA		NA		NA		NA		NA	50	U
o-Xylene		NA		NA		NA		NA		NA	50	U
p-Isopropyltoluene		NA		NA		NA		NA		NA	50	U
sec-Butylbenzene		NA		NA		NA		NA		NA	50	U
Styrene		NA		NA		NA		NA		NA	50	U
tert-Butylbenzene		NA		NA		NA		NA		NA	50	U
Tetrachloroethene		NA		NA		NA		NA		NA	50	U
Tetrahydrofuran		NA		NA		NA		NA		NA	350	U
Toluene		NA		NA		NA		NA		NA	50	U
Total Xylenes		NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	50	U
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA	50	U
Trichloroethene		NA		NA		NA		NA		NA	3.7	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-2B-2530		OU2-DP6-3-0813		OU2-DP6-3-2025		OU2-DP6-3-3035		OU2-DP6-3-3843		RM-GW65-0017	
Sample Location	DP6-2B		DP6-3		DP6-3		DP6-3		DP6-3		65	
Date Sampled	8/6/1997		8/5/1997		8/5/1997		8/5/1997		8/5/1997		2/28/2002	
Interval	25.0-30.0		8.0-13.0		20.0-25.0		30.0-35.0		38.0-43.0		0.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA	50	U
Vinyl Acetate		NA		NA		NA		NA		NA	300	U
Vinyl Chloride		NA		NA		NA		NA		NA	1.4	L
Volatile Organic Screening Analysis (UG/L)												
1,1,1-Trichloroethane	1	U	3.1		1	U	1	U	1.6		9.5	
1,1-Dichloroethane	1	U	1	U	1	U	1	U	1.6			NA
1,1-Dichloroethene	1	U	1	U	1	U	1	U	1	U	1	
1,2-Dichloroethane	1	U	1	U	1	U	1	U	1	U		NA
Benzene	1	U	1	U	1	U	1	U	1	U	31	J
Chlorobenzene	1	U	1	U	1	U	1	U	1	U	105	J
cis-1,2-Dichloroethene	1	U	1	U	1	U	1	U	1	U	25	U
Ethylbenzene	1	U	1	U	1	U	1	U	1	U		NA
m&p-Xylene	1	U	1	U	1	U	1	U	1	U		NA
o-Xylene	1	U	1	U	1	U	1	U	1	U		NA
Tetrachloroethene	1	U	1	U	1	U	1	U	1	U	0.5	U
Toluene	1	U	1	U	1	U	1	U	1	U	83	J
trans-1,2-Dichloroethene	1	U	1	U	1	U	1	U	1	U		NA
Trichloroethene	1	U	1		1	U	1	U	1	U	3.8	
Vinyl Chloride	1	U	1	U	1	U	1	U	1	U		NA
Semivolatile Organic Analysis (UG/L)												
1,1'-Biphenyl		NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA		NA
2-Chlorophenol		NA		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-2B-2530		OU2-DP6-3-0813		OU2-DP6-3-2025		OU2-DP6-3-3035		OU2-DP6-3-3843		RM-GW65-0017	
Sample Location	DP6-2B		DP6-3		DP6-3		DP6-3		DP6-3		65	
Date Sampled	8/6/1997		8/5/1997		8/5/1997		8/5/1997		8/5/1997		2/28/2002	
Interval	25.0-30.0		8.0-13.0		20.0-25.0		30.0-35.0		38.0-43.0		0.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA		NA
Di-n-octylphthalate		NA		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-2B-2530		OU2-DP6-3-0813		OU2-DP6-3-2025		OU2-DP6-3-3035		OU2-DP6-3-3843		RM-GW65-0017	
Sample Location	DP6-2B		DP6-3		DP6-3		DP6-3		DP6-3		65	
Date Sampled	8/6/1997		8/5/1997		8/5/1997		8/5/1997		8/5/1997		2/28/2002	
Interval	25.0-30.0		8.0-13.0		20.0-25.0		30.0-35.0		38.0-43.0		0.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Isophorone		NA		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)												
Acenaphthylene		NA		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)												
4,4'-DDD		NA		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA		NA
Aroclor-1232		NA		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-2B-2530		OU2-DP6-3-0813		OU2-DP6-3-2025		OU2-DP6-3-3035		OU2-DP6-3-3843		RM-GW65-0017	
Sample Location	DP6-2B		DP6-3		DP6-3		DP6-3		DP6-3		65	
Date Sampled	8/6/1997		8/5/1997		8/5/1997		8/5/1997		8/5/1997		2/28/2002	
Interval	25.0-30.0		8.0-13.0		20.0-25.0		30.0-35.0		38.0-43.0		0.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Endosulfan I		NA		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA		NA
Dioxin Analysis (pg/L)												
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-2B-2530		OU2-DP6-3-0813		OU2-DP6-3-2025		OU2-DP6-3-3035		OU2-DP6-3-3843		RM-GW65-0017	
Sample Location	DP6-2B		DP6-3		DP6-3		DP6-3		DP6-3		65	
Date Sampled	8/6/1997		8/5/1997		8/5/1997		8/5/1997		8/5/1997		2/28/2002	
Interval	25.0-30.0		8.0-13.0		20.0-25.0		30.0-35.0		38.0-43.0		0.0-17.0	
QC Identifier	None		None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden	
Toxicity Equivalency		NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)												
Aluminum		NA		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA		NA
Nickel		NA		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis												
Alkalinity		NA		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0022		RM-GW65-0027-AVG	
Sample Location	65		65	
Date Sampled	2/28/2002		2/28/2002	
Interval	0.0-22.0		0.0-27.0	
QC Identifier	None		Field Dup. RM-GW65-0027	
Zone	Overburden		Overburden	
Volatile Organic Analysis (UG/L)				
1,1,1,2-Tetrachloroethane	100	U	50	U
1,1,1-Trichloroethane	100	U	50	U
1,1,2,2-Tetrachloroethane	100	U	50	U
1,1,2-Trichloro-1,2,2-trifluoroethane	100	U	50	U
1,1,2-Trichloroethane	100	U	50	U
1,1-Dichloroethane	100	U	50	U
1,1-Dichloroethene	100	U	50	U
1,1-Dichloropropene	100	U	50	U
1,2,3-Trichlorobenzene	100	U	50	U
1,2,3-Trichloropropane	100	U	50	U
1,2,4-Trichlorobenzene	100	U	50	U
1,2,4-Trimethylbenzene	100	U	50	U
1,2-Dibromo-3-chloropropane	100	U	50	U
1,2-Dibromoethane	100	U	50	U
1,2-Dichlorobenzene	100	U	50	U
1,2-Dichloroethane	100	U	50	U
1,2-Dichloroethene (total)		NA		NA
1,2-Dichloropropane	100	U	50	U
1,3,5-Trimethylbenzene	100	U	50	U
1,3-Dichlorobenzene	100	U	50	U
1,3-Dichloropropane	100	U	50	U
1,4-Dichlorobenzene	100	U	50	U
1,4-Dioxane		NA		NA
2,2-Dichloropropane	100	U	50	U
2-Butanone	400	U	200	U
2-Chloroethylvinylether	300	U	150	U
2-Chlorotoluene	100	U	50	U
2-Hexanone	60	U	30	U
4-Chlorotoluene	100	U	50	U
4-Methyl-2-Pentanone	50	U	25	U
Acetone	200	U	100	U
Acrolein	1000	U	500	U
Acrylonitrile	500	U	250	U
Benzene	100	U	50	U
Bromobenzene	100	U	50	U
Bromochloromethane	100	U	50	U
Bromodichloromethane	100	U	50	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0022		RM-GW65-0027-AVG	
Sample Location	65		65	
Date Sampled	2/28/2002		2/28/2002	
Interval	0.0-22.0		0.0-27.0	
QC Identifier	None		Field Dup. RM-GW65-0027	
Zone	Overburden		Overburden	
Bromoform	100	U	50	U
Bromomethane	100	U	50	U
Carbon Disulfide	300	U	150	U
Carbon Tetrachloride	100	U	50	U
Chlorobenzene	100	U	50	U
Chloroethane	100	U	50	U
Chloroform	100	U	50	U
Chloromethane	100	U	50	U
cis-1,2-Dichloroethene	100	U	50	U
cis-1,3-Dichloropropene	100	U	50	U
Cyclohexane		NA		NA
Dibromochloromethane	100	U	50	U
Dibromomethane	100	U	50	U
Dichlorodifluoromethane	100	U	50	U
Ethyl Ether	300	U	150	U
Ethylbenzene	100	U	50	U
Hexachlorobutadiene	100	U	50	U
Isopropylbenzene	100	U	50	U
m&p-Xylene	200	U	100	U
Methyl Acetate		NA		NA
Methyl tert-Butyl Ether	17000		6000	
Methylcyclohexane		NA		NA
Methylene Chloride	100	U	50	U
Naphthalene	100	U	50	U
n-Butylbenzene	100	U	50	U
n-Propylbenzene	100	U	50	U
o-Xylene	100	U	50	U
p-Isopropyltoluene	100	U	50	U
sec-Butylbenzene	100	U	50	U
Styrene	100	U	50	U
tert-Butylbenzene	100	U	50	U
Tetrachloroethene	100	U	50	U
Tetrahydrofuran	700	U	350	U
Toluene	100	U	50	U
Total Xylenes		NA		NA
trans-1,2-Dichloroethene	100	U	50	U
trans-1,3-Dichloropropene	100	U	50	U
Trichloroethene	100	U	50	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0022		RM-GW65-0027-AVG	
Sample Location	65		65	
Date Sampled	2/28/2002		2/28/2002	
Interval	0.0-22.0		0.0-27.0	
QC Identifier	None		Field Dup. RM-GW65-0027	
Zone	Overburden		Overburden	
Trichlorofluoromethane	100	U	50	U
Vinyl Acetate	600	U	300	U
Vinyl Chloride	100	U	50	U
Volatile Organic Screening Analysis (UG/L)				
1,1,1-Trichloroethane		NA		NA
1,1-Dichloroethane		NA		NA
1,1-Dichloroethene		NA		NA
1,2-Dichloroethane		NA		NA
Benzene		NA		NA
Chlorobenzene		NA		NA
cis-1,2-Dichloroethene		NA		NA
Ethylbenzene		NA		NA
m&p-Xylene		NA		NA
o-Xylene		NA		NA
Tetrachloroethene		NA		NA
Toluene		NA		NA
trans-1,2-Dichloroethene		NA		NA
Trichloroethene		NA		NA
Vinyl Chloride		NA		NA
Semivolatile Organic Analysis (UG/L)				
1,1'-Biphenyl		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA
2,4,5-Trichlorophenol		NA		NA
2,4,6-Trichlorophenol		NA		NA
2,4-Dichlorophenol		NA		NA
2,4-Dimethylphenol		NA		NA
2,4-Dinitrophenol		NA		NA
2,4-Dinitrotoluene		NA		NA
2,6-Dinitrotoluene		NA		NA
2-Chloronaphthalene		NA		NA
2-Chlorophenol		NA		NA
2-Methylnaphthalene		NA		NA
2-Methylphenol		NA		NA
2-Nitroaniline		NA		NA
2-Nitrophenol		NA		NA
3,3'-Dichlorobenzidine		NA		NA
3-Nitroaniline		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0022		RM-GW65-0027-AVG	
Sample Location	65		65	
Date Sampled	2/28/2002		2/28/2002	
Interval	0.0-22.0		0.0-27.0	
QC Identifier	None		Field Dup. RM-GW65-0027	
Zone	Overburden		Overburden	
4-Bromophenyl-phenylether		NA		NA
4-Chloro-3-methylphenol		NA		NA
4-Chloroaniline		NA		NA
4-Chlorophenyl-phenylether		NA		NA
4-Methylphenol		NA		NA
4-Nitroaniline		NA		NA
4-Nitrophenol		NA		NA
Acenaphthene		NA		NA
Acenaphthylene		NA		NA
Acetophenone		NA		NA
Anthracene		NA		NA
Atrazine		NA		NA
Benzaldehyde		NA		NA
Benzo(a)anthracene		NA		NA
Benzo(a)pyrene		NA		NA
Benzo(b)fluoranthene		NA		NA
Benzo(g,h,i)perylene		NA		NA
Benzo(k)fluoranthene		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA
Bis(2-Chloroethyl)ether		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA
Butylbenzylphthalate		NA		NA
Caprolactam		NA		NA
Carbazole		NA		NA
Chrysene		NA		NA
Dibenzo(a,h)anthracene		NA		NA
Dibenzofuran		NA		NA
Diethylphthalate		NA		NA
Dimethylphthalate		NA		NA
Di-n-Butylphthalate		NA		NA
Di-n-octylphthalate		NA		NA
Fluoranthene		NA		NA
Fluorene		NA		NA
Hexachlorobenzene		NA		NA
Hexachlorobutadiene		NA		NA
Hexachlorocyclopentadiene		NA		NA
Hexachloroethane		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0022		RM-GW65-0027-AVG	
Sample Location	65		65	
Date Sampled	2/28/2002		2/28/2002	
Interval	0.0-22.0		0.0-27.0	
QC Identifier	None		Field Dup. RM-GW65-0027	
Zone	Overburden		Overburden	
Isophorone		NA		NA
Naphthalene		NA		NA
Nitrobenzene		NA		NA
N-Nitroso-di-n-propylamine		NA		NA
N-Nitroso-diphenylamine		NA		NA
Pentachlorophenol		NA		NA
Phenanthrene		NA		NA
Phenol		NA		NA
Pyrene		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)				
Acenaphthylene		NA		NA
Benzo(a)anthracene		NA		NA
Benzo(a)pyrene		NA		NA
Benzo(b)fluoranthene		NA		NA
Benzo(k)fluoranthene		NA		NA
Chrysene		NA		NA
Dibenzo(a,h)anthracene		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA
Phenanthrene		NA		NA
Pesticide/PCB Analysis (UG/L)				
4,4'-DDD		NA		NA
4,4'-DDE		NA		NA
4,4'-DDT		NA		NA
Aldrin		NA		NA
alpha-BHC		NA		NA
alpha-Chlordane		NA		NA
Aroclor-1016		NA		NA
Aroclor-1221		NA		NA
Aroclor-1232		NA		NA
Aroclor-1242		NA		NA
Aroclor-1248		NA		NA
Aroclor-1254		NA		NA
Aroclor-1260		NA		NA
Aroclor-1262		NA		NA
Aroclor-1268		NA		NA
beta-BHC		NA		NA
delta-BHC		NA		NA
Dieldrin		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0022		RM-GW65-0027-AVG	
Sample Location	65		65	
Date Sampled	2/28/2002		2/28/2002	
Interval	0.0-22.0		0.0-27.0	
QC Identifier	None		Field Dup. RM-GW65-0027	
Zone	Overburden		Overburden	
Endosulfan I		NA		NA
Endosulfan II		NA		NA
Endosulfan Sulfate		NA		NA
Endrin		NA		NA
Endrin Aldehyde		NA		NA
Endrin Ketone		NA		NA
gamma-BHC		NA		NA
gamma-Chlordane		NA		NA
Heptachlor		NA		NA
Heptachlor Epoxide		NA		NA
Methoxychlor		NA		NA
Toxaphene		NA		NA
Dioxin Analysis (pg/L)				
1,2,3,4,6,7,8-HpCDD		NA		NA
1,2,3,4,6,7,8-HpCDF		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA
1,2,3,7,8-PeCDD		NA		NA
1,2,3,7,8-PeCDF		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA
2,3,4,7,8-PeCDF		NA		NA
2,3,7,8-TCDD		NA		NA
2,3,7,8-TCDF		NA		NA
OCDD		NA		NA
OCDF		NA		NA
Total HpCDD		NA		NA
Total HpCDF		NA		NA
Total HxCDD		NA		NA
Total HxCDF		NA		NA
Total PeCDD		NA		NA
Total PeCDF		NA		NA
Total TCDD		NA		NA
Total TCDF		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0022		RM-GW65-0027-AVG	
Sample Location	65		65	
Date Sampled	2/28/2002		2/28/2002	
Interval	0.0-22.0		0.0-27.0	
QC Identifier	None		Field Dup. RM-GW65-0027	
Zone	Overburden		Overburden	
Toxicity Equivalency		NA		NA
TAL Metal Analysis (UG/L)				
Aluminum		NA		NA
Antimony		NA		NA
Arsenic		NA		NA
Barium		NA		NA
Beryllium		NA		NA
Cadmium		NA		NA
Calcium		NA		NA
Chromium		NA		NA
Cobalt		NA		NA
Copper		NA		NA
Iron		NA		NA
Lead		NA		NA
Magnesium		NA		NA
Manganese		NA		NA
Mercury		NA		NA
Nickel		NA		NA
Potassium		NA		NA
Selenium		NA		NA
Silver		NA		NA
Sodium		NA		NA
Thallium		NA		NA
Vanadium		NA		NA
Zinc		NA		NA
Wet Chemistry Analysis				
Alkalinity		NA		NA
Carbon Dioxide		NA		NA
Chloride		NA		NA
Nitrate		NA		NA
Nitrite-N		NA		NA
Sulfate		NA		NA
Sulfide		NA		NA
Total Organic Carbon		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)									
1,1,1,2-Tetrachloroethane	50	U	100	U	10	U	10	U	
1,1,1-Trichloroethane	50	U	100	U	10	U	10	U	
1,1,2,2-Tetrachloroethane	50	U	100	U	10	U	10	U	
1,1,2-Trichloro-1,2,2-trifluoroethane	50	U	100	U	10	U	10	U	
1,1,2-Trichloroethane	50	U	100	U	10	U	10	U	
1,1-Dichloroethane	50	U	100	U	13		10	U	
1,1-Dichloroethene	50	U	100	U	10	U	10	U	
1,1-Dichloropropene	50	U	100	U	10	U	10	U	
1,2,3-Trichlorobenzene	50	U	100	U	10	U	10	U	
1,2,3-Trichloropropane	50	U	100	U	10	U	10	U	
1,2,4-Trichlorobenzene	50	U	100	U	10	U	10	U	
1,2,4-Trimethylbenzene	50	U	100	U	10	U	10	U	
1,2-Dibromo-3-chloropropane	50	U	100	U	10	U	10	U	
1,2-Dibromoethane	50	U	100	U	10	U	10	U	
1,2-Dichlorobenzene	50	U	100	U	10	U	10	U	
1,2-Dichloroethane	50	U	100	U	10	U	10	U	
1,2-Dichloroethene (total)		NA		NA		NA		NA	
1,2-Dichloropropane	50	U	100	U	10	U	10	U	
1,3,5-Trimethylbenzene	50	U	100	U	10	U	10	U	
1,3-Dichlorobenzene	50	U	100	U	10	U	10	U	
1,3-Dichloropropane	50	U	100	U	10	U	10	U	
1,4-Dichlorobenzene	50	U	100	U	10	U	10	U	
1,4-Dioxane		NA		NA		NA		NA	
2,2-Dichloropropane	50	U	100	U	10	U	10	U	
2-Butanone	200	U	400	U	40	U	40	U	
2-Chloroethylvinylether	150	U	300	U	30	U	30	U	
2-Chlorotoluene	50	U	100	U	10	U	10	U	
2-Hexanone	30	U	60	U	6	U	6	U	
4-Chlorotoluene	50	U	100	U	10	U	10	U	
4-Methyl-2-Pentanone	25	U	50	U	5	U	5	U	
Acetone	100	U	200	U	20	U	55	B	
Acrolein	500	U	1000	U	100	U	100	U	
Acrylonitrile	250	U	500	U	50	U	50	U	
Benzene	50	U	100	U	8.9	L	48		
Bromobenzene	50	U	100	U	10	U	10	U	
Bromochloromethane	50	U	100	U	10	U	10	U	
Bromodichloromethane	50	U	100	U	10	U	10	U	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform	50	U	100	U	10	U	10	U	
Bromomethane	50	U	100	U	7.1	BL	10	U	
Carbon Disulfide	150	U	300	U	30	U	30	U	
Carbon Tetrachloride	50	U	100	U	10	U	10	U	
Chlorobenzene	50	U	100	U	900		540		
Chloroethane	50	U	100	U	10	U	10	U	
Chloroform	50	U	100	U	10	U	10	U	
Chloromethane	50	U	100	U	10	U	10	U	
cis-1,2-Dichloroethene	50	U	100	U	6.8	L	10	U	
cis-1,3-Dichloropropene	50	U	100	U	10	U	10	U	
Cyclohexane		NA		NA		NA		NA	
Dibromochloromethane	50	U	100	U	10	U	10	U	
Dibromomethane	50	U	100	U	10	U	10	U	
Dichlorodifluoromethane	50	U	100	U	10	U	10	U	
Ethyl Ether	150	U	300	U	30	U	30	U	
Ethylbenzene	50	U	100	U	10	U	90		
Hexachlorobutadiene	50	U	100	U	10	U	10	U	
Isopropylbenzene	50	U	100	U	10	U	10	U	
m&p-Xylene	100	U	200	U	20	U	20	U	
Methyl Acetate		NA		NA		NA		NA	
Methyl tert-Butyl Ether	3900		8200		730		660		
Methylcyclohexane		NA		NA		NA		NA	
Methylene Chloride	50	U	100	U	10	U	10	U	
Naphthalene	50	U	100	U	10	U	31		
n-Butylbenzene	50	U	100	U	10	U	10	U	
n-Propylbenzene	50	U	100	U	10	U	22		
o-Xylene	50	U	100	U	10	U	10	U	
p-Isopropyltoluene	50	U	100	U	10	U	10	U	
sec-Butylbenzene	50	U	100	U	10	U	10	U	
Styrene	50	U	100	U	10	U	10	U	
tert-Butylbenzene	50	U	100	U	10	U	10	U	
Tetrachloroethene	50	U	100	U	10	U	10	U	
Tetrahydrofuran	350	U	700	U	70	U	70	U	
Toluene	50	U	100	U	10	U	10	U	
Total Xylenes		NA		NA		NA		NA	
trans-1,2-Dichloroethene	50	U	100	U	10	U	10	U	
trans-1,3-Dichloropropene	50	U	100	U	10	U	10	U	
Trichloroethene	50	U	100	U	10	U	10	U	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane	50	U	100	U	10	U	10	U	
Vinyl Acetate	300	U	600	U	60	U	60	U	
Vinyl Chloride	50	U	100	U	9.2	L	10	U	
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA	
Bromoform		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Tetrachloroethene		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA	10	U		NA	17
1,1-Dichloroethane		NA		NA		NA		NA	16
1,1-Dichloroethene		NA		NA	28	U		NA	9.8
1,2-Dichloroethane		NA		NA		NA		NA	1
Benzene		NA		NA	34	J		NA	1
Chlorobenzene		NA		NA	930	J		NA	1
cis-1,2-Dichloroethene		NA		NA	28	U		NA	5.9
Ethylbenzene		NA		NA		NA		NA	1
m&p-Xylene		NA		NA		NA		NA	1
o-Xylene		NA		NA		NA		NA	1
Tetrachloroethene		NA		NA	15	U		NA	1
Toluene		NA		NA	128	J		NA	1
trans-1,2-Dichloroethene		NA		NA		NA		NA	1
Trichloroethene		NA		NA	15	U		NA	8.7
Vinyl Chloride		NA		NA		NA		NA	1
Semivolatile Organic Analysis (UG/L)									
1,1'-Biphenyl		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
2-Chlorophenol		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA	
4-Bromophenyl-phenylether		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Di-n-octylphthalate		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA	
Isophorone		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA	
Total PAH		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA	
Aroclor, Total		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Aroclor-1232		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA	
Endosulfan I		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)									
Aluminum		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA	
Barium		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA	
Copper		NA		NA		NA		NA	
Iron		NA		NA		NA		NA	
Lead		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW65-0027		RM-GW-DP04		RM-GW65-0037		RM-GW65-0045		OU2-DP6-5A-1621
Sample Location	65		65		65		65		DP6-5A
Date Sampled	2/28/2002		2/28/2002		2/28/2002		2/28/2002		8/5/1997
Interval	0.0-27.0		0.0-27.0		0.0-37.0		0.0-45.0		16.0-21.0
QC Identifier	Field Dup. RM-GW65-0027		Field Dup. RM-GW65-0027		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Nickel		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA	
Silver		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA	
Wet Chemistry Analysis									
Alkalinity		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA	
Nitrate-Nitrite (as N)		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	NA		NA		NA	1	U	5	U	10	U
1,1,1-Trichloroethane	NA		NA	230		44		190		480	
1,1,2,2-Tetrachloroethane	NA		NA	20	U	1	U	5	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA	1	U	5	U	10	U
1,1,2-Trichloroethane	NA		NA	20	U	1	U	5	U	10	U
1,1-Dichloroethane	NA		NA	170		8.2		31		74	
1,1-Dichloroethene	NA		NA	180		20		96		230	
1,1-Dichloropropene	NA		NA		NA	1	U	5	U	10	U
1,2,3-Trichlorobenzene	NA		NA		NA	1	U	5	U	10	U
1,2,3-Trichloropropane	NA		NA		NA	1	U	5	U	10	U
1,2,4-Trichlorobenzene	NA		NA		NA	1	U	5	U	10	U
1,2,4-Trimethylbenzene	NA		NA		NA	1	U	5	U	10	U
1,2-Dibromo-3-chloropropane	NA		NA		NA	1	U	5	U	10	U
1,2-Dibromoethane	NA		NA		NA	1	U	5	U	10	U
1,2-Dichlorobenzene	NA		NA		NA	1	U	5	U	10	U
1,2-Dichloroethane	NA		NA	20	U	1	U	5	U	10	U
1,2-Dichloroethene (total)	NA		NA	140			NA		NA		NA
1,2-Dichloropropane	NA		NA	20	U	1	U	5	U	10	U
1,3,5-Trimethylbenzene	NA		NA		NA	1	U	5	U	10	U
1,3-Dichlorobenzene	NA		NA		NA	1	U	5	U	10	U
1,3-Dichloropropane	NA		NA		NA	1	U	5	U	10	U
1,4-Dichlorobenzene	NA		NA		NA	1	U	5	U	10	U
1,4-Dioxane	NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	NA		NA		NA	1	U	5	U	10	U
2-Butanone	NA		NA	20	U	4	U	20	U	40	U
2-Chloroethylvinylether	NA		NA		NA	3	U	15	U	30	U
2-Chlorotoluene	NA		NA		NA	1	U	5	U	10	U
2-Hexanone	NA		NA	20	U	0.6	U	3	U	6	U
4-Chlorotoluene	NA		NA		NA	1	U	5	U	10	U
4-Methyl-2-Pentanone	NA		NA	20	U	0.5	U	2.5	U	5	U
Acetone	NA		NA	20	U	2.7	BJ	18	BJ	35	BJ
Acrolein	NA		NA		NA	10	U	50	U	100	U
Acrylonitrile	NA		NA		NA	5	U	25	U	50	U
Benzene	NA		NA	20	U	1	U	5	U	10	U
Bromobenzene	NA		NA		NA	1	U	5	U	10	U
Bromochloromethane	NA		NA		NA	1	U	5	U	10	U
Bromodichloromethane	NA		NA	20	U	2.3		5	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA		NA		R	1	U	5	U	10	U
Bromomethane	NA		NA	20	U	1	U	5	U	10	U
Carbon Disulfide	NA		NA	20	U	3	U	15	U	30	U
Carbon Tetrachloride	NA		NA	20	U	1	U	5	U	10	U
Chlorobenzene	NA		NA	20	U	1	U	5	U	10	U
Chloroethane	NA		NA	9	J	1	U	5	U	10	U
Chloroform	NA		NA	20	U	11		5	U	10	U
Chloromethane	NA		NA	20	UJ	1	U	5	U	10	U
cis-1,2-Dichloroethene	NA		NA		NA	14		50		130	
cis-1,3-Dichloropropene	NA		NA	20	U	1	U	5	U	10	U
Cyclohexane	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		R	1	U	5	U	10	U
Dibromomethane	NA		NA		NA	1	U	5	U	10	U
Dichlorodifluoromethane	NA		NA		NA	1	U	5	U	10	U
Ethyl Ether	NA		NA		NA	3	U	15	U	30	U
Ethylbenzene	NA		NA	20	U	1	U	5	U	10	U
Hexachlorobutadiene	NA		NA		NA	1	U	5	U	10	U
Isopropylbenzene	NA		NA		NA	1	U	5	U	10	U
m&p-Xylene	NA		NA		NA	2	U	10	U	20	U
Methyl Acetate	NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	NA		NA		NA	0.56	L	5	U	10	U
Methylcyclohexane	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA		NA	20	U	1	U	5	U	10	U
Naphthalene	NA		NA		NA	1	U	5	U	10	U
n-Butylbenzene	NA		NA		NA	1	U	5	U	10	U
n-Propylbenzene	NA		NA		NA	1	U	5	U	10	U
o-Xylene	NA		NA		NA	1	U	5	U	10	U
p-Isopropyltoluene	NA		NA		NA	1	U	5	U	10	U
sec-Butylbenzene	NA		NA		NA	1	U	5	U	10	U
Styrene	NA		NA	20	U	1	U	5	U	10	U
tert-Butylbenzene	NA		NA		NA	1	U	5	U	10	U
Tetrachloroethene	NA		NA	20	U	1	U	5	U	10	U
Tetrahydrofuran	NA		NA		NA	7	U	35	U	70	U
Toluene	NA		NA	20	U	1	U	5	U	10	U
Total Xylenes	NA		NA	20	U		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA	1	U	5	U	10	U
trans-1,3-Dichloropropene	NA		NA	20	U	1	U	5	U	10	U
Trichloroethene	NA		NA	53		19		72		170	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	NA		NA		NA	1	U	5	U	10	U
Vinyl Acetate	NA		NA		NA	6	U	30	U	60	U
Vinyl Chloride	NA		NA	5	J	1	U	5	U	10	U
Low Concentration Volatile Organic Analysis (UG/L)											
1,1,1-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA		NA
Bromoform	NA		NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane		170		230			NA		NA		NA
1,1-Dichloroethane		150		180			NA		NA		NA
1,1-Dichloroethene		150		190			NA		NA		NA
1,2-Dichloroethane	U	10	U	20	U		NA		NA		NA
Benzene	U	10	U	20	U		NA		NA		NA
Chlorobenzene	U	10	U	20	U		NA		NA		NA
cis-1,2-Dichloroethene		110		140			NA		NA		NA
Ethylbenzene	U	10	U	20	U		NA		NA		NA
m&p-Xylene	U	10	U	20	U		NA		NA		NA
o-Xylene	U	10	U	20	U		NA		NA		NA
Tetrachloroethene	U	10	U	20	U		NA		NA		NA
Toluene	U	10	U	20	U		NA		NA		NA
trans-1,2-Dichloroethene	U	10	U	20	U		NA		NA		NA
Trichloroethene		44		64			NA		NA		NA
Vinyl Chloride	U	10	U	20	U		NA		NA		NA
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Isophorone	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA
Total PAH	NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA
Aroclor, Total	NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA
Endosulfan I	NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA		NA	124	U		NA		NA		NA
Antimony	NA		NA		R		NA		NA		NA
Arsenic	NA		NA		R		NA		NA		NA
Barium	NA		NA	173	U		NA		NA		NA
Beryllium	NA		NA	0.10	U		NA		NA		NA
Cadmium	NA		NA	0.30	U		NA		NA		NA
Calcium	NA		NA	94200			NA		NA		NA
Chromium	NA		NA	0.60	U		NA		NA		NA
Cobalt	NA		NA	1.6	J		NA		NA		NA
Copper	NA		NA	43.6	U		NA		NA		NA
Iron	NA		NA	2870			NA		NA		NA
Lead	NA		NA	24.5	UJ		NA		NA		NA
Magnesium	NA		NA	19400			NA		NA		NA
Manganese	NA		NA	2400			NA		NA		NA
Mercury	NA		NA	0.10	UJ		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-DP6-5A-2631		OU2-DP6-5A-3944		RM-GW66-0021		RM-GW66-0026		RM-GW66-0031	
Sample Location		DP6-5A		DP6-5A		66		66		66	
Date Sampled		8/5/1997		8/5/1997		3/1/2002		3/1/2002		3/1/2002	
Interval		26.0-31.0		39.0-44.0		0.0-21.0		0.0-26.0		0.0-31.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel	NA		NA	6.1	J		NA		NA		NA
Potassium	NA		NA	10300			NA		NA		NA
Selenium	NA		NA		R		NA		NA		NA
Silver	NA		NA	0.80	U		NA		NA		NA
Sodium	NA		NA	169000			NA		NA		NA
Thallium	NA		NA	3.4	U		NA		NA		NA
Vanadium	NA		NA	1.5	U		NA		NA		NA
Zinc	NA		NA	46.7	U		NA		NA		NA
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)	NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane	50	U		NA		NA		NA		NA
1,1,1-Trichloroethane	2000			NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	50	U		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	50	U		NA		NA		NA		NA
1,1,2-Trichloroethane	50	U		NA		NA		NA		NA
1,1-Dichloroethane	450			NA		NA		NA		NA
1,1-Dichloroethene	1600			NA		NA		NA		NA
1,1-Dichloropropene	50	U		NA		NA		NA		NA
1,2,3-Trichlorobenzene	50	U		NA		NA		NA		NA
1,2,3-Trichloropropane	50	U		NA		NA		NA		NA
1,2,4-Trichlorobenzene	50	U		NA		NA		NA		NA
1,2,4-Trimethylbenzene	50	U		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	50	U		NA		NA		NA		NA
1,2-Dibromoethane	50	U		NA		NA		NA		NA
1,2-Dichlorobenzene	50	U		NA		NA		NA		NA
1,2-Dichloroethane	50	U		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane	50	U		NA		NA		NA		NA
1,3,5-Trimethylbenzene	50	U		NA		NA		NA		NA
1,3-Dichlorobenzene	50	U		NA		NA		NA		NA
1,3-Dichloropropane	50	U		NA		NA		NA		NA
1,4-Dichlorobenzene	50	U		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane	50	U		NA		NA		NA		NA
2-Butanone	200	U		NA		NA		NA		NA
2-Chloroethylvinylether	150	U		NA		NA		NA		NA
2-Chlorotoluene	50	U		NA		NA		NA		NA
2-Hexanone	30	U		NA		NA		NA		NA
4-Chlorotoluene	50	U		NA		NA		NA		NA
4-Methyl-2-Pentanone	25	U		NA		NA		NA		NA
Acetone	87	BJ		NA		NA		NA		NA
Acrolein	500	U		NA		NA		NA		NA
Acrylonitrile	250	U		NA		NA		NA		NA
Benzene	50	U		NA		NA		NA		NA
Bromobenzene	50	U		NA		NA		NA		NA
Bromochloromethane	50	U		NA		NA		NA		NA
Bromodichloromethane	50	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	50	U		NA		NA		NA		NA
Bromomethane	50	U		NA		NA		NA		NA
Carbon Disulfide	150	U		NA		NA		NA		NA
Carbon Tetrachloride	50	U		NA		NA		NA		NA
Chlorobenzene	50	U		NA		NA		NA		NA
Chloroethane	50	U		NA		NA		NA		NA
Chloroform	50	U		NA		NA		NA		NA
Chloromethane	50	U		NA		NA		NA		NA
cis-1,2-Dichloroethene	670			NA		NA		NA		NA
cis-1,3-Dichloropropene	50	U		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	50	U		NA		NA		NA		NA
Dibromomethane	50	U		NA		NA		NA		NA
Dichlorodifluoromethane	50	U		NA		NA		NA		NA
Ethyl Ether	150	U		NA		NA		NA		NA
Ethylbenzene	50	U		NA		NA		NA		NA
Hexachlorobutadiene	50	U		NA		NA		NA		NA
Isopropylbenzene	50	U		NA		NA		NA		NA
m&p-Xylene	100	U		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	50	U		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	50	U		NA		NA		NA		NA
Naphthalene	50	U		NA		NA		NA		NA
n-Butylbenzene	50	U		NA		NA		NA		NA
n-Propylbenzene	50	U		NA		NA		NA		NA
o-Xylene	50	U		NA		NA		NA		NA
p-Isopropyltoluene	50	U		NA		NA		NA		NA
sec-Butylbenzene	50	U		NA		NA		NA		NA
Styrene	50	U		NA		NA		NA		NA
tert-Butylbenzene	50	U		NA		NA		NA		NA
Tetrachloroethene	50	U		NA		NA		NA		NA
Tetrahydrofuran	350	U		NA		NA		NA		NA
Toluene	50	U		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	50	U		NA		NA		NA		NA
trans-1,3-Dichloropropene	50	U		NA		NA		NA		NA
Trichloroethene	990			NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	50	U		NA		NA		NA		NA
Vinyl Acetate	300	U		NA		NA		NA		NA
Vinyl Chloride	50	U		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA	230		180		280		1600	
1,1-Dichloroethane		NA	73		55		95		200	
1,1-Dichloroethene		NA	72		53		150		430	
1,2-Dichloroethane		NA	50	U	50	U	50	U	100	U
Benzene		NA	50	U	50	U	50	U	100	U
Chlorobenzene		NA	50	U	50	U	50	U	100	U
cis-1,2-Dichloroethene		NA	140		89		190		390	
Ethylbenzene		NA	50	U	50	U	50	U	100	U
m&p-Xylene		NA	50	U	50	U	50	U	100	U
o-Xylene		NA	50	U	50	U	50	U	100	U
Tetrachloroethene		NA	50	U	50	U	50	U	100	U
Toluene		NA	50	U	50	U	50	U	100	U
trans-1,2-Dichloroethene		NA	50	U	50	U	50	U	100	U
Trichloroethene		NA	65		50	U	50	U	240	
Vinyl Chloride		NA	50	U	50	U	50	U	100	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW66-0041		OU2-DP6-6-1419		OU2-DP6-6A-2025		OU2-DP6-6A-2934		OU2-DP6-7B-1722	
Sample Location	66		DP6-6		DP6-6A		DP6-6A		DP6-7B	
Date Sampled	3/1/2002		8/5/1997		8/5/1997		8/5/1997		8/12/1997	
Interval	0.0-41.0		14.0-19.0		20.0-25.0		29.0-34.0		17.0-22.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	3400		3200		5600		1300		6000	
1,1-Dichloroethane	500	U	500	U	480		1000	U	1000	U
1,1-Dichloroethene	730		860		1800		1000	U	1600	
1,2-Dichloroethane	500	U	500	U	250	U	1000	U	1000	U
Benzene	500	U	500	U	250	U	1000	U	1000	U
Chlorobenzene	500	U	500	U	250	U	1000	U	1000	U
cis-1,2-Dichloroethene	500	U	500	U	730		1000	U	1000	U
Ethylbenzene	500	U	500	U	250	U	1000	U	1000	U
m&p-Xylene	500	U	500	U	250	U	1000	U	1000	U
o-Xylene	500	U	500	U	250	U	1000	U	1000	U
Tetrachloroethene	500	U	500	U	250	U	1000	U	1000	U
Toluene	500	U	500	U	250	U	1000	U	1000	U
trans-1,2-Dichloroethene	500	U	500	U	250	U	1000	U	1000	U
Trichloroethene	680		500	U	1200		1000	U	1000	U
Vinyl Chloride	500	U	500	U	250	U	1000	U	1000	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-7B-2732		OU2-DP6-7B-3742		OU2-DP6-7B-4449		OU2-DP6-8B-1217		OU2-DP6-8B-2227	
Sample Location	DP6-7B		DP6-7B		DP6-7B		DP6-8B		DP6-8B	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/7/1997		8/7/1997	
Interval	27.0-32.0		37.0-42.0		44.0-49.0		12.0-17.0		22.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA	10	U		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA	10	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA	10	U		NA		NA
1,1-Dichloroethane		NA		NA	29			NA		NA
1,1-Dichloroethene		NA		NA	10	U		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA	10	U		NA		NA
1,2-Dichloroethene (total)		NA		NA	38			NA		NA
1,2-Dichloropropane		NA		NA	10	U		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA	10	U		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA	10	U		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA	10	U		NA		NA
Acetone		NA		NA	10	U		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA	1	J		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		R		NA		NA
Bromomethane		NA		NA	10	U		NA		NA
Carbon Disulfide		NA		NA	10	U		NA		NA
Carbon Tetrachloride		NA		NA	10	U		NA		NA
Chlorobenzene		NA		NA	25			NA		NA
Chloroethane		NA		NA	10	UJ		NA		NA
Chloroform		NA		NA	10	U		NA		NA
Chloromethane		NA		NA	10	U		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA	10	U		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		R		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA	10	U		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA	4	JEB		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA	10	U		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA	10	U		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA	10	U		NA		NA
Total Xylenes		NA		NA	10	U		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA	10	U		NA		NA
Trichloroethene		NA		NA	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA	28			NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	1200		1	U	5	U	10	U	10	U
1,1-Dichloroethane	380		1	U	29		16		18	
1,1-Dichloroethene	580		1	U	5	U	10	U	10	U
1,2-Dichloroethane	50	U	1	U	5	U	10	U	10	U
Benzene	50	U	1	U	5	U	10	U	10	U
Chlorobenzene	50	U	1	U	31		12.5		11	
cis-1,2-Dichloroethene	560		1	U	35		89.5		91	
Ethylbenzene	50	U	1	U	5	U	10	U	10	U
m&p-Xylene	50	U	1	U	5	U	10	U	10	U
o-Xylene	50	U	1	U	5	U	10	U	10	U
Tetrachloroethene	50	U	1	U	5	U	10	U	10	U
Toluene	50	U	1	U	5	U	10	U	10	U
trans-1,2-Dichloroethene	50	U	1	U	5	U	10	U	10	U
Trichloroethene	170		1	U	5	U	10	U	10	U
Vinyl Chloride	50	U	1	U	32		22		14	
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA	2720	J		NA		NA
Antimony		NA		NA		R		NA		NA
Arsenic		NA		NA		R		NA		NA
Barium		NA		NA	352	UJ		NA		NA
Beryllium		NA		NA	0.11	J		NA		NA
Cadmium		NA		NA	1.4	UJ		NA		NA
Calcium		NA		NA	93100	J		NA		NA
Chromium		NA		NA	2.0	J		NA		NA
Cobalt		NA		NA	4.7	J		NA		NA
Copper		NA		NA	103	UJ		NA		NA
Iron		NA		NA	12600	J		NA		NA
Lead		NA		NA	71.5	UJ		NA		NA
Magnesium		NA		NA	37200	J		NA		NA
Manganese		NA		NA	8080	J		NA		NA
Mercury		NA		NA	0.10	UJ		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP6-9-0813		OU2-DP7-2A-0611		OU2-DP7-4-0712		OU2-DP7-4-1722-AVG		OU2-DP7-4-2732	
Sample Location	DP6-9		DP7-2A		DP7-4		DP7-4		DP7-4	
Date Sampled	8/7/1997		8/4/1997		8/4/1997		8/4/1997		8/4/1997	
Interval	8.0-13.0		6.0-11.0		7.0-12.0		17.0-22.0		27.0-32.0	
QC Identifier	None		None		None		Field Dup. (D4s)		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA	6.2	J		NA		NA
Potassium		NA		NA	11000	J		NA		NA
Selenium		NA		NA		R		NA		NA
Silver		NA		NA	1.2	J		NA		NA
Sodium		NA		NA	87800	J		NA		NA
Thallium		NA		NA	3.4	UJ		NA		NA
Vanadium		NA		NA	5.8	J		NA		NA
Zinc		NA		NA	120	UJ		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	50	U	50	U	100	U	9200		7800	
1,1-Dichloroethane	50	U	120		120		1000	U	1000	U
1,1-Dichloroethene	50	U	50	U	100	U	2700		2500	
1,2-Dichloroethane	50	U	50	U	100	U	1000	U	1000	U
Benzene	50	U	50	U	100	U	1000	U	1000	U
Chlorobenzene	50	U	74		180		1000	U	1000	U
cis-1,2-Dichloroethene	130		400		1100		1200		1000	U
Ethylbenzene	50	U	50	U	100	U	1000	U	1000	U
m&p-Xylene	50	U	50	U	100	U	1000	U	1000	U
o-Xylene	50	U	50	U	100	U	1000	U	1000	U
Tetrachloroethene	50	U	50	U	100	U	1000	U	1000	U
Toluene	50	U	50	U	100	U	1000	U	1000	U
trans-1,2-Dichloroethene	50	U	50	U	100	U	1000	U	1000	U
Trichloroethene	50	U	50	U	1700		1700		1000	U
Vinyl Chloride	50	U	95		340		1000	U	1000	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-4-3742		OU2-DP7-4-4752		OU2-DP7-4-5762		OU2-DP7-5-0813		OU2-DP7-5A-2833	
Sample Location	DP7-4		DP7-4		DP7-4		DP7-5		DP7-5A	
Date Sampled	8/4/1997		8/4/1997		8/4/1997		8/5/1997		8/6/1997	
Interval	37.0-42.0		47.0-52.0		57.0-62.0		8.0-13.0		28.0-33.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	8200			NA	42			NA		NA
1,1,2,2-Tetrachloroethane	500	U		NA	10	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	500	U		NA	10	U		NA		NA
1,1-Dichloroethane	330			NA	4	J		NA		NA
1,1-Dichloroethene	4400			NA	14			NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane	500	U		NA	10	U		NA		NA
1,2-Dichloroethene (total)	1250			NA	7	J		NA		NA
1,2-Dichloropropane	500	U		NA	10	U		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone	500	U		NA	10	UJ		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone	500	U		NA	10	UJ		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	500	U		NA	10	UJ		NA		NA
Acetone	500	U		NA	10	U		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene	500	U		NA	10	U		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane	500	U		NA	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		R		NA		NA
Bromomethane	500	U		NA	10	U		NA		NA
Carbon Disulfide	500	U		NA	10	U		NA		NA
Carbon Tetrachloride	500	U		NA	10	U		NA		NA
Chlorobenzene	500	U		NA	10	U		NA		NA
Chloroethane	500	U		NA	10	UJ		NA		NA
Chloroform	500	U		NA	10	U		NA		NA
Chloromethane	500	U		NA	10	U		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	500	U		NA	10	U		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		R		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene	500	U		NA	10	U		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	500	U		NA	10	U		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene	500	U		NA	10	U		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene	500	U		NA	10	U		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene	500	U		NA	10	U		NA		NA
Total Xylenes	500	U		NA	10	U		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	500	U		NA	10	U		NA		NA
Trichloroethene	515			NA	8	J		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride	500	U		NA	10	U		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	9800		9200		40		2300		1	U
1,1-Dichloroethane	1000	U	1000	U	5	U	210		1	U
1,1-Dichloroethene	4600		2500		13		890		1	U
1,2-Dichloroethane	1000	U	1000	U	5	U	100	U	1	U
Benzene	1000	U	1000	U	5	U	100	U	1	U
Chlorobenzene	1000	U	1000	U	5	U	100	U	1	U
cis-1,2-Dichloroethene	1500		1000		5		360		2.3	
Ethylbenzene	1000	U	1000	U	5	U	100	U	1	U
m&p-Xylene	1000	U	1000	U	5	U	100	U	1	U
o-Xylene	1000	U	1000	U	5	U	100	U	1	U
Tetrachloroethene	1000	U	1000	U	5	U	100	U	1	U
Toluene	1000	U	1000	U	5	U	100	U	1	U
trans-1,2-Dichloroethene	1000	U	1000	U	5	U	100	U	1	U
Trichloroethene	1000	U	1600		10		540		1	U
Vinyl Chloride	1000	U	1000	U	5	U	100	U	1	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	119.5	U		NA	41.7	U		NA		NA
Antimony	4.7	U		NA	4.7	U		NA		NA
Arsenic	24.95			NA	2.0	U		NA		NA
Barium	83.2	U		NA	137	U		NA		NA
Beryllium	0.10	U		NA	0.10	U		NA		NA
Cadmium	19.4			NA	0.30	U		NA		NA
Calcium	284500			NA	8090			NA		NA
Chromium	0.60	U		NA	0.82	UJ		NA		NA
Cobalt	1975			NA	1.9	J		NA		NA
Copper	10.3	U		NA	24.1	U		NA		NA
Iron	416500			NA	2150			NA		NA
Lead	29.6	U		NA	14.5	UJ		NA		NA
Magnesium	165500			NA	1680			NA		NA
Manganese	0.40	U		NA	2650			NA		NA
Mercury	0.10	U		NA	0.10	UJ		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP7-5A-3843-AVG		OU2-DP7-5A-1823		OU2-DP7-9A-2227		OU2-DP7-9A-3439		OU2-DP8-1A-0914	
Sample Location	DP7-5A		DP7-5A		DP7-9A		DP7-9A		DP8-1A	
Date Sampled	8/7/1997		8/8/1997		8/13/1997		8/13/1997		8/12/1997	
Interval	38.0-43.0		18.0-23.0		22.0-27.0		34.0-39.0		9.0-14.0	
QC Identifier	Field Dup. (D2)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel	1015			NA	6.4	J		NA		NA
Potassium	20100			NA	2340			NA		NA
Selenium	20.05			NA		R		NA		NA
Silver	15.0			NA	0.80	U		NA		NA
Sodium	88500			NA	42400			NA		NA
Thallium	129			NA	3.4	U		NA		NA
Vanadium	1.5	U		NA	1.5	U		NA		NA
Zinc	660.5			NA	60.0	U		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	1	U	5	U	1	U	1	U	1	U
1,1-Dichloroethane	1	U	5	U	1	U	1	U	1	U
1,1-Dichloroethene	1	U	5	U	1	U	1	U	1	U
1,2-Dichloroethane	1	U	5	U	1	U	1	U	1	U
Benzene	1	U	5	U	1	U	1	U	1	U
Chlorobenzene	1	U	5	U	1	U	1	U	1	U
cis-1,2-Dichloroethene	1	U	5	U	1	U	1	U	1	U
Ethylbenzene	1	U	5	U	1	U	1	U	1	U
m&p-Xylene	1	U	5	U	1	U	1	U	1	U
o-Xylene	1	U	5	U	1	U	1	U	1	U
Tetrachloroethene	16		57		8.2		5.9		18	
Toluene	1	U	5	U	1	U	1	U	1	U
trans-1,2-Dichloroethene	1	U	5	U	1	U	1	U	1	U
Trichloroethene	3.7		5.5		1	U	1	U	1.3	
Vinyl Chloride	1	U	5	U	1	U	1	U	1	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-1924		OU2-DP8-1A-2934		OU2-DP8-1A-3944		OU2-DP8-1A-4954		OU2-DP8-1A-5964	
Sample Location	DP8-1A		DP8-1A		DP8-1A		DP8-1A		DP8-1A	
Date Sampled	8/12/1997		8/12/1997		8/12/1997		8/12/1997		8/12/1997	
Interval	19.0-24.0		29.0-34.0		39.0-44.0		49.0-54.0		59.0-64.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA	10	U		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA	10	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA	10	U		NA		NA
1,1-Dichloroethane		NA		NA	10	U		NA		NA
1,1-Dichloroethene		NA		NA	10	U		NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA	10	U		NA		NA
1,2-Dichloroethene (total)		NA		NA	10	U		NA		NA
1,2-Dichloropropane		NA		NA	10	U		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA	10	UJ		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA	10	UJ		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA	10	UJ		NA		NA
Acetone		NA		NA	10	U		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA	10	U		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		R		NA		NA
Bromomethane		NA		NA	10	U		NA		NA
Carbon Disulfide		NA		NA	10	U		NA		NA
Carbon Tetrachloride		NA		NA	10	U		NA		NA
Chlorobenzene		NA		NA	10	U		NA		NA
Chloroethane		NA		NA	10	UJ		NA		NA
Chloroform		NA		NA	10	U		NA		NA
Chloromethane		NA		NA	10	U		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA	10	U		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		R		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA	10	U		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA	10	U		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA	10	U		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA	10	U		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA	10	U		NA		NA
Total Xylenes		NA		NA	10	U		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA	10	U		NA		NA
Trichloroethene		NA		NA	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA	10	U		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	5	U	1	U	1	U	1	U	110	
1,1-Dichloroethane	5	U	1	U	1	U	1	U	150	
1,1-Dichloroethene	5	U	1	U	1	U	1	U	140	
1,2-Dichloroethane	5	U	1	U	1	U	1	U	50	U
Benzene	5	U	1	U	1	U	1	U	50	U
Chlorobenzene	5	U	1	U	1	U	1	U	50	U
cis-1,2-Dichloroethene	5	U	1	U	1	U	1.1		200	
Ethylbenzene	5	U	1	U	1	U	1	U	50	U
m&p-Xylene	5	U	1	U	1	U	1	U	50	U
o-Xylene	5	U	1	U	1	U	1	U	50	U
Tetrachloroethene	5	U	1	U	1	U	1	U	50	U
Toluene	5	U	1	U	1	U	1.2		50	U
trans-1,2-Dichloroethene	5	U	1	U	1	U	1	U	50	U
Trichloroethene	38.5		1	U	1	U	1	U	110	
Vinyl Chloride	5	U	1	U	1	U	1	U	50	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA	145	U		NA		NA
Antimony		NA		NA	4.7	U		NA		NA
Arsenic		NA		NA	2.8	UJ		NA		NA
Barium		NA		NA	162	U		NA		NA
Beryllium		NA		NA	0.10	U		NA		NA
Cadmium		NA		NA	0.58	J		NA		NA
Calcium		NA		NA	148000			NA		NA
Chromium		NA		NA	5.9	U		NA		NA
Cobalt		NA		NA	1.4	J		NA		NA
Copper		NA		NA	35.4	U		NA		NA
Iron		NA		NA	5610			NA		NA
Lead		NA		NA	17.6	UJ		NA		NA
Magnesium		NA		NA	18500			NA		NA
Manganese		NA		NA	231			NA		NA
Mercury		NA		NA	0.10	UJ		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-1A-6974-AVG		OU2-DP8-1A-7883		OU2-DP8-3A-0914		OU2-DP8-5-0914		OU2-DP8-5-2025	
Sample Location	DP8-1A		DP8-1A		DP8-3A		DP8-5		DP8-5	
Date Sampled	8/13/1997		8/13/1997		8/13/1997		8/11/1997		8/11/1997	
Interval	69.0-74.0		78.0-83.0		9.0-14.0		9.0-14.0		20.0-25.0	
QC Identifier	Field Dup. (D9s)		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA	4.5	J		NA		NA
Potassium		NA		NA	25500			NA		NA
Selenium		NA		NA		R		NA		NA
Silver		NA		NA	0.80	U		NA		NA
Sodium		NA		NA	378000			NA		NA
Thallium		NA		NA	3.4	U		NA		NA
Vanadium		NA		NA	9.1			NA		NA
Zinc		NA		NA	35.4	U		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane		NA		NA	1700			NA		NA
1,1,2,2-Tetrachloroethane		NA		NA	160	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA	160	U		NA		NA
1,1-Dichloroethane		NA		NA	280			NA		NA
1,1-Dichloroethene		NA		NA	600			NA		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA	160	U		NA		NA
1,2-Dichloroethene (total)		NA		NA	610			NA		NA
1,2-Dichloropropane		NA		NA	160	U		NA		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone		NA		NA	160	U		NA		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone		NA		NA	160	UJ		NA		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA	160	UJ		NA		NA
Acetone		NA		NA	160	U		NA		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene		NA		NA	160	U		NA		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA	160	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		R		NA		NA
Bromomethane		NA		NA	160	U		NA		NA
Carbon Disulfide		NA		NA	160	U		NA		NA
Carbon Tetrachloride		NA		NA	160	U		NA		NA
Chlorobenzene		NA		NA	33	J		NA		NA
Chloroethane		NA		NA	160	UJ		NA		NA
Chloroform		NA		NA	160	U		NA		NA
Chloromethane		NA		NA	160	U		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA	160	U		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		R		NA		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA	160	U		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA	160	U		NA		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene		NA		NA	160	U		NA		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA	160	U		NA		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene		NA		NA	160	U		NA		NA
Total Xylenes		NA		NA	160	U		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA	160	U		NA		NA
Trichloroethene		NA		NA	1100			NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA	49	J		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	67		2200		2200		2600		1700	
1,1-Dichloroethane	140		250		1000	U	1000	U	1000	U
1,1-Dichloroethene	150		800		1000	U	1000	U	1000	U
1,2-Dichloroethane	50	U	250	U	1000	U	1000	U	1000	U
Benzene	50	U	250	U	1000	U	1000	U	1000	U
Chlorobenzene	50	U	250	U	1000	U	1000	U	1000	U
cis-1,2-Dichloroethene	200		600		1000	U	1100		1550	
Ethylbenzene	50	U	250	U	1000	U	1000	U	1000	U
m&p-Xylene	50	U	250	U	1000	U	1000	U	1000	U
o-Xylene	50	U	250	U	1000	U	1000	U	1000	U
Tetrachloroethene	50	U	250	U	1000	U	1000	U	1000	U
Toluene	50	U	250	U	1000	U	1000	U	1000	U
trans-1,2-Dichloroethene	50	U	250	U	1000	U	1000	U	1000	U
Trichloroethene	85		1000		1400		2000		1900	
Vinyl Chloride	50	U	250	U	1000	U	1000	U	1000	U
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA	55.7	U		NA		NA
Antimony		NA		NA	4.7	U		NA		NA
Arsenic		NA		NA	2.0	U		NA		NA
Barium		NA		NA	175	U		NA		NA
Beryllium		NA		NA	0.10	U		NA		NA
Cadmium		NA		NA	0.30	U		NA		NA
Calcium		NA		NA	98100			NA		NA
Chromium		NA		NA	0.60	U		NA		NA
Cobalt		NA		NA	3.5			NA		NA
Copper		NA		NA	12.2	U		NA		NA
Iron		NA		NA	2480			NA		NA
Lead		NA		NA	14.7	UJ		NA		NA
Magnesium		NA		NA	36100			NA		NA
Manganese		NA		NA	13500			NA		NA
Mercury		NA		NA	0.10	UJ		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-3035		OU2-DP8-5-4045		OU2-DP8-5-5055		OU2-DP8-5-6065		OU2-DP8-5-7378-AVG	
Sample Location	DP8-5		DP8-5		DP8-5		DP8-5		DP8-5	
Date Sampled	8/11/1997		8/11/1997		8/11/1997		8/11/1997		8/12/1997	
Interval	30.0-35.0		40.0-45.0		50.0-55.0		60.0-65.0		73.0-78.0	
QC Identifier	None		None		None		None		Field Dup. (D8s)	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA	7.1	J		NA		NA
Potassium		NA		NA	9580			NA		NA
Selenium		NA		NA		R		NA		NA
Silver		NA		NA	0.80	U		NA		NA
Sodium		NA		NA	136000			NA		NA
Thallium		NA		NA	3.4	U		NA		NA
Vanadium		NA		NA	1.5	U		NA		NA
Zinc		NA		NA	79.2	U		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA	200	U	200
1,1,1-Trichloroethane		NA		NA		NA		NA	200	U	200
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	200	U	200
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA	200	U	200
1,1,2-Trichloroethane		NA		NA		NA		NA	200	U	200
1,1-Dichloroethane		NA		NA		NA		NA	1100		1200
1,1-Dichloroethene		NA		NA		NA		NA	200	U	200
1,1-Dichloropropene		NA		NA		NA		NA	200	U	200
1,2,3-Trichlorobenzene		NA		NA		NA		NA	200	U	200
1,2,3-Trichloropropane		NA		NA		NA		NA	200	U	200
1,2,4-Trichlorobenzene		NA		NA		NA		NA	200	U	200
1,2,4-Trimethylbenzene		NA		NA		NA		NA	200	U	200
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA	200	U	200
1,2-Dibromoethane		NA		NA		NA		NA	200	U	200
1,2-Dichlorobenzene		NA		NA		NA		NA	200	U	200
1,2-Dichloroethane		NA		NA		NA		NA	200	U	200
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA	200	U	200
1,3,5-Trimethylbenzene		NA		NA		NA		NA	200	U	200
1,3-Dichlorobenzene		NA		NA		NA		NA	200	U	200
1,3-Dichloropropane		NA		NA		NA		NA	200	U	200
1,4-Dichlorobenzene		NA		NA		NA		NA	200	U	200
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA		NA		NA		NA	200	U	200
2-Butanone		NA		NA		NA		NA	800	U	800
2-Chloroethylvinylether		NA		NA		NA		NA	600	U	600
2-Chlorotoluene		NA		NA		NA		NA	200	U	200
2-Hexanone		NA		NA		NA		NA	120	U	120
4-Chlorotoluene		NA		NA		NA		NA	200	U	200
4-Methyl-2-Pentanone		NA		NA		NA		NA	100	U	100
Acetone		NA		NA		NA		NA	400	U	400
Acrolein		NA		NA		NA		NA	2000	U	2000
Acrylonitrile		NA		NA		NA		NA	1000	U	1000
Benzene		NA		NA		NA		NA	200	U	200
Bromobenzene		NA		NA		NA		NA	200	U	200
Bromochloromethane		NA		NA		NA		NA	200	U	200
Bromodichloromethane		NA		NA		NA		NA	200	U	200

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA		NA		NA		NA	200	U	200
Bromomethane		NA		NA		NA		NA	200	U	200
Carbon Disulfide		NA		NA		NA		NA	600	U	600
Carbon Tetrachloride		NA		NA		NA		NA	200	U	200
Chlorobenzene		NA		NA		NA		NA	310		280
Chloroethane		NA		NA		NA		NA	360		330
Chloroform		NA		NA		NA		NA	200	U	200
Chloromethane		NA		NA		NA		NA	200	U	200
cis-1,2-Dichloroethene		NA		NA		NA		NA	6300		5300
cis-1,3-Dichloropropene		NA		NA		NA		NA	200	U	200
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA	200	U	200
Dibromomethane		NA		NA		NA		NA	200	U	200
Dichlorodifluoromethane		NA		NA		NA		NA	200	U	200
Ethyl Ether		NA		NA		NA		NA	600	U	600
Ethylbenzene		NA		NA		NA		NA	200	U	200
Hexachlorobutadiene		NA		NA		NA		NA	200	U	200
Isopropylbenzene		NA		NA		NA		NA	200	U	200
m&p-Xylene		NA		NA		NA		NA	400	U	400
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA		NA		NA		NA	200	U	200
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA	200	U	200
Naphthalene		NA		NA		NA		NA	200	U	200
n-Butylbenzene		NA		NA		NA		NA	200	U	200
n-Propylbenzene		NA		NA		NA		NA	200	U	200
o-Xylene		NA		NA		NA		NA	200	U	200
p-Isopropyltoluene		NA		NA		NA		NA	200	U	200
sec-Butylbenzene		NA		NA		NA		NA	200	U	200
Styrene		NA		NA		NA		NA	200	U	200
tert-Butylbenzene		NA		NA		NA		NA	200	U	200
Tetrachloroethene		NA		NA		NA		NA	200	U	200
Tetrahydrofuran		NA		NA		NA		NA	1400	U	1400
Toluene		NA		NA		NA		NA	200	U	200
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	200	U	200
trans-1,3-Dichloropropene		NA		NA		NA		NA	200	U	200
Trichloroethene		NA		NA		NA		NA	200	U	200

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA		NA		NA		NA	200	U	200
Vinyl Acetate		NA		NA		NA		NA	1200	U	1200
Vinyl Chloride		NA		NA		NA		NA	1100		1300
Low Concentration Volatile Organic Analysis (UG/L)											
1,1,1-Trichloroethane		NA		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA		NA	
Bromoform		NA		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Tetrachloroethene		NA		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	300		79		620		250	U	7.9		25
1,1-Dichloroethane	68		10	U	250	U	250	U		NA	
1,1-Dichloroethene	160		38		850		250	U	110		97
1,2-Dichloroethane	50	U	10	U	250	U	250	U		NA	
Benzene	50	U	10	U	250	U	250	U	25	U	27
Chlorobenzene	60		10	U	250	U	250	U	16		11
cis-1,2-Dichloroethene	420		14		830		850		8240		6350
Ethylbenzene	50	U	10	U	250	U	250	U		NA	
m&p-Xylene	50	U	10	U	250	U	250	U		NA	
o-Xylene	50	U	10	U	250	U	250	U		NA	
Tetrachloroethene	50	U	10	U	250	U	250	U	13	U	14
Toluene	50	U	10	U	250	U	250	U	50	U	54
trans-1,2-Dichloroethene	50	U	10	U	250	U	250	U		NA	
Trichloroethene	760		30		3000		3000		25	U	27
Vinyl Chloride	50	U	10	U	250	U	250	U		NA	
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Total PAH		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor, Total		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA		NA	
Barium		NA		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA		NA	
Copper		NA		NA		NA		NA		NA	
Iron		NA		NA		NA		NA		NA	
Lead		NA		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP8-5-8287		OU2-DP8-6-1116		OU2-DP8-6-2227		OU2-DP8-6-3237		RM-GW90-0015		RM-GW91-0014
Sample Location	DP8-5		DP8-6		DP8-6		DP8-6		90		91
Date Sampled	8/12/1997		8/11/1997		8/11/1997		8/11/1997		3/4/2002		3/4/2002
Interval	82.0-87.0		11.0-16.0		22.0-27.0		32.0-37.0		0.0-15.0		0.0-14.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Nickel		NA		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA		NA	
Silver		NA		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA		NA	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	U	100	U	10	U		NA		NA		NA
1,1,1-Trichloroethane	U	100	U	14			NA		NA		NA
1,1,2,2-Tetrachloroethane	U	100	U	10	U		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	U	100	U	10	U		NA		NA		NA
1,1,2-Trichloroethane	U	100	U	10	U		NA		NA		NA
1,1-Dichloroethane		910		91			NA		NA		NA
1,1-Dichloroethene	U	70	L	22			NA		NA		NA
1,1-Dichloropropene	U	100	U	10	U		NA		NA		NA
1,2,3-Trichlorobenzene	U	100	U	10	U		NA		NA		NA
1,2,3-Trichloropropane	U	100	U	10	U		NA		NA		NA
1,2,4-Trichlorobenzene	U	100	U	10	U		NA		NA		NA
1,2,4-Trimethylbenzene	U	100	U	10	U		NA		NA		NA
1,2-Dibromo-3-chloropropane	U	100	U	10	U		NA		NA		NA
1,2-Dibromoethane	U	100	U	10	U		NA		NA		NA
1,2-Dichlorobenzene	U	100	U	10	U		NA		NA		NA
1,2-Dichloroethane	U	100	U	10	U		NA		NA		NA
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	U	100	U	10	U		NA		NA		NA
1,3,5-Trimethylbenzene	U	100	U	10	U		NA		NA		NA
1,3-Dichlorobenzene	U	100	U	10	U		NA		NA		NA
1,3-Dichloropropane	U	100	U	10	U		NA		NA		NA
1,4-Dichlorobenzene	U	100	U	10	U		NA		NA		NA
1,4-Dioxane	NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	U	100	U	10	U		NA		NA		NA
2-Butanone	U	400	U	40	U		NA		NA		NA
2-Chloroethylvinylether	U	300	U	30	U		NA		NA		NA
2-Chlorotoluene	U	100	U	10	U		NA		NA		NA
2-Hexanone	U	60	U	6	U		NA		NA		NA
4-Chlorotoluene	U	100	U	10	U		NA		NA		NA
4-Methyl-2-Pentanone	U	50	U	5	U		NA		NA		NA
Acetone	U	200	U	20	U		NA		NA		NA
Acrolein	U	1000	U	100	U		NA		NA		NA
Acrylonitrile	U	500	U	50	U		NA		NA		NA
Benzene	U	100	U	10	U		NA		NA		NA
Bromobenzene	U	100	U	10	U		NA		NA		NA
Bromochloromethane	U	100	U	10	U		NA		NA		NA
Bromodichloromethane	U	100	U	10	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	U	100	U	10	U		NA		NA		NA
Bromomethane	U	100	U	10	U		NA		NA		NA
Carbon Disulfide	U	300	U	30	U		NA		NA		NA
Carbon Tetrachloride	U	100	U	10	U		NA		NA		NA
Chlorobenzene		200		30			NA		NA		NA
Chloroethane		110		27			NA		NA		NA
Chloroform	U	100	U	10	U		NA		NA		NA
Chloromethane	U	100	U	10	U		NA		NA		NA
cis-1,2-Dichloroethene		2600		610			NA		NA		NA
cis-1,3-Dichloropropene	U	100	U	10	U		NA		NA		NA
Cyclohexane	NA		NA		NA		NA		NA		NA
Dibromochloromethane	U	100	U	10	U		NA		NA		NA
Dibromomethane	U	100	U	10	U		NA		NA		NA
Dichlorodifluoromethane	U	100	U	10	U		NA		NA		NA
Ethyl Ether	U	300	U	30	U		NA		NA		NA
Ethylbenzene	U	100	U	10	U		NA		NA		NA
Hexachlorobutadiene	U	100	U	10	U		NA		NA		NA
Isopropylbenzene	U	100	U	10	U		NA		NA		NA
m&p-Xylene	U	200	U	20	U		NA		NA		NA
Methyl Acetate	NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	U	100	U	10	U		NA		NA		NA
Methylcyclohexane	NA		NA		NA		NA		NA		NA
Methylene Chloride	U	100	U	11			NA		NA		NA
Naphthalene	U	100	U	10	U		NA		NA		NA
n-Butylbenzene	U	100	U	10	U		NA		NA		NA
n-Propylbenzene	U	100	U	10	U		NA		NA		NA
o-Xylene	U	100	U	10	U		NA		NA		NA
p-Isopropyltoluene	U	100	U	10	U		NA		NA		NA
sec-Butylbenzene	U	100	U	10	U		NA		NA		NA
Styrene	U	100	U	10	U		NA		NA		NA
tert-Butylbenzene	U	100	U	10	U		NA		NA		NA
Tetrachloroethene	U	100	U	10	U		NA		NA		NA
Tetrahydrofuran	U	700	U	70	U		NA		NA		NA
Toluene	U	100	U	10	U		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	U	100	U	10	U		NA		NA		NA
trans-1,3-Dichloropropene	U	100	U	10	U		NA		NA		NA
Trichloroethene	U	100		650			NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	U	100	U	10	U		NA		NA		NA
Vinyl Acetate	U	600	U	60	U		NA		NA		NA
Vinyl Chloride		730		78			NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)											
1,1,1-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA		NA
Bromoform	NA		NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane			NA		NA	100	U	1	U	1	U
1,1-Dichloroethane	NA		NA		NA	100	U	1	U	1	U
1,1-Dichloroethene			NA		NA	100	U	1	U	1	U
1,2-Dichloroethane	NA		NA		NA	100	U	1	U	1	U
Benzene	U		NA		NA	100	U	1	U	1	U
Chlorobenzene			NA		NA	100	U	1	U	1.2	
cis-1,2-Dichloroethene			NA		NA	100	U	1	U	1.9	
Ethylbenzene	NA		NA		NA	670		1.3		1	U
m&p-Xylene	NA		NA		NA	1000		1.7		1	U
o-Xylene	NA		NA		NA	100	U	1	U	1	U
Tetrachloroethene	U		NA		NA	100	U	1	U	4.1	
Toluene	U		NA		NA	100	U	1	U	1	U
trans-1,2-Dichloroethene	NA		NA		NA	100	U	1	U	1	U
Trichloroethene	U		NA		NA	100	U	1	U	2.4	
Vinyl Chloride	NA		NA		NA	100	U	1	U	1	U
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Isophorone	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA
Total PAH	NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA
Aroclor, Total	NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA
Endosulfan I	NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA		NA		NA		NA		NA		NA
Antimony	NA		NA		NA		NA		NA		NA
Arsenic	NA		NA		NA		NA		NA		NA
Barium	NA		NA		NA		NA		NA		NA
Beryllium	NA		NA		NA		NA		NA		NA
Cadmium	NA		NA		NA		NA		NA		NA
Calcium	NA		NA		NA		NA		NA		NA
Chromium	NA		NA		NA		NA		NA		NA
Cobalt	NA		NA		NA		NA		NA		NA
Copper	NA		NA		NA		NA		NA		NA
Iron	NA		NA		NA		NA		NA		NA
Lead	NA		NA		NA		NA		NA		NA
Magnesium	NA		NA		NA		NA		NA		NA
Manganese	NA		NA		NA		NA		NA		NA
Mercury	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW91-0019		RM-GW91-0024		OU2-DP9-1-0813		OU2-DP9-1-2833		OU2-DP9-1-3843	
Sample Location		91		91		DP9-1		DP9-1		DP9-1	
Date Sampled		3/4/2002		3/4/2002		8/14/1997		8/14/1997		8/14/1997	
Interval		0.0-19.0		0.0-24.0		8.0-13.0		28.0-33.0		38.0-43.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel	NA		NA		NA		NA		NA		NA
Potassium	NA		NA		NA		NA		NA		NA
Selenium	NA		NA		NA		NA		NA		NA
Silver	NA		NA		NA		NA		NA		NA
Sodium	NA		NA		NA		NA		NA		NA
Thallium	NA		NA		NA		NA		NA		NA
Vanadium	NA		NA		NA		NA		NA		NA
Zinc	NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)	NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane		NA	1	U	1	U	1	U	20	U	1
1,1,1-Trichloroethane		NA	1.3		4.4		2.8		63		13
1,1,2,2-Tetrachloroethane		NA	1	U	1	U	1	U	20	U	1
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	1	U	1	U	1	U	20	U	1
1,1,2-Trichloroethane		NA	1	U	1	U	1	U	20	U	1
1,1-Dichloroethane		NA	2.3		5.7		4.4		27		18
1,1-Dichloroethene		NA	1		3.2		2.4		56		13
1,1-Dichloropropene		NA	1	U	1	U	1	U	20	U	1
1,2,3-Trichlorobenzene		NA	1	U	1	U	1	U	20	U	1
1,2,3-Trichloropropane		NA	1	U	1	U	1	U	20	U	1
1,2,4-Trichlorobenzene		NA	1	U	1	U	1	U	20	U	1
1,2,4-Trimethylbenzene		NA	1	U	1	U	1	U	20	U	1
1,2-Dibromo-3-chloropropane		NA	1	U	1	U	1	U	20	U	1
1,2-Dibromoethane		NA	1	U	1	U	1	U	20	U	1
1,2-Dichlorobenzene		NA	1	U	1	U	1	U	20	U	1
1,2-Dichloroethane		NA	1	U	1	U	1	U	20	U	1
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA	1	U	1	U	1	U	20	U	1
1,3,5-Trimethylbenzene		NA	1	U	1	U	1	U	20	U	1
1,3-Dichlorobenzene		NA	1	U	1	U	1	U	20	U	1
1,3-Dichloropropane		NA	1	U	1	U	1	U	20	U	1
1,4-Dichlorobenzene		NA	1	U	1	U	1	U	20	U	1
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane		NA	1	U	1	U	1	U	20	U	1
2-Butanone		NA	4	U	4	U	4	U	80	U	4
2-Chloroethylvinylether		NA	3	U	3	U	3	U	60	U	3
2-Chlorotoluene		NA	1	U	1	U	1	U	20	U	1
2-Hexanone		NA	0.6	U	0.6	U	0.6	U	12	U	0.6
4-Chlorotoluene		NA	1	U	1	U	1	U	20	U	1
4-Methyl-2-Pentanone		NA	0.5	U	0.5	U	0.5	U	10	U	0.5
Acetone		NA	2	U	2.4	J	2.9	J	40	U	3.3
Acrolein		NA	10	U	10	U	10	U	200	U	10
Acrylonitrile		NA	5	U	5	U	5	U	100	U	5
Benzene		NA	1	U	1	U	1	U	20	U	1
Bromobenzene		NA	1	U	1	U	1	U	20	U	1
Bromochloromethane		NA	1	U	1	U	1	U	20	U	1
Bromodichloromethane		NA	1	U	1	U	1	U	20	U	1

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA	1	U	1	U	1	U	20	U	1
Bromomethane		NA	1	U	1	U	1	U	20	U	1
Carbon Disulfide		NA	3	U	3	U	3	U	60	U	3
Carbon Tetrachloride		NA	1	U	1	U	1	U	20	U	1
Chlorobenzene		NA	1	U	1	U	1	U	20	U	1
Chloroethane		NA	1	U	1	U	1	U	20	U	1
Chloroform		NA	1	U	1	U	1	U	20	U	1
Chloromethane		NA	1	U	1	U	1	U	20	U	1
cis-1,2-Dichloroethene		NA	1.3		3.1		2.1		37		8.9
cis-1,3-Dichloropropene		NA	1	U	1	U	1	U	20	U	1
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane		NA	1	U	1	U	1	U	20	U	1
Dibromomethane		NA	1	U	1	U	1	U	20	U	1
Dichlorodifluoromethane		NA	1	U	1	U	1	U	20	U	1
Ethyl Ether		NA	3	U	3	U	3	U	60	U	3
Ethylbenzene		NA	1	U	1	U	1	U	20	U	1
Hexachlorobutadiene		NA	1	U	1	U	1	U	20	U	1
Isopropylbenzene		NA	1	U	1	U	1	U	20	U	1
m&p-Xylene		NA	2	U	2	U	2	U	40	U	2
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether		NA	1	U	0.58	L	2.6		20	U	8.9
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride		NA	1	U	1	U	1	U	20	U	1
Naphthalene		NA	1	U	1	U	1	U	20	U	1
n-Butylbenzene		NA	1	U	1	U	1	U	20	U	1
n-Propylbenzene		NA	1	U	1	U	1	U	20	U	1
o-Xylene		NA	1	U	1	U	1	U	20	U	1
p-Isopropyltoluene		NA	1	U	1	U	1	U	20	U	1
sec-Butylbenzene		NA	1	U	1	U	1	U	20	U	1
Styrene		NA	1	U	1	U	1	U	20	U	1
tert-Butylbenzene		NA	1	U	1	U	1	U	20	U	1
Tetrachloroethene		NA	1	U	1	U	1	U	20	U	1
Tetrahydrofuran		NA	7	U	7	U	7	U	140	U	7
Toluene		NA	1	U	1	U	1	U	20	U	1
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA	1	U	1	U	1	U	20	U	1
trans-1,3-Dichloropropene		NA	1	U	1	U	1	U	20	U	1
Trichloroethene		NA	1	U	1.1		0.75	L	320		4.2

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA	1	U	1	U	1	U	20	U	1
Vinyl Acetate		NA	6	U	6	U	6	U	120	U	6
Vinyl Chloride		NA	1	U	1	U	1	U	20	U	1
Low Concentration Volatile Organic Analysis (UG/L)											
1,1,1-Trichloroethane		NA		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA		NA	
Bromoform		NA		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Tetrachloroethene		NA		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	1	U	1.2			NA		NA		NA	12
1,1-Dichloroethane	1	U		NA		NA		NA		NA	
1,1-Dichloroethene	1	U	0.7			NA		NA		NA	9.7
1,2-Dichloroethane	1	U		NA		NA		NA		NA	
Benzene	1	U	1	U		NA		NA		NA	1
Chlorobenzene	1		3	U		NA		NA		NA	3
cis-1,2-Dichloroethene	1	U	1.4			NA		NA		NA	6.8
Ethylbenzene	4.4			NA		NA		NA		NA	
m&p-Xylene	6.1			NA		NA		NA		NA	
o-Xylene	1	U		NA		NA		NA		NA	
Tetrachloroethene	1	U	0.5	U		NA		NA		NA	0.5
Toluene	1	U	2	U		NA		NA		NA	1
trans-1,2-Dichloroethene	1	U		NA		NA		NA		NA	
Trichloroethene	1	U	0.5			NA		NA		NA	3.9
Vinyl Chloride	1	U		NA		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Total PAH		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor, Total		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA		NA	
Barium		NA		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA		NA	
Copper		NA		NA		NA		NA		NA	
Iron		NA		NA		NA		NA		NA	
Lead		NA		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP9-1-1823		RM-GW92-0015		RM-GW92-0020		RM-GW92-0025		RM-GW92-0035		RM-GW92-0045
Sample Location	DP9-1		92		92		92		92		92
Date Sampled	8/15/1997		3/4/2002		3/4/2002		3/4/2002		3/4/2002		3/5/2002
Interval	18.0-23.0		0.0-15.0		0.0-20.0		0.0-25.0		0.0-35.0		0.0-45.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Nickel		NA		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA		NA	
Silver		NA		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA		NA	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)									
1,1,1,2-Tetrachloroethane	U	2	U	10	U	5	U	5	U
1,1,1-Trichloroethane		36		94		86		78	
1,1,2,2-Tetrachloroethane	U	2	U	10	U	5	U	5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	U	2	U	10	U	5	U	5	U
1,1,2-Trichloroethane	U	2	U	10	U	5	U	5	U
1,1-Dichloroethane		78		130		120		100	
1,1-Dichloroethene		54		170		210		180	
1,1-Dichloropropene	U	2	U	10	U	5	U	5	U
1,2,3-Trichlorobenzene	U	2	U	10	U	5	U	5	U
1,2,3-Trichloropropane	U	2	U	10	U	5	U	5	U
1,2,4-Trichlorobenzene	U	2	U	10	U	5	U	5	U
1,2,4-Trimethylbenzene	U	2	U	10	U	5	U	5	U
1,2-Dibromo-3-chloropropane	U	2	U	10	U	5	U	5	U
1,2-Dibromoethane	U	2	U	10	U	5	U	5	U
1,2-Dichlorobenzene	U	2	U	10	U	5	U	5	U
1,2-Dichloroethane	U	2	U	10	U	5	U	5	U
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA
1,2-Dichloropropane	U	2	U	10	U	5	U	5	U
1,3,5-Trimethylbenzene	U	2	U	10	U	5	U	5	U
1,3-Dichlorobenzene	U	2	U	10	U	5	U	5	U
1,3-Dichloropropane	U	2	U	10	U	5	U	5	U
1,4-Dichlorobenzene	U	2	U	10	U	5	U	5	U
1,4-Dioxane	NA		NA		NA		NA		NA
2,2-Dichloropropane	U	2	U	10	U	5	U	5	U
2-Butanone	U	8	U	40	U	20	U	20	U
2-Chloroethylvinylether	U	6	U	30	U	15	U	15	U
2-Chlorotoluene	U	2	U	10	U	5	U	5	U
2-Hexanone	U	1.2	U	6	U	3	U	3	U
4-Chlorotoluene	U	2	U	10	U	5	U	5	U
4-Methyl-2-Pentanone	U	1	U	5	U	2.5	U	2.5	U
Acetone	BJ	4.8	J	20	U	8		10	J
Acrolein	U	20	U	100	U	50	U	50	U
Acrylonitrile	U	10	U	50	U	25	U	25	U
Benzene	U	2	U	10	U	5	U	5	U
Bromobenzene	U	2	U	10	U	5	U	5	U
Bromochloromethane	U	2	U	10	U	5	U	5	U
Bromodichloromethane	U	2	U	10	U	5	U	5	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
Bromoform	U	2	U	10	U	5	U	5	U
Bromomethane	U	2	U	10	U	5	U	5	U
Carbon Disulfide	U	6	U	30	U	15	U	15	U
Carbon Tetrachloride	U	2	U	10	U	5	U	5	U
Chlorobenzene	U	2	U	10	U	5	U	5	U
Chloroethane	U	2	U	10	U	5	U	5	U
Chloroform	U	2	U	10	U	5	U	5	U
Chloromethane	U	2	U	10	U	5	U	5	U
cis-1,2-Dichloroethene		75		130		120		94	
cis-1,3-Dichloropropene	U	2	U	10	U	5	U	5	U
Cyclohexane	NA		NA		NA		NA		NA
Dibromochloromethane	U	2	U	10	U	5	U	5	U
Dibromomethane	U	2	U	10	U	5	U	5	U
Dichlorodifluoromethane	U	2	U	10	U	5	U	5	U
Ethyl Ether	U	6	U	30	U	15	U	15	U
Ethylbenzene	U	2	U	10	U	5	U	5	U
Hexachlorobutadiene	U	2	U	10	U	5	U	5	U
Isopropylbenzene	U	2	U	10	U	5	U	5	U
m&p-Xylene	U	4	U	20	U	10	U	10	U
Methyl Acetate	NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		2	U	10	U	42		36	
Methylcyclohexane	NA		NA		NA		NA		NA
Methylene Chloride	U	2	U	10	U	5	U	5	U
Naphthalene	U	2	U	10	U	5	U	5	U
n-Butylbenzene	U	2	U	10	U	5	U	5	U
n-Propylbenzene	U	2	U	10	U	5	U	5	U
o-Xylene	U	2	U	10	U	5	U	5	U
p-Isopropyltoluene	U	2	U	10	U	5	U	5	U
sec-Butylbenzene	U	2	U	10	U	5	U	5	U
Styrene	U	2	U	10	U	5	U	5	U
tert-Butylbenzene	U	2	U	10	U	5	U	5	U
Tetrachloroethene	U	2	U	10	U	5	U	5	U
Tetrahydrofuran	U	14	U	70	U	35	U	35	U
Toluene	U	2	U	10	U	5	U	5	U
Total Xylenes	NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	U	2	U	10	U	5	U	5	U
trans-1,3-Dichloropropene	U	2	U	10	U	5	U	5	U
Trichloroethene		33		50		34		34	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	U	2	U	10	U	5	U	5	U
Vinyl Acetate	U	12	U	60	U	30	U	30	U
Vinyl Chloride	U	2	U	6.2	L	10		11	
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane	NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA
Bromoform	NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene	NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane		40			NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethene		45			NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA
Benzene	U	24	U		NA		NA		NA
Chlorobenzene	U	72	U		NA		NA		NA
cis-1,2-Dichloroethene		70			NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA
Tetrachloroethene	U	12	U		NA		NA		NA
Toluene	U	48	U		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA
Trichloroethene		38			NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)									
1,1'-Biphenyl	NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA
Isophorone	NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA
Total PAH	NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene	NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA
Aroclor, Total	NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA
Endosulfan I	NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)									
Aluminum	NA		NA		NA		NA		NA
Antimony	NA		NA		NA		NA		NA
Arsenic	NA		NA		NA		NA		NA
Barium	NA		NA		NA		NA		NA
Beryllium	NA		NA		NA		NA		NA
Cadmium	NA		NA		NA		NA		NA
Calcium	NA		NA		NA		NA		NA
Chromium	NA		NA		NA		NA		NA
Cobalt	NA		NA		NA		NA		NA
Copper	NA		NA		NA		NA		NA
Iron	NA		NA		NA		NA		NA
Lead	NA		NA		NA		NA		NA
Magnesium	NA		NA		NA		NA		NA
Manganese	NA		NA		NA		NA		NA
Mercury	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW93-0018		RM-GW93-0023		RM-GW93-0028-AVG		RM-GW93-0028	
Sample Location		93		93		93		93	
Date Sampled		3/4/2002		3/4/2002		3/4/2002		3/4/2002	
Interval		0.0-18.0		0.0-23.0		0.0-28.0		0.0-28.0	
QC Identifier		None		None		Field Dup. RM-GW93-0028		Field Dup. RM-GW93-0028	
Zone		Overburden		Overburden		Overburden		Overburden	
Nickel	NA		NA		NA		NA		NA
Potassium	NA		NA		NA		NA		NA
Selenium	NA		NA		NA		NA		NA
Silver	NA		NA		NA		NA		NA
Sodium	NA		NA		NA		NA		NA
Thallium	NA		NA		NA		NA		NA
Vanadium	NA		NA		NA		NA		NA
Zinc	NA		NA		NA		NA		NA
Wet Chemistry Analysis									
Alkalinity	NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)	NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane	5	U	10	U	1	U	1	U	1	U
1,1,1-Trichloroethane	94		280		1	U	1.2		3.3	
1,1,2,2-Tetrachloroethane	5	U	10	U	1	U	1	U	1	U
1,1,2-Trichloro-1,2,2-trifluoroethane	5	U	10	U	1	U	1	U	1	U
1,1,2-Trichloroethane	5	U	10	U	1	U	1	U	1	U
1,1-Dichloroethane	150		210		1	U	0.83	L	5.7	
1,1-Dichloroethene	240		470		1	U	0.54	L	2.1	
1,1-Dichloropropene	5	U	10	U	1	U	1	U	1	U
1,2,3-Trichlorobenzene	5	U	10	U	1	U	1	U	1	U
1,2,3-Trichloropropane	5	U	10	U	1	U	1	U	1	U
1,2,4-Trichlorobenzene	5	U	10	U	1	U	1	U	1	U
1,2,4-Trimethylbenzene	5	U	10	U	1	U	1	U	1	U
1,2-Dibromo-3-chloropropane	5	U	10	U	1	U	1	U	1	U
1,2-Dibromoethane	5	U	10	U	1	U	1	U	1	U
1,2-Dichlorobenzene	5	U	10	U	1	U	1	U	1	U
1,2-Dichloroethane	5	U	10	U	1	U	1	U	1	U
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane	5	U	10	U	1	U	1	U	1	U
1,3,5-Trimethylbenzene	5	U	10	U	1	U	1	U	1	U
1,3-Dichlorobenzene	5	U	10	U	1	U	1	U	1	U
1,3-Dichloropropane	5	U	10	U	1	U	1	U	1	U
1,4-Dichlorobenzene	5	U	10	U	1	U	1	U	1	U
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane	5	U	10	U	1	U	1	U	1	U
2-Butanone	20	U	40	U	4	U	4	U	4	U
2-Chloroethylvinylether	15	U	30	U	3	U	3	U	3	U
2-Chlorotoluene	5	U	10	U	1	U	1	U	1	U
2-Hexanone	3	U	6	U	0.6	U	0.6	U	0.6	U
4-Chlorotoluene	5	U	10	U	1	U	1	U	1	U
4-Methyl-2-Pentanone	2.5	U	5	U	0.5	U	0.5	U	0.5	U
Acetone	10	U	20	U	2.3	J	2	U	2	U
Acrolein	50	U	100	U	10	U	10	U	10	U
Acrylonitrile	25	U	50	U	5	U	5	U	5	U
Benzene	5	U	10	U	1	U	1	U	1	U
Bromobenzene	5	U	10	U	1	U	1	U	1	U
Bromochloromethane	5	U	10	U	1	U	1	U	1	U
Bromodichloromethane	5	U	10	U	1	U	1	U	1	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	5	U	10	U	1	U	1	U	1	U
Bromomethane	5	U	10	U	1	U	1	U	1	U
Carbon Disulfide	15	U	30	U	3	U	3	U	3	U
Carbon Tetrachloride	5	U	10	U	1	U	1	U	1	U
Chlorobenzene	5	U	6.2	L	1	U	1	U	1	U
Chloroethane	5	U	6.7	L	1	U	1	U	1	U
Chloroform	5	U	10	U	1	U	9.5		1	U
Chloromethane	5	U	10	U	1	U	1	U	1	U
cis-1,2-Dichloroethene	140		170		1	U	0.86	L	7.6	
cis-1,3-Dichloropropene	5	U	10	U	1	U	1	U	1	U
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	5	U	10	U	1	U	1	U	1	U
Dibromomethane	5	U	10	U	1	U	1	U	1	U
Dichlorodifluoromethane	5	U	10	U	1	U	1	U	1	U
Ethyl Ether	15	U	30	U	3	U	3	U	3	U
Ethylbenzene	5	U	10	U	1	U	1	U	1	U
Hexachlorobutadiene	5	U	10	U	1	U	1	U	1	U
Isopropylbenzene	5	U	10	U	1	U	1	U	1	U
m&p-Xylene	10	U	20	U	2	U	2	U	2	U
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	47		48		1	U	1	U	1	U
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	5	U	10	U	1	U	1	U	1	U
Naphthalene	5	U	10	U	1	U	1	U	1	U
n-Butylbenzene	5	U	10	U	1	U	1	U	1	U
n-Propylbenzene	5	U	10	U	1	U	1	U	1	U
o-Xylene	5	U	10	U	1	U	1	U	1	U
p-Isopropyltoluene	5	U	10	U	1	U	1	U	1	U
sec-Butylbenzene	5	U	10	U	1	U	1	U	1	U
Styrene	5	U	10	U	1	U	1	U	1	U
tert-Butylbenzene	5	U	10	U	1	U	1	U	1	U
Tetrachloroethene	5	U	10	U	1	U	1	U	1	U
Tetrahydrofuran	35	U	70	U	7	U	7	U	7	U
Toluene	5	U	10	U	1	U	1	U	1	U
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	5	U	10	U	1	U	1	U	1	U
trans-1,3-Dichloropropene	5	U	10	U	1	U	1	U	1	U
Trichloroethene	35		110		1	U	3		18	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	5	U	10	U	1	U	1	U	1	U
Vinyl Acetate	30	U	60	U	6	U	6	U	6	U
Vinyl Chloride	9.7		12		1	U	1	U	1	U
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA	275			NA	1.2			NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA	332			NA	0.7			NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA	25	U		NA	0.5	U		NA
Chlorobenzene		NA	75	U		NA	3	U		NA
cis-1,2-Dichloroethene		NA	119			NA	0.6			NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA	13	U		NA	0.5	U		NA
Toluene		NA	25	U		NA	1	U		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA	108			NA	2.2			NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW-DP05		RM-GW93-0033		RM-GW94-0017		RM-GW94-0022		RM-GW94-0027	
Sample Location	93		93		94		94		94	
Date Sampled	3/4/2002		3/5/2002		3/5/2002		3/6/2002		3/6/2002	
Interval	0.0-28.0		0.0-33.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	Field Dup. RM-GW93-0028		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	25	U	1	U	1	U	1	U	2	U	5
1,1,1-Trichloroethane	92		1	U	1.3		1	U	15		120
1,1,2,2-Tetrachloroethane	25	U	1	U	1	U	1	U	2	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	25	U	1	U	1	U	1	U	2	U	5
1,1,2-Trichloroethane	25	U	1	U	1	U	1	U	2	U	5
1,1-Dichloroethane	180		1	U	2.1		1	U	27		77
1,1-Dichloroethene	120		1	U	1.4		1	U	18		100
1,1-Dichloropropene	25	U	1	U	1	U	1	U	2	U	5
1,2,3-Trichlorobenzene	25	U	1	U	1	U	1	U	2	U	5
1,2,3-Trichloropropane	25	U	1	U	1	U	1	U	2	U	5
1,2,4-Trichlorobenzene	25	U	1	U	1	U	1	U	2	U	5
1,2,4-Trimethylbenzene	25	U	1	U	1	U	1	U	2	U	5
1,2-Dibromo-3-chloropropane	25	U	1	U	1	U	1	U	2	U	5
1,2-Dibromoethane	25	U	1	U	1	U	1	U	2	U	5
1,2-Dichlorobenzene	25	U	1	U	1	U	1	U	2	U	5
1,2-Dichloroethane	25	U	1	U	1	U	1	U	2	U	5
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA	
1,2-Dichloropropane	25	U	1	U	1	U	1	U	2	U	5
1,3,5-Trimethylbenzene	25	U	1	U	1	U	1	U	2	U	5
1,3-Dichlorobenzene	25	U	1	U	1	U	1	U	2	U	5
1,3-Dichloropropane	25	U	1	U	1	U	1	U	2	U	5
1,4-Dichlorobenzene	25	U	1	U	1	U	1	U	2	U	5
1,4-Dioxane		NA		NA		NA		NA		NA	
2,2-Dichloropropane	25	U	1	U	1	U	1	U	2	U	5
2-Butanone	100	U	4	U	4	U	4	U	8	U	20
2-Chloroethylvinylether	75	U	3	U	3	U	3	U	6	U	15
2-Chlorotoluene	25	U	1	U	1	U	1	U	2	U	5
2-Hexanone	15	U	0.6	U	0.6	U	0.6	U	1.2	U	3
4-Chlorotoluene	25	U	1	U	1	U	1	U	2	U	5
4-Methyl-2-Pentanone	12	U	0.5	U	0.5	U	0.5	U	1	U	2.5
Acetone	71	BJ	3	BJ	2.9	BJ	2.7	J	4	U	15
Acrolein	250	U	10	U	10	U	10	U	20	U	50
Acrylonitrile	130	U	5	U	5	U	5	U	10	U	25
Benzene	25	U	1	U	1	U	1	U	2	U	5
Bromobenzene	25	U	1	U	1	U	1	U	2	U	5
Bromochloromethane	25	U	1	U	1	U	1	U	2	U	5
Bromodichloromethane	25	U	1	U	1	U	1	U	2	U	5

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform	25	U	1	U	1	U	1	U	2	U	5
Bromomethane	25	U	1	U	1	U	1	U	2	U	5
Carbon Disulfide	75	U	3	U	3	U	3	U	6	U	15
Carbon Tetrachloride	25	U	1	U	1	U	1	U	2	U	5
Chlorobenzene	25	U	1	U	1	U	1	U	2	U	5
Chloroethane	25	U	1	U	1	U	1	U	2	U	5
Chloroform	25	U	1	U	1	U	1	U	2.9		5
Chloromethane	25	U	1	U	1	U	1	U	2	U	5
cis-1,2-Dichloroethene	340		1	U	3.4		1	U	45		130
cis-1,3-Dichloropropene	25	U	1	U	1	U	1	U	2	U	5
Cyclohexane		NA		NA		NA		NA		NA	
Dibromochloromethane	25	U	1	U	1	U	1	U	2	U	5
Dibromomethane	25	U	1	U	1	U	1	U	2	U	5
Dichlorodifluoromethane	25	U	1	U	1	U	1	U	2	U	5
Ethyl Ether	75	U	3	U	3	U	3	U	6	U	15
Ethylbenzene	25	U	1	U	1	U	1	U	2	U	5
Hexachlorobutadiene	25	U	1	U	1	U	1	U	2	U	5
Isopropylbenzene	25	U	1	U	1	U	1	U	2	U	5
m&p-Xylene	50	U	2	U	2	U	2	U	4	U	10
Methyl Acetate		NA		NA		NA		NA		NA	
Methyl tert-Butyl Ether	25	U	1	U	1	U	1	U	2	U	5
Methylcyclohexane		NA		NA		NA		NA		NA	
Methylene Chloride	25	U	1	U	1	U	1	U	2	U	5
Naphthalene	25	U	1	U	1	U	1	U	2	U	5
n-Butylbenzene	25	U	1	U	1	U	1	U	2	U	5
n-Propylbenzene	25	U	1	U	1	U	1	U	2	U	5
o-Xylene	25	U	1	U	1	U	1	U	2	U	5
p-Isopropyltoluene	25	U	1	U	1	U	1	U	2	U	5
sec-Butylbenzene	25	U	1	U	1	U	1	U	2	U	5
Styrene	25	U	1	U	1	U	1	U	2	U	5
tert-Butylbenzene	25	U	1	U	1	U	1	U	2	U	5
Tetrachloroethene	25	U	1	U	1	U	1	U	2	U	5
Tetrahydrofuran	180	U	7	U	7	U	7	U	14	U	35
Toluene	25	U	1	U	1	U	1	U	2	U	5
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene	25	U	1	U	1	U	1	U	2	U	5
trans-1,3-Dichloropropene	25	U	1	U	1	U	1	U	2	U	5
Trichloroethene	990		2.2		8.6		1	U	130		41

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane	25	U	1	U	1	U	1	U	2	U	5
Vinyl Acetate	150	U	6	U	6	U	6	U	12	U	30
Vinyl Chloride	25	U	1	U	1	U	1	U	2	U	5
Low Concentration Volatile Organic Analysis (UG/L)											
1,1,1-Trichloroethane		NA		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA		NA	
Bromoform		NA		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Tetrachloroethene		NA		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane	102			NA	1.3			NA	12		121
1,1-Dichloroethane		NA		NA		NA		NA		NA	
1,1-Dichloroethene	150			NA	0.8			NA	10		98
1,2-Dichloroethane		NA		NA		NA		NA		NA	
Benzene	30	U		NA	1	U		NA	1	U	27
Chlorobenzene	90	U		NA	3	U		NA	3	U	81
cis-1,2-Dichloroethene	312			NA	2			NA	44		98
Ethylbenzene		NA		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA		NA	
Tetrachloroethene	15	U		NA	0.5	U		NA	0.5	U	14
Toluene	30	U		NA	1	U		NA	1	U	27
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA	
Trichloroethene	1300			NA	8.9			NA	106		43
Vinyl Chloride		NA		NA		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl		NA		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA		NA	
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA	
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA	
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA	
2,4-Dichlorophenol		NA		NA		NA		NA		NA	
2,4-Dimethylphenol		NA		NA		NA		NA		NA	
2,4-Dinitrophenol		NA		NA		NA		NA		NA	
2,4-Dinitrotoluene		NA		NA		NA		NA		NA	
2,6-Dinitrotoluene		NA		NA		NA		NA		NA	
2-Chloronaphthalene		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
2-Chlorophenol		NA		NA		NA		NA		NA	
2-Methylnaphthalene		NA		NA		NA		NA		NA	
2-Methylphenol		NA		NA		NA		NA		NA	
2-Nitroaniline		NA		NA		NA		NA		NA	
2-Nitrophenol		NA		NA		NA		NA		NA	
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA	
3-Nitroaniline		NA		NA		NA		NA		NA	
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA	
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA	
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA	
4-Chloroaniline		NA		NA		NA		NA		NA	
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA	
4-Methylphenol		NA		NA		NA		NA		NA	
4-Nitroaniline		NA		NA		NA		NA		NA	
4-Nitrophenol		NA		NA		NA		NA		NA	
Acenaphthene		NA		NA		NA		NA		NA	
Acenaphthylene		NA		NA		NA		NA		NA	
Acetophenone		NA		NA		NA		NA		NA	
Anthracene		NA		NA		NA		NA		NA	
Atrazine		NA		NA		NA		NA		NA	
Benzaldehyde		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA	
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA	
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA	
Butylbenzylphthalate		NA		NA		NA		NA		NA	
Caprolactam		NA		NA		NA		NA		NA	
Carbazole		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Dibenzofuran		NA		NA		NA		NA		NA	
Diethylphthalate		NA		NA		NA		NA		NA	
Dimethylphthalate		NA		NA		NA		NA		NA	
Di-n-Butylphthalate		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Di-n-octylphthalate		NA		NA		NA		NA		NA	
Fluoranthene		NA		NA		NA		NA		NA	
Fluorene		NA		NA		NA		NA		NA	
Hexachlorobenzene		NA		NA		NA		NA		NA	
Hexachlorobutadiene		NA		NA		NA		NA		NA	
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA	
Hexachloroethane		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Isophorone		NA		NA		NA		NA		NA	
Naphthalene		NA		NA		NA		NA		NA	
Nitrobenzene		NA		NA		NA		NA		NA	
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA	
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA	
Pentachlorophenol		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Phenol		NA		NA		NA		NA		NA	
Pyrene		NA		NA		NA		NA		NA	
Total PAH		NA		NA		NA		NA		NA	
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene		NA		NA		NA		NA		NA	
Benzo(a)anthracene		NA		NA		NA		NA		NA	
Benzo(a)pyrene		NA		NA		NA		NA		NA	
Benzo(b)fluoranthene		NA		NA		NA		NA		NA	
Benzo(k)fluoranthene		NA		NA		NA		NA		NA	
Chrysene		NA		NA		NA		NA		NA	
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA	
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA	
Phenanthrene		NA		NA		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD		NA		NA		NA		NA		NA	
4,4'-DDE		NA		NA		NA		NA		NA	
4,4'-DDT		NA		NA		NA		NA		NA	
Aldrin		NA		NA		NA		NA		NA	
alpha-BHC		NA		NA		NA		NA		NA	
alpha-Chlordane		NA		NA		NA		NA		NA	
Aroclor, Total		NA		NA		NA		NA		NA	
Aroclor-1016		NA		NA		NA		NA		NA	
Aroclor-1221		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Aroclor-1232		NA		NA		NA		NA		NA	
Aroclor-1242		NA		NA		NA		NA		NA	
Aroclor-1248		NA		NA		NA		NA		NA	
Aroclor-1254		NA		NA		NA		NA		NA	
Aroclor-1260		NA		NA		NA		NA		NA	
Aroclor-1262		NA		NA		NA		NA		NA	
Aroclor-1268		NA		NA		NA		NA		NA	
beta-BHC		NA		NA		NA		NA		NA	
delta-BHC		NA		NA		NA		NA		NA	
Dieldrin		NA		NA		NA		NA		NA	
Endosulfan I		NA		NA		NA		NA		NA	
Endosulfan II		NA		NA		NA		NA		NA	
Endosulfan Sulfate		NA		NA		NA		NA		NA	
Endrin		NA		NA		NA		NA		NA	
Endrin Aldehyde		NA		NA		NA		NA		NA	
Endrin Ketone		NA		NA		NA		NA		NA	
gamma-BHC		NA		NA		NA		NA		NA	
gamma-Chlordane		NA		NA		NA		NA		NA	
Heptachlor		NA		NA		NA		NA		NA	
Heptachlor Epoxide		NA		NA		NA		NA		NA	
Methoxychlor		NA		NA		NA		NA		NA	
Toxaphene		NA		NA		NA		NA		NA	
TAL Metal Analysis (UG/L)											
Aluminum		NA		NA		NA		NA		NA	
Antimony		NA		NA		NA		NA		NA	
Arsenic		NA		NA		NA		NA		NA	
Barium		NA		NA		NA		NA		NA	
Beryllium		NA		NA		NA		NA		NA	
Cadmium		NA		NA		NA		NA		NA	
Calcium		NA		NA		NA		NA		NA	
Chromium		NA		NA		NA		NA		NA	
Cobalt		NA		NA		NA		NA		NA	
Copper		NA		NA		NA		NA		NA	
Iron		NA		NA		NA		NA		NA	
Lead		NA		NA		NA		NA		NA	
Magnesium		NA		NA		NA		NA		NA	
Manganese		NA		NA		NA		NA		NA	
Mercury		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW94-0037		RM-GW94-0047		RM-GW95-0021		RM-GW95-0026		RM-GW95-0031		RM-GW96-0018
Sample Location	94		94		95		95		95		96
Date Sampled	3/6/2002		3/6/2002		3/4/2002		3/5/2002		3/5/2002		3/5/2002
Interval	0.0-37.0		0.0-47.0		0.0-21.0		0.0-26.0		0.0-31.0		0.0-18.0
QC Identifier	None		None		None		None		None		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden		Overburden
Nickel		NA		NA		NA		NA		NA	
Potassium		NA		NA		NA		NA		NA	
Selenium		NA		NA		NA		NA		NA	
Silver		NA		NA		NA		NA		NA	
Sodium		NA		NA		NA		NA		NA	
Thallium		NA		NA		NA		NA		NA	
Vanadium		NA		NA		NA		NA		NA	
Zinc		NA		NA		NA		NA		NA	
Wet Chemistry Analysis											
Alkalinity		NA		NA		NA		NA		NA	
Chloride		NA		NA		NA		NA		NA	
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA	
Sulfate		NA		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)											
1,1,1,2-Tetrachloroethane	U	10	U	20	U	1	U	1	U	10	U
1,1,1-Trichloroethane		500		260		31		23		330	
1,1,2,2-Tetrachloroethane	U	10	U	20	U	1	U	1	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	U	10	U	20	U	1	U	1	U	10	U
1,1,2-Trichloroethane	U	10	U	20	U	1	U	1	U	10	U
1,1-Dichloroethane		80		49		8		5.6		38	
1,1-Dichloroethene		260		150		17		14		160	
1,1-Dichloropropene	U	10	U	20	U	1	U	1	U	10	U
1,2,3-Trichlorobenzene	U	10	U	20	U	1	U	1	U	10	U
1,2,3-Trichloropropane	U	10	U	20	U	1	U	1	U	10	U
1,2,4-Trichlorobenzene	U	10	U	20	U	1	U	1	U	10	U
1,2,4-Trimethylbenzene	U	10	U	20	U	1	U	1	U	10	U
1,2-Dibromo-3-chloropropane	U	10	U	20	U	1	U	1	U	10	U
1,2-Dibromoethane	U	10	U	20	U	1	U	1	U	10	U
1,2-Dichlorobenzene	U	10	U	20	U	1	U	1	U	10	U
1,2-Dichloroethane	U	10	U	20	U	1	U	1	U	10	U
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	U	10	U	20	U	1	U	1	U	10	U
1,3,5-Trimethylbenzene	U	10	U	20	U	1	U	1	U	10	U
1,3-Dichlorobenzene	U	10	U	20	U	1	U	1	U	10	U
1,3-Dichloropropane	U	10	U	20	U	1	U	1	U	10	U
1,4-Dichlorobenzene	U	10	U	20	U	1	U	1	U	10	U
1,4-Dioxane	NA		NA		NA		NA		NA		NA
2,2-Dichloropropane	U	10	U	20	U	1	U	1	U	10	U
2-Butanone	U	40	U	80	U	4	U	4	U	40	U
2-Chloroethylvinylether	U	30	U	60	U	3	U	3	U	30	U
2-Chlorotoluene	U	10	U	20	U	1	U	1	U	10	U
2-Hexanone	U	6	U	12	U	0.6	U	0.6	U	6	U
4-Chlorotoluene	U	10	U	20	U	1	U	1	U	10	U
4-Methyl-2-Pentanone	U	5	U	10	U	0.5	U	0.5	U	5	U
Acetone	J	20	U	40	U	2.6	BJ	2	U	21	BJ
Acrolein	U	100	U	200	U	10	U	10	U	100	U
Acrylonitrile	U	50	U	100	U	5	U	5	U	50	U
Benzene	U	10	U	20	U	1	U	1	U	10	U
Bromobenzene	U	10	U	20	U	1	U	1	U	10	U
Bromochloromethane	U	10	U	20	U	1	U	1	U	10	U
Bromodichloromethane	U	10	U	20	U	1	U	1	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	U	10	U	20	U	1	U	1	U	10	U
Bromomethane	U	10	U	20	U	1	U	1	U	10	U
Carbon Disulfide	U	30	U	60	U	3	U	3	U	30	U
Carbon Tetrachloride	U	10	U	20	U	1	U	1	U	10	U
Chlorobenzene	U	10	U	20	U	1	U	1	U	10	U
Chloroethane	U	10	U	20	U	1	U	1	U	10	U
Chloroform	U	10	U	20	U	1.3		1	U	10	U
Chloromethane	U	10	U	20	U	1	U	1	U	10	U
cis-1,2-Dichloroethene		150		87		13		8.9		61	
cis-1,3-Dichloropropene	U	10	U	20	U	1	U	1	U	10	U
Cyclohexane	NA		NA		NA		NA		NA		NA
Dibromochloromethane	U	10	U	20	U	1	U	1	U	10	U
Dibromomethane	U	10	U	20	U	1	U	1	U	10	U
Dichlorodifluoromethane	U	10	U	20	U	1	U	1	U	10	U
Ethyl Ether	U	30	U	60	U	3	U	3	U	30	U
Ethylbenzene	U	10	U	20	U	1	U	1	U	10	U
Hexachlorobutadiene	U	10	U	20	U	1	U	1	U	10	U
Isopropylbenzene	U	10	U	20	U	1	U	1	U	10	U
m&p-Xylene	U	20	U	40	U	2	U	2	U	20	U
Methyl Acetate	NA		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	U	10	U	20	U	1	U	1	U	10	U
Methylcyclohexane	NA		NA		NA		NA		NA		NA
Methylene Chloride	U	10	U	20	U	1	U	1	U	10	U
Naphthalene	U	10	U	20	U	1	U	1	U	10	U
n-Butylbenzene	U	10	U	20	U	1	U	1	U	10	U
n-Propylbenzene	U	10	U	20	U	1	U	1	U	10	U
o-Xylene	U	10	U	20	U	1	U	1	U	10	U
p-Isopropyltoluene	U	10	U	20	U	1	U	1	U	10	U
sec-Butylbenzene	U	10	U	20	U	1	U	1	U	10	U
Styrene	U	10	U	20	U	1	U	1	U	10	U
tert-Butylbenzene	U	10	U	20	U	1	U	1	U	10	U
Tetrachloroethene	U	10	U	20	U	1	U	1	U	10	U
Tetrahydrofuran	U	70	U	140	U	7	U	7	U	70	U
Toluene	U	10	U	20	U	1	U	1	U	10	U
Total Xylenes	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	U	10	U	20	U	1	U	1	U	10	U
trans-1,3-Dichloropropene	U	10	U	20	U	1	U	1	U	10	U
Trichloroethene		220		100		29		13		130	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	U	10	U	20	U	1	U	1	U	10	U
Vinyl Acetate	U	60	U	120	U	6	U	6	U	60	U
Vinyl Chloride	U	10	U	20	U	1	U	1	U	10	U
Low Concentration Volatile Organic Analysis (UG/L)											
1,1,1-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA		NA
Bromoform	NA		NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene	NA		NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)											
1,1,1-Trichloroethane			NA		NA	32			NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA		NA
1,1-Dichloroethene			NA		NA	12			NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA		NA
Benzene	U		NA		NA	0.5	U		NA		NA
Chlorobenzene	U		NA		NA	3	U		NA		NA
cis-1,2-Dichloroethene			NA		NA	14			NA		NA
Ethylbenzene	NA		NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA		NA
Tetrachloroethene	U		NA		NA	0.5	U		NA		NA
Toluene	U		NA		NA	1	U		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA		NA
Trichloroethene			NA		NA	30			NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)											
1,1'-Biphenyl	NA		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	NA		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dichlorophenol	NA		NA		NA		NA		NA		NA
2,4-Dimethylphenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrophenol	NA		NA		NA		NA		NA		NA
2,4-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2,6-Dinitrotoluene	NA		NA		NA		NA		NA		NA
2-Chloronaphthalene	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	NA		NA		NA		NA		NA		NA
2-Methylnaphthalene	NA		NA		NA		NA		NA		NA
2-Methylphenol	NA		NA		NA		NA		NA		NA
2-Nitroaniline	NA		NA		NA		NA		NA		NA
2-Nitrophenol	NA		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine	NA		NA		NA		NA		NA		NA
3-Nitroaniline	NA		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol	NA		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol	NA		NA		NA		NA		NA		NA
4-Chloroaniline	NA		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether	NA		NA		NA		NA		NA		NA
4-Methylphenol	NA		NA		NA		NA		NA		NA
4-Nitroaniline	NA		NA		NA		NA		NA		NA
4-Nitrophenol	NA		NA		NA		NA		NA		NA
Acenaphthene	NA		NA		NA		NA		NA		NA
Acenaphthylene	NA		NA		NA		NA		NA		NA
Acetophenone	NA		NA		NA		NA		NA		NA
Anthracene	NA		NA		NA		NA		NA		NA
Atrazine	NA		NA		NA		NA		NA		NA
Benzaldehyde	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane	NA		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether	NA		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate	NA		NA		NA		NA		NA		NA
Butylbenzylphthalate	NA		NA		NA		NA		NA		NA
Caprolactam	NA		NA		NA		NA		NA		NA
Carbazole	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Dibenzofuran	NA		NA		NA		NA		NA		NA
Diethylphthalate	NA		NA		NA		NA		NA		NA
Dimethylphthalate	NA		NA		NA		NA		NA		NA
Di-n-Butylphthalate	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	NA		NA		NA		NA		NA		NA
Fluoranthene	NA		NA		NA		NA		NA		NA
Fluorene	NA		NA		NA		NA		NA		NA
Hexachlorobenzene	NA		NA		NA		NA		NA		NA
Hexachlorobutadiene	NA		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene	NA		NA		NA		NA		NA		NA
Hexachloroethane	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Isophorone	NA		NA		NA		NA		NA		NA
Naphthalene	NA		NA		NA		NA		NA		NA
Nitrobenzene	NA		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine	NA		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine	NA		NA		NA		NA		NA		NA
Pentachlorophenol	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Phenol	NA		NA		NA		NA		NA		NA
Pyrene	NA		NA		NA		NA		NA		NA
Total PAH	NA		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)											
Acenaphthylene	NA		NA		NA		NA		NA		NA
Benzo(a)anthracene	NA		NA		NA		NA		NA		NA
Benzo(a)pyrene	NA		NA		NA		NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA		NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA		NA		NA		NA
Chrysene	NA		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA		NA		NA		NA
Phenanthrene	NA		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)											
4,4'-DDD	NA		NA		NA		NA		NA		NA
4,4'-DDE	NA		NA		NA		NA		NA		NA
4,4'-DDT	NA		NA		NA		NA		NA		NA
Aldrin	NA		NA		NA		NA		NA		NA
alpha-BHC	NA		NA		NA		NA		NA		NA
alpha-Chlordane	NA		NA		NA		NA		NA		NA
Aroclor, Total	NA		NA		NA		NA		NA		NA
Aroclor-1016	NA		NA		NA		NA		NA		NA
Aroclor-1221	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	NA		NA		NA		NA		NA		NA
Aroclor-1242	NA		NA		NA		NA		NA		NA
Aroclor-1248	NA		NA		NA		NA		NA		NA
Aroclor-1254	NA		NA		NA		NA		NA		NA
Aroclor-1260	NA		NA		NA		NA		NA		NA
Aroclor-1262	NA		NA		NA		NA		NA		NA
Aroclor-1268	NA		NA		NA		NA		NA		NA
beta-BHC	NA		NA		NA		NA		NA		NA
delta-BHC	NA		NA		NA		NA		NA		NA
Dieldrin	NA		NA		NA		NA		NA		NA
Endosulfan I	NA		NA		NA		NA		NA		NA
Endosulfan II	NA		NA		NA		NA		NA		NA
Endosulfan Sulfate	NA		NA		NA		NA		NA		NA
Endrin	NA		NA		NA		NA		NA		NA
Endrin Aldehyde	NA		NA		NA		NA		NA		NA
Endrin Ketone	NA		NA		NA		NA		NA		NA
gamma-BHC	NA		NA		NA		NA		NA		NA
gamma-Chlordane	NA		NA		NA		NA		NA		NA
Heptachlor	NA		NA		NA		NA		NA		NA
Heptachlor Epoxide	NA		NA		NA		NA		NA		NA
Methoxychlor	NA		NA		NA		NA		NA		NA
Toxaphene	NA		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)											
Aluminum	NA		NA		NA		NA		NA		NA
Antimony	NA		NA		NA		NA		NA		NA
Arsenic	NA		NA		NA		NA		NA		NA
Barium	NA		NA		NA		NA		NA		NA
Beryllium	NA		NA		NA		NA		NA		NA
Cadmium	NA		NA		NA		NA		NA		NA
Calcium	NA		NA		NA		NA		NA		NA
Chromium	NA		NA		NA		NA		NA		NA
Cobalt	NA		NA		NA		NA		NA		NA
Copper	NA		NA		NA		NA		NA		NA
Iron	NA		NA		NA		NA		NA		NA
Lead	NA		NA		NA		NA		NA		NA
Magnesium	NA		NA		NA		NA		NA		NA
Manganese	NA		NA		NA		NA		NA		NA
Mercury	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-GW96-0023		RM-GW96-0028		RM-GW97-0022		RM-GW97-0027		RM-GW97-0032	
Sample Location		96		96		97		97		97	
Date Sampled		3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval		0.0-23.0		0.0-28.0		0.0-22.0		0.0-27.0		0.0-32.0	
QC Identifier		None		None		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel	NA		NA		NA		NA		NA		NA
Potassium	NA		NA		NA		NA		NA		NA
Selenium	NA		NA		NA		NA		NA		NA
Silver	NA		NA		NA		NA		NA		NA
Sodium	NA		NA		NA		NA		NA		NA
Thallium	NA		NA		NA		NA		NA		NA
Vanadium	NA		NA		NA		NA		NA		NA
Zinc	NA		NA		NA		NA		NA		NA
Wet Chemistry Analysis											
Alkalinity	NA		NA		NA		NA		NA		NA
Chloride	NA		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)	NA		NA		NA		NA		NA		NA
Sulfate	NA		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1,2-Tetrachloroethane	50	U	50	U	50	U	5	U
1,1,1-Trichloroethane	610		620		600		120	
1,1,2,2-Tetrachloroethane	50	U	50	U	50	U	5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	50	U	50	U	50	U	5	U
1,1,2-Trichloroethane	50	U	50	U	50	U	5	U
1,1-Dichloroethane	320		320		330		21	
1,1-Dichloroethene	380		350		420		63	
1,1-Dichloropropene	50	U	50	U	50	U	5	U
1,2,3-Trichlorobenzene	50	U	50	U	50	U	5	U
1,2,3-Trichloropropane	50	U	50	U	50	U	5	U
1,2,4-Trichlorobenzene	50	U	50	U	50	U	5	U
1,2,4-Trimethylbenzene	50	U	50	U	50	U	5	U
1,2-Dibromo-3-chloropropane	50	U	50	U	50	U	5	U
1,2-Dibromoethane	50	U	50	U	50	U	5	U
1,2-Dichlorobenzene	50	U	50	U	50	U	5	U
1,2-Dichloroethane	50	U	50	U	50	U	5	U
1,2-Dichloroethene (total)		NA		NA		NA		NA
1,2-Dichloropropane	50	U	50	U	50	U	5	U
1,3,5-Trimethylbenzene	50	U	50	U	50	U	5	U
1,3-Dichlorobenzene	50	U	50	U	50	U	5	U
1,3-Dichloropropane	50	U	50	U	50	U	5	U
1,4-Dichlorobenzene	50	U	50	U	50	U	5	U
1,4-Dioxane		NA		NA		NA		NA
2,2-Dichloropropane	50	U	50	U	50	U	5	U
2-Butanone	200	U	200	U	200	U	20	U
2-Chloroethylvinylether	150	U	150	U	150	U	15	U
2-Chlorotoluene	50	U	50	U	50	U	5	U
2-Hexanone	30	U	30	U	30	U	3	U
4-Chlorotoluene	50	U	50	U	50	U	5	U
4-Methyl-2-Pentanone	25	U	25	U	25	U	2.5	U
Acetone	100	U	100	U	100	U	12	J
Acrolein	500	U	500	U	500	U	50	U
Acrylonitrile	250	U	250	U	250	U	25	U
Benzene	50	U	50	U	50	U	5	U
Bromobenzene	50	U	50	U	50	U	5	U
Bromochloromethane	50	U	50	U	50	U	5	U
Bromodichloromethane	50	U	50	U	50	U	5	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform	50	U	50	U	50	U	5	U
Bromomethane	50	U	50	U	50	U	5	U
Carbon Disulfide	150	U	150	U	150	U	15	U
Carbon Tetrachloride	50	U	50	U	50	U	5	U
Chlorobenzene	50	U	50	U	50	U	5	U
Chloroethane	50	U	50	U	50	U	5	U
Chloroform	50	U	50	U	50	U	5	U
Chloromethane	50	U	50	U	50	U	5	U
cis-1,2-Dichloroethene	480		470		480		34	
cis-1,3-Dichloropropene	50	U	50	U	50	U	5	U
Cyclohexane		NA		NA		NA		NA
Dibromochloromethane	50	U	50	U	50	U	5	U
Dibromomethane	50	U	50	U	50	U	5	U
Dichlorodifluoromethane	50	U	50	U	50	U	5	U
Ethyl Ether	150	U	150	U	150	U	15	U
Ethylbenzene	50	U	50	U	50	U	5	U
Hexachlorobutadiene	50	U	50	U	50	U	5	U
Isopropylbenzene	50	U	50	U	50	U	5	U
m&p-Xylene	100	U	100	U	100	U	10	U
Methyl Acetate		NA		NA		NA		NA
Methyl tert-Butyl Ether	50	U	50	U	50	U	5	U
Methylcyclohexane		NA		NA		NA		NA
Methylene Chloride	50	U	50	U	50	U	5	U
Naphthalene	50	U	50	U	50	U	5	U
n-Butylbenzene	50	U	50	U	50	U	5	U
n-Propylbenzene	50	U	50	U	50	U	5	U
o-Xylene	50	U	50	U	50	U	5	U
p-Isopropyltoluene	50	U	50	U	50	U	5	U
sec-Butylbenzene	50	U	50	U	50	U	5	U
Styrene	50	U	50	U	50	U	5	U
tert-Butylbenzene	50	U	50	U	50	U	5	U
Tetrachloroethene	50	U	50	U	50	U	5	U
Tetrahydrofuran	350	U	350	U	350	U	35	U
Toluene	50	U	50	U	50	U	5	U
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene	50	U	50	U	50	U	5	U
trans-1,3-Dichloropropene	50	U	50	U	50	U	5	U
Trichloroethene	850		840		860		58	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	50	U	50	U	50	U	5	U
Vinyl Acetate	300	U	300	U	300	U	30	U
Vinyl Chloride	50	U	50	U	50	U	5	U
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA
Acetone		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA
Styrene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA	129	
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA	58	
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA	25	U
Chlorobenzene		NA		NA		NA	75	U
cis-1,2-Dichloroethene		NA		NA		NA	35	
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA	13	U
Toluene		NA		NA		NA	25	U
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA	48	
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								
1,1'-Biphenyl		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Phenol		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA
Endrin		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum		NA		NA		NA		NA
Antimony		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA
Barium		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA
Calcium		NA		NA		NA		NA
Chromium		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA
Copper		NA		NA		NA		NA
Iron		NA		NA		NA		NA
Lead		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA
Manganese		NA		NA		NA		NA
Mercury		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW97-0042-AVG		RM-GW97-0042		RM-GW-DP06		RM-GW98-0024	
Sample Location	97		97		97		98	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/5/2002	
Interval	0.0-42.0		0.0-42.0		0.0-42.0		0.0-24.0	
QC Identifier	Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		Field Dup. RM-GW97-0042		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA
Potassium		NA		NA		NA		NA
Selenium		NA		NA		NA		NA
Silver		NA		NA		NA		NA
Sodium		NA		NA		NA		NA
Thallium		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA
Zinc		NA		NA		NA		NA
Wet Chemistry Analysis								
Alkalinity		NA		NA		NA		NA
Chloride		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane	5	U	25	U	2	U	5	U	25	U
1,1,1-Trichloroethane	210		1100		10		22		79	
1,1,2,2-Tetrachloroethane	5	U	25	U	2	U	5	U	25	U
1,1,2-Trichloro-1,2,2-trifluoroethane	5	U	25	U	2	U	5	U	25	U
1,1,2-Trichloroethane	5	U	25	U	2	U	5	U	25	U
1,1-Dichloroethane	32		170		8.3		18		130	
1,1-Dichloroethene	97		720		7.6		17		92	
1,1-Dichloropropene	5	U	25	U	2	U	5	U	25	U
1,2,3-Trichlorobenzene	5	U	25	U	2	U	5	U	25	U
1,2,3-Trichloropropane	5	U	25	U	2	U	5	U	25	U
1,2,4-Trichlorobenzene	5	U	25	U	2	U	5	U	25	U
1,2,4-Trimethylbenzene	5	U	25	U	2	U	5	U	25	U
1,2-Dibromo-3-chloropropane	5	U	25	U	2	U	5	U	25	U
1,2-Dibromoethane	5	U	25	U	2	U	5	U	25	U
1,2-Dichlorobenzene	5	U	25	U	2	U	5	U	25	U
1,2-Dichloroethane	5	U	25	U	2	U	5	U	25	U
1,2-Dichloroethene (total)		NA		NA		NA		NA		NA
1,2-Dichloropropane	5	U	25	U	2	U	5	U	25	U
1,3,5-Trimethylbenzene	5	U	25	U	2	U	5	U	25	U
1,3-Dichlorobenzene	5	U	25	U	2	U	5	U	25	U
1,3-Dichloropropane	5	U	25	U	2	U	5	U	25	U
1,4-Dichlorobenzene	5	U	25	U	2	U	5	U	25	U
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane	5	U	25	U	2	U	5	U	25	U
2-Butanone	20	U	100	U	8	U	20	U	100	U
2-Chloroethylvinylether	15	U	75	U	6	U	15	U	75	U
2-Chlorotoluene	5	U	25	U	2	U	5	U	25	U
2-Hexanone	3	U	15	U	1.2	U	3	U	15	U
4-Chlorotoluene	5	U	25	U	2	U	5	U	25	U
4-Methyl-2-Pentanone	2.5	U	12	U	1	U	2.5	U	12	U
Acetone	14	J	50	U	4	BJ	10	U	50	U
Acrolein	50	U	250	U	20	U	50	U	250	U
Acrylonitrile	25	U	130	U	10	U	25	U	130	U
Benzene	5	U	25	U	2	U	5	U	25	U
Bromobenzene	5	U	25	U	2	U	5	U	25	U
Bromochloromethane	5	U	25	U	2	U	5	U	25	U
Bromodichloromethane	5	U	25	U	2	U	5	U	25	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	5	U	25	U	2	U	5	U	25	U
Bromomethane	5	U	25	U	2	U	5	U	25	U
Carbon Disulfide	15	U	75	U	6	U	15	U	75	U
Carbon Tetrachloride	5	U	25	U	2	U	5	U	25	U
Chlorobenzene	5	U	25	U	2	U	5	U	25	U
Chloroethane	5	U	25	U	2	U	5	U	25	U
Chloroform	5	U	25	U	2	U	5	U	25	U
Chloromethane	5	U	25	U	2	U	5	U	25	U
cis-1,2-Dichloroethene	58		300		14		30		240	
cis-1,3-Dichloropropene	5	U	25	U	2	U	5	U	25	U
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	5	U	25	U	2	U	5	U	25	U
Dibromomethane	5	U	25	U	2	U	5	U	25	U
Dichlorodifluoromethane	5	U	25	U	2	U	5	U	25	U
Ethyl Ether	15	U	75	U	6	U	15	U	75	U
Ethylbenzene	5	U	25	U	2	U	5	U	25	U
Hexachlorobutadiene	5	U	25	U	2	U	5	U	25	U
Isopropylbenzene	5	U	25	U	2	U	5	U	25	U
m&p-Xylene	10	U	50	U	4	U	10	U	50	U
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether	5	U	25	U	2	U	5	U	25	U
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	5	U	25	U	2	U	5	U	25	U
Naphthalene	5	U	25	U	2	U	5	U	25	U
n-Butylbenzene	5	U	25	U	2	U	5	U	25	U
n-Propylbenzene	5	U	25	U	2	U	5	U	25	U
o-Xylene	5	U	25	U	2	U	5	U	25	U
p-Isopropyltoluene	5	U	25	U	2	U	5	U	25	U
sec-Butylbenzene	5	U	25	U	2	U	5	U	25	U
Styrene	5	U	25	U	2	U	5	U	25	U
tert-Butylbenzene	5	U	25	U	2	U	5	U	25	U
Tetrachloroethene	5	U	25	U	2	U	5	U	25	U
Tetrahydrofuran	35	U	180	U	14	U	35	U	180	U
Toluene	5	U	25	U	2	U	5	U	25	U
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	5	U	25	U	2	U	5	U	25	U
trans-1,3-Dichloropropene	5	U	25	U	2	U	5	U	25	U
Trichloroethene	91		410		28		60		570	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	5	U	25	U	2	U	5	U	25	U
Vinyl Acetate	30	U	150	U	12	U	30	U	150	U
Vinyl Chloride	5	U	25	U	2	U	5	U	25	U
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Phenol		NA		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA		NA
Endrin		NA		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA		NA		NA		NA		NA
Antimony		NA		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA		NA
Barium		NA		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA		NA
Calcium		NA		NA		NA		NA		NA
Chromium		NA		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA		NA
Copper		NA		NA		NA		NA		NA
Iron		NA		NA		NA		NA		NA
Lead		NA		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA		NA
Manganese		NA		NA		NA		NA		NA
Mercury		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW98-0029		RM-GW98-0034		RM-GW99-0017		RM-GW99-0022		RM-GW99-0027	
Sample Location	98		98		99		99		99	
Date Sampled	3/5/2002		3/5/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-29.0		0.0-34.0		0.0-17.0		0.0-22.0		0.0-27.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA		NA
Potassium		NA		NA		NA		NA		NA
Selenium		NA		NA		NA		NA		NA
Silver		NA		NA		NA		NA		NA
Sodium		NA		NA		NA		NA		NA
Thallium		NA		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA		NA
Zinc		NA		NA		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1,2-Tetrachloroethane	50	U	50	U	50	U	100	U
1,1,1-Trichloroethane	130		130		130		95	L
1,1,2,2-Tetrachloroethane	50	U	50	U	50	U	100	U
1,1,2-Trichloro-1,2,2-trifluoroethane	50	U	50	U	50	U	100	U
1,1,2-Trichloroethane	50	U	50	U	50	U	100	U
1,1-Dichloroethane	220		220		220		260	
1,1-Dichloroethene	160		150		160		170	
1,1-Dichloropropene	50	U	50	U	50	U	100	U
1,2,3-Trichlorobenzene	50	U	50	U	50	U	100	U
1,2,3-Trichloropropane	50	U	50	U	50	U	100	U
1,2,4-Trichlorobenzene	50	U	50	U	50	U	100	U
1,2,4-Trimethylbenzene	50	U	50	U	50	U	100	U
1,2-Dibromo-3-chloropropane	50	U	50	U	50	U	100	U
1,2-Dibromoethane	50	U	50	U	50	U	100	U
1,2-Dichlorobenzene	50	U	50	U	50	U	100	U
1,2-Dichloroethane	50	U	50	U	50	U	100	U
1,2-Dichloroethene (total)		NA		NA		NA		NA
1,2-Dichloropropane	50	U	50	U	50	U	100	U
1,3,5-Trimethylbenzene	50	U	50	U	50	U	100	U
1,3-Dichlorobenzene	50	U	50	U	50	U	100	U
1,3-Dichloropropane	50	U	50	U	50	U	100	U
1,4-Dichlorobenzene	50	U	50	U	50	U	100	U
1,4-Dioxane		NA		NA		NA		NA
2,2-Dichloropropane	50	U	50	U	50	U	100	U
2-Butanone	200	U	200	U	200	U	400	U
2-Chloroethylvinylether	150	U	150	U	150	U	300	U
2-Chlorotoluene	50	U	50	U	50	U	100	U
2-Hexanone	30	U	30	U	30	U	60	U
4-Chlorotoluene	50	U	50	U	50	U	100	U
4-Methyl-2-Pentanone	25	U	25	U	25	U	50	U
Acetone	100	U	100	U	100	U	200	U
Acrolein	500	U	500	U	500	U	1000	U
Acrylonitrile	250	U	250	U	250	U	500	U
Benzene	50	U	50	U	50	U	100	U
Bromobenzene	50	U	50	U	50	U	100	U
Bromochloromethane	50	U	50	U	50	U	100	U
Bromodichloromethane	50	U	50	U	50	U	100	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform	50	U	50	U	50	U	100	U
Bromomethane	50	U	50	U	50	U	100	U
Carbon Disulfide	150	U	150	U	150	U	300	U
Carbon Tetrachloride	50	U	50	U	50	U	100	U
Chlorobenzene	50	U	50	U	50	U	100	U
Chloroethane	50	U	50	U	50	U	100	U
Chloroform	50	U	50	U	50	U	100	U
Chloromethane	50	U	50	U	50	U	100	U
cis-1,2-Dichloroethene	440		440		450		700	
cis-1,3-Dichloropropene	50	U	50	U	50	U	100	U
Cyclohexane		NA		NA		NA		NA
Dibromochloromethane	50	U	50	U	50	U	100	U
Dibromomethane	50	U	50	U	50	U	100	U
Dichlorodifluoromethane	50	U	50	U	50	U	100	U
Ethyl Ether	150	U	150	U	150	U	300	U
Ethylbenzene	50	U	50	U	50	U	100	U
Hexachlorobutadiene	50	U	50	U	50	U	100	U
Isopropylbenzene	50	U	50	U	50	U	100	U
m&p-Xylene	100	U	100	U	100	U	200	U
Methyl Acetate		NA		NA		NA		NA
Methyl tert-Butyl Ether	50	U	50	U	50	U	100	U
Methylcyclohexane		NA		NA		NA		NA
Methylene Chloride	50	U	50	U	50	U	100	U
Naphthalene	50	U	50	U	50	U	100	U
n-Butylbenzene	50	U	50	U	50	U	100	U
n-Propylbenzene	50	U	50	U	50	U	100	U
o-Xylene	50	U	50	U	50	U	100	U
p-Isopropyltoluene	50	U	50	U	50	U	100	U
sec-Butylbenzene	50	U	50	U	50	U	100	U
Styrene	50	U	50	U	50	U	100	U
tert-Butylbenzene	50	U	50	U	50	U	100	U
Tetrachloroethene	50	U	50	U	50	U	100	U
Tetrahydrofuran	350	U	350	U	350	U	700	U
Toluene	50	U	50	U	50	U	100	U
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene	50	U	50	U	50	U	100	U
trans-1,3-Dichloropropene	50	U	50	U	50	U	100	U
Trichloroethene	1200		1200		1100		2500	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	50	U	50	U	50	U	100	U
Vinyl Acetate	300	U	300	U	300	U	600	U
Vinyl Chloride	50	U	50	U	50	U	100	U
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA
Acetone		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA
Styrene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								
1,1'-Biphenyl		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)		NA		NA		NA		NA
2,4,5-Trichlorophenol		NA		NA		NA		NA
2,4,6-Trichlorophenol		NA		NA		NA		NA
2,4-Dichlorophenol		NA		NA		NA		NA
2,4-Dimethylphenol		NA		NA		NA		NA
2,4-Dinitrophenol		NA		NA		NA		NA
2,4-Dinitrotoluene		NA		NA		NA		NA
2,6-Dinitrotoluene		NA		NA		NA		NA
2-Chloronaphthalene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol		NA		NA		NA		NA
2-Methylnaphthalene		NA		NA		NA		NA
2-Methylphenol		NA		NA		NA		NA
2-Nitroaniline		NA		NA		NA		NA
2-Nitrophenol		NA		NA		NA		NA
3,3'-Dichlorobenzidine		NA		NA		NA		NA
3-Nitroaniline		NA		NA		NA		NA
4,6-Dinitro-2-methylphenol		NA		NA		NA		NA
4-Bromophenyl-phenylether		NA		NA		NA		NA
4-Chloro-3-methylphenol		NA		NA		NA		NA
4-Chloroaniline		NA		NA		NA		NA
4-Chlorophenyl-phenylether		NA		NA		NA		NA
4-Methylphenol		NA		NA		NA		NA
4-Nitroaniline		NA		NA		NA		NA
4-Nitrophenol		NA		NA		NA		NA
Acenaphthene		NA		NA		NA		NA
Acenaphthylene		NA		NA		NA		NA
Acetophenone		NA		NA		NA		NA
Anthracene		NA		NA		NA		NA
Atrazine		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(g,h,i)perylene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA
Bis(2-Chloroethoxy)methane		NA		NA		NA		NA
Bis(2-Chloroethyl)ether		NA		NA		NA		NA
bis(2-Ethylhexyl)phthalate		NA		NA		NA		NA
Butylbenzylphthalate		NA		NA		NA		NA
Caprolactam		NA		NA		NA		NA
Carbazole		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Dibenzofuran		NA		NA		NA		NA
Diethylphthalate		NA		NA		NA		NA
Dimethylphthalate		NA		NA		NA		NA
Di-n-Butylphthalate		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate		NA		NA		NA		NA
Fluoranthene		NA		NA		NA		NA
Fluorene		NA		NA		NA		NA
Hexachlorobenzene		NA		NA		NA		NA
Hexachlorobutadiene		NA		NA		NA		NA
Hexachlorocyclopentadiene		NA		NA		NA		NA
Hexachloroethane		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Isophorone		NA		NA		NA		NA
Naphthalene		NA		NA		NA		NA
Nitrobenzene		NA		NA		NA		NA
N-Nitroso-di-n-propylamine		NA		NA		NA		NA
N-Nitroso-diphenylamine		NA		NA		NA		NA
Pentachlorophenol		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Phenol		NA		NA		NA		NA
Pyrene		NA		NA		NA		NA
Total PAH		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD		NA		NA		NA		NA
4,4'-DDE		NA		NA		NA		NA
4,4'-DDT		NA		NA		NA		NA
Aldrin		NA		NA		NA		NA
alpha-BHC		NA		NA		NA		NA
alpha-Chlordane		NA		NA		NA		NA
Aroclor, Total		NA		NA		NA		NA
Aroclor-1016		NA		NA		NA		NA
Aroclor-1221		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Aroclor-1232		NA		NA		NA		NA
Aroclor-1242		NA		NA		NA		NA
Aroclor-1248		NA		NA		NA		NA
Aroclor-1254		NA		NA		NA		NA
Aroclor-1260		NA		NA		NA		NA
Aroclor-1262		NA		NA		NA		NA
Aroclor-1268		NA		NA		NA		NA
beta-BHC		NA		NA		NA		NA
delta-BHC		NA		NA		NA		NA
Dieldrin		NA		NA		NA		NA
Endosulfan I		NA		NA		NA		NA
Endosulfan II		NA		NA		NA		NA
Endosulfan Sulfate		NA		NA		NA		NA
Endrin		NA		NA		NA		NA
Endrin Aldehyde		NA		NA		NA		NA
Endrin Ketone		NA		NA		NA		NA
gamma-BHC		NA		NA		NA		NA
gamma-Chlordane		NA		NA		NA		NA
Heptachlor		NA		NA		NA		NA
Heptachlor Epoxide		NA		NA		NA		NA
Methoxychlor		NA		NA		NA		NA
Toxaphene		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum		NA		NA		NA		NA
Antimony		NA		NA		NA		NA
Arsenic		NA		NA		NA		NA
Barium		NA		NA		NA		NA
Beryllium		NA		NA		NA		NA
Cadmium		NA		NA		NA		NA
Calcium		NA		NA		NA		NA
Chromium		NA		NA		NA		NA
Cobalt		NA		NA		NA		NA
Copper		NA		NA		NA		NA
Iron		NA		NA		NA		NA
Lead		NA		NA		NA		NA
Magnesium		NA		NA		NA		NA
Manganese		NA		NA		NA		NA
Mercury		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-GW99-0037-AVG		RM-GW99-0037		RM-GW-DP07		RM-GW99-0042	
Sample Location	99		99		99		99	
Date Sampled	3/6/2002		3/6/2002		3/6/2002		3/6/2002	
Interval	0.0-37.0		0.0-37.0		0.0-37.0		0.0-42.0	
QC Identifier	Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		Field Dup. RM-GW99-0037		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Nickel		NA		NA		NA		NA
Potassium		NA		NA		NA		NA
Selenium		NA		NA		NA		NA
Silver		NA		NA		NA		NA
Sodium		NA		NA		NA		NA
Thallium		NA		NA		NA		NA
Vanadium		NA		NA		NA		NA
Zinc		NA		NA		NA		NA
Wet Chemistry Analysis								
Alkalinity		NA		NA		NA		NA
Chloride		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	10	U	10	U	10	U	10	U		NA
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U		NA
1,1-Dichloroethane	10	U	10	U	10	U	10	U		NA
1,1-Dichloroethene	10	U	10	U	10	U	10	U		NA
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U		NA
1,2-Dichloroethene (total)	10	U	10	U	10	U	10	U		NA
1,2-Dichloropropane	10	U	10	U	10	U	10	U		NA
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone	10	U	10	U	10	U	10	U		NA
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone	10	U	10	U	10	U	10	U		NA
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	10	U	10	U	10	U	10	U		NA
Acetone	10	U	10	U	10	U	10	U		NA
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene	10	U	10	U	10	U	10	U		NA
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane	10	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	10	U	10	U	10	U		NA
Bromomethane	10	U	10	U	10	UJ	10	U		NA
Carbon Disulfide	10	U	10	U	10	U	10	U		NA
Carbon Tetrachloride	10	U	10	U	10	U	10	U		NA
Chlorobenzene	10	U	10	U	10	U	10	U		NA
Chloroethane	10	U	10	UJ	10	U	10	U		NA
Chloroform	10	U	10	U	10	U	10	U		NA
Chloromethane	10	UJ	10	U	10	U	10	U		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	10	U		NA
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	10	U		NA
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U	10	U		NA
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene	10	U	10	U	10	U	10	U		NA
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene	10	U	10	U	10	U	10	U		NA
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene	10	U	10	U	10	U	10	U		NA
Total Xylenes	10	U	10	U	10	U	10	U		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U		NA
Trichloroethene	10	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride	10	U	10	U	10	U	10	U		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA	1	UJ
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	1	UJ
1,1,2-Trichloroethane		NA		NA		NA		NA	1	UJ
1,1-Dichloroethane		NA		NA		NA		NA	1	UJ
1,1-Dichloroethene		NA		NA		NA		NA	1	UJ
1,2,4-Trichlorobenzene		NA		NA		NA		NA	1	UJ
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		R
1,2-Dibromoethane		NA		NA		NA		NA	1	UJ
1,2-Dichlorobenzene		NA		NA		NA		NA	1	UJ
1,2-Dichloroethane		NA		NA		NA		NA	1	UJ
1,2-Dichloropropane		NA		NA		NA		NA	1	UJ
1,3-Dichlorobenzene		NA		NA		NA		NA	1	UJ
1,4-Dichlorobenzene		NA		NA		NA		NA	1	UJ
2-Butanone		NA		NA		NA		NA	5	UJ
2-Hexanone		NA		NA		NA		NA	5	UJ
4-Methyl-2-Pentanone		NA		NA		NA		NA	5	UJ
Acetone		NA		NA		NA		NA	5	UJ
Benzene		NA		NA		NA		NA	1	UJ
Bromochloromethane		NA		NA		NA		NA	1	UJ
Bromodichloromethane		NA		NA		NA		NA	1	UJ
Bromoform		NA		NA		NA		NA	1	UJ
Bromomethane		NA		NA		NA		NA	1	UJ
Carbon Disulfide		NA		NA		NA		NA	1	UJ
Carbon Tetrachloride		NA		NA		NA		NA	1	UJ
Chlorobenzene		NA		NA		NA		NA	1	UJ
Chloroethane		NA		NA		NA		NA	1	UJ
Chloroform		NA		NA		NA		NA	0.7	J
Chloromethane		NA		NA		NA		NA	1	UJ
cis-1,2-Dichloroethene		NA		NA		NA		NA	1	UJ
cis-1,3-Dichloropropene		NA		NA		NA		NA	1	UJ
Dibromochloromethane		NA		NA		NA		NA	1	UJ
Ethylbenzene		NA		NA		NA		NA	1	UJ
Methylene Chloride		NA		NA		NA		NA	2	UJ
Styrene		NA		NA		NA		NA	1	UJ

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA	1	UJ
Toluene		NA		NA		NA		NA	1	UJ
Total Xylenes		NA		NA		NA		NA	1	UJ
trans-1,2-Dichloroethene		NA		NA		NA		NA	1	UJ
trans-1,3-Dichloropropene		NA		NA		NA		NA	1	UJ
Trichloroethene		NA		NA		NA		NA	1	UJ
Vinyl Chloride		NA		NA		NA		NA	1	UJ
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U		R	25	UJ	25	UJ
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	UJ	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	UJ	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	UJ
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	UJ	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	UJ	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA		NA		NA
Anthracene	10	U	10	UJ	10	U	10	UJ	10	U
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U
Benzo(g,h,i)perylene	10	U	10	U	10	UJ	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	UJ
Caprolactam		NA		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	UJ
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	10	U	10	UJ	10	U	10	U	10	UJ
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	UJ	10	UJ	10	UJ		R
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	UJ	10	U	10	U
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	UJ	10	U	10	U	10	U	10	UJ
Total PAH	10	U	10	U	10	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	UJ	0.050	U	0.50	U	0.050	U	0.050	U
Aroclor, Total	1.1	U	0.56	U	0.56	U	0.56	U	1.1	U
Aroclor-1016	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1221	2.0	UJ	1.0	U	1.0	U	1.0	U	2.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1242	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1248	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1254	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1260	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1262	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1268	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
beta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	UJ	0.0020	J	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	UJ	0.10	U	0.10	U	0.0030	J	0.10	U
Endrin	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	UJ	0.050	U	0.50	U	0.050	U	0.050	U
Heptachlor	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	UJ	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	UJ	5.0	U	5.0	U	5.0	U	5.0	U
TAL Metal Analysis (UG/L)										
Aluminum	123	UJ	49.8	U	111	UJ	147		75.7	
Antimony	11.3	UJ	28.5	U	14.8	J	18.8	U	3.0	U
Arsenic	1.5	J	0.90	UJ	1.7	UJ	1.8	U	3.0	U
Barium	26.6	J	31.5		30.4	J	30.4	U	34.4	
Beryllium	0.80	UJ	0.20	U	0.30	UJ	0.20	U	1.0	U
Cadmium	1.5	UJ	3.9	UJ	1.4	UJ	1.1	U	1.0	U
Calcium	21600	J	20200		19200	J	18400		15800	
Chromium	5.5	J	2.8	U	1.9	UJ	5.7	UJ	1.7	J
Cobalt	24.5	J	33.2		44.5	J	44.5		41.3	
Copper	3.1	UJ	3.0	U	2.1	UJ	3.9	UJ	2.0	U
Iron	540	J	196		82.2	UJ	133	U	21.4	UJ
Lead	1.5	UJ	10.6	J	1.2	UJ	0.40	UJ	1.0	U
Magnesium	6810	J	5760		5320	J	4610		4460	
Manganese	6070	J	7440		7320	J	7560		6550	
Mercury	0.20	UJ	0.20	U	0.20	UJ	0.20	U	0.10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-101D-01		RM-MF-MW-101D-02		RM-MF-MW-101D-03		RM-MF-MW-101D-04		OU2-MW-101D-05	
Sample Location	MW-101D		MW-101D		MW-101D		MW-101D		MW-101D	
Date Sampled	5/19/1994		8/24/1994		12/1/1994		3/29/1995		11/10/1997	
Interval	58.9-68.9		58.9-68.9		58.9-68.9		58.9-68.9		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel	29.2	J	45.3		45.2	J	50.5		47.8	
Potassium	7660	J	7720		7610	J	7660		7410	
Selenium	2.1	UJ	1.0	U	2.5	UJ	2.8	U	5.4	J
Silver	3.3	J	2.7	J	2.4	UJ	1.8	U	1.0	U
Sodium	45000	J	38500		34200	J	32500		37600	
Thallium	2.2	UJ	0.90	U	1.7	UJ	3.1	U	3.0	U
Vanadium	2.6	UJ	3.5	U	2.3	UJ	2.9	U	1.0	U
Zinc	73.5	J	110		83.5	UJ	57.2	J	65.5	J
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA	15.1	
Chloride		NA		NA		NA		NA	57.6	
Nitrate-Nitrite (as N)		NA		NA		NA		NA	2.61	
Sulfate		NA		NA		NA		NA	81.5	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	10	U	10	U	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethane	10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethene	10	U	10	U	10	U	10	U	10	U
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U		NA		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	10	U		NA		NA		NA		NA
1,2-Dibromoethane	10	U		NA		NA		NA		NA
1,2-Dichlorobenzene	10	U		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U	10	U
1,2-Dichloroethene (total)		NA	10	U	10	U	10	U	10	U
1,2-Dichloropropane	10	U	10	U	10	U	10	U	10	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene	10	U		NA		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene	10	U		NA		NA		NA		NA
1,4-Dioxane	100	UJ		NA		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone	10	UJ	10	U	10	U	10	U	10	U
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone	10	U	10	U	10	U	10	U	10	U
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	10	U	10	U	10	U	10	U	10	U
Acetone	10	UJ	15	U	10	U	10	U	10	U
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene	10	U	10	U	10	U	10	U	10	U
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	10	U	10	U	10	U	10	U
Bromomethane	10	U	10	U	10	U	10	UJ	10	U
Carbon Disulfide	10	U	1	J	10	U	10	U	10	U
Carbon Tetrachloride	10	U	10	U	10	U	10	U	10	U
Chlorobenzene	10	U	10	U	10	U	10	U	10	U
Chloroethane	10	U	10	U	10	UJ	10	U	10	U
Chloroform	10	U	1	J	10	U	10	U	10	U
Chloromethane	10	U	10	UJ	10	U	10	U	10	U
cis-1,2-Dichloroethene	10	U		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Cyclohexane	10	U		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	10	U	10	U
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane	10	UJ		NA		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene	10	U		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate	10	U		NA		NA		NA		NA
Methyl tert-Butyl Ether	10	U		NA		NA		NA		NA
Methylcyclohexane	10	U		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U	10	U	10	U
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene	10	U	10	U	10	U	10	U	10	U
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene	10	U	10	U	10	U	10	U	10	U
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene	10	U	10	U	10	U	10	U	10	U
Total Xylenes	10	U	10	U	10	U	10	U	10	U
trans-1,2-Dichloroethene	10	U		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Trichloroethene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane	10	U		NA		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride	1	U	10	U	10	U	10	U	10	U
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl	10	U		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene		NA	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene		NA	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene		NA	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U	25	U		R	25	UJ
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10	UJ

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U	10	UJ
3-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	UJ	10	U	10	U	10	U	10	UJ
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	UJ	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone	10	U		NA		NA		NA		NA
Anthracene	10	U	10	U	10	UJ	10	U	10	UJ
Atrazine	10	UJ		NA		NA		NA		NA
Benzaldehyde	10	U		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	UJ	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	U
Caprolactam	10	U		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	10	U	10	U	10	UJ	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	UJ	10	UJ	10	UJ
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	UJ	10	U
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	U	10	UJ	10	U	10	U	10	U
Total PAH		NA	10	U	10	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene	0.20	U		NA		NA		NA		NA
Benzo(a)anthracene	0.20	U		NA		NA		NA		NA
Benzo(a)pyrene	0.20	U		NA		NA		NA		NA
Benzo(b)fluoranthene	0.20	U		NA		NA		NA		NA
Benzo(k)fluoranthene	0.20	U		NA		NA		NA		NA
Chrysene	0.20	U		NA		NA		NA		NA
Dibenzo(a,h)anthracene	0.20	U		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	0.20	U		NA		NA		NA		NA
Phenanthrene	0.20	U		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.016	J
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.50	U	0.050	U
Aroclor, Total		NA	1.1	U	0.56	U	0.56	U	0.56	U
Aroclor-1016	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1221	0.25	U	2.0	U	1.0	U	1.0	U	1.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1242	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1248	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1254	0.25	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1260	0.25	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1262	0.28	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1268	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.050	U	0.10	U	0.10	U	0.10	U	0.024	J
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.050	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.0019	J	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.50	U	0.050	U
Heptachlor	0.020	U	0.050	U	0.050	U	0.050	U	0.035	J
Heptachlor Epoxide	0.020	U	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
TAL Metal Analysis (UG/L)										
Aluminum	159	UJ	120	U	21.3	U	62.9	U	43.9	U
Antimony	9.9	U	10.8	U	28.5	U	15.7	J	18.8	U
Arsenic	5.0	U	8.1		4.3		9.3	U	4.6	
Barium	29.0		140	J	91.4	J	100	J	85.8	J
Beryllium	0.90	U	0.80	U	0.20	U	0.30	U	0.20	U
Cadmium	0.70	U	1.0	U	3.9	UJ	1.4	U	1.1	U
Calcium	12700		203000		160000		200000		172000	
Chromium	0.60	U	35.8	J	6.4	U	6.2	U	5.7	UJ
Cobalt	20.9		2.7	J	4.1	U	2.3	U	2.4	U
Copper	5.8	U	4.8	UJ	3.0	UJ	2.1	UJ	3.9	UJ
Iron	173		2890		1000		113	U	183	U
Lead	2.4	U	1.5	U	2.0	U	0.70	UJ	0.40	UJ
Magnesium	3200		567000		474000		596000		513000	
Manganese	4160		2060		1250		675		541	
Mercury	0.10	U	0.34	J	0.20	U	2.3		2.3	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101D-07		MF-MW-101M-01		RM-MF-MW-101M-02		RM-MF-MW-101M-03		RM-MF-MW-101M-04	
Sample Location	MW-101D		MW-101M		MW-101M		MW-101M		MW-101M	
Date Sampled	12/4/2002		5/19/1994		8/24/1994		12/1/1994		3/29/1995	
Interval	0.0-0.0		21.0-26.0		21.0-26.0		21.0-26.0		21.0-26.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel	32.8		16.2	U	13.3	J	3.5	U	5.2	U
Potassium	6610		83600		101000		99200		85400	
Selenium	4.3	U	2.1	UJ	5.0	J	2.5	UJ	2.8	U
Silver	1.3	U		R	2.6	UJ	2.4	UJ	1.8	UJ
Sodium	31000		3500000		3790000		3960000		3280000	J
Thallium	4.2	U	2.2	U	9.0	UJ	1.7	UJ		R
Vanadium	5.9	U		R	5.8	J		R	2.9	UJ
Zinc	22.8		197		5.1	U	484		52.2	J
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,1-Trichloroethane	10	U	10	U	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethane	10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethene	10	U	10	U	10	U	10	U	10	U
1,1-Dichloropropene		NA		NA		NA		NA		NA
1,2,3-Trichlorobenzene		NA		NA		NA		NA		NA
1,2,3-Trichloropropane		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA	10	U		NA		NA		NA
1,2,4-Trimethylbenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA	10	U		NA		NA		NA
1,2-Dibromoethane		NA	10	U		NA		NA		NA
1,2-Dichlorobenzene		NA	10	U		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U	10	U
1,2-Dichloroethene (total)	10	U		NA	10	U	10	U	10	U
1,2-Dichloropropane	10	U	10	U	10	U	10	U	10	U
1,3,5-Trimethylbenzene		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA	10	U		NA		NA		NA
1,3-Dichloropropane		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA	10	U		NA		NA		NA
1,4-Dioxane		NA	100	UJ		NA		NA		NA
2,2-Dichloropropane		NA		NA		NA		NA		NA
2-Butanone	10	U	10	UJ	13		10	U	10	U
2-Chloroethylvinylether		NA		NA		NA		NA		NA
2-Chlorotoluene		NA		NA		NA		NA		NA
2-Hexanone	10	UJ	10	U	10	U	10	U	10	U
4-Chlorotoluene		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	10	UJ	10	U	10	U	18		10	U
Acetone	10	U	10	UJ	58	U	13	U	10	U
Acrolein		NA		NA		NA		NA		NA
Acrylonitrile		NA		NA		NA		NA		NA
Benzene	10	U	10	U	10	U	10	U	10	U
Bromobenzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform	10	U	10	U	10	U	10	U	10	U
Bromomethane	10	U	10	U	10	U	10	U	10	UJ
Carbon Disulfide	10	U	10	U	10	U	10	U	10	U
Carbon Tetrachloride	10	U	10	U	10	U	10	U	10	U
Chlorobenzene	10	U	10	U	10	U	10	U	10	U
Chloroethane	10	UJ	10	U	10	U	10	UJ	10	U
Chloroform	10	U	10	U	2	J	10	U	10	U
Chloromethane	10	U	10	U	10	UJ	10	U	10	U
cis-1,2-Dichloroethene		NA	10	U		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Cyclohexane		NA	10	U		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	10	U	10	U
Dibromomethane		NA		NA		NA		NA		NA
Dichlorodifluoromethane		NA	10	UJ		NA		NA		NA
Ethyl Ether		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene		NA		NA		NA		NA		NA
Isopropylbenzene		NA	10	U		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
Methyl Acetate		NA	10	U		NA		NA		NA
Methyl tert-Butyl Ether		NA	1	J		NA		NA		NA
Methylcyclohexane		NA	10	U		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U	10	U	10	U
Naphthalene		NA		NA		NA		NA		NA
n-Butylbenzene		NA		NA		NA		NA		NA
n-Propylbenzene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
p-Isopropyltoluene		NA		NA		NA		NA		NA
sec-Butylbenzene		NA		NA		NA		NA		NA
Styrene	10	U	10	U	10	U	10	U	10	U
tert-Butylbenzene		NA		NA		NA		NA		NA
Tetrachloroethene	10	U	10	U	10	U	10	U	10	U
Tetrahydrofuran		NA		NA		NA		NA		NA
Toluene	10	U	10	U	10	U	10	U	10	U
Total Xylenes	10	U	10	U	10	U	10	U	10	U
trans-1,2-Dichloroethene		NA	10	U		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Trichloroethene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Trichlorofluoromethane		NA	10	U		NA		NA		NA
Vinyl Acetate		NA		NA		NA		NA		NA
Vinyl Chloride	10	U	1	U	10	U	10	U	10	U
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										
1,1'-Biphenyl		NA	10	U		NA		NA		NA
1,2,4-Trichlorobenzene	10	U		NA	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U		NA	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U		NA	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U		NA	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U	25	U	25	U		R
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	UJ	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	UJ	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	UJ	10	U	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U	10	UJ
4-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4-Nitrophenol	25	UJ	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone		NA	10	U		NA		NA		NA
Anthracene	10	U	10	U	10	U	10	UJ	10	U
Atrazine		NA	10	UJ		NA		NA		NA
Benzaldehyde		NA	10	U		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U	10	UJ
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	UJ	10	U	10	U	10	U	10	U
Caprolactam		NA	10	U		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U	1	J
Chrysene	10	UJ	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Di-n-octylphthalate	10	U	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene		R	10	U	10	U	10	UJ	10	UJ
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	UJ	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U	1	J
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	UJ	10	U	10	U
Total PAH	10	U		NA	10	U	10	U	1	
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA	0.20	U		NA		NA		NA
Benzo(a)anthracene		NA	0.20	U		NA		NA		NA
Benzo(a)pyrene		NA	0.20	U		NA		NA		NA
Benzo(b)fluoranthene		NA	0.20	U		NA		NA		NA
Benzo(k)fluoranthene		NA	0.20	U		NA		NA		NA
Chrysene		NA	0.20	U		NA		NA		NA
Dibenzo(a,h)anthracene		NA	0.20	U		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA		NA		NA
Phenanthrene		NA	0.20	U		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.50	U
Aroclor, Total	1.1	U		NA	1.1	U	0.56	U	0.56	U
Aroclor-1016	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1221	2.0	U	0.25	U	2.0	U	1.0	U	1.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Aroclor-1232	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1242	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1248	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1254	1.0	U	0.25	U	1.0	U	0.50	U	0.50	U
Aroclor-1260	1.0	U	0.25	U	1.0	U	0.50	U	0.50	U
Aroclor-1262	1.0	U	0.28	U	1.0	U	0.50	U	0.50	U
Aroclor-1268	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.050	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.050	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.50	U
Heptachlor	0.050	U	0.020	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.020	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
TAL Metal Analysis (UG/L)										
Aluminum	17.0	U	196	UJ	40.9	UJ	118	U	448	UJ
Antimony	3.0	U	9.9	U	10.8	UJ	28.5	U	224	UJ
Arsenic	4.4	J	17.5		1.5	UJ	13.5	U	3.4	UJ
Barium	65.6		92.0			R		R	43.6	J
Beryllium	1.0	U	0.90	U	0.80	UJ	1.1	U	6.4	J
Cadmium	1.0	U	0.70	UJ	1.0	UJ	3.9	UJ	28.0	UJ
Calcium	136000		172000		249000	J	293000		271000	J
Chromium	1.4	J	0.89	J	4.4	UJ	2.8	U	35.4	J
Cobalt	1.0	U	6.9	U	15.6	J	25.9		46.0	UJ
Copper	2.0	U	5.8	U	3.1	UJ		R	42.0	UJ
Iron	62.0	U	173		354000	J	600000		693000	J
Lead	1.0	U	2.4	U	2.0	UJ	14.3	J	1.4	UJ
Magnesium	376000		523000		305000	J	488000		377000	J
Manganese	338		597	J	5870	J	5740		5610	J
Mercury	0.10	U	0.10	U	0.20	UJ	0.20	U	0.53	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-101M-05		OU2-MW-101M-07		MF-MW-101S-01		RM-MF-MW-101S-02		RM-MF-MW-101S-03	
Sample Location	MW-101M		MW-101M		MW-101S		MW-101S		MW-101S	
Date Sampled	11/10/1997		12/4/2002		5/19/1994		8/24/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		9.4-14.4		9.4-14.4		9.4-14.4	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Nickel	1.0	U	5.3	U	48.8	J	46.2		118	J
Potassium	108000		132000		62700	J	128000		100000	J
Selenium	3.0	U	4.3	U	2.1	UJ	14.3		5.0	UJ
Silver	1.0	U	1.3	U	9.2	J		R	86.0	J
Sodium	2730000		3810000		1750000	J	3310000		2470000	J
Thallium	3.0	UJ	4.2	UJ	2.2	UJ	9.0	UJ	3.4	UJ
Vanadium	2.5	J	5.9	U	48.1	J	3.5	U	46.0	UJ
Zinc	111	J		R	260	J	127		330	J
Wet Chemistry Analysis										
Alkalinity	670			NA		NA		NA		NA
Chloride	5640			NA		NA		NA		NA
Nitrate-Nitrite (as N)	0.10	U		NA		NA		NA		NA
Sulfate	528			NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)									
1,1,1,2-Tetrachloroethane		NA		NA		NA		NA	
1,1,1-Trichloroethane	10	U		NA	10	U	10	U	10
1,1,2,2-Tetrachloroethane	10	U		NA	10	U	10	U	10
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA	10	U		NA	
1,1,2-Trichloroethane	10	U		NA	10	U	10	U	10
1,1-Dichloroethane	10	U		NA	10	U	10	U	10
1,1-Dichloroethene	10	U		NA	10	U	10	U	10
1,1-Dichloropropene		NA		NA		NA		NA	
1,2,3-Trichlorobenzene		NA		NA		NA		NA	
1,2,3-Trichloropropane		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA	10	UJ		NA	
1,2,4-Trimethylbenzene		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA	10	UJ		NA	
1,2-Dibromoethane		NA		NA	10	U		NA	
1,2-Dichlorobenzene		NA		NA	10	U		NA	
1,2-Dichloroethane	10	U		NA	10	U	10	U	10
1,2-Dichloroethene (total)	10	U		NA		NA	10	U	10
1,2-Dichloropropane	10	U		NA	10	U	10	U	10
1,3,5-Trimethylbenzene		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA	10	U		NA	
1,3-Dichloropropane		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA	10	U		NA	
1,4-Dioxane		NA		NA	100	UJ		NA	
2,2-Dichloropropane		NA		NA		NA		NA	
2-Butanone	10	U		NA	10	U	10	U	10
2-Chloroethylvinylether		NA		NA		NA		NA	
2-Chlorotoluene		NA		NA		NA		NA	
2-Hexanone	10	U		NA	10	U	10	U	10
4-Chlorotoluene		NA		NA		NA		NA	
4-Methyl-2-Pentanone	10	U		NA	10	U	10	U	10
Acetone	10	U		NA	10	U	10	U	10
Acrolein		NA		NA		NA		NA	
Acrylonitrile		NA		NA		NA		NA	
Benzene	10	U		NA	10	U	10	U	10
Bromobenzene		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA	
Bromodichloromethane	10	U		NA	10	U	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform	10	U		NA	10	U	10	U	10
Bromomethane	10	U		NA	10	U	10	U	10
Carbon Disulfide	10	U		NA	10	U	10	U	10
Carbon Tetrachloride	10	U		NA	10	U	10	U	10
Chlorobenzene	10	U		NA	10	U	10	U	10
Chloroethane	10	U		NA	10	U	10	U	10
Chloroform	10	U		NA	10	U	16.5		10
Chloromethane	10	U		NA	10	UJ	10	U	10
cis-1,2-Dichloroethene		NA		NA	10	U		NA	
cis-1,3-Dichloropropene	10	U		NA	10	U	10	U	10
Cyclohexane		NA		NA	10	U		NA	
Dibromochloromethane	10	U		NA	10	U	10	U	10
Dibromomethane		NA		NA		NA		NA	
Dichlorodifluoromethane		NA		NA	10	U		NA	
Ethyl Ether		NA		NA		NA		NA	
Ethylbenzene	10	U		NA	10	U	10	U	10
Hexachlorobutadiene		NA		NA		NA		NA	
Isopropylbenzene		NA		NA	10	U		NA	
m&p-Xylene		NA		NA		NA		NA	
Methyl Acetate		NA		NA	10	U		NA	
Methyl tert-Butyl Ether		NA		NA	10	U		NA	
Methylcyclohexane		NA		NA	10	U		NA	
Methylene Chloride	10	U		NA	10	UJ	10	U	10
Naphthalene		NA		NA		NA		NA	
n-Butylbenzene		NA		NA		NA		NA	
n-Propylbenzene		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA	
p-Isopropyltoluene		NA		NA		NA		NA	
sec-Butylbenzene		NA		NA		NA		NA	
Styrene	10	U		NA	10	U	10	U	10
tert-Butylbenzene		NA		NA		NA		NA	
Tetrachloroethene	10	U		NA	10	U	10	U	10
Tetrahydrofuran		NA		NA		NA		NA	
Toluene	10	U		NA	10	U	10	U	10
Total Xylenes	10	U		NA	10	U	10	U	10
trans-1,2-Dichloroethene		NA		NA	10	U		NA	
trans-1,3-Dichloropropene	10	U		NA	10	U	10	U	10
Trichloroethene	10	U		NA	10	U	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Trichlorofluoromethane		NA		NA	10	U		NA	
Vinyl Acetate		NA		NA		NA		NA	
Vinyl Chloride	10	U		NA	1	U	10	U	10
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane		NA	1	U		NA		NA	
1,1,2,2-Tetrachloroethane		NA	1	U		NA		NA	
1,1,2-Trichloroethane		NA	1	U		NA		NA	
1,1-Dichloroethane		NA	1	U		NA		NA	
1,1-Dichloroethene		NA	1	U		NA		NA	
1,2,4-Trichlorobenzene		NA		R		NA		NA	
1,2-Dibromo-3-chloropropane		NA		R		NA		NA	
1,2-Dibromoethane		NA	1	U		NA		NA	
1,2-Dichlorobenzene		NA		R		NA		NA	
1,2-Dichloroethane		NA	1	UJ		NA		NA	
1,2-Dichloropropane		NA	1	U		NA		NA	
1,3-Dichlorobenzene		NA		R		NA		NA	
1,4-Dichlorobenzene		NA		R		NA		NA	
2-Butanone		NA	5	U		NA		NA	
2-Hexanone		NA	5	U		NA		NA	
4-Methyl-2-Pentanone		NA	5	U		NA		NA	
Acetone		NA		R		NA		NA	
Benzene		NA		R		NA		NA	
Bromochloromethane		NA	1	UJ		NA		NA	
Bromodichloromethane		NA	1	U		NA		NA	
Bromoform		NA	1	U		NA		NA	
Bromomethane		NA	1	U		NA		NA	
Carbon Disulfide		NA	1	U		NA		NA	
Carbon Tetrachloride		NA	1	U		NA		NA	
Chlorobenzene		NA		R		NA		NA	
Chloroethane		NA	1	U		NA		NA	
Chloroform		NA	1	U		NA		NA	
Chloromethane		NA	1	U		NA		NA	
cis-1,2-Dichloroethene		NA	1	U		NA		NA	
cis-1,3-Dichloropropene		NA	1	U		NA		NA	
Dibromochloromethane		NA	1	U		NA		NA	
Ethylbenzene		NA		R		NA		NA	
Methylene Chloride		NA	2	UJ		NA		NA	
Styrene		NA		R		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Tetrachloroethene		NA	1	U		NA		NA	
Toluene		NA	1	U		NA		NA	
Total Xylenes		NA		R		NA		NA	
trans-1,2-Dichloroethene		NA	1	U		NA		NA	
trans-1,3-Dichloropropene		NA	1	U		NA		NA	
Trichloroethene		NA	1	U		NA		NA	
Vinyl Chloride		NA	1	U		NA		NA	
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)									
1,1'-Biphenyl		NA		NA	10	U		NA	
1,2,4-Trichlorobenzene	10	U	10	U		NA	10	U	10
1,2-Dichlorobenzene	10	U	10	U		NA	10	U	10
1,3-Dichlorobenzene	10	U	10	U		NA	10	U	10
1,4-Dichlorobenzene	10	U	10	U		NA	10	U	10
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	UJ	10	U	10
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10
2,4-Dinitrophenol	25	UJ	25	U	25	U	25	U	25
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10
2-Chloronaphthalene	10	UJ	10	U	10	U	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
2-Chlorophenol	10	U	10	U	10	U	10	U	10
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10
2-Methylphenol	10	U	10	U	10	U	10	U	10
2-Nitroaniline	25	U	25	U	25	UJ	25	U	25
2-Nitrophenol	10	U	10	U	10	U	10	U	10
3,3'-Dichlorobenzidine	10	UJ	10	U	10	U	10	U	10
3-Nitroaniline	25	U	25	U	25	U	25	U	25
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10
4-Chloroaniline	10	UJ	10	U	10	U	10	U	10
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10
4-Methylphenol	10	U	10	U	10	U	10	U	10
4-Nitroaniline	25	U	25	U	25	UJ	25	U	25
4-Nitrophenol	25	U	25	U	25	U	25	U	25
Acenaphthene	10	U	10	U	10	U	10	U	10
Acenaphthylene	10	U	10	U	10	U	10	U	10
Acetophenone		NA		NA	10	UJ		NA	
Anthracene	10	UJ	10	U	10	U	10	U	10
Atrazine		NA		NA	10	UJ		NA	
Benzaldehyde		NA		NA	10	UJ		NA	
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U	10
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10
Caprolactam		NA		NA	10	U		NA	
Carbazole	10	U	10	U	10	U	10	U	10
Chrysene	10	U	10	U	10	U	10	U	10
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10
Dibenzofuran	10	U	10	U	10	U	10	U	10
Diethylphthalate	10	U	10	U	10	U	10	U	10
Dimethylphthalate	10	U	10	U	10	U	10	U	10
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Di-n-octylphthalate	10	U	10	U	10	U	10	U	10
Fluoranthene	10	U	10	U	10	U	10	U	10
Fluorene	10	U	10	U	10	U	10	U	10
Hexachlorobenzene	10	U	10	U	10	U	10	U	10
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10
Hexachlorocyclopentadiene	10	UJ	10	U	10	U	10	U	10
Hexachloroethane	10	U	10	U	10	U	10	U	10
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10
Isophorone	10	U	10	U	10	U	10	U	10
Naphthalene	10	U	10	U	10	U	10	U	10
Nitrobenzene	10	U	10	U	10	U	10	U	10
N-Nitroso-di-n-propylamine	10	U	10	U	10	UJ	10	U	10
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10
Pentachlorophenol	25	U	25	U	25	U	25	U	25
Phenanthrene	10	U	10	U	10	U	10	U	10
Phenol	10	U	10	U	10	U	10	U	10
Pyrene	10	U	10	U	10	U	10	U	10
Total PAH	10	U	10	U		NA	10	U	10
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene		NA		NA	0.20	U		NA	
Benzo(a)anthracene		NA		NA	0.20	U		NA	
Benzo(a)pyrene		NA		NA	0.20	U		NA	
Benzo(b)fluoranthene		NA		NA	0.20	U		NA	
Benzo(k)fluoranthene		NA		NA	0.20	U		NA	
Chrysene		NA		NA	0.20	U		NA	
Dibenzo(a,h)anthracene		NA		NA	0.20	UJ		NA	
Indeno(1,2,3-cd)pyrene		NA		NA	0.20	U		NA	
Phenanthrene		NA		NA	0.20	U		NA	
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	0.0040	J		NA	0.10	U	0.10	U	0.10
4,4'-DDE	0.10	U		NA	0.10	U	0.10	U	0.10
4,4'-DDT	0.10	U		NA	0.10	U	0.10	U	0.10
Aldrin	0.050	U		NA	0.050	U	0.050	U	0.050
alpha-BHC	0.050	U		NA	0.050	U	0.050	U	0.050
alpha-Chlordane	0.050	U		NA	0.050	U	0.050	U	0.050
Aroclor, Total	0.56	U		NA		NA	1.1	U	0.56
Aroclor-1016	0.50	U		NA	1.0	U	1.0	U	0.50
Aroclor-1221	1.0	U		NA	0.25	U	2.0	U	1.0

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Aroclor-1232	0.50	U		NA	1.0	U	1.0	U	0.50
Aroclor-1242	0.50	U		NA	1.0	U	1.0	U	0.50
Aroclor-1248	0.50	U		NA	1.0	U	1.0	U	0.50
Aroclor-1254	0.50	U		NA	0.25	U	1.0	U	0.50
Aroclor-1260	0.50	U		NA	0.25	U	1.0	U	0.50
Aroclor-1262	0.50	U		NA	0.28	U	1.0	U	0.50
Aroclor-1268	0.50	U		NA	1.0	U	1.0	U	0.50
beta-BHC	0.050	U		NA	0.050	U	0.050	U	0.050
delta-BHC	0.050	U		NA	0.050	U	0.050	U	0.050
Dieldrin	0.10	U		NA	0.050	U	0.0273		0.10
Endosulfan I	0.050	U		NA	0.050	U	0.050	U	0.050
Endosulfan II	0.10	U		NA	0.10	U	0.10	U	0.10
Endosulfan Sulfate	0.10	U		NA	0.10	U	0.10	U	0.10
Endrin	0.10	U		NA	0.050	U	0.10	U	0.10
Endrin Aldehyde	0.10	U		NA	0.10	U	0.10	U	0.10
Endrin Ketone	0.10	U		NA	0.10	U	0.10	U	0.10
gamma-BHC	0.050	U		NA	0.050	U	0.050	U	0.050
gamma-Chlordane	0.050	U		NA	0.050	U	0.050	U	0.050
Heptachlor	0.050	U		NA	0.020	U	0.050	U	0.050
Heptachlor Epoxide	0.050	U		NA	0.020	U	0.050	U	0.050
Methoxychlor	0.50	U		NA	0.50	U	0.50	U	0.50
Toxaphene	5.0	U		NA	5.0	U	5.0	U	5.0
TAL Metal Analysis (UG/L)									
Aluminum	244	U	17.0	U	102	U	40.1	U	21.3
Antimony	52.2		3.0	U	3.5	U	14.7	U	28.5
Arsenic	10.3		14.7		15.8	UJ	1.5	U	0.90
Barium		R	28.7		21.0	J	18.15		24.7
Beryllium	0.20	U	1.0	U	0.10	U	0.40	U	0.20
Cadmium	1.1	U	13.6		0.40	UJ	1.15	U	3.9
Calcium	226000		294000		115000		22400		28800
Chromium	5.7	UJ	5.3		1.5	J	2.5	U	2.8
Cobalt	2.4	U	1.0	U		R	3.15	U	4.1
Copper	3.9	UJ	2.0	U	1.3	U	3.6	U	3.0
Iron	485000		224000	J	246000		151.5	U	280
Lead		R	1.0	U	29.0	J	1.6	U	1.4
Magnesium	412000		736000		161000		4950		6410
Manganese	4030		2470	J	2440		795.5		1470
Mercury	0.20	U	0.10	U	2.8		0.20	U	0.20

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-101S-04		OU2-MW-101S-05		OU2-MW-101S-07		MF-MW-102D-01-AVG		RM-MF-MW-102D-02
Sample Location	MW-101S		MW-101S		MW-101S		MW-102D		MW-102D
Date Sampled	3/29/1995		11/7/1997		12/10/2002		5/20/1994		8/22/1994
Interval	9.4-14.4		0.0-0.0		0.0-0.0		101.5-111.5		101.5-111.5
QC Identifier	None		None		None		Field Duplicate 1001		None
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Nickel	18.9		13.7	U		R	6.5	U	13.3
Potassium	99200		216000		146000	J	5240		6030
Selenium	2.8	U	3.0	U	3.0	UJ	2.1	U	1.0
Silver	3.6	J	1.0	U		R		NA	2.6
Sodium	2710000	J	23400		2180000	J	21400		17500
Thallium		R	3.0	UJ	21.9	UJ	2.2	U	0.90
Vanadium	10.5	J	1.0	U	1.0	U	2.2	U	3.5
Zinc	101		2.0	U	1.6	UJ	14.45	U	25.9
Wet Chemistry Analysis									
Alkalinity		NA	144			NA		NA	
Chloride		NA	3850			NA		NA	
Nitrate-Nitrite (as N)		NA	0.10	U		NA		NA	
Sulfate		NA	783			NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Volatile Organic Analysis (UG/L)					
1,1,1,2-Tetrachloroethane	NA		NA		NA
1,1,1-Trichloroethane	U	10	U	10	U
1,1,2,2-Tetrachloroethane	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA
1,1,2-Trichloroethane	U	10	U	10	U
1,1-Dichloroethane	UJ	10	U	10	U
1,1-Dichloroethene	U	10	U	10	U
1,1-Dichloropropene	NA		NA		NA
1,2,3-Trichlorobenzene	NA		NA		NA
1,2,3-Trichloropropane	NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA
1,2,4-Trimethylbenzene	NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA
1,2-Dibromoethane	NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA
1,2-Dichloroethane	U	10	U	10	U
1,2-Dichloroethene (total)	U	10	U	10	U
1,2-Dichloropropane	U	10	U	10	U
1,3,5-Trimethylbenzene	NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA
1,3-Dichloropropane	NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA
1,4-Dioxane	NA		NA		NA
2,2-Dichloropropane	NA		NA		NA
2-Butanone	U	10	U	10	U
2-Chloroethylvinylether	NA		NA		NA
2-Chlorotoluene	NA		NA		NA
2-Hexanone	U	10	U	10	U
4-Chlorotoluene	NA		NA		NA
4-Methyl-2-Pentanone	U	10	U	10	U
Acetone	U	10	U	10	U
Acrolein	NA		NA		NA
Acrylonitrile	NA		NA		NA
Benzene	U	10	U	10	U
Bromobenzene	NA		NA		NA
Bromochloromethane	NA		NA		NA
Bromodichloromethane	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Bromoform	U	10	U	10	U
Bromomethane	U	10	U	10	U
Carbon Disulfide	U	10	U	10	U
Carbon Tetrachloride	U	10	U	10	U
Chlorobenzene	UJ	10	U	10	U
Chloroethane	UJ	10	U	10	U
Chloroform	UJ	10	U	10	U
Chloromethane	UJ	10	U	10	U
cis-1,2-Dichloroethene	NA		NA		NA
cis-1,3-Dichloropropene	U	10	U	10	U
Cyclohexane	NA		NA		NA
Dibromochloromethane	U	10	U	10	U
Dibromomethane	NA		NA		NA
Dichlorodifluoromethane	NA		NA		NA
Ethyl Ether	NA		NA		NA
Ethylbenzene	U	10	U	10	U
Hexachlorobutadiene	NA		NA		NA
Isopropylbenzene	NA		NA		NA
m&p-Xylene	NA		NA		NA
Methyl Acetate	NA		NA		NA
Methyl tert-Butyl Ether	NA		NA		NA
Methylcyclohexane	NA		NA		NA
Methylene Chloride	U	10	U	10	U
Naphthalene	NA		NA		NA
n-Butylbenzene	NA		NA		NA
n-Propylbenzene	NA		NA		NA
o-Xylene	NA		NA		NA
p-Isopropyltoluene	NA		NA		NA
sec-Butylbenzene	NA		NA		NA
Styrene	U	10	U	10	U
tert-Butylbenzene	NA		NA		NA
Tetrachloroethene	U	10	U	10	U
Tetrahydrofuran	NA		NA		NA
Toluene	U	10	U	10	U
Total Xylenes	UJ	10	U	10	U
trans-1,2-Dichloroethene	NA		NA		NA
trans-1,3-Dichloropropene	U	10	U	10	U
Trichloroethene	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Trichlorofluoromethane	NA		NA		NA
Vinyl Acetate	NA		NA		NA
Vinyl Chloride	U	10	U	10	U
Low Concentration Volatile Organic Analysis (UG/L)					
1,1,1-Trichloroethane	NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA
1,1-Dichloroethane	NA		NA		NA
1,1-Dichloroethene	NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA
1,2-Dibromoethane	NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA
1,2-Dichloroethane	NA		NA		NA
1,2-Dichloropropane	NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA
2-Butanone	NA		NA		NA
2-Hexanone	NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA
Acetone	NA		NA		NA
Benzene	NA		NA		NA
Bromochloromethane	NA		NA		NA
Bromodichloromethane	NA		NA		NA
Bromoform	NA		NA		NA
Bromomethane	NA		NA		NA
Carbon Disulfide	NA		NA		NA
Carbon Tetrachloride	NA		NA		NA
Chlorobenzene	NA		NA		NA
Chloroethane	NA		NA		NA
Chloroform	NA		NA		NA
Chloromethane	NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA
Dibromochloromethane	NA		NA		NA
Ethylbenzene	NA		NA		NA
Methylene Chloride	NA		NA		NA
Styrene	NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Tetrachloroethene	NA		NA		NA
Toluene	NA		NA		NA
Total Xylenes	NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA
Trichloroethene	NA		NA		NA
Vinyl Chloride	NA		NA		NA
Volatile Organic Screening Analysis (UG/L)					
1,1,1-Trichloroethane	NA		NA		NA
1,1-Dichloroethane	NA		NA		NA
1,1-Dichloroethene	NA		NA		NA
1,2-Dichloroethane	NA		NA		NA
Benzene	NA		NA		NA
Chlorobenzene	NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA
Ethylbenzene	NA		NA		NA
m&p-Xylene	NA		NA		NA
o-Xylene	NA		NA		NA
Tetrachloroethene	NA		NA		NA
Toluene	NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA
Trichloroethene	NA		NA		NA
Vinyl Chloride	NA		NA		NA
Semivolatile Organic Analysis (UG/L)					
1,1'-Biphenyl	NA		NA		NA
1,2,4-Trichlorobenzene	U	10	U	10	U
1,2-Dichlorobenzene	U	10	U	10	U
1,3-Dichlorobenzene	U	10	U	10	U
1,4-Dichlorobenzene	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	U	10	U	10	U
2,4,5-Trichlorophenol	U	25	U	25	U
2,4,6-Trichlorophenol	U	10	U	10	U
2,4-Dichlorophenol	U	10	U	10	U
2,4-Dimethylphenol	U	10	U	10	U
2,4-Dinitrophenol	U		R	25	UJ
2,4-Dinitrotoluene	U	10	U	10	U
2,6-Dinitrotoluene	U	10	U	10	U
2-Chloronaphthalene	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
2-Chlorophenol	U	10	U	10	U
2-Methylnaphthalene	U	10	U	10	U
2-Methylphenol	U	10	U	10	U
2-Nitroaniline	U	25	U	25	U
2-Nitrophenol	U	10	U	10	U
3,3'-Dichlorobenzidine	U	10	U	10	UJ
3-Nitroaniline	UJ	25	U	25	U
4,6-Dinitro-2-methylphenol	U		R	25	U
4-Bromophenyl-phenylether	U	10	U	10	U
4-Chloro-3-methylphenol	U	10	U	10	U
4-Chloroaniline	U	10	U	10	U
4-Chlorophenyl-phenylether	U	10	U	10	U
4-Methylphenol	U	10	U	10	U
4-Nitroaniline	U	25	U	25	U
4-Nitrophenol	U	25	U	25	U
Acenaphthene	U	10	U	10	U
Acenaphthylene	U	10	U	10	U
Acetophenone	NA		NA		NA
Anthracene	U	10	U	10	U
Atrazine	NA		NA		NA
Benzaldehyde	NA		NA		NA
Benzo(a)anthracene	U	10	U	10	U
Benzo(a)pyrene	U	10	U	10	U
Benzo(b)fluoranthene	U	10	U	10	U
Benzo(g,h,i)perylene	U	10	U	10	U
Benzo(k)fluoranthene	U	10	U	10	U
Bis(2-Chloroethoxy)methane	U	10	U	10	U
Bis(2-Chloroethyl)ether	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	U	10	U	10	U
Butylbenzylphthalate	U	10	U	10	U
Caprolactam	NA		NA		NA
Carbazole	U	10	U	10	U
Chrysene	U	10	U	10	U
Dibenzo(a,h)anthracene	U	10	U	10	U
Dibenzofuran	U	10	U	10	U
Diethylphthalate	U	10	U	10	U
Dimethylphthalate	U	10	U	10	U
Di-n-Butylphthalate	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Di-n-octylphthalate	U	10	U	10	U
Fluoranthene	U	10	U	10	U
Fluorene	U	10	U	10	U
Hexachlorobenzene	U	10	U	10	U
Hexachlorobutadiene	U	10	U	10	U
Hexachlorocyclopentadiene	U	10	U	10	U
Hexachloroethane	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	U	10	U	10	U
Isophorone	U	10	U	10	U
Naphthalene	U	10	U	10	U
Nitrobenzene	U	10	U	10	U
N-Nitroso-di-n-propylamine	U	10	U	10	U
N-Nitroso-diphenylamine	U	10	U	10	U
Pentachlorophenol	U	25	U	25	U
Phenanthrene	U	10	U	10	U
Phenol	U	10	U	10	U
Pyrene	U	10	U	10	U
Total PAH	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)					
Acenaphthylene	NA		NA		NA
Benzo(a)anthracene	NA		NA		NA
Benzo(a)pyrene	NA		NA		NA
Benzo(b)fluoranthene	NA		NA		NA
Benzo(k)fluoranthene	NA		NA		NA
Chrysene	NA		NA		NA
Dibenzo(a,h)anthracene	NA		NA		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA
Phenanthrene	NA		NA		NA
Pesticide/PCB Analysis (UG/L)					
4,4'-DDD	U	0.10	U	0.10	U
4,4'-DDE	U	0.10	U	0.10	U
4,4'-DDT	U	0.10	U	0.10	U
Aldrin	U	0.050	U	0.050	U
alpha-BHC	U	0.050	U	0.050	U
alpha-Chlordane	U	0.050	U	0.050	U
Aroclor, Total	U	0.56	U	0.56	U
Aroclor-1016	U	0.50	U	0.50	U
Aroclor-1221	U	1.0	U	1.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Aroclor-1232	U	0.50	U	0.50	U
Aroclor-1242	U	0.50	U	0.50	U
Aroclor-1248	U	0.50	U	0.50	U
Aroclor-1254	U	0.50	U	0.50	U
Aroclor-1260	U	0.50	U	0.50	U
Aroclor-1262	U	0.50	U	0.50	U
Aroclor-1268	U	0.50	U	0.50	U
beta-BHC	U	0.050	UJ	0.050	U
delta-BHC	U	0.050	U	0.050	U
Dieldrin	U	0.10	U	0.10	U
Endosulfan I	U	0.050	UJ	0.050	U
Endosulfan II	U	0.10	UJ	0.10	U
Endosulfan Sulfate	U	0.10	U	0.10	U
Endrin	U	0.10	U	0.0030	J
Endrin Aldehyde	U	0.10	U	0.10	U
Endrin Ketone	U	0.10	UJ	0.10	U
gamma-BHC	U	0.050	U	0.050	U
gamma-Chlordane	U	0.050	U	0.050	U
Heptachlor	U	0.050	U	0.050	U
Heptachlor Epoxide	U	0.050	U	0.050	U
Methoxychlor	U	0.50	U	0.50	U
Toxaphene	U	5.0	U	5.0	U
TAL Metal Analysis (UG/L)					
Aluminum	U	41.2	UJ	24.0	UJ
Antimony	U	14.1	UJ	18.8	U
Arsenic	U	1.7	U	1.8	U
Barium		22.1		29.6	
Beryllium	U	0.30	U	0.20	U
Cadmium	UJ	1.4	UJ	1.1	U
Calcium		20000		28900	
Chromium	U	3.5		5.7	UJ
Cobalt	U	2.8	UJ	2.4	U
Copper	U	2.2	UJ	3.9	UJ
Iron		405		277	
Lead	J	2.6	J	0.40	UJ
Magnesium		4730		8140	
Manganese		651		1330	
Mercury	U	0.20	U	0.20	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-MF-MW-102D-03		RM-MF-MW-102D-04	
Sample Location		MW-102D		MW-102D	
Date Sampled		11/29/1994		3/27/1995	
Interval		101.5-111.5		101.5-111.5	
QC Identifier		None		None	
Zone		Overburden		Overburden	
Nickel	U	6.2	J	5.2	U
Potassium		4890		7210	
Selenium	U	2.5	UJ	2.8	U
Silver	UJ	2.4	U	1.8	U
Sodium		24100		15300	
Thallium	U	1.7	U	3.1	U
Vanadium	U	2.3	U	2.9	U
Zinc	U	89.0		36.0	U
Wet Chemistry Analysis					
Alkalinity	NA		NA		NA
Chloride	NA		NA		NA
Nitrate-Nitrite (as N)	NA		NA		NA
Sulfate	NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane		NA	10	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA		NA
1,1,2-Trichloroethane		NA	10	U	10	U	10	U
1,1-Dichloroethane		NA	10	U	10	U	10	UJ
1,1-Dichloroethene		NA	10	U	10	U	10	U
1,2,4-Trichlorobenzene		NA	10	U		NA		NA
1,2-Dibromo-3-chloropropane		NA	10	U		NA		NA
1,2-Dibromoethane		NA	10	U		NA		NA
1,2-Dichlorobenzene		NA	10	U		NA		NA
1,2-Dichloroethane		NA	10	U	10	U	10	U
1,2-Dichloroethene (total)		NA		NA	10	U	10	U
1,2-Dichloropropane		NA	10	U	10	U	10	U
1,3-Dichlorobenzene		NA	10	U		NA		NA
1,4-Dichlorobenzene		NA	10	U		NA		NA
1,4-Dioxane		NA	100	UJ		NA		NA
2-Butanone		NA	10	U	10	U	10	U
2-Hexanone		NA	10	U	10	U	10	U
4-Methyl-2-Pentanone		NA	10	U	10	U	10	U
Acetone		NA	10	UJ	10	U	10	U
Benzene		NA	10	U	10	U	10	U
Bromodichloromethane		NA	10	U	10	U	10	U
Bromoform		NA	10	U	10	U	10	U
Bromomethane		NA	10	U	10	U	10	U
Carbon Disulfide		NA	10	U	10	U	10	U
Carbon Tetrachloride		NA	10	U	10	U	10	U
Chlorobenzene		NA	10	U	10	U	10	UJ
Chloroethane		NA	10	U	10	U	10	UJ
Chloroform		NA	10	U	10	U	10	UJ
Chloromethane		NA	10	U	10	U	10	UJ
cis-1,2-Dichloroethene		NA	10	U		NA		NA
cis-1,3-Dichloropropene		NA	10	U	10	U	10	U
Cyclohexane		NA	10	U		NA		NA
Dibromochloromethane		NA	10	U	10	U	10	U
Dichlorodifluoromethane		NA	10	UJ		NA		NA
Ethylbenzene		NA	10	U	10	U	10	U
Isopropylbenzene		NA	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA	10	U		NA		NA
Methyl tert-Butyl Ether		NA	10	U		NA		NA
Methylcyclohexane		NA	10	U		NA		NA
Methylene Chloride		NA	10	U	10	U	10	U
Styrene		NA	10	U	10	U	10	U
Tetrachloroethene		NA	10	U	10	U	10	U
Toluene		NA	10	U	2		10	U
Total Xylenes		NA	10	U	10	U	10	UJ
trans-1,2-Dichloroethene		NA	10	U		NA		NA
trans-1,3-Dichloropropene		NA	10	U	10	U	10	U
Trichloroethene		NA	10	U	10	U	10	U
Trichlorofluoromethane		NA	10	U		NA		NA
Vinyl Chloride		NA	1	U	10	U	10	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA		NA
Ethene		NA		NA		NA		NA
Methane		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane	1	U		NA		NA		NA
1,1,2,2-Tetrachloroethane	1	U		NA		NA		NA
1,1,2-Trichloroethane	1	U		NA		NA		NA
1,1-Dichloroethane	1	U		NA		NA		NA
1,1-Dichloroethene	1	U		NA		NA		NA
1,2,4-Trichlorobenzene	1	U		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane	1	U		NA		NA		NA
1,2-Dichlorobenzene	1	U		NA		NA		NA
1,2-Dichloroethane	1	U		NA		NA		NA
1,2-Dichloropropane	1	U		NA		NA		NA
1,3-Dichlorobenzene	1	U		NA		NA		NA
1,4-Dichlorobenzene	1	U		NA		NA		NA
2-Butanone	5	U		NA		NA		NA
2-Hexanone	5	U		NA		NA		NA
4-Methyl-2-Pentanone	5	U		NA		NA		NA
Acetone		NA		NA		NA		NA
Benzene	1	U		NA		NA		NA
Bromochloromethane	1	U		NA		NA		NA
Bromodichloromethane	1	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform	1	U		NA		NA		NA
Bromomethane	1	U		NA		NA		NA
Carbon Disulfide	1	U		NA		NA		NA
Carbon Tetrachloride	1	U		NA		NA		NA
Chlorobenzene	1	U		NA		NA		NA
Chloroethane	1	U		NA		NA		NA
Chloroform	1	U		NA		NA		NA
Chloromethane	1	U		NA		NA		NA
cis-1,2-Dichloroethene	1	U		NA		NA		NA
cis-1,3-Dichloropropene	1	U		NA		NA		NA
Dibromochloromethane	1	U		NA		NA		NA
Ethylbenzene	1	U		NA		NA		NA
Methylene Chloride	2	U		NA		NA		NA
Styrene	1	U		NA		NA		NA
Tetrachloroethene	1	U		NA		NA		NA
Toluene	1	U		NA		NA		NA
Total Xylenes	1	U		NA		NA		NA
trans-1,2-Dichloroethene	1	U		NA		NA		NA
trans-1,3-Dichloropropene	1	U		NA		NA		NA
Trichloroethene	1	U		NA		NA		NA
Vinyl Chloride	1	U		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA	10	U		NA		NA
1,2,4-Trichlorobenzene	10	U		NA	10	U	10	U
1,2-Dichlorobenzene	10	U		NA	10	U	10	U
1,3-Dichlorobenzene	10	U		NA	10	U	10	U
1,4-Dichlorobenzene	10	U		NA	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U	25	U	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	UJ	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	UJ
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	UJ	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	UJ	10	U	10	U
4-Nitroaniline	25	U	25	UJ	25	U	25	U
4-Nitrophenol	25	U	25	UJ	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U
Acetophenone		NA	10	UJ		NA		NA
Anthracene	10	U	10	U	10	U	10	U
Atrazine		NA	10	U		NA		NA
Benzaldehyde		NA	10	U		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U
Caprolactam		NA	10	U		NA		NA
Carbazole	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	UJ	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	UJ	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U
Total PAH	10	U		NA	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA	0.20	U		NA		NA
Benzo(a)anthracene		NA	0.20	U		NA		NA
Benzo(a)pyrene		NA	0.20	U		NA		NA
Benzo(b)fluoranthene		NA	0.20	U		NA		NA
Benzo(k)fluoranthene		NA	0.20	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Chrysene		NA	0.20	U		NA		NA
Dibenzo(a,h)anthracene		NA	0.20	U		NA		NA
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA		NA
Phenanthrene		NA	0.20	U		NA		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	1.1	U		NA	1.1	U	0.56	U
Aroclor-1016	1.0	U	1.0	U	1.0	U	0.50	U
Aroclor-1221	2.0	U	0.25	U	2.0	U	1.0	U
Aroclor-1232	1.0	U	1.0	U	1.0	U	0.50	U
Aroclor-1242	1.0	U	1.0	U	1.0	U	0.50	U
Aroclor-1248	1.0	U	1.0	U	1.0	U	0.50	U
Aroclor-1254	1.0	U	0.25	U	1.0	U	0.50	U
Aroclor-1260	1.0	U	0.25	U	1.0	U	0.50	U
Aroclor-1262	1.0	U	0.28	U	1.0	U	0.50	U
Aroclor-1268	1.0	U	1.0	U	1.0	U	0.50	U
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.050	U	0.10	U	0.10	U
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.050	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.020	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.020	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA
OCDD		NA		NA		NA		NA
OCDF		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum	17.0	U	10.4	U	103	U	89.4	U
Antimony	3.0	U	3.5	U	14.7	U	28.5	U
Arsenic	3.0	U	2.9	U	1.5	U	0.90	U
Barium	35.4		35.6		60.2		39.4	
Beryllium	1.0	U	0.10	U	0.40	U	0.20	U
Cadmium	1.0	U	0.40	U	1.1	U	3.9	UJ
Calcium	24850		22600		28100		21800	
Chromium	1.0	U	0.90	U	2.5	U	2.8	U
Cobalt	2.65	U	1.5	J	2.4	U	4.1	U
Copper	2.0	U	1.3	UJ	6.3		4.6	J
Cyanide		NA	10.0	U		NA		NA
Iron	642		1610		680		503	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102D-05-AVG		OU2-MW-102D-07		MF-MW-102M-01-AVG		RM-MF-MW-102M-02	
Sample Location	MW-102D		MW-102D		MW-102M		MW-102M	
Date Sampled	11/6/1997		12/12/2002		5/20/1994		8/22/1994	
Interval	0.0-0.0		0.0-0.0		20.0-30.0		20.0-30.0	
QC Identifier	Field Duplicate 1		None		Field Dup. MF-MW-102M-01		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Lead	1.0	U	2.3	U	2.0		1.1	J
Magnesium	9435		9170		3790		2940	
Manganese	696.5		424		21.9		19.4	J
Mercury	0.10	U	0.20	U	0.20	U	0.20	U
Nickel	9.45	U	5.0	U	6.5	U	13.3	U
Potassium	6770		5850		4080		3730	
Selenium	3.0	U	3.0	UJ	2.1	U	1.0	J
Silver	1.0	U	1.1	UJ	0.00		2.6	UJ
Sodium	15500		11000		17600		20200	
Thallium	3.0	U	5.0	UJ	2.2	U	0.90	U
Vanadium	1.0	U	1.5	UJ	2.2	U	3.5	U
Zinc	51.7		13.7	U	46.2	U	14.5	U
Wet Chemistry Analysis								
Alkalinity	47.5			NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA
Chloride	32.65			NA		NA		NA
Ferrous Iron		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA
Nitrate-Nitrite (as N)	0.255			NA		NA		NA
Nitrite-N		NA		NA		NA		NA
Sulfate	48.4			NA		NA		NA
Sulfide		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	10	U	10	U		NA	10	U	5	J
1,1,2,2-Tetrachloroethane	10	U	10	U		NA	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA	10	U		NA
1,1,2-Trichloroethane	10	U	10	U		NA	10	U	10	U
1,1-Dichloroethane	10	U	10	U		NA	10	U	10	U
1,1-Dichloroethene	10	U	10	U		NA	10	U	10	U
1,2,4-Trichlorobenzene		NA		NA		NA	10	U		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA	10	U		NA
1,2-Dibromoethane		NA		NA		NA	10	U		NA
1,2-Dichlorobenzene		NA		NA		NA	10	U		NA
1,2-Dichloroethane	10	U	10	U		NA	10	U	10	U
1,2-Dichloroethene (total)	10	U	10	U		NA		NA	10	U
1,2-Dichloropropane	10	U	10	U		NA	10	U	10	U
1,3-Dichlorobenzene		NA		NA		NA	10	U		NA
1,4-Dichlorobenzene		NA		NA		NA	10	U		NA
1,4-Dioxane		NA		NA		NA	100	UJ		NA
2-Butanone	10	U	10	U		NA	10	U	10	UJ
2-Hexanone	10	U	10	U		NA	10	U	10	UJ
4-Methyl-2-Pentanone	10	U	10	U		NA	10	U	10	UJ
Acetone	10	U	10	U		NA	10	UJ	10	U
Benzene	10	U	10	U		NA	10	U	10	U
Bromodichloromethane	10	U	10	U		NA	10	U	10	U
Bromoform	10	U	10	U		NA	10	U	10	U
Bromomethane	10	U	10	U		NA	10	U	10	UJ
Carbon Disulfide	10	U	10	U		NA	10	U	10	U
Carbon Tetrachloride	10	U	10	U		NA	10	U	10	U
Chlorobenzene	10	U	10	U		NA	10	U	10	U
Chloroethane	10	U	10	U		NA	10	U	10	U
Chloroform	10	U	10	U		NA	9	J	10	U
Chloromethane	10	U	10	UJ		NA	10	U	10	U
cis-1,2-Dichloroethene		NA		NA		NA	10	U		NA
cis-1,3-Dichloropropene	10	U	10	U		NA	10	U	10	U
Cyclohexane		NA		NA		NA	10	U		NA
Dibromochloromethane	10	U	10	U		NA	10	U	10	U
Dichlorodifluoromethane		NA		NA		NA	10	UJ		NA
Ethylbenzene	10	U	10	U		NA	10	U	10	U
Isopropylbenzene		NA		NA		NA	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA	10	U		NA
Methyl tert-Butyl Ether		NA		NA		NA	10	U		NA
Methylcyclohexane		NA		NA		NA	10	U		NA
Methylene Chloride	10	U	10	U		NA	10	U	10	U
Styrene	10	U	10	U		NA	10	U	10	U
Tetrachloroethene	10	U	10	U		NA	10	U	10	U
Toluene	10	U	10	U		NA	10	U	10	U
Total Xylenes	10	U	10	U		NA	10	U	10	U
trans-1,2-Dichloroethene		NA		NA		NA	10	U		NA
trans-1,3-Dichloropropene	10	U	10	U		NA	10	U	10	U
Trichloroethene	10	U	10	U		NA	10	U	10	U
Trichlorofluoromethane		NA		NA		NA	10	U		NA
Vinyl Chloride	10	U	10	U		NA	1	U	10	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA	0.7	J		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA	1	U		NA		NA
1,1,2-Trichloroethane		NA		NA	1	U		NA		NA
1,1-Dichloroethane		NA		NA	1	U		NA		NA
1,1-Dichloroethene		NA		NA	1	U		NA		NA
1,2,4-Trichlorobenzene		NA		NA	1	UJ		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		R		NA		NA
1,2-Dibromoethane		NA		NA	1	U		NA		NA
1,2-Dichlorobenzene		NA		NA	1	U		NA		NA
1,2-Dichloroethane		NA		NA	1	UJ		NA		NA
1,2-Dichloropropane		NA		NA	1	U		NA		NA
1,3-Dichlorobenzene		NA		NA	1	U		NA		NA
1,4-Dichlorobenzene		NA		NA	1	U		NA		NA
2-Butanone		NA		NA	5	U		NA		NA
2-Hexanone		NA		NA	5	U		NA		NA
4-Methyl-2-Pentanone		NA		NA	5	U		NA		NA
Acetone		NA		NA		R		NA		NA
Benzene		NA		NA	1	U		NA		NA
Bromochloromethane		NA		NA	1	UJ		NA		NA
Bromodichloromethane		NA		NA	1	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA	1	U		NA		NA
Bromomethane		NA		NA	1	U		NA		NA
Carbon Disulfide		NA		NA	1	U		NA		NA
Carbon Tetrachloride		NA		NA	1	U		NA		NA
Chlorobenzene		NA		NA	1	U		NA		NA
Chloroethane		NA		NA	1	U		NA		NA
Chloroform		NA		NA	1	U		NA		NA
Chloromethane		NA		NA	1	U		NA		NA
cis-1,2-Dichloroethene		NA		NA	1	U		NA		NA
cis-1,3-Dichloropropene		NA		NA	1	U		NA		NA
Dibromochloromethane		NA		NA	1	U		NA		NA
Ethylbenzene		NA		NA	1	U		NA		NA
Methylene Chloride		NA		NA	2	UJ		NA		NA
Styrene		NA		NA	1	U		NA		NA
Tetrachloroethene		NA		NA	1	U		NA		NA
Toluene		NA		NA	1	U		NA		NA
Total Xylenes		NA		NA	1	U		NA		NA
trans-1,2-Dichloroethene		NA		NA	1	U		NA		NA
trans-1,3-Dichloropropene		NA		NA	1	U		NA		NA
Trichloroethene		NA		NA	1	U		NA		NA
Vinyl Chloride		NA		NA	1	U		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA	10	U		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U		NA	10	U
1,2-Dichlorobenzene	10	U	10	U	10	U		NA	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U		NA	10	U
1,4-Dichlorobenzene	10	U	10	U	10	U		NA	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	UJ	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	UJ	25	UJ	25	U	25	U	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	UJ	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	UJ	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	UJ	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA	10	U		NA
Anthracene	10	U	10	U	10	U	10	U	10	U
Atrazine		NA		NA		NA	10	UJ		NA
Benzaldehyde		NA		NA		NA	10	UJ		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10	UJ
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA	10	U		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	UJ	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U	10	UJ
Total PAH	10	U	10	U	10	U		NA	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA	0.20	U		NA
Benzo(a)anthracene		NA		NA		NA	0.20	U		NA
Benzo(a)pyrene		NA		NA		NA	0.20	U		NA
Benzo(b)fluoranthene		NA		NA		NA	0.20	U		NA
Benzo(k)fluoranthene		NA		NA		NA	0.20	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA	0.20	U		NA
Dibenzo(a,h)anthracene		NA		NA		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA	0.20	U		NA
Phenanthrene		NA		NA		NA	0.20	U		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	0.56	U	0.56	U	1.1	U		NA	1.1	U
Aroclor-1016	0.50	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1221	1.0	U	1.0	U	2.0	U	0.25	U	2.0	U
Aroclor-1232	0.50	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1242	0.50	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1248	0.50	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1254	0.50	U	0.50	U	1.0	U	0.25	U	1.0	U
Aroclor-1260	0.50	U	0.50	U	1.0	U	0.25	U	1.0	U
Aroclor-1262	0.50	U	0.50	U	1.0	U	0.28	U	1.0	U
Aroclor-1268	0.50	U	0.50	U	1.0	U	1.0	U	1.0	U
beta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	UJ
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.050	U	0.10	U
Endosulfan I	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	UJ
Endosulfan II	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	UJ
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.10	U	0.050	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.020	U	0.050	U
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U	0.020	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	192		109	U	17.0	U	19.9	UJ	76.3	U
Antimony	11.2	U	18.8	U	3.0	U	3.5	U	14.7	U
Arsenic	1.7	U	1.8	U	3.0	U	2.9	U	183	
Barium	40.7		36.2		30.6		29.8		34.6	
Beryllium	0.30	U	0.20	U	1.0	U	0.10	U	0.40	U
Cadmium	1.4	UJ	1.1	U	1.0	U	0.40	U	3.1	U
Calcium	24300		25200	U	24200		23600		77700	
Chromium	1.7	U	5.7	UJ	1.0	U	0.90	U	15.3	J
Cobalt	2.5	UJ	2.4	U	1.0	U	1.0	U	6.3	U
Copper	4.6	UJ	3.9	UJ	2.0	U	1.3	UJ	56.0	
Cyanide		NA		NA		NA	10.0	U		NA
Iron	3390		548		11.0	UJ	20.7	J	69700	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102M-03		RM-MF-MW-102M-04		OU2-MW-102M-05		OU2-MW-102M-07		MF-MW-102S-01	
Sample Location	MW-102M		MW-102M		MW-102M		MW-102M		MW-102S	
Date Sampled	11/29/1994		3/27/1995		11/6/1997		12/12/2002		5/20/1994	
Interval	20.0-30.0		20.0-30.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	1.7	J	1.4	UJ	1.0	U	2.3	U	25.1	
Magnesium	3380		3320		3180		3040		10800	
Manganese	62.4		8.8	U	2.6	UJ	10.8		729	
Mercury	0.20	U	0.20	U	0.10	U	0.20	U	0.20	U
Nickel	3.9	J	5.2	U	2.5	U	3.7	U	47.3	
Potassium	4130		3680		3460		3480		11900	
Selenium	2.5	UJ	2.8	U	3.0	U	3.0	UJ	2.1	UJ
Silver	2.4	U	1.8	U	1.0	U	1.1	UJ	7.1	J
Sodium	19600		14100		16100		11900		17200	
Thallium	1.7	UJ	3.1	U	3.0	U	4.1	UJ	2.2	U
Vanadium	2.3	U	2.9	U	1.0	U	1.5	UJ	2.8	J
Zinc	17.7	U	67.9		27.2		8.6	U	927	
Wet Chemistry Analysis										
Alkalinity		NA		NA	38.9			NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA	19.4			NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA	0.10	U		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA	24.1			NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane	10	U	3.5		2			NA
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U		NA
1,1-Dichloroethane	10	UJ	10	U	10	U		NA
1,1-Dichloroethene	10	U	10	U	10	U		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U		NA
1,2-Dichloroethene (total)	10	U	10	U	10	U		NA
1,2-Dichloropropane	10	U	10	U	10	U		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA
2-Butanone	10	U	10	U	10	U		NA
2-Hexanone	10	U	10	U	10	U		NA
4-Methyl-2-Pentanone	10	U	10	U	10	U		NA
Acetone	10	U	10	U	10	U		NA
Benzene	10	U	10	U	10	U		NA
Bromodichloromethane	10	U	10	U	10	U		NA
Bromoform	10	U	10	U	10	U		NA
Bromomethane	10	U	10	U	10	U		NA
Carbon Disulfide	10	U	10	U	10	U		NA
Carbon Tetrachloride	10	U	10	U	10	U		NA
Chlorobenzene	10	UJ	10	U	10	U		NA
Chloroethane	10	UJ	10	U	10	U		NA
Chloroform	10	UJ	10	U	10	U		NA
Chloromethane	10	UJ	10	U	10	U		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U		NA
Cyclohexane		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U		NA
Dichlorodifluoromethane		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U		NA
Isopropylbenzene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U		NA
Styrene	10	U	10	U	10	U		NA
Tetrachloroethene	10	U	10	U	10	U		NA
Toluene	10	U	10	U	10	U		NA
Total Xylenes	5	J	10	U	10	U		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U		NA
Trichloroethene	10	U	10	U	10	U		NA
Trichlorofluoromethane		NA		NA		NA		NA
Vinyl Chloride	10	U	10	U	10	U		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA		NA
Ethene		NA		NA		NA		NA
Methane		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA	1	UJ
1,1,2,2-Tetrachloroethane		NA		NA		NA	1	U
1,1,2-Trichloroethane		NA		NA		NA	1	U
1,1-Dichloroethane		NA		NA		NA	1	J
1,1-Dichloroethene		NA		NA		NA	1	U
1,2,4-Trichlorobenzene		NA		NA		NA	1	UJ
1,2-Dibromo-3-chloropropane		NA		NA		NA		R
1,2-Dibromoethane		NA		NA		NA	1	U
1,2-Dichlorobenzene		NA		NA		NA	1	U
1,2-Dichloroethane		NA		NA		NA	1	UJ
1,2-Dichloropropane		NA		NA		NA	1	U
1,3-Dichlorobenzene		NA		NA		NA	1	U
1,4-Dichlorobenzene		NA		NA		NA	1	U
2-Butanone		NA		NA		NA	6	
2-Hexanone		NA		NA		NA	5	U
4-Methyl-2-Pentanone		NA		NA		NA	5	U
Acetone		NA		NA		NA		R
Benzene		NA		NA		NA	1	U
Bromochloromethane		NA		NA		NA	1	U
Bromodichloromethane		NA		NA		NA	1	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA	1	U
Bromomethane		NA		NA		NA	1	U
Carbon Disulfide		NA		NA		NA	1	U
Carbon Tetrachloride		NA		NA		NA	1	U
Chlorobenzene		NA		NA		NA	1	U
Chloroethane		NA		NA		NA	1	U
Chloroform		NA		NA		NA	1	U
Chloromethane		NA		NA		NA	1	U
cis-1,2-Dichloroethene		NA		NA		NA	1	U
cis-1,3-Dichloropropene		NA		NA		NA	1	U
Dibromochloromethane		NA		NA		NA	1	U
Ethylbenzene		NA		NA		NA	1	U
Methylene Chloride		NA		NA		NA	2	UJ
Styrene		NA		NA		NA	1	U
Tetrachloroethene		NA		NA		NA	1	U
Toluene		NA		NA		NA	1	U
Total Xylenes		NA		NA		NA	1	U
trans-1,2-Dichloroethene		NA		NA		NA	1	U
trans-1,3-Dichloropropene		NA		NA		NA	1	U
Trichloroethene		NA		NA		NA	1	U
Vinyl Chloride		NA		NA		NA	1	U
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U	25	U	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U
3-Nitroaniline	25	UJ	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA		NA
Anthracene	10	U	10	U	10	U	10	U
Atrazine		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	0.56	U	0.56	U	0.56	U	1.1	U
Aroclor-1016	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1221	1.0	U	1.0	U	1.0	U	2.0	U
Aroclor-1232	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1242	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1248	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1254	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1260	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1262	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1268	0.50	U	0.50	U	0.50	U	1.0	U
beta-BHC	0.14		0.0175		0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA
OCDD		NA		NA		NA		NA
OCDF		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum	313	U	22.95	U	49.9	U	815	
Antimony	28.5	U		NA	18.8	U	3.0	U
Arsenic	186	J	245.5		198		131	
Barium	123	J	22.35		14.2		19.3	
Beryllium	0.20	U	0.30	U	0.20	U	1.0	U
Cadmium	3.9	UJ	1.4	U	1.1	U	7.6	
Calcium	113000		95250		65400		105000	
Chromium	13.7	U	1.7	U	5.7	U	1.0	U
Cobalt	9.3		2.4	U	2.4	U	7.5	U
Copper	138	J	2.1	U	3.9	U	1360	
Cyanide		NA		NA		NA		NA
Iron	110000		141500		99050		135000	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-102S-02		RM-MF-MW-102S-03-AVG		RM-MF-MW-102S-04-AVG		OU2-MW-102S-05	
Sample Location	MW-102S		MW-102S		MW-102S		MW-102S	
Date Sampled	8/22/1994		11/29/1994		3/27/1995		11/6/1997	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0	
QC Identifier	None		Field Duplicate 1005		Field Duplicate 1006		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Lead	101	J		NA	4.9			R
Magnesium	15800		13700		8760		11600	
Manganese	1240		950		564		672	J
Mercury	0.20	U	0.20	U	0.20	U	0.10	U
Nickel	52.4		7.9		5.2	U	61.6	
Potassium	15200		15850		11850		17800	J
Selenium	1.0	UJ	2.85		2.8	U	4.0	J
Silver		R	9.9		4.6		1.0	U
Sodium	27500	J	22350		15350		25100	
Thallium	0.90	UJ	1.7	U	3.1	U	3.4	J
Vanadium	3.5	U	2.3	U	5.3		1.0	U
Zinc	970		206.5		39.8	U	216	
Wet Chemistry Analysis								
Alkalinity		NA		NA		NA	54.5	
Carbon Dioxide		NA		NA		NA		NA
Chloride		NA		NA		NA	14.1	
Ferrous Iron		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA	0.10	U
Nitrite-N		NA		NA		NA		NA
Sulfate		NA		NA		NA	296	
Sulfide		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	2	J		NA		NA	10	U	10	U
1,1,2,2-Tetrachloroethane	10	U		NA		NA	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U		NA		NA	10	U	10	U
1,1-Dichloroethane	10	U		NA		NA	10	U	10	U
1,1-Dichloroethene	10	U		NA		NA	10	U	10	U
1,2,4-Trichlorobenzene	10	U		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	10	U		NA		NA		NA		NA
1,2-Dibromoethane	10	U		NA		NA		NA		NA
1,2-Dichlorobenzene	10	U		NA		NA		NA		NA
1,2-Dichloroethane	10	U		NA		NA	10	U	10	U
1,2-Dichloroethene (total)		NA		NA		NA	10	U	10	U
1,2-Dichloropropane	10	U		NA		NA	10	U	10	U
1,3-Dichlorobenzene	10	U		NA		NA		NA		NA
1,4-Dichlorobenzene	10	U		NA		NA		NA		NA
1,4-Dioxane	150	J		NA		NA		NA		NA
2-Butanone	10	U		NA		NA	3	J	10	U
2-Hexanone	10	U		NA		NA	10	U	10	U
4-Methyl-2-Pentanone	10	U		NA		NA	10	U	10	U
Acetone	10	UJ		NA		NA	10	U	10	U
Benzene	10	U		NA		NA	10	U	10	U
Bromodichloromethane	10	U		NA		NA	10	U	10	U
Bromoform	10	U		NA		NA	10	U	10	U
Bromomethane	10	U		NA		NA	10	UJ	10	U
Carbon Disulfide	10	U		NA		NA	10	U	10	U
Carbon Tetrachloride	10	U		NA		NA	10	U	10	U
Chlorobenzene	10	U		NA		NA	10	U	10	U
Chloroethane	10	U		NA		NA	10	U	10	UJ
Chloroform	10	U		NA		NA	10	U	10	U
Chloromethane	10	U		NA		NA	2	J	10	U
cis-1,2-Dichloroethene	10	U		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U		NA		NA	10	U	10	U
Cyclohexane	10	U		NA		NA		NA		NA
Dibromochloromethane	10	U		NA		NA	10	U	10	U
Dichlorodifluoromethane	10	UJ		NA		NA		NA		NA
Ethylbenzene	10	U		NA		NA	10	U	10	U
Isopropylbenzene	10	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate	10	U		NA		NA		NA		NA
Methyl tert-Butyl Ether	10	U		NA		NA		NA		NA
Methylcyclohexane	10	U		NA		NA		NA		NA
Methylene Chloride	10	U		NA		NA	10	U	10	U
Styrene	10	U		NA		NA	10	U	10	U
Tetrachloroethene	10	U		NA		NA	10	U	10	U
Toluene	10	U		NA		NA	10	U	10	U
Total Xylenes	10	U		NA		NA	10	U	10	U
trans-1,2-Dichloroethene	10	U		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U		NA		NA	10	U	10	U
Trichloroethene	10	U		NA		NA	10	U	10	U
Trichlorofluoromethane	10	U		NA		NA		NA		NA
Vinyl Chloride	1	U		NA		NA	10	U	10	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA	100	U	1	U		NA		NA
1,1-Dichloroethane		NA	100	U	1	U		NA		NA
1,1-Dichloroethene		NA	100	U	1	U		NA		NA
1,2-Dichloroethane		NA	100	U	1	U		NA		NA
Benzene		NA	440		1	U		NA		NA
Chlorobenzene		NA	100	U	1	U		NA		NA
cis-1,2-Dichloroethene		NA	100	U	1	U		NA		NA
Ethylbenzene		NA	930		3.6			NA		NA
m&p-Xylene		NA	2500		3.2			NA		NA
o-Xylene		NA	150		1	U		NA		NA
Tetrachloroethene		NA	100	U	1	U		NA		NA
Toluene		NA	100	U	1	U		NA		NA
trans-1,2-Dichloroethene		NA	100	U	1	U		NA		NA
Trichloroethene		NA	100	U	1	U		NA		NA
Vinyl Chloride		NA	100	U	1	U		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl	10	U		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA	10	U	10	U
1,2-Dichlorobenzene		NA		NA		NA	10	U	10	U
1,3-Dichlorobenzene		NA		NA		NA	10	U	10	U
1,4-Dichlorobenzene		NA		NA		NA	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U		NA		NA	10	U	10	U
2,4,5-Trichlorophenol	25	U		NA		NA	25	U	25	U
2,4,6-Trichlorophenol	10	U		NA		NA	10	U	10	U
2,4-Dichlorophenol	10	U		NA		NA	10	U	10	U
2,4-Dimethylphenol	10	U		NA		NA	10	U	10	U
2,4-Dinitrophenol	25	U		NA		NA	25	U	25	U
2,4-Dinitrotoluene	10	U		NA		NA	10	U	10	U
2,6-Dinitrotoluene	10	U		NA		NA	10	U	10	U
2-Chloronaphthalene	10	U		NA		NA	10	U	10	U
2-Chlorophenol	10	U		NA		NA	10	U	10	U
2-Methylnaphthalene	10	U		NA		NA	10	U	10	U
2-Methylphenol	10	U		NA		NA	10	U	10	U
2-Nitroaniline	25	UJ		NA		NA	25	U	25	U
2-Nitrophenol	10	U		NA		NA	10	U	10	U
3,3'-Dichlorobenzidine	10	U		NA		NA	10	U	10	U
3-Nitroaniline	25	U		NA		NA	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U		NA		NA	25	U	25	U
4-Bromophenyl-phenylether	10	U		NA		NA	10	U	10	U
4-Chloro-3-methylphenol	10	U		NA		NA	10	U	10	U
4-Chloroaniline	10	UJ		NA		NA	10	U	10	U
4-Chlorophenyl-phenylether	10	U		NA		NA	10	U	10	U
4-Methylphenol	10	UJ		NA		NA	10	U	10	U
4-Nitroaniline	25	UJ		NA		NA	25	U	25	U
4-Nitrophenol	25	UJ		NA		NA	25	U	25	U
Acenaphthene	10	U		NA		NA	10	U	10	U
Acenaphthylene	10	U		NA		NA	10	U	10	U
Acetophenone	10	UJ		NA		NA		NA		NA
Anthracene	10	U		NA		NA	10	U	10	UJ
Atrazine	10	U		NA		NA		NA		NA
Benzaldehyde	10	U		NA		NA		NA		NA
Benzo(a)anthracene	10	U		NA		NA	10	U	10	U
Benzo(a)pyrene	10	U		NA		NA	10	U	10	U
Benzo(b)fluoranthene	10	U		NA		NA	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U		NA		NA	10	U	10	U
Benzo(k)fluoranthene	10	U		NA		NA	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U		NA		NA	10	U	10	U
Bis(2-Chloroethyl)ether	10	U		NA		NA	10	UJ	10	U
bis(2-Ethylhexyl)phthalate	10	U		NA		NA	10	U	10	U
Butylbenzylphthalate	10	U		NA		NA	10	U	10	U
Caprolactam	10	U		NA		NA		NA		NA
Carbazole	10	U		NA		NA	10	U	10	U
Chrysene	10	U		NA		NA	10	U	10	U
Dibenzo(a,h)anthracene	10	U		NA		NA	10	U	10	U
Dibenzofuran	10	U		NA		NA	10	U	10	U
Diethylphthalate	10	U		NA		NA	10	U	10	U
Dimethylphthalate	10	U		NA		NA	10	U	10	U
Di-n-Butylphthalate	10	U		NA		NA	10	U	10	U
Di-n-octylphthalate	10	UJ		NA		NA	10	U	10	UJ
Fluoranthene	10	U		NA		NA	10	U	10	U
Fluorene	10	U		NA		NA	10	U	10	U
Hexachlorobenzene	10	U		NA		NA	10	U	10	U
Hexachlorobutadiene	10	U		NA		NA	10	U	10	U
Hexachlorocyclopentadiene	10	U		NA		NA	10	U	10	UJ
Hexachloroethane	10	U		NA		NA	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U		NA		NA	10	U	10	U
Isophorone	10	U		NA		NA	10	U	10	U
Naphthalene	10	U		NA		NA	10	U	10	U
Nitrobenzene	10	U		NA		NA	10	U	10	U
N-Nitroso-di-n-propylamine	10	UJ		NA		NA	10	U	10	U
N-Nitroso-diphenylamine	10	U		NA		NA	10	U	10	U
Pentachlorophenol	25	U		NA		NA	25	U	25	U
Phenanthrene	10	U		NA		NA	10	U	10	U
Phenol	10	U		NA		NA	10	U	10	U
Pyrene	10	U		NA		NA	10	UJ	10	U
Total PAH		NA		NA		NA	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene	0.20	U		NA		NA		NA		NA
Benzo(a)anthracene	0.20	U		NA		NA		NA		NA
Benzo(a)pyrene	0.20	U		NA		NA		NA		NA
Benzo(b)fluoranthene	0.20	U		NA		NA		NA		NA
Benzo(k)fluoranthene	0.20	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene	0.20	U		NA		NA		NA		NA
Dibenzo(a,h)anthracene	0.20	U		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	0.20	U		NA		NA		NA		NA
Phenanthrene	0.20	U		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U		NA		NA	0.10	UJ	0.10	U
4,4'-DDE	0.10	U		NA		NA	0.10	UJ	0.10	U
4,4'-DDT	0.10	U		NA		NA	0.10	UJ	0.10	U
Aldrin	0.050	U		NA		NA	0.050	UJ	0.050	U
alpha-BHC	0.050	U		NA		NA	0.050	UJ	0.050	U
alpha-Chlordane	0.050	U		NA		NA	0.050	UJ	0.050	U
Aroclor, Total		NA		NA		NA	1.1	U	0.56	U
Aroclor-1016	1.0	U		NA		NA	1.0	UJ	0.50	U
Aroclor-1221	0.25	U		NA		NA	2.0	UJ	1.0	U
Aroclor-1232	1.0	U		NA		NA	1.0	UJ	0.50	U
Aroclor-1242	1.0	U		NA		NA	1.0	UJ	0.50	U
Aroclor-1248	1.0	U		NA		NA	1.0	UJ	0.50	U
Aroclor-1254	0.25	U		NA		NA	1.0	UJ	0.50	U
Aroclor-1260	0.25	U		NA		NA	1.0	UJ	0.50	U
Aroclor-1262	0.28	U		NA		NA	1.0	UJ	0.50	U
Aroclor-1268	1.0	U		NA		NA	1.0	UJ	0.50	U
beta-BHC	0.050	U		NA		NA	0.050	UJ	0.050	U
delta-BHC	0.050	U		NA		NA	0.050	UJ	0.050	U
Dieldrin	0.050	U		NA		NA	0.10	UJ	0.10	U
Endosulfan I	0.050	U		NA		NA	0.050	UJ	0.050	U
Endosulfan II	0.10	U		NA		NA	0.10	UJ	0.10	U
Endosulfan Sulfate	0.10	U		NA		NA	0.10	UJ	0.10	U
Endrin	0.050	U		NA		NA	0.10	UJ	0.10	U
Endrin Aldehyde	0.10	U		NA		NA	0.10	UJ	0.10	U
Endrin Ketone	0.10	U		NA		NA	0.10	UJ	0.10	U
gamma-BHC	0.050	U		NA		NA	0.050	UJ	0.050	U
gamma-Chlordane	0.050	U		NA		NA	0.050	UJ	0.050	U
Heptachlor	0.020	U		NA		NA	0.050	UJ	0.050	U
Heptachlor Epoxide	0.020	U		NA		NA	0.050	UJ	0.050	U
Methoxychlor	0.50	U		NA		NA	0.50	UJ	0.50	U
Toxaphene	5.0	U		NA		NA	5.0	UJ	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	1780			NA		NA	107	UJ	36.0	J
Antimony	3.5	U		NA		NA	10.8	UJ	28.5	U
Arsenic	110			NA		NA	1.5	UJ	0.90	UJ
Barium	22.3	J		NA		NA	33.8	J	26.2	
Beryllium		R		NA		NA	0.80	UJ	0.20	U
Cadmium	0.40	UJ		NA		NA	1.0	UJ	3.9	UJ
Calcium	72300			NA		NA	50500	J	27000	
Chromium	0.90	U		NA		NA	4.4	UJ	2.8	U
Cobalt	5.7	J		NA		NA	47.5	J	16.6	
Copper		R		NA		NA	3.1	UJ	3.0	U
Cyanide	10.0	U		NA		NA		NA		NA
Iron	136000			NA		NA	23600	J	17100	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-102S-07		OU2-DP10-3-0813		OU2-DP10-3A-1823		MF-MW-103D-01		RM-MF-MW-103D-02	
Sample Location	MW-102S		DP10-3		DP10-3A		MW-103D		MW-103D	
Date Sampled	12/12/2002		8/14/1997		8/14/1997		5/19/1994		8/24/1994	
Interval	0.0-0.0		8.0-13.0		18.0-23.0		73.0-83.0		73.0-83.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	20.2			NA		NA	10.1	J	2.8	J
Magnesium	7400			NA		NA	18700	J	9460	
Manganese	569			NA		NA	16700	J	8280	
Mercury	0.25			NA		NA	0.20	UJ	0.20	U
Nickel	38.2	J		NA		NA	35.0	J	24.5	J
Potassium	13400			NA		NA	10400	J	9070	
Selenium	4.9	UJ		NA		NA	5.8	J	1.0	U
Silver		R		NA		NA		R	2.6	UJ
Sodium	11600			NA		NA	80600	J	99600	
Thallium	20.4	UJ		NA		NA	2.2	UJ	0.90	U
Vanadium		R		NA		NA	3.8	J	3.5	U
Zinc	408			NA		NA	77.2	J	38.3	
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane	10	U	10	U		NA	10	U
1,1,2,2-Tetrachloroethane	10	U	10	U		NA	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA	10	U
1,1,2-Trichloroethane	10	U	10	U		NA	10	U
1,1-Dichloroethane	10	U	10	U		NA	10	U
1,1-Dichloroethene	10	U	10	U		NA	10	U
1,2,4-Trichlorobenzene		NA		NA		NA	10	U
1,2-Dibromo-3-chloropropane		NA		NA		NA	10	U
1,2-Dibromoethane		NA		NA		NA	10	U
1,2-Dichlorobenzene		NA		NA		NA	10	U
1,2-Dichloroethane	10	U	10	U		NA	10	U
1,2-Dichloroethene (total)	10	U	10	U		NA		NA
1,2-Dichloropropane	10	U	10	U		NA	10	U
1,3-Dichlorobenzene		NA		NA		NA	10	U
1,4-Dichlorobenzene		NA		NA		NA	10	U
1,4-Dioxane		NA		NA		NA	100	UJ
2-Butanone	10	U	10	U		NA	10	UJ
2-Hexanone	10	U	10	U		NA	10	U
4-Methyl-2-Pentanone	10	U	10	U		NA	10	U
Acetone	10	U	10	U		NA	10	UJ
Benzene	10	U	10	U		NA	10	U
Bromodichloromethane	10	U	10	U		NA	10	U
Bromoform	10	U	10	U		NA	10	U
Bromomethane	10	U	10	U		NA	10	U
Carbon Disulfide	10	U	10	U		NA	10	U
Carbon Tetrachloride	10	U	10	U		NA	10	U
Chlorobenzene	10	U	10	U		NA	10	U
Chloroethane	10	U	10	U		NA	10	U
Chloroform	10	U	10	U		NA	10	U
Chloromethane	10	U	10	U		NA	10	U
cis-1,2-Dichloroethene		NA		NA		NA	10	U
cis-1,3-Dichloropropene	10	U	10	U		NA	10	U
Cyclohexane		NA		NA		NA	10	U
Dibromochloromethane	10	U	10	U		NA	10	U
Dichlorodifluoromethane		NA		NA		NA	10	UJ
Ethylbenzene	10	U	10	U		NA	10	U
Isopropylbenzene		NA		NA		NA	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA	10	U
Methyl tert-Butyl Ether		NA		NA		NA	1	J
Methylcyclohexane		NA		NA		NA	10	U
Methylene Chloride	10	U	10	U		NA	10	U
Styrene	10	U	10	U		NA	10	U
Tetrachloroethene	10	U	10	U		NA	10	U
Toluene	10	U	10	U		NA	10	U
Total Xylenes	10	U	10	U		NA	10	U
trans-1,2-Dichloroethene		NA		NA		NA	10	U
trans-1,3-Dichloropropene	10	U	10	U		NA	10	U
Trichloroethene	10	U	10	U		NA	10	U
Trichlorofluoromethane		NA		NA		NA	10	U
Vinyl Chloride	10	U	10	U		NA	1	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA		NA
Ethene		NA		NA		NA		NA
Methane		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA	1	U		NA
1,1,2,2-Tetrachloroethane		NA		NA	1	U		NA
1,1,2-Trichloroethane		NA		NA	1	U		NA
1,1-Dichloroethane		NA		NA	1	U		NA
1,1-Dichloroethene		NA		NA	1	U		NA
1,2,4-Trichlorobenzene		NA		NA	1	UJ		NA
1,2-Dibromo-3-chloropropane		NA		NA		R		NA
1,2-Dibromoethane		NA		NA	1	U		NA
1,2-Dichlorobenzene		NA		NA	1	U		NA
1,2-Dichloroethane		NA		NA	1	UJ		NA
1,2-Dichloropropane		NA		NA	1	U		NA
1,3-Dichlorobenzene		NA		NA	1	U		NA
1,4-Dichlorobenzene		NA		NA	1	U		NA
2-Butanone		NA		NA	5	U		NA
2-Hexanone		NA		NA	5	U		NA
4-Methyl-2-Pentanone		NA		NA	5	U		NA
Acetone		NA		NA		R		NA
Benzene		NA		NA	1	U		NA
Bromochloromethane		NA		NA	1	UJ		NA
Bromodichloromethane		NA		NA	1	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA	1	U		NA
Bromomethane		NA		NA	1	U		NA
Carbon Disulfide		NA		NA	1	U		NA
Carbon Tetrachloride		NA		NA	1	U		NA
Chlorobenzene		NA		NA	1	U		NA
Chloroethane		NA		NA	1	U		NA
Chloroform		NA		NA	1	U		NA
Chloromethane		NA		NA	1	U		NA
cis-1,2-Dichloroethene		NA		NA	1	U		NA
cis-1,3-Dichloropropene		NA		NA	1	U		NA
Dibromochloromethane		NA		NA	1	U		NA
Ethylbenzene		NA		NA	1	U		NA
Methylene Chloride		NA		NA	2	UJ		NA
Styrene		NA		NA	1	U		NA
Tetrachloroethene		NA		NA	1	U		NA
Toluene		NA		NA	1	U		NA
Total Xylenes		NA		NA	1	U		NA
trans-1,2-Dichloroethene		NA		NA	1	U		NA
trans-1,3-Dichloropropene		NA		NA	1	U		NA
Trichloroethene		NA		NA	1	U		NA
Vinyl Chloride		NA		NA	1	U		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA	10	U
1,2,4-Trichlorobenzene	10	U	10	U	10	U		NA
1,2-Dichlorobenzene	10	U	10	U	10	U		NA
1,3-Dichlorobenzene	10	U	10	U	10	U		NA
1,4-Dichlorobenzene	10	U	10	U	10	U		NA
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U
2,4-Dinitrophenol		NA	25	U	25	U	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	UJ
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA	10	U
Anthracene	10	U	10	U	10	U	10	U
Atrazine		NA		NA		NA	10	UJ
Benzaldehyde		NA		NA		NA	10	U
Benzo(a)anthracene	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	1	J
Butylbenzylphthalate	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA	10	U
Carbazole	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U	10	U		NA
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA	0.20	U
Benzo(a)anthracene		NA		NA		NA	0.20	U
Benzo(a)pyrene		NA		NA		NA	0.20	U
Benzo(b)fluoranthene		NA		NA		NA	0.20	U
Benzo(k)fluoranthene		NA		NA		NA	0.20	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA	0.20	U
Dibenzo(a,h)anthracene		NA		NA		NA	0.20	U
Indeno(1,2,3-cd)pyrene		NA		NA		NA	0.20	U
Phenanthrene		NA		NA		NA	0.20	U
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.50	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	0.56	U	0.56	U	1.1	U		NA
Aroclor-1016	0.50	U	0.50	U	1.0	U	1.0	U
Aroclor-1221	1.0	U	1.0	U	2.0	U	0.25	U
Aroclor-1232	0.50	U	0.50	U	1.0	U	1.0	U
Aroclor-1242	0.50	U	0.50	U	1.0	U	1.0	U
Aroclor-1248	0.50	U	0.50	U	1.0	U	1.0	U
Aroclor-1254	0.50	U	0.50	U	1.0	U	0.25	U
Aroclor-1260	0.50	U	0.50	U	1.0	U	0.25	U
Aroclor-1262	0.50	U	0.50	U	1.0	U	0.28	U
Aroclor-1268	0.50	U	0.50	U	1.0	U	1.0	U
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.050	U
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.0255		0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.10	U	0.050	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.50	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.020	U
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U	0.020	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA
OCDD		NA		NA		NA		NA
OCDF		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum	155	U	571		156	U	156	UJ
Antimony	11.2	U	18.8	U	3.0	U	9.9	U
Arsenic	1.775		1.8	U	3.0	U	5.0	U
Barium	27.8		32.6		24.4		27.7	
Beryllium	0.365	U	0.665	U	1.0	U	0.90	U
Cadmium	1.4	U	1.3	U	1.0	U	0.70	U
Calcium	38550		48550		33200		23100	
Chromium	1.75	U	7.95		2.3		0.79	J
Cobalt	33.05		55.95		35.6		12.4	J
Copper	2.65	U	3.9	U	2.0	U	5.8	U
Cyanide		NA		NA		NA		NA
Iron	13900		7445		7150	J	6010	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-103D-03-AVG		RM-MF-MW-103D-04-AVG		OU2-MW-103D-05		OU2-MW-103D-07	
Sample Location	MW-103D		MW-103D		MW-103D		MW-103D	
Date Sampled	12/2/1994		3/29/1995		11/6/1997		12/5/2002	
Interval	73.0-83.0		73.0-83.0		0.0-0.0		0.0-0.0	
QC Identifier	Field Duplicate 1007		Field Duplicate 1008		None		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Lead	0.90	U	5.77		1.0	U	2.4	U
Magnesium	14450		18400		14800		10500	
Manganese	11500		13850		7000	J	4740	
Mercury	0.20	U	0.20	U	0.10	U	0.10	U
Nickel	37.95		64.35		28.6	U	8.5	J
Potassium	9575		9910		7650		9350	
Selenium	2.5	U	2.8	U	3.9	J	4.3	U
Silver	2.4	U	1.65		1.0	U	1.3	U
Sodium	73800		66150		65700		74500	
Thallium	1.7	U	3.1	U	3.0	U	4.2	U
Vanadium	2.3	U	2.9	U	1.0	U	5.9	U
Zinc	133.5		112.5		42.6		16.1	
Wet Chemistry Analysis								
Alkalinity		NA		NA	21.7			NA
Carbon Dioxide		NA		NA		NA		NA
Chloride		NA		NA	86.4			NA
Ferrous Iron		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA	1.85			NA
Nitrite-N		NA		NA		NA		NA
Sulfate		NA		NA	136			NA
Sulfide		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	10	U	10	U	10	U	10	U		NA
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U		NA
1,1-Dichloroethane	10	U	10	U	10	U	10	U		NA
1,1-Dichloroethene	10	U	10	U	10	U	10	U		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U		NA
1,2-Dichloroethene (total)	10	U	10	U	10	U	10	U		NA
1,2-Dichloropropane	10	U	10	U	10	U	10	U		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2-Butanone	10	U	10	U	10	U	10	U		NA
2-Hexanone	10	U	10	U	10	U	10	U		NA
4-Methyl-2-Pentanone	10	U	10	U	10	U	10	U		NA
Acetone	10	U	10	U	10	U	10	U		NA
Benzene	10	U	10	U	10	U	10	U		NA
Bromodichloromethane	10	U	10	U	10	U	10	U		NA
Bromoform	10	U	10	U	10	U	10	U		NA
Bromomethane	10	UJ	10	U	10	UJ	10	U		NA
Carbon Disulfide	10	U	10	U	10	U	10	U		NA
Carbon Tetrachloride	10	U	10	U	10	U	10	U		NA
Chlorobenzene	10	U	10	U	10	U	10	U		NA
Chloroethane	10	U	10	UJ	10	U	10	U		NA
Chloroform	1	J	10	U	10	U	10	U		NA
Chloromethane	1	J	10	U	10	U	10	U		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	10	U		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	10	U		NA
Isopropylbenzene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U	10	U		NA
Styrene	10	U	10	U	10	U	10	U		NA
Tetrachloroethene	10	U	10	U	10	U	10	U		NA
Toluene	10	U	10	U	10	U	10	U		NA
Total Xylenes	10	U	10	U	10	U	10	U		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U		NA
Trichloroethene	10	U	10	U	10	U	10	U		NA
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Chloride	10	U	10	U	10	U	10	U		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA	1	U
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	1	U
1,1,2-Trichloroethane		NA		NA		NA		NA	1	U
1,1-Dichloroethane		NA		NA		NA		NA	1	U
1,1-Dichloroethene		NA		NA		NA		NA	1	U
1,2,4-Trichlorobenzene		NA		NA		NA		NA	1	UJ
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		R
1,2-Dibromoethane		NA		NA		NA		NA	1	U
1,2-Dichlorobenzene		NA		NA		NA		NA	1	U
1,2-Dichloroethane		NA		NA		NA		NA	1	UJ
1,2-Dichloropropane		NA		NA		NA		NA	1	U
1,3-Dichlorobenzene		NA		NA		NA		NA	1	U
1,4-Dichlorobenzene		NA		NA		NA		NA	1	U
2-Butanone		NA		NA		NA		NA	5	U
2-Hexanone		NA		NA		NA		NA	5	U
4-Methyl-2-Pentanone		NA		NA		NA		NA	5	U
Acetone		NA		NA		NA		NA	30	U
Benzene		NA		NA		NA		NA	1	U
Bromochloromethane		NA		NA		NA		NA	1	UJ
Bromodichloromethane		NA		NA		NA		NA	1	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA	1	U
Bromomethane		NA		NA		NA		NA	1	U
Carbon Disulfide		NA		NA		NA		NA	1	U
Carbon Tetrachloride		NA		NA		NA		NA	1	U
Chlorobenzene		NA		NA		NA		NA	1	U
Chloroethane		NA		NA		NA		NA	1	U
Chloroform		NA		NA		NA		NA	1	U
Chloromethane		NA		NA		NA		NA	1	U
cis-1,2-Dichloroethene		NA		NA		NA		NA	1	U
cis-1,3-Dichloropropene		NA		NA		NA		NA	1	U
Dibromochloromethane		NA		NA		NA		NA	1	U
Ethylbenzene		NA		NA		NA		NA	1	U
Methylene Chloride		NA		NA		NA		NA	2	UJ
Styrene		NA		NA		NA		NA	1	U
Tetrachloroethene		NA		NA		NA		NA	1	U
Toluene		NA		NA		NA		NA	1	U
Total Xylenes		NA		NA		NA		NA	1	U
trans-1,2-Dichloroethene		NA		NA		NA		NA	1	U
trans-1,3-Dichloropropene		NA		NA		NA		NA	1	U
Trichloroethene		NA		NA		NA		NA	1	U
Vinyl Chloride		NA		NA		NA		NA	1	U
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U		R	25	UJ	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	UJ	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	UJ	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	UJ	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	UJ	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA		NA		NA
Anthracene	10	U	10	UJ	10	U	10	UJ	10	U
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	UJ	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	UJ	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	UJ	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	UJ	10	UJ	10	UJ	10	U
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	UJ	10	U	10	U
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	UJ	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U	10	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	UJ	0.10	U	0.10	U	0.0020	J	0.10	U
4,4'-DDE	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	UJ	0.050	U	0.50	U	0.050	U	0.050	U
Aroclor, Total	1.1	U	0.56	U	0.56	U	0.56	U	1.1	U
Aroclor-1016	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1221	2.0	UJ	1.0	U	1.0	U	1.0	U	2.0	U
Aroclor-1232	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1242	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1248	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1254	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1260	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1262	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1268	1.0	UJ	0.50	U	0.50	U	0.50	U	1.0	U
beta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	UJ	0.050	U	0.50	U	0.050	U	0.050	U
Heptachlor	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	UJ	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	UJ	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	110	UJ	21.3	U	22.4	U	30.5	UJ	17.0	U
Antimony	10.8	UJ	28.5	U	11.2	U	18.8	U	3.0	U
Arsenic	1.9	J	0.90	UJ	1.7	U	1.8	U	3.0	U
Barium	52.3	J	67.7		56.0	J	54.3		58.9	
Beryllium	0.80	UJ	0.20	U	0.30	U	0.20	U	1.0	U
Cadmium	1.1	UJ	3.9	UJ	1.4	U	1.1	U	1.0	U
Calcium	39300	J	43400		33800		28600		34600	
Chromium	4.4	UJ	2.8	U	1.7	UJ	5.7	UJ	1.5	J
Cobalt	3.9	J	4.1	U	2.3	U	2.4	U	3.9	U
Copper	5.2	UJ	4.0	J	7.0	U	8.5	J	37.9	
Cyanide		NA		NA		NA		NA		NA
Iron	809	J	217		326		378		163	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-103M-01		RM-MF-MW-103M-02		RM-MF-MW-103M-03		RM-MF-MW-103M-04		OU2-MW-103M-05	
Sample Location	MW-103M		MW-103M		MW-103M		MW-103M		MW-103M	
Date Sampled	5/19/1994		8/24/1994		12/2/1994		3/29/1995		11/6/1997	
Interval	28.0-38.0		28.0-38.0		28.0-38.0		28.0-38.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	3.1	UJ	2.1	J	1.2	UJ	0.40	UJ	1.7	UJ
Magnesium	25400	J	26900		22000		17700		16400	
Manganese	1460	J	668		342		536		3400	J
Mercury	0.20	UJ	0.20	U	0.20	U	0.20	U	0.10	U
Nickel	4.5	UJ	13.3	U	3.5	UJ	5.2	U	5.1	U
Potassium	13700	J	16000		13700		11600		13700	
Selenium	2.1	UJ	1.0	U	2.5	U	2.8	U	3.0	U
Silver		R	2.6	UJ	2.4	U	1.8	U	1.0	U
Sodium	129000	J	159000		142000		97700		104000	
Thallium	2.2	UJ	0.90	U	1.7	U	3.1	U	3.0	U
Vanadium	2.6	UJ	3.5	U	2.3	U	2.9	U	1.0	U
Zinc	36.9	UJ	49.7		29.3	U	28.8	UJ	33.6	
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA	55.0	
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA	161	
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA	0.54	
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA	79.9	
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	10	U		NA		NA	24		2	J
1,1,2,2-Tetrachloroethane	10	U		NA		NA	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U		NA		NA		NA	10	U
1,1,2-Trichloroethane	10	U		NA		NA	10	U	10	U
1,1-Dichloroethane	1	J		NA		NA	20		12	
1,1-Dichloroethene	10	U		NA		NA	19	J	5	J
1,2,4-Trichlorobenzene	10	U		NA		NA		NA	10	U
1,2-Dibromo-3-chloropropane	10	U		NA		NA		NA	10	U
1,2-Dibromoethane	10	U		NA		NA		NA	10	U
1,2-Dichlorobenzene	10	U		NA		NA		NA	10	U
1,2-Dichloroethane	10	U		NA		NA	10	U	10	U
1,2-Dichloroethene (total)		NA		NA		NA	130			NA
1,2-Dichloropropane	10	U		NA		NA	10	U	10	U
1,3-Dichlorobenzene	10	U		NA		NA		NA	10	U
1,4-Dichlorobenzene	10	U		NA		NA		NA	10	U
1,4-Dioxane	100	UJ		NA		NA		NA	120	J
2-Butanone	10	UJ		NA		NA	10	U	10	U
2-Hexanone	10	U		NA		NA	10	U	10	U
4-Methyl-2-Pentanone	10	U		NA		NA	10	U	10	U
Acetone	10	UJ		NA		NA	17		10	UJ
Benzene	10	U		NA		NA	10	U	10	U
Bromodichloromethane	10	U		NA		NA	10	U	10	U
Bromoform	10	U		NA		NA	10	U	10	U
Bromomethane	10	U		NA		NA	10	U	10	U
Carbon Disulfide	10	U		NA		NA	10	U	10	U
Carbon Tetrachloride	10	U		NA		NA	10	U	10	U
Chlorobenzene	10	U		NA		NA	4	J	2	J
Chloroethane	10	U		NA		NA	10	U	10	U
Chloroform	10	U		NA		NA	1	J	10	U
Chloromethane	10	U		NA		NA	10	U	10	U
cis-1,2-Dichloroethene	10	U		NA		NA		NA	60	
cis-1,3-Dichloropropene	10	U		NA		NA	10	U	10	U
Cyclohexane	10	U		NA		NA		NA	10	U
Dibromochloromethane	10	U		NA		NA	10	U	10	U
Dichlorodifluoromethane	10	UJ		NA		NA		NA	10	UJ
Ethylbenzene	10	U		NA		NA	10	U	10	U
Isopropylbenzene	10	U		NA		NA		NA	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Methyl Acetate	10	U		NA		NA		NA	10	U
Methyl tert-Butyl Ether	10	U		NA		NA		NA	10	U
Methylcyclohexane	10	U		NA		NA		NA	10	U
Methylene Chloride	10	U		NA		NA	10	U	10	U
Styrene	10	U		NA		NA	10	U	10	U
Tetrachloroethene	10	U		NA		NA	10	U	10	U
Toluene	10	U		NA		NA	12		10	U
Total Xylenes	10	U		NA		NA	10	U	10	U
trans-1,2-Dichloroethene	10	U		NA		NA		NA	10	U
trans-1,3-Dichloropropene	10	U		NA		NA	10	U	10	U
Trichloroethene	10	U		NA		NA	90	J	66	
Trichlorofluoromethane	10	U		NA		NA		NA	10	U
Vinyl Chloride	1	U		NA		NA	9	J	4	
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA	2.7	J	10.0	U
Ethene		NA		NA		NA	3.0	UJ	10.0	U
Methane		NA		NA		NA	316	J	170	
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA	1	U	1	U		NA		NA
1,1-Dichloroethane		NA	1	U	1	U		NA		NA
1,1-Dichloroethene		NA	1	U	1	U		NA		NA
1,2-Dichloroethane		NA	1	U	1	U		NA		NA
Benzene		NA	1	U	1	U		NA		NA
Chlorobenzene		NA	1	U	1	U		NA		NA
cis-1,2-Dichloroethene		NA	1	U	1	U		NA		NA
Ethylbenzene		NA	1	U	1	U		NA		NA
m&p-Xylene		NA	1	U	1	U		NA		NA
o-Xylene		NA	1	U	1	U		NA		NA
Tetrachloroethene		NA	1	U	1	U		NA		NA
Toluene		NA	1	U	1	U		NA		NA
trans-1,2-Dichloroethene		NA	1	U	1	U		NA		NA
Trichloroethene		NA	1	U	1	U		NA		NA
Vinyl Chloride		NA	1	U	1	U		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
1,1'-Biphenyl	10	U		NA		NA		NA	10	U
1,2,4-Trichlorobenzene		NA		NA		NA	10	U		NA
1,2-Dichlorobenzene		NA		NA		NA	10	U		NA
1,3-Dichlorobenzene		NA		NA		NA	10	U		NA
1,4-Dichlorobenzene		NA		NA		NA	10	U		NA
2,2'-oxybis(1-Chloropropane)	10	UJ		NA		NA	10	UJ	10	UJ
2,4,5-Trichlorophenol	25	U		NA		NA	25	U	25	U
2,4,6-Trichlorophenol	10	U		NA		NA	10	U	10	U
2,4-Dichlorophenol	10	U		NA		NA	10	U	10	U
2,4-Dimethylphenol	10	U		NA		NA	10	U	10	U
2,4-Dinitrophenol	25	U		NA		NA	25	U	25	U
2,4-Dinitrotoluene	10	U		NA		NA	10	U	10	U
2,6-Dinitrotoluene	10	U		NA		NA	10	U	10	U
2-Chloronaphthalene	10	U		NA		NA	10	U	10	U
2-Chlorophenol	10	U		NA		NA	10	U	10	U
2-Methylnaphthalene	10	U		NA		NA	10	U	10	U
2-Methylphenol	10	U		NA		NA	10	U	10	U
2-Nitroaniline	25	UJ		NA		NA	25	U	25	UJ
2-Nitrophenol	10	U		NA		NA	10	U	10	U
3,3'-Dichlorobenzidine	10	U		NA		NA	10	U	10	U
3-Nitroaniline	25	U		NA		NA	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U		NA		NA	25	U	25	U
4-Bromophenyl-phenylether	10	U		NA		NA	10	U	10	U
4-Chloro-3-methylphenol	10	U		NA		NA	10	U	10	U
4-Chloroaniline	10	U		NA		NA	10	UJ	10	U
4-Chlorophenyl-phenylether	10	U		NA		NA	10	U	10	U
4-Methylphenol	10	U		NA		NA	10	U	10	U
4-Nitroaniline	25	UJ		NA		NA	25	U	25	UJ
4-Nitrophenol	25	U		NA		NA	25	U	25	U
Acenaphthene	10	U		NA		NA	10	U	10	U
Acenaphthylene	10	U		NA		NA	10	U	10	U
Acetophenone	10	UJ		NA		NA		NA	10	UJ
Anthracene	10	U		NA		NA	10	U	10	U
Atrazine	10	UJ		NA		NA		NA	10	UJ
Benzaldehyde	10	UJ		NA		NA		NA	10	UJ
Benzo(a)anthracene	10	U		NA		NA	10	U	10	U
Benzo(a)pyrene	10	U		NA		NA	10	U	10	U
Benzo(b)fluoranthene	10	U		NA		NA	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Benzo(g,h,i)perylene	10	U		NA		NA	10	U	10	U
Benzo(k)fluoranthene	10	U		NA		NA	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U		NA		NA	10	U	10	U
Bis(2-Chloroethyl)ether	10	U		NA		NA	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U		NA		NA	10	U	10	U
Butylbenzylphthalate	10	U		NA		NA	10	U	10	U
Caprolactam	10	U		NA		NA		NA	10	U
Carbazole	10	U		NA		NA	10	U	10	U
Chrysene	10	U		NA		NA	10	U	10	U
Dibenzo(a,h)anthracene	10	U		NA		NA	10	U	10	U
Dibenzofuran	10	U		NA		NA	10	U	10	U
Diethylphthalate	10	U		NA		NA	10	U	10	U
Dimethylphthalate	10	U		NA		NA	10	U	10	U
Di-n-Butylphthalate	10	U		NA		NA	10	U	10	U
Di-n-octylphthalate	10	U		NA		NA	10	U	10	U
Fluoranthene	10	U		NA		NA	10	U	10	U
Fluorene	10	U		NA		NA	10	U	10	U
Hexachlorobenzene	10	U		NA		NA	10	U	10	U
Hexachlorobutadiene	10	U		NA		NA	10	U	10	U
Hexachlorocyclopentadiene	10	U		NA		NA	10	U	10	U
Hexachloroethane	10	U		NA		NA	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U		NA		NA	10	U	10	U
Isophorone	10	U		NA		NA	10	U	10	U
Naphthalene	10	U		NA		NA	10	U	10	U
Nitrobenzene	10	U		NA		NA	10	U	10	U
N-Nitroso-di-n-propylamine	10	UJ		NA		NA	10	UJ	10	UJ
N-Nitroso-diphenylamine	10	U		NA		NA	10	U	10	U
Pentachlorophenol	25	U		NA		NA	25	U	25	U
Phenanthrene	10	U		NA		NA	10	U	10	U
Phenol	10	U		NA		NA	10	U	10	U
Pyrene	10	U		NA		NA	10	U	10	U
Total PAH		NA		NA		NA	10	U		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene	0.20	U		NA		NA		NA	0.20	U
Benzo(a)anthracene	0.20	U		NA		NA		NA	0.20	U
Benzo(a)pyrene	0.20	U		NA		NA		NA	0.20	U
Benzo(b)fluoranthene	0.20	U		NA		NA		NA	0.20	U
Benzo(k)fluoranthene	0.20	U		NA		NA		NA	0.20	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Chrysene	0.20	U		NA		NA		NA	0.20	U
Dibenzo(a,h)anthracene	0.20	U		NA		NA		NA	0.20	UJ
Indeno(1,2,3-cd)pyrene	0.20	U		NA		NA		NA	0.20	U
Phenanthrene	0.20	U		NA		NA		NA	0.20	U
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U		NA		NA	0.10	U	0.10	U
4,4'-DDE	0.10	U		NA		NA	0.10	U	0.10	U
4,4'-DDT	0.10	U		NA		NA	0.10	U	0.10	U
Aldrin	0.050	U		NA		NA	0.050	U	0.050	U
alpha-BHC	0.050	U		NA		NA	0.012	J	0.050	U
alpha-Chlordane	0.050	U		NA		NA	0.050	U	0.050	U
Aroclor, Total		NA		NA		NA	1.1	U		NA
Aroclor-1016	1.0	U		NA		NA	1.0	U	1.0	U
Aroclor-1221	0.25	U		NA		NA	2.0	U	0.25	U
Aroclor-1232	1.0	U		NA		NA	1.0	U	1.0	U
Aroclor-1242	1.0	U		NA		NA	1.0	U	1.0	U
Aroclor-1248	1.0	U		NA		NA	1.0	U	1.0	U
Aroclor-1254	0.25	U		NA		NA	1.0	U	0.25	U
Aroclor-1260	0.25	U		NA		NA	1.0	U	0.25	U
Aroclor-1262	0.28	U		NA		NA	1.0	U	0.28	U
Aroclor-1268	1.0	U		NA		NA	1.0	U	1.0	U
beta-BHC	0.050	U		NA		NA	0.050	U	0.050	U
delta-BHC	0.050	U		NA		NA	0.050	U	0.050	U
Dieldrin	0.050	U		NA		NA	0.10	U	0.050	U
Endosulfan I	0.050	U		NA		NA	0.050	U	0.050	U
Endosulfan II	0.10	U		NA		NA	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U		NA		NA	0.10	U	0.10	U
Endrin	0.050	U		NA		NA	0.10	U	0.050	U
Endrin Aldehyde	0.10	U		NA		NA	0.10	U	0.10	U
Endrin Ketone	0.10	U		NA		NA	0.10	U	0.10	U
gamma-BHC	0.050	U		NA		NA	0.050	U	0.050	U
gamma-Chlordane	0.050	U		NA		NA	0.050	U	0.050	U
Heptachlor	0.020	U		NA		NA	0.050	U	0.020	U
Heptachlor Epoxide	0.020	U		NA		NA	0.050	U	0.020	U
Methoxychlor	0.50	U		NA		NA	0.50	U	0.50	U
Toxaphene	5.0	U		NA		NA	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA	2.1	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA	1.0	U
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA	1.2	U
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA	1.1	U
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA	0.70	U
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA	1.0	U
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA	0.70	U
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA	1.0	U
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA	0.90	U
1,2,3,7,8-PeCDD		NA		NA		NA		NA	0.90	U
1,2,3,7,8-PeCDF		NA		NA		NA		NA	0.60	U
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA	0.70	U
2,3,4,7,8-PeCDF		NA		NA		NA		NA	0.70	U
2,3,7,8-TCDD		NA		NA		NA		NA	0.80	U
2,3,7,8-TCDF		NA		NA		NA		NA	0.60	U
OCDD		NA		NA		NA		NA	3.3	U
OCDF		NA		NA		NA		NA	2.4	U
Total HpCDD		NA		NA		NA		NA	2.1	UJ
Total HpCDF		NA		NA		NA		NA	1.1	UJ
Total HxCDD		NA		NA		NA		NA	1.0	UJ
Total HxCDF		NA		NA		NA		NA	0.70	UJ
Total PeCDD		NA		NA		NA		NA	0.90	UJ
Total PeCDF		NA		NA		NA		NA	0.60	UJ
Total TCDD		NA		NA		NA		NA	0.80	UJ
Total TCDF		NA		NA		NA		NA	0.60	UJ
Toxicity Equivalency		NA		NA		NA		NA	0.00	U
TAL Metal Analysis (UG/L)										
Aluminum	97.5	UJ		NA		NA	70.4	U	28.6	U
Antimony	9.9	U		NA		NA	3.9	U	3.5	U
Arsenic	5.0	U		NA		NA	2.3	U	2.9	U
Barium	65.5			NA		NA	45.2		27.4	
Beryllium	0.90	U		NA		NA	0.10	U	0.12	UJ
Cadmium	0.70	U		NA		NA	0.71	J	0.82	U
Calcium	34700			NA		NA	261000		223000	
Chromium	0.60	U		NA		NA	1.8		0.90	U
Cobalt	6.9	U		NA		NA	20.4	J	3.7	
Copper	5.8	U		NA		NA	1.5	J	1.3	UJ
Cyanide		NA		NA		NA		NA	10.0	U
Iron	277			NA		NA	11.9	U	18.1	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-103M-07		OU2-DP10-4-0510		OU2-DP10-4-1520		OU2-MW-104B-01		OU2-MW-104B-07	
Sample Location	MW-103M		DP10-4		DP10-4		MW-104B		MW-104B	
Date Sampled	12/5/2002		8/14/1997		8/15/1997		2/24/1999		12/12/2002	
Interval	0.0-0.0		5.0-10.0		15.0-20.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Bedrock		Bedrock	
Lead	2.7	J		NA		NA	1.0	UJ	2.3	U
Magnesium	22400			NA		NA	265000		242000	
Manganese	2120			NA		NA	13700		15400	
Mercury	0.10	U		NA		NA	0.10	U	0.20	U
Nickel	5.3	U		NA		NA		R	7.3	U
Potassium	15100			NA		NA	51900		92600	
Selenium	4.3	U		NA		NA	4.2	J	3.0	UJ
Silver	1.3	U		NA		NA	1.0	U	1.3	J
Sodium	149000			NA		NA	1440000		2600000	
Thallium	4.2	U		NA		NA	41.8		3.1	U
Vanadium	5.9	U		NA		NA	1.2	U	1.0	U
Zinc	5.5	U		NA		NA	73.9		12.6	U
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA	163		150	
Carbon Dioxide		NA		NA		NA	33.3		174	UJ
Chloride		NA		NA		NA	3080		3760	
Ferrous Iron		NA		NA		NA	0.090		0.16	
Nitrate		NA		NA		NA	0.050	U	0.050	UJ
Nitrate-Nitrite (as N)		NA		NA		NA	0.050	U		NA
Nitrite-N		NA		NA		NA	0.050	U	1.0	UJ
Sulfate		NA		NA		NA	726		838	
Sulfide		NA		NA		NA	0.050	U		R
Total Organic Carbon		NA		NA		NA		NA	46.3	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	68		52		67		75		130	
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	33	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	33	U	10	U
1,1-Dichloroethane	73		55		60		67		100	
1,1-Dichloroethene	45		36		41		51		91	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	1	J	33	U	10	U
1,2-Dichloroethene (total)	390		280		380		440		720	*
1,2-Dichloropropane	10	U	10	U	10	U	33	U	10	U
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2-Butanone	10	U	10	U	10	U	33	U	10	U
2-Hexanone	10	U	10	U	10	U	33	U	10	U
4-Methyl-2-Pentanone	10	U	10	U	10	U	33	U	10	U
Acetone	74	U	10	U	10	U	33	UJ	10	U
Benzene	4	J	10	U	4	J	5	J	6	J
Bromodichloromethane	10	U	10	U	10	U	33	U	10	U
Bromoform	10	U	10	U	10	U	33	U	10	UJ
Bromomethane	10	UJ	10	U	10	UJ	33	U	10	U
Carbon Disulfide	10	U	10	U	10	U	33	U	10	UJ
Carbon Tetrachloride	10	U	10	U	10	U	33	U	10	U
Chlorobenzene	21		18		23		24	J	32	
Chloroethane	10	U	21	J	4	J	33	U	5	J
Chloroform	1	J	10	U	10	U	33	U	10	U
Chloromethane	10	U	10	U	10	U	33	U	10	U
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	33	U	10	U
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	33	U	10	U
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	33	U	10	U
Isopropylbenzene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	10	U	11	U	10	U	33	U	10	U
Styrene	10	U	10	U	10	U	33	U	10	U
Tetrachloroethene	10	U	10	U	1	J	33	U	2	J
Toluene	10	U	10	U	10	U	33	U	10	U
Total Xylenes	10	U	10	U	10	U	33	U	10	U
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	33	U	10	U
Trichloroethene	310	J	190	J	240		290		370	*
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Chloride	56		57	J	54		4	J	76	
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U		R	25	UJ	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	UJ	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	UJ	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	UJ	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA		NA		NA
Anthracene	10	U	10	UJ	10	U	10	U	10	U
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	UJ	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	UJ	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	UJ	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	UJ	10	UJ	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	UJ	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	UJ	10	U	10	U
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U	10	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.010	J	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.50	U	0.00050	J	0.050	U
Aroclor, Total	1.1	U	0.56	U	0.56	U	0.56	U	1.1	U
Aroclor-1016	1.0	U	0.50	UJ	0.50	U	0.50	U	1.0	U
Aroclor-1221	2.0	U	1.0	U	1.0	U	1.0	U	2.0	U
Aroclor-1232	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1242	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1248	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1254	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1260	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1262	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1268	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
beta-BHC	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	UJ	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	UJ	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.0025	J	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.50	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	37.6	UJ	35.6	U	117	UJ	864		17.0	U
Antimony	14.7	UJ	28.5	U	11.2	UJ	18.8	U	3.0	U
Arsenic	1.5	UJ	6.0		6.1	UJ	2.8	J	3.0	U
Barium	84.5	J	61.4		57.4	J	37.3		23.4	
Beryllium	0.40	UJ	0.20	U	0.30	UJ	0.20	U	1.0	U
Cadmium	1.1	UJ	3.9	UJ	1.4	UJ	1.1	U	1.0	U
Calcium	222000	J	209000		196000	J	192000		169000	
Chromium	2.5	UJ	3.8	U	5.8	UJ	5.9	J	2.2	
Cobalt	10.8	UJ	10.8		13.2	UJ	8.6		3.1	U
Copper	3.6	UJ	5.3	U	2.1	UJ	3.9	UJ	2.0	U
Cyanide		NA		NA		NA		NA		NA
Iron	6800	J	17700		14900	J	6650		1350	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104D-01		RM-MF-MW-104D-02		RM-MF-MW-104D-03		RM-MF-MW-104D-04		OU2-MW-104D-05	
Sample Location	MW-104D		MW-104D		MW-104D		MW-104D		MW-104D	
Date Sampled	5/20/1994		8/25/1994		12/1/1994		3/28/1995		11/7/1997	
Interval	69.0-79.0		69.0-79.0		69.0-79.0		69.0-79.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	1.5	UJ	2.5	UJ	0.70	UJ	1.1	UJ	1.0	U
Magnesium	230000	J	222000		203000	J	209000		188000	
Manganese	13100	J	11600		6620	J	7590		8350	J
Mercury	0.39	J	0.20	U	1.1	J	0.20	U	0.10	U
Nickel	6.5	UJ	13.3	UJ	6.7	UJ	5.2	U	8.1	U
Potassium	36900	J	38000		30100	J	30200		42100	
Selenium	2.1	UJ	7.0	UJ	2.5	UJ	2.8	U	5.2	J
Silver		R	2.8	J	2.4	UJ	1.8	U	1.0	U
Sodium	1370000	J	1360000		1440000	J	1260000		1080000	
Thallium	2.2	UJ	0.90	U	1.7	UJ	6.6		3.0	U
Vanadium	2.2	UJ	3.5	U	2.3	UJ	2.9	U	1.0	U
Zinc	215	J	17.8	U	612	J	105		291	
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA	114	
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA	2010	
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA	0.10	U
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA	645	
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	120		130		83		200		190	
1,1,2,2-Tetrachloroethane	100	U	10	U	25	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA		NA		NA
1,1,2-Trichloroethane	100	U	10	U	25	U	10	U	2	J
1,1-Dichloroethane	120		120		69		170		120	
1,1-Dichloroethene	98	J	160		43		150		100	
1,2,4-Trichlorobenzene		NA	10	U		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA	10	U		NA		NA		NA
1,2-Dibromoethane		NA	10	U		NA		NA		NA
1,2-Dichlorobenzene		NA	10	U		NA		NA		NA
1,2-Dichloroethane	100	U	10	U	25	U	10	U	2	J
1,2-Dichloroethene (total)	1000			NA	360		840		680	
1,2-Dichloropropane	100	U	10	U	25	U	10	U	10	U
1,3-Dichlorobenzene		NA	10	U		NA		NA		NA
1,4-Dichlorobenzene		NA	10	U		NA		NA		NA
1,4-Dioxane		NA	1000	J		NA		NA		NA
2-Butanone	100	U	10	U	25	U	10	U	10	U
2-Hexanone	100	U	10	U	25	U	10	U	10	U
4-Methyl-2-Pentanone	100	U	10	U	25	U	10	U	10	U
Acetone	100	U	10	UJ	25	U	10	U	10	U
Benzene	100	UJ	5	J	6	J	13		11	
Bromodichloromethane	100	U	10	U	25	U	10	U	10	U
Bromoform	100	U	10	U	25	U	10	U	10	U
Bromomethane	100	U	10	U	25	UJ	10	U	10	UJ
Carbon Disulfide	100	U	10	U	25	U	10	U	10	U
Carbon Tetrachloride	100	U	10	U	25	U	10	U	10	U
Chlorobenzene	37	J	36		20	J	44		32	
Chloroethane	100	U	10	U	25	U	84	J	9	J
Chloroform	100	U	1	J	25	U	10	U	1	J
Chloromethane	100	U	10	U	25	U	10	U	10	U
cis-1,2-Dichloroethene		NA	860	*		NA		NA		NA
cis-1,3-Dichloropropene	100	U	10	U	25	U	10	U	10	U
Cyclohexane		NA	10	U		NA		NA		NA
Dibromochloromethane	100	U	10	U	25	U	10	U	10	U
Dichlorodifluoromethane		NA	10	UJ		NA		NA		NA
Ethylbenzene	100	U	10	U	25	U	10	U	10	U
Isopropylbenzene		NA	10	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA	10	U		NA		NA		NA
Methyl tert-Butyl Ether		NA	10	U		NA		NA		NA
Methylcyclohexane		NA	10	U		NA		NA		NA
Methylene Chloride	100	U	10	U	25	U	10	U	10	U
Styrene	100	U	10	U	25	U	10	U	10	U
Tetrachloroethene	100	U	2	J	25	U	10	U	2	J
Toluene	100	U	10	U	25	U	10	U	10	U
Total Xylenes	100	U	10	U	25	U	10	U	10	U
trans-1,2-Dichloroethene		NA	10	U		NA		NA		NA
trans-1,3-Dichloropropene	100	U	10	U	25	U	10	U	10	U
Trichloroethene	160	J	370		250		540	J	420	
Trichlorofluoromethane		NA	10	U		NA		NA		NA
Vinyl Chloride	96	J	82		51		180	J	90	
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA	13.0			NA		NA		NA
Ethene		NA	10.0	U		NA		NA		NA
Methane		NA	1800			NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA	10	U		NA		NA		NA
1,2,4-Trichlorobenzene	10	U		NA	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U		NA	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U		NA	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U		NA	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	UJ	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U	25	U	25	U		R
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	UJ	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U	10	UJ
4-Nitroaniline	25	U	25	UJ	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	3	J	25	U
Acenaphthene	10	UJ	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10		10	U
Acetophenone		NA	10	U		NA		NA		NA
Anthracene	10	U	10	U	10	U	10	UJ	10	U
Atrazine		NA	10	UJ		NA		NA		NA
Benzaldehyde		NA	10	UJ		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U	10	UJ
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	UJ	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	U
Caprolactam		NA	10	U		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	UJ	10	UJ	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	UJ	10	UJ
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	UJ	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U	10	UJ
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U	10	U
Total PAH	10	U		NA	10	U	10		10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA	0.20	U		NA		NA		NA
Benzo(a)anthracene		NA	0.20	U		NA		NA		NA
Benzo(a)pyrene		NA	0.20	U		NA		NA		NA
Benzo(b)fluoranthene		NA	0.20	U		NA		NA		NA
Benzo(k)fluoranthene		NA	0.20	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA	0.20	U		NA		NA		NA
Dibenzo(a,h)anthracene		NA	0.20	U		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA		NA		NA
Phenanthrene		NA	0.20	U		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.0068	J	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.033	J	0.050	U	0.050	U	0.050	U	0.0042	J
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.50	U
Aroclor, Total	1.1	U		NA	1.1	U	0.56	U	0.56	U
Aroclor-1016	1.0	U	1.0	U	1.0	U	0.50	UJ	0.50	U
Aroclor-1221	2.0	U	0.25	U	2.0	U	1.0	U	1.0	U
Aroclor-1232	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1242	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1248	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1254	1.0	U	0.25	U	1.0	U	0.50	U	0.50	U
Aroclor-1260	1.0	U	0.25	U	1.0	U	0.50	U	0.50	U
Aroclor-1262	1.0	U	0.28	U	1.0	U	0.50	U	0.50	U
Aroclor-1268	1.0	U	1.0	U	1.0	U	0.50	U	0.50	U
beta-BHC	0.0053	J	0.050	U	0.050	UJ	0.015	J	0.050	U
delta-BHC	0.0033	J	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.050	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.041	J	0.050	U	0.050	UJ	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	UJ	0.10	U	0.10	U
Endosulfan Sulfate	0.0046	J	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.0012	J	0.050	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC		R	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.50	U
Heptachlor	0.050	U	0.020	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.020	U	0.050	U	0.050	U	0.0030	J
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA	2.2	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA	1.2	U		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA	1.6	U		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA	1.4	U		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA	2.2	U		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA	1.4	U		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA	1.9	U		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA	1.4	U		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA	2.7	U		NA		NA		NA
1,2,3,7,8-PeCDD		NA	1.2	U		NA		NA		NA
1,2,3,7,8-PeCDF		NA	2.1	U		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA	1.4	UEMPC		NA		NA		NA
2,3,4,7,8-PeCDF		NA	3.5	EMPC		NA		NA		NA
2,3,7,8-TCDD		NA	1.0	U		NA		NA		NA
2,3,7,8-TCDF		NA	0.80	U		NA		NA		NA
OCDD		NA	7.5	J		NA		NA		NA
OCDF		NA	5.2	J		NA		NA		NA
Total HpCDD		NA	2.2	UJ		NA		NA		NA
Total HpCDF		NA	1.4	UJ		NA		NA		NA
Total HxCDD		NA	1.4	UJ		NA		NA		NA
Total HxCDF		NA	8.2	UJEMP		NA		NA		NA
Total PeCDD		NA	1.2	UJ		NA		NA		NA
Total PeCDF		NA	5.5	UJEMP		NA		NA		NA
Total TCDD		NA	1.0	UJ		NA		NA		NA
Total TCDF		NA	0.80	UJ		NA		NA		NA
Toxicity Equivalency		NA	1.8	J		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	53.4		93.2	U	198	U	21.3	U	33.3	UJ
Antimony	3.3	U	3.5	U	20.5	J	28.5	U	11.2	U
Arsenic	3.8	U	3.2	UJ	1.5	U	1.8	J	2.8	UJ
Barium	21.1		29.7		41.9		78.2		64.6	
Beryllium	1.0		0.10	U	0.40	U	0.20	U	0.30	U
Cadmium	0.80	U	0.40	U	1.1	U	3.9	UJ	1.4	U
Calcium	138000		43800		70700		103000		94100	
Chromium	1.5		0.90	U	2.5	UJ	8.6	U	1.8	UJ
Cobalt	2.6		1.0	U	3.1	UJ	7.2	J	4.6	U
Copper	6.1		1.3	U	3.6	U	3.5	U	2.1	U
Cyanide		NA	10.0	U		NA		NA		NA
Iron	2000		18.1	U	653		933		867	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-104D-06		OU2-MW-104D-07		MF-MW-104M-01		RM-MF-MW-104M-02		RM-MF-MW-104M-03	
Sample Location	MW-104D		MW-104D		MW-104M		MW-104M		MW-104M	
Date Sampled	11/18/1998		12/11/2002		5/20/1994		8/25/1994		12/1/1994	
Interval	0.0-0.0		0.0-0.0		23.5-27.5		23.5-27.5		23.5-27.5	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	2.9	U	2.3	UJ	1.5	UJ	6.9	UJ	1.1	UJ
Magnesium	159000		18800		44700		65500		57900	
Manganese	7780		2950		705		963		886	
Mercury	0.10	U	0.20	U	0.20	U	0.20	U	0.20	U
Nickel	5.3		4.3	U	6.5	U	16.6	J	3.5	U
Potassium	34100		9270	J	8020		10900		9540	
Selenium	3.4	U	3.0	UJ	2.1	UJ	0.70	U	2.5	UJ
Silver	1.0	U	1.1	UJ		R	2.6	U	2.4	UJ
Sodium	978000		58200	J	155000		221000		229000	
Thallium	3.3	U	3.1	U	2.2	U	0.90	U	1.7	U
Vanadium	1.4	U	1.0	U	2.2	U	3.5	U	2.3	U
Zinc	23.1		11.1	U	14.1	UJ	8.3	U	6.3	U
Wet Chemistry Analysis										
Alkalinity	189		164			NA		NA		NA
Carbon Dioxide		NA	305	J		NA		NA		NA
Chloride	1870		1510			NA		NA		NA
Ferrous Iron		NA	0.37			NA		NA		NA
Nitrate		NA	0.050	UJ		NA		NA		NA
Nitrate-Nitrite (as N)	0.050	U		NA		NA		NA		NA
Nitrite-N		NA	1.0	UJ		NA		NA		NA
Sulfate	744		764			NA		NA		NA
Sulfide		NA		R		NA		NA		NA
Total Organic Carbon		NA	13.0	J		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane	140			NA	13		10	U
1,1,2,2-Tetrachloroethane	50	U		NA	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA	10	U
1,1,2-Trichloroethane	50	U		NA	10	U	10	U
1,1-Dichloroethane	100			NA	16.5		10	U
1,1-Dichloroethene	84			NA	9.5		10	U
1,2,4-Trichlorobenzene		NA		NA		NA	10	UJ
1,2-Dibromo-3-chloropropane		NA		NA		NA	10	U
1,2-Dibromoethane		NA		NA		NA	10	U
1,2-Dichlorobenzene		NA		NA		NA	10	U
1,2-Dichloroethane	50	U		NA	10	U	10	U
1,2-Dichloroethene (total)	620			NA	79			NA
1,2-Dichloropropane	50	U		NA	10	U	10	U
1,3-Dichlorobenzene		NA		NA		NA	10	U
1,4-Dichlorobenzene		NA		NA		NA	10	U
1,4-Dioxane		NA		NA		NA	100	UJ
2-Butanone	50	U		NA	10	U	10	U
2-Hexanone	50	U		NA	10	U	10	UJ
4-Methyl-2-Pentanone	50	U		NA	10	U	10	U
Acetone	50	UJ		NA	10	U	10	UJ
Benzene	9	J		NA	1.5		10	U
Bromodichloromethane	50	U		NA	10	U	10	U
Bromoform	50	U		NA	10	U	10	U
Bromomethane	50	U		NA	10	U	10	U
Carbon Disulfide	50	U		NA	10	U	10	U
Carbon Tetrachloride	50	U		NA	10	U	10	U
Chlorobenzene	31	J		NA	4.5		10	U
Chloroethane	50	U		NA	10	U	10	U
Chloroform	50	U		NA	10	U	10	U
Chloromethane	50	U		NA	10	U	10	U
cis-1,2-Dichloroethene		NA		NA		NA	2	J
cis-1,3-Dichloropropene	50	U		NA	10	U	10	U
Cyclohexane		NA		NA		NA	10	U
Dibromochloromethane	50	U		NA	10	U	10	U
Dichlorodifluoromethane		NA		NA		NA	10	UJ
Ethylbenzene	50	U		NA	10	U	10	U
Isopropylbenzene		NA		NA		NA	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA	10	U
Methyl tert-Butyl Ether		NA		NA		NA	10	U
Methylcyclohexane		NA		NA		NA	10	U
Methylene Chloride	50	U		NA	10	U	10	U
Styrene	50	U		NA	10	U	10	U
Tetrachloroethene	50	U		NA	10	U	10	U
Toluene	50	U		NA	10	U	10	U
Total Xylenes	50	U		NA	10	U	10	U
trans-1,2-Dichloroethene		NA		NA		NA	10	U
trans-1,3-Dichloropropene	50	U		NA	10	U	10	U
Trichloroethene	340			NA	54.5		10	U
Trichlorofluoromethane		NA		NA		NA	10	U
Vinyl Chloride	110			NA	5.5		1	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA	10.0	U
Ethene		NA		NA		NA	10.0	U
Methane		NA		NA		NA	6.0	
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA	1			NA		NA
1,1,2,2-Tetrachloroethane		NA	1	U		NA		NA
1,1,2-Trichloroethane		NA	1	U		NA		NA
1,1-Dichloroethane		NA	8			NA		NA
1,1-Dichloroethene		NA	1			NA		NA
1,2,4-Trichlorobenzene		NA	1	UJ		NA		NA
1,2-Dibromo-3-chloropropane		NA		R		NA		NA
1,2-Dibromoethane		NA	1	U		NA		NA
1,2-Dichlorobenzene		NA	1	U		NA		NA
1,2-Dichloroethane		NA	1	UJ		NA		NA
1,2-Dichloropropane		NA	1	U		NA		NA
1,3-Dichlorobenzene		NA	1	U		NA		NA
1,4-Dichlorobenzene		NA	1	U		NA		NA
2-Butanone		NA	5	U		NA		NA
2-Hexanone		NA	5	U		NA		NA
4-Methyl-2-Pentanone		NA	5	U		NA		NA
Acetone		NA		R		NA		NA
Benzene		NA	1	U		NA		NA
Bromochloromethane		NA	1	UJ		NA		NA
Bromodichloromethane		NA	1	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform		NA	1	U		NA		NA
Bromomethane		NA	1	U		NA		NA
Carbon Disulfide		NA	1	U		NA		NA
Carbon Tetrachloride		NA	1	U		NA		NA
Chlorobenzene		NA	0.7	J		NA		NA
Chloroethane		NA	1	U		NA		NA
Chloroform		NA	1	U		NA		NA
Chloromethane		NA	1	U		NA		NA
cis-1,2-Dichloroethene		NA	10			NA		NA
cis-1,3-Dichloropropene		NA	1	U		NA		NA
Dibromochloromethane		NA	1	U		NA		NA
Ethylbenzene		NA	1	U		NA		NA
Methylene Chloride		NA	2	UJ		NA		NA
Styrene		NA	1	U		NA		NA
Tetrachloroethene		NA	1	U		NA		NA
Toluene		NA	1	U		NA		NA
Total Xylenes		NA	1	U		NA		NA
trans-1,2-Dichloroethene		NA	1	U		NA		NA
trans-1,3-Dichloropropene		NA	1	U		NA		NA
Trichloroethene		NA	8			NA		NA
Vinyl Chloride		NA	0.8	J		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA	10	U
1,2,4-Trichlorobenzene	10	U	10	U	10	U		NA
1,2-Dichlorobenzene	10	U	10	U	10	U		NA
1,3-Dichlorobenzene	10	U	10	U	10	U		NA
1,4-Dichlorobenzene	10	U	10	U	10	U		NA
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	UJ
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	UJ	25	U	25	U	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	UJ
2-Nitrophenol	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	UJ	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	UJ
4-Nitrophenol	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA	10	U
Anthracene	10	U	10	U	10	U	10	U
Atrazine		NA		NA		NA	10	UJ
Benzaldehyde		NA		NA		NA	10	UJ
Benzo(a)anthracene	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA	10	U
Carbazole	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	UJ
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U
Pentachlorophenol	10	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U	10	U		NA
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA	0.20	U
Benzo(a)anthracene		NA		NA		NA	0.20	U
Benzo(a)pyrene		NA		NA		NA	0.20	U
Benzo(b)fluoranthene		NA		NA		NA	0.20	U
Benzo(k)fluoranthene		NA		NA		NA	0.20	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA	0.20	U
Dibenzo(a,h)anthracene		NA		NA		NA	0.20	U
Indeno(1,2,3-cd)pyrene		NA		NA		NA	0.20	U
Phenanthrene		NA		NA		NA	0.20	U
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.0050	J	0.050	U	0.0205		0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	0.56	U	1.1	U	1.1	U		NA
Aroclor-1016	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1221	1.0	U	2.0	U	2.0	U	0.25	U
Aroclor-1232	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1242	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1248	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1254	0.50	U	1.0	U	1.0	U	0.25	U
Aroclor-1260	0.50	U	1.0	U	1.0	U	0.25	U
Aroclor-1262	0.50	U	1.0	U	1.0	U	0.28	U
Aroclor-1268	0.50	U	1.0	U	1.0	U	1.0	U
beta-BHC	0.050	U	0.050	U	0.019		0.050	U
delta-BHC	0.050	U	0.050	U	0.015		0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.050	U
Endosulfan I	0.050	U	0.050	U	0.0275		0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.10	U	0.050	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U		NA	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.0128		0.050	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.020	U
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U	0.020	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA	2.3	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA	1.9	J
1,2,3,4,7,8,9-HpCDF		NA		NA		NA	1.5	U
1,2,3,4,7,8-HxCDD		NA		NA		NA	1.4	U
1,2,3,4,7,8-HxCDF		NA		NA		NA	1.8	U
1,2,3,6,7,8-HxCDD		NA		NA		NA	1.4	U
1,2,3,6,7,8-HxCDF		NA		NA		NA	0.90	U
1,2,3,7,8,9-HxCDD		NA		NA		NA	1.4	U
1,2,3,7,8,9-HxCDF		NA		NA		NA	1.2	U
1,2,3,7,8-PeCDD		NA		NA		NA	1.2	U
1,2,3,7,8-PeCDF		NA		NA		NA	1.0	U
2,3,4,6,7,8-HxCDF		NA		NA		NA	1.1	U
2,3,4,7,8-PeCDF		NA		NA		NA	1.0	U
2,3,7,8-TCDD		NA		NA		NA	1.2	U
2,3,7,8-TCDF		NA		NA		NA	1.0	U
OCDD		NA		NA		NA	4.8	EMPC
OCDF		NA		NA		NA	6.5	J
Total HpCDD		NA		NA		NA	2.3	UJ
Total HpCDF		NA		NA		NA	1.9	J
Total HxCDD		NA		NA		NA	1.4	UJ
Total HxCDF		NA		NA		NA	1.8	UJ
Total PeCDD		NA		NA		NA	1.2	UJ
Total PeCDF		NA		NA		NA	1.0	UJ
Total TCDD		NA		NA		NA	1.2	UJ
Total TCDF		NA		NA		NA	1.0	UJ
Toxicity Equivalency		NA		NA		NA	0.020	J
TAL Metal Analysis (UG/L)								
Aluminum	32.1	UJ	17.0	U	21.15		103	U
Antimony	18.8	U	3.0	U	3.3	U	3.5	U
Arsenic	1.8	U	3.0	U	3.8	U	3.5	UJ
Barium	48.2		1130		28.35		17.4	
Beryllium	0.20	U	1.0	U	0.50	U	0.10	U
Cadmium	1.1	U	3.8		0.80	U	0.78	UJ
Calcium	78100		265000		46600		117000	
Chromium	5.7	UJ	1.5	J	1.1	U	0.90	U
Cobalt	2.4	U	1.2	UJ	1.65		1.1	J
Copper	3.9	UJ	2.0	U	5.05		1.3	U
Cyanide		NA		NA		NA	10.0	U
Iron	370		61100	J	81.45		166	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104M-04		OU2-MW-104M-05		OU2-MW-104M-06-AVG		OU2-MW-104M-07	
Sample Location	MW-104M		MW-104M		MW-104M		MW-104M	
Date Sampled	3/28/1995		11/7/1997		11/18/1998		12/11/2002	
Interval	23.5-27.5		0.0-0.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		Field Dup. OU2-MW-104M-06		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Lead	0.40	UJ	6.7	J	2.9	U	2.3	UJ
Magnesium	49800		53400		22350		138000	
Manganese	730		2030	J	925		7230	
Mercury	0.20	U	0.10	U	0.10	U	0.20	U
Nickel	5.2	U	2.6	U	2.3		8.0	U
Potassium	7750		38500		6085		47900	J
Selenium	2.8	U	3.0	U	3.4	U	3.0	UJ
Silver	1.8	U	1.0	U	1.0	U	1.1	UJ
Sodium	191000		297000		73450		1240000	J
Thallium	3.4	J	3.0	UJ	3.3	U	3.1	U
Vanadium	2.9	U	2.2		1.4	U	1.0	U
Zinc	16.8	U	2.0	U	13.15		11.1	U
Wet Chemistry Analysis								
Alkalinity		NA	79.7		77.5		66.0	
Carbon Dioxide		NA		NA		NA	108	UJ
Chloride		NA	103		106		99.2	
Ferrous Iron		NA		NA		NA	0.050	
Nitrate		NA		NA		NA	1.24	J
Nitrate-Nitrite (as N)		NA	1.26		1.2			NA
Nitrite-N		NA		NA		NA	0.050	UJ
Sulfate		NA	134		156.5		169	
Sulfide		NA		NA		NA		R
Total Organic Carbon		NA		NA		NA	5.22	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane	10	U	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U
1,1-Dichloroethane	10	U	10	U	10	U	10	U
1,1-Dichloroethene	10	U	10	U	10	U	10	U
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U
1,2-Dichloroethene (total)	10	U	10	U	10	U	10	U
1,2-Dichloropropane	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA
2-Butanone	10	U	10	U	10	U	10	U
2-Hexanone	10	U	10	U	10	U	10	U
4-Methyl-2-Pentanone	10	U	10	U	10	U	10	U
Acetone	23.8333333333333		21		10	U	10	U
Benzene	10	U	10	U	10	U	10	U
Bromodichloromethane	10	U	10	U	10	U	10	U
Bromoform	10	U	10	U	10	U	10	U
Bromomethane	10	U	10	UJ	10	U	10	UJ
Carbon Disulfide	10	U	10	U	10	U	10	U
Carbon Tetrachloride	10	U	10	U	10	U	10	U
Chlorobenzene	10	U	10	U	10	U	10	U
Chloroethane	10	U	10	U	10	U	10	U
Chloroform	10	U	10	U	10	U	10	U
Chloromethane	10	U	10	U	10	U	10	U
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U
Cyclohexane		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	10	U
Dichlorodifluoromethane		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	10	U
Isopropylbenzene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U	10	U
Styrene	3.66666666666667		10	U	10	U	10	U
Tetrachloroethene	10	U	10	U	10	U	10	U
Toluene	10	U	10	U	10	U	10	U
Total Xylenes	10	U	10	U	10	U	10	U
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U
Trichloroethene	10	U	10	U	10	U	10	U
Trichlorofluoromethane		NA		NA		NA		NA
Vinyl Chloride	10	U	10	U	10	U	10	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA		NA
Ethene		NA		NA		NA		NA
Methane		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA
Acetone		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA
Styrene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	UJ	10	U	10	U
1,2-Dichlorobenzene	10	U	10	UJ	10	U	10	U
1,3-Dichlorobenzene	10	U	10	UJ	10	U	10	U
1,4-Dichlorobenzene	10	U	10	UJ	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	UJ	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	UJ	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	UJ	10	U	10	U
2,4-Dichlorophenol	10	U	10	UJ	10	U	10	U
2,4-Dimethylphenol	10	U	10	UJ	10	U	10	U
2,4-Dinitrophenol	25	U	25	UJ	25	U		R
2,4-Dinitrotoluene	10	U	10	UJ	10	U	10	U
2,6-Dinitrotoluene	10	U	10	UJ	10	U	10	U
2-Chloronaphthalene	10	U	10	UJ	10	U	10	U
2-Chlorophenol	10	U	10	UJ	10	U	10	U
2-Methylnaphthalene	3.66666666666667		10	UJ	5		2	J
2-Methylphenol	10	U	10	UJ	10	U	10	U
2-Nitroaniline	25	U	25	UJ	25	U	25	U
2-Nitrophenol	10	U	10	UJ	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	UJ	10	U	10	U
3-Nitroaniline	25	U	25	UJ	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	UJ	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	UJ	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	UJ	10	U	10	U
4-Chloroaniline	10	U	10	UJ	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	UJ	10	U	10	U
4-Methylphenol	10	U	10	UJ	10	U	10	UJ
4-Nitroaniline	25	U	25	UJ	25	U	25	U
4-Nitrophenol	25	U	25	UJ	25	U	25	U
Acenaphthene	3.66666666666667		10	UJ	4.5		3	J
Acenaphthylene	10	U	10	UJ	10	U	10	U
Acetophenone		NA		NA		NA		NA
Anthracene	10	U	10	UJ	10	U	1	J
Atrazine		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	UJ	10	U	10	U
Benzo(a)pyrene	10	U	10	UJ	10	U	10	U
Benzo(b)fluoranthene	10	U	10	UJ	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	UJ	10	U	10	UJ
Benzo(k)fluoranthene	10	U	10	UJ	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	UJ	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	UJ	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	UJ	10	U	10	U
Butylbenzylphthalate	10	U	10	UJ	10	U	10	U
Caprolactam		NA		NA		NA		NA
Carbazole	3		10	UJ	6		3	J
Chrysene	10	U	10	UJ	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	UJ	10	U	10	U
Dibenzofuran	2.33333333333333		10	UJ	2.5		2	J
Diethylphthalate	10	U	10	UJ	10	U	10	U
Dimethylphthalate	10	U	10	UJ	10	U	10	U
Di-n-Butylphthalate	10	U	10	UJ	10	U	10	U
Di-n-octylphthalate	10	U	10	UJ	10	U	10	U
Fluoranthene	10	U	10	UJ	10	U	10	U
Fluorene	2.66666666666667		10	UJ	2.5		2	J
Hexachlorobenzene	10	U	10	UJ	10	U	10	U
Hexachlorobutadiene	10	U	10	UJ	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	UJ	10	U	10	UJ
Hexachloroethane	10	U	10	UJ	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	UJ	10	U	10	U
Isophorone	10	U	10	UJ	10	U	10	U
Naphthalene	32		10	UJ	55.5		42	
Nitrobenzene	10	U	10	UJ	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	UJ	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	UJ	10	U	10	U
Pentachlorophenol	25	U	25	UJ	25	U	25	U
Phenanthrene	10	U	10	UJ	3		1	J
Phenol	10	U	10	UJ	10	U	10	U
Pyrene	10	U	10	UJ	10	U	10	U
Total PAH	50			NA	63		49	
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U		NA	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	3.36666666666667E-02		0.051		0.01505		0.50	U
Aroclor, Total	1.1	U		NA	0.56	U	0.56	U
Aroclor-1016	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1221	2.0	U	2.0	U	1.0	U	1.0	U
Aroclor-1232	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1242	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1248	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1254	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1260	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1262	1.0	U	1.0	U	0.50	U	0.50	U
Aroclor-1268	1.0	U	1.0	U	0.50	U	0.50	U
beta-BHC	0.050	U	0.050	UJ	0.050	U	0.0090	J
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	U	0.050	UJ	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	UJ	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.0029	J
Endrin	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.00345		0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.50	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.050	U	0.0114		0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA
OCDD		NA		NA		NA		NA
OCDF		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum	36.9	U	20.9	U	22.75	U	57.0	U
Antimony	14.7	U	14.7	U	37.9	U	11.2	U
Arsenic	2.05		1.5	U	5.65		3.8	U
Barium	268.866666666667		1.2	U	747		675	
Beryllium	0.40	U	0.40	U	0.20	U	0.30	U
Cadmium	1.3	U	1.4	UJ	3.9	U	1.4	U
Calcium	98029.3333333333		176	U	222500		216000	
Chromium	2.5	U	2.5	UJ	3.9	U	1.7	U
Cobalt	2.56666666666667	U	2.1	U	3.725		4.3	UJ
Copper	3.13333333333333		3.6	U	13.4	U	2.1	U
Cyanide		NA		NA		NA		NA
Iron	29138.7333333333		32.4	U	55500		59600	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	MF-MW-104S-01-AVG		MF-MW-104S-01-D2		RM-MF-MW-104S-02-AVG		RM-MF-MW-104S-03	
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S	
Date Sampled	5/20/1994		5/20/1994		8/25/1994		12/1/1994	
Interval	6.5-10.5		6.5-10.5		6.5-10.5		6.5-10.5	
QC Identifier	Field Duplicate 1002		None		Field Duplicate 1010		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Lead	2.4		2.0		6.025		1.0	UJ
Magnesium	24304.1666666667		25.0	U	50750		45100	
Manganese	980.15		0.90	U	2065		1990	
Mercury	0.206666666666667		0.20	U	0.20	U	0.34	J
Nickel	6.5	U	6.5	U	13.3	U	3.5	U
Potassium	14612.8666666667		77.2	U	37300		29300	
Selenium	2.1	U	2.1	UJ	0.575		2.5	UJ
Silver		NA		R	4.1		2.4	UJ
Sodium	112679.933333333		79.6	U	250500		244000	
Thallium	2.2	U	2.2	U	0.90	U	1.7	U
Vanadium	1.5		2.2	U	4.95		3.7	J
Zinc	7.1	U	7.1	U	11.3	U	6.3	U
Wet Chemistry Analysis								
Alkalinity		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA
Chloride		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane	10	U		NA		NA	10	U	10
1,1,2,2-Tetrachloroethane	10	U		NA		NA	10	U	10
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA	10
1,1,2-Trichloroethane	10	U		NA		NA	10	U	10
1,1-Dichloroethane	10	U		NA		NA	10	U	10
1,1-Dichloroethene	10	U		NA		NA	10	U	10
1,2,4-Trichlorobenzene		NA		NA		NA		NA	10
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA	10
1,2-Dibromoethane		NA		NA		NA		NA	10
1,2-Dichlorobenzene		NA		NA		NA		NA	10
1,2-Dichloroethane	10	U		NA		NA	10	U	10
1,2-Dichloroethene (total)	10	U		NA		NA	10	U	
1,2-Dichloropropane	10	U		NA		NA	10	U	10
1,3-Dichlorobenzene		NA		NA		NA		NA	10
1,4-Dichlorobenzene		NA		NA		NA		NA	10
1,4-Dioxane		NA		NA		NA		NA	
2-Butanone	10	U		NA		NA	10	U	10
2-Hexanone	10	U		NA		NA	10	U	10
4-Methyl-2-Pentanone	10	U		NA		NA	10	U	10
Acetone	10	U		NA		NA	10	U	10
Benzene	10	U		NA		NA	10	U	10
Bromodichloromethane	10	U		NA		NA	10	U	10
Bromoform	10	U		NA		NA	10	U	10
Bromomethane	10	U		NA		NA	10	U	10
Carbon Disulfide	10	U		NA		NA	10	U	10
Carbon Tetrachloride	10	U		NA		NA	10	U	10
Chlorobenzene	10	U		NA		NA	10	U	10
Chloroethane	10	U		NA		NA	10	U	10
Chloroform	10	U		NA		NA	10	U	10
Chloromethane	10	U		NA		NA	10	U	10
cis-1,2-Dichloroethene		NA		NA		NA		NA	10
cis-1,3-Dichloropropene	10	U		NA		NA	10	U	10
Cyclohexane		NA		NA		NA		NA	10
Dibromochloromethane	10	U		NA		NA	10	U	10
Dichlorodifluoromethane		NA		NA		NA		NA	10
Ethylbenzene	10	U		NA		NA	10	U	10
Isopropylbenzene		NA		NA		NA		NA	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Methyl Acetate		NA		NA		NA		NA	10
Methyl tert-Butyl Ether		NA		NA		NA		NA	10
Methylcyclohexane		NA		NA		NA		NA	10
Methylene Chloride	10	U		NA		NA	10	U	10
Styrene	10	U		NA		NA	10	U	10
Tetrachloroethene	10	U		NA		NA	10	U	10
Toluene	10	U		NA		NA	10	U	10
Total Xylenes	2	J		NA		NA	10	U	10
trans-1,2-Dichloroethene		NA		NA		NA		NA	10
trans-1,3-Dichloropropene	10	U		NA		NA	10	U	10
Trichloroethene	10	U		NA		NA	10	U	10
Trichlorofluoromethane		NA		NA		NA		NA	10
Vinyl Chloride	10	U		NA		NA	10	U	1
Dissolved Methane, Ethane, Ethene Analysis (UG/L)									
Ethane		NA		NA		NA		NA	10.0
Ethene		NA		NA		NA		NA	10.0
Methane		NA		NA		NA		NA	11500
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane		NA	1	U		NA		NA	
1,1,2,2-Tetrachloroethane		NA	1	U		NA		NA	
1,1,2-Trichloroethane		NA	1	U		NA		NA	
1,1-Dichloroethane		NA	1	U		NA		NA	
1,1-Dichloroethene		NA	1	U		NA		NA	
1,2,4-Trichlorobenzene		NA		R		NA		NA	
1,2-Dibromo-3-chloropropane		NA		R		NA		NA	
1,2-Dibromoethane		NA	1	U		NA		NA	
1,2-Dichlorobenzene		NA		R		NA		NA	
1,2-Dichloroethane		NA	1	UJ		NA		NA	
1,2-Dichloropropane		NA	1	U		NA		NA	
1,3-Dichlorobenzene		NA		R		NA		NA	
1,4-Dichlorobenzene		NA		R		NA		NA	
2-Butanone		NA	5	U		NA		NA	
2-Hexanone		NA	5	U		NA		NA	
4-Methyl-2-Pentanone		NA	5	U		NA		NA	
Acetone		NA		R		NA		NA	
Benzene		NA		R		NA		NA	
Bromochloromethane		NA	1	UJ		NA		NA	
Bromodichloromethane		NA	1	U		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA	1	U		NA		NA	
Bromomethane		NA	1	U		NA		NA	
Carbon Disulfide		NA	1	U		NA		NA	
Carbon Tetrachloride		NA	1	U		NA		NA	
Chlorobenzene		NA		R		NA		NA	
Chloroethane		NA	1	U		NA		NA	
Chloroform		NA	1	U		NA		NA	
Chloromethane		NA	1	U		NA		NA	
cis-1,2-Dichloroethene		NA	1	U		NA		NA	
cis-1,3-Dichloropropene		NA	1	U		NA		NA	
Dibromochloromethane		NA	1	U		NA		NA	
Ethylbenzene		NA		R		NA		NA	
Methylene Chloride		NA	2	UJ		NA		NA	
Styrene		NA		R		NA		NA	
Tetrachloroethene		NA	1	U		NA		NA	
Toluene		NA		R		NA		NA	
Total Xylenes		NA	1	J		NA		NA	
trans-1,2-Dichloroethene		NA	1	U		NA		NA	
trans-1,3-Dichloropropene		NA	1	U		NA		NA	
Trichloroethene		NA	1	U		NA		NA	
Vinyl Chloride		NA	1	U		NA		NA	
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)									

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
1,1'-Biphenyl		NA		NA		NA		NA	10
1,2,4-Trichlorobenzene	10	U	10	U		NA	10	U	
1,2-Dichlorobenzene	10	U	10	U		NA	10	U	
1,3-Dichlorobenzene	10	U	10	U		NA	10	U	
1,4-Dichlorobenzene	10	U	10	U		NA	10	U	
2,2'-oxybis(1-Chloropropane)	10	U	10	U		NA	10	U	10
2,4,5-Trichlorophenol	25	U	25	U		NA	25	U	25
2,4,6-Trichlorophenol	10	U	10	U		NA	10	U	10
2,4-Dichlorophenol	10	U	10	U		NA	10	U	10
2,4-Dimethylphenol	10	U	10	U		NA	10	U	10
2,4-Dinitrophenol	25	UJ	25	U		NA	25	U	25
2,4-Dinitrotoluene	10	U	10	U		NA	10	U	10
2,6-Dinitrotoluene	10	U	10	U		NA	10	U	10
2-Chloronaphthalene	10	U	10	U		NA	10	U	10
2-Chlorophenol	10	U	10	U		NA	10	U	10
2-Methylnaphthalene	6	J	3	J		NA	0.9	J	10
2-Methylphenol	10	U	10	U		NA	10	U	10
2-Nitroaniline	25	U	25	U		NA	25	U	25
2-Nitrophenol	10	U	10	U		NA	10	U	10
3,3'-Dichlorobenzidine	10	UJ	10	U		NA	10	U	10
3-Nitroaniline	25	U	25	U		NA	25	U	25
4,6-Dinitro-2-methylphenol	25	U	25	U		NA	25	U	25
4-Bromophenyl-phenylether	10	U	10	U		NA	10	U	10
4-Chloro-3-methylphenol	10	U	10	U		NA	10	U	10
4-Chloroaniline	10	U	10	U		NA	10	U	10
4-Chlorophenyl-phenylether	10	U	10	U		NA	10	U	10
4-Methylphenol	10	U	10	U		NA	10	U	10
4-Nitroaniline	25	U	25	U		NA	25	U	25
4-Nitrophenol	25	U	25	U		NA	25	U	25
Acenaphthene	6	J	4	J		NA	6	J	8
Acenaphthylene	10	U	10	U		NA	10	U	10
Acetophenone		NA		NA		NA		NA	10
Anthracene	10	U	10	U		NA	10	U	10
Atrazine		NA		NA		NA		NA	10
Benzaldehyde		NA		NA		NA		NA	10
Benzo(a)anthracene	10	U	10	U		NA	10	U	10
Benzo(a)pyrene	10	U	10	U		NA	10	U	10
Benzo(b)fluoranthene	10	U	10	U		NA	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Benzo(g,h,i)perylene	10	U	10	U		NA	10	U	10
Benzo(k)fluoranthene	10	U	10	U		NA	10	U	10
Bis(2-Chloroethoxy)methane	10	U	10	U		NA	10	U	10
Bis(2-Chloroethyl)ether	10	U	10	U		NA	10	U	10
bis(2-Ethylhexyl)phthalate	10	U	10	U		NA	10	U	10
Butylbenzylphthalate	10	U	10	U		NA	10	U	10
Caprolactam		NA		NA		NA		NA	10
Carbazole	4	J	4	J		NA	2	J	3
Chrysene	10	U	10	U		NA	10	U	10
Dibenzo(a,h)anthracene	10	U	10	U		NA	10	U	10
Dibenzofuran	3	J	2	J		NA	3	J	4
Diethylphthalate	10	U	10	U		NA	10	U	10
Dimethylphthalate	10	U	10	U		NA	10	U	10
Di-n-Butylphthalate	10	U	10	U		NA	10	U	10
Di-n-octylphthalate	10	U	10	U		NA	10	U	10
Fluoranthene	10	U	10	U		NA	10	U	10
Fluorene	2	J	2	J		NA	3	J	4
Hexachlorobenzene	10	U	10	U		NA	10	U	10
Hexachlorobutadiene	10	U	10	U		NA	10	U	10
Hexachlorocyclopentadiene	10	U	10	U		NA	10	U	10
Hexachloroethane	10	U	10	U		NA	10	U	10
Indeno(1,2,3-cd)pyrene	10	U	10	U		NA	10	U	10
Isophorone	10	U	10	U		NA	10	U	10
Naphthalene	140		20			NA	9	J	14
Nitrobenzene	10	U	10	U		NA	10	U	10
N-Nitroso-di-n-propylamine	10	U	10	U		NA	10	U	10
N-Nitroso-diphenylamine	10	U	10	U		NA	10	U	10
Pentachlorophenol	25	U	25	U		NA	25	U	25
Phenanthrene	10	U	10	U		NA	1	J	10
Phenol	10	U	10	U		NA	10	U	10
Pyrene	10	U	10	U		NA	10	U	10
Total PAH	148		26			NA	19		
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene		NA		NA		NA		NA	0.20
Benzo(a)anthracene		NA		NA		NA		NA	0.20
Benzo(a)pyrene		NA		NA		NA		NA	0.20
Benzo(b)fluoranthene		NA		NA		NA		NA	0.20
Benzo(k)fluoranthene		NA		NA		NA		NA	0.20

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Chrysene		NA		NA		NA		NA	0.20
Dibenzo(a,h)anthracene		NA		NA		NA		NA	0.20
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA	0.20
Phenanthrene		NA		NA		NA		NA	0.20
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	0.10	U	0.10	U	0.10	U		NA	0.10
4,4'-DDE	0.10	U	0.10	U	0.10	U		NA	0.10
4,4'-DDT	0.10	U	0.10	U	0.10	U		NA	0.10
Aldrin	0.050	U	0.050	U	0.050	U		NA	0.050
alpha-BHC	0.050	U	0.050	U	0.050	U		NA	0.050
alpha-Chlordane	0.050	U	0.050	U	0.050	U		NA	0.050
Aroclor, Total	0.56	U	1.1	U	1.1	U		NA	
Aroclor-1016	0.50	U	1.0	U	1.0	U		NA	1.0
Aroclor-1221	1.0	U	2.0	U	2.0	U		NA	0.25
Aroclor-1232	0.50	U	1.0	U	1.0	U		NA	1.0
Aroclor-1242	0.50	U	1.0	U	1.0	U		NA	1.0
Aroclor-1248	0.50	U	1.0	U	1.0	U		NA	1.0
Aroclor-1254	0.50	U	1.0	U	1.0	U		NA	0.25
Aroclor-1260	0.50	U	1.0	U	1.0	U		NA	0.25
Aroclor-1262	0.50	U	1.0	U	1.0	U		NA	0.28
Aroclor-1268	0.50	U	1.0	U	1.0	U		NA	1.0
beta-BHC	0.050	U	0.050	U	0.0079	J		NA	0.050
delta-BHC	0.050	U	0.050	U	0.0017	J		NA	0.050
Dieldrin	0.10	U	0.10	U	0.10	U		NA	0.050
Endosulfan I	0.050	U	0.050	U	0.050	U		NA	0.050
Endosulfan II	0.10	U	0.10	U	0.10	U		NA	0.10
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U		NA	0.10
Endrin	0.0030	J	0.10	U	0.0012	J		NA	0.050
Endrin Aldehyde	0.10	U	0.10	U	0.10	U		NA	0.10
Endrin Ketone	0.10	U	0.10	U	0.10	U		NA	0.10
gamma-BHC	0.050	U	0.050	U	0.0035	J		NA	0.050
gamma-Chlordane	0.050	U	0.050	U	0.050	U		NA	0.050
Heptachlor	0.050	U	0.050	U	0.050	U		NA	0.020
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U		NA	0.020
Methoxychlor	0.50	U	0.50	U	0.50	U		NA	0.50
Toxaphene	5.0	U	5.0	U	5.0	U		NA	5.0
Dioxin Analysis (PG/L)									
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA	1.8

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA	1.4
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA	1.1
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA	1.6
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA	1.0
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA	1.7
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA	0.95
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA	1.3
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA	1.1
1,2,3,7,8-PeCDD		NA		NA		NA		NA	1.8
1,2,3,7,8-PeCDF		NA		NA		NA		NA	1.2
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA	0.82
2,3,4,7,8-PeCDF		NA		NA		NA		NA	2.0
2,3,7,8-TCDD		NA		NA		NA		NA	1.1
2,3,7,8-TCDF		NA		NA		NA		NA	1.1
OCDD		NA		NA		NA		NA	2.8
OCDF		NA		NA		NA		NA	8.8
Total HpCDD		NA		NA		NA		NA	1.8
Total HpCDF		NA		NA		NA		NA	1.4
Total HxCDD		NA		NA		NA		NA	3.0
Total HxCDF		NA		NA		NA		NA	3.1
Total PeCDD		NA		NA		NA		NA	1.8
Total PeCDF		NA		NA		NA		NA	2.2
Total TCDD		NA		NA		NA		NA	1.1
Total TCDF		NA		NA		NA		NA	1.1
Toxicity Equivalency		NA		NA		NA		NA	3.0
TAL Metal Analysis (UG/L)									
Aluminum	59.1	U	17.0	U		NA	73.9		32.4
Antimony	18.8	U	3.0	U		NA	3.3	U	3.5
Arsenic	1.8	U	3.0	U		NA	3.9		9.3
Barium	1080		28.7			NA	595		592
Beryllium	0.20	U	1.0	U		NA	1.2		0.10
Cadmium	1.1	U	1.0	U		NA	1.6		0.40
Calcium	187000		52000			NA	240000		210000
Chromium	5.7	UJ	8.3			NA	1.7		0.78
Cobalt	2.7	J	1.8	UJ		NA	3.4		1.0
Copper	3.9	UJ	2.0	U		NA	6.7		50.1
Cyanide		NA		NA		NA		NA	10.0
Iron	62700		60.1	J		NA	94300		27900

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-MF-MW-104S-04		OU2-MW-104S-05		OU2-MW-104S-06		OU2-MW-104S-00		OU2-MW-104S-07-AVG
Sample Location	MW-104S		MW-104S		MW-104S		MW-104S		MW-104S
Date Sampled	3/28/1995		11/7/1997		11/18/1998		11/18/1998		12/12/2002
Interval	6.5-10.5		0.0-0.0		0.0-0.0		0.0-0.0		0.0-0.0
QC Identifier	None		None		None		None		Field Dup. OU2-MW-104S-07
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Lead	1.2	UJ	1.0	U		NA	10.2		9.2
Magnesium	54700		24800			NA	75500		31200
Manganese	1840		546	J		NA	2050		2540
Mercury	0.53		0.10	U		NA	0.10	U	0.36
Nickel	5.2	U	5.1	U		NA	1.6	U	5.1
Potassium	25000		5610			NA	46600	L	25000
Selenium	2.8	U	3.0	U		NA	3.4	U	8.8
Silver	2.7		1.0	U		NA	1.0	U	1.2
Sodium	159000		104000			NA	686000		86000
Thallium	3.1	U	3.0	U		NA	6.3		3.1
Vanadium	7.0		1.0	U		NA	4.7		1.3
Zinc	2.7	U	28.0			NA	50.7		28.6
Wet Chemistry Analysis									
Alkalinity		NA	940		1040			NA	698
Carbon Dioxide		NA		NA		NA		NA	912
Chloride		NA	397		1310			NA	73.3
Ferrous Iron		NA		NA		NA		NA	2.8
Nitrate		NA		NA		NA		NA	0.050
Nitrate-Nitrite (as N)		NA	0.10	U	0.050	U		NA	
Nitrite-N		NA		NA		NA		NA	0.050
Sulfate		NA	18.9		5.0	U		NA	117
Sulfide		NA		NA		NA		NA	0.90
Total Organic Carbon		NA		NA		NA		NA	53.9

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane	U	10	U	10	U		NA		NA
1,1,2,2-Tetrachloroethane	U	10	U	10	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane	U	10	U	10	U		NA		NA
1,1,2-Trichloroethane	U	10	U	10	U		NA		NA
1,1-Dichloroethane	U	10	U	10	U		NA		NA
1,1-Dichloroethene	U	10	U	10	U		NA		NA
1,2,4-Trichlorobenzene	U	10	U	10	U		NA		NA
1,2-Dibromo-3-chloropropane	U	10	U	10	U		NA		NA
1,2-Dibromoethane	U	10	U	10	U		NA		NA
1,2-Dichlorobenzene	U	10	U	10	U		NA		NA
1,2-Dichloroethane	U	10	U	10	U		NA		NA
1,2-Dichloroethene (total)	NA		NA		NA		NA		NA
1,2-Dichloropropane	U	10	U	10	U		NA		NA
1,3-Dichlorobenzene	U	10	U	10	U		NA		NA
1,4-Dichlorobenzene	U	10	U	10	U		NA		NA
1,4-Dioxane	NA	100	UJ	100	UJ		NA		NA
2-Butanone	U	10	U	10	U		NA		NA
2-Hexanone	U	10	U	10	U		NA		NA
4-Methyl-2-Pentanone	U	10	U	10	U		NA		NA
Acetone	UJ	10	UJ	10	UJ		NA		NA
Benzene	U	10	U	10	U		NA		NA
Bromodichloromethane	U	10	U	10	U		NA		NA
Bromoform	U	10	U	10	U		NA		NA
Bromomethane	U	10	U	10	U		NA		NA
Carbon Disulfide	U	10	U	10	U		NA		NA
Carbon Tetrachloride	U	10	U	10	U		NA		NA
Chlorobenzene	U	10	U	10	U		NA		NA
Chloroethane	U	10	U	10	U		NA		NA
Chloroform	U	10	U	10	U		NA		NA
Chloromethane	U	10	U	10	U		NA		NA
cis-1,2-Dichloroethene	U	10	U	10	U		NA		NA
cis-1,3-Dichloropropene	U	10	U	10	U		NA		NA
Cyclohexane	U	10	U	10	U		NA		NA
Dibromochloromethane	U	10	U	10	U		NA		NA
Dichlorodifluoromethane	UJ	10	UJ	10	UJ		NA		NA
Ethylbenzene	U	10	U	10	U		NA		NA
Isopropylbenzene	U	10	U	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate	U	10	U	10	U		NA		NA
Methyl tert-Butyl Ether	U	10	U	10	U		NA		NA
Methylcyclohexane	U	10	U	10	U		NA		NA
Methylene Chloride	U	10	U	10	U		NA		NA
Styrene	U	10	U	10	U		NA		NA
Tetrachloroethene	U	10	U	10	U		NA		NA
Toluene	U	10	U	10	U		NA		NA
Total Xylenes	U	10	U	10	U		NA		NA
trans-1,2-Dichloroethene	U	10	U	10	U		NA		NA
trans-1,3-Dichloropropene	U	10	U	10	U		NA		NA
Trichloroethene	U	10	U	10	U		NA		NA
Trichlorofluoromethane	U	10	U	10	U		NA		NA
Vinyl Chloride	U	1	U	1	U		NA		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)									
Ethane	U	10.0	U	10.0	U		NA		NA
Ethene	U	10.0	U	10.0	U		NA		NA
Methane		11000		12000			NA		NA
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane	NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane	NA		NA		NA	90		8.5	
1,1-Dichloroethane	NA		NA		NA	77		8.7	
1,1-Dichloroethene	NA		NA		NA	47		3.7	
1,2-Dichloroethane	NA		NA		NA	10	U	1	U
Benzene	NA		NA		NA	10	U	1	U
Chlorobenzene	NA		NA		NA	10	U	1	U
cis-1,2-Dichloroethene	NA		NA		NA	20		2.4	
Ethylbenzene	NA		NA		NA	10	U	1	U
m&p-Xylene	NA		NA		NA	10	U	1	U
o-Xylene	NA		NA		NA	10	U	1	U
Tetrachloroethene	NA		NA		NA	10	U	1	U
Toluene	NA		NA		NA	10	U	1	U
trans-1,2-Dichloroethene	NA		NA		NA	10	U	1	U
Trichloroethene	NA		NA		NA	10		1.3	
Vinyl Chloride	NA		NA		NA	10	U	1	U
Semivolatile Organic Analysis (UG/L)									

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl	U	10	U	10	U		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	U	10	U	10	UJ		NA		NA
2,4,5-Trichlorophenol	U	25	U	25	U		NA		NA
2,4,6-Trichlorophenol	U	10	U	10	U		NA		NA
2,4-Dichlorophenol	U	10	U	10	U		NA		NA
2,4-Dimethylphenol	U	10	U	10	U		NA		NA
2,4-Dinitrophenol	U	25	U	25	U		NA		NA
2,4-Dinitrotoluene	U	10	U	10	U		NA		NA
2,6-Dinitrotoluene	U	10	U	10	U		NA		NA
2-Chloronaphthalene	U	10	U	10	U		NA		NA
2-Chlorophenol	U	10	U	10	U		NA		NA
2-Methylnaphthalene	U	10	U	10	U		NA		NA
2-Methylphenol	U	10	U	10	U		NA		NA
2-Nitroaniline	UJ	25	UJ	25	UJ		NA		NA
2-Nitrophenol	U	10	U	10	U		NA		NA
3,3'-Dichlorobenzidine	U	10	U	10	U		NA		NA
3-Nitroaniline	U	25	U	25	U		NA		NA
4,6-Dinitro-2-methylphenol	U	25	U	25	U		NA		NA
4-Bromophenyl-phenylether	U	10	U	10	U		NA		NA
4-Chloro-3-methylphenol	U	10	U	10	U		NA		NA
4-Chloroaniline	UJ	10	UJ	10	U		NA		NA
4-Chlorophenyl-phenylether	U	10	U	10	U		NA		NA
4-Methylphenol	UJ	10	UJ	10	U		NA		NA
4-Nitroaniline	UJ	25	UJ	25	UJ		NA		NA
4-Nitrophenol	UJ	25	UJ	25	U		NA		NA
Acenaphthene		8	J	7	J		NA		NA
Acenaphthylene	U	10	U	10	U		NA		NA
Acetophenone	UJ	10	UJ	10	UJ		NA		NA
Anthracene	U	10	U	10	U		NA		NA
Atrazine	U	10	U	10	UJ		NA		NA
Benzaldehyde	U	10	U	10	UJ		NA		NA
Benzo(a)anthracene	U	10	U	10	U		NA		NA
Benzo(a)pyrene	U	10	U	10	U		NA		NA
Benzo(b)fluoranthene	U	10	U	10	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	U	10	U	10	U		NA		NA
Benzo(k)fluoranthene	U	10	U	10	U		NA		NA
Bis(2-Chloroethoxy)methane	U	10	U	10	U		NA		NA
Bis(2-Chloroethyl)ether	U	10	U	10	U		NA		NA
bis(2-Ethylhexyl)phthalate	U	10	U	10	U		NA		NA
Butylbenzylphthalate	U	10	U	10	U		NA		NA
Caprolactam	U	10	U	10	U		NA		NA
Carbazole		1	J	10	U		NA		NA
Chrysene	U	10	U	10	U		NA		NA
Dibenzo(a,h)anthracene	U	10	U	10	U		NA		NA
Dibenzofuran		4	J	4	J		NA		NA
Diethylphthalate	U	10	U	10	U		NA		NA
Dimethylphthalate	U	10	U	10	U		NA		NA
Di-n-Butylphthalate	U	10	U	10	U		NA		NA
Di-n-octylphthalate	UJ	10	UJ	10	U		NA		NA
Fluoranthene	U	10	U	10	U		NA		NA
Fluorene		4	J	4	J		NA		NA
Hexachlorobenzene	U	10	U	10	U		NA		NA
Hexachlorobutadiene	U	10	U	10	U		NA		NA
Hexachlorocyclopentadiene	U	10	U	10	U		NA		NA
Hexachloroethane	U	10	U	10	U		NA		NA
Indeno(1,2,3-cd)pyrene	U	10	U	10	U		NA		NA
Isophorone	U	10	U	10	U		NA		NA
Naphthalene		15		12			NA		NA
Nitrobenzene	U	10	U	10	U		NA		NA
N-Nitroso-di-n-propylamine	UJ	10	UJ	10	UJ		NA		NA
N-Nitroso-diphenylamine	U	10	U	10	U		NA		NA
Pentachlorophenol	U	25	U	25	U		NA		NA
Phenanthrene	U	10	U	10	U		NA		NA
Phenol	U	10	U	10	U		NA		NA
Pyrene	U	10	U	10	U		NA		NA
Total PAH	NA		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene	U	0.20	U	0.20	U		NA		NA
Benzo(a)anthracene	U	0.20	U	0.20	U		NA		NA
Benzo(a)pyrene	U	0.20	U	0.20	U		NA		NA
Benzo(b)fluoranthene	U	0.20	U	0.20	U		NA		NA
Benzo(k)fluoranthene	U	0.20	U	0.20	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Chrysene	U	0.20	U	0.20	U		NA		NA
Dibenzo(a,h)anthracene	U	0.20	U	0.20	UJ		NA		NA
Indeno(1,2,3-cd)pyrene	U	0.20	U	0.20	U		NA		NA
Phenanthrene	U	0.20	U	0.20	U		NA		NA
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	U	0.10	U	0.10	U		NA		NA
4,4'-DDE	U	0.10	U	0.10	U		NA		NA
4,4'-DDT	U	0.10	U	0.10	U		NA		NA
Aldrin	U	0.050	U	0.050	U		NA		NA
alpha-BHC	U	0.050	U	0.050	U		NA		NA
alpha-Chlordane	U	0.050	U	0.050	U		NA		NA
Aroclor, Total	NA		NA		NA		NA		NA
Aroclor-1016	U	1.0	U	1.0	U		NA		NA
Aroclor-1221	U	0.25	U	0.25	U		NA		NA
Aroclor-1232	U	1.0	U	1.0	U		NA		NA
Aroclor-1242	U	1.0	U	1.0	U		NA		NA
Aroclor-1248	U	1.0	U	1.0	U		NA		NA
Aroclor-1254	U	0.25	U	0.25	U		NA		NA
Aroclor-1260	U	0.25	U	0.25	U		NA		NA
Aroclor-1262	U	0.28	U	0.28	U		NA		NA
Aroclor-1268	U	1.0	U	1.0	U		NA		NA
beta-BHC	U	0.050	U	0.050	U		NA		NA
delta-BHC	U	0.050	U	0.050	U		NA		NA
Dieldrin	U	0.050	U	0.050	U		NA		NA
Endosulfan I	U	0.050	U	0.050	U		NA		NA
Endosulfan II	U	0.10	U	0.10	U		NA		NA
Endosulfan Sulfate	U	0.10	U	0.10	U		NA		NA
Endrin	U	0.050	U	0.050	U		NA		NA
Endrin Aldehyde	U	0.10	U	0.10	U		NA		NA
Endrin Ketone	U	0.10	U	0.10	U		NA		NA
gamma-BHC	U	0.050	U	0.050	U		NA		NA
gamma-Chlordane	U	0.050	U	0.050	U		NA		NA
Heptachlor	U	0.020	U	0.020	U		NA		NA
Heptachlor Epoxide	U	0.020	U	0.020	U		NA		NA
Methoxychlor	U	0.50	U	0.50	U		NA		NA
Toxaphene	U	5.0	U	5.0	U		NA		NA
Dioxin Analysis (PG/L)									
1,2,3,4,6,7,8-HpCDD	U	1.8	U	2.4	U		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		2.1	J	1.4	U		NA		NA
1,2,3,4,7,8,9-HpCDF	U	1.1	U	1.8	U		NA		NA
1,2,3,4,7,8-HxCDD		2.5	J	1.6	U		NA		NA
1,2,3,4,7,8-HxCDF		2.8	U	1.1	U		NA		NA
1,2,3,6,7,8-HxCDD		2.6	J	1.6	U		NA		NA
1,2,3,6,7,8-HxCDF		2.5	U	1.0	U		NA		NA
1,2,3,7,8,9-HxCDD		1.8	J	1.5	U		NA		NA
1,2,3,7,8,9-HxCDF		2.8	U	1.3	U		NA		NA
1,2,3,7,8-PeCDD		2.8	EMPC	1.5	U		NA		NA
1,2,3,7,8-PeCDF		3.3	U	1.1	U		NA		NA
2,3,4,6,7,8-HxCDF		1.9	U	1.2	U		NA		NA
2,3,4,7,8-PeCDF		3.5	EMPC	1.1	U		NA		NA
2,3,7,8-TCDD		1.4	J	1.4	U		NA		NA
2,3,7,8-TCDF		1.7	J	1.1	U		NA		NA
OCDD	U	2.8	U	3.3	U		NA		NA
OCDF		2.0	U	16.7	J		NA		NA
Total HpCDD	UJ	1.8	UJ	2.4	UJ		NA		NA
Total HpCDF		2.1	J	1.6	UJ		NA		NA
Total HxCDD		9.2	UJEMP	1.6	UJ		NA		NA
Total HxCDF		10.1	UJ	1.1	UJ		NA		NA
Total PeCDD		2.8	EMPC	1.5	UJ		NA		NA
Total PeCDF		6.8	UJEMP	1.1	UJ		NA		NA
Total TCDD		1.4	J	1.4	UJ		NA		NA
Total TCDF		1.7	J	1.1	UJ		NA		NA
Toxicity Equivalency		6.8	J	0.0017	J		NA		NA
TAL Metal Analysis (UG/L)									
Aluminum	U	32.4	U	43.9	U		NA		NA
Antimony	U	3.5	U	3.5	U		NA		NA
Arsenic	UJ	9.3	UJ	2.9	U		NA		NA
Barium		569		616			NA		NA
Beryllium	U	0.10	U	0.14	UJ		NA		NA
Cadmium	U	0.40	U	0.40	U		NA		NA
Calcium		211000		210000			NA		NA
Chromium		0.90	U	1.1	J		NA		NA
Cobalt	U	1.0	U	1.0	U		NA		NA
Copper		3.3	J	97.0	J		NA		NA
Cyanide	U	10.0	U	10.0	U		NA		NA
Iron		28300		27600			NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		OU2-MW-104S-07		OU2-MW-DUP03-07		OU2-DP10-5-1419		OU2-DP10-5-2429	
Sample Location		MW-104S		MW-104S		DP10-5		DP10-5	
Date Sampled		12/12/2002		12/12/2002		8/13/1997		8/13/1997	
Interval		0.0-0.0		0.0-0.0		14.0-19.0		24.0-29.0	
QC Identifier		Field Dup. OU2-MW-104S-07		Field Dup. OU2-MW-104S-07		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Lead		9.8		8.7	J		NA		NA
Magnesium		30800		31700			NA		NA
Manganese		2600		2470			NA		NA
Mercury		0.43		0.28			NA		NA
Nickel	U	5.1	U	5.7	U		NA		NA
Potassium		24500		25400			NA		NA
Selenium	UJ	8.8	UJ	3.0	UJ		NA		NA
Silver		1.2	J	1.3	J		NA		NA
Sodium		83400		88600			NA		NA
Thallium	U	3.1	U	3.2	UJ		NA		NA
Vanadium	UJ	1.3	UJ	1.7	UJ		NA		NA
Zinc	U	28.6	U	21.5	U		NA		NA
Wet Chemistry Analysis									
Alkalinity		684		712			NA		NA
Carbon Dioxide		901	J	924	J		NA		NA
Chloride		64.4		82.3			NA		NA
Ferrous Iron		2.64		2.9			NA		NA
Nitrate	U	0.050	U	0.050	U		NA		NA
Nitrate-Nitrite (as N)	NA		NA		NA		NA		NA
Nitrite-N	UJ	0.050	UJ	0.050	UJ		NA		NA
Sulfate		134		99.4			NA		NA
Sulfide		1.0	J	0.80	J		NA		NA
Total Organic Carbon		76.3	J	31.5	J		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	13		60		240	J	190			NA
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	14	U		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	14	U		NA
1,1-Dichloroethane	16		17	J	48		42			NA
1,1-Dichloroethene	9	J	33		120		120			NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U	14	U		NA
1,2-Dichloroethene (total)	22		20		59		52			NA
1,2-Dichloropropane	10	U	10	U	10	U	14	U		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2-Butanone	10	U	10	U	10	U	14	U		NA
2-Hexanone	10	U	10	U	10	U	14	U		NA
4-Methyl-2-Pentanone	10	U	10	U	10	U	14	U		NA
Acetone	15	U	10	U	10	U	14	U		NA
Benzene	10	U	10	U	10	U	14	U		NA
Bromodichloromethane	10	U	10	U	10	U	14	U		NA
Bromoform	10	U	10	U	10	U	14	U		NA
Bromomethane	10	U	10	U	10	U	14	U		NA
Carbon Disulfide	10	U	10	U	10	U	14	U		NA
Carbon Tetrachloride	10	U	10	U	10	U	14	U		NA
Chlorobenzene	10	U	10	UJ	10	U	14	U		NA
Chloroethane	10	U	10	UJ	10	U	14	U		NA
Chloroform	10	U	10	UJ	10	U	14	U		NA
Chloromethane	10	UJ	10	UJ	10	U	14	U		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	14	U		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	14	U		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U	14	U		NA
Isopropylbenzene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U	14	U		NA
Styrene	10	U	10	U	10	U	14	U		NA
Tetrachloroethene	10	U	10	U	10	U	14	U		NA
Toluene	10	U	10	U	10	U	14	U		NA
Total Xylenes	10	U	10	UJ	10	U	14	U		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	14	U		NA
Trichloroethene	48		34		91		70			NA
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Chloride	10	U	10	U	4	J	14	U		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA	100	*J
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	1	UJ
1,1,2-Trichloroethane		NA		NA		NA		NA	1	UJ
1,1-Dichloroethane		NA		NA		NA		NA	25	J
1,1-Dichloroethene		NA		NA		NA		NA	38	*J
1,2,4-Trichlorobenzene		NA		NA		NA		NA	1	UJ
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA	1	UJ
1,2-Dibromoethane		NA		NA		NA		NA	1	UJ
1,2-Dichlorobenzene		NA		NA		NA		NA	1	UJ
1,2-Dichloroethane		NA		NA		NA		NA	1	UJ
1,2-Dichloropropane		NA		NA		NA		NA	1	UJ
1,3-Dichlorobenzene		NA		NA		NA		NA	1	UJ
1,4-Dichlorobenzene		NA		NA		NA		NA	1	UJ
2-Butanone		NA		NA		NA		NA	5	UJ
2-Hexanone		NA		NA		NA		NA	5	UJ
4-Methyl-2-Pentanone		NA		NA		NA		NA	5	UJ
Acetone		NA		NA		NA		NA		R
Benzene		NA		NA		NA		NA	1	UJ
Bromochloromethane		NA		NA		NA		NA	1	UJ
Bromodichloromethane		NA		NA		NA		NA	1	UJ

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA	1	UJ
Bromomethane		NA		NA		NA		NA	1	UJ
Carbon Disulfide		NA		NA		NA		NA	1	UJ
Carbon Tetrachloride		NA		NA		NA		NA	1	UJ
Chlorobenzene		NA		NA		NA		NA	1	UJ
Chloroethane		NA		NA		NA		NA	1	UJ
Chloroform		NA		NA		NA		NA	1	UJ
Chloromethane		NA		NA		NA		NA	1	UJ
cis-1,2-Dichloroethene		NA		NA		NA		NA	32	*J
cis-1,3-Dichloropropene		NA		NA		NA		NA	1	UJ
Dibromochloromethane		NA		NA		NA		NA	1	UJ
Ethylbenzene		NA		NA		NA		NA	1	UJ
Methylene Chloride		NA		NA		NA		NA	2	UJ
Styrene		NA		NA		NA		NA	1	UJ
Tetrachloroethene		NA		NA		NA		NA	1	UJ
Toluene		NA		NA		NA		NA	1	UJ
Total Xylenes		NA		NA		NA		NA	1	UJ
trans-1,2-Dichloroethene		NA		NA		NA		NA	1	UJ
trans-1,3-Dichloropropene		NA		NA		NA		NA	1	UJ
Trichloroethene		NA		NA		NA		NA	66	*J
Vinyl Chloride		NA		NA		NA		NA	1	UJ
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U	25	UJ	25	UJ	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	UJ	10	U
3-Nitroaniline	25	U	25	UJ	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	U	10	UJ
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U	25	U
4-Nitrophenol	25	UJ	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA		NA		NA
Anthracene	10	U	10	U	10	U	10	U	10	U
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U	10	U
Pyrene	10	UJ	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U	10	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	1.1	U	0.56	U	0.56	U	0.56	U	1.1	U
Aroclor-1016	1.0	U	0.50	UJ	0.50	U	0.50	U	1.0	U
Aroclor-1221	2.0	U	1.0	U	1.0	U	1.0	U	2.0	U
Aroclor-1232	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1242	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1248	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1254	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1260	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1262	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1268	1.0	U	0.50	U	0.50	U	0.50	U	1.0	U
beta-BHC	0.050	U	0.050	U	0.050	UJ	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	U	0.050	U	0.050	UJ	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	UJ	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	UJ	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U	0.0011	J	0.050	U
Methoxychlor	0.50	U	0.022	J	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	20.9	UJ	21.3	U	53.1	UJ	30.4	UJ	17.0	U
Antimony	14.7	UJ	28.5	U	11.2	UJ	18.8	U	3.0	U
Arsenic	1.5	UJ	0.90	U	8.9	J	1.8	U	3.0	U
Barium	16.9	J	16.2		12.5	J	13.2		12.7	
Beryllium	0.48	UJ	0.20	U	0.30	UJ	0.20	U	1.0	U
Cadmium	1.1	UJ	3.9	UJ	1.4	UJ	1.1	U	1.0	U
Calcium	96000	J	82100		95800	J	96600		80800	
Chromium	2.5	UJ	4.3	U	1.7	J	5.7	UJ	1.0	U
Cobalt	2.1	UJ	4.1	U	2.3	UJ	2.4	U	1.2	UJ
Copper	4.0	UJ	3.0	U	5.8	UJ	3.9	UJ	2.5	J
Cyanide		NA		NA		NA		NA		NA
Iron	154	UJ	200		194	UJ	255		35.8	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	SP-MW-110D-01		RM-SP-MW-110D-02		RM-SP-MW-110D-03		RM-SP-MW-110D-04		OU2-MW-110D-05	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110D		MW-110D	
Date Sampled	5/16/1994		8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	42.5-52.5		42.5-52.5		42.5-52.5		42.5-52.5		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	1.5	UJ	1.5	UJ	2.2	UJ	0.42	UJ	1.0	U
Magnesium	21300	J	12600		13600	J	14500		16100	
Manganese	823	J	286		264	J	326		161	
Mercury	0.20	UJ	0.20	U	0.20	UJ	0.20	U	0.10	U
Nickel	6.5	UJ	13.3	UJ	5.2	J	5.2	U	1.2	J
Potassium	6240	J	6330		5990	J	5810		5930	
Selenium	2.1	UJ	0.70	U	2.5	UJ	2.8	U	3.0	U
Silver	3.6	UJ	2.6	U	2.4	UJ	1.8	U	1.0	U
Sodium	33900	J	21500		18000	J	21300		22700	
Thallium	3.6	UJ	0.90	U	1.7	UJ	3.6	J	3.0	U
Vanadium	2.2	UJ	3.5	U	2.3	UJ	2.9	U	1.0	U
Zinc	40.7	UJ	48.9	U	14.0	UJ	3.9	U	31.7	UJ
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA	159	
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA	31.6	
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA	1.94	
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA	92.3	
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane	65		62		68		4	J
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U	10	U	10	U		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U
1,1-Dichloroethane	31		30		32		17	
1,1-Dichloroethene	52		51		53		6	J
1,2,4-Trichlorobenzene	10	U	10	U	10	U		NA
1,2-Dibromo-3-chloropropane	10	U	10	U	10	U		NA
1,2-Dibromoethane	10	U	10	U	10	U		NA
1,2-Dichlorobenzene	10	U	10	U	10	U		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U
1,2-Dichloroethene (total)		NA		NA		NA	27	
1,2-Dichloropropane	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U		NA
1,4-Dichlorobenzene	10	U	10	U	10	U		NA
1,4-Dioxane		NA	100	UJ	100	UJ		NA
2-Butanone	10	UJ	10	UJ	10	UJ	10	U
2-Hexanone	10	UJ	10	UJ	10	UJ	10	U
4-Methyl-2-Pentanone	10	U	10	U	10	U	10	U
Acetone	10	UJ	10	UJ	10	UJ	14	U
Benzene	10	U	10	U	10	U	2	J
Bromodichloromethane	10	U	10	U	10	U	10	U
Bromoform	10	U	10	U	10	U	10	U
Bromomethane	10	U	10	U	10	U	10	U
Carbon Disulfide	10	U	10	U	10	U	10	U
Carbon Tetrachloride	10	U	10	U	10	U	10	U
Chlorobenzene	10	U	10	U	10	U	10	U
Chloroethane	10	U	10	U	10	U	10	U
Chloroform	10	U	10	U	10	U	2	J
Chloromethane	10	U	10	U	10	U	10	UJ
cis-1,2-Dichloroethene	43		42		44			NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U
Cyclohexane	10	U	10	U	10	U		NA
Dibromochloromethane	10	U	10	U	10	U	10	U
Dichlorodifluoromethane	10	UJ	10	UJ	10	UJ		NA
Ethylbenzene	10	U	10	U	10	U	4	J
Isopropylbenzene	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Methyl Acetate	10	U	10	U	10	U		NA
Methyl tert-Butyl Ether	2		2	J	3	J		NA
Methylcyclohexane	10	UJ	10	UJ	10	UJ		NA
Methylene Chloride	10	UJ	10	UJ	10	UJ	10	U
Styrene	10	U	10	U	10	U	10	U
Tetrachloroethene	10	U	10	U	10	U	10	U
Toluene	10	U	10	U	10	U	10	U
Total Xylenes	10	U	10	U	10	U	18	
trans-1,2-Dichloroethene	10	U	10	U	10	U		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U
Trichloroethene	95		92		98		57	
Trichlorofluoromethane	10	U	10	U	10	U		NA
Vinyl Chloride	1		1		1		3	J
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA		NA
Ethene		NA		NA		NA		NA
Methane		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA
Acetone		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA
Styrene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl	10	U	10	U	10	U		NA
1,2,4-Trichlorobenzene		NA		NA		NA	10	U
1,2-Dichlorobenzene		NA		NA		NA	10	U
1,3-Dichlorobenzene		NA		NA		NA	10	U
1,4-Dichlorobenzene		NA		NA		NA	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	U	25	U	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U
3-Nitroaniline	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U
4-Chloroaniline	10	UJ	10	UJ	10	UJ	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U
4-Nitroaniline	25	UJ	25	UJ	25	UJ	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U
Acetophenone	10	U	10	U	10	U		NA
Anthracene	10	U	10	U	10	U	10	U
Atrazine	10	U	10	U	10	U		NA
Benzaldehyde	10	UJ	10	UJ	10	UJ		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U
Caprolactam	10	U	10	U	10	U		NA
Carbazole	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	UJ	10	UJ	10	UJ	10	U
Hexachloroethane	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	UJ
Total PAH		NA		NA		NA	10	U
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene	0.20	U	0.20	U	0.20	U		NA
Benzo(a)anthracene	0.20	U	0.20	U	0.20	U		NA
Benzo(a)pyrene	0.20	U	0.20	U	0.20	U		NA
Benzo(b)fluoranthene	0.20	U	0.20	U	0.20	U		NA
Benzo(k)fluoranthene	0.20	U	0.20	U	0.20	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Chrysene	0.20	U	0.20	U	0.20	U		NA
Dibenzo(a,h)anthracene	0.20	U	0.20	U	0.20	U		NA
Indeno(1,2,3-cd)pyrene	0.20	U	0.20	U	0.20	U		NA
Phenanthrene	0.20	U	0.20	U	0.20	U		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total		NA		NA		NA	1.1	U
Aroclor-1016	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1221	0.25	U	0.25	U	0.25	U	2.0	U
Aroclor-1232	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1242	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1248	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1254	0.25	U	0.25	U	0.25	U	1.0	U
Aroclor-1260	0.25	U	0.25	U	0.25	U	1.0	U
Aroclor-1262	0.28	U	0.28	U	0.28	U	1.0	U
Aroclor-1268	1.0	U	1.0	U	1.0	U	1.0	U
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.050	U	0.050	U	0.050	U	0.10	U
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.050	U	0.050	U	0.050	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.020	U	0.020	U	0.020	U	0.050	U
Heptachlor Epoxide	0.020	U	0.020	U	0.020	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA
OCDD		NA		NA		NA		NA
OCDF		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum	20.7	UJ	20.7	UJ	10.1	U	24.6	J
Antimony	3.5	U	3.5	U	3.5	U	14.7	UJ
Arsenic	3.3	UJ	3.3	UJ	2.3	U	2.2	J
Barium	38.3		36.2	J	40.4	J	34.4	J
Beryllium	1.1	U	1.1	U	1.1	U	0.48	UJ
Cadmium	0.50	UJ	0.50	UJ	0.50	UJ	1.1	UJ
Calcium	68900		57000	J	80800	J	101000	J
Chromium	0.50	U	0.50	U	0.50	U	6.0	UJ
Cobalt	0.70	U	0.70	U	0.70	U	2.1	UJ
Copper	1.8		2.0		1.5		3.6	UJ
Cyanide		NA		NA		NA		NA
Iron	159	U	159	U	202	U	4460	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110D-07-AVG		OU2-MW-110D-07		OU2-MW-DUP15-07		SP-MW-110M-01	
Sample Location	MW-110D		MW-110D		MW-110D		MW-110M	
Date Sampled	1/13/2003		1/13/2003		1/13/2003		5/16/1994	
Interval	0.0-0.0		0.0-0.0		0.0-0.0		18.0-28.0	
QC Identifier	Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		Field Dup. OU2-MW-110D-07		None	
Zone	Overburden		Overburden		Overburden		Overburden	
Lead	1.5	U	1.5	U	1.5	U	1.5	UJ
Magnesium	14700		12000		17300		28200	J
Manganese	99.9		84.8		115		234	J
Mercury	0.10	U	0.10	U	0.10	U	0.20	UJ
Nickel	1.7	U	1.7	U	1.7	U	6.5	UJ
Potassium	5800		5490	J	6110	J	12700	J
Selenium	2.2	UJ	2.2	UJ	2.2	UJ	2.1	UJ
Silver		R		R		R	3.6	UJ
Sodium	33700		29600		37800		115000	J
Thallium	4.0	UJ	4.0	UJ	4.0	UJ	2.5	UJ
Vanadium	1.8		1.8		1.8		2.2	UJ
Zinc	154		136	J	173	J	132	J
Wet Chemistry Analysis								
Alkalinity		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA
Chloride		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane	10	U	3	J	19	J	6	
1,1,2,2-Tetrachloroethane	10	U	10	U	21	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	21	U	10	U
1,1-Dichloroethane	23	J	16		98		90.5	
1,1-Dichloroethene	8	J	11		34		41.5	
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	21	U	10	U
1,2-Dichloroethene (total)	62		43		250		125	
1,2-Dichloropropane	10	U	10	U	21	U	10	U
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA
2-Butanone	10	U	10	U	21	U	10	U
2-Hexanone	10	U	10	U	21	U	10	U
4-Methyl-2-Pentanone	10	U	10	U	21	U	10	U
Acetone	10	U	10	U	21	UJ	10.5	U
Benzene	10	U	1	J	9	J	5.5	
Bromodichloromethane	10	U	10	U	21	U	10	U
Bromoform	10	U	10	U	21	U	10	U
Bromomethane	10	U	10	U	21	U	10	U
Carbon Disulfide	10	U	10	U	21	U	10	U
Carbon Tetrachloride	10	U	10	U	21	U	10	U
Chlorobenzene	10	UJ	10	U	21	U	10	U
Chloroethane	10	UJ	10	U	21	U	10	U
Chloroform	10	UJ	10	U	21	U	10	U
Chloromethane	10	UJ	10	U	21	U	10	U
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	21	U	10	U
Cyclohexane		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	21	U	10	U
Dichlorodifluoromethane		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	1	J	10	U
Isopropylbenzene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	21	U	10	U
Styrene	10	U	10	U	21	U	10	U
Tetrachloroethene	10	U	10	U	21	U	10	U
Toluene	10	U	10	U	21	U	10	U
Total Xylenes	10	UJ	10	U	2	J	3	
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	21	U	10	U
Trichloroethene	31		12		180		7	
Trichlorofluoromethane		NA		NA		NA		NA
Vinyl Chloride	10	U	3	J	20	J	112.5	
Dissolved Methane, Ethane, Ethene Analysis (UG/L)								
Ethane		NA		NA		NA		NA
Ethene		NA		NA		NA		NA
Methane		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA
Acetone		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA
Styrene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)								
1,1,1-Trichloroethane		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA
Benzene		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA
Toluene		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)								

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	25	U	25	UJ	25	UJ	25	U
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U
2-Chloronaphthalene	10	U	10	U	10	U	10	U
2-Chlorophenol	10	U	10	U	10	U	10	U
2-Methylnaphthalene	10	U	10	U	10	U	10	U
2-Methylphenol	10	U	10	U	10	U	10	U
2-Nitroaniline	25	U	25	U	25	U	25	U
2-Nitrophenol	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	10	U	10	U	10	UJ	10	U
3-Nitroaniline	25	UJ	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U
4-Chloroaniline	10	U	10	U	10	U	10	U
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U
4-Methylphenol	10	U	10	U	10	U	10	U
4-Nitroaniline	25	U	25	U	25	U	25	U
4-Nitrophenol	25	U	25	U	25	U	25	U
Acenaphthene	10	U	10	U	10	U	10	U
Acenaphthylene	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA		NA
Anthracene	10	U	10	U	10	U	10	U
Atrazine		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U
Benzo(a)pyrene	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U
Butylbenzylphthalate	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U
Chrysene	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U
Dibenzofuran	10	U	10	U	10	U	10	U
Diethylphthalate	10	U	10	U	10	U	10	U
Dimethylphthalate	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	10	U	10	U	10	U	10	U
Di-n-octylphthalate	10	U	10	U	10	U	10	U
Fluoranthene	10	U	10	U	10	U	10	U
Fluorene	10	U	10	U	10	U	10	U
Hexachlorobenzene	10	U	10	U	10	U	10	U
Hexachlorobutadiene	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	10	U	10	U	10	U	10	U
Hexachloroethane	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U
Isophorone	10	U	10	U	10	U	10	U
Naphthalene	10	U	10	U	10	U	10	U
Nitrobenzene	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U
Pentachlorophenol	25	U	25	U	25	U	25	U
Phenanthrene	10	U	10	U	10	U	10	U
Phenol	10	U	10	U	10	U	10	U
Pyrene	10	U	10	U	10	U	10	U
Total PAH	10	U	10	U	10	U	10	U
Low Concentration PAH (SIM) Analysis (UG/L)								
Acenaphthylene		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)								
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	0.56	U	0.56	U	0.56	U	1.1	U
Aroclor-1016	0.50	UJ	0.50	U	0.50	U	1.0	U
Aroclor-1221	1.0	U	1.0	U	1.0	U	2.0	U
Aroclor-1232	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1242	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1248	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1254	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1260	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1262	0.50	U	0.50	U	0.50	U	1.0	U
Aroclor-1268	0.50	U	0.50	U	0.50	U	1.0	U
beta-BHC	0.050	U	0.050	UJ	0.050	U	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	U	0.050	UJ	0.050	U	0.050	U
Endosulfan II	0.10	U	0.10	UJ	0.10	U	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U
Endrin	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	UJ	0.10	U	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)								
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA
OCDD		NA		NA		NA		NA
OCDF		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA
TAL Metal Analysis (UG/L)								
Aluminum	21.3	U	30.8	UJ	88.8	U	67.55	
Antimony	28.5	U	11.2	UJ	18.8	U	5.95	U
Arsenic	0.90	U	1.8	J	1.8	U	2.45	
Barium	32.1		25.7	J	58.1		81.5	
Beryllium	0.20	U	0.30	UJ	0.20	U	1.0	U
Cadmium	3.9	UJ	1.4	UJ	1.1	U	1.0	U
Calcium	106000		106000	J	86000		126500	
Chromium	3.6	U	1.8	J	5.7	UJ	2.6	
Cobalt	4.1	U	2.3	UJ	2.4	U	1.0	U
Copper	3.0	U	2.1	UJ	3.9	UJ	5.3	
Cyanide		NA		NA		NA		NA
Iron	1430		873	J	1990		2280	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-110M-02		RM-SP-MW-110M-03		RM-SP-MW-110M-04		OU2-MW-110M-05-AVG	
Sample Location	MW-110M		MW-110M		MW-110M		MW-110M	
Date Sampled	8/26/1994		11/28/1994		3/27/1995		11/10/1997	
Interval	18.0-28.0		18.0-28.0		18.0-28.0		0.0-0.0	
QC Identifier	None		None		None		Field Duplicate 2	
Zone	Overburden		Overburden		Overburden		Overburden	
Lead	1.0	U	1.1	UJ	1.3	UJ	2.2	U
Magnesium	29600		28100	J	15700		30450	
Manganese	179		176	J	230		245	
Mercury	0.20	U	0.20	J	0.20	U	0.10	U
Nickel	13.3	UJ	3.5	UJ	5.2	U	2.85	
Potassium	15000		13500	J	10100		12150	
Selenium	0.70	U	2.5	UJ	2.8	U	3.0	U
Silver	2.6	U	2.4	UJ	1.8	U	1.0	U
Sodium	140000		121000	J	91900		91250	
Thallium	0.90	U	1.7	UJ	3.1	U	3.0	U
Vanadium	3.7	J	2.3	UJ	4.3	J	2.05	
Zinc	4.7	U	6.3	UJ	50.2	U	84.65	
Wet Chemistry Analysis								
Alkalinity		NA		NA		NA	302.5	
Carbon Dioxide		NA		NA		NA		NA
Chloride		NA		NA		NA	172	
Ferrous Iron		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA	0.10	U
Nitrite-N		NA		NA		NA		NA
Sulfate		NA		NA		NA	63.95	
Sulfide		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	28		10	U	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethane	85		10	U	10	UJ	10	U	10	U
1,1-Dichloroethene	41		10	U	10	U	10	U	10	U
1,2,4-Trichlorobenzene	10	U		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	10	U		NA		NA		NA		NA
1,2-Dibromoethane	10	U		NA		NA		NA		NA
1,2-Dichlorobenzene	10	U		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U	10	U	10	U
1,2-Dichloroethene (total)		NA	1	J	10	U	2	J	2	J
1,2-Dichloropropane	10	U	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene	10	U		NA		NA		NA		NA
1,4-Dichlorobenzene	10	U		NA		NA		NA		NA
1,4-Dioxane	100	UJ		NA		NA		NA		NA
2-Butanone	10	UJ	97	J	78		66		52	J
2-Hexanone	10	UJ	10	U	10	U	10	U	10	U
4-Methyl-2-Pentanone	10	U	10	U	10	U	10	U	10	U
Acetone	10	UJ	350		290	J	200	J	160	
Benzene	6	J	2	J	10	U	2	J	3	J
Bromodichloromethane	10	U	10	U	10	U	10	U	10	U
Bromoform	10	U	10	U	10	U	10	U	10	U
Bromomethane	10	U	10	U	10	U	10	U	10	U
Carbon Disulfide	10	U	59		45		65		10	U
Carbon Tetrachloride	10	U	10	U	10	U	10	U	10	U
Chlorobenzene	10	U	10	U	10	UJ	10	U	10	U
Chloroethane	10	U	10	U	10	UJ	10	U	10	U
Chloroform	10	U	10	U	10	UJ	10	U	10	U
Chloromethane	10	U	10	U	10	UJ	10	U	10	U
cis-1,2-Dichloroethene	120			NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Cyclohexane	10	U		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U	10	U	10	U
Dichlorodifluoromethane	10	UJ		NA		NA		NA		NA
Ethylbenzene	10	U	15		12		10		10	
Isopropylbenzene	10	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate	10	U		NA		NA		NA		NA
Methyl tert-Butyl Ether	9	J		NA		NA		NA		NA
Methylcyclohexane	10	UJ		NA		NA		NA		NA
Methylene Chloride	10	UJ	10	U	10	U	10	U	10	U
Styrene	10	U	10	U	10	U	10	U	10	U
Tetrachloroethene	10	U	10	U	10	U	10	U	10	U
Toluene	10	U	42		44		43		40	
Total Xylenes	10	U	61		56	J	43		47	
trans-1,2-Dichloroethene	10	U		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U	10	U	10	U
Trichloroethene	14		10	U	10	U	10	U	10	U
Trichlorofluoromethane	10	U		NA		NA		NA		NA
Vinyl Chloride	110		4	J	4	J	5	J	3	J
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl	10	U		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA	1000	U	10	U	250	U	100	U
1,2-Dichlorobenzene		NA	1000	U	10	UJ	250	U	100	U
1,3-Dichlorobenzene		NA	1000	U	10	UJ	250	U	100	U
1,4-Dichlorobenzene		NA	1000	U	10	UJ	250	U	100	U
2,2'-oxybis(1-Chloropropane)	10	U	1000	U	31	J	250	U	100	U
2,4,5-Trichlorophenol	25	U	2500	U	25	UJ	620	U	250	U
2,4,6-Trichlorophenol	10	U	1000	U	10	UJ	250	U	100	U
2,4-Dichlorophenol	10	U	1000	U	10	U	250	U	100	U
2,4-Dimethylphenol	10	U	1000	U	10	U	250	U	31	J
2,4-Dinitrophenol	25	U	2500	U	25	UJ		R	250	UJ
2,4-Dinitrotoluene	10	U	1000	U	10	UJ	250	U	100	U
2,6-Dinitrotoluene	10	U	1000	U	10	UJ	250	U	100	U
2-Chloronaphthalene	10	U	1000	U	10	UJ	250	U	100	U
2-Chlorophenol	10	U	1000	U	10	UJ	250	U	100	U
2-Methylnaphthalene	10	U	1000	U	10	U	250	U	100	U
2-Methylphenol	10	U	1000	U	10	UJ	250	U	22	J
2-Nitroaniline	25	U	2500	U	25	UJ	620	U	250	U
2-Nitrophenol	10	U	1000	U	10	U	250	U	100	U
3,3'-Dichlorobenzidine	10	U	1000	U	10	U	250	U	100	UJ
3-Nitroaniline	25	U	2500	U	25	UJ	620	U	250	U
4,6-Dinitro-2-methylphenol	25	U	2500	U	25	U	620	U	250	U
4-Bromophenyl-phenylether	10	U	1000	U	10	U	250	U	100	U
4-Chloro-3-methylphenol	10	U	1000	U	10	U	250	U	100	U
4-Chloroaniline	10	UJ	1000	U	10	U	250	U	100	U
4-Chlorophenyl-phenylether	10	U	1000	U	10	UJ	250	U	100	U
4-Methylphenol	10	U	510	J	1300	J	570		450	
4-Nitroaniline	25	UJ	2500	U	25	UJ	620	U	250	U
4-Nitrophenol	25	U		R	25	UJ	620	U	250	U
Acenaphthene	10	U	1000	U	10	UJ	250	U	100	U
Acenaphthylene	10	U	1000	U	10	UJ	250	U	100	U
Acetophenone	10	U		NA		NA		NA		NA
Anthracene	10	U	1000	U	10	U	250	U	100	U
Atrazine	10	U		NA		NA		NA		NA
Benzaldehyde	10	UJ		NA		NA		NA		NA
Benzo(a)anthracene	10	U	1000	U	10	U	250	U	100	U
Benzo(a)pyrene	10	U	1000	U	10	U	250	U	100	U
Benzo(b)fluoranthene	10	U	1000	U	10	U	250	U	100	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	1000	U	10	U	250	U	100	U
Benzo(k)fluoranthene	10	U	1000	U	10	U	250	U	100	U
Bis(2-Chloroethoxy)methane	10	U	1000	U	10	U	250	U	100	U
Bis(2-Chloroethyl)ether	10	U	1000	U	10	UJ	250	U	100	U
bis(2-Ethylhexyl)phthalate	10	U	1000	UJ	10	U	250	U	100	U
Butylbenzylphthalate	10	U	1000	UJ	10	U	250	U	100	U
Caprolactam	10	U		NA		NA		NA		NA
Carbazole	10	U	1000	U	2	J	250	U	100	U
Chrysene	10	U	1000	U	10	U	250	U	100	U
Dibenzo(a,h)anthracene	10	U	1000	U	10	U	250	U	100	U
Dibenzofuran	10	U	1000	U	10	UJ	250	U	100	U
Diethylphthalate	10	U	1000	U	10	UJ	250	U	100	U
Dimethylphthalate	10	U	1000	U	10	UJ	250	U	100	U
Di-n-Butylphthalate	10	U	1000	U	10	U	250	U	100	U
Di-n-octylphthalate	10	U	1000	UJ	10	U	250	U	100	U
Fluoranthene	10	U	1000	U	10	U	250	U	100	U
Fluorene	10	U	1000	U	10	UJ	250	U	100	U
Hexachlorobenzene	10	U	1000	U	10	U	250	U	100	U
Hexachlorobutadiene	10	U	1000	U	10	U	250	U	100	U
Hexachlorocyclopentadiene	10	UJ	1000	U	10	UJ	250	U	100	U
Hexachloroethane	10	U	1000	U	10	UJ	250	U	100	U
Indeno(1,2,3-cd)pyrene	10	U	1000	U	10	U	250	U	100	U
Isophorone	10	U	1000	U	10	U	250	U	100	U
Naphthalene	10	U	1000	U	3	J	250	U	100	U
Nitrobenzene	10	U	1000	U	10	U	250	U	100	U
N-Nitroso-di-n-propylamine	10	U	1000	U	10	UJ	250	U	100	U
N-Nitroso-diphenylamine	10	U	1000	U	10	U	250	U	100	U
Pentachlorophenol	25	U	2500	U	25	U	620	U	250	U
Phenanthrene	10	U	1000	U	10	U	250	U	100	U
Phenol	10	U	5800	J	10000		12000		7300	
Pyrene	10	U	1000	UJ	10	U	250	U	100	U
Total PAH		NA	1000	U	3		250	U	100	U
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene	0.20	U		NA		NA		NA		NA
Benzo(a)anthracene	0.20	U		NA		NA		NA		NA
Benzo(a)pyrene	0.20	U		NA		NA		NA		NA
Benzo(b)fluoranthene	0.20	U		NA		NA		NA		NA
Benzo(k)fluoranthene	0.20	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene	0.20	U		NA		NA		NA		NA
Dibenzo(a,h)anthracene	0.20	U		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene	0.20	U		NA		NA		NA		NA
Phenanthrene	0.20	U		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	0.10	U	0.10	U	0.0078	J	0.10	U	0.10	U
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.0050	J	0.050	U
Aroclor, Total		NA	1.1	U	0.56	U	0.56	U	0.56	U
Aroclor-1016	1.0	U	1.0	U	0.50	UJ	0.50	U	0.50	U
Aroclor-1221	0.25	U	2.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1232	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1242	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1248	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1254	0.25	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1260	0.25	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1262	0.28	U	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1268	1.0	U	1.0	U	0.50	U	0.50	U	0.50	U
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	UJ	0.050	U
delta-BHC	0.050	U	0.050	U	0.050	U	0.0080	J	0.050	U
Dieldrin	0.050	U	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	UJ	0.050	U
Endosulfan II	0.10	U	0.10	U	0.10	U	0.10	UJ	0.10	U
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.0050	J	0.10	U
Endrin	0.050	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	UJ	0.10	U
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.017	J
gamma-Chlordane	0.050	U	0.050		0.050	U	0.0050	J	0.050	U
Heptachlor	0.020	U	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide	0.020	U	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor	0.50	U	0.50	U	0.028	J	0.50	U	0.50	U
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD	1.5	U		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF	0.80	U		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF	0.90	U		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD	0.80	U		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF	2.4	U		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD	0.80	U		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF	1.2	U		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD	0.70	U		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF	1.8	U		NA		NA		NA		NA
1,2,3,7,8-PeCDD	0.70	U		NA		NA		NA		NA
1,2,3,7,8-PeCDF	1.3	UEMPC		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF	1.1	UEMPC		NA		NA		NA		NA
2,3,4,7,8-PeCDF	0.40	U		NA		NA		NA		NA
2,3,7,8-TCDD	0.70	U		NA		NA		NA		NA
2,3,7,8-TCDF	0.60	U		NA		NA		NA		NA
OCDD	33.4	U		NA		NA		NA		NA
OCDF	1.7	U		NA		NA		NA		NA
Total HpCDD	1.5	UJ		NA		NA		NA		NA
Total HpCDF	0.80	UJ		NA		NA		NA		NA
Total HxCDD	3.1	UEMPC		NA		NA		NA		NA
Total HxCDF	6.4	UEMPC		NA		NA		NA		NA
Total PeCDD	0.70	UJ		NA		NA		NA		NA
Total PeCDF	1.3	UEMPC		NA		NA		NA		NA
Total TCDD	0.70	UJ		NA		NA		NA		NA
Total TCDF	0.60	UJ		NA		NA		NA		NA
Toxicity Equivalency	0.00	UJ		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	42.8	UJ	1650		2330		2190	J	1830	
Antimony	3.5	U	14.7	U	28.5	U		R	18.8	U
Arsenic	2.3	U	6.2		9.0	U	18.0	J	3.6	
Barium	27.3	J	339		472	J	476	J	328	J
Beryllium	1.1	U	0.59	U	0.20	U	0.30	UJ	0.20	U
Cadmium	0.50	UJ	1.1	U	3.9	UJ	1.4	UJ	1.1	U
Calcium	69200	J	465000		567000		608000	J	464000	
Chromium	1.2	UJ	2.5	U	4.1	U	1.7	UJ	5.7	UJ
Cobalt	0.70	U	2.1	UJ	4.1	U	4.4	UJ	2.4	U
Copper	0.80	U	3.6	U		R	10.5	UJ	3.9	UJ
Cyanide		NA		NA		NA		NA		NA
Iron	131	U	122	UJ	106	U	58.7	UJ	36.0	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110M-07		SP-MW-110S-01		RM-SP-MW-110S-02		RM-SP-MW-110S-03		RM-SP-MW-110S-04	
Sample Location	MW-110M		MW-110S		MW-110S		MW-110S		MW-110S	
Date Sampled	1/13/2003		5/16/1994		8/26/1994		11/28/1994		3/27/1995	
Interval	0.0-0.0		8.0-14.0		8.0-14.0		8.0-14.0		8.0-14.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	1.5	U	5.4	UJ	10.0	UJ		R		R
Magnesium	10400		640		86.9		119	UJ	149	U
Manganese	108		1.2	UJ	1.5	UJ	1.4	UJ	2.4	U
Mercury	0.11	J	0.32	J	0.27	J	1.6	J	0.61	
Nickel	1.7	U	94.4		117	J	124	J	88.1	
Potassium	10500		30700		38900		37000	J	31900	
Selenium	2.2	UJ	2.1	U	7.0	U	3.8	J	2.9	J
Silver		R	3.6	U	2.6	U	2.4	UJ	1.8	U
Sodium	91000		218000	J	210000		219000	J	204000	J
Thallium	4.0	UJ	3.2	UJ	9.0	U	1.7	UJ	3.1	U
Vanadium	2.8		19.8	J	24.5	J	20.5	J	19.2	J
Zinc	9.7	UJ	16.4	UJ	9.1	U	13.5	UJ	2.1	U
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	10	U	10	U		NA		NA		NA
1,1,2,2-Tetrachloroethane	10	U	10	U		NA		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U		NA		NA		NA
1,1-Dichloroethane	10	U	10	U		NA		NA		NA
1,1-Dichloroethene	10	U	0.9	U		NA		NA		NA
1,2,4-Trichlorobenzene		NA	10	U		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA	10	U		NA		NA		NA
1,2-Dibromoethane		NA	10	U		NA		NA		NA
1,2-Dichlorobenzene		NA	10	U		NA		NA		NA
1,2-Dichloroethane	10	U	10	U		NA		NA		NA
1,2-Dichloroethene (total)	2	J		NA		NA		NA		NA
1,2-Dichloropropane	10	U	10	U		NA		NA		NA
1,3-Dichlorobenzene		NA	10	U		NA		NA		NA
1,4-Dichlorobenzene		NA	10	U		NA		NA		NA
1,4-Dioxane		NA	100	UJ		NA		NA		NA
2-Butanone	63	J	37	J		NA		NA		NA
2-Hexanone	4	J	10	UJ		NA		NA		NA
4-Methyl-2-Pentanone	3	J	2	J		NA		NA		NA
Acetone	360	*	220	UJ		NA		NA		NA
Benzene	3	J	3	J		NA		NA		NA
Bromodichloromethane	10	U	10	U		NA		NA		NA
Bromoform	10	U	10	U		NA		NA		NA
Bromomethane	10	U	10	U		NA		NA		NA
Carbon Disulfide	74		53			NA		NA		NA
Carbon Tetrachloride	10	U	10	U		NA		NA		NA
Chlorobenzene	10	U	10	U		NA		NA		NA
Chloroethane	10	UJ	10	U		NA		NA		NA
Chloroform	10	U	10	U		NA		NA		NA
Chloromethane	10	U	10	U		NA		NA		NA
cis-1,2-Dichloroethene		NA	2	J		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U		NA		NA		NA
Cyclohexane		NA	10	U		NA		NA		NA
Dibromochloromethane	10	U	10	U		NA		NA		NA
Dichlorodifluoromethane		NA	10	UJ		NA		NA		NA
Ethylbenzene	12		13			NA		NA		NA
Isopropylbenzene		NA	10	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA	10	U		NA		NA		NA
Methyl tert-Butyl Ether		NA	10	U		NA		NA		NA
Methylcyclohexane		NA	10	UJ		NA		NA		NA
Methylene Chloride	10	UJ	10	UJ		NA		NA		NA
Styrene	10	U	10	U		NA		NA		NA
Tetrachloroethene	10	U	10	U		NA		NA		NA
Toluene	46		48			NA		NA		NA
Total Xylenes	54		60			NA		NA		NA
trans-1,2-Dichloroethene		NA	10	U		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U		NA		NA		NA
Trichloroethene	10	U	10	U		NA		NA		NA
Trichlorofluoromethane		NA	10	U		NA		NA		NA
Vinyl Chloride	4	J	4			NA		NA		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA	1	U	10	U	25	
1,1-Dichloroethane		NA		NA	1	U	45		81	
1,1-Dichloroethene		NA		NA	1	U	10	U	16	
1,2-Dichloroethane		NA		NA	1	U	10	U	10	U
Benzene		NA		NA	1	U	10	U	10	U
Chlorobenzene		NA		NA	2.5		10	U	51	
cis-1,2-Dichloroethene		NA		NA	1	U	35		66	
Ethylbenzene		NA		NA	1	U	10	U	10	U
m&p-Xylene		NA		NA	1.1		10	U	10	U
o-Xylene		NA		NA	1	U	10	U	10	U
Tetrachloroethene		NA		NA	1	U	10	U	10	U
Toluene		NA		NA	1	U	10	U	10	U
trans-1,2-Dichloroethene		NA		NA	1	U	10	U	10	U
Trichloroethene		NA		NA	1	U	32		10	U
Vinyl Chloride		NA		NA	1	U	10	U	12	
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA	100	U		NA		NA		NA
1,2,4-Trichlorobenzene	100	U		NA		NA		NA		NA
1,2-Dichlorobenzene	100	U		NA		NA		NA		NA
1,3-Dichlorobenzene	100	U		NA		NA		NA		NA
1,4-Dichlorobenzene	100	U		NA		NA		NA		NA
2,2'-oxybis(1-Chloropropane)	100	U	100	U		NA		NA		NA
2,4,5-Trichlorophenol	250	U	250	U		NA		NA		NA
2,4,6-Trichlorophenol	100	U	100	U		NA		NA		NA
2,4-Dichlorophenol	100	U	100	U		NA		NA		NA
2,4-Dimethylphenol	29	J	49	J		NA		NA		NA
2,4-Dinitrophenol	250	U	250	UJ		NA		NA		NA
2,4-Dinitrotoluene	100	U	100	U		NA		NA		NA
2,6-Dinitrotoluene	100	U	100	U		NA		NA		NA
2-Chloronaphthalene	100	U	100	U		NA		NA		NA
2-Chlorophenol	100	U	100	U		NA		NA		NA
2-Methylnaphthalene	100	U	100	U		NA		NA		NA
2-Methylphenol	23	J	30	J		NA		NA		NA
2-Nitroaniline	250	U	250	U		NA		NA		NA
2-Nitrophenol	100	U	100	U		NA		NA		NA
3,3'-Dichlorobenzidine	100	U	100	U		NA		NA		NA
3-Nitroaniline	250	U	250	U		NA		NA		NA
4,6-Dinitro-2-methylphenol	250	U	250	U		NA		NA		NA
4-Bromophenyl-phenylether	100	U	100	U		NA		NA		NA
4-Chloro-3-methylphenol	100	U	100	U		NA		NA		NA
4-Chloroaniline	100	U	100	UJ		NA		NA		NA
4-Chlorophenyl-phenylether	100	U	100	U		NA		NA		NA
4-Methylphenol	420		720			NA		NA		NA
4-Nitroaniline	250	U	250	UJ		NA		NA		NA
4-Nitrophenol	250	U	250	UJ		NA		NA		NA
Acenaphthene	100	U	100	U		NA		NA		NA
Acenaphthylene	100	U	100	U		NA		NA		NA
Acetophenone		NA	100	U		NA		NA		NA
Anthracene	100	U	100	U		NA		NA		NA
Atrazine		NA	100	U		NA		NA		NA
Benzaldehyde		NA	100	UJ		NA		NA		NA
Benzo(a)anthracene	100	U	100	U		NA		NA		NA
Benzo(a)pyrene	100	U	100	U		NA		NA		NA
Benzo(b)fluoranthene	100	U	100	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	100	U	100	U		NA		NA		NA
Benzo(k)fluoranthene	100	U	100	U		NA		NA		NA
Bis(2-Chloroethoxy)methane	100	U	100	U		NA		NA		NA
Bis(2-Chloroethyl)ether	100	U	100	U		NA		NA		NA
bis(2-Ethylhexyl)phthalate	100	U	100	U		NA		NA		NA
Butylbenzylphthalate	100	U	100	U		NA		NA		NA
Caprolactam		NA	100	U		NA		NA		NA
Carbazole	100	U	100	U		NA		NA		NA
Chrysene	100	U	100	U		NA		NA		NA
Dibenzo(a,h)anthracene	100	U	100	U		NA		NA		NA
Dibenzofuran	100	U	100	U		NA		NA		NA
Diethylphthalate	100	U	100	U		NA		NA		NA
Dimethylphthalate	100	U	100	U		NA		NA		NA
Di-n-Butylphthalate	100	U	100	U		NA		NA		NA
Di-n-octylphthalate	100	U	100	U		NA		NA		NA
Fluoranthene	100	U	100	U		NA		NA		NA
Fluorene	100	U	100	U		NA		NA		NA
Hexachlorobenzene	100	U	100	U		NA		NA		NA
Hexachlorobutadiene	100	U	100	U		NA		NA		NA
Hexachlorocyclopentadiene	100	U	100	U		NA		NA		NA
Hexachloroethane	100	U	100	U		NA		NA		NA
Indeno(1,2,3-cd)pyrene	100	U	100	U		NA		NA		NA
Isophorone	100	U	100	U		NA		NA		NA
Naphthalene	100	U	100	U		NA		NA		NA
Nitrobenzene	100	U	100	U		NA		NA		NA
N-Nitroso-di-n-propylamine	100	U	100	U		NA		NA		NA
N-Nitroso-diphenylamine	100	U	100	U		NA		NA		NA
Pentachlorophenol	250	U	250	U		NA		NA		NA
Phenanthrene	100	U	100	U		NA		NA		NA
Phenol	5200	*	8300	*		NA		NA		NA
Pyrene	100	U	100	UJ		NA		NA		NA
Total PAH	100	U		NA		NA		NA		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA	1.2			NA		NA		NA
Benzo(a)anthracene		NA	0.20	U		NA		NA		NA
Benzo(a)pyrene		NA	0.20	U		NA		NA		NA
Benzo(b)fluoranthene		NA	0.20	U		NA		NA		NA
Benzo(k)fluoranthene		NA	0.20	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA	0.20	U		NA		NA		NA
Dibenzo(a,h)anthracene		NA	0.20	U		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA		NA		NA
Phenanthrene		NA	0.20	U		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U		NA		NA		NA
4,4'-DDE	0.10	U	0.10	U		NA		NA		NA
4,4'-DDT	0.10	U	0.10	U		NA		NA		NA
Aldrin	0.050	U	0.050	U		NA		NA		NA
alpha-BHC	0.050	U	0.050	U		NA		NA		NA
alpha-Chlordane	0.050	U	0.050	U		NA		NA		NA
Aroclor, Total	1.1	U		NA		NA		NA		NA
Aroclor-1016	1.0	U	1.0	U		NA		NA		NA
Aroclor-1221	2.0	U	0.25	U		NA		NA		NA
Aroclor-1232	1.0	U	1.0	U		NA		NA		NA
Aroclor-1242	1.0	U	1.0	U		NA		NA		NA
Aroclor-1248	1.0	U	1.0	U		NA		NA		NA
Aroclor-1254	1.0	U	0.25	U		NA		NA		NA
Aroclor-1260	1.0	U	0.25	U		NA		NA		NA
Aroclor-1262	1.0	U	0.28	U		NA		NA		NA
Aroclor-1268	1.0	U	1.0	U		NA		NA		NA
beta-BHC	0.050	U	0.050	U		NA		NA		NA
delta-BHC	0.050	U	0.050	U		NA		NA		NA
Dieldrin	0.10	U	0.050	U		NA		NA		NA
Endosulfan I	0.050	U	0.050	U		NA		NA		NA
Endosulfan II	0.10	U	0.10	U		NA		NA		NA
Endosulfan Sulfate	0.10	U	0.10	U		NA		NA		NA
Endrin	0.10	U	0.050	U		NA		NA		NA
Endrin Aldehyde	0.10	U	0.10	U		NA		NA		NA
Endrin Ketone	0.10	U	0.10	U		NA		NA		NA
gamma-BHC	0.050	U	0.050	U		NA		NA		NA
gamma-Chlordane	0.050	U	0.050	U		NA		NA		NA
Heptachlor	0.050	U	0.020	U		NA		NA		NA
Heptachlor Epoxide	0.050	U	0.020	U		NA		NA		NA
Methoxychlor	0.50	U	0.50	U		NA		NA		NA
Toxaphene	5.0	U	5.0	U		NA		NA		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA	5.6	J		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA	2.4	U		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA	0.80	U		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA	0.60	U		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA	1.8	UEMPC		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA	1.5	J		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA	1.3	U		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA	1.5	UEMPC		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA	2.0	U		NA		NA		NA
1,2,3,7,8-PeCDD		NA	0.60	U		NA		NA		NA
1,2,3,7,8-PeCDF		NA	1.8	U		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA	0.50	U		NA		NA		NA
2,3,4,7,8-PeCDF		NA	1.3	U		NA		NA		NA
2,3,7,8-TCDD		NA	0.70	U		NA		NA		NA
2,3,7,8-TCDF		NA	0.50	U		NA		NA		NA
OCDD		NA	46.4	U		NA		NA		NA
OCDF		NA	4.0	EMPC		NA		NA		NA
Total HpCDD		NA	8.8	J		NA		NA		NA
Total HpCDF		NA	2.4	UJ		NA		NA		NA
Total HxCDD		NA	5.9	UEMPC		NA		NA		NA
Total HxCDF		NA	5.1	UEMPC		NA		NA		NA
Total PeCDD		NA	0.60	UJ		NA		NA		NA
Total PeCDF		NA	3.2	UJ		NA		NA		NA
Total TCDD		NA	1.6	EMPC		NA		NA		NA
Total TCDF		NA	0.50	UJ		NA		NA		NA
Toxicity Equivalency		NA	0.21	J		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	1970		1680	J		NA		NA		NA
Antimony	3.0	U	3.5	U		NA		NA		NA
Arsenic	7.5			R		NA		NA		NA
Barium	529		423	J		NA		NA		NA
Beryllium	1.0	U	1.1	U		NA		NA		NA
Cadmium	1.0	U	0.50	UJ		NA		NA		NA
Calcium	645000		419000	J		NA		NA		NA
Chromium	1.0	U	0.50	U		NA		NA		NA
Cobalt		R	2.5	UJ		NA		NA		NA
Copper	4.5		7.7	J		NA		NA		NA
Cyanide		NA		NA		NA		NA		NA
Iron	37.5	U	31.5	U		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-110S-05		OU2-MW-110S-07		OU2-DP1-11-2227		OU2-DP1-11-3439		OU2-DP1-11-4550	
Sample Location	MW-110S		MW-110S		DP1-11		DP1-11		DP1-11	
Date Sampled	11/10/1997		1/13/2003		7/29/1997		7/29/1997		7/29/1997	
Interval	0.0-0.0		0.0-0.0		22.0-27.0		34.0-39.0		45.0-50.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	1.0	U	1.5	U		NA		NA		NA
Magnesium	33.2	UJ	509			NA		NA		NA
Manganese	1.0	U	2.0	J		NA		NA		NA
Mercury	0.15	J	0.11	J		NA		NA		NA
Nickel	102	J	74.6	J		NA		NA		NA
Potassium	38800	J	39700	J		NA		NA		NA
Selenium	3.0	U	3.6	UJ		NA		NA		NA
Silver	1.0	U		R		NA		NA		NA
Sodium	211000		205000			NA		NA		NA
Thallium	3.0	UJ	4.0	UJ		NA		NA		NA
Vanadium	18.1	J	12.5	J		NA		NA		NA
Zinc	23.4	UJ	20.0	UJ		NA		NA		NA
Wet Chemistry Analysis										
Alkalinity	1780			NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride	410			NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)	0.10	U		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate	5.1			NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA	6700		4600		5000		4600	
1,1,2,2-Tetrachloroethane		NA	100	U	10	U	10	U	310	U
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA	100	U	16		14		310	U
1,1-Dichloroethane		NA	430		450	J	520		410	
1,1-Dichloroethene		NA	3400		2800		3100		2800	
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA	14	J	11		12		310	U
1,2-Dichloroethene (total)		NA	2300		2200		2400		2400	
1,2-Dichloropropane		NA	100	U	10	U	10	U	310	U
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2-Butanone		NA	100	U	10	U	10	U	310	U
2-Hexanone		NA	100	U	10	U	10	U	310	U
4-Methyl-2-Pentanone		NA	100	U	10	U	10	U	310	U
Acetone		NA	100	U	10	U	10	U	310	UJ
Benzene		NA	100	U	6	J	6	J	310	U
Bromodichloromethane		NA	100	U	10	U	10	U	310	U
Bromoform		NA	100	U	10	U	10	U	310	U
Bromomethane		NA	100	U	10	U	10	U	310	U
Carbon Disulfide		NA	100	U	10	U	10	U	310	U
Carbon Tetrachloride		NA	100	U	10	U	10	U	310	U
Chlorobenzene		NA	73	J	69	J	78		80	J
Chloroethane		NA	22	J	76	J	12		310	U
Chloroform		NA	13	J	10	J	9	J	310	U
Chloromethane		NA	100	UJ	10	UJ	10	U	310	U
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA	100	U	10	U	10	U	310	U
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane		NA	100	U	10	U	10	U	310	U
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA	100	U	10	U	10	U	310	U
Isopropylbenzene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride		NA	100	U	11	U	10	U	310	U
Styrene		NA	100	U	10	U	10	U	310	U
Tetrachloroethene		NA	100	U	6	J	6	J	310	U
Toluene		NA	100	U	10	U	1	J	310	U
Total Xylenes		NA	100	U	5	J	4	J	310	U
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA	100	U	10	U	10	U	310	U
Trichloroethene		NA	1300		1500		1400		1400	
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Chloride		NA	98	J	110		100		310	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane		NA		NA		NA		NA		NA
1,2-Dichloropropane		NA		NA		NA		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
2-Butanone		NA		NA		NA		NA		NA
2-Hexanone		NA		NA		NA		NA		NA
4-Methyl-2-Pentanone		NA		NA		NA		NA		NA
Acetone		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA		NA
Bromochloromethane		NA		NA		NA		NA		NA
Bromodichloromethane		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA		NA		NA
Bromomethane		NA		NA		NA		NA		NA
Carbon Disulfide		NA		NA		NA		NA		NA
Carbon Tetrachloride		NA		NA		NA		NA		NA
Chlorobenzene		NA		NA		NA		NA		NA
Chloroethane		NA		NA		NA		NA		NA
Chloroform		NA		NA		NA		NA		NA
Chloromethane		NA		NA		NA		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene		NA		NA		NA		NA		NA
Dibromochloromethane		NA		NA		NA		NA		NA
Ethylbenzene		NA		NA		NA		NA		NA
Methylene Chloride		NA		NA		NA		NA		NA
Styrene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA		NA
Toluene		NA		NA		NA		NA		NA
Total Xylenes		NA		NA		NA		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA		NA
Vinyl Chloride		NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane	32			NA		NA		NA		NA
1,1-Dichloroethane	10	U		NA		NA		NA		NA
1,1-Dichloroethene	10	U		NA		NA		NA		NA
1,2-Dichloroethane	10	U		NA		NA		NA		NA
Benzene	10	U		NA		NA		NA		NA
Chlorobenzene	10	U		NA		NA		NA		NA
cis-1,2-Dichloroethene	10	U		NA		NA		NA		NA
Ethylbenzene	10	U		NA		NA		NA		NA
m&p-Xylene	11			NA		NA		NA		NA
o-Xylene	10	U		NA		NA		NA		NA
Tetrachloroethene	10	U		NA		NA		NA		NA
Toluene	10	U		NA		NA		NA		NA
trans-1,2-Dichloroethene	10	U		NA		NA		NA		NA
Trichloroethene	10	U		NA		NA		NA		NA
Vinyl Chloride	10	U		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene		NA	10	U	10	U	10	U	10	U
1,2-Dichlorobenzene		NA	10	U	10	U	10	U	10	U
1,3-Dichlorobenzene		NA	10	U	10	U	10	U	10	U
1,4-Dichlorobenzene		NA	10	U	10	U	10	U	10	U
2,2'-oxybis(1-Chloropropane)		NA	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol		NA	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol		NA	10	U	10	U	10	U	10	U
2,4-Dichlorophenol		NA	10	U	10	U	10	U	10	U
2,4-Dimethylphenol		NA	10	U	2	J	10	U	1	J
2,4-Dinitrophenol		NA	25	U	25	U		R	25	UJ
2,4-Dinitrotoluene		NA	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene		NA	10	U	10	U	10	U	10	U
2-Chloronaphthalene		NA	10	U	10	U	10	U	10	U
2-Chlorophenol		NA	10	U	10	U	10	U	10	U
2-Methylnaphthalene		NA	10	U	10	U	10	U	10	U
2-Methylphenol		NA	10	U	10	U	10	U	10	U
2-Nitroaniline		NA	25	U	25	U	25	U	25	U
2-Nitrophenol		NA	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine		NA	10	U	10	U	10	U	10	UJ
3-Nitroaniline		NA	25	U	25	UJ	25	U	25	U
4,6-Dinitro-2-methylphenol		NA	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether		NA	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol		NA	10	U	10	U	10	U	10	U
4-Chloroaniline		NA	10	U	10	U	10	U	10	UJ
4-Chlorophenyl-phenylether		NA	10	U	10	U	10	U	10	U
4-Methylphenol		NA	10	U	10	U	10	U	10	U
4-Nitroaniline		NA	25	U	25	U	25	U	25	U
4-Nitrophenol		NA	31		45		36		25	
Acenaphthene		NA	10	U	10	U	10	U	10	U
Acenaphthylene		NA	10	U	10	U	10	U	10	U
Acetophenone		NA		NA		NA		NA		NA
Anthracene		NA	10	U	10	U	10	U	10	U
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA	10	U	10	U	10	U	10	U
Benzo(a)pyrene		NA	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene		NA	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene		NA	10	U	10	U	10	U	10	U
Benzo(k)fluoranthene		NA	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane		NA	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether		NA	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate		NA	10	U	10	U	10	U	10	U
Butylbenzylphthalate		NA	10	U	10	U	10	U	10	U
Caprolactam		NA		NA		NA		NA		NA
Carbazole		NA	10	U	10	U	10	U	10	U
Chrysene		NA	10	U	10	U	10	U	10	U
Dibenzo(a,h)anthracene		NA	10	U	10	U	10	U	10	U
Dibenzofuran		NA	10	U	10	U	10	U	10	U
Diethylphthalate		NA	10	U	2	J	10	U	10	U
Dimethylphthalate		NA	10	U	10	U	10	U	10	U
Di-n-Butylphthalate		NA	10	U	11	U	1	J	10	U
Di-n-octylphthalate		NA	10	U	10	U	10	U	10	U
Fluoranthene		NA	10	U	10	U	10	U	10	U
Fluorene		NA	10	U	10	U	10	U	10	U
Hexachlorobenzene		NA	10	U	10	U	10	U	10	U
Hexachlorobutadiene		NA	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene		NA	10	U	10	U	10	U	10	U
Hexachloroethane		NA	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene		NA	10	U	10	U	10	U	10	U
Isophorone		NA	10	U	10	U	10	U	10	U
Naphthalene		NA	2	J	2	J	1	J	1	J
Nitrobenzene		NA	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine		NA	10	U	10	U	10	U	10	U
N-Nitroso-diphenylamine		NA	10	U	10	U	10	U	10	UJ
Pentachlorophenol		NA	25	U	25	U	25	U	25	U
Phenanthrene		NA	10	U	10	U	10	U	10	U
Phenol		NA	10	U	10	U	10	U	10	U
Pyrene		NA	10	UJ	10	U	10	U	10	U
Total PAH		NA	2		2		1		1	
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD		NA	0.10	U	0.10	U	0.10	U	0.0030	J
4,4'-DDE		NA	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT		NA	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin		NA	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC		NA	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane		NA	0.050	U	0.050	U	0.0030	J	0.050	U
Aroclor, Total		NA	1.1	U	0.56	U	0.56	U	0.56	U
Aroclor-1016		NA	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1221		NA	2.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1232		NA	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1242		NA	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1248		NA	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1254		NA	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1260		NA	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1262		NA	1.0	U	0.50	U	0.50	U	0.50	U
Aroclor-1268		NA	1.0	U	0.50	U	0.50	U	0.50	U
beta-BHC		NA	0.050	U	0.050	U	0.050	UJ	0.050	U
delta-BHC		NA	0.050	U	0.0040	J	0.014	J	0.050	U
Dieldrin		NA	0.10	U	0.10	U	0.10	U	0.10	U
Endosulfan I		NA	0.050	U	0.050	U	0.050	UJ	0.050	U
Endosulfan II		NA	0.10	U	0.10	U	0.10	UJ	0.10	U
Endosulfan Sulfate		NA	0.10	U	0.10	U	0.0030	J	0.10	U
Endrin		NA	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Aldehyde		NA	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone		NA	0.10	U	0.10	U	0.10	UJ	0.10	U
gamma-BHC		NA	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane		NA	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor		NA	0.050	U	0.050	U	0.050	U	0.050	U
Heptachlor Epoxide		NA	0.050	U	0.050	U	0.050	U	0.050	U
Methoxychlor		NA	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene		NA	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum		NA	48200	J	50500		50300		55900	
Antimony		NA	10.8	UJ	28.5	U	11.2	U	18.8	U
Arsenic		NA	210	J	1.6	J	214		132	
Barium		NA	64.6	J	34.1	J	27.8	J		R
Beryllium		NA	14.3	J	14.4		14.9		17.3	
Cadmium		NA	14.6	J	14.1	J	8.6	U	13.5	
Calcium		NA	313000	J	362000		394000		369000	
Chromium		NA	38.8	J		R	5.5	UJ	21.0	J
Cobalt		NA	2460	J	3100		3090		2830	
Copper		NA	3.1	UJ		R	2.1	UJ	3.9	UJ
Cyanide		NA		NA		NA		NA		NA
Iron		NA	217000	J	261000		288000		257000	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-DP1-11-5358		SP-MW-111D-01		RM-SP-MW-111D-02		RM-SP-MW-111D-03		RM-SP-MW-111D-04	
Sample Location	DP1-11		MW-111D		MW-111D		MW-111D		MW-111D	
Date Sampled	7/30/1997		5/18/1994		8/23/1994		11/30/1994		3/28/1995	
Interval	53.0-58.0		79.3-89.3		79.3-89.3		79.3-89.3		79.3-89.3	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead		NA	1.5	UJ	5.1	J	12.0	UJ	13.6	J
Magnesium		NA	170000	J	200000		210000		214000	
Manganese		NA	127000	J	167000		168000		156000	
Mercury		NA	0.20	UJ	0.20	U	0.20	U	0.20	U
Nickel		NA	1650	J	1890		1930		1800	
Potassium		NA	21600	J	25600		25900		24100	
Selenium		NA	1040	J	10.0	U	12.5	UJ	5.1	J
Silver		NA		R		R	2.4	UJ	1.8	U
Sodium		NA	114000	J	143000		160000		126000	J
Thallium		NA	21.2	J	9.0	U	15.6	J	3.1	U
Vanadium		NA		R	3.5	U		R	2.9	UJ
Zinc		NA	3030	J	3470		3240		3190	
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA		NA		NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA		NA		NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA		NA		NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA		NA		NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane	4600	*	6500	*	1700		1300		1400
1,1,2,2-Tetrachloroethane	10	U	10	U	100	U	10	U	10
1,1,2-Trichloro-1,2,2-trifluoroethane		NA	10	U		NA		NA	
1,1,2-Trichloroethane	16		23		100	U	7	J	6
1,1-Dichloroethane	350	*	350	*	820		620	J	745
1,1-Dichloroethene	3600	*	6200	*	1400		1100		1250
1,2,4-Trichlorobenzene		NA	10	U		NA		NA	
1,2-Dibromo-3-chloropropane		NA	10	U		NA		NA	
1,2-Dibromoethane		NA	10	U		NA		NA	
1,2-Dichlorobenzene		NA	10	U		NA		NA	
1,2-Dichloroethane	14		13		13	J	9	J	10
1,2-Dichloroethene (total)	2000	*		NA	2400		2200		2100
1,2-Dichloropropane	10	U	10	U	100	U	10	U	10
1,3-Dichlorobenzene		NA	10	U		NA		NA	
1,4-Dichlorobenzene		NA	10	U		NA		NA	
1,4-Dioxane		NA	480	J		NA		NA	
2-Butanone	10	U	10	U	100	U	10	U	10
2-Hexanone	10	UJ	10	U	100	U	10	U	10
4-Methyl-2-Pentanone	10	UJ	10	U	100	U	10	U	10
Acetone	10	U	10	UJ	100	U	10	U	10
Benzene	6	J	3	J	30	J	26		23.5
Bromodichloromethane	10	U	10	U	100	U	10	U	10
Bromoform	10	U	10	U	100	U	10	U	10
Bromomethane	10	U	10	U	100	U	10	U	10
Carbon Disulfide	10	U	10	U	100	U	10	U	10
Carbon Tetrachloride	10	U	10	U	100	U	10	U	10
Chlorobenzene	100		36		37	J	35	J	29
Chloroethane	10	J	10	U	59	J	140	J	22
Chloroform	12	U	13		100	U	10	UJ	3
Chloromethane	10	U	10	U	100	UJ	10	UJ	10
cis-1,2-Dichloroethene		NA	1000	*		NA		NA	
cis-1,3-Dichloropropene	10	U	10	U	100	U	10	U	10
Cyclohexane		NA	10	U		NA		NA	
Dibromochloromethane	10	U	10	U	100	U	10	U	10
Dichlorodifluoromethane		NA	10	U		NA		NA	
Ethylbenzene	10	U	10	U	100	U	10	U	10
Isopropylbenzene		NA	10	U		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Methyl Acetate		NA	10	U		NA		NA	
Methyl tert-Butyl Ether		NA	10	U		NA		NA	
Methylcyclohexane		NA	10	U		NA		NA	
Methylene Chloride	11	U	10	U	100	U	10	U	10
Styrene	10	U	10	U	100	U	10	U	10
Tetrachloroethene	7	J	8	J	100	U	10	U	2
Toluene	2	J	10	U	100	U	10	U	10
Total Xylenes	2	J	10	U	100	U	10	UJ	10
trans-1,2-Dichloroethene		NA	10	U		NA		NA	
trans-1,3-Dichloropropene	10	U	10	U	100	U	10	U	10
Trichloroethene	1300	*	1200	*	400		120		195
Trichlorofluoromethane		NA	10	U		NA		NA	
Vinyl Chloride	180		68		110		120		104.5
Dissolved Methane, Ethane, Ethene Analysis (UG/L)									
Ethane		NA	10.0	U		NA		NA	
Ethene		NA	10.0	U		NA		NA	
Methane		NA	250			NA		NA	
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Bromoform		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	
m&p-Xylene		NA		NA		NA		NA	
o-Xylene		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	
Semivolatile Organic Analysis (UG/L)									

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
1,1'-Biphenyl		NA	10	U		NA		NA	
1,2,4-Trichlorobenzene	10	U		NA	10	U	10	U	10
1,2-Dichlorobenzene	10	U		NA	10	U	10	U	10
1,3-Dichlorobenzene	10	U		NA	10	U	10	U	10
1,4-Dichlorobenzene	10	U		NA	10	U	10	U	10
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U	10
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U	25
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U	10
2,4-Dichlorophenol	10	U	10	U	10	U	10	U	10
2,4-Dimethylphenol	10	U	1	J	10	U	10	U	10
2,4-Dinitrophenol	25	U	25	U	25	U	25	U	25
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U	10
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U	10
2-Chloronaphthalene	10	U	10	U	10	U	10	U	10
2-Chlorophenol	10	U	10	U	10	U	10	U	10
2-Methylnaphthalene	10	U	10	U	10	U	10	U	10
2-Methylphenol	10	U	10	U	10	U	10	U	10
2-Nitroaniline	25	UJ	25	U	25	U	25	U	25
2-Nitrophenol	1	J	10	U	10	U	10	U	10
3,3'-Dichlorobenzidine	10	U	10	U	10	U	10	U	10
3-Nitroaniline	25	U	25	U	25	U	25	UJ	25
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U	25
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U	10
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U	10
4-Chloroaniline	10	U	10	UJ	10	U	10	U	10
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U	10
4-Methylphenol	10	U	10	U	10	U	10	U	10
4-Nitroaniline	25	U	25	U	25	U	25	U	25
4-Nitrophenol	25	UJ	41		25	U	25	U	25
Acenaphthene	10	U	10	U	10	U	10	U	10
Acenaphthylene	10	U	10	U	10	U	10	U	10
Acetophenone		NA	10	U		NA		NA	
Anthracene	10	U	10	U	10	U	10	U	10
Atrazine		NA	10	U		NA		NA	
Benzaldehyde		NA	10	UJ		NA		NA	
Benzo(a)anthracene	10	U	10	U	10	U	10	U	10
Benzo(a)pyrene	10	U	10	U	10	U	10	U	10
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Benzo(g,h,i)perylene	10	U	10	UJ	10	U	10	U	10
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U	10
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U	10
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U	10
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U	10
Butylbenzylphthalate	10	UJ	10	U	10	U	10	U	10
Caprolactam		NA	10	U		NA		NA	
Carbazole	10	U	10	U	10	U	10	U	10
Chrysene	10	UJ	10	U	10	U	10	U	10
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U	10
Dibenzofuran	10	U	10	U	10	U	10	U	3
Diethylphthalate	10	U	10	U	10	U	10	U	10
Dimethylphthalate	10	U	10	U	10	U	10	U	10
Di-n-Butylphthalate	10	U	10	U	10	U	10	U	10
Di-n-octylphthalate	10	U	10	UJ	10	U	10	U	10
Fluoranthene	10	U	10	U	10	U	10	U	10
Fluorene	10	U	10	U	10	U	10	U	10
Hexachlorobenzene	10	U	10	U	10	U	10	U	10
Hexachlorobutadiene	10	U	10	U	10	U	10	U	10
Hexachlorocyclopentadiene		R	10	U	10	U	10	U	10
Hexachloroethane	10	U	10	U	10	U	10	U	10
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U	10
Isophorone	10	U	10	U	10	U	10	U	10
Naphthalene	1	J	10	U	10	U	1	J	1
Nitrobenzene	10	U	10	U	10	U	10	U	10
N-Nitroso-di-n-propylamine	10	UJ	10	U	10	U	10	U	10
N-Nitroso-diphenylamine	10	U	10	U	10	U	10	U	10
Pentachlorophenol	25	U	25	U	25	U	25	U	25
Phenanthrene	10	U	10	U	10	U	10	U	1
Phenol	10	U	10	U	10	U	10	U	10
Pyrene	10	U	10	U	10	UJ	10	U	10
Total PAH	1			NA	10	U	1		2
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene		NA	0.20	U		NA		NA	
Benzo(a)anthracene		NA	0.20	U		NA		NA	
Benzo(a)pyrene		NA	0.20	U		NA		NA	
Benzo(b)fluoranthene		NA	0.20	U		NA		NA	
Benzo(k)fluoranthene		NA	0.20	U		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Chrysene		NA	0.20	U		NA		NA	
Dibenzo(a,h)anthracene		NA	0.20	U		NA		NA	
Indeno(1,2,3-cd)pyrene		NA	0.20	U		NA		NA	
Phenanthrene		NA	0.20	U		NA		NA	
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U	0.10
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U	0.10
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U	0.10
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U	0.050
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.050
Aroclor, Total	1.1	U		NA	1.1	U	0.56	U	0.56
Aroclor-1016	1.0	U	1.0	U	1.0	U	0.50	U	0.50
Aroclor-1221	2.0	U	0.25	U	2.0	U	1.0	U	1.0
Aroclor-1232	1.0	U	1.0	U	1.0	U	0.50	U	0.50
Aroclor-1242	1.0	U	1.0	U	1.0	U	0.50	U	0.50
Aroclor-1248	1.0	U	1.0	U	1.0	U	0.50	U	0.50
Aroclor-1254	1.0	U	0.25	U	1.0	U	0.50	U	0.50
Aroclor-1260	1.0	U	0.25	U	1.0	U	0.50	U	0.50
Aroclor-1262	1.0	U	0.28	U	1.0	U	0.50	U	0.50
Aroclor-1268	1.0	U	1.0	U	1.0	U	0.50	U	0.50
beta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050
Dieldrin	0.10	U	0.050	U	0.10	U	0.10	U	0.0030
Endosulfan I	0.050	U	0.050	U	0.050	U	0.050	U	0.050
Endosulfan II		R	0.10	U	0.10	U	0.10	U	0.10
Endosulfan Sulfate	0.10	U	0.10	U	0.10	U	0.10	U	0.0025
Endrin	0.10	U	0.050	U	0.10	U	0.10	U	0.10
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U	0.10
Endrin Ketone	0.10	U	0.10	U	0.10	U	0.10	U	0.10
gamma-BHC	0.050	U	0.050	U	0.050	U	0.050	U	0.050
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U	0.0040
Heptachlor	0.050	U	0.020	U	0.050	U	0.050	U	0.050
Heptachlor Epoxide	0.050	U	0.020	U	0.050	U	0.050	U	0.050
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U	0.50
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U	5.0
Dioxin Analysis (PG/L)									
1,2,3,4,6,7,8-HpCDD		NA	1.5	UJ		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
1,2,3,4,6,7,8-HpCDF		NA	0.80	UJ		NA		NA	
1,2,3,4,7,8,9-HpCDF		NA	1.1	UJ		NA		NA	
1,2,3,4,7,8-HxCDD		NA	0.90	UJ		NA		NA	
1,2,3,4,7,8-HxCDF		NA	0.82	UEMPC		NA		NA	
1,2,3,6,7,8-HxCDD		NA	0.90	UJ		NA		NA	
1,2,3,6,7,8-HxCDF		NA	0.60	UJ		NA		NA	
1,2,3,7,8,9-HxCDD		NA	0.90	UJ		NA		NA	
1,2,3,7,8,9-HxCDF		NA	0.90	UJ		NA		NA	
1,2,3,7,8-PeCDD		NA	1.3	UJ		NA		NA	
1,2,3,7,8-PeCDF		NA	0.70	UJ		NA		NA	
2,3,4,6,7,8-HxCDF		NA	0.70	UJ		NA		NA	
2,3,4,7,8-PeCDF		NA	0.70	UJ		NA		NA	
2,3,7,8-TCDD		NA	0.90	UJ		NA		NA	
2,3,7,8-TCDF		NA	0.60	UJ		NA		NA	
OCDD		NA	8.4	UJ		NA		NA	
OCDF		NA	1.6	UJ		NA		NA	
Total HpCDD		NA	1.5	UJ		NA		NA	
Total HpCDF		NA	1.0	UJ		NA		NA	
Total HxCDD		NA	6.8	UEMPC		NA		NA	
Total HxCDF		NA	1.6	UEMPC		NA		NA	
Total PeCDD		NA	5.6	UEMPC		NA		NA	
Total PeCDF		NA	0.70	UJ		NA		NA	
Total TCDD		NA	1.7	UEMPC		NA		NA	
Total TCDF		NA	0.60	UJ		NA		NA	
Toxicity Equivalency		NA	0.00	UJ		NA		NA	
TAL Metal Analysis (UG/L)									
Aluminum	75200		28100	J	49.1	UJ	60.0	UJ	88.8
Antimony	3.0	U	2.3	UJ	11.4	UJ	28.5	U	11.2
Arsenic	153		31.7	J	7.5	J	5.7		7.25
Barium	8.9		3.9	UJ	31.8	J	27.2		27.7
Beryllium	26.0		9.4	J	0.80	UJ	0.34	U	0.31
Cadmium	35.2	J	12.4	J	1.0	UJ	3.9	UJ	1.4
Calcium	361000		152000	J	96700	J	109000		102500
Chromium	30.0	J	4.6	J	4.4	UJ	2.8	UJ	4.6
Cobalt	2450		990	J	2.3	UJ	4.1	U	2.75
Copper	2.0	U	0.60	U	3.1	UJ	3.0	U	3.4
Cyanide		NA		NA		NA		NA	
Iron	213000		103000	J	12800	J	9770		9280

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111D-05		OU2-MW-111D-07		SP-MW-111M-01		RM-SP-MW-111M-02		RM-SP-MW-111M-03-AVG
Sample Location	MW-111D		MW-111D		MW-111M		MW-111M		MW-111M
Date Sampled	11/11/1997		1/8/2003		5/18/1994		8/23/1994		11/30/1994
Interval	0.0-0.0		0.0-0.0		24.0-34.0		24.0-34.0		24.0-34.0
QC Identifier	None		None		None		None		Field Duplicate 1011
Zone	Overburden		Overburden		Overburden		Overburden		Overburden
Lead	7.6	U	2.8	J	1.5	UJ	1.8	J	1.05
Magnesium	193000		95500	J	91700	J	98100		96650
Manganese	125000		138000		11000	J	12200		11000
Mercury	0.16	J	0.10	U	0.20	UJ	0.20	U	0.195
Nickel	1770		669	J	4.5	UJ	13.3	U	7.85
Potassium	21600	J	7660	J	14100	J	14500		15850
Selenium	61.1		4.8	U	2.1	UJ	1.0	UJ	2.5
Silver	1.0	U	0.60	UJ		R	5.5	J	2.4
Sodium	111000		48800	J	145000	J	147000		145500
Thallium	3.0	UJ	4.7	U	2.2	UJ	0.90	U	1.7
Vanadium	1.0	UJ	0.50	U	3.5	J	3.5	U	2.3
Zinc	3210	J	1260	J	63.8	J	11.4	U	380
Wet Chemistry Analysis									
Alkalinity	2.0	U	2.0	UJ		NA		NA	
Carbon Dioxide		NA	2.0	UJ		NA		NA	
Chloride	194		210			NA		NA	
Ferrous Iron		NA	235.2			NA		NA	
Nitrate		NA	0.050	U		NA		NA	
Nitrate-Nitrite (as N)	0.10	U		NA		NA		NA	
Nitrite-N		NA	0.050	UJ		NA		NA	
Sulfate	3020		3280			NA		NA	
Sulfide		NA	1.4	J		NA		NA	
Total Organic Carbon		NA	20.98			NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane		2000		1100	*	1300	*J	10	U
1,1,2,2-Tetrachloroethane	U	155	U	10	U	10	UJ	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA	10	UJ		NA
1,1,2-Trichloroethane		155	U	7	J	5	J	10	U
1,1-Dichloroethane		785		550	*	370	J	10	U
1,1-Dichloroethene		2200		1400	*	1500	*J	10	U
1,2,4-Trichlorobenzene	NA		NA		NA	10	UJ		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA	10	UJ		NA
1,2-Dibromoethane	NA		NA		NA	10	UJ		NA
1,2-Dichlorobenzene	NA		NA		NA	10	UJ		NA
1,2-Dichloroethane		155	U	8	J	5	J	10	U
1,2-Dichloroethene (total)		2050		1800	*		NA	10	U
1,2-Dichloropropane	U	155	U	10	U	10	UJ	10	U
1,3-Dichlorobenzene	NA		NA		NA	10	UJ		NA
1,4-Dichlorobenzene	NA		NA		NA	10	UJ		NA
1,4-Dioxane	NA		NA		NA	670	J		NA
2-Butanone	U	155	U	10	U	10	UJ	8	J
2-Hexanone	U	155	U	10	UJ	10	UJ	10	U
4-Methyl-2-Pentanone	U	155	U	10	UJ	10	UJ	10	U
Acetone	U	155	U	10	U	10	UJ	10	U
Benzene		20		18		9	J	10	U
Bromodichloromethane	U	155	U	10	U	10	UJ	10	U
Bromoform	U	155	U	10	U	10	UJ	10	U
Bromomethane	U	155	U	10	U	10	UJ	10	U
Carbon Disulfide	U	155	U	10	U	10	UJ	10	U
Carbon Tetrachloride	U	155	U	10	U	10	UJ	10	U
Chlorobenzene		24		28		19	J	10	U
Chloroethane		155	U	15	J	10	UJ	10	U
Chloroform		155	U	10	U	3	J	13	
Chloromethane	U	155	U	10	U	10	UJ	10	UJ
cis-1,2-Dichloroethene	NA		NA		NA	1000	*J		NA
cis-1,3-Dichloropropene	U	155	U	10	U	10	UJ	10	U
Cyclohexane	NA		NA		NA	10	UJ		NA
Dibromochloromethane	U	155	U	10	U	10	UJ	10	U
Dichlorodifluoromethane	NA		NA		NA	10	UJ		NA
Ethylbenzene	U	155	U	10	U	10	UJ	10	U
Isopropylbenzene	NA		NA		NA	10	UJ		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate	NA		NA		NA	10	UJ		NA
Methyl tert-Butyl Ether	NA		NA		NA	25	J		NA
Methylcyclohexane	NA		NA		NA	10	UJ		NA
Methylene Chloride	U	155	U	10	U	10	UJ	10	U
Styrene	U	155	U	10	U	10	UJ	10	U
Tetrachloroethene		155	U	2	J	4	J	10	U
Toluene	U	155	U	10	U	10	UJ	10	U
Total Xylenes	U	155	U	10	U	10	UJ	10	U
trans-1,2-Dichloroethene	NA		NA		NA	10	UJ		NA
trans-1,3-Dichloropropene	U	155	U	10	U	10	UJ	10	U
Trichloroethene		435		150		540	*J	1	J
Trichlorofluoromethane	NA		NA		NA	10	UJ		NA
Vinyl Chloride		79.5		79		68	J	10	U
Dissolved Methane, Ethane, Ethene Analysis (UG/L)									
Ethane	NA		NA		NA	10.0	U		NA
Ethene	NA		NA		NA	10.0	U		NA
Methane	NA		NA		NA	140			NA
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane	NA		NA		NA		NA		NA
1,1,2,2-Tetrachloroethane	NA		NA		NA		NA		NA
1,1,2-Trichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA
1,2-Dibromoethane	NA		NA		NA		NA		NA
1,2-Dichlorobenzene	NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA
1,2-Dichloropropane	NA		NA		NA		NA		NA
1,3-Dichlorobenzene	NA		NA		NA		NA		NA
1,4-Dichlorobenzene	NA		NA		NA		NA		NA
2-Butanone	NA		NA		NA		NA		NA
2-Hexanone	NA		NA		NA		NA		NA
4-Methyl-2-Pentanone	NA		NA		NA		NA		NA
Acetone	NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA
Bromochloromethane	NA		NA		NA		NA		NA
Bromodichloromethane	NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Bromoform	NA		NA		NA		NA		NA
Bromomethane	NA		NA		NA		NA		NA
Carbon Disulfide	NA		NA		NA		NA		NA
Carbon Tetrachloride	NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA
Chloroethane	NA		NA		NA		NA		NA
Chloroform	NA		NA		NA		NA		NA
Chloromethane	NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	NA		NA		NA		NA		NA
Dibromochloromethane	NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA
Methylene Chloride	NA		NA		NA		NA		NA
Styrene	NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA
Total Xylenes	NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethane	NA		NA		NA		NA		NA
1,1-Dichloroethene	NA		NA		NA		NA		NA
1,2-Dichloroethane	NA		NA		NA		NA		NA
Benzene	NA		NA		NA		NA		NA
Chlorobenzene	NA		NA		NA		NA		NA
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA
Ethylbenzene	NA		NA		NA		NA		NA
m&p-Xylene	NA		NA		NA		NA		NA
o-Xylene	NA		NA		NA		NA		NA
Tetrachloroethene	NA		NA		NA		NA		NA
Toluene	NA		NA		NA		NA		NA
trans-1,2-Dichloroethene	NA		NA		NA		NA		NA
Trichloroethene	NA		NA		NA		NA		NA
Vinyl Chloride	NA		NA		NA		NA		NA
Semivolatile Organic Analysis (UG/L)									

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl	NA		NA		NA	10	U		NA
1,2,4-Trichlorobenzene	U	10	U	10	U		NA	10	U
1,2-Dichlorobenzene	U	10	U	10	U		NA	10	U
1,3-Dichlorobenzene	U	10	U	10	U		NA	10	U
1,4-Dichlorobenzene	U	10	U	10	U		NA	10	U
2,2'-oxybis(1-Chloropropane)	U	10	U	10	U	10	U	10	U
2,4,5-Trichlorophenol	U	25	U	25	U	25	U	25	U
2,4,6-Trichlorophenol	U	10	U	10	U	10	U	10	U
2,4-Dichlorophenol	U	10	U	10	U	10	U	10	U
2,4-Dimethylphenol	U	10	U	10	U	10	U	10	U
2,4-Dinitrophenol	U	25	U	25	U	25	U	25	U
2,4-Dinitrotoluene	U	10	U	10	U	10	U	10	U
2,6-Dinitrotoluene	U	10	U	10	U	10	U	10	U
2-Chloronaphthalene	U	10	U	10	U	10	U	10	U
2-Chlorophenol	U	10	U	10	U	10	U	10	U
2-Methylnaphthalene	U	10	U	10	U	10	U	10	U
2-Methylphenol	U	10	U	10	U	10	U	10	U
2-Nitroaniline	U	25	U	25	UJ	25	U	25	U
2-Nitrophenol	U	10	U	10	U	10	U	10	U
3,3'-Dichlorobenzidine	U	10	U	10	U	10	U	10	U
3-Nitroaniline	U	25	U	25	U	25	U	25	U
4,6-Dinitro-2-methylphenol	U	25	U	25	U	25	U	25	U
4-Bromophenyl-phenylether	U	10	U	10	U	10	U	10	U
4-Chloro-3-methylphenol	U	10	U	10	U	10	U	10	U
4-Chloroaniline	U	10	U	10	U	10	UJ	10	U
4-Chlorophenyl-phenylether	U	10	U	10	U	10	U	10	U
4-Methylphenol	U	10	U	10	U	10	U	10	U
4-Nitroaniline	U	25	U	25	U	25	U	25	U
4-Nitrophenol	U	25	U	25	UJ	25	U	25	U
Acenaphthene	U	10	U	10	U	10	U	2	J
Acenaphthylene	U	10	U	10	U	10	U	1	J
Acetophenone	NA		NA		NA	10	U		NA
Anthracene	U	10	U	10	U	10	U	10	U
Atrazine	NA		NA		NA	10	U		NA
Benzaldehyde	NA		NA		NA	10	UJ		NA
Benzo(a)anthracene	U	10	U	10	U	10	U	10	U
Benzo(a)pyrene	U	10	U	10	U	10	U	10	U
Benzo(b)fluoranthene	U	10	U	10	U	10	U	10	U

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	U	10	U	10	U	10	UJ	10	U
Benzo(k)fluoranthene	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethoxy)methane	U	10	U	10	U	10	U	10	U
Bis(2-Chloroethyl)ether	U	10	U	10	U	10	U	10	U
bis(2-Ethylhexyl)phthalate	U	10	U	10	U	10	U	10	U
Butylbenzylphthalate	U	10	U	10	UJ	10	U	10	U
Caprolactam	NA		NA		NA	10	U		NA
Carbazole	U	10	U	10	U	10	U	4	J
Chrysene	U	10	U	10	UJ	10	U	10	U
Dibenzo(a,h)anthracene	U	10	U	10	U	10	U	10	U
Dibenzofuran		10	U	10	U	10	U	2	J
Diethylphthalate	U	10	U	10	U	10	U	10	U
Dimethylphthalate	U	10	U	10	U	10	U	10	U
Di-n-Butylphthalate	U	10	U	10	U	10	U	10	U
Di-n-octylphthalate	U	10	U	10	U	10	UJ	10	U
Fluoranthene	U	10	U	10	U	10	U	10	U
Fluorene	U	10	U	10	U	10	U	2	J
Hexachlorobenzene	U	10	U	10	U	10	U	10	U
Hexachlorobutadiene	U	10	U	10	U	10	U	10	U
Hexachlorocyclopentadiene	U	10	U		R	10	U	10	U
Hexachloroethane	U	10	U	10	U	10	U	10	U
Indeno(1,2,3-cd)pyrene	U	10	U	10	U	10	U	10	U
Isophorone	U	10	U	10	U	10	U	10	U
Naphthalene		10	U	10	U	10	U	10	U
Nitrobenzene	U	10	U	10	U	10	U	10	U
N-Nitroso-di-n-propylamine	U	10	U	10	UJ	10	U	10	U
N-Nitroso-diphenylamine	U	10	U	10	U	10	U	10	U
Pentachlorophenol	U	25	U	25	U	25	U	25	U
Phenanthrene		10	U	10	U	10	U	10	U
Phenol	U	10	U	10	U	10	U	10	U
Pyrene	U	10	U	10	U	10	U	10	UJ
Total PAH		10	U	10	U		NA	5	
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene	NA		NA		NA	0.20	U		NA
Benzo(a)anthracene	NA		NA		NA	0.20	U		NA
Benzo(a)pyrene	NA		NA		NA	0.20	U		NA
Benzo(b)fluoranthene	NA		NA		NA	0.20	U		NA
Benzo(k)fluoranthene	NA		NA		NA	0.20	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Chrysene	NA		NA		NA	0.20	U		NA
Dibenzo(a,h)anthracene	NA		NA		NA	0.20	U		NA
Indeno(1,2,3-cd)pyrene	NA		NA		NA	0.20	U		NA
Phenanthrene	NA		NA		NA	0.41			NA
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDE	U	0.10	U	0.10	U	0.10	U	0.10	U
4,4'-DDT	U	0.10	U	0.10	U	0.10	U	0.10	U
Aldrin	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U
alpha-Chlordane	U	0.050	U	0.050	U	0.050	U	0.050	U
Aroclor, Total	U	0.56	U	1.1	U		NA	1.1	U
Aroclor-1016	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1221	U	1.0	U	2.0	U	0.25	U	2.0	U
Aroclor-1232	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1242	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1248	U	0.50	U	1.0	U	1.0	U	1.0	U
Aroclor-1254	U	0.50	U	1.0	U	0.25	U	1.0	U
Aroclor-1260	U	0.50	U	1.0	U	0.25	U	1.0	U
Aroclor-1262	U	0.50	U	1.0	U	0.28	U	1.0	U
Aroclor-1268	U	0.50	U	1.0	U	1.0	U	1.0	U
beta-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U
delta-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U
Dieldrin		0.10	U	0.10	U	0.050	U	0.10	U
Endosulfan I	U	0.050	U	0.050	U	0.050	U	0.050	U
Endosulfan II	U	0.10	U		R	0.10	U	0.10	U
Endosulfan Sulfate		0.10	U	0.10	U	0.10	U	0.10	U
Endrin	U	0.10	U	0.10	U	0.050	U	0.10	U
Endrin Aldehyde	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin Ketone	U	0.10	U	0.10	U	0.10	U	0.10	U
gamma-BHC	U	0.050	U	0.050	U	0.050	U	0.050	U
gamma-Chlordane		0.01305		0.050	U	0.050	U	0.050	U
Heptachlor	U	0.050	U	0.050	U	0.020	U	0.050	U
Heptachlor Epoxide	U	0.01275		0.050	U	0.020	U	0.050	U
Methoxychlor	U	0.50	U	0.50	U	0.50	U	0.50	U
Toxaphene	U	5.0	U	5.0	U	5.0	U	5.0	U
Dioxin Analysis (PG/L)									
1,2,3,4,6,7,8-HpCDD	NA		NA		NA	1.6	J		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF	NA		NA		NA	1.5	UJ		NA
1,2,3,4,7,8,9-HpCDF	NA		NA		NA	1.7	UJ		NA
1,2,3,4,7,8-HxCDD	NA		NA		NA	1.4	J		NA
1,2,3,4,7,8-HxCDF	NA		NA		NA	2.3	UJ		NA
1,2,3,6,7,8-HxCDD	NA		NA		NA	1.4	UJ		NA
1,2,3,6,7,8-HxCDF	NA		NA		NA	1.5	UJ		NA
1,2,3,7,8,9-HxCDD	NA		NA		NA	2.5	J		NA
1,2,3,7,8,9-HxCDF	NA		NA		NA	1.7	UJ		NA
1,2,3,7,8-PeCDD	NA		NA		NA	1.3	UJ		NA
1,2,3,7,8-PeCDF	NA		NA		NA	2.5	UJ		NA
2,3,4,6,7,8-HxCDF	NA		NA		NA	1.5	UJ		NA
2,3,4,7,8-PeCDF	NA		NA		NA	2.0	UEMPC		NA
2,3,7,8-TCDD	NA		NA		NA	1.0	UJ		NA
2,3,7,8-TCDF	NA		NA		NA	0.60	UJ		NA
OCDD	NA		NA		NA	9.0	UJ		NA
OCDF	NA		NA		NA	4.1	UJ		NA
Total HpCDD	NA		NA		NA	1.6	J		NA
Total HpCDF	NA		NA		NA	3.2	UJ		NA
Total HxCDD	NA		NA		NA	11.1	UEMPC		NA
Total HxCDF	NA		NA		NA	7.0	UJ		NA
Total PeCDD	NA		NA		NA	6.0	UEMPC		NA
Total PeCDF	NA		NA		NA	4.4	UEMPC		NA
Total TCDD	NA		NA		NA	2.7	UEMPC		NA
Total TCDF	NA		NA		NA	0.60	UJ		NA
Toxicity Equivalency	NA		NA		NA	0.41	J		NA
TAL Metal Analysis (UG/L)									
Aluminum	U	80.55	U	17.0	U	67.6	U	247	J
Antimony	U	18.8	U	3.0	U	2.3	U	10.8	UJ
Arsenic	U	6.25		8.6		5.0	J	7.9	J
Barium		19.15		22.3		28.8		61.5	J
Beryllium	U	0.20	U	1.0	U	0.10	U	0.80	UJ
Cadmium	U	1.1	U	1.0	U	0.30	U	1.0	UJ
Calcium		81850		88500		100000		38800	J
Chromium	U	5.7	U	5.3		1.8		4.4	UJ
Cobalt	U	2.4	U	1.3	UJ	1.0	U	2.3	UJ
Copper	U	3.9	U	2.0	U	0.60	U	4.4	UJ
Cyanide	NA		NA		NA		NA		NA
Iron		6735		7680		7610		8750	J

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-111M-04-AVG		OU2-MW-111M-05		OU2-MW-111M-07		SP-MW-111S-01	
Sample Location		MW-111M		MW-111M		MW-111M		MW-111S	
Date Sampled		3/28/1995		11/11/1997		1/8/2003		5/18/1994	
Interval		24.0-34.0		0.0-0.0		0.0-0.0		6.0-10.0	
QC Identifier		Field Duplicate 1012		None		None		None	
Zone		Overburden		Overburden		Overburden		Overburden	
Lead	U	0.695	U	1.0	U	2.2	UJ	3.7	UJ
Magnesium		73350		75300		82400		5410	J
Manganese		11800		14100		20600		1000	J
Mercury		0.20	U	0.10	U	0.10	U	0.20	UJ
Nickel	U	3.9		6.4		5.1		4.5	UJ
Potassium		12250		14200		16300		5180	J
Selenium	U	2.8	U	5.2	J	4.8	U	2.1	UJ
Silver	U	2.05		1.0	U	2.1			R
Sodium		130500		136000		219000		21400	J
Thallium	U	4.65		3.0	U	4.7	U	2.2	UJ
Vanadium	U	2.9	U	1.5	J	0.50	U	2.6	UJ
Zinc		78.525		63.7	J	1.7	J	10.5	UJ
Wet Chemistry Analysis									
Alkalinity	NA		NA	166		174	J		NA
Carbon Dioxide	NA		NA		NA	240	J		NA
Chloride	NA		NA	256		332			NA
Ferrous Iron	NA		NA		NA	4.4			NA
Nitrate	NA		NA		NA	0.050	U		NA
Nitrate-Nitrite (as N)	NA		NA	0.10	U		NA		NA
Nitrite-N	NA		NA		NA	0.050	UJ		NA
Sulfate	NA		NA	377		380			NA
Sulfide	NA		NA		NA	0.50	UJ		NA
Total Organic Carbon	NA		NA		NA	8.5			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane	10	U	10	U	10	U		NA		NA
1,1,2,2-Tetrachloroethane	10	U	10	U	10	U		NA		NA
1,1,2-Trichloro-1,2,2-trifluoroethane		NA		NA		NA		NA		NA
1,1,2-Trichloroethane	10	U	10	U	10	U		NA		NA
1,1-Dichloroethane	10	UJ	10	U	10	U		NA		NA
1,1-Dichloroethene	10	U	10	U	10	U		NA		NA
1,2,4-Trichlorobenzene		NA		NA		NA		NA		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA		NA
1,2-Dibromoethane		NA		NA		NA		NA		NA
1,2-Dichlorobenzene		NA		NA		NA		NA		NA
1,2-Dichloroethane	10	U	10	U	10	U		NA		NA
1,2-Dichloroethene (total)	10	U	10	U	10	U		NA		NA
1,2-Dichloropropane	10	U	10	U	10	U		NA		NA
1,3-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dichlorobenzene		NA		NA		NA		NA		NA
1,4-Dioxane		NA		NA		NA		NA		NA
2-Butanone	10	U	10	U	10	U		NA		NA
2-Hexanone	10	U	10	U	10	U		NA		NA
4-Methyl-2-Pentanone	10	U	10	U	10	U		NA		NA
Acetone	10	U	10	U	10	U		NA		NA
Benzene	10	U	10	U	10	U		NA		NA
Bromodichloromethane	10	U	10	U	10	U		NA		NA
Bromoform	10	U	10	U	10	U		NA		NA
Bromomethane	10	U	10	U	10	U		NA		NA
Carbon Disulfide	10	U	10	U	10	U		NA		NA
Carbon Tetrachloride	10	U	10	U	10	U		NA		NA
Chlorobenzene	10	UJ	10	U	10	U		NA		NA
Chloroethane	10	UJ	10	U	10	U		NA		NA
Chloroform	10	UJ	10	U	10	U		NA		NA
Chloromethane	10	UJ	10	U	10	U		NA		NA
cis-1,2-Dichloroethene		NA		NA		NA		NA		NA
cis-1,3-Dichloropropene	10	U	10	U	10	U		NA		NA
Cyclohexane		NA		NA		NA		NA		NA
Dibromochloromethane	10	U	10	U	10	U		NA		NA
Dichlorodifluoromethane		NA		NA		NA		NA		NA
Ethylbenzene	10	U	10	U	10	U		NA		NA
Isopropylbenzene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Methyl Acetate		NA		NA		NA		NA		NA
Methyl tert-Butyl Ether		NA		NA		NA		NA		NA
Methylcyclohexane		NA		NA		NA		NA		NA
Methylene Chloride	10	U	10	U	10	U		NA		NA
Styrene	10	U	10	U	10	U		NA		NA
Tetrachloroethene	10	U	10	U	10	U		NA		NA
Toluene	10	U	10	U	10	U		NA		NA
Total Xylenes	10	UJ	10	U	10	U		NA		NA
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
trans-1,3-Dichloropropene	10	U	10	U	10	U		NA		NA
Trichloroethene	10	U	10	U	10	U		NA		NA
Trichlorofluoromethane		NA		NA		NA		NA		NA
Vinyl Chloride	10	U	10	U	10	U		NA		NA
Dissolved Methane, Ethane, Ethene Analysis (UG/L)										
Ethane		NA		NA		NA		NA		NA
Ethene		NA		NA		NA		NA		NA
Methane		NA		NA		NA		NA		NA
Low Concentration Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA	1	U		NA
1,1,2,2-Tetrachloroethane		NA		NA		NA	1	U		NA
1,1,2-Trichloroethane		NA		NA		NA	1	U		NA
1,1-Dichloroethane		NA		NA		NA	1	U		NA
1,1-Dichloroethene		NA		NA		NA	1	U		NA
1,2,4-Trichlorobenzene		NA		NA		NA	1	UJ		NA
1,2-Dibromo-3-chloropropane		NA		NA		NA		R		NA
1,2-Dibromoethane		NA		NA		NA	1	U		NA
1,2-Dichlorobenzene		NA		NA		NA	1	U		NA
1,2-Dichloroethane		NA		NA		NA	1	U		NA
1,2-Dichloropropane		NA		NA		NA	1	U		NA
1,3-Dichlorobenzene		NA		NA		NA	1	U		NA
1,4-Dichlorobenzene		NA		NA		NA	1	U		NA
2-Butanone		NA		NA		NA	5	U		NA
2-Hexanone		NA		NA		NA	5	U		NA
4-Methyl-2-Pentanone		NA		NA		NA	5	U		NA
Acetone		NA		NA		NA	5	UJ		NA
Benzene		NA		NA		NA	1	U		NA
Bromochloromethane		NA		NA		NA	1	U		NA
Bromodichloromethane		NA		NA		NA	1	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Bromoform		NA		NA		NA	1	U		NA
Bromomethane		NA		NA		NA	1	U		NA
Carbon Disulfide		NA		NA		NA	1	U		NA
Carbon Tetrachloride		NA		NA		NA	1	UJ		NA
Chlorobenzene		NA		NA		NA	1	U		NA
Chloroethane		NA		NA		NA	1	U		NA
Chloroform		NA		NA		NA	1	U		NA
Chloromethane		NA		NA		NA	1	U		NA
cis-1,2-Dichloroethene		NA		NA		NA	1	U		NA
cis-1,3-Dichloropropene		NA		NA		NA	1	U		NA
Dibromochloromethane		NA		NA		NA	1	U		NA
Ethylbenzene		NA		NA		NA	1	U		NA
Methylene Chloride		NA		NA		NA	2	U		NA
Styrene		NA		NA		NA	1	U		NA
Tetrachloroethene		NA		NA		NA	1	U		NA
Toluene		NA		NA		NA	1	U		NA
Total Xylenes		NA		NA		NA	1	U		NA
trans-1,2-Dichloroethene		NA		NA		NA	1	U		NA
trans-1,3-Dichloropropene		NA		NA		NA	1	U		NA
Trichloroethene		NA		NA		NA	1	U		NA
Vinyl Chloride		NA		NA		NA	1	U		NA
Volatile Organic Screening Analysis (UG/L)										
1,1,1-Trichloroethane		NA		NA		NA		NA	0.5	U
1,1-Dichloroethane		NA		NA		NA		NA		NA
1,1-Dichloroethene		NA		NA		NA		NA	0.5	U
1,2-Dichloroethane		NA		NA		NA		NA		NA
Benzene		NA		NA		NA		NA	0.5	U
Chlorobenzene		NA		NA		NA		NA	5	U
cis-1,2-Dichloroethene		NA		NA		NA		NA	1	U
Ethylbenzene		NA		NA		NA		NA		NA
m&p-Xylene		NA		NA		NA		NA		NA
o-Xylene		NA		NA		NA		NA		NA
Tetrachloroethene		NA		NA		NA		NA	0.5	U
Toluene		NA		NA		NA		NA	1	U
trans-1,2-Dichloroethene		NA		NA		NA		NA		NA
Trichloroethene		NA		NA		NA		NA	0.5	U
Vinyl Chloride		NA		NA		NA		NA	0.1	U
Semivolatile Organic Analysis (UG/L)										

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,1'-Biphenyl		NA		NA		NA		NA		NA
1,2,4-Trichlorobenzene	10	U	10	U	10	U	10	U		NA
1,2-Dichlorobenzene	10	U	10	U	10	U	10	U		NA
1,3-Dichlorobenzene	10	U	10	U	10	U	10	U		NA
1,4-Dichlorobenzene	10	U	10	U	10	U	10	U		NA
2,2'-oxybis(1-Chloropropane)	10	U	10	U	10	U	10	U		NA
2,4,5-Trichlorophenol	25	U	25	U	25	U	25	U		NA
2,4,6-Trichlorophenol	10	U	10	U	10	U	10	U		NA
2,4-Dichlorophenol	10	U	10	U	10	U	10	U		NA
2,4-Dimethylphenol	10	U	10	U	10	U	10	U		NA
2,4-Dinitrophenol	25	U		R	25	UJ	25	U		NA
2,4-Dinitrotoluene	10	U	10	U	10	U	10	U		NA
2,6-Dinitrotoluene	10	U	10	U	10	U	10	U		NA
2-Chloronaphthalene	10	U	10	U	10	U	10	U		NA
2-Chlorophenol	10	U	10	U	10	U	10	U		NA
2-Methylnaphthalene	10	U	10	U	10	U	10	U		NA
2-Methylphenol	10	U	10	U	10	U	10	U		NA
2-Nitroaniline	25	U	25	U	25	U	25	U		NA
2-Nitrophenol	10	U	10	U	10	U	10	U		NA
3,3'-Dichlorobenzidine	10	U	10	U	10	UJ	10	U		NA
3-Nitroaniline	25	UJ	25	U	25	U	25	U		NA
4,6-Dinitro-2-methylphenol	25	U	25	U	25	U	25	U		NA
4-Bromophenyl-phenylether	10	U	10	U	10	U	10	U		NA
4-Chloro-3-methylphenol	10	U	10	U	10	U	10	U		NA
4-Chloroaniline	10	U	10	U	10	UJ	10	U		NA
4-Chlorophenyl-phenylether	10	U	10	U	10	U	10	U		NA
4-Methylphenol	10	U	10	U	10	U	10	U		NA
4-Nitroaniline	25	U	25	U	25	U	25	U		NA
4-Nitrophenol	25	U	25	U	25	U	25	U		NA
Acenaphthene	10	U	10	U	10	U	10	U		NA
Acenaphthylene	10	U	10	U	10	U	10	U		NA
Acetophenone		NA		NA		NA		NA		NA
Anthracene	10	U	10	U	10	U	10	U		NA
Atrazine		NA		NA		NA		NA		NA
Benzaldehyde		NA		NA		NA		NA		NA
Benzo(a)anthracene	10	U	10	U	10	U	10	U		NA
Benzo(a)pyrene	10	U	10	U	10	U	10	U		NA
Benzo(b)fluoranthene	10	U	10	U	10	U	10	U		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Benzo(g,h,i)perylene	10	U	10	U	10	U	10	U		NA
Benzo(k)fluoranthene	10	U	10	U	10	U	10	U		NA
Bis(2-Chloroethoxy)methane	10	U	10	U	10	U	10	U		NA
Bis(2-Chloroethyl)ether	10	U	10	U	10	U	10	U		NA
bis(2-Ethylhexyl)phthalate	10	U	10	U	10	U	10	U		NA
Butylbenzylphthalate	10	U	10	U	10	U	10	U		NA
Caprolactam		NA		NA		NA		NA		NA
Carbazole	10	U	10	U	10	U	10	U		NA
Chrysene	10	U	10	U	10	U	10	U		NA
Dibenzo(a,h)anthracene	10	U	10	U	10	U	10	U		NA
Dibenzofuran	10	U	10	U	10	U	10	U		NA
Diethylphthalate	10	U	10	U	10	U	10	U		NA
Dimethylphthalate	10	U	10	U	10	U	10	U		NA
Di-n-Butylphthalate	10	U	10	U	10	U	10	U		NA
Di-n-octylphthalate	10	U	10	U	10	U	10	U		NA
Fluoranthene	10	U	10	U	10	U	10	U		NA
Fluorene	10	U	10	U	10	U	10	U		NA
Hexachlorobenzene	10	U	10	U	10	U	10	U		NA
Hexachlorobutadiene	10	U	10	U	10	U	10	U		NA
Hexachlorocyclopentadiene	10	U	10	U	10	U		R		NA
Hexachloroethane	10	U	10	U	10	U	10	U		NA
Indeno(1,2,3-cd)pyrene	10	U	10	U	10	U	10	U		NA
Isophorone	10	U	10	U	10	U	10	U		NA
Naphthalene	10	U	10	U	10	U	10	U		NA
Nitrobenzene	10	U	10	U	10	U	10	U		NA
N-Nitroso-di-n-propylamine	10	U	10	U	10	U	10	U		NA
N-Nitroso-diphenylamine	10	U	10	U	10	UJ	10	U		NA
Pentachlorophenol	25	U	25	U	25	U	25	U		NA
Phenanthrene	10	U	10	U	10	U	10	U		NA
Phenol	10	U	10	U	10	U	10	U		NA
Pyrene	10	U	10	U	10	U	10	U		NA
Total PAH	10	U	10	U	10	U	10	U		NA
Low Concentration PAH (SIM) Analysis (UG/L)										
Acenaphthylene		NA		NA		NA		NA		NA
Benzo(a)anthracene		NA		NA		NA		NA		NA
Benzo(a)pyrene		NA		NA		NA		NA		NA
Benzo(b)fluoranthene		NA		NA		NA		NA		NA
Benzo(k)fluoranthene		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Chrysene		NA		NA		NA		NA		NA
Dibenzo(a,h)anthracene		NA		NA		NA		NA		NA
Indeno(1,2,3-cd)pyrene		NA		NA		NA		NA		NA
Phenanthrene		NA		NA		NA		NA		NA
Pesticide/PCB Analysis (UG/L)										
4,4'-DDD	0.10	U	0.10	U	0.10	U	0.10	U		NA
4,4'-DDE	0.10	U	0.10	U	0.10	U	0.10	U		NA
4,4'-DDT	0.10	U	0.10	U	0.10	U	0.10	U		NA
Aldrin	0.050	U	0.050	U	0.050	U	0.050	U		NA
alpha-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
alpha-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Aroclor, Total	0.56	U	0.56	U	0.56	U	1.1	U		NA
Aroclor-1016	0.50	U	0.50	U	0.50	U	1.0	U		NA
Aroclor-1221	1.0	U	1.0	U	1.0	U	2.0	U		NA
Aroclor-1232	0.50	U	0.50	U	0.50	U	1.0	U		NA
Aroclor-1242	0.50	U	0.50	U	0.50	U	1.0	U		NA
Aroclor-1248	0.50	U	0.50	U	0.50	U	1.0	U		NA
Aroclor-1254	0.50	U	0.50	U	0.50	U	1.0	U		NA
Aroclor-1260	0.50	U	0.50	U	0.50	U	1.0	U		NA
Aroclor-1262	0.50	U	0.50	U	0.50	U	1.0	U		NA
Aroclor-1268	0.50	U	0.50	U	0.50	U	1.0	U		NA
beta-BHC	0.050	U	0.050	UJ	0.050	U	0.050	U		NA
delta-BHC	0.050	U	0.050	U	0.050	U	0.050	U		NA
Dieldrin	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endosulfan I	0.050	U	0.050	UJ	0.050	U	0.050	U		NA
Endosulfan II	0.10	U	0.10	UJ	0.10	U		R		NA
Endosulfan Sulfate	0.10	U	0.0020	J	0.10	U	0.10	U		NA
Endrin	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin Aldehyde	0.10	U	0.10	U	0.10	U	0.10	U		NA
Endrin Ketone	0.10	U	0.10	UJ	0.10	U	0.10	U		NA
gamma-BHC	0.0038	J	0.050	U	0.050	U	0.050	U		NA
gamma-Chlordane	0.050	U	0.050	U	0.050	U	0.050	U		NA
Heptachlor	0.0049	J	0.050	U	0.050	U	0.050	U		NA
Heptachlor Epoxide	0.0056	J	0.050	U	0.050	U	0.050	U		NA
Methoxychlor	0.50	U	0.50	U	0.50	U	0.50	U		NA
Toxaphene	5.0	U	5.0	U	5.0	U	5.0	U		NA
Dioxin Analysis (PG/L)										
1,2,3,4,6,7,8-HpCDD		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
1,2,3,4,6,7,8-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8,9-HpCDF		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,4,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDD		NA		NA		NA		NA		NA
1,2,3,6,7,8-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDD		NA		NA		NA		NA		NA
1,2,3,7,8,9-HxCDF		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDD		NA		NA		NA		NA		NA
1,2,3,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,4,6,7,8-HxCDF		NA		NA		NA		NA		NA
2,3,4,7,8-PeCDF		NA		NA		NA		NA		NA
2,3,7,8-TCDD		NA		NA		NA		NA		NA
2,3,7,8-TCDF		NA		NA		NA		NA		NA
OCDD		NA		NA		NA		NA		NA
OCDF		NA		NA		NA		NA		NA
Total HpCDD		NA		NA		NA		NA		NA
Total HpCDF		NA		NA		NA		NA		NA
Total HxCDD		NA		NA		NA		NA		NA
Total HxCDF		NA		NA		NA		NA		NA
Total PeCDD		NA		NA		NA		NA		NA
Total PeCDF		NA		NA		NA		NA		NA
Total TCDD		NA		NA		NA		NA		NA
Total TCDF		NA		NA		NA		NA		NA
Toxicity Equivalency		NA		NA		NA		NA		NA
TAL Metal Analysis (UG/L)										
Aluminum	21.3	U	52.6	U	43.7	U	17.0	U		NA
Antimony	28.5	U	12.5	J	18.8	U	3.0	U		NA
Arsenic	8.1		1.8	UJ	1.8	U	4.3	J		NA
Barium	157		191		117		584			NA
Beryllium	0.20	U	0.30	U	0.20	U	1.0	U		NA
Cadmium	3.9	UJ	1.4	U	1.1	U	1.0	U		NA
Calcium	86200		136000		116000		286000			NA
Chromium	2.8	U	1.7	UJ	5.7	UJ	1.0	U		NA
Cobalt	6.2	J	4.3	UJ	2.4	U	5.7	UJ		NA
Copper	5.4	J	14.9	U	5.6	J	10.6			NA
Cyanide		NA		NA		NA		NA		NA
Iron	20200		44.2	U	33.6	U	2420			NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	RM-SP-MW-111S-02		RM-SP-MW-111S-03		RM-SP-MW-111S-04		OU2-MW-111S-05		OU2-GW-111S-07	
Sample Location	MW-111S		MW-111S		MW-111S		MW-111S		MW-111S	
Date Sampled	8/23/1994		11/30/1994		3/28/1995		11/12/1997		1/8/2003	
Interval	6.0-10.0		6.0-10.0		6.0-10.0		0.0-0.0		0.0-0.0	
QC Identifier	None		None		None		None		None	
Zone	Overburden		Overburden		Overburden		Overburden		Overburden	
Lead	1.4	J	0.94	UJ	0.94	UJ	1.0	U		NA
Magnesium	10400		16100		15400		37000			NA
Manganese	2230		46.9		30.1	U	941			NA
Mercury	0.20	U	0.20	U	0.20	U	0.10	U		NA
Nickel	13.3	U	13.7	U	7.3	J	10.5	J		NA
Potassium	10400		11200		6470		21700	J		NA
Selenium	1.0	U	2.5	UJ	2.8	U	3.0	U		NA
Silver	3.2	J	2.4	UJ	1.8	U	1.0	U		NA
Sodium	30900		19900		11500		156000			NA
Thallium	0.90	U	1.7	U	3.1	U	3.0	U		NA
Vanadium	3.5	U	2.3	U	2.9	U	1.0	UJ		NA
Zinc	22.8	U	30.5	U	17.3	U	26.2	U		NA
Wet Chemistry Analysis										
Alkalinity		NA		NA		NA	208			NA
Carbon Dioxide		NA		NA		NA		NA		NA
Chloride		NA		NA		NA	657			NA
Ferrous Iron		NA		NA		NA		NA		NA
Nitrate		NA		NA		NA		NA		NA
Nitrate-Nitrite (as N)		NA		NA		NA	0.51			NA
Nitrite-N		NA		NA		NA		NA		NA
Sulfate		NA		NA		NA	57.7			NA
Sulfide		NA		NA		NA		NA		NA
Total Organic Carbon		NA		NA		NA		NA		NA

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane	10	U	10	U		NA		NA	140
1,1,2,2-Tetrachloroethane	10	U	10	U		NA		NA	50
1,1,2-Trichloro-1,2,2-trifluoroethane	10	U		NA		NA		NA	
1,1,2-Trichloroethane	10	U	10	U		NA		NA	50
1,1-Dichloroethane	10	U	10	U		NA		NA	140
1,1-Dichloroethene	0.9	U	10	U		NA		NA	85
1,2,4-Trichlorobenzene	10	U		NA		NA		NA	
1,2-Dibromo-3-chloropropane	10	U		NA		NA		NA	
1,2-Dibromoethane	10	U		NA		NA		NA	
1,2-Dichlorobenzene	10	U		NA		NA		NA	
1,2-Dichloroethane	10	U	10	U		NA		NA	50
1,2-Dichloroethene (total)		NA	2	J		NA		NA	180
1,2-Dichloropropane	10	U	10	U		NA		NA	50
1,3-Dichlorobenzene	10	U		NA		NA		NA	
1,4-Dichlorobenzene	10	U		NA		NA		NA	
1,4-Dioxane	100	UJ		NA		NA		NA	
2-Butanone	10	U	10	U		NA		NA	50
2-Hexanone	10	U	10	UJ		NA		NA	50
4-Methyl-2-Pentanone	10	U	10	UJ		NA		NA	50
Acetone	7	J	10	U		NA		NA	50
Benzene	10	U	10	U		NA		NA	50
Bromodichloromethane	10	U	10	U		NA		NA	50
Bromoform	10	U		R		NA		NA	50
Bromomethane	10	U	10	U		NA		NA	50
Carbon Disulfide	10	U	10	U		NA		NA	50
Carbon Tetrachloride	10	U	10	U		NA		NA	50
Chlorobenzene	10	U	8	J		NA		NA	50
Chloroethane	10	U	10	UJ		NA		NA	50
Chloroform	10	U	10	U		NA		NA	50
Chloromethane	10	U	10	U		NA		NA	50
cis-1,2-Dichloroethene	10	U		NA		NA		NA	
cis-1,3-Dichloropropene	10	U	10	U		NA		NA	50
Cyclohexane	10	U		NA		NA		NA	
Dibromochloromethane	10	U		R		NA		NA	50
Dichlorodifluoromethane	10	UJ		NA		NA		NA	
Ethylbenzene	10	U	10	U		NA		NA	50
Isopropylbenzene	10	U		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
Methyl Acetate	10	U		NA		NA		NA	
Methyl tert-Butyl Ether	10	U		NA		NA		NA	
Methylcyclohexane	10	U		NA		NA		NA	
Methylene Chloride	10	UJ	10	U		NA		NA	50
Styrene	10	U	10	U		NA		NA	1
Tetrachloroethene	10	U	10	U		NA		NA	50
Toluene	10	U	10	U		NA		NA	2
Total Xylenes	10	U	10	U		NA		NA	50
trans-1,2-Dichloroethene	10	U		NA		NA		NA	
trans-1,3-Dichloropropene	10	U	10	U		NA		NA	50
Trichloroethene	10	U	10	U		NA		NA	330
Trichlorofluoromethane	10	UJ		NA		NA		NA	
Vinyl Chloride	1	U	10	U		NA		NA	50
Dissolved Methane, Ethane, Ethene Analysis (UG/L)									
Ethane	10.0	U		NA		NA		NA	
Ethene	10.0	U		NA		NA		NA	
Methane	420			NA		NA		NA	
Low Concentration Volatile Organic Analysis (UG/L)									
1,1,1-Trichloroethane		NA		NA		NA		NA	
1,1,2,2-Tetrachloroethane		NA		NA		NA		NA	
1,1,2-Trichloroethane		NA		NA		NA		NA	
1,1-Dichloroethane		NA		NA		NA		NA	
1,1-Dichloroethene		NA		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA	
1,2-Dibromo-3-chloropropane		NA		NA		NA		NA	
1,2-Dibromoethane		NA		NA		NA		NA	
1,2-Dichlorobenzene		NA		NA		NA		NA	
1,2-Dichloroethane		NA		NA		NA		NA	
1,2-Dichloropropane		NA		NA		NA		NA	
1,3-Dichlorobenzene		NA		NA		NA		NA	
1,4-Dichlorobenzene		NA		NA		NA		NA	
2-Butanone		NA		NA		NA		NA	
2-Hexanone		NA		NA		NA		NA	
4-Methyl-2-Pentanone		NA		NA		NA		NA	
Acetone		NA		NA		NA		NA	
Benzene		NA		NA		NA		NA	
Bromochloromethane		NA		NA		NA		NA	
Bromodichloromethane		NA		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
Bromoform		NA		NA		NA		NA	
Bromomethane		NA		NA		NA		NA	
Carbon Disulfide		NA		NA		NA		NA	
Carbon Tetrachloride		NA		NA		NA		NA	
Chlorobenzene		NA		NA		NA		NA	
Chloroethane		NA		NA		NA		NA	
Chloroform		NA		NA		NA		NA	
Chloromethane		NA		NA		NA		NA	
cis-1,2-Dichloroethene		NA		NA		NA		NA	
cis-1,3-Dichloropropene		NA		NA		NA		NA	
Dibromochloromethane		NA		NA		NA		NA	
Ethylbenzene		NA		NA		NA		NA	
Methylene Chloride		NA		NA		NA		NA	
Styrene		NA		NA		NA		NA	
Tetrachloroethene		NA		NA		NA		NA	
Toluene		NA		NA		NA		NA	
Total Xylenes		NA		NA		NA		NA	
trans-1,2-Dichloroethene		NA		NA		NA		NA	
trans-1,3-Dichloropropene		NA		NA		NA		NA	
Trichloroethene		NA		NA		NA		NA	
Vinyl Chloride		NA		NA		NA		NA	
Volatile Organic Screening Analysis (UG/L)									
1,1,1-Trichloroethane		NA	1	U	10	U	20	U	
1,1-Dichloroethane		NA	1	U	30		100		
1,1-Dichloroethene		NA	1	U	10	U	20	U	
1,2-Dichloroethane		NA	1	U	10	U	20	U	
Benzene		NA	1	U	10	U	20	U	
Chlorobenzene		NA	8.3		100		120		
cis-1,2-Dichloroethene		NA	1.6		23		28		
Ethylbenzene		NA	1	U	10	U	20	U	
m&p-Xylene		NA	1	U	10	U	20	U	
o-Xylene		NA	1	U	10	U	20	U	
Tetrachloroethene		NA	1	U	10	U	20	U	
Toluene		NA	1	U	10	U	20	U	
trans-1,2-Dichloroethene		NA	1	U	10	U	20	U	
Trichloroethene		NA	1	U	10	U	28		
Vinyl Chloride		NA	1	U	10	U	20	U	
Semivolatile Organic Analysis (UG/L)									

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
1,1'-Biphenyl	10	U		NA		NA		NA	
1,2,4-Trichlorobenzene		NA		NA		NA		NA	10
1,2-Dichlorobenzene		NA		NA		NA		NA	10
1,3-Dichlorobenzene		NA		NA		NA		NA	10
1,4-Dichlorobenzene		NA		NA		NA		NA	10
2,2'-oxybis(1-Chloropropane)	10	U		NA		NA		NA	10
2,4,5-Trichlorophenol	25	U		NA		NA		NA	25
2,4,6-Trichlorophenol	10	U		NA		NA		NA	10
2,4-Dichlorophenol	10	U		NA		NA		NA	10
2,4-Dimethylphenol	10	U		NA		NA		NA	10
2,4-Dinitrophenol	25	UJ		NA		NA		NA	25
2,4-Dinitrotoluene	10	U		NA		NA		NA	10
2,6-Dinitrotoluene	10	U		NA		NA		NA	10
2-Chloronaphthalene	10	U		NA		NA		NA	10
2-Chlorophenol	10	U		NA		NA		NA	10
2-Methylnaphthalene	10	U		NA		NA		NA	10
2-Methylphenol	10	U		NA		NA		NA	10
2-Nitroaniline	25	U		NA		NA		NA	25
2-Nitrophenol	10	U		NA		NA		NA	10
3,3'-Dichlorobenzidine	10	U		NA		NA		NA	10
3-Nitroaniline	25	U		NA		NA		NA	25
4,6-Dinitro-2-methylphenol	25	U		NA		NA		NA	25
4-Bromophenyl-phenylether	10	U		NA		NA		NA	10
4-Chloro-3-methylphenol	10	U		NA		NA		NA	10
4-Chloroaniline	10	UJ		NA		NA		NA	10
4-Chlorophenyl-phenylether	10	U		NA		NA		NA	10
4-Methylphenol	10	U		NA		NA		NA	10
4-Nitroaniline	25	U		NA		NA		NA	25
4-Nitrophenol	25	U		NA		NA		NA	25
Acenaphthene	10	U		NA		NA		NA	10
Acenaphthylene	10	U		NA		NA		NA	10
Acetophenone	10	U		NA		NA		NA	
Anthracene	10	U		NA		NA		NA	10
Atrazine	10	U		NA		NA		NA	
Benzaldehyde	10	UJ		NA		NA		NA	
Benzo(a)anthracene	10	U		NA		NA		NA	10
Benzo(a)pyrene	10	U		NA		NA		NA	10
Benzo(b)fluoranthene	10	U		NA		NA		NA	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
Benzo(g,h,i)perylene	10	U		NA		NA		NA	10
Benzo(k)fluoranthene	10	U		NA		NA		NA	10
Bis(2-Chloroethoxy)methane	10	U		NA		NA		NA	10
Bis(2-Chloroethyl)ether	10	U		NA		NA		NA	10
bis(2-Ethylhexyl)phthalate	10	U		NA		NA		NA	10
Butylbenzylphthalate	10	U		NA		NA		NA	10
Caprolactam	10	U		NA		NA		NA	
Carbazole	10	U		NA		NA		NA	10
Chrysene	10	U		NA		NA		NA	10
Dibenzo(a,h)anthracene	10	U		NA		NA		NA	10
Dibenzofuran	10	U		NA		NA		NA	10
Diethylphthalate	10	U		NA		NA		NA	10
Dimethylphthalate	10	U		NA		NA		NA	10
Di-n-Butylphthalate	10	U		NA		NA		NA	10
Di-n-octylphthalate	10	U		NA		NA		NA	10
Fluoranthene	10	U		NA		NA		NA	10
Fluorene	10	U		NA		NA		NA	10
Hexachlorobenzene	10	U		NA		NA		NA	10
Hexachlorobutadiene	10	U		NA		NA		NA	10
Hexachlorocyclopentadiene	10	U		NA		NA		NA	10
Hexachloroethane	10	U		NA		NA		NA	10
Indeno(1,2,3-cd)pyrene	10	U		NA		NA		NA	10
Isophorone	10	U		NA		NA		NA	10
Naphthalene	10	U		NA		NA		NA	10
Nitrobenzene	10	U		NA		NA		NA	10
N-Nitroso-di-n-propylamine	10	U		NA		NA		NA	10
N-Nitroso-diphenylamine	10	U		NA		NA		NA	10
Pentachlorophenol	25	U		NA		NA		NA	25
Phenanthrene	10	U		NA		NA		NA	10
Phenol	10	U		NA		NA		NA	10
Pyrene	10	U		NA		NA		NA	10
Total PAH		NA		NA		NA		NA	10
Low Concentration PAH (SIM) Analysis (UG/L)									
Acenaphthylene	0.20	U		NA		NA		NA	
Benzo(a)anthracene	0.20	U		NA		NA		NA	
Benzo(a)pyrene	0.20	U		NA		NA		NA	
Benzo(b)fluoranthene	0.20	U		NA		NA		NA	
Benzo(k)fluoranthene	0.20	U		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
Chrysene	0.20	U		NA		NA		NA	
Dibenzo(a,h)anthracene	0.20	U		NA		NA		NA	
Indeno(1,2,3-cd)pyrene	0.20	U		NA		NA		NA	
Phenanthrene	0.20	U		NA		NA		NA	
Pesticide/PCB Analysis (UG/L)									
4,4'-DDD	0.10	U		NA		NA		NA	0.10
4,4'-DDE	0.10	U		NA		NA		NA	0.10
4,4'-DDT	0.10	U		NA		NA		NA	0.10
Aldrin	0.050	U		NA		NA		NA	0.050
alpha-BHC	0.050	U		NA		NA		NA	0.050
alpha-Chlordane	0.050	U		NA		NA		NA	0.050
Aroclor, Total		NA		NA		NA		NA	1.1
Aroclor-1016	1.0	U		NA		NA		NA	1.0
Aroclor-1221	0.25	U		NA		NA		NA	2.0
Aroclor-1232	1.0	U		NA		NA		NA	1.0
Aroclor-1242	1.0	U		NA		NA		NA	1.0
Aroclor-1248	1.0	U		NA		NA		NA	1.0
Aroclor-1254	0.25	U		NA		NA		NA	1.0
Aroclor-1260	0.25	U		NA		NA		NA	1.0
Aroclor-1262	0.28	U		NA		NA		NA	1.0
Aroclor-1268	1.0	U		NA		NA		NA	1.0
beta-BHC	0.050	U		NA		NA		NA	0.050
delta-BHC	0.050	U		NA		NA		NA	0.050
Dieldrin	0.050	U		NA		NA		NA	0.10
Endosulfan I	0.050	U		NA		NA		NA	0.050
Endosulfan II	0.10	U		NA		NA		NA	0.10
Endosulfan Sulfate	0.10	U		NA		NA		NA	0.10
Endrin	0.050	U		NA		NA		NA	0.10
Endrin Aldehyde	0.10	U		NA		NA		NA	0.10
Endrin Ketone	0.10	U		NA		NA		NA	0.10
gamma-BHC	0.050	U		NA		NA		NA	0.050
gamma-Chlordane	0.050	U		NA		NA		NA	0.050
Heptachlor	0.020	U		NA		NA		NA	0.050
Heptachlor Epoxide	0.020	U		NA		NA		NA	0.050
Methoxychlor	0.50	U		NA		NA		NA	0.50
Toxaphene	5.0	U		NA		NA		NA	5.0
Dioxin Analysis (PG/L)									
1,2,3,4,6,7,8-HpCDD	7.3	U		NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
1,2,3,4,6,7,8-HpCDF	3.6	U		NA		NA		NA	
1,2,3,4,7,8,9-HpCDF	4.5	U		NA		NA		NA	
1,2,3,4,7,8-HxCDD	3.7	U		NA		NA		NA	
1,2,3,4,7,8-HxCDF	2.3	U		NA		NA		NA	
1,2,3,6,7,8-HxCDD	3.7	U		NA		NA		NA	
1,2,3,6,7,8-HxCDF	2.3	U		NA		NA		NA	
1,2,3,7,8,9-HxCDD	3.6	U		NA		NA		NA	
1,2,3,7,8,9-HxCDF	2.9	U		NA		NA		NA	
1,2,3,7,8-PeCDD	3.6	U		NA		NA		NA	
1,2,3,7,8-PeCDF	2.2	U		NA		NA		NA	
2,3,4,6,7,8-HxCDF	2.4	U		NA		NA		NA	
2,3,4,7,8-PeCDF	2.3	U		NA		NA		NA	
2,3,7,8-TCDD	3.1	U		NA		NA		NA	
2,3,7,8-TCDF	2.3	U		NA		NA		NA	
OCDD	12.6	U		NA		NA		NA	
OCDF	9.1	U		NA		NA		NA	
Total HpCDD	7.3	UJ		NA		NA		NA	
Total HpCDF	4.0	UJ		NA		NA		NA	
Total HxCDD	3.6	UJ		NA		NA		NA	
Total HxCDF	2.5	UJ		NA		NA		NA	
Total PeCDD	3.6	UJ		NA		NA		NA	
Total PeCDF	2.2	UJ		NA		NA		NA	
Total TCDD	3.1	UJ		NA		NA		NA	
Total TCDF	10.7	EMPC		NA		NA		NA	
Toxicity Equivalency	0.00	U		NA		NA		NA	
TAL Metal Analysis (UG/L)									
Aluminum	55.7	U	84.5	U		NA		NA	182
Antimony	2.3	U	4.7	U		NA		NA	10.8
Arsenic	7.4	J	2.4	UJ		NA		NA	2.7
Barium	119		198	U		NA		NA	21.5
Beryllium	0.10	U	0.10	U		NA		NA	0.80
Cadmium	0.30	U	0.41	J		NA		NA	1.0
Calcium	88200		24800			NA		NA	14800
Chromium	0.60	U	0.60	U		NA		NA	4.4
Cobalt	3.6	U	1.4	U		NA		NA	2.3
Copper	2.6		11.0	U		NA		NA	3.2
Cyanide		NA		NA		NA		NA	
Iron	18600		19800			NA		NA	335

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number	OU2-MW-111S-07		OU2-DP1-12-1419		OU2-DP1-12-2429		OU2-DP1-12-3035		SP-MW-112B-01-AVG
Sample Location	MW-111S		DP1-12		DP1-12		DP1-12		MW-112B
Date Sampled	1/10/2003		8/14/1997		8/15/1997		8/15/1997		5/18/1994
Interval	0.0-0.0		14.0-19.0		24.0-29.0		30.0-35.0		47.0-57.0
QC Identifier	None		None		None		None		Field Dup. SP-MW-112B-01
Zone	Overburden		Overburden		Overburden		Overburden		Bedrock
Lead	2.2	UJ	19.3	UJ		NA		NA	1.8
Magnesium	15000		10300			NA		NA	12100
Manganese	1260		1420			NA		NA	167
Mercury	0.10	U	0.10	UJ		NA		NA	0.20
Nickel	6.4		3.6	U		NA		NA	4.5
Potassium	8650	J	5680			NA		NA	5530
Selenium	4.8	U		R		NA		NA	2.1
Silver	0.60	U	0.80	U		NA		NA	0.00
Sodium	48500		35700	U		NA		NA	129000
Thallium	4.7	U	3.4	U		NA		NA	2.2
Vanadium	0.50	U	1.5	U		NA		NA	2.6
Zinc	16.8		57.8	U		NA		NA	7.9
Wet Chemistry Analysis									
Alkalinity	214	J		NA		NA		NA	
Carbon Dioxide	351	J		NA		NA		NA	
Chloride	27.8	J		NA		NA		NA	
Ferrous Iron	12.4			NA		NA		NA	
Nitrate	0.165			NA		NA		NA	
Nitrate-Nitrite (as N)		NA		NA		NA		NA	
Nitrite-N	0.050	U		NA		NA		NA	
Sulfate	118			NA		NA		NA	
Sulfide	0.50	U		NA		NA		NA	
Total Organic Carbon	26.1			NA		NA		NA	

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."

Continue Viewing Appendix B

TABLE
ANALYTICAL RESULTS - GROUNDWATER
RAYMARK OU2
STRATFORD, CONNECTICUT

Sample Number		RM-SP-MW-112B-02		RM-SP-MW-112B-03		RM-SP-MW-112B-04		OU2-MW-112B-05		OU2-MW-112B-07
Sample Location		MW-112B		MW-112B		MW-112B		MW-112B		MW-112B
Date Sampled		8/23/1994		11/29/1994		3/28/1995		11/11/1997		12/6/2002
Interval		47.0-57.0		47.0-57.0		47.0-57.0		0.0-0.0		0.0-0.0
QC Identifier		None		None		None		None		None
Zone		Bedrock		Bedrock		Bedrock		Bedrock		Bedrock
Volatile Organic Analysis (UG/L)										
1,1,1-Trichloroethane		130		150	J	180		110		130
1,1,2,2-Tetrachloroethane	U	10	U	10	U	27	U	10	U	10
1,1,2-Trichloro-1,2,2-trifluoroethane	NA		NA		NA		NA		NA	10
1,1,2-Trichloroethane	U	10	U	10	U	27	U	10	U	1
1,1-Dichloroethane		120	J	130		170		80		95
1,1-Dichloroethene		77		82		110		69	J	220
1,2,4-Trichlorobenzene	NA		NA		NA		NA		NA	10
1,2-Dibromo-3-chloropropane	NA		NA		NA		NA		NA	10
1,2-Dibromoethane	NA		NA		NA		NA		NA	10
1,2-Dichlorobenzene	NA		NA		NA		NA		NA	10
1,2-Dichloroethane	U	10	U	1	J	27	U	10	U	10
1,2-Dichloroethene (total)		150		170		250		130		
1,2-Dichloropropane	U	10	U	10	U	27	U	10	U	10
1,3-Dichlorobenzene	NA		NA		NA		NA		NA	10
1,4-Dichlorobenzene	NA		NA		NA		NA		NA	10
1,4-Dioxane	NA		NA		NA		NA		NA	120
2-Butanone	U	10	U	10	U	27	U	10	U	10
2-Hexanone	U	10	U	10	U	27	U	10	UJ	10
4-Methyl-2-Pentanone	U	10	U	10	U	27	U	10	UJ	10
Acetone	U	10	U	10	U	27	UJ	10	U	10
Benzene	U	10	U	10	U	27	U	10	UJ	2
Bromodichloromethane	U	10	U	10	U	27	U	10	U	10
Bromoform	U	10	U	10	U	27	U	10	U	10
Bromomethane	U	10	U	10	U	27	U	10	U	10
Carbon Disulfide	U	10	U	10	U	27	U	10	U	10
Carbon Tetrachloride	U	10	U	10	U	27	U	10	U	10
Chlorobenzene	U	10	UJ	10	U	27	U	10	U	4
Chloroethane	U	10	UJ	2	J	27	U	10	UJ	10
Chloroform	U	10	UJ	10	U	27	U	10	U	10
Chloromethane	U	10	UJ	10	U	27	U	10	U	10
cis-1,2-Dichloroethene	NA		NA		NA		NA		NA	290
cis-1,3-Dichloropropene	U	10	U	10	U	27	U	10	U	10
Cyclohexane	NA		NA		NA		NA		NA	10
Dibromochloromethane	U	10	U	10	U	27	U	10	U	10
Dichlorodifluoromethane	NA		NA		NA		NA		NA	10
Ethylbenzene	U	10	U	10	U	27	U	10	U	10
Isopropylbenzene	NA		NA		NA		NA		NA	10

U - Not detected; UJ - Detection limit approximate; J - Quantitation approximate;
* - From dilution analysis; R - Rejected; NA - Not Analyzed; EMPC - Est. Max. Possible Conc."