Appendix J

Indoor Air Analytical Data

General Motors
902 E. Hamilton
Flint Mich.
48550

Fax Cover Sheet

DATE:	April 23, 2002	TIME:	8:04 AM
TO:	DEREK KAIDING	PHONE:	248-377-9162
		FAX :	248-377-9413
FROM:	Dennis Hopwood Worldwide Facilities Group	PHONE: FAX:	810-466-1691 810-236-0994

RE: BASIS SAMPLES YOU REQUESTED FACTORY 36-01 ROD DEPT.

DENNIS HOPWOOD

Number of pages including cover sheet: 2

]

B A S I S S T A N D A R D R E P O R T

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: JANUARY 1, 2001 THRU: DECEMBER 31, 2001
CONTAMINANT(S): BENZ$ ETBZ TOL XYL
CONTAMINANT GROUP(S): $$$
REPORT NAME: AIRRPT04 GENERATED: 04-18-2002 15.28.11

DEPT	S T	SAMPLE DATE	SAMPLE ID	LAST NAME	F I	EMPLOYE ID	CONTAMINANT	R C	RESULT	PEL	OEG TWA	TLV TWA	UNITS
3601	G	06/19/01	0388 2001 0078				BENZENE	<	.260	1.000	1.000	.500	PPM
							ETHYL BENZENE	<	.970	100.000	100.000	100.000	PPM
							TOLUENE	<	1.120	200.000	100.000	50.000	PPM
							XYLENE	<	.970	100.000	100.000	100.000	PPM
					LOC DESC:		FACT. 36 DEPT. 01 ROD DEPT. AT MAIN N-S-AISLE SAMPLING REQUESTED BY DEREK KAIDING						
			0388 2001 0079				BENZENE	<	.250	1.000	1.000	.500	PPM
							ETHYL BENZENE	<	.920	100.000	100.000	100.000	PPM
							TOLUENE	<	1.060	200.000	100.000	50.000	PPM
							XYLENE	<	.920	100.000	100.000	100.000	PPM
					LOC DESC:		FACT. 36 DEPT. 01 ROD DEPT. AT MAIN N-S-AISLE SAMPLING REQUESTED BY DEREK KAIDING						

Dennis E. Hopwood
10/30/2003 10:50 AM

To: "DEREK KAIDING" <DCK@bbl-inc.com>
cc:
Subject: Re: Air Samples

Hi

Yes we do have all the data back at this point . It was all non-detect. I will put a summary report together for you.

Dennis

"DEREK KAIDING" <DCK@bbl-inc.com>

"DEREK KAIDING"
<DCK@bbl-inc.com>
10/27/2003 11:00 AM

To: <dennis.e.hopwood@gm.com>
cc: <robert.metcalf@gm.com>
Subject: Air Samples

Dennis, do you have the final results of the Factory 36 and Factory 81 air samples collected in September 2003?

Derek

This information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. This message may be an attorney-client communication and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this message in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately by e-mail, and delete the original message.

B A S I S S T A N D A R D R E P O R T

REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39 FROM: XZ55DT

ANSWERS YOU PROVIDED TO PROMPTS AND THAT LIMITED THIS REPORT:

PUNIT(S) : 19492 19493

CONTAMINANT(S): $$$$$

CONTAMINANT GROUP(S): $$$

DEPT CODE(S) : $$$$

(EXCLUDES BLANK DEPARTMENT SAMPLES)

SAMPLE TYPE : PERSONAL AND GENERAL CONDITION SAMPLES

SAMPLE DATE RANGE: SEPTEMBER 8, 2003 THRU SEPTEMBER 12, 2003

B A S I S S T A N D A R D R E P O R T

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): $$$$$
CONTAMINANT GROUP(S): $$$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	ST	SAMPLE DATE	SAMPLE ID	LAST NAME	FI	EMPLOYE ID	CONTAMINANT	RC	RESULT	PEL	OEG TWA	TLV TWA	UNITS
3606	G	09/08/03	0388 2003 0378				ACETONE	<	.910	1000.000	750.000	500.000	PPM
							BENZENE	<	.190	1.000	1.000	.500	PPM
							BUTYL ACETATE	<	.580	150.000	150.000	150.000	PPM
							CYCLOHEXANONE	<	.190	50.000	25.000	20.000	PPM
							CHLOROBENZENE	<	.640	75.000	75.000	10.000	PPM
							1,2-DICHLOROETHANE	<	.320	50.000	1.000	10.000	PPM
							DECANE	<	.320	.000	.000	.000	PPM
							DIOXANE	<	.700	100.000	25.000	20.000	PPM
							ETHYL ACETATE	<	.700	400.000	400.000	400.000	PPM
							ETHYL BENZENE	<	.180	100.000	100.000	100.000	PPM
							HEPTANE	<	.370	500.000	400.000	400.000	PPM
							HEXANE	<	.390	500.000	50.000	50.000	PPM
							ISOOCTANE	<	.350	.000	.000	.000	PPM
							METHYL ETHYL KETONE	<	.200	200.000	200.000	200.000	PPM
							METHYLENE CHLORIDE	<	.330	25.000	25.000	50.000	PPM
							METHYL ISOBUTYL KETO	<	.180	100.000	50.000	50.000	PPM
							OCTANE	<	.350	500.000	300.000	300.000	PPM
							PENTANE	<	.420	1000.000	600.000	600.000	PPM
							PERCHLOROETHYLENE	<	.230	100.000	25.000	25.000	PPM
							N-PROPYL ACETATE	<	.350	200.000	200.000	200.000	PPM
							STYRENE	<	1.520	100.000	50.000	20.000	PPM
							TRICHLOROETHYLENE	<	.260	100.000	50.000	50.000	PPM
							1,1,1-TRICHLOROETHAN	<	.260	350.000	350.000	350.000	PPM
							TETRAHYDROFURAN	<	.790	200.000	200.000	200.000	PPM
							TRIMETHYLBENZENE (MI	<	.720	.000	25.000	25.000	PPM
							TOLUENE	<	.180	200.000	100.000	50.000	PPM
							XYLENE	<	.180	100.000	100.000	100.000	PPM

LOC DESC: FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4557 BADGE AT N/W PALLET ELEV. # 1A S/E DOCK AT AISLE.

			0388 2003 0379				ACETONE	<	.910	1000.000	750.000	500.000	PPM
							BENZENE	<	.190	1.000	1.000	.500	PPM
							BUTYL ACETATE	<	.580	150.000	150.000	150.000	PPM
							CYCLOHEXANONE	<	.190	50.000	25.000	20.000	PPM
							CHLOROBENZENE	<	.640	75.000	75.000	10.000	PPM
							1,2-DICHLOROETHANE	<	.320	50.000	1.000	10.000	PPM
							DECANE	<	.320	.000	.000	.000	PPM
							DIOXANE	<	.700	100.000	25.000	20.000	PPM
							ETHYL ACETATE	<	.700	400.000	400.000	400.000	PPM
							ETHYL BENZENE	<	.180	100.000	100.000	100.000	PPM

B A S I S S T A N D A R D R E P O R T

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): $$$$$
CONTAMINANT GROUP(S): $$$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	S T	SAMPLE DATE	SAMPLE ID	LAST NAME	F I	EMPLOYE ID	CONTAMINANT	R C	RESULT	PEL	OEG TWA	TLV TWA	UNITS
3606	G	09/08/03	0388 2003 0379				HEPTANE	<	.370	500.000	400.000	400.000	PPM
							HEXANE	<	.390	500.000	50.000	50.000	PPM
							ISOOCTANE	<	.350	.000	.000	.000	PPM
							METHYL ETHYL KETONE	<	.200	200.000	200.000	200.000	PPM
							METHYLENE CHLORIDE	<	.330	25.000	25.000	50.000	PPM
							METHYL ISOBUTYL KETO	<	.180	100.000	50.000	50.000	PPM
							OCTANE	<	.350	500.000	300.000	300.000	PPM
							PENTANE	<	.420	1000.000	600.000	600.000	PPM
							PERCHLOROETHYLENE	<	.230	100.000	25.000	25.000	PPM
							N-PROPYL ACETATE	<	.350	200.000	200.000	200.000	PPM
							STYRENE	<	1.520	100.000	50.000	20.000	PPM
							TRICHLOROETHYLENE	<	.260	100.000	50.000	50.000	PPM
							1,1,1-TRICHLOROETHAN	<	.260	350.000	350.000	350.000	PPM
							TETRAHYDROFURAN	<	.790	200.000	200.000	200.000	PPM
							TRIMETHYLBENZENE (MI	<	.720	.000	25.000	25.000	PPM
							TOLUENE	<	.180	200.000	100.000	50.000	PPM
							XYLENE	<	.180	100.000	100.000	100.000	PPM
					LOC DESC:		FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4546 BADGE AT S-PALLET ELEV. # 2B S/E DOCK.						
			0388 2003 0380				ACETONE	<	.870	1000.000	750.000	500.000	PPM
							BENZENE	<	.180	1.000	1.000	.500	PPM
							BUTYL ACETATE	<	.550	150.000	150.000	150.000	PPM
							CYCLOHEXANONE	<	.180	50.000	25.000	20.000	PPM
							CHLOROBENZENE	<	.620	75.000	75.000	10.000	PPM
							1,2-DICHLOROETHANE	<	.310	50.000	1.000	10.000	PPM
							DECANE	<	.310	.000	.000	.000	PPM
							DIOXANE	<	.670	100.000	25.000	20.000	PPM
							ETHYL ACETATE	<	.670	400.000	400.000	400.000	PPM
							ETHYL BENZENE	<	.180	100.000	100.000	100.000	PPM
							HEPTANE	<	.350	500.000	400.000	400.000	PPM
							HEXANE	<	.370	500.000	50.000	50.000	PPM
							ISOOCTANE	<	.340	.000	.000	.000	PPM
							METHYL ETHYL KETONE	<	.190	200.000	200.000	200.000	PPM
							METHYLENE CHLORIDE	<	.320	25.000	25.000	50.000	PPM
							METHYL ISOBUTYL KETO	<	.170	100.000	50.000	50.000	PPM
							OCTANE	<	.340	500.000	300.000	300.000	PPM
							PENTANE	<	.400	1000.000	600.000	600.000	PPM
							PERCHLOROETHYLENE	<	.220	100.000	25.000	25.000	PPM
							N-PROPYL ACETATE	<	.330	200.000	200.000	200.000	PPM
							STYRENE	<	1.460	100.000	50.000	20.000	PPM

B A S I S S T A N D A R D R E P O R T

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): $$$$$
CONTAMINANT GROUP(S): $$$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	S T	SAMPLE DATE	SAMPLE ID	LAST NAME	F I	EMPLOYE ID	CONTAMINANT	R C	RESULT	PEL	OEG TWA	TLV TWA	UNITS
3606	G	09/08/03	0388 2003 0380				TRICHLOROETHYLENE	<	.250	100.000	50.000	50.000	PPM
							1,1,1-TRICHLOROETHAN	<	.250	350.000	350.000	350.000	PPM
							TETRAHYDROFURAN	<	.760	200.000	200.000	200.000	PPM
							TRIMETHYLBENZENE (MI	<	.700	.000	25.000	25.000	PPM
							TOLUENE	<	.180	200.000	100.000	50.000	PPM
							XYLENE	<	.180	100.000	100.000	100.000	PPM
					LOC DESC:		FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4483 BADGE AT FENCE NEAR HOLE N/W SIDE OF AISLE INTERSECTION.						
			0388 2003 0381				ACETONE	<	.890	1000.000	750.000	500.000	PPM
							BENZENE	<	.190	1.000	1.000	.500	PPM
							BUTYL ACETATE	<	.560	150.000	150.000	150.000	PPM
							CYCLOHEXANONE	<	.180	50.000	25.000	20.000	PPM
							CHLOROBENZENE	<	.630	75.000	75.000	10.000	PPM
							1,2-DICHLOROETHANE	<	.310	50.000	1.000	10.000	PPM
							DECANE	<	.310	.000	.000	.000	PPM
							DIOXANE	<	.680	100.000	25.000	20.000	PPM
							ETHYL ACETATE	<	.680	400.000	400.000	400.000	PPM
							ETHYL BENZENE	<	.180	100.000	100.000	100.000	PPM
							HEPTANE	<	.360	500.000	400.000	400.000	PPM
							HEXANE	<	.370	500.000	50.000	50.000	PPM
							ISOOCTANE	<	.340	.000	.000	.000	PPM
							METHYL ETHYL KETONE	<	.320	200.000	200.000	200.000	PPM
							METHYLENE CHLORIDE	<	.320	25.000	25.000	50.000	PPM
							METHYL ISOBUTYL KETO	<	.170	100.000	50.000	50.000	PPM
							OCTANE	<	.340	500.000	300.000	300.000	PPM
							PENTANE	<	.410	1000.000	600.000	600.000	PPM
							PERCHLOROETHYLENE	<	.770	100.000	25.000	25.000	PPM
							N-PROPYL ACETATE	<	.340	200.000	200.000	200.000	PPM
							STYRENE	<	1.480	100.000	50.000	20.000	PPM
							TRICHLOROETHYLENE	<	.250	100.000	50.000	50.000	PPM
							1,1,1-TRICHLOROETHAN	<	.250	350.000	350.000	350.000	PPM
							TETRAHYDROFURAN	<	.770	200.000	200.000	200.000	PPM
							TRIMETHYLBENZENE (MI	<	.700	.000	25.000	25.000	PPM
							TOLUENE	<	.180	200.000	100.000	50.000	PPM
							XYLENE	<	.180	100.000	100.000	100.000	PPM

B A S I S S T A N D A R D R E P O R T

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): $$$$$
CONTAMINANT GROUP(S): $$$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	S T	SAMPLE DATE	SAMPLE ID	LAST NAME	F I	EMPLOYE ID	CONTAMINANT	R C	RESULT	PEL	OEG TWA	TLV TWA	UNITS
					LOC DESC:	FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4535 BADGE AT FENCE NEAR HOLE S/W SIDE OF AISLE INTERSECTION.							
3606	G	09/08/03	0388 2003 0382				ACETONE	<	.890	1000.000	750.000	500.000	PPM
							BENZENE	<	.190	1.000	1.000	.500	PPM
							BUTYL ACETATE	<	.560	150.000	150.000	150.000	PPM
							CYCLOHEXANONE	<	.180	50.000	25.000	20.000	PPM
							CHLOROBENZENE	<	.630	75.000	75.000	10.000	PPM
							1,2-DICHLOROETHANE	<	.310	50.000	1.000	10.000	PPM
							DECANE	<	.310	.000	.000	.000	PPM
							DIOXANE	<	.680	100.000	25.000	20.000	PPM
							ETHYL ACETATE	<	.680	400.000	400.000	400.000	PPM
							ETHYL BENZENE	<	.180	100.000	100.000	100.000	PPM
							HEPTANE	<	.360	500.000	400.000	400.000	PPM
							HEXANE	<	.370	500.000	50.000	50.000	PPM
							ISOOCTANE	<	.340	.000	.000	.000	PPM
							METHYL ETHYL KETONE	<	.200	200.000	200.000	200.000	PPM
							METHYLENE CHLORIDE	<	.320	25.000	25.000	50.000	PPM
							METHYL ISOBUTYL KETO	<	.170	100.000	50.000	50.000	PPM
							OCTANE	<	.340	500.000	300.000	300.000	PPM
							PENTANE	<	.410	1000.000	600.000	600.000	PPM
							PERCHLOROETHYLENE	<	.220	100.000	25.000	25.000	PPM
							N-PROPYL ACETATE	<	.340	200.000	200.000	200.000	PPM
							STYRENE	<	1.480	100.000	50.000	20.000	PPM
							TRICHLOROETHYLENE	<	.250	100.000	50.000	50.000	PPM
							1,1,1-TRICHLOROETHAN	<	.250	350.000	350.000	350.000	PPM
							TETRAHYDROFURAN	<	.770	200.000	200.000	200.000	PPM
							TRIMETHYLBENZENE (MI	<	.700	.000	25.000	25.000	PPM
							TOLUENE	<	.180	200.000	100.000	50.000	PPM
							XYLENE	<	.180	100.000	100.000	100.000	PPM
					LOC DESC:	FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4627 BADGE AT FENCE NEAR HOLE W SIDE OF AISLE NEAR STAIRS TO BATHROOM.							

B A S I S S T A N D A R D R E P O R T

UNIT: 19493 GMPT - FLINT COMPONENTS

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): $$$$$
CONTAMINANT GROUP(S): $$$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	ST	SAMPLE DATE	SAMPLE ID	LAST NAME	FI	EMPLOYE ID	CONTAMINANT	RC	RESULT	PEL	OEG TWA	TLV TWA	UNITS
8108	G	09/12/03	0388 2003 0384				ACETONE	<	.890	1000.000	750.000	500.000	PPM
							BENZENE	<	.190	1.000	1.000	.500	PPM
							BUTYL ACETATE	<	.560	150.000	150.000	150.000	PPM
							CYCLOHEXANONE	<	.180	50.000	25.000	20.000	PPM
							CHLOROBENZENE	<	.630	75.000	75.000	10.000	PPM
							1,2-DICHLOROETHANE	<	.310	50.000	1.000	10.000	PPM
							1,1-DICHLOROETHYLENE	<	.280	.000	1.000	5.000	PPM
							DECANE	<	.310	.000	.000	.000	PPM
							DIOXANE	<	.680	100.000	25.000	20.000	PPM
							ETHYL ACETATE	<	.680	400.000	400.000	400.000	PPM
							ETHYL BENZENE	<	.180	100.000	100.000	100.000	PPM
							HEPTANE	<	.360	500.000	400.000	400.000	PPM
							HEXANE	<	.370	500.000	50.000	50.000	PPM
							ISOOCTANE	<	.340	.000	.000	.000	PPM
							METHYL ETHYL KETONE	<	.200	200.000	200.000	200.000	PPM
							METHYLENE CHLORIDE	<	.320	25.000	25.000	50.000	PPM
							METHYL ISOBUTYL KETO	<	.170	100.000	50.000	50.000	PPM
							OCTANE	<	.340	500.000	300.000	300.000	PPM
							PENTANE	<	.410	1000.000	600.000	600.000	PPM
							PERCHLOROETHYLENE	<	.220	100.000	25.000	25.000	PPM
							N-PROPYL ACETATE	<	.340	200.000	200.000	200.000	PPM
							STYRENE	<	1.480	100.000	50.000	20.000	PPM
							TRICHLOROETHYLENE	<	.250	100.000	50.000	50.000	PPM
							1,1,1-TRICHLOROETHAN	<	.250	350.000	350.000	350.000	PPM
							1,1,2-TRICHLORO-1,2,	<	.350	1000.000	1000.000	1000.000	PPM
							TETRAHYDROFURAN	<	.770	200.000	200.000	200.000	PPM
							TRIMETHYLBENZENE (MI	<	.700	.000	25.000	25.000	PPM
							TOLUENE	<	.180	200.000	100.000	50.000	PPM
							XYLENE	<	.180	100.000	100.000	100.000	PPM

LOC DESC: GMPT FLINT NORTH , DEPT. 81-08 , BAY I-30 GENERAL SAMPLE LOCATED AT SOUTH END OF PART INSP TABLE , 10 FEET EAST OF WELL LOCATION N/SIDE OF E/W AISLE,

			0388 2003 0386				1,1-DICHLOROETHANE	<	.630	100.000	100.000	100.000	PPM

B A S I S S T A N D A R D R E P O R T

UNIT: 19493 GMPT - FLINT COMPONENTS

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): $$$$$
CONTAMINANT GROUP(S): $$$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	S T	SAMPLE DATE	SAMPLE ID	LAST NAME	F I	EMPLOYE ID	CONTAMINANT	R C	RESULT	PEL	OEG TWA	TLV TWA	UNITS
					LOC DESC:	GMPT FLINT NORTH , DEPT. 81-08 , BAY I-30 GENERAL SAMPLE LOCATED AT E-1 DISCONNECT FOR VISION INSP OP 110 , 8 FEET S/W OF WELL							
8108	G	09/12/03	0388 2003 0387				1,1,2-TRICHLORO-1,2,	<	.350	1000.000	1000.000	1000.000	PPM
					LOC DESC:	FLINT NORTH, DEPT. 8108 BAY I-30 GENERAL SAMPLE LOCATED AT SHUTTLE VALVE EAST OF OPER. STATION 8 FEET NORTH OF WELL SOUTH SIDE OF PART WASHER							
			0388 2003 0388				1,1-DICHLOROETHYLENE	<	.630	.000	1.000	5.000	PPM
					LOC DESC:	FLINT NORTH, DEPT. 81-08, BAY I-30 GENERAL SAMPLE AT BT 2547736 CONTROL PANEL NORTH SIDE EAST/WEST AISLE 30 FEET S/E OF WELL N/SIDE OF AISLE							