



Solutia Inc.
575 Maryville Centre Drive
St. Louis, Missouri 63141

Tel: 314-674-3312
Fax: 314-674-8808

gmrina@eastman.com

July 13, 2015

Ms. Carolyn Bury - LU-9J
U.S. EPA Region 5
Corrective Action Section
77 West Jackson Boulevard
Chicago, IL 60604-3507

Re: Route 3 Drum Site Groundwater Monitoring Program
2nd Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL

Dear Ms. Bury:

Enclosed please find the Route 3 Drum Site Groundwater Monitoring Program
2nd Quarter 2015 Data Report for Solutia Inc.'s W. G. Krummrich Plant, Sauget, IL.

If you have any questions or comments regarding this report, please contact me at
(314) 674-3312 or gmrina@eastman.com

Sincerely,

A handwritten signature in blue ink, appearing to read "Gerald M. Rinaldi".

Gerald M. Rinaldi
Manager, Remediation Services

Enclosure

cc: Distribution List

DISTRIBUTION LIST

**Route 3 Drum Site Groundwater Monitoring Program
2nd Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL**

USEPA

Stephanie Linebaugh
USEPA Region 5 - SR6J, 77 West Jackson Boulevard, Chicago, IL 60604

Solutia

Donn Haines 500 Monsanto Avenue, Sauget, IL 62206-1198



GROUNDWATER MONITORING REPORT

ILLINOIS ROUTE 3 DRUM SITE
GROUNDWATER MONITORING
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

July 2015

140-3345

A world of
capabilities
delivered locally





TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	FIELD ACTIVITIES	2
2.1	Water Level Measurement.....	2
2.2	Groundwater Sample Collection	2
2.3	Quality Assurance and Sample Handling	3
2.4	Decontamination and Investigation Derived Waste	4
3.0	QUALITY ASSURANCE	4
4.0	OBSERVATIONS.....	4
5.0	CLOSING	5
6.0	REFERENCES.....	6

List of Figures

- Figure 1 Site Location Map
- Figure 2 Monitoring Well Location and Groundwater Elevation Map

List of Tables

- Table 1 Monitoring Well Gauging Information
- Table 2 Groundwater Analytical Results
- Table 3 Monitored Natural Attenuation Results

List of Appendices

- Appendix A Groundwater Purging and Sampling Forms
- Appendix B Chain-of-Custody
- Appendix C Quality Assurance Report
- Appendix D Groundwater Analytical Results (including data validation reports)



1.0 INTRODUCTION

Golder Associates Inc. (Golder) is pleased to submit this report summarizing the 2nd Quarter 2015 (2Q15) groundwater sampling activities at the Illinois Route 3 Drum Site (Site), located within “Lot F” on Figure 1. The Site is associated with the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility in Sauget, Illinois located at 500 Monsanto Avenue, Sauget, Illinois. The 2Q15 sampling event was performed in general accordance with the Revised Illinois Route 3 Drum Site Operation and Maintenance Plan (Work Plan) (Solutia 2008).

The scope of work detailed in the Work Plan is summarized below.

Two (2) monitoring wells, located in the shallow hydrogeologic unit (SHU), are sampled during the Drum Site monitoring event. The locations of the monitoring wells are shown on Figure 2 and the sample locations are included on the table below.

Area	Location Relative to Area	Sample Identification
Illinois Route 3 Drum Site	Adjacent	GM-31A
	Downgradient	GM-58A

The water levels of the two (2) monitoring wells are measured quarterly and total depths are measured in the 1st quarter of each year.

During the quarterly sampling events, monitoring wells are sampled for the following semi-volatile organic compound (SVOC) analytes: 1,1-biphenyl, 1-chloro-2,4-dinitrobenzene, 2,4,6-trichlorophenol, 2,4-dichlorophenol, 2-chloronitrobenzene/4-chloronitrobenzene, 2-nitrobiphenyl, 3,4-dichloronitrobenzene, 3-nitrobiphenyl, 3-nitrochlorobenzene, 4-nitrobiphenyl, nitrobenzene, and pentachlorophenol. In addition, the following monitored natural attenuation (MNA) parameters are sampled quarterly to evaluate active natural attenuation occurring at the Site:

- Electron Donors – total and dissolved organic carbon
- Electron Acceptors – iron, manganese, nitrate, sulfate
- Biodegradation Byproducts – carbon dioxide, chloride, methane
- Biodegradation Indicators – alkalinity



2.0 FIELD ACTIVITIES

Golder conducted 2Q15 sampling activities on May 8, 2015. Activities were performed in general accordance with the Work Plan.

2.1 Water Level Measurement

Prior to sampling during the 2Q15 event, Golder performed a synoptic round of water level and total depth measurements at 77 monitoring wells and piezometers on April 30 and May 1, 2015. The following monitoring well series is included in the Drum Site program:

- GM-series

An oil/water interface probe was used to measure the water level (to 0.01 feet) and, if present, detect and measure the thickness of non-aqueous phase liquid (NAPL). During the 2Q15 sampling event, NAPL was not detected in monitoring wells or piezometers. Total depths are measured during the 1st quarter of each year. The 2Q15 well gauging information is shown on Table 1.

2.2 Groundwater Sample Collection

Monitoring wells sampled during the 2Q15 Drum Site event were purged and sampled using low-flow sampling techniques, low-density polyethylene tubing (LDPE) and a submersible (GM-31A) or peristaltic pump (GM-58A). The pump intake was placed at approximately the middle of the screened interval for each well. Purging occurred at a rate of approximately 300 mL/min to reduce drawdown. Drawdown was measured throughout purging activities to ensure that it did not exceed 25% of the distance between the pump intake and the top of the screen. Measurement of field parameters began once the flow rate and drawdown were stable for each well. Parameters were measured for each system volume purged using a SmartTROLL™ multi-parameter meter. The system volume includes the volume of the tubing, the volume of the pump and the volume of the flow-through cell containing the multi-parameter meter. Samples were collected after field parameters were stabilized within the ranges below for three (3) consecutive measurements:

- Dissolved Oxygen (DO): +/- 10% or +/- 0.2 mg/L, whichever is greatest
- Oxidation-Reduction Potential (ORP): +/- 20 mV
- pH: +/-0.2 standard units
- Specific Conductivity: +/- 3%

The flow rate was adjusted as needed to maintain approximately 300 mL/min during sampling activities. To reduce possible sample cross contamination, the flow-through cell was bypassed and gloves were replaced prior to sampling.



Sample bottles were provided by TestAmerica Laboratories, Inc. (TestAmerica) for the following analyses:

- SVOCs – USEPA SW-846 Method 8270D
- MNA parameters – alkalinity and carbon dioxide (USEPA Method 310.1), chloride (USEPA Method 352.5), total and dissolved iron and total and dissolved manganese (USEPA SW-846 Method 6010C), methane, ethane and ethylene (RSK-175), nitrate (USEPA Method 353.2), sulfate (USEPA Method 375.4), and total and dissolved organic carbon (USEPA Method 415.1)

Gas sensitive parameter sample bottles were filled first followed by SVOCs and general chemistry parameters. Ferrous iron was field analyzed with a HACH 890 Colorimeter and HACH AccuVac® ampules. Samples collected for ferrous iron and dissolved analyses were field filtered using an in-line 0.2 micron disposable filter. Groundwater purging and sampling forms are included in Appendix A.

2.3 Quality Assurance and Sample Handling

One (1) analytical duplicate (AD), one (1) equipment blank (EB) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were collected during the 2Q15 Drum Site sampling event. Sample bottles were labeled with the date and time of sample collection, sampler initials, analysis requested, preservative used, and sample identification based on the following nomenclature “GM-##A-MMYQ-QA/QC” where:

- “**GM**” denotes “Geraghty & Miller” and “**##A**” denotes monitoring well location and number
- “**MMYQ**” denotes month and year of sampling quarter, e.g.: May (2nd quarter), 2015 (0515)
- “**QA/QC**” denotes QA/QC sample
 - **AD** – Analytical Duplicate
 - **EB** – Equipment Blank
 - **MS or MSD** – Matrix Spike or Matrix Spike Duplicate

Samples that were field filtered with an in-line 0.2 micron filter include “F(0.2)” prior to the “MMYQ” portion of the sample identification. Sample information was recorded on a chain-of-custody (COC) that included project identification, sample identification, date and time of sample collection, analysis requested, preservative used, sample matrix and type, number of sample containers, sampler signature, and date COC was completed. A copy of the COC is included in Appendix B.

Directly after sampling, sample bottles were placed in an iced cooler to maintain a sample temperature of approximately 4°C. Prior to sample shipment, samples and ice were placed inside two (2) contractor trash bags. The bags were tied and the cooler was sealed between the lid and sides with a signed and dated custody seal. Samples were shipped overnight via FedEx to the TestAmerica facility in Savannah, Georgia.



2.4 Decontamination and Investigation Derived Waste

Sampling equipment was decontaminated prior to mobilizing to the Site, between sample locations and prior to demobilizing from the Site. Non-dedicated sampling equipment was decontaminated between samples with a non-phosphatic detergent solution and a deionized water rinse.

Investigation derived waste (IDW) was placed in 55-gallon drums, labeled with the generation date and staged for disposal by Solutia. IDW such as gloves and other disposable sampling equipment was bagged for disposal by Solutia.

3.0 QUALITY ASSURANCE

Sample results were provided by TestAmerica in electronic format and reviewed for quality and completeness by Golder in accordance with the Work Plan. Sample results are included in Appendix D. Results were submitted in one (1) sample delivery group (SDG) as follows:

Sample Delivery Group (SDG)	Sample Identification
KOM028	GM-58A-0515
	GM-31A-0515
	GM-31A-0515-AD
	GM-31A-0515-EB

Golder completed validation of the analytical data following the general guidelines in the Work Plan, and the most recent versions of the national data validation guidelines. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. The completeness for the data set was 100%.

4.0 OBSERVATIONS

SVOCs were not detected in groundwater samples collected from monitoring well GM-58A during the 2Q15 sampling event. The SVOC 2,4,6-trichlorophenol was detected in GM-31A and GM-31A-AD at concentrations of 14 µg/L and 15 µg/L respectively. Groundwater analytical data for SVOCs and MNA parameters is presented in Table 2 and 3, respectively.



5.0 CLOSING

Golder appreciates the opportunity to assist Solutia Inc. with the Illinois Route 3 Drum Site groundwater sampling events. Please contact the undersigned if you need additional information.

Sincerely,

GOLDER ASSOCIATES INC.

Lori A. Bindner
Geological Engineer

Amanda W. Derhake, Ph.D., P.E.
Senior Project Engineer

Mark R. Sandfort, R.G., P.E
Principal, Program Leader




6.0 REFERENCES

Solutia Inc., 2008. Revised Illinois Route 3 Drum Site Operation and Maintenance Plan, W.G. Krummrich Facility, Sauget, IL, May 2008.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.


USEPA, 2008. Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review.

FIGURES



LEGEND

- W.G. KRUMMRICH FACILITY
- SAUGET AREA #1
- SAUGET AREA #2




MISSISSIPPI RIVER

CLIENT SOLUTIA INC. W.G. KRUMMRICH FACILITY SAUGET, ILLINOIS		PROJECT ILLINOIS ROUTE 3 DRUM SITE GROUNDWATER SAMPLING 2ND QUARTER 2015 DATA REPORT	
CONSULTANT 		TITLE SITE LOCATION MAP	
PREPARED DESIGN REVIEW APPROVED	2015-05-27 LAB LAB AWD MNH	PROJECT No. 140-3345	PHASE 0013
		Rev. 0	FIGURE 1

Path: \\solutia\common\Projects\140 Projects\1403345 - Solutia GIV Sampling\WGK Plant - IL\Figures\2015 Figures\1 - Fig Name: 1403345DRUMF001.dwg

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSIB




Path: \\solutions\comm\proj\140-3345 - Solutia GW Sampling\WGK\Plan - IL\Figures\015\Figures - I File Name: 4403345_ROUTE3 DRUM SITE.dwg

LEGEND

 **MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION (FT NAVD)**

NOTES

1. REFER TO TABLE 1 FOR MONITORING WELL CONSTRUCTION INFORMATION.



CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT	YYYY-MM-DD	2015-05-27
	PREPARED	LAB
	DESIGN	LAB
	REVIEW	AWD
	APPROVED	MNH



PROJECT
ILLINOIS ROUTE 3 DRUM SITE GROUNDWATER SAMPLING
2ND QUARTER 2015 DATA REPORT

TITLE
**MONITORING WELL LOCATIONS AND
GROUNDWATER ELEVATION MAP**

PROJECT No.	PHASE	Rev.	FIGURE
140-3345	0013	0	2

TABLES

Table 1
Monitoring Well Gauging Information
2Q15 Route 3 Drum Site Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Well Identification	Monitoring Well Construction Data						2Q15 - April 30 and May 1, 2015			
	Ground Surface Elevation ¹ (ft)	Top of Casing Elevation ¹ (ft)	Top of Screen Depth (ft bgs)	Bottom of Screen Depth (ft bgs)	Top of Screen Elevation ¹ (ft)	Bottom of Screen Elevation ¹ (ft)	Water Level (ft btoc)	Depth to NAPL (ft btoc)	Total Depth ² (ft btoc)	Water Level Elevation ¹ (ft)
SHU 395-380 ft NAVD 88										
GM-31A	416.63	418.63	19.00	39.00	397.63	377.63	24.29	NP	40.15	394.34
GM-58A	412.24	414.24	19.40	39.40	392.84	372.84	20.11	NP	40.82	394.13

Notes

ft - feet

bgs - below ground surface

btoc - below top of casing

NP - no product observed

SHU - shallow hydrogeologic unit

¹ - Elevations based on North American Vertical Datum (NAVD) 88 datum.

² - Total depths are measured annually during the first quarter of each year.

Prepared By: LAB 5/22/2015

Checked By: EPW 5/27/2015

Reviewed By: AWD 7/6/2015

Table 2
Groundwater Analytical Results
2Q15 Route 3 Drum Site Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Sample Identification	Sample Date	SVOCs (µg/L)											
		1,1'-Biphenyl	1-Chloro-2,4-Dinitrobenzene	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2-Chloronitrobenzene/ 4-Chloronitrobenzene	2-Nitrobiphenyl	3,4-Dichloronitrobenzene	3-Nitrobiphenyl	3-Nitrochlorobenzene	4-Nitrobiphenyl	Nitrobenzene	Pentachlorophenol
SHU													
GM-31A-0515	5/8/2015	<9.9	<9.9	14	<9.9	<20	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<49
GM-31A-0515-AD	5/8/2015	<9.9	<9.9	15	<9.9	<20	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<50
GM-58A-0515	5/8/2015	<9.6	<9.6	<9.6	<9.6	<19	<9.6	<9.6	<9.6	<9.6	<9.6	<9.6	<48

Notes

SVOCs - semi-volatile organic compounds

µg/L - micrograms per liter

< - result is non-detect, less than the reporting limit

AD - analytical duplicate

SHU - shallow hydrogeologic unit

Bold - indicates detection greater than reporting limit

Prepared By: JRS 6/10/2015

Checked By: LAB 6/30/2015

Reviewed By: AWD 7/6/2015

Table 3
Monitored Natural Attenuation Results
2Q15 Route 3 Drum Site Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Sample Identification	Sample Date	Monitored Natural Attenuation Parameters																
		Alkalinity (mg/L)	Carbon Dioxide (mg/L)	Chloride (mg/L)	Dissolved Oxygen (mg/L)	Ethane (ug/L)	Ethylene (ug/L)	Ferrous Iron (mg/L)	Iron (mg/L)	Iron, Dissolved (mg/L)	Manganese (mg/L)	Manganese, Dissolved (mg/L)	Methane (ug/L)	Nitrogen, Nitrate (mg/L)	Sulfate as SO4 (mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	ORP (mV)
SHU																		
GM-31A-0515	5/8/2015	310	26	49	0.15	<1.1	<1.0	-	0.21	-	0.65	-	26	4.2 D	120 D	3.7	-	44.42
GM-31A-F(0.2)-0515	5/8/2015	-	-	-	-	-	-	0.0	-	<0.050	-	0.66	-	-	-	-	-	3.6
GM-58A-0515	5/8/2015	410	32	78 D	0.06	<1.1	<1.0	-	0.10	-	1.5	-	0.81	0.77	280 D	4.0	-	43.32
GM-58A-F(0.2)-0515	5/8/2015	-	-	-	-	-	-	0.0	-	<0.050	-	1.5	-	-	-	-	-	3.9

Notes

Dissolved Oxygen (DO) and Oxidation Reduction Potential (ORP) values represent the final field measurements prior to sampling (In-Situ - SmartTroll®)
 Ferrous Iron was field measured using a 0.2 µm field filtered sample (Hach DR-890 Colorimeter)
 F(0.2) - sample was field filtered using a 0.2 µm filter during sample collection
 µg/L - micrograms per liter
 mg/L - milligrams per liter
 mV - millivolts
 < - result is non-detect, less than the reporting limit
 "-" - not analyzed
 D - compound analyzed at a dilution
 SHU - shallow hydrogeologic unit

Prepared By: JRS 6/10/2015
 Checked By: LAB 6/30/2015
 Reviewed By: AWD 7/6/2015

**APPENDIX A
GROUNDWATER PURGING AND SAMPLING FORMS**

Project Information:

Operator Name LAB
 Company Name Golder Associates
 Project Name W.G. Krummrich
 Site Name Rt. 3 Drum

Pump Information:

Pump Model/Type SS Monsoon
 Tubing Type LDPE
 Tubing Diameter 0.19 in
 Tubing Length 44.32 ft
 Pump Placement from TOC 30.15 ft

Well Information:

Well Id GM-31A
 Well Diameter 2 in
 Well Total Depth 40.15 ft
 Depth to Top of Screen 20.15 ft
 Screen Length 20 ft
 Depth to Water 24.25 ft

Pumping Information:

Final Pumping Rate 300 mL/min
 System Volume 437 mL
 Calculated Sample Rate 87 sec
 Sample Rate 87 sec
 Stabilized Drawdown 0.02 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	11:52:42	16.10	7.00	1041.60	5.84	0.28	50.42
	11:54:09	16.02	6.93	1045.14	4.27	0.24	47.99
	11:55:36	16.01	6.89	1045.29	4.31	0.20	46.57
	11:57:03	15.96	6.86	1049.30	3.63	0.17	45.33
	11:58:30	15.93	6.85	1050.57	3.03	0.15	44.42
Variance in Last 3 Readings		-0.01	-0.04	0.15	0.04	-0.04	-1.42
		-0.05	-0.03	4.01	-0.68	-0.03	-1.24
		-0.03	-0.01	1.27	-0.60	-0.02	-0.91

Notes:

Project Information:

Operator Name LAB
 Company Name Golder Associates
 Project Name W.G. Krummrich
 Site Name Rt. 3 Drum

Pump Information:

Pump Model/Type Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.19 in
 Tubing Length 50.58 ft
 Pump Placement from TOC 30.82 ft

Well Information:

Well Id GM-58A
 Well Diameter 2 in
 Well Total Depth 40.82 ft
 Depth to Top of Screen 20.82 ft
 Screen Length 20 ft
 Depth to Water 20.08 ft

Pumping Information:

Final Pumping Rate 300 mL/min
 System Volume 382 mL
 Calculated Sample Rate 76 sec
 Sample Rate 76 sec
 Stabilized Drawdown 0.02 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	10:19:55	16.64	6.78	1329.19	1.49	0.07	45.08
	10:21:11	16.38	6.76	1412.47	1.71	0.06	43.83
	10:22:27	16.27	6.75	1458.74	1.96	0.06	43.18
	10:23:43	16.19	6.74	1472.58	1.47	0.06	42.96
	10:24:59	16.11	6.74	1479.71	1.80	0.06	43.32
Variance in Last 3 Readings		-0.11	-0.01	46.27	0.25	0.00	-0.65
		-0.08	-0.01	13.84	-0.49	0.00	-0.22
		-0.08	0.00	7.13	0.33	0.00	0.36

Notes:

**APPENDIX B
CHAIN-OF-CUSTODY**

Regulatory Program: DW NPDES RCRA Other:

Client Contact Golder Associates Inc. 820 South Main Street St. Charles, MO 63301 (636) 724-9191 Phone (636) 724-9323 FAX Project Name: 2Q15 Drum Site GW Sampling-1403345 Site: Solutia WG Krummrich Facility P O # 42447936		Project Manager: Amanda Derhake Tel/Fax: 636-724-9191		Site Contact: Lori Bindner Lab Contact: Michele Kersey		Date: Carrier: FedEx		COC No: 1 of 1 COCs												
		Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below Standard <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Filtered Sample (Y/N)		Perform MS / MSD (Y/N)		Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:												
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	SVOCs by 8270	Total Fe/Mn by 6010C	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Methane by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010C	DOC by 415.1	Sample Specific Notes:				
GM-31A-0515		5/8/15	1200	G	W	12	N	2	1	1	3	1	3							
GM-31A-F(0.2)-0515						4	Y							1	3					
GM-31A-0515-AD						2	N	2	1	1	3	1	3			* SVOC only per L Bindner				
GM-31A-0515-EB			1245			2	N	2*								* SVOC only per L Bindner				
GM-58A-0515			1025			12	N	2	1	1	3	1	3			* 5/11/15				
GM-58A-F(0.2)-0515						4	Y							1	3	J. Recond				
GM-58A-0515-MS						2	N	2												
GM-58A-0515-MSD						2	N	2												
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other							1 4 1 1 2 3,1 3 4 3													
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown							Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months													
Special Instructions/QC Requirements & Comments: <p style="text-align: center; font-size: 2em;">680-112399 0.6/0.2(CF) 1.0/0.6C</p>																				
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temp. (°C): Obs'd: _____ Cor'd: _____		Therm ID No.:														
Relinquished by: <i>J. Bindner</i>		Company: <i>Golder</i>		Date/Time: <i>5/8/15</i>		Received by:		Company:		Date/Time:										
Relinquished by:		Company:		Date/Time:		Received by:		Company:		Date/Time:										
Relinquished by:		Company:		Date/Time:		Received in laboratory by: <i>ES Bouda</i>		Company: <i>SAU</i>		Date/Time: <i>05-08-15 0926</i>										



APPENDIX C
QUALITY ASSURANCE REPORT



QUALITY ASSURANCE REPORT

ILLINOIS ROUTE 3 DRUM SITE
GROUNDWATER MONITORING
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

July 2015

140-3345

A world of
capabilities
delivered locally





Table of Contents

1.0	INTRODUCTION.....	1
2.0	SEMI-VOLATILE ORGANIC COMPOUNDS	2
2.1	Receipt Condition and Sample Holding Times	3
2.2	Blanks.....	3
2.3	Surrogate Spike Recoveries	3
2.4	Laboratory Control Sample Recoveries	3
2.5	Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples	3
2.6	Analytical Duplicates	3
2.7	Internal Standard Responses.....	4
2.8	Results Reported From Dilutions	4
3.0	INORGANICS AND GENERAL CHEMISTRY	4
3.1	Receipt Condition and Sample Holding Times	4
3.2	Blanks.....	4
3.3	Laboratory Control Sample Recoveries	5
3.4	Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples	5
3.5	Results Reported From Dilutions	5
4.0	SUMMARY	6
5.0	REFERENCES.....	7



1.0 INTRODUCTION

Golder Associates Inc. (Golder) completed a review of analytical data for the groundwater samples collected on May 8, 2015 at the Illinois Route 3 Drum Site (Site) associated with the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility in Sauget, Illinois. Golder collected a total of six (6) samples from groundwater monitoring wells as part of the 2nd Quarter 2015 (2Q15) Illinois Route 3 Drum Site groundwater monitoring. Two (2) groundwater samples, one (1) equipment blank (EB), one (1) analytical duplicate (AD), and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were prepared. Groundwater monitoring location GM-31A is located at the Site and monitoring location GM-58A is located just north of the Site. The samples were submitted to the TestAmerica Laboratories, Inc. (TestAmerica) facility located in Savannah, Georgia for analysis using United States Environmental Protection Agency (USEPA) methods, standard methods and USEPA SW-846 test methods. Samples submitted to TestAmerica were analyzed for semi-volatile organic compounds (SVOCs), total and dissolved metals, dissolved gases, and general chemistry parameters. The analytical results were placed into one (1) sample delivery groups (SDGs) as described in the table below:

Sample Delivery Group (SDG)	Sample Identification
KOM028	GM-31A-0515
	GM-31A-0515-AD
	GM-31A-0515-EB
	GM-58A-0515

The samples were collected and analyzed in general accordance with the Revised Illinois Route 3 Drum Site Operation and Maintenance Plan (Work Plan) (Solutia 2008). The groundwater monitoring well samples were analyzed for SVOCs, total and dissolved metals, dissolved gases, and general chemistry parameters. The general chemistry parameters included chloride, nitrate, sulfate, total organic carbon (TOC), alkalinity, carbon dioxide, and dissolved organic carbon (DOC). One (1) EB, one (1) AD, and one (1) MS/MSD pair were submitted and analyzed for SVOCs only. The following analytical methods used are from USEPA document SW-846, Test Methods for Evaluating Solid Waste, Revision 6 contained in Final Update III August 2002 and listed below:

- SVOCs were analyzed using USEPA SW-846 Method 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)
- Total and Dissolved Iron and Manganese analyzed by USEPA SW-846 Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry

The following standard methods were used to analyze monitored natural attenuation (MNA) parameters:

- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry



- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Golder completed validation of the analytical data following the general guidelines in the Work Plan. The most recent versions of the national data validation guidelines were used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

These documents are hereafter referred to as the "functional guidelines". If there was a conflict between the functional guidelines and the quality control criteria specified in the analytical method, the method-specific criteria were used. The SDGs were prepared as a Level IV data report package containing quality control information and raw data. Golder completed Level III review of 100% of the analytical data and Level IV review of 10% of the analytical data.

Data that has been qualified by the data validator has been added to the laboratory report. The qualifiers indicate data that did not meet acceptance criteria and corrective actions were not successful or not performed. Laboratory data qualifiers are defined below:

- U – The analyte was analyzed for but not was not detected
- F1 – MS/MSD Recovery exceeds the control limits
- 4 – MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore control limits are not applicable

Golder data qualifiers are defined below:

- D – The analyte was analyzed at a dilution

Sections 2 and 3 summarize the specific instances where quality control criteria in the functional guidelines were not met. As specified in the functional guidelines, if the non-adherence to quality control criteria is slight, professional judgment was used in qualification of the data. However, if the non-adherence is significant, qualification and rejection of the data may be necessary. A summary of qualified data is provided in Section 4.0.

2.0 SEMI-VOLATILE ORGANIC COMPOUNDS

Samples were collected from two (2) groundwater monitoring locations and analyzed for SVOCs. An AD sample was collected from one (1) sampling location, GM-31A. One (1) EB was also prepared and shipped for laboratory analysis. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KOM028), and were prepared and analyzed using SW-846 Method 8270D. Samples



were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

2.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling.

KOM028 – Samples were received at temperatures below the 4°C +/-2°C criteria. The samples were otherwise received in good condition and data qualification was not required.

2.2 Blanks

Laboratory and field blanks, including method blanks and equipment blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory or field activities.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

One (1) EB was collected during the 2Q15 event, associated with sample GM-31A, to assess the effectiveness of the decontamination procedure. Results for the EB were non-detect.

2.3 Surrogate Spike Recoveries

Samples to be analyzed for SVOCs were spiked with surrogate compounds: 2-fluorobiphenyl, 2-fluorophenol, nitrobenzene-d5, phenol-d5, terphenyl-d14, and 2,4,6-trichlorophenol, prior to analysis, to evaluate overall laboratory performance. Surrogate recoveries were within acceptance criteria.

2.4 Laboratory Control Sample Recoveries

A laboratory control sample (LCS) is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria.

2.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. One (1) MS/MSD pair is sampled for every twenty (20) field samples. One (1) MS/MSD pair was collected during the 2Q15 event associated with sample GM-58A. Results were within accuracy and precision criteria.

2.6 Analytical Duplicates

One (1) AD is collected for every ten (10) field samples to determine the overall precision of field and laboratory methods. One (1) AD was collected during the 2Q15 event associated with sample GM-31A.



The relative percent difference (RPD) between the sample GM-31A and the AD, GM-31A-AD, did not exceed 25%; therefore, data qualification was not required.

2.7 Internal Standard Responses

Internal standard performance criteria ensure that GC/MS sensitivity and response are stable during each analysis. Internal standard area counts did not vary by more than a factor of two (2) from the associated 12 hour calibration standard. Internal standard retention times did not vary more than +/-30 seconds from the retention time of the associated 12 hour calibration standard. Qualification of data was not required.

2.8 Results Reported From Dilutions

SVOC samples in the SDG did not require dilutions.

3.0 INORGANICS AND GENERAL CHEMISTRY

Samples were collected from two (2) groundwater monitoring locations and analyzed for inorganics and general chemistry. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KOM028), and were prepared and analyzed using the following methods:

- Total and Dissolved Iron and Manganese analyzed by USEPA Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry
- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry
- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Samples were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

3.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling.

KOM028 – Samples were received at temperatures below the 4°C +/-2°C criteria. The samples were otherwise received in good condition and data qualification was not required.

3.2 Blanks

Laboratory method blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory activities.



Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

3.3 Laboratory Control Sample Recoveries

A LCS is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria; therefore, data qualification was not required.

3.4 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. Although MS/MSD analysis was not required for inorganic and general chemistry per the Work Plan, the laboratory spiked groundwater sample GM-31A and GM-58A for various analytes. Some MS/MSD data for these samples was outside acceptance criteria. Since MS/MSD data alone cannot be used to evaluate the precision and accuracy of data, data qualification was not required for associated samples.

3.5 Results Reported From Dilutions

Samples in the SDG required dilutions due to high levels of target analytes chloride and sulfate. Reporting limits were adjusted to reflect the dilution. Result qualifications are shown in Section 4.0.



4.0 SUMMARY

Golder validated the data collected during the 2Q15 sampling event from the Illinois Route 3 Drum Site in general accordance with the Work Plan and USEPA functional guidelines. Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. Where a positive result was qualified as estimated, the analyte should be considered present. Similarly, a result that was qualified as an estimated reporting limit should be considered not present for the purposes of this program, although the limit itself may not be precise. The completeness for the entire data set was 100%.

Qualification Summary Table

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Chloride, Nitrate and Sulfate	D	GM-31A and GM-58A



5.0 REFERENCES

Solutia Inc., 2008. Revised Illinois Route 3 Drum Site Operation and Maintenance Plan, W.G. Krummrich Facility, Sauget, IL, May 2008.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

**APPENDIX D
GROUNDWATER ANALYTICAL RESULTS
(INCLUDING DATA VALIDATION REPORT)**



Level IV Data Validation Summary
Solutia Inc., W.G. Krummrich, Sauget, Illinois
2Q15 Route 3 Drum Site Monitoring Program

Company Name: Golder Associates
Project Name: WGK-2Q15 DRUM
Reviewer: L. Bindner
Laboratory: TestAmerica
SDG#: KOM028
Matrix: Water

Project Manager: A. Derhake
Project Number: 140-3345
Sample Date: May 2015

Analytical Method: SVOC (8270D), Dissolved Gases (RSK-175), Metals (6010C), Alkalinity (310.1), Chloride (325.2), Nitrogen, Nitrate-Nitrite (353.2), Sulfate (375.4), TOC (415.1), and DOC (415.1)

Sample Names: GM-31A-0515, GM-31A-F(0.2)-0515, GM-31A-0515-AD, GM-31A-0515-EB, GM-58A-0515, and GM-58A-F(0.2)-0515

Table with 4 columns: Field Information, YES, NO, NA. Rows include 'a) Sampling dates noted?' and 'b) Does the laboratory narrative indicate deficiencies?'.

Comments:

SVOC: No deficiencies noted.

Dissolved Gases: Insufficient sample volume for MS/MSD associated with 382554.

Metals: No deficiencies noted.

Alkalinity: No deficiencies noted.

Chloride: Sample GM-58A-0515 required dilution prior to analysis, reporting limits were adjusted accordingly.

Nitrate-Nitrite as Nitrogen: Nitrate as N and Nitrate Nitrite as N recovered low for the GM-31A-0515MS in batch 382542.

Sulfate: Sulfate recovered low for the GM-31A-0515MS and GM-31A-0515MSD in batch 382568. Samples GM-31A-0515 and GM-58A-0515 required dilution prior to analysis, reporting limits were adjusted accordingly.

TOC: No deficiencies noted.

DOC: No deficiencies noted.

Table with 4 columns: Chain-of-Custody (COC), YES, NO, NA. Rows include 'a) Was the COC signed by both field and laboratory personnel?' and 'b) Were samples received in good condition?'.

Comments: Samples were received at 1.0°C and 0.6°C, outside the 4°C +/- 2°C criteria.

Table with 4 columns: General, YES, NO, NA. Rows include 'a) Were hold times met for sample analysis?', 'b) Were the correct preservatives used?', 'c) Was the correct method used?', and 'd) Any sample dilutions noted?'.

Comments: Detections in diluted analysis were qualified.



**GC/MS Instrument Performance Check (IPC) and Internal Standards (IS)****YES NO NA**

- a) IPC analyzed at the appropriate frequency and met the appropriate standards?
- b) Does DFTPP meet the ion abundance criteria?
- c) Internal Standard retention times and areas met appropriate criteria?

Comments: None**Calibrations****YES NO NA**

- a) Initial calibration analyzed at the appropriate frequency and met the appropriate standards?
- b) Continuing calibrations analyzed at the appropriate frequency and met the appropriate standards?
- c) Initial calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?
- d) Continuing calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?

Comments: Analytes of interest met calibration standards.**Blanks****YES NO NA**

- a) Were blanks (trip, equipment, method) performed at required frequency?
- b) Were analytes detected in any blanks?

Comments: Equipment blank GM-31A-0515-EB was submitted with SDG KOM028.**Matrix Spike/Matrix Spike Duplicate (MS/MSD)****YES NO NA**

- a) Was MS/MSD accuracy criteria met?
- b) Was MS/MSD precision criteria met?

Comments: Nitrate and sulfate recoveries were outside control limits associated with batches 382542 and 382568. Data was not qualified based on MS/MSD data alone.**Laboratory Control Sample (LCS)****YES NO NA**

- a) LCS analyzed at the appropriate frequency and met appropriate standards?

Comments: None**Surrogate (System Monitoring) Compounds****YES NO NA**

- a) Surrogate compounds analyzed at the appropriate frequency and met appropriate standards?

Comments: None**Duplicates****YES NO NA**

- a) Were field duplicates collected?
- b) Was field duplicate precision criteria met?

Comments: Duplicate sample GM-31A-0515-AD was submitted with SDG KOM028.**Additional Comments:** None



Qualifications:

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Chloride, Nitrate and Sulfate	D	GM-31A and GM-58A

SDG KOM028
Sample Results from:

GM-31A
GM-58A

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-112399-1
TestAmerica Sample Delivery Group: KOMO28
Client Project/Site: 2Q15 Drum Site GW Sampling - 1403345

For:
Solutia Inc.
575 Maryville Centre Dr.
Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi



Authorized for release by:
6/5/2015 11:16:41 AM

Michele Kersey, Project Manager I
(912)354-7858
michele.kersey@testamericainc.com

LINKS

Review your project results through
Total Access

Have a Question?
Ask The Expert

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAP and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

LAB 6/29/15

Definitions/Glossary

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery is outside acceptance limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

TestAmerica Savannah

LAB 6/29/15

Sample Summary

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-112399-1	GM-31A-0515	Water	05/08/15 12:00	05/09/15 09:26
680-112399-2	GM-31A-F(0.2)-0515	Water	05/08/15 12:00	05/09/15 09:26
680-112399-3	GM-31A-0515-AD	Water	05/08/15 12:00	05/09/15 09:26
680-112399-4	GM-31A-0515-EB	Water	05/08/15 12:45	05/09/15 09:26
680-112399-5	GM-58A-0515	Water	05/08/15 10:25	05/09/15 09:26
680-112399-6	GM-58A-F(0.2)-0515	Water	05/08/15 10:25	05/09/15 09:26

TestAmerica Savannah

LAB 6/29/15

Case Narrative

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Job ID: 680-112399-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: 2Q15 Drum Site GW Sampling - 1403345

Report Number: 680-112399-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 05/09/2015; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was C. 1.0°C and 0.6°C

SEMIVOLATILE ORGANIC COMPOUNDS (AQUEOUS)

Samples GM-31A-0515 (680-112399-1), GM-31A-0515-AD (680-112399-3), GM-31A-0515-EB (680-112399-4) and GM-58A-0515 (680-112399-5) were analyzed for Semivolatile Organic Compounds (Aqueous) in accordance with EPA SW-846 Method 8270D. The samples were prepared on 05/15/2015 and analyzed on 06/03/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED GASES

Samples GM-31A-0515 (680-112399-1) and GM-58A-0515 (680-112399-5) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 05/11/2015 and 05/12/2015.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with 382554.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)

Samples GM-31A-F(0.2)-0515 (680-112399-2) and GM-58A-F(0.2)-0515 (680-112399-6) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 05/13/2015 and analyzed on 05/16/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)

Samples GM-31A-0515 (680-112399-1) and GM-58A-0515 (680-112399-5) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 05/13/2015 and analyzed on 05/16/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

ALKALINITY

Samples GM-31A-0515 (680-112399-1) and GM-58A-0515 (680-112399-5) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 05/09/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CHLORIDE

Samples GM-31A-0515 (680-112399-1) and GM-58A-0515 (680-112399-5) were analyzed for Chloride in accordance with EPA Method

Case Narrative

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Job ID: 680-112399-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

325.2. The samples were analyzed on 05/11/2015.

Sample GM-58A-0515 (680-112399-5)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

NITRATE-NITRITE AS NITROGEN

Samples GM-31A-0515 (680-112399-1) and GM-58A-0515 (680-112399-5) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 05/09/2015.

Nitrate as N and Nitrate Nitrite as N exceeded the recovery criteria low for the MS of sample GM-31A-0515MS (680-112399-1) in batch 680-382542.

Refer to the QC report for details.

Sample GM-31A-0515 (680-112399-1)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

SULFATE

Samples GM-31A-0515 (680-112399-1) and GM-58A-0515 (680-112399-5) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 05/11/2015.

Sulfate exceeded the recovery criteria low for the MS and MSD of sample GM-31A-0515 (680-112399-1) in batch 680-382568.

Refer to the QC report for details.

Samples GM-31A-0515 (680-112399-1)[5X] and GM-58A-0515 (680-112399-5)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL ORGANIC CARBON

Samples GM-31A-0515 (680-112399-1) and GM-58A-0515 (680-112399-5) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 05/18/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED ORGANIC CARBON (DOC)

Samples GM-31A-F(0.2)-0515 (680-112399-2) and GM-58A-F(0.2)-0515 (680-112399-6) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 05/18/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Client Sample ID: GM-31A-0515

Lab Sample ID: 680-112399-1

Date Collected: 05/08/15 12:00

Matrix: Water

Date Received: 05/09/15 09:26

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
1-chloro-2,4-dinitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
1-Chloro-3-nitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
2-chloronitrobenzene / 4-chloronitrobenzene	20	U	20		ug/L		05/15/15 15:59	06/03/15 15:01	1
3,4-Dichloronitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
2,4-Dichlorophenol	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
Nitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
2-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
3-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
4-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
Pentachlorophenol	49	U	49		ug/L		05/15/15 15:59	06/03/15 15:01	1
2,4,6-Trichlorophenol	14		9.9		ug/L		05/15/15 15:59	06/03/15 15:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	65		32 - 113				05/15/15 15:59	06/03/15 15:01	1
2-Fluorophenol	42		26 - 109				05/15/15 15:59	06/03/15 15:01	1
Nitrobenzene-d5	54		32 - 118				05/15/15 15:59	06/03/15 15:01	1
Phenol-d5	42		27 - 110				05/15/15 15:59	06/03/15 15:01	1
Terphenyl-d14	34		10 - 126				05/15/15 15:59	06/03/15 15:01	1
2,4,6-Tribromophenol	92		39 - 124				05/15/15 15:59	06/03/15 15:01	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			05/11/15 23:49	1
Ethylene	1.0	U	1.0		ug/L			05/11/15 23:49	1
Methane	26		0.58		ug/L			05/11/15 23:49	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.21		0.050		mg/L		05/13/15 10:52	05/16/15 19:43	1
Manganese	0.65		0.010		mg/L		05/13/15 10:52	05/16/15 19:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	49		1.0		mg/L			05/11/15 10:40	1
Nitrate as N	4.2	FD	0.25		mg/L			05/09/15 14:45	5
Sulfate	120	D	25		mg/L			05/11/15 13:33	5
Total Organic Carbon	3.7		1.0		mg/L			05/18/15 20:14	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	310		5.0		mg/L			05/09/15 19:32	1
Carbon Dioxide, Free	26		5.0		mg/L			05/09/15 19:32	1

5

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Client Sample ID: GM-31A-F(0.2)-0515

Lab Sample ID: 680-112399-2

Date Collected: 05/08/15 12:00

Matrix: Water

Date Received: 05/09/15 09:26

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.050	U	0.050		mg/L		05/13/15 10:52	05/16/15 19:47	1
Manganese, Dissolved	0.66		0.010		mg/L		05/13/15 10:52	05/16/15 19:47	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	3.6		1.0		mg/L			05/18/15 23:35	1

5

Client Sample Results

Client: Solutia Inc.
 Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
 SDG: KOMO28

Client Sample ID: GM-31A-0515-AD

Lab Sample ID: 680-112399-3

Date Collected: 05/08/15 12:00

Matrix: Water

Date Received: 05/09/15 09:26

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
1-chloro-2,4-dinitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
1-Chloro-3-nitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
2-chloronitrobenzene /	20	U	20		ug/L		05/15/15 15:59	06/03/15 15:25	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
2,4-Dichlorophenol	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
Nitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
2-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
3-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
4-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
Pentachlorophenol	50	U	50		ug/L		05/15/15 15:59	06/03/15 15:25	1
2,4,6-Trichlorophenol	15		9.9		ug/L		05/15/15 15:59	06/03/15 15:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	63		32 - 113				05/15/15 15:59	06/03/15 15:25	1
2-Fluorophenol	41		26 - 109				05/15/15 15:59	06/03/15 15:25	1
Nitrobenzene-d5	54		32 - 118				05/15/15 15:59	06/03/15 15:25	1
Phenol-d5	42		27 - 110				05/15/15 15:59	06/03/15 15:25	1
Terphenyl-d14	31		10 - 126				05/15/15 15:59	06/03/15 15:25	1
2,4,6-Tribromophenol	89		39 - 124				05/15/15 15:59	06/03/15 15:25	1

5

Client Sample Results

Client: Solutia Inc.
 Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
 SDG: KOMO28

Client Sample ID: GM-31A-0515-EB

Lab Sample ID: 680-112399-4

Date Collected: 05/08/15 12:45

Matrix: Water

Date Received: 05/09/15 09:26

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
1-chloro-2,4-dinitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
1-Chloro-3-nitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
2-chloronitrobenzene /	20	U	20		ug/L		05/15/15 15:59	06/03/15 15:49	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
2,4-Dichlorophenol	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
Nitrobenzene	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
2-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
3-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
4-Nitrobiphenyl	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1
Pentachlorophenol	49	U	49		ug/L		05/15/15 15:59	06/03/15 15:49	1
2,4,6-Trichlorophenol	9.9	U	9.9		ug/L		05/15/15 15:59	06/03/15 15:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	58		32 - 113	05/15/15 15:59	06/03/15 15:49	1
2-Fluorophenol	42		26 - 109	05/15/15 15:59	06/03/15 15:49	1
Nitrobenzene-d5	51		32 - 118	05/15/15 15:59	06/03/15 15:49	1
Phenol-d5	43		27 - 110	05/15/15 15:59	06/03/15 15:49	1
Terphenyl-d14	71		10 - 126	05/15/15 15:59	06/03/15 15:49	1
2,4,6-Tribromophenol	73		39 - 124	05/15/15 15:59	06/03/15 15:49	1

5

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Client Sample ID: GM-58A-0515

Lab Sample ID: 680-112399-5

Date Collected: 05/08/15 10:25

Matrix: Water

Date Received: 05/09/15 09:26

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
1-chloro-2,4-dinitrobenzene	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
1-Chloro-3-nitrobenzene	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
2-chloronitrobenzene / 4-chloronitrobenzene	19	U	19		ug/L		05/15/15 15:59	06/03/15 16:13	1
3,4-Dichloronitrobenzene	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
2,4-Dichlorophenol	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
Nitrobenzene	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
2-Nitrobiphenyl	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
3-Nitrobiphenyl	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
4-Nitrobiphenyl	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
Pentachlorophenol	48	U	48		ug/L		05/15/15 15:59	06/03/15 16:13	1
2,4,6-Trichlorophenol	9.6	U	9.6		ug/L		05/15/15 15:59	06/03/15 16:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	53		32 - 113				05/15/15 15:59	06/03/15 16:13	1
2-Fluorophenol	31		26 - 109				05/15/15 15:59	06/03/15 16:13	1
Nitrobenzene-d5	45		32 - 118				05/15/15 15:59	06/03/15 16:13	1
Phenol-d5	36		27 - 110				05/15/15 15:59	06/03/15 16:13	1
Terphenyl-d14	27		10 - 126				05/15/15 15:59	06/03/15 16:13	1
2,4,6-Tribromophenol	83		39 - 124				05/15/15 15:59	06/03/15 16:13	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			05/12/15 00:02	1
Ethylene	1.0	U	1.0		ug/L			05/12/15 00:02	1
Methane	0.81		0.58		ug/L			05/12/15 00:02	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.10		0.050		mg/L		05/13/15 10:52	05/16/15 19:52	1
Manganese	1.5		0.010		mg/L		05/13/15 10:52	05/16/15 19:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	78	D	2.0		mg/L			05/11/15 12:28	2
Nitrate as N	0.77		0.050		mg/L			05/09/15 14:42	1
Sulfate	280	D	50		mg/L			05/11/15 14:02	10
Total Organic Carbon	4.0		1.0		mg/L			05/18/15 20:23	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	410		5.0		mg/L			05/09/15 19:41	1
Carbon Dioxide, Free	32		5.0		mg/L			05/09/15 19:41	1

TestAmerica Savannah

LAB 6/29/15

5

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Client Sample ID: GM-58A-F(0.2)-0515

Lab Sample ID: 680-112399-6

Date Collected: 05/08/15 10:25

Matrix: Water

Date Received: 05/09/15 09:26

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.050	U	0.050		mg/L		05/13/15 10:52	05/16/15 20:05	1
Manganese, Dissolved	1.5		0.010		mg/L		05/13/15 10:52	05/16/15 20:05	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	3.9		1.0		mg/L			05/18/15 23:44	1



QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-383245/16-A
Matrix: Water
Analysis Batch: 385824

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 383245

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1'-Biphenyl	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
1-chloro-2,4-dinitrobenzene	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
1-Chloro-3-nitrobenzene	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
2-chloronitrobenzene / 4-chloronitrobenzene	20	U	20		ug/L		05/15/15 15:59	06/03/15 14:38	1
3,4-Dichloronitrobenzene	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
2,4-Dichlorophenol	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
Nitrobenzene	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
2-Nitrobiphenyl	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
3-Nitrobiphenyl	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
4-Nitrobiphenyl	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1
Pentachlorophenol	50	U	50		ug/L		05/15/15 15:59	06/03/15 14:38	1
2,4,6-Trichlorophenol	10	U	10		ug/L		05/15/15 15:59	06/03/15 14:38	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2-Fluorobiphenyl	62		32 - 113	05/15/15 15:59	06/03/15 14:38	1
2-Fluorophenol	40		26 - 109	05/15/15 15:59	06/03/15 14:38	1
Nitrobenzene-d5	49		32 - 118	05/15/15 15:59	06/03/15 14:38	1
Phenol-d5	43		27 - 110	05/15/15 15:59	06/03/15 14:38	1
Terphenyl-d14	71		10 - 126	05/15/15 15:59	06/03/15 14:38	1
2,4,6-Tribromophenol	80		39 - 124	05/15/15 15:59	06/03/15 14:38	1

Lab Sample ID: LCS 680-383245/19-A
Matrix: Water
Analysis Batch: 385824

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 383245
%Rec.

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
1-chloro-2,4-dinitrobenzene	100	91.7		ug/L		92	10 - 130
1-Chloro-3-nitrobenzene	100	89.1		ug/L		89	50 - 130
2-chloronitrobenzene / 4-chloronitrobenzene	200	170		ug/L		85	10 - 130
3,4-Dichloronitrobenzene	100	78.9		ug/L		79	10 - 130
2-Nitrobiphenyl	100	62.9		ug/L		63	10 - 130
3-Nitrobiphenyl	100	82.7		ug/L		83	10 - 130
4-Nitrobiphenyl	100	77.6		ug/L		78	10 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	54		32 - 113
2-Fluorophenol	40		26 - 109
Nitrobenzene-d5	53		32 - 118
Phenol-d5	40		27 - 110
Terphenyl-d14	77		10 - 126
2,4,6-Tribromophenol	85		39 - 124

TestAmerica Savannah

LAB 6/29/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 680-112399-5 MS

Matrix: Water

Analysis Batch: 385824

Client Sample ID: GM-58A-0515

Prep Type: Total/NA

Prep Batch: 383245

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
1-chloro-2,4-dinitrobenzene	9.6	U	97.1	93.7		ug/L		97	10 - 130
1-Chloro-3-nitrobenzene	9.6	U	97.1	90.9		ug/L		94	50 - 130
2-chloronitrobenzene / 4-chloronitrobenzene	19	U	194	181		ug/L		93	10 - 130
3,4-Dichloronitrobenzene	9.6	U	97.1	77.4		ug/L		80	10 - 130
2-Nitrobiphenyl	9.6	U	97.1	64.1		ug/L		66	10 - 130
3-Nitrobiphenyl	9.6	U	97.1	79.6		ug/L		82	10 - 130
4-Nitrobiphenyl	9.6	U	97.1	76.7		ug/L		79	10 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	56		32 - 113
2-Fluorophenol	38		26 - 109
Nitrobenzene-d5	53		32 - 118
Phenol-d5	44		27 - 110
Terphenyl-d14	30		10 - 126
2,4,6-Tribromophenol	83		39 - 124

Lab Sample ID: 680-112399-5 MSD

Matrix: Water

Analysis Batch: 385824

Client Sample ID: GM-58A-0515

Prep Type: Total/NA

Prep Batch: 383245

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
1-chloro-2,4-dinitrobenzene	9.6	U	95.7	95.7		ug/L		100	10 - 130	2	50
1-Chloro-3-nitrobenzene	9.6	U	95.7	85.2		ug/L		89	50 - 130	6	50
2-chloronitrobenzene / 4-chloronitrobenzene	19	U	191	169		ug/L		88	10 - 130	7	50
3,4-Dichloronitrobenzene	9.6	U	95.7	73.0		ug/L		76	10 - 130	6	50
2-Nitrobiphenyl	9.6	U	95.7	67.1		ug/L		70	10 - 130	5	50
3-Nitrobiphenyl	9.6	U	95.7	82.5		ug/L		86	10 - 130	4	50
4-Nitrobiphenyl	9.6	U	95.7	80.4		ug/L		84	10 - 130	5	50

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	52		32 - 113
2-Fluorophenol	31		26 - 109
Nitrobenzene-d5	49		32 - 118
Phenol-d5	38		27 - 110
Terphenyl-d14	28		10 - 126
2,4,6-Tribromophenol	66		39 - 124

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-382554/8

Matrix: Water

Analysis Batch: 382554

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethane	1.1	U	1.1		ug/L			05/11/15 19:14	1
Ethylene	1.0	U	1.0		ug/L			05/11/15 19:14	1

TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: MB 680-382554/8 Matrix: Water Analysis Batch: 382554						Client Sample ID: Method Blank Prep Type: Total/NA			
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane	0.58	U	0.58		ug/L			05/11/15 19:14	1

Lab Sample ID: LCS 680-382554/5 Matrix: Water Analysis Batch: 382554						Client Sample ID: Lab Control Sample Prep Type: Total/NA			
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Ethane	288	313		ug/L		109	75 - 125		
Ethylene	269	287		ug/L		106	75 - 125		
Methane	154	174		ug/L		113	75 - 125		

Lab Sample ID: LCSD 680-382554/30 Matrix: Water Analysis Batch: 382554						Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA			
Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD
Ethane	288	245		ug/L		85	75 - 125		24
Ethylene	269	220		ug/L		82	75 - 125		26
Methane	154	136		ug/L		89	75 - 125		24

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-382867/1-A Matrix: Water Analysis Batch: 383553						Client Sample ID: Method Blank Prep Type: Total Recoverable Prep Batch: 382867			
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.050	U	0.050		mg/L		05/13/15 10:52	05/16/15 18:29	1
Iron, Dissolved	0.050	U	0.050		mg/L		05/13/15 10:52	05/16/15 18:29	1
Manganese	0.010	U	0.010		mg/L		05/13/15 10:52	05/16/15 18:29	1
Manganese, Dissolved	0.010	U	0.010		mg/L		05/13/15 10:52	05/16/15 18:29	1

Lab Sample ID: LCS 680-382867/2-A Matrix: Water Analysis Batch: 383553						Client Sample ID: Lab Control Sample Prep Type: Total Recoverable Prep Batch: 382867			
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Iron	5.00	5.21		mg/L		104	80 - 120		
Iron, Dissolved	5.00	5.21		mg/L		104	80 - 120		
Manganese	0.500	0.540		mg/L		108	80 - 120		
Manganese, Dissolved	0.500	0.540		mg/L		108	80 - 120		

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-382377/32
Matrix: Water
Analysis Batch: 382377

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Alkalinity	5.0	U	5.0		mg/L			05/09/15 17:22	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			05/09/15 17:22	1

Lab Sample ID: LCS 680-382377/33
Matrix: Water
Analysis Batch: 382377

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: LCSD 680-382377/59
Matrix: Water
Analysis Batch: 382377

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit

Method: 325.2 - Chloride

Lab Sample ID: MB 680-382565/2
Matrix: Water
Analysis Batch: 382565

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	1.0	U	1.0		mg/L			05/11/15 10:00	1

Lab Sample ID: LCS 680-382565/32
Matrix: Water
Analysis Batch: 382565

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: 680-112399-5 DU
Matrix: Water
Analysis Batch: 382565

Client Sample ID: GM-58A-0515
Prep Type: Total/NA

Analyte	Sample Sample		DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
	Result	Qualifier						
Chloride	78		79.6		mg/L		2	30

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-382542/13
Matrix: Water
Analysis Batch: 382542

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Nitrate as N	0.050	U	0.050		mg/L			05/09/15 14:33	1

TestAmerica Savannah

LAB 6/29/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method: 353.2 - Nitrogen, Nitrate-Nitrite (Continued)

Lab Sample ID: LCS 680-382542/27 Matrix: Water Analysis Batch: 382542			Client Sample ID: Lab Control Sample Prep Type: Total/NA					
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
Nitrate as N	0.500	0.525		mg/L		105	75 - 125	
Nitrate Nitrite as N	1.00	1.04		mg/L		104	90 - 110	
Nitrite as N	0.500	0.520		mg/L		104	90 - 110	

Lab Sample ID: 680-112399-1 MS Matrix: Water Analysis Batch: 382542			Client Sample ID: GM-31A-0515 Prep Type: Total/NA						
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	4.2	F1	2.50	5.96	F1	mg/L		69	75 - 125
Nitrate Nitrite as N	4.3	F1	5.00	8.65	F1	mg/L		87	90 - 110
Nitrite as N	0.25	U	2.50	2.68		mg/L		104	90 - 110

Lab Sample ID: 680-112399-1 MSD Matrix: Water Analysis Batch: 382542			Client Sample ID: GM-31A-0515 Prep Type: Total/NA								
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate as N	4.2	F1	2.50	6.11		mg/L		75	75 - 125	2	30
Nitrate Nitrite as N	4.3	F1	5.00	8.81		mg/L		90	90 - 110	2	10
Nitrite as N	0.25	U	2.50	2.70		mg/L		105	90 - 110	1	10

Lab Sample ID: 680-112399-5 DU Matrix: Water Analysis Batch: 382542			Client Sample ID: GM-58A-0515 Prep Type: Total/NA					
Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Nitrate as N	0.77		0.763		mg/L		0.4	30

Method: 375.4 - Sulfate

Lab Sample ID: MB 680-382568/12 Matrix: Water Analysis Batch: 382568			Client Sample ID: Method Blank Prep Type: Total/NA						
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	5.0	U	5.0		mg/L			05/11/15 14:02	1

Lab Sample ID: LCS 680-382568/1 Matrix: Water Analysis Batch: 382568			Client Sample ID: Lab Control Sample Prep Type: Total/NA					
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
Sulfate	20.0	20.3		mg/L		102	75 - 125	

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method: 375.4 - Sulfate (Continued)

Lab Sample ID: 680-112399-1 MS
Matrix: Water
Analysis Batch: 382568

Client Sample ID: GM-31A-0515
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	120		20.0	133	4	mg/L		43	75 - 125

Lab Sample ID: 680-112399-1 MSD
Matrix: Water
Analysis Batch: 382568

Client Sample ID: GM-31A-0515
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	120		20.0	133	4	mg/L		46	75 - 125	0	30

Method: 415.1 - DOC

Lab Sample ID: MB 160-191877/33
Matrix: Water
Analysis Batch: 191877

Client Sample ID: Method Blank
Prep Type: Dissolved

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	1.0	U	1.0		mg/L			05/18/15 21:21	1

Lab Sample ID: LCS 160-191877/34
Matrix: Water
Analysis Batch: 191877

Client Sample ID: Lab Control Sample
Prep Type: Dissolved

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	10.0	9.75		mg/L		98	90 - 110

Lab Sample ID: 680-112399-2 MS
Matrix: Water
Analysis Batch: 191877

Client Sample ID: GM-31A-F(0.2)-0515
Prep Type: Dissolved

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	3.6		5.00	8.53		mg/L		99	82 - 132

Method: 415.1 - TOC

Lab Sample ID: MB 160-191875/4
Matrix: Water
Analysis Batch: 191875

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	1.0	U	1.0		mg/L			05/18/15 18:36	1

Lab Sample ID: LCS 160-191875/5
Matrix: Water
Analysis Batch: 191875

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	10.0	9.40		mg/L		94	90 - 110

TestAmerica Savannah

LAB 6/29/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method: 415.1 - TOC (Continued)

Lab Sample ID: 680-112399-1 MS
Matrix: Water
Analysis Batch: 191875

Client Sample ID: GM-31A-0515
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	3.7		5.00	8.85		mg/L		103	76 - 120

6

QC Association Summary

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

GC/MS Semi VOA

Prep Batch: 383245

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	3520C	
680-112399-3	GM-31A-0515-AD	Total/NA	Water	3520C	
680-112399-4	GM-31A-0515-EB	Total/NA	Water	3520C	
680-112399-5	GM-58A-0515	Total/NA	Water	3520C	
680-112399-5 MS	GM-58A-0515	Total/NA	Water	3520C	
680-112399-5 MSD	GM-58A-0515	Total/NA	Water	3520C	
LCS 680-383245/19-A	Lab Control Sample	Total/NA	Water	3520C	
MB 680-383245/16-A	Method Blank	Total/NA	Water	3520C	

Analysis Batch: 385824

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	8270D	383245
680-112399-3	GM-31A-0515-AD	Total/NA	Water	8270D	383245
680-112399-4	GM-31A-0515-EB	Total/NA	Water	8270D	383245
680-112399-5	GM-58A-0515	Total/NA	Water	8270D	383245
680-112399-5 MS	GM-58A-0515	Total/NA	Water	8270D	383245
680-112399-5 MSD	GM-58A-0515	Total/NA	Water	8270D	383245
LCS 680-383245/19-A	Lab Control Sample	Total/NA	Water	8270D	383245
MB 680-383245/16-A	Method Blank	Total/NA	Water	8270D	383245

GC VOA

Analysis Batch: 382554

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	RSK-175	
680-112399-5	GM-58A-0515	Total/NA	Water	RSK-175	
LCS 680-382554/5	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-382554/30	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-382554/8	Method Blank	Total/NA	Water	RSK-175	

Metals

Prep Batch: 382867

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total Recoverable	Water	3005A	
680-112399-2	GM-31A-F(0.2)-0515	Dissolved	Water	3005A	
680-112399-5	GM-58A-0515	Total Recoverable	Water	3005A	
680-112399-6	GM-58A-F(0.2)-0515	Dissolved	Water	3005A	
LCS 680-382867/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-382867/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 383553

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total Recoverable	Water	6010C	382867
680-112399-2	GM-31A-F(0.2)-0515	Dissolved	Water	6010C	382867
680-112399-5	GM-58A-0515	Total Recoverable	Water	6010C	382867
680-112399-6	GM-58A-F(0.2)-0515	Dissolved	Water	6010C	382867
LCS 680-382867/2-A	Lab Control Sample	Total Recoverable	Water	6010C	382867
MB 680-382867/1-A	Method Blank	Total Recoverable	Water	6010C	382867

TestAmerica Savannah

LAB 6/29/15

QC Association Summary

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

General Chemistry

Analysis Batch: 191875

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	415.1	
680-112399-1 MS	GM-31A-0515	Total/NA	Water	415.1	
680-112399-5	GM-58A-0515	Total/NA	Water	415.1	
LCS 160-191875/5	Lab Control Sample	Total/NA	Water	415.1	
MB 160-191875/4	Method Blank	Total/NA	Water	415.1	

Analysis Batch: 191877

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-2	GM-31A-F(0.2)-0515	Dissolved	Water	415.1	
680-112399-2 MS	GM-31A-F(0.2)-0515	Dissolved	Water	415.1	
680-112399-6	GM-58A-F(0.2)-0515	Dissolved	Water	415.1	
LCS 160-191877/34	Lab Control Sample	Dissolved	Water	415.1	
MB 160-191877/33	Method Blank	Dissolved	Water	415.1	

Analysis Batch: 382377

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	310.1	
680-112399-5	GM-58A-0515	Total/NA	Water	310.1	
LCS 680-382377/33	Lab Control Sample	Total/NA	Water	310.1	
LCS 680-382377/59	Lab Control Sample Dup	Total/NA	Water	310.1	
MB 680-382377/32	Method Blank	Total/NA	Water	310.1	

Analysis Batch: 382542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	353.2	
680-112399-1 MS	GM-31A-0515	Total/NA	Water	353.2	
680-112399-1 MSD	GM-31A-0515	Total/NA	Water	353.2	
680-112399-5	GM-58A-0515	Total/NA	Water	353.2	
680-112399-5 DU	GM-58A-0515	Total/NA	Water	353.2	
LCS 680-382542/27	Lab Control Sample	Total/NA	Water	353.2	
MB 680-382542/13	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 382565

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	325.2	
680-112399-5	GM-58A-0515	Total/NA	Water	325.2	
680-112399-5 DU	GM-58A-0515	Total/NA	Water	325.2	
LCS 680-382565/32	Lab Control Sample	Total/NA	Water	325.2	
MB 680-382565/2	Method Blank	Total/NA	Water	325.2	

Analysis Batch: 382568

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112399-1	GM-31A-0515	Total/NA	Water	375.4	
680-112399-1 MS	GM-31A-0515	Total/NA	Water	375.4	
680-112399-1 MSD	GM-31A-0515	Total/NA	Water	375.4	
680-112399-5	GM-58A-0515	Total/NA	Water	375.4	
LCS 680-382568/1	Lab Control Sample	Total/NA	Water	375.4	
MB 680-382568/12	Method Blank	Total/NA	Water	375.4	

TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Client Sample ID: GM-31A-0515

Lab Sample ID: 680-112399-1

Date Collected: 05/08/15 12:00

Matrix: Water

Date Received: 05/09/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			1013.8 mL	1.0 mL	383245	05/15/15 15:59	RBS	TAL SAV
Total/NA	Analysis	8270D		1	1013.8 mL	1.0 mL	385824	06/03/15 15:01	RAM	TAL SAV
Total/NA	Analysis	RSK-175		1	17 mL	17 mL	382554	05/11/15 23:49	AJMC	TAL SAV
Total Recoverable	Prep	3005A			50 mL	50 mL	382867	05/13/15 10:52	BJB	TAL SAV
Total Recoverable	Analysis	6010C		1	50 mL	50 mL	383553	05/16/15 19:43	BCB	TAL SAV
Total/NA	Analysis	310.1		1			382377	05/09/15 19:32	DAM	TAL SAV
Total/NA	Analysis	325.2		1	2 mL	2 mL	382565	05/11/15 10:40	JME	TAL SAV
Total/NA	Analysis	353.2		5	2 mL	2 mL	382542	05/09/15 14:45	JER	TAL SAV
Total/NA	Analysis	375.4		5	2 mL	2 mL	382568	05/11/15 13:33	JME	TAL SAV
Total/NA	Analysis	415.1		1	10 mL	10 mL	191875	05/18/15 20:14	JCB	TAL SL

Client Sample ID: GM-31A-F(0.2)-0515

Lab Sample ID: 680-112399-2

Date Collected: 05/08/15 12:00

Matrix: Water

Date Received: 05/09/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			50 mL	50 mL	382867	05/13/15 10:52	BJB	TAL SAV
Dissolved	Analysis	6010C		1	50 mL	50 mL	383553	05/16/15 19:47	BCB	TAL SAV
Dissolved	Analysis	415.1		1	10 mL	10 mL	191877	05/18/15 23:35	JCB	TAL SL

Client Sample ID: GM-31A-0515-AD

Lab Sample ID: 680-112399-3

Date Collected: 05/08/15 12:00

Matrix: Water

Date Received: 05/09/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			1007.2 mL	1.0 mL	383245	05/15/15 15:59	RBS	TAL SAV
Total/NA	Analysis	8270D		1	1007.2 mL	1.0 mL	385824	06/03/15 15:25	RAM	TAL SAV

Client Sample ID: GM-31A-0515-EB

Lab Sample ID: 680-112399-4

Date Collected: 05/08/15 12:45

Matrix: Water

Date Received: 05/09/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			1011.4 mL	1.0 mL	383245	05/15/15 15:59	RBS	TAL SAV
Total/NA	Analysis	8270D		1	1011.4 mL	1.0 mL	385824	06/03/15 15:49	RAM	TAL SAV

Client Sample ID: GM-58A-0515

Lab Sample ID: 680-112399-5

Date Collected: 05/08/15 10:25

Matrix: Water

Date Received: 05/09/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			1047.1 mL	1.0 mL	383245	05/15/15 15:59	RBS	TAL SAV

TestAmerica Savannah

LAB 6/29/15

Lab Chronicle

Client: Solutia Inc.
 Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
 SDG: KOMO28

Client Sample ID: GM-58A-0515

Lab Sample ID: 680-112399-5

Date Collected: 05/08/15 10:25

Matrix: Water

Date Received: 05/09/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8270D		1	1047.1 mL	1.0 mL	385824	06/03/15 16:13	RAM	TAL SAV
Total/NA	Analysis	RSK-175		1	17 mL	17 mL	382554	05/12/15 00:02	AJMC	TAL SAV
Total Recoverable	Prep	3005A			50 mL	50 mL	382867	05/13/15 10:52	BJB	TAL SAV
Total Recoverable	Analysis	6010C		1	50 mL	50 mL	383553	05/16/15 19:52	BCB	TAL SAV
Total/NA	Analysis	310.1		1			382377	05/09/15 19:41	DAM	TAL SAV
Total/NA	Analysis	325.2		2	2 mL	2 mL	382565	05/11/15 12:28	JME	TAL SAV
Total/NA	Analysis	353.2		1	2 mL	2 mL	382542	05/09/15 14:42	JER	TAL SAV
Total/NA	Analysis	375.4		10	2 mL	2 mL	382568	05/11/15 14:02	JME	TAL SAV
Total/NA	Analysis	415.1		1	10 mL	10 mL	191875	05/18/15 20:23	JCB	TAL SL

Client Sample ID: GM-58A-F(0.2)-0515

Lab Sample ID: 680-112399-6

Date Collected: 05/08/15 10:25

Matrix: Water

Date Received: 05/09/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			50 mL	50 mL	382867	05/13/15 10:52	BJB	TAL SAV
Dissolved	Analysis	6010C		1	50 mL	50 mL	383553	05/16/15 20:05	BCB	TAL SAV
Dissolved	Analysis	415.1		1	10 mL	10 mL	191877	05/18/15 23:44	JCB	TAL SL

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Certification Summary

Client: Solutia Inc.
 Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
 SDG: KOMO28

Laboratory: TestAmerica Savannah

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	200022	11-30-15

The following analytes are included in this report, but are not certified under this certification:

Analysis Method	Prep Method	Matrix	Analyte
8270D	3520C	Water	4-Nitrobiphenyl

The following analytes are included in this report, but certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
310.1		Water	Alkalinity
310.1		Water	Carbon Dioxide, Free
325.2		Water	Chloride
375.4		Water	Sulfate
8270D	3520C	Water	1,1'-Biphenyl
8270D	3520C	Water	1-chloro-2,4-dinitrobenzene
8270D	3520C	Water	1-Chloro-3-nitrobenzene
8270D	3520C	Water	2-chloronitrobenzene / 4-chloronitrobenzene
8270D	3520C	Water	2-Nitrobiphenyl
8270D	3520C	Water	3,4-Dichloronitrobenzene
8270D	3520C	Water	3-Nitrobiphenyl
RSK-175		Water	Ethane
RSK-175		Water	Ethylene
RSK-175		Water	Methane

Laboratory: TestAmerica St. Louis

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	200023	11-30-15

Method Summary

Client: Solutia Inc.
Project/Site: 2Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-112399-1
SDG: KOMO28

Method	Method Description	Protocol	Laboratory
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415.1	TOC	MCAWW	TAL SL
415.1	DOC	MCAWW	TAL SL

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858
TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

TestAmerica Savannah

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-112399-1

SDG Number: KOMO28

Login Number: 112399

List Number: 1

Creator: Banda, Christy S

List Source: TestAmerica Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	False	SEE NCM
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ ($1/4''$).	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

12

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-112399-1

SDG Number: KOMO28

Login Number: 112399

List Number: 2

Creator: Clarke, Jill C

List Source: TestAmerica St. Louis

List Creation: 05/12/15 04:21 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ ($1/4''$).	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

12

LAB 6/29/15

At Golder Associates we strive to be the most respected global group of companies specializing in ground engineering and environmental services. Employee owned since our formation in 1960, we have created a unique culture with pride in ownership, resulting in long-term organizational stability. Golder professionals take the time to build an understanding of client needs and of the specific environments in which they operate. We continue to expand our technical capabilities and have experienced steady growth with employees now operating from offices located throughout Africa, Asia, Australasia, Europe, North America and South America.

Africa	+ 27 11 254 4800
Asia	+ 852 2562 3658
Australasia	+ 61 3 8862 3500
Europe	+ 356 21 42 30 20
North America	+ 1 800 275 3281
South America	+ 55 21 3095 9500

solutions@golder.com
www.golder.com

Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA
Tel: (636) 724-9191
Fax: (636) 724-9323

