Solutia Inc.
575 Maryville Centre Drive
St. Louis, Missouri 63141

Tel: 314-674-3312
Fax: 314-674-8808

gmrina@eastman.com

January 15, 2016

Ms. Carolyn Bury - LU-9J
U.S. EPA Region 5
Corrective Action Section
77 West Jackson Boulevard
Chicago, IL 60604-3507

Re: Chlorobenzene Process Area (CPA) Groundwater Monitoring Program
4th Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL

Dear Ms. Bury:

Enclosed please find the 4th Quarter 2015 Data Report for the Chlorobenzene Process Area (CPA) Groundwater Monitoring Program at Solutia Inc.'s W. G. Krummrich Plant, Sauget, IL. The next semiannual monitoring will be conducted 2nd quarter 2016.

If you have any questions or comments regarding this report, please contact me at (314) 674-3312 or gmrina@eastman.com

Sincerely,

Gerald M. Rinaldi
Manager, Remediation Services

Enclosure

cc: Distribution List

DISTRIBUTION LIST

Chlorobenzene Process Area (CPA) Groundwater Monitoring Program
4th Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL

USEPA

Stephanie Linebaugh
USEPA Region 5 - SR6J, 77 West Jackson Boulevard, Chicago, IL 60604

Solutia

Donn Haines 500 Monsanto Avenue, Sauget, IL 62206-1198

XDD

Scott Crawford 22 Marin Way, Unit #3, Stratham, NH 03885

GROUNDWATER MONITORING REPORT

CHLOROBENZENE PROCESS AREA GROUNDWATER MONITORING PROGRAM SOLUTIA INC., W.G. KRUMMRICH FACILITY SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

January 2016 **140-3345**

A world of capabilities delivered locally

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation

TABLE OF CONTENTS

1.0 INTRODUCTION 1
2.0 FIELD ACTIVITIES 2
2.1 Water Level Measurement 2
2.2 Groundwater Sample Collection 3
2.3 Quality Assurance and Sample Handling 3
2.4 Biodegradation Sampling 4
2.5 Decontamination and Investigation Derived Waste 5
3.0 QUALITY ASSURANCE 5
4.0 OBSERVATIONS 6
4.1 Benzene 6
4.2 Chlorobenzene (Total) 6
4.3 Monitored Natural Attenuation 6
5.0 CLOSING 7
6.0 REFERENCES 8

List of Figures

Figure 1 Site Location Map
Figure 2 CPA Groundwater Monitoring Program Well Locations
Figure 3 Potentiometric Surface Map Middle/Deep Hydrogeologic Unit
Figure 4 Benzene and Total Chlorobenzene Results (SHU)
Figure 5 Benzene and Total Chlorobenzene Results (MHU)
Figure 6 Benzene and Total Chlorobenzene Results (DHU)

List of Tables

Table 1 Monitoring Well Gauging Information
Table 2 Groundwater Analytical Results
Table 3 Monitored Natural Attenuation Results

List of Appendices

Appendix A Groundwater Purging and Sampling Forms
Appendix B Chains-of-Custody
Appendix C Quality Assurance Report
Appendix D Groundwater Analytical Results (including data validation reports)
Appendix E Microbial Insights Data Package

1.0 INTRODUCTION

Golder Associates Inc. (Golder) is pleased to submit this report summarizing the 4th Quarter 2015 (4Q15) Chlorobenzene Process Area (CPA) groundwater sampling activities at the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility (Site) in Sauget, Illinois. The facility is located at 500 Monsanto Avenue, Sauget, IL as shown on Figure 1.

The 4Q15 sampling event was performed in general accordance with the Revised Long-Term Monitoring Program (LTMP) Work Plan (Work Plan) (Solutia 2009). Work conducted during the CPA Groundwater Monitoring Program is designed to evaluate the effectiveness of remediation activities near the CPA at the Site.

The scope of work detailed in the Work Plan is summarized below.

Sampling for the CPA program occurs in the 2nd and 4th quarter. Sampling of monitoring wells included in the CPA program began in the 4th quarter 2011 (4Q11). Monitoring wells are located in the Shallow Hydrogeologic Unit (SHU), Middle Hydrogeologic Unit (MHU) and Deep Hydrogeologic Unit (DHU). The locations of the monitoring wells are shown on Figure 2 and the sample locations are included on the table below.

Area	Location Relative To Area	Sample Identification
Former Chlorobenzene Process Area	Upgradient	CPA-A-SHU
		CPA-A-MHU
		CPA-A-DHU
	Downgradient	CPA-B-SHU
		CPA-B-MHU
		CPA-B-DHU
		CPA-C-SHU
		CPA-C-MHU
		CPA-C-DHU
		CPA-D-SHU
		CPA-D-MHU
		CPA-D-DHU

Monitoring wells in the CPA program are sampled for the following volatile organic compound (VOC) analytes: benzene; chlorobenzene; 1,2-dichlorobenzene; 1,3-dichlorobenzene; and 1,4-dichlorobenzene. The following MNA parameters are sampled quarterly to evaluate active natural attenuation occurring at the Site:

- Electron Donors – total and dissolved organic carbon
- Electron Acceptors – iron, manganese, nitrate, sulfate
- Biodegradation Byproducts – carbon dioxide, chloride, methane
- Biodegradation Indicators – alkalinity

Microbial Insights BioTrap® samplers for Phospholipid Fatty Acid (PLFA) analysis and Stable Isotope Probes (SIPs) baited with chlorobenzene are deployed as part of the CPA program to demonstrate the occurrence of biodegradation occurring at the Site.

2.0 FIELD ACTIVITIES

Golder conducted 4Q15 sampling events between November 11 and November 12, 2015. Activities were performed in general accordance with the Work Plan.

2.1 Water Level Measurement

Prior to sampling during the 4Q15 event, Golder performed a synoptic round of water level measurements at 77 monitoring wells and piezometers on October 29 and October 30, 2015. The following monitoring well and piezometer series are included in the CPA program:

- BSA-series
- CPA-series
- GM-series
- K-series
- PS-MW-series
- PMA-series
- PM-series
- Piezometer clusters installed for Sauget Area 2 RI/FS and WGK CA-750 Environmental Indicator projects

An oil/water interface probe was used to measure the water level (to 0.01 feet) and, if present, detect and measure the thickness of non-aqueous phase liquid (NAPL). During the 4Q15 sampling event, NAPL was not detected in monitoring wells or piezometers. Total depths are measured during the 1st quarter of each year. The 4Q15 well gauging information is shown on Table 1. The information collected from the Middle Hydrogeologic Unit (MHU) and the Deep Hydrogeologic Unit (DHU) was used to create a groundwater potentiometric surface map, as shown on Figure 3. The MHU and DHU are the primary migration pathways for constituents present in the groundwater at the Site.

2.2 Groundwater Sample Collection

Monitoring wells sampled during the 4Q15 CPA event were purged and sampled using low-flow sampling techniques, low-density polyethylene tubing (LDPE) and a submersible pump. The pump intake was placed at approximately the middle of the screened interval for each well. Purging was conducted at a rate of approximately 300 mL/min to reduce drawdown. Drawdown was measured throughout purging activities to ensure that it did not exceed 25% of the distance between the pump intake and the top of the screen. Measurement of field parameters began once the flow rate and drawdown were stable. Parameters were measured for each system volume purged using a SmartTROLL™ multi-parameter meter. The system volume includes the volume of the tubing, the volume of the pump and the volume of flow-through cell containing the multi-parameter meter. Samples were collected after field parameters were stabilized within the ranges below for three (3) consecutive measurements:

- Dissolved Oxygen (DO): +/- 10% or +/- 0.2 mg/L, whichever is greatest
- Oxidation-Reduction Potential (ORP): +/- 20 mV
- pH: +/-0.2 standard units
- Specific Conductivity: +/- 3%

The flow rate was adjusted as needed to maintain approximately 300 mL/min during sampling activities. To reduce possible sample cross contamination, the flow-through cell was bypassed and gloves were replaced prior to sampling.

Sample bottles were provided by TestAmerica Laboratories, Inc. (TestAmerica) for the following analyses:

- VOCs – United States Environmental Protection Agency (USEPA) SW-846 Method 8260B
- MNA parameters – alkalinity and carbon dioxide (USEPA Method 310.1), chloride (USEPA Method 352.5), total and dissolved iron and total and dissolved manganese (USEPA SW-846 Method 6010C), methane, ethane and ethylene (RSK-175), nitrate (USEPA Method 353.2), sulfate (USEPA Method 375.4), and total and dissolved organic carbon (USEPA Method 415.1)

VOC sample bottles were filled first followed by gas sensitive parameters and general chemistry parameters. Ferrous iron was field analyzed with a HACH 890 Colorimeter and HACH AccuVac® ampules. Samples collected for ferrous iron and dissolved analyses were field filtered using an in-line 0.2 micron disposable filter. Groundwater purging and sampling forms are included in Appendix A.

2.3 Quality Assurance and Sample Handling

Two (2) analytical duplicates (AD), two (2) equipment blanks (EB) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were collected during the 4Q15 CPA sampling event. Laboratory provided trip blanks were included in each cooler containing samples for VOC analysis, for a total of two (2) trip blanks. Sample bottles were labeled with the date and time of sample collection, sampler initials, analysis

requested, preservative used, and sample identification based on the following nomenclature "CPA-#-#HU-MMYY-QA/QC" where:

- **"CPA"** denotes "Chlorobenzene Process Area" and **"#-#HU"** denotes monitoring well location and hydrogeologic unit
- **"MMYY"** denotes month and year of sampling quarter, e.g.: November (4th quarter), 2015 (1115)
- **"QA/QC"** denotes QA/QC sample
  - **AD** – Analytical Duplicate
  - **EB** – Equipment Blank
  - **MS or MSD** – Matrix Spike or Matrix Spike Duplicate

Samples that were field filtered with an in-line 0.2 micron filter include "F(0.2)" prior to the "MMYY" portion of the sample identification. Sample information was recorded on a chain-of-custody (COC) that included project identification, sample identification, date and time of sample collection, analysis requested, preservative used, sample matrix and type, number of sample containers, sampler signature, and date COC was completed. Copies of the COCs are included in Appendix B.

Directly after sampling, sample bottles were placed in an iced cooler to maintain a sample temperature of approximately 4°C. Prior to sample shipment, samples and ice were placed inside two (2) contractor trash bags. The bags were tied and the cooler was sealed between the lid and sides with a signed and dated custody seal. Samples were shipped overnight via FedEx to the TestAmerica facility in Savannah, Georgia.

2.4 Biodegradation Sampling

Bio-Trap® samplers were used for PLFA analysis. The samplers can also be baited with a specially synthesized form of the contaminant (i.e., chlorobenzene) in order to measure the degradation of a specific contaminant. This method is known as Stable Isotope Probing (SIP). Bio-Trap® samplers and SIPs are passive sampling tools that collect microbes across the samplers membrane that are, after time, analyzed. SIP and PLFA results are evaluated to provide biodegradation potential information in the DHU.

SIPs, provided by Microbial Insights, Inc. in Rockford, Tennessee, were deployed on October 1, 2015 in each of the four (4) DHU monitoring wells. SIPs were weighted and fastened to a stainless steel cable. The cable was secured to the well cap and the SIP was lowered into the well and placed in the middle of the well screen.

On October 29, 2015, Bio-Trap® samplers using the SIP method were collected from the wells. The samplers were placed in laboratory provided bags, labeled with appropriate well identification, placed in a cooler with ice, properly sealed and shipped overnight to the Microbial Insights, Inc. facility in Rockford, Tennessee for analysis.

2.5 Decontamination and Investigation Derived Waste

Sampling equipment was decontaminated prior to mobilizing to the Site, between sample locations and prior to demobilizing from the Site. Non-dedicated sampling equipment was decontaminated between samples with a non-phosphatic detergent solution and a deionized water rinse.

Investigation derived waste (IDW) was placed in 55-gallon drums, labeled with the generation date and staged for disposal by Solutia. IDW such as gloves and other disposable sampling equipment was bagged for disposal by Solutia.

3.0 QUALITY ASSURANCE

Sample results were provided by TestAmerica in electronic formats and reviewed for quality and completeness by Golder in accordance with the Work Plan. Sample results are included in Appendix D. Results were submitted in two (2) sample delivery groups (SDGs) as follows:

Sample Delivery Group (SDG)	Sample Identification
KPS158	CPA-A-DHU-1115
	CPA-A-MHU-1115
	CPA-A-SHU-1115
	CPA-B-DHU-1115
	CPA-B-MHU-1115
	CPA-B-MHU-1115-EB
	CPA-B-SHU-1115
	CPA-D-DHU-1115
	CPA-D-DHU-1115-AD
	CPA-D-MHU-1115
	4Q15 CPA Trip Blank #1
KPS159	CPA-D-SHU-1115
	CPA-C-DHU-1115
	CPA-C-DHU-1115-AD
	CPA-C-SHU-1115
	CPA-C-MHU-1115
	CPA-C-MHU-1115-EB
	4Q15 CPA Trip Blank #2

Golder completed validation of the analytical data following the general guidelines in Section 4.4 Data Review and Validation of the Work Plan. The Work Plan specifies that the most recent versions of the national data validation guidelines be used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008

- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

Although some data required qualifications due to quality control criteria that were not achieved, the data was deemed usable. The completeness for the data set was 100%.

4.0 OBSERVATIONS

Groundwater analytical data for VOCs (benzene and chlorobenzenes) and MNA parameters are presented in Table 2 and 3, respectively. Figures 4, 5 and 6 show the 4Q15 concentrations of benzene and total chlorobenzene in the SHU, MHU and DHU, respectively. Results are discussed below.

4.1 Benzene

Benzene was detected in eleven (11) of the twelve (12) monitoring wells at concentrations ranging from 16 µg/L (CPA-A-SHU) to 160,000 µg/L (CPA-B-MHU).

- Shallow Hydrogeologic Unit: Benzene was detected in three (3) out of four (4) wells in the SHU with concentrations ranging from 16 µg/L (CPA-A-SHU) to 6,400 µg/L (CPA-D-SHU).
- Middle Hydrogeologic Unit: Benzene was detected in four (4) out of four (4) wells in the MHU with concentrations ranging from 410 µg/L (CPA-A-MHU) to 160,000 µg/L (CPA-B-MHU).
- Deep Hydrogeologic Unit: Benzene was detected in four (4) out of four (4) wells in the DHU with concentrations ranging from 43 µg/L (CPA-A-DHU) to 3,400 µg/L / 3,300 µg/L (CPA-C-DHU and AD).

4.2 Chlorobenzene (Total)

Total chlorobenzene (i.e., sum of chlorobenzene, 1,2-dichlorobenzne, 1,3-dichlorobenzne, and 1,4-dichlorobenzne) was detected in twelve (12) of the twelve (12) wells at concentrations ranging from 120 µg/L (CPH-A-MHU) to 206,000 µg/L (CPA-C-MHU). Total chlorobenzene results are summarized below.

- Shallow Hydrogeologic Unit: Total chlorobenzene was detected in four (4) out of four (4) wells in the SHU with concentrations ranging from 732 µg/L (CPA-A-SHU) to 150,000 µg/L (CPA-D-SHU).
- Middle Hydrogeologic Unit: Total chlorobenzene was detected in four (4) out of four (4) wells in the MHU with concentrations ranging from 120 µg/L (CPA-A-MHU) to 206,000 µg/L (CPA-C-MHU).
- Deep Hydrogeologic Unit: Total chlorobenzene was detected in four (4) out of four (4) wells in the DHU with concentrations ranging from 1,343 µg/L (CPA-A-DHU) to 100,100 µg/L (CPA-B-DHU).

4.3 Monitored Natural Attenuation

MNA parameter data for this quarter are presented in Table 3. Laboratory results for PLFA and SIP analysis are included in Appendix E. The SIP study (Appendix E) states the following, “Incorporation of ^{13}C [carbon-13] into the biomass in wells CPA-C-DHU-1115 and CPA-D-DHU-1115 conclusively

demonstrated that chlorobenzene was metabolized at these locations under existing site conditions" and "There was no evidence of ^{13}C [carbon-13] incorporation into the biomass in CPA-A-DHU-1115 or CPA-B-DHU-1115".

5.0 CLOSING

Golder appreciates the opportunity to assist Solutia Inc. with the Chlorobenzene Process Area Groundwater Monitoring Program sampling events. Please contact the undersigned if you need additional information.

Sincerely,

GOLDER ASSOCIATES INC.

Amanda W. Derhake, Ph.D., P.E.
Senior Project Engineer

Mark N. Haddock, R.G., P.E.
Associate, Senior Consultant

6.0 REFERENCES

Solutia Inc., 2009. Revised Long Term Monitoring Program Work Plan, Solutia Inc., W.G. Krummrich Facility, Sauget, Illinois, May 2009.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.

FIGURES



CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT
Golder Associates

YYYY-MM-DD	2015-12-21
PREPARED	SJD
DESIGN	SJD
REVIEW	EPW
APPROVED	AWD

PROJECT
CHLOROBENZENE PROCESS AREA
4TH QUARTER 2015 DATA REPORT

TITLE
SITE LOCATION MAP

PROJECT No.	PHASE	Rev.	FIGURE
140-3345	0025	0	1

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: ANSI B
1 in
0
Path: ---- | File Name: 1403345CPAF001.dwg


CPA-A-SHU
CPA-A-MHU
CPA-A-DHU
CPA-B-SHU
CPA-B-MHU
CPA-B-DHU
CPA-C-SHU
CPA-C-MHU
CPA-C-DHU
CPA-D-SHU
CPA-D-MHU
CPA-D-DHU
STATE AID ROUTE
MONSANTO AVE
FALLING SPRINGS ROAD
NICKEL ST
QUEEN AVE
ROUTE 3
STATE ROUTE 3
GATEWAY BUILDING
LUNCH ROOM
OFFICE BUILDING
BBQ 811
BBZ 810
BBU 818
BBW 816
BBL 252
BBK 282
BBN 245
BBM 245
BBJ 240
BBB 1237
BBF
BBR
BBS
BBA
BBH
BBC
BBE
BBI
BBT
BBV
BBX
BBY
BBZ
BBU
BBW
BBL
BBK
BBN
BBM
BBJ
BBQ
BBP
BBO
BBB

NOTES

1. GROUNDWATER LEVELS WERE MEASURED OCTOBER 29 AND 30, 2015.
2. CONTOURS WERE CREATED USING PROFESSIONAL JUDGMENT, CONTOURS WITHIN THE WGK PLANT AREA WERE SMOOTHED TO CORRECT FOR THE EFFECT OF VERTICAL HYDRAULIC GRADIENTS GIVEN THE DIFFERING WELL SCREEN DEPTHS. CPA-MW-2D WAS NOT USED IN CONTOURING.
3. RIVER ELEVATIONS WERE COLLECTED FROM AN ELECTRONIC GAUGE (USGS 0701000) LOCATED AT RIVER MILE 180.0 ON THE EADS BRIDGE.
4. AT LOCATIONS WITH WELLS SCREENED IN BOTH THE MHU AND DHU, THE DHU WELL WAS USED FOR DEVELOPMENT OF THE POTENTIOMETRIC SURFACE MAP.
5. LOCATION OF WELL IDOT OW-3 BASED ON FIGURE 4 IN DEWATERING WELL ASSESSMENT FOR THE HIGHWAY DRAINAGE SYSTEM AT FOUR SITES IN THE EAST ST. LOUIS AREA, ILLINOIS (FY00-PHASE 17), ILLINOIS STATE WATER SURVEY, CONTRACT REPORT 2003-08.



LEGEND

- LONG-TERM MONITORING WELL USED FOR GROUNDWATER CONTOURING
- OTHER MONITORING WELL USED FOR GROUNDWATER CONTOURING
- PIEZOMETER CLUSTER USED FOR GROUNDWATER CONTOURING
- CPA MONITORING WELL USED FOR GROUNDWATER CONTOURING
- IDOT GROUNDWATER WELL
- 390 APPROXIMATE GROUNDWATER ELEVATION CONTOUR (FT NAVD)

0 500 1000
SCALE FEET

CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT

Golder Associates

YYYY-MM-DD	2015-12-21
PREPARED	SJD
DESIGN	EPW
REVIEW	EPW
APPROVED	AWD

PROJECT
CHLOROBENZENE PROCESS AREA
4TH QUARTER 2015 DATA REPORT

TITLE
POTENTIOMETRIC SURFACE MAP
MIDDLE/DEEP HYDROGEOLOGIC UNIT

PROJECT No.	PHASE:	Rev.	FIGURE:
140-3345	0025	0	3

Path: ---- | File Name: 1403345CPAF003.dwg



ANALYTE	4Q15 RESULTS
BENZENE	16
TOTAL CHLOROBENZENES	732

ANALYTE	4Q15 RESULTS
BENZENE	<100
TOTAL CHLOROBENZENES	13,000

ANALYTE	4Q15 RESULTS
BENZENE	3,600
TOTAL CHLOROBENZENES	31,300

ANALYTE	4Q15 RESULTS
BENZENE	6,400
TOTAL CHLOROBENZENES	150,000

LEGEND

CPA MONITORING WELL LOCATION

NOTES

1. TOTAL CHLOROBENZENES RESULTS INCLUDE THE SUM OF CHLOROBENZENE, 1,2-DICHLOROBENZENE, 1,3-DICHLOROBENZENE, AND 1,4-DICHLOROBENZENE.
2. RESULTS SHOWN ARE IN µg/L.

0 50 100
SCALE FEET

CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT

Golder Associates

YYYY-MM-DD	2015-12-21
PREPARED	SJD
DESIGN	SJD
REVIEW	EPW
APPROVED	AWD

PROJECT
CHLOROBENZENE PROCESS AREA
4TH QUARTER 2015 DATA REPORT

TITLE
BENZENE AND TOTAL CHLOROBENZENES RESULTS SHALLOW HYDROGEOLOGIC UNIT

PROJECT No.	PHASE:	Rev.	FIGURE:
140-3345	0025	0	4

Path: --- | File Name: 1403345_CPA_SJD.dwg



ANALYTE	4Q15 RESULTS
BENZENE	410
TOTAL CHLOROBENZENES	120

ANALYTE	4Q15 RESULTS
BENZENE	160,000
TOTAL CHLOROBENZENES	31,000

ANALYTE	4Q15 RESULTS
BENZENE	110,000
TOTAL CHLOROBENZENES	206,000

ANALYTE	4Q15 RESULTS
BENZENE	4,800
TOTAL CHLOROBENZENES	82,940

LEGEND

CPA MONITORING WELL LOCATION

NOTES

1. TOTAL CHLOROBENZENES RESULTS INCLUDE THE SUM OF CHLOROBENZENE, 1,2-DICHLOROBENZENE, 1,3-DICHLOROBENZENE, AND 1,4-DICHLOROBENZENE.
2. RESULTS SHOWN ARE IN μg/L.

0 50 100
SCALE FEET

CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT

Golder Associates

YYYY-MM-DD	2015-12-21
PREPARED	SJD
DESIGN	SJD
REVIEW	EPW
APPROVED	AWD

PROJECT
CHLOROBENZENE PROCESS AREA
4TH QUARTER 2015 DATA REPORT

TITLE
BENZENE AND TOTAL CHLOROBENZENES RESULTS
MIDDLE HYDROGEOLOGIC UNIT

PROJECT No.	PHASE	Rev.	FIGURE
140-3345	0025	0	5

Path: --- | File Name: 1403345_CPA_SJD.dwg



ANALYTE	4Q15 RESULTS
BENZENE	43
TOTAL CHLOROBENZENES	1,343

ANALYTE	4Q15 RESULTS
BENZENE	610
TOTAL CHLOROBENZENES	100,100

ANALYTE	4Q15 RESULTS
BENZENE	3,400/3,300
TOTAL CHLOROBENZENES	47,010/45,820

ANALYTE	4Q15 RESULTS
BENZENE	250/240
TOTAL CHLOROBENZENES	20,530/20,210

LEGEND

CPA MONITORING WELL LOCATION

NOTES

1. TOTAL CHLOROBENZENES RESULTS INCLUDE THE SUM OF CHLOROBENZENE, 1,2-DICHLOROBENZENE, 1,3-DICHLOROBENZENE, AND 1,4-DICHLOROBENZENE.
2. RESULTS SHOWN ARE IN µg/L.
3. MULTIPLE SAMPLE RESULTS INDICATE DUPLICATE SAMPLES.

0 50 100
SCALE FEET

CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT

Golder Associates

YYYY-MM-DD	2015-12-21
PREPARED	SJD
DESIGN	SJD
REVIEW	EPW
APPROVED	AWD

PROJECT
CHLOROBENZENE PROCESS AREA
4TH QUARTER 2015 DATA REPORT

TITLE
BENZENE AND TOTAL CHLOROBENZENES RESULTS
DEEP HYDROGEOLOGIC UNIT

PROJECT No.	PHASE	Rev.	FIGURE
140-3345	0025	0	6

Path: --- | File Name: 1403345_CPA_SJD.dwg

TABLES

Table 1
Monitoring Well Gauging Information
4Q15 CPA Groundwater Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Well Identification	Monitoring Well Construction Data						4Q15 - October 29 and 30, 2015			
	Ground Surface Elevation[1] (ft)	Top of Casing Elevation[1] (ft)	Top of Screen Depth (ft bgs)	Bottom of Screen Depth (ft bgs)	Top of Screen Elevation[1] (ft)	Bottom of Screen Elevation[1] (ft)	Water Level (ft btoc)	Depth to NAPL (ft btoc)	Total Depth[2] (ft btoc)	Water Level Elevation[1] (ft)
SHU 395-380 ft NAVD 88										
CPA-A-SHU	413.97	416.35	28.00	33.00	385.97	380.97	17.90	NP	35.35	398.45
CPA-B-SHU	409.16	408.84	21.00	25.40	388.16	383.76	9.77	NP	25.06	399.07
CPA-C-SHU	408.86	408.46	21.00	25.80	387.86	383.06	9.38	NP	25.31	399.08
CPA-D-SHU	409.73	412.38	21.00	25.40	388.73	384.33	13.92	NP	28.04	398.46
MHU 380-350 ft NAVD 88										
CPA-A-MHU	413.98	416.25	58.00	62.20	355.98	351.78	17.70	NP	65.30	398.55
CPA-B-MHU	409.13	408.76	51.00	55.50	358.13	353.63	10.65	NP	55.10	398.11
CPA-C-MHU	408.90	408.57	51.00	55.50	357.90	353.40	10.70	NP	54.61	397.87
CPA-D-MHU	409.72	412.32	51.00	55.80	358.72	353.92	14.55	NP	58.37	397.77
DHU 350 ft NAVD 88 - Bedrock										
CPA-A-DHU	413.95	416.24	108.00	113.30	305.95	300.65	18.18	NP	115.23	398.06
CPA-B-DHU	409.12	408.68	101.00	106.50	308.12	302.62	11.18	NP	105.57	397.50
CPA-C-DHU	408.92	408.57	101.00	106.00	307.92	302.92	11.23	NP	105.57	397.34
CPA-D-DHU	409.63	412.20	101.00	105.90	308.63	303.73	14.95	NP	108.31	397.25

Notes
ft - feet
bgs - below ground surface
btoc - below top of casing
NP - no product observed
SHU - shallow hydrogeologic unit
MHU - middle hydrogeologic unit
DHU - deep hydrogeologic unit
[1] - Elevations based on North American Vertical Datum (NAVD) 88 datum.
[2] - Total depths are measured annually during the first quarter of each year.

Prepared By: EPW 12/18/2015
Checked By: SJD 12/21/2015
Reviewed By: AWD 1/8/2016

Table 2
Groundwater Analytical Results
4Q15 CPA Groundwater Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Sample Identification	Sample Date	VOCs (µg/L)				
		Benzene	Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene
SHU						
CPA-A-SHU-1115	11/11/2015	**16 D**	**540 D**	**22 D**	<10	**170 D**
CPA-B-SHU-1115	11/11/2015	<100	**13,000 D**	<100	<100	<100
CPA-C-SHU-1115	11/12/2015	**3,600 D**	**15,000 D**	**9,400 D**	**900 D**	**6,000 D**
CPA-D-SHU-1115	11/12/2015	**6,400 D**	**150,000 D**	<1,000	<1,000	<1,000
MHU						
CPA-A-MHU-1115	11/11/2015	**410 D**	**120 D**	<5.0	<5.0	<5.0
CPA-B-MHU-1115	11/11/2015	**160,000 D**	**31,000 D**	<2,000	<2,000	<2,000
CPA-C-MHU-1115	11/12/2015	**110,000 D**	**180,000 D**	**12,000 D**	<2000	**14,000 D**
CPA-D-MHU-1115	11/11/2015	**4,800 D**	**55,000 D**	**14,000 D**	**940 D**	**13,000 D**
DHU						
CPA-A-DHU-1115	11/11/2015	**43 D**	**290 D**	**470 D**	**53 D**	**530 D**
CPA-B-DHU-1115	11/11/2015	**610 D**	**36,000 D**	**24,000 D**	**2,100 D**	**38,000 D**
CPA-C-DHU-1115	11/12/2015	**3,400 D**	**24,000 D**	**8,300 D**	**710 D**	**14,000 D**
CPA-C-DHU-1115-AD	11/12/2015	**3,300 D**	**23,000 D**	**8,100 D**	**720 D**	**14,000 D**
CPA-D-DHU-1115	11/11/2015	**250 D**	**15,000 D**	**2,400 D**	**430 D**	**2,700 D**
CPA-D-DHU-1115-AD	11/11/2015	**240 D**	**15,000 D**	**2,200 D**	**410 D**	**2,600 D**

Notes
VOCs - Volatile Organic Compounds
µg/L - micrograms per liter
< - result is non-detect, less than the reporting limit
D - compound analyzed at a dilution
AD - analytical duplicate
Bold - indicates concentration greater than reporting limit

Prepared By: SJD 12/21/2015
Checked By: JSI 1/7/2016
Reviewed By: AWD 1/8/2016

Table 3
Monitored Natural Attenuation Results
4Q15 CPA Groundwater Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Sample Identification	Sample Date	Monitored Natural Attenuation Parameters																
		Alkalinity (mg/L)	Carbon Dioxide (mg/L)	Chloride (mg/L)	Dissolved Oxygen (mg/L)	Ethane (ug/L)	Ethylene (ug/L)	Ferrous Iron (mg/L)	Iron (mg/L)	Iron, Dissolved (mg/L)	Manganese (mg/L)	Manganese, Dissolved (mg/L)	Methane (ug/L)	Nitrogen, Nitrate (mg/L)	Sulfate as SO4 (mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	ORP (mV)
SHU																		
CPA-A-SHU-1115	11/11/2015	440	21	58 D	0.22	17	14	-	2.3	-	1.7	-	2,000	<0.050	220 D	5.9	-	62.30
CPA-A-SHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	1.47	-	1.8	-	1.7	-	-	-	-	5.3	-
CPA-B-SHU-1115	11/11/2015	610	100	99 D	0.16	<1.1	<1.0	-	33	-	3.5	-	36	<0.050	420 D	4.2	-	60.00
CPA-B-SHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	>3.30	-	28	-	3.4	-	-	-	-	4.5	-
CPA-C-SHU-1115	11/12/2015	560	59	390 D	0.02	1.5	25	-	0.90	-	7.2	-	750	0.31	840 D	310 D	-	124.09
CPA-C-SHU-F(0.2)-1115	11/12/2015	-	-	-	-	-	-	0.00	-	0.22	-	7.1	-	-	-	-	290 D	-
CPA-D-SHU-1115	11/12/2015	<5.0	<5.0	330 D	0.08	<1.1	<1.0	-	38	-	3.6	-	6.0	17 D	2,400 D	240 D	-	184.63
CPA-D-SHU-F(0.2)-1115	11/12/2015	-	-	-	-	-	-	>3.30	-	38	-	3.6	-	-	-	-	210 D	-
MHU																		
CPA-A-MHU-1115	11/11/2015	760	21	66 D	0.05	32	<1.0	-	3.0	-	1.1	-	22,000	<0.050	<50	5.1	-	-49.91
CPA-A-MHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	2.51	-	3.0	-	1.1	-	-	-	-	8.3	-
CPA-B-MHU-1115	11/11/2015	480	55	270 D	0.01	260	<1.0	-	34	-	1.7	-	22,000	<0.050	<5.0	20 D	-	-70.51
CPA-B-MHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	>3.30	-	32	-	1.6	-	-	-	-	24	-
CPA-C-MHU-1115	11/12/2015	360	67	650 D	0.10	16	27	-	66	-	4.0	-	6,300	<0.50	570 D	53 D	-	19.35
CPA-C-MHU-F(0.2)-1115	11/12/2015	-	-	-	-	-	-	>3.30	-	67	-	4.0	-	-	-	-	42 D	-
CPA-D-MHU-1115	11/11/2015	660	32	310 D	0.08	16	<1.0	-	2.6	-	1.6	-	7,500	<0.050	230 D	35 D	-	89.18
CPA-D-MHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	0.05	-	0.77	-	1.5	-	-	-	-	54	-
DHU																		
CPA-A-DHU-1115	11/11/2015	600	14	68 D	0.13	7.9	<1.0	-	5.1	-	0.37	-	3,900	<0.050	110 D	4.4	-	-60.35
CPA-A-DHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	>3.30	-	5.2	-	0.37	-	-	-	-	5.6	-
CPA-B-DHU-1115	11/11/2015	510	16	65 D	0.11	1.7	<1.0	-	8.9	-	0.52	-	140	<0.050	100 D	12	-	-63.81
CPA-B-DHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	>3.30	-	8.9	-	0.52	-	-	-	-	10	-
CPA-C-DHU-1115	11/12/2015	550	12	64 D	0.02	2.3	<1.0	-	3.9	-	0.60	-	160	<0.050	81 D	34 D	-	99.10
CPA-C-DHU-F(0.2)-1115	11/12/2015	-	-	-	-	-	-	1.81	-	2.2	-	0.57	-	-	-	-	32 D	-
CPA-D-DHU-1115	11/11/2015	580	9.8	69 D	0.07	7.3	<1.0	-	0.24	-	0.34	-	340	<0.050	63 D	33 D	-	96.66
CPA-D-DHU-F(0.2)-1115	11/11/2015	-	-	-	-	-	-	0.00	-	0.14	-	0.33	-	-	-	-	39	-

Notes
Dissolved Oxygen (RDO) and Oxidation Reduction Potential (ORP) values represent the final field measurements prior to sampling (In-Situ - SmartTroll™)
Ferrous Iron was field measured using a 0.2 µm field filtered sample (Hach DR-890 Colorimeter)
F(0.2) - sample was field filtered using a 0.2 µm filter during sample collection
µg/L - micrograms per liter
mg/L - milligrams per liter
mV - millivolts
< - result is non-detect, less than the reporting limit
> - ferrous iron result is greater than the maximum detection limit of 3.30 mg/L
"-" - not analyzed
D - compound analyzed at a dilution
J - result is an estimated value

Prepared By: SJD 12/21/2015
Checked By: JSI 1/7/2016
Reviewed By: AWD 1/8/2016

APPENDIX A
GROUNDWATER PURGING AND SAMPLING FORMS

In-Situ Inc.

SmartTroll
11/11/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	118.68 ft
		Pump Placement from TOC	112.58 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-A-DHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	852 mL
Well Total Depth	115.23 ft	Calculated Sample Rate	170 sec
Depth to Top of Screen	109.93 ft	Sample Rate	170 sec
Screen Length	5.30 ft	Stabilized Drawdown	0.01 ft
Depth to Water	18.18 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	8:33:23	16.00	7.26	1473.34	32.60	0.22	-17.90
	8:35:53	16.04	7.26	1470.91	24.20	0.19	-30.98
	8:38:23	16.09	7.26	1469.90	15.10	0.18	-42.00
	8:40:53	16.09	7.27	1459.16	8.84	0.15	-51.77
	8:43:23	16.04	7.27	1452.48	5.51	0.13	-60.35
Variance in Last 3 Readings		0.05	0.00	-1.01	-9.10	-0.01	-11.02
		0.00	0.01	-10.74	-6.26	-0.03	-9.77
		-0.05	0.00	-6.68	-3.33	-0.02	-8.58

Notes:

In-Situ Inc.

SmartTroll
11/11/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	68.60 ft
		Pump Placement from TOC	63.20 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-A-MHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	572 mL
Well Total Depth	65.30 ft	Calculated Sample Rate	114 sec
Depth to Top of Screen	61.10 ft	Sample Rate	114 sec
Screen Length	4.2 ft	Stabilized Drawdown	0.00 ft
Depth to Water	17.70 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	9:25:43	17.09	7.33	1457.70	14.30	0.11	-31.92
	9:27:17	16.98	7.32	1461.40	10.40	0.08	-36.82
	9:28:51	17.09	7.31	1458.55	6.99	0.07	-41.60
	9:30:25	17.07	7.30	1460.67	5.01	0.07	-45.69
	9:31:59	17.07	7.29	1464.43	3.71	0.05	-49.91
Variance in Last 3 Readings		0.11	-0.01	-2.85	-3.41	-0.01	-4.78
		-0.02	-0.01	2.12	-1.98	0.00	-4.09
		0.00	-0.01	3.76	-1.30	-0.02	-4.22

Notes:

In-Situ Inc.

SmartTroll
11/11/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	40.50 ft
		Pump Placement from TOC	32.85 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-A-SHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	416 mL
Well Total Depth	35.35 ft	Calculated Sample Rate	83 sec
Depth to Top of Screen	30.35 ft	Sample Rate	83 sec
Screen Length	5 ft	Stabilized Drawdown	0.00 ft
Depth to Water	17.90 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	10:24:23	17.68	7.31	11162.61	31.40	0.31	59.83
	10:25:26	17.72	7.30	1183.98	22.70	0.29	60.93
	10:26:29	17.79	7.29	1206.67	20.50	0.28	61.65
	10:27:32	17.83	7.28	1232.48	18.40	0.25	62.09
	10:28:35	17.85	7.27	1238.72	20.80	0.22	62.30
Variance in Last 3 Readings		0.07	-0.01	22.69	-2.20	-0.01	0.72
		0.04	-0.01	25.81	-2.10	-0.03	0.44
		0.02	-0.01	6.24	2.40	-0.03	0.21

Notes:

In-Situ Inc.

SmartTroll
11/11/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	111.00 ft
		Pump Placement from TOC	102.82 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-B-DHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	809 mL
Well Total Depth	105.57 ft	Calculated Sample Rate	161 sec
Depth to Top of Screen	100.07 ft	Sample Rate	161 sec
Screen Length	5.5 ft	Stabilized Drawdown	0.00 ft
Depth to Water	11.18 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	11:41:31	17.64	7.25	1302.25	18.70	0.08	-42.61
	11:43:52	17.75	7.25	1300.04	16.50	0.08	-49.00
	11:46:13	17.88	7.25	1301.14	12.90	0.08	-54.54
	11:48:34	18.08	7.25	1302.63	11.40	0.08	-59.51
	11:50:55	18.33	7.25	1299.93	8.55	0.11	-63.81
Variance in Last 3 Readings		0.13	0.00	1.10	-3.60	0.00	-5.54
		0.20	0.00	1.49	-1.50	0.00	-4.97
		0.25	0.00	-2.70	-2.85	0.03	-4.30

Notes:

In-Situ Inc.

SmartTroll
11/11/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	61.25 ft
		Pump Placement from TOC	52.85 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-B-MHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	531 mL
Well Total Depth	55.10 ft	Calculated Sample Rate	106 sec
Depth to Top of Screen	50.60 ft	Sample Rate	106 sec
Screen Length	4.5 ft	Stabilized Drawdown	0.07 ft
Depth to Water	10.65 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	14:07:25	18.28	6.98	1699.96	44.50	0.02	-69.22
	14:08:52	18.28	6.98	1701.13	32.50	0.02	-69.58
	14:10:18	18.32	6.97	1700.61	37.60	0.02	-69.87
	14:11:48	18.32	6.97	1698.82	30.70	0.02	-70.08
	14:13:18	18.28	6.97	1696.08	37.20	0.01	-70.51
Variance in Last 3 Readings		0.04	-0.01	-0.52	5.10	0.00	-0.29
		0.00	0.00	-1.79	-6.90	0.00	-0.21
		-0.04	0.00	-2.74	6.50	-0.01	-0.43

Notes:

In-Situ Inc.

SmartTroll
11/11/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	21.20 ft
		Pump Placement from TOC	22.86 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-B-SHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	308 mL
Well Total Depth	25.06 ft	Calculated Sample Rate	61 sec
Depth to Top of Screen	20.66 ft	Sample Rate	61 sec
Screen Length	4.4 ft	Stabilized Drawdown	0.04 ft
Depth to Water	9.77 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	12:28:16	19.15	7.23	1988.43	216.00	0.22	63.60
	12:28:57	19.08	7.20	1996.53	234.00	0.17	62.48
	12:29:38	19.05	7.18	1998.64	224.00	0.16	61.65
	12:30:19	19.03	7.17	2000.22	223.00	0.15	60.85
	12:31:09	19.03	7.16	2007.34	225.00	0.16	60.00
Variance in Last 3 Readings		-0.03	-0.02	2.11	-10.00	-0.01	-0.83
		-0.02	-0.01	1.58	-1.00	-0.01	-0.80
		0.00	-0.01	7.12	2.00	0.01	-0.85

Notes:

In-Situ Inc.

SmartTroll
11/12/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	107.5 ft
		Pump Placement from TOC	103.07 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-C-DHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	789 mL
Well Total Depth	105.57 ft	Calculated Sample Rate	157 sec
Depth to Top of Screen	100.57 ft	Sample Rate	157 sec
Screen Length	5 ft	Stabilized Drawdown	0.00 ft
Depth to Water	11.24 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	9:52:03	17.70	7.13	1360.07	74.20	0.03	77.98
	9:54:20	17.75	7.13	1358.29	87.10	0.03	82.69
	9:56:37	17.79	7.14	1359.23	76.10	0.03	88.04
	9:58:54	17.30	7.15	1376.77	55.70	0.03	93.37
	10:01:12	17.48	7.16	1373.47	51.10	0.02	99.10
Variance in Last 3 Readings		0.04	0.01	0.94	-11.00	0.00	5.35
		-0.49	0.01	17.54	-20.40	0.00	5.33
		0.18	0.01	-3.30	-4.60	-0.01	5.73

Notes:
Purged 8L before beginning readings due to high turbidity

In-Situ Inc.

SmartTroll
11/12/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	61.5 ft
		Pump Placement from TOC	52.36 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-C-MHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	533 mL
Well Total Depth	54.61 ft	Calculated Sample Rate	106 sec
Depth to Top of Screen	50.11 ft	Sample Rate	106 sec
Screen Length	4.5 ft	Stabilized Drawdown	0.13 ft
Depth to Water	10.70 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	11:31:03	18.20	7.01	3051.22	14.50	0.10	42.85
	11:32:35	18.19	6.99	3111.17	11.50	0.10	35.99
	11:34:03	18.23	6.99	3166.60	9.36	0.11	29.68
	11:35:32	18.23	6.98	3223.37	8.21	0.10	24.33
	11:37:04	18.23	6.97	3258.50	6.13	0.10	19.35
Variance in Last 3 Readings		0.04	0.00	55.43	-2.14	0.01	-6.31
		0.00	-0.01	56.77	-1.15	-0.01	-5.35
		0.00	-0.01	35.13	-2.08	0.00	-4.98

Notes:

In-Situ Inc.

SmartTroll
11/12/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	33.50 ft
		Pump Placement from TOC	22.91 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-C-SHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	377 mL
Well Total Depth	25.31 ft	Calculated Sample Rate	75 sec
Depth to Top of Screen	20.51 ft	Sample Rate	75 sec
Screen Length	4.80 ft	Stabilized Drawdown	0.00 ft
Depth to Water	9.38 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	10:47:00	18.59	7.04	3171.17	30.30	0.03	127.75
	10:48:00	18.65	7.04	3164.43	25.50	0.03	126.95
	10:48:56	18.70	7.03	3158.03	20.48	0.02	126.11
	10:49:51	18.73	7.03	3150.32	19.90	0.02	125.03
	10:50:46	18.68	7.03	3151.40	17.50	0.02	124.09
Variance in Last 3 Readings		0.05	-0.01	-6.40	-5.02	-0.01	-0.84
		0.03	0.00	-7.71	-0.58	0.00	-1.08
		-0.05	0.00	1.08	-2.40	0.00	-0.94

Notes:

In-Situ Inc.

SmartTroll
11/11/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	111.50 ft
		Pump Placement from TOC	105.86 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-D-DHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	812 mL
Well Total Depth	108.31 ft	Calculated Sample Rate	162 sec
Depth to Top of Screen	103.41 ft	Sample Rate	162 sec
Screen Length	4.90 ft	Stabilized Drawdown	0.00 ft
Depth to Water	14.96 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	15:21:54	17.24	7.17	1432.73	10.50	0.10	94.44
	15:24:16	17.25	7.18	1432.89	8.77	0.10	95.32
	15:26:38	17.28	7.18	1431.78	6.94	0.09	95.98
	15:29:03	17.24	7.19	1432.24	5.23	0.07	96.39
	15:31:25	17.21	7.19	1433.77	4.45	0.07	96.66
Variance in Last 3 Readings		0.03	0.00	-1.11	-1.83	-0.01	0.66
		-0.04	0.01	0.46	-1.71	-0.02	0.41
		-0.03	0.00	1.53	-0.78	0.00	0.27

Notes:

In-Situ Inc.

SmartTroll
11/12/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	60.00 ft
		Pump Placement from TOC	55.97 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-D-MHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	525mL
Well Total Depth	58.37 ft	Calculated Sample Rate	104 sec
Depth to Top of Screen	53.57 ft	Sample Rate	104 sec
Screen Length	4.8 ft	Stabilized Drawdown	0.00 ft
Depth to Water	14.55 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	16:17:59	17.43	7.19	2316.23	119.00	0.07	88.23
	16:19:23	17.45	7.19	2319.48	93.70	0.06	88.55
	16:20:47	17.48	7.18	2320.16	84.10	0.07	88.83
	16:22:11	17.52	7.17	2321.35	80.50	0.07	89.07
	16:23:35	17.60	7.17	2327.51	76.10	0.08	89.18
Variance in Last 3 Readings		0.03	-0.01	0.68	-9.60	0.01	0.28
		0.04	-0.01	1.19	-3.60	0.00	0.24
		0.08	0.00	6.16	-4.40	0.01	0.11

Notes:

In-Situ Inc.

SmartTroll
11/12/2015

Low-Flow System
ISI Low-Flow Log

Project Information:		**Pump Information:**	
Operator Name	EPW	Pump Model/Type	SS Monsoon
Company Name	Golder Associates	Tubing Type	LDPE
Project Name	W.G. Krummrich	Tubing Diameter	0.19 in
Site Name	CPA	Tubing Length	31.00 ft
		Pump Placement from TOC	25.84 ft

Well Information:		**Pumping Information:**	
Well Id	CPA-D-SHU	Final Pumping Rate	300 mL/min
Well Diameter	2 in	System Volume	363 mL
Well Total Depth	28.04 ft	Calculated Sample Rate	72 sec
Depth to Top of Screen	23.64 ft	Sample Rate	72 sec
Screen Length	4.4 ft	Stabilized Drawdown	0.00 ft
Depth to Water	13.92 ft		

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	8:21:44	17.19	5.82	4020.43	93.10	0.08	187.40
	8:22:36	17.21	5.83	4006.59	84.00	0.08	186.44
	8:23:28	17.22	5.83	3993.3	66.10	0.07	185.47
	8:24:20	17.10	5.84	3997.43	63.50	0.08	184.77
	8:25:12	17.07	5.84	4031.33	56.00	0.08	184.63
Variance in Last 3 Readings		0.01	0.00	-13.29	-17.90	-0.01	-0.97
		-0.12	0.01	4.13	-2.60	0.01	-0.70
		-0.03	0.00	33.90	-7.50	0.00	-0.14

Notes:

APPENDIX B
CHAINS-OF-CUSTODY

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912.354 7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other: Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Len Bindner~~	Date: 11/11/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 2 COCs
820 South Main Street	Analysis Turnaround Time			Sampler:
St Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☑ 2 weeks			Lab Sampling.
Project Name: 2Q15 CPA GW Sampling - 1403345	☐ 1 week			
Site: Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y / N)	Perform MS / MSD (Y / N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DOC by 415.1	Sample Specific Notes:
CPA-A-DHU-1115	11/11/15	0825	G	W	13	N		2	1	1	1	3	2	3			3 coolers
CPA-A-DHU-F(0.2)-1115		0825			4	Y									1	3	
CPA-A-MHU-1115		0919			13	N		2	1	1	1	3	2	3			
CPA-A-MHU-F(0.2)-1115		0919			4	Y									1	3	
CPA-A-MHU-1115-MS		0919			2	N		2									
CPA-A-MHU-1115-MSD		0919			2	N		2									
CPA-A-SHU-1115		1030			13	N		2	1	1	1	3	2	3			
CPA-A-SHU-F(0.2)-1115		1030			4	Y									1	3	
CPA-B-DHU-1115		1150			13	N		2	1	1	1	3	2	3			
CPA-B-DHU-F(0.2)-1115		1150			4	Y									1	3	
CPA-B-SHU-1115		1232			13	N		2	1	1	1	3	2	3			
CPA-B-SHU-F(0.2)-1115		1232			4	Y									1	3	
CPA-B-MHU-1115		1412			13	N		2	1	1	1	3	2	3			
Preservation Used: 1=Ice, 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6=Other								2	4	1	1	2	3,1	3	4	3	

680-118931 Chain of Custody

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☑ Disposal by Lab ☐ Archive for _____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling Yes/No

10/1.4 CF 2.4/2.8 CF 2.2/2.6 CF

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No.: 799875/799874/799873 | Cooler Temp. (°C): Obs'd: _____ Corr'd: _____ | Therm ID No.: _____

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Emily White	Golder	11/11/15 MSD	[illegible]	TA	11-12-15 9:39
Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Relinquished by:	Company:	Date/Time:	Received in Laboratory by:	Company:	Date/Time:

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912 354.7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other: Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Lori Blocher~~	Date: 11/11/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 2 COCs
820 South Main Street	Analysis Turnaround Time			Sampler: E. White
St. Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☑ 2 weeks			Lab Sampling:
Project Name: ZQ15 CPA GW Sampling - 1403345	☐ 1 week			
Site Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DOC by 415.1	Sample Specific Notes:
CPA-B-MHU-F(0.2)-1115	11/11/15	1412	G	W	4	Y									1	3	
CPA-B-MHU-1115-EB		1440			2	N		2									
CPA-D-DHU-1115		1530			13	N		2	1	1	1	3	2	3			
CPA-D-DHU-F(0.2)-1115		1530			4	Y									1	3	
CPA-D-DHU-1115-AD		1530			2	N		2									
CPA-D-MHU-1115		1625			13	N		2	1	1	1	3	2	3			
CPA-D-MHU-F(0.2)-1115		1625			4	Y									1	3	
4Q15 CPA Trip Blank #1					2	N		2									
								2	4	1	1	2	3,1	3	4	3	

Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4=HNO3, 5=NaOH, 6= Other

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☑ Disposal by Lab ☐ Archive for_____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling: Yes/No

1.0/1.4 CF 2.4/2.8 CF 2.2/2.6 CF

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No. 799875/799874/799873 | Cooler Temp. (°C): Obs'd:_____ Corr'd:_____ Therm ID No._____

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Emily White	Golder	11/11/15 1750	[signature]	TA	11-12-15 9:39
Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Relinquished by:	Company:	Date/Time:	Received in Laboratory by:	Company:	Date/Time:

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

680-118931

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Phone (912) 354-7858 Fax (912) 352-0165

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information (Sub Contract Lab)
Client Contact: Shipping/Receiving
Company: TestAmerica Laboratories, Inc.
Address: 13715 Rider Trail North, ,
City: Earth City
State, Zip: MO, 63045
Phone: 314-298-8566(Tel) 314-298-8757(Fax)
Email:
Project Name: 4Q15- CPA GW Sampling-1403345
Site:

Sampler:
Phone:
Lab PM: Kersey, Michele R
E-Mail: michele.kersey@testamericainc.com
Carrier Tracking No(s):
COC No: 680-412977.1
Page: Page 1 of 1
Job #: 680-118931-1

Due Date Requested: 11/27/2015
TAT Requested (days):
PO #:
WO #:
Project #: 68001754
SSOW#:

Analysis Requested

Preservation Codes:
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA
M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2SO3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - ph 4-5, Z - other (specify)
Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	415.1/ 415.1 / Total Organic Carbon	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
CPA-A-DHU-1115 (680-118931-1)	11/11/15	08:25 Eastern		Water			X	3	
CPA-A-MHU-1115 (680-118931-3)	11/11/15	09:19 Eastern		Water			X	3	
CPA-A-SHU-1115 (680-118931-5)	11/11/15	10:30 Eastern		Water			X	3	
CPA-B-DHU-1115 (680-118931-7)	11/11/15	11:50 Eastern		Water			X	3	
CPA-B-SHU-1115 (680-118931-9)	11/11/15	12:32 Eastern		Water			X	3	
CPA-B-MHU-1115 (680-118931-11)	11/11/15	14:12 Eastern		Water			X	3	
CPA-D-DHU-1115 (680-118931-14)	11/11/15	15:30 Eastern		Water			X	3	
CPA-D-MHU-1115 (680-118931-17)	11/11/15	16:25 Eastern		Water			X	3	

Possible Hazard Identification
Unconfirmed
Deliverable Requested: I, II, III, IV, Other (specify)

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*
Special Instructions/QC Requirements:

Empty Kit Relinquished by: Date: Time: Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
[signature]	11-20-15 1715	Sav.	[signature]	12-1-15 0940	TASR
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No
Custody Seal No.:
Cooler Temperature(s) °C and Other Remarks:

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912.354 7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other: Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Lori Gindner~~	Date: 11/12/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 1 COCs
820 South Main Street	Analysis Turnaround Time			Sampler: E. White
St. Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☑ 2 weeks			Lab Sampling:
Project Name: 2Q15 CPA GW Sampling - 1403345	☐ 1 week			
Site: Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DOC by 415.1	Sample Specific Notes:
CPA-D-SHU-1115	11/12/15	0825	G	W	13	N		2	1	1	1	3	2	3			2 coolers
CPA-D-SHU-F(0.2)-1115		0825			4	Y									1	3	
CPA-C-DHU-1115		1005			13	N		2	1	1	1	3	2	3			
CPA-C-DHU-F(0.2)-1115		1005			4	Y									1	3	
CPA-C-DHU-1115-AD		1005			2	N		2									
CPA-C-SHU-1115		1052			13	N		2	1	1	1	3	2	3			
CPA-C-SHU-F(0.2)-1115		1052			4	Y									1	3	
CPA-C-MHU-1115		1138			13	N		2	1	1	1	3	2	3			
CPA-C-MHU-F(0.2)-1115		1138			4	Y									1	3	
CPA-C-MHU-1115-EB		1205			2	N		2									
4Q15 CPA Trip Blank #2	—		—		2	N		2									
Preservation Used: 1=Ice, 2=HCL, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other								2	4	1	1	2	3.1	3	4	3	

680-118978 Chain of Custody

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☑ Disposal by Lab ☐ Archive for _____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling: Yes/No

2.4/2.8 0.0/0.4

680-118978

Custody Seals Intact: ☐ Yes ☐ No	Custody Seal No.: 7998761799877	Cooler Temp. (°C): Obs'd: 2.8 Corr'd: 2.4	Therm ID No.:

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Emily White	Golder	11/12/15	2-		
Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Relinquished by	Company	Date/Time	Received in Laboratory by: m. Wheaton	Company: TA	Date/Time: 11/13/15 09:34

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912.354 7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other: Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Lori Pindner~~	Date: 11/12/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 1 COCs
820 South Main Street	Analysis Turnaround Time			Sampler: E. White
St. Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☑ 2 weeks			Lab Sampling:
Project Name: 2Q15 CPA GW Sampling - 1403345	☐ 1 week			
Site: Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y / N)	Perform MS / MSD (Y / N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 376.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DOC by 415.1	Sample Specific Notes:
CPA-D-SHU-1115	11/12/15	0825	G	W	13	N		2	1	1	1	3	2	3			2 coolers
CPA-D-SHU-F(0.2)-1115		0825			4	Y									1	3	
CPA-C-DHU-1115		1005			13	N		2	1	1	1	3	2	3			
CPA-C-DHU-F(0.2)-1115		1005			4	Y									1	3	
CPA-C-DHU-1115-AD		1005			2	N		2									
CPA-C-SHU-1115		1052			13	N		2	1	1	1	3	2	3			
CPA-C-SHU-F(0.2)-1115		1052			4	Y									1	3	
CPA-C-MHU-1115		1138			13	N		2	1	1	1	3	2	3			
CPA-C-MHU-F(0.2)-1115		1138			4	Y									1	3	
CPA-C-MHU-1115-EB		1205			2	N		2									
4Q15 CPA Trip Blank #2					2	N		2									
Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other								2	4	1	1	2	3,1	3	4	3,1	

680-118978 Chain of Custody

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☑ Disposal by Lab ☐ Archive for _____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling: Yes/No

2.4/2.8 0.0/0.4

680-118978

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No.: 1998761 199877 | Cooler Temp. (°C): Obs'd: 2.0 Corr'd: 2.4 | Therm ID No.: _____

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Emily White	Golder	11/12/15	2		
Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Relinquished by	Company	Date/Time	Received in Laboratory by	Company	Date/Time
			m. Whaley	TA	11/13/15 0934

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

Joe Clark TASL 12.1.15 0940 TOC/DOC only

APPENDIX C
QUALITY ASSURANCE REPORT

QUALITY ASSURANCE REPORT

CHLOROBENZENE PROCESS AREA GROUNDWATER MONITORING PROGRAM SOLUTIA INC. W.G. KRUMMRICH FACILITY SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

January 2016 **140-3345**

A world of capabilities delivered locally

Golder Associates

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation

Table of Contents

1.0 INTRODUCTION 1
2.0 VOLATILE ORGANIC COMPOUNDS 3
2.1 Receipt Condition and Sample Holding Times 3
2.2 Blanks 3
2.3 Surrogate Spike Recoveries 4
2.4 Laboratory Control Sample Recoveries 4
2.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples 4
2.6 Analytical Duplicates 4
2.7 Internal Standard Responses 4
2.8 Results Reported From Dilutions 4
3.0 INORGANICS AND GENERAL CHEMISTRY 5
3.1 Receipt Condition and Sample Holding Times 5
3.2 Blanks 5
3.3 Laboratory Control Sample Recoveries 5
3.4 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples 6
3.5 Results Reported From Dilutions 6
4.0 SUMMARY 6
5.0 REFERENCES 7

1.0 INTRODUCTION

Golder Associates Inc. (Golder) completed a review of analytical data for the groundwater samples collected on November 10 and 11, 2015 at the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility (Site) in Sauget, Illinois. Golder collected a total of twenty (20) samples from groundwater monitoring wells as part of the 4th Quarter 2015 (4Q15) Chlorobenzene Process Area (CPA) Groundwater Monitoring Program. Twelve (12) groundwater samples, two (2) trip blanks, two (2) equipment blanks (EB), two (2) analytical duplicates (AD), and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were prepared. Groundwater monitoring locations were on the WGK facility. The samples were submitted to the TestAmerica Laboratories, Inc. (TestAmerica) facility located in Savannah, Georgia for analysis using United States Environmental Protection Agency (USEPA) methods, standard methods and USEPA SW-846 test methods. Samples submitted to TestAmerica were analyzed for volatile organic compounds (VOCs), total and dissolved metals, dissolved gases, and general chemistry parameters. The analytical results were placed into two (2) sample delivery groups (SDGs) and described in the table below:

Sample Delivery Group (SDG)	Sample Identification
KPS158	CPA-A-DHU-1115
	CPA-A-MHU-1115
	CPA-A-SHU-1115
	CPA-B-DHU-1115
	CPA-B-MHU-1115
	CPA-B-MHU-1115-EB
	CPA-B-SHU-1115
	CPA-D-DHU-1115
	CPA-D-DHU-1115-AD
	CPA-D-MHU-1115
	4Q15 CPA Trip Blank #1
KPS159	CPA-D-SHU-1115
	CPA-C-DHU-1115
	CPA-C-DHU-1115-AD
	CPA-C-SHU-1115
	CPA-C-MHU-1115
	CPA-C-MHU-1115-EB
	4Q15 CPA Trip Blank #2

The samples were collected and analyzed in general accordance with the Revised Long-Term Monitoring Program (LTMP) Work Plan (Work Plan) (Solutia 2009). Groundwater samples were analyzed for VOCs, total and dissolved metals, dissolved gases, and general chemistry parameters. The general chemistry parameters were chloride, nitrate, sulfate, total organic carbon (TOC), alkalinity, carbon dioxide, and dissolved organic carbon (DOC). The two (2) trip blanks, two (2) EBs, two (2) ADs, and one (1) MS/MSD

pair were submitted and analyzed for VOCs only. The following analytical methods used are from USEPA document SW-846, Test Methods for Evaluating Solid Waste, Revision 6 contained in Final Update III August 2002 and listed below:

- VOCs were analyzed using Method 8260B Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)
- Total and Dissolved Iron and Manganese were analyzed by Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry

The following standard methods were used to analyze monitored natural attenuation (MNA) parameters:

- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry
- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Golder completed validation of the analytical data following the general guidelines in Section 4.4 Data Review and Validation of the Work Plan. The Work Plan specifies that the most recent versions of the national data validation guidelines be used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

These documents are hereafter referred to as the "functional guidelines". If there was a conflict between the functional guidelines and the quality control criteria specified in the analytical method, the method-specific criteria were used. The SDGs were prepared as a Level IV data report package containing quality control information and raw data. Golder completed Level III review of 100% of the analytical data and Level IV review of 10% of the analytical data.

Data that has been qualified by the data validator has been added to the laboratory report. The qualifiers indicate data that did not meet acceptance criteria and corrective actions were not successful or not performed. Laboratory data qualifiers are defined below:

- U – The analyte was analyzed for but not was not detected

Golder data qualifiers are defined below:

- D – The analyte was analyzed at a dilution

Sections 2 and 3 summarize the specific instances where quality control criteria in the functional guidelines were not met. As specified in the functional guidelines, if the non-adherence to quality control criteria is slight, professional judgment was used in qualification of the data. However, if the non-adherence is significant, qualification and rejection of the data may be necessary.

Following data validation, the qualified data were summarized in tables, which are included in the main body of the report.

2.0 VOLATILE ORGANIC COMPOUNDS

Samples were collected from twelve (12) groundwater monitoring locations and analyzed for VOCs. Analytical duplicate samples were collected from two (2) sampling locations, CPA-C-DHU-AD and CPA-D-DHU-AD. Two (2) EBs and two (2) trip blanks were also prepared and shipped for laboratory analysis. The samples were submitted to TestAmerica, were placed into two (2) data packages or SDGs (KPS158 and KPS159), and were prepared and analyzed using SW-846 Method 8260B. Samples were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

2.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling. A summary of affected SDGs is provided below.

KPS158 and KPS159 – Some samples were received at temperatures below the 4°C+/-2°C. The samples were otherwise received in good condition and data qualification was not required.

2.2 Blanks

Laboratory and field blanks, including trip blanks, method blanks and equipment blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory or field activities.

Two (2) laboratory prepared trip blanks, one (1) for each cooler containing sample bottles for VOC analysis, were shipped and analyzed for VOCs during the 4Q15 event to evaluate whether cross contamination occurred during sample shipment. Results for the trip blanks were non-detect.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

Two (2) EBs were collected during the 4Q15 event to assess the effectiveness of the decontamination procedure. Detections were noted in the following EBs:

- CPA-B-MHU-1115-EB (SDG KPS158): benzene at 42 µg/L, chlorobenzene at 53 µg/L, 1,2-dichlorobenzene at 19 µg/L, 1,3-dichlorobenzene at 1.9 µg/L, and 1,4-dichlorobenzne at 33 µg/L
- CPA-C-MHU-1115-EB (SDK KPS159): benzene at 120 µg/L, chlorobenzene at 400 µg/L, 1,2-dichlorobenzene at 84 µg/L, 1,3-dichlorobenzene at 6.2 µg/L, and 1,4-dichlorobenzene at 92 µg/L

The samples associated with the above EBs, CPA-B-MHU-1115 and CPA-C-MHU-1115, were not qualified based on the 5Xs concentration criteria.

2.3 Surrogate Spike Recoveries

Samples to be analyzed for VOCs were spiked with surrogate compounds, 4-bromofluorobenzene, dibromofluoromethane, 1,2-dichloroethane, and toluene-d8, prior to analysis, to evaluate overall laboratory performance. Surrogate recoveries were within control limits.

2.4 Laboratory Control Sample Recoveries

A laboratory control sample (LCS) is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria.

2.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. One (1) MS/MSD pair is sampled for every twenty (20) field samples. One (1) MS/MSD pair was collected during the 4Q15 event associated with sample CPA-A-MHU-1115. MS/MSD accuracy and precision data met criteria.

2.6 Analytical Duplicates

One (1) AD is collected for every ten (10) field samples to determine the overall precision of field and laboratory methods. Two (2) ADs were collected during the 4Q15 event associated with samples CPA-C-DHU-1115 and CPA-D-DHU-1115. The relative percent difference (RPD) between the samples and the associated ADs did not exceed 25%; therefore, data qualification was not required.

2.7 Internal Standard Responses

Internal standard performance criteria ensure that GC/MS sensitivity and response are stable during each analysis. Internal standard area counts did not vary by more than a factor of two (2) from the associated 12 hour calibration standard. Internal standard retention times did not vary more than +/- 30 seconds from the retention time of the associated 12 hour calibration standard.

2.8 Results Reported From Dilutions

VOC samples in both SDGs required dilutions due to high levels of target analytes. Reporting limits were adjusted to reflect the dilution. Result qualifications are shown in Section 4.0.

3.0 INORGANICS AND GENERAL CHEMISTRY

Samples were collected from twelve (12) groundwater monitoring locations and analyzed for inorganics and general chemistry. The samples were submitted to TestAmerica, were placed into two data packages or SDGs (KPS158 and KPS159), and were prepared and analyzed using the following methods:

- Total and Dissolved Iron and Manganese analyzed by Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry
- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry
- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Samples were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

3.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling. A summary of affected SDGs is provided below.

KPS158 and KPS159 – Some samples were received at temperatures below the 4°C+/-2°C. The samples were otherwise received in good condition and data qualification was not required.

3.2 Blanks

Laboratory method blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory activities.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

3.3 Laboratory Control Sample Recoveries

A LCS is analyzed on each laboratory system used to analyze samples to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria.

3.4 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. Although MS/MSD analysis was not required for inorganic and general chemistry per the Work Plan, the laboratory spiked several groundwater samples for various analytes. Some MS/MSD data for these samples was outside acceptance criteria. Since MS/MSD data alone cannot be used to evaluate the precision and accuracy of data, data qualification was not required for associated samples.

3.5 Results Reported From Dilutions

Samples in each SDG required dilutions due to high levels of target analytes. Reporting limits were adjusted to reflect the dilution. Result qualifications are shown in Section 4.0.

4.0 SUMMARY

Golder validated the data collected during the 4Q15 sampling event from the Solutia Inc. WGK facility in general accordance with the Work Plan and USEPA functional guidelines. Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. Where a positive result was qualified as estimated, the analyte should be considered present. Similarly, a result that was qualified as an estimated reporting limit should be considered not present for the purposes of this program, although the limit itself may not be precise. The completeness for the entire data set was 100%.

Qualification Summary Table

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Benzene, Chlorobenzene, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, Chloride, Nitrate, Sulfate, TOC, and DOC	D	CPA-A-DHU, CPA-A-MHU, CPA-A-SHU, CPA-B-DHU, CPA-B-MHU, CPA-B-SHU CPA-C-DHU, CPA-C-DHU-AD, CPA-C-MHU, CPA-C-MHU-EB, CPA-C-SHU, CPA-D-DHU, CPA-D-DHU-AD, CPA-D-MHU, and CPA-D-SHU

5.0 REFERENCES

Solutia Inc., 2009. Revised Long Term Monitoring Program Work Plan, Solutia Inc., W.G. Krummrich Facility, Sauget, Illinois, May 2009.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.

APPENDIX D
GROUNDWATER ANALYTICAL RESULTS
(INCLUDING DATA VALIDATION REPORTS)

Level IV Data Validation Summary
Solutia Inc., W.G. Krummrich, Sauget, Illinois
4Q15 CPA Monitoring Program

Company Name: Golder Associates
Project Name: WGK-4Q15 CPA
Reviewer: A. Derhake
Laboratory: TestAmerica
SDG#: KPS158
Matrix: Water

Project Manager: A. Derhake
Project Number: 140-3345
Sample Date: November 2015

Analytical Method: VOC (8260B), Dissolved Gases (RSK-175), Metals (6010C), Alkalinity (310.1), Chloride (325.2), Nitrogen, Nitrate-Nitrite (353.2), Sulfate (375.4), TOC (415.1), and DOC (415.1)

Sample Names: CPA-A-DHU-1115, CPA-A-DHU-F(0.2)-1115, CPA-A-MHU-1115, CPA-A-MHU-F(0.2)-1115, CPA-A-SHU-1115, CPA-A-SHU-F(0.2)-1115, CPA-B-DHU-1115, CPA-B-DHU-F(0.2)-1115, CPA-B-MHU-1115, CPA-B-MHU-F(0.2)-1115, CPA-B-MHU-1115-EB, CPA-B-SHU-1115, CPA-B-SHU-F(0.2)-1115, CPA-D-DHU-1115, CPA-D-DHU-F(0.2)-1115, CPA-D-DHU-1115-AD, CPA-D-MHU-1115, CPA-D-MHU-F(0.2)-1115, and 4Q15 CPA Trip Blank #1

Field Information	**YES**	**NO**	**NA**
a) Sampling dates noted?	☒	☐	☐
b) Does the laboratory narrative indicate deficiencies?	☒	☐	☐

Comments:

VOC: Samples CPA-A-DHU-1115, CPA-A-MHU-1115, CPA-A-SHU-1115, CPA-B-DHU-1115, CPA-B-SHU-1115, CPA-B-MHU-1115, CPA-D-DHU-1115, CPA-D-DHU-1115-AD, and CPA-D-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly. Insufficient sample volume was available to perform MS/MSD associated with analytical batches 411080 and 411284.

Dissolved Gases: Insufficient sample volume available to perform MS/MSD associated with analytical batch 410816.

Metals: No deficiencies noted.

Alkalinity: No deficiencies noted.

Chloride: Samples CPA-A-DHU-1115, CPA-A-MHU-1115, CPA-A-SHU-1115, CPA-B-DHU-1115, CPA-B-SHU-1115, CPA-B-MHU-1115, CPA-D-DHU-1115, and CPA-D-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly.

Nitrate-Nitrite as Nitrogen*:* No deficiencies noted.

Sulfate: Samples CPA-A-DHU-1115, CPA-A-MHU-1115, CPA-A-SHU-1115, CPA-B-DHU-1115, CPA-B-SHU-1115, CPA-D-DHU-1115, and CPA-D-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly. The MS/MSD recoveries for analytical batch 410966 were outside control limits, sample matric interference is suspected because LCS recovery was within acceptable limits.

TOC: Sample CPA-B-MHU-1115, CPA-D-DHU-1115, and CPA-D-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly.

DOC: No deficiencies noted.

Chain-of-Custody (COC)	**YES**	**NO**	**NA**
a) Was the COC signed by both field and laboratory personnel?	☒	☐	☐
b) Were samples received in good condition?	☒	☐	☐

Comments: Samples were received at 1.4°C, 2.4°C, and 2.8°C, some temperatures were outside the 4°C +/- 2°C criteria.

General	YES	NO	NA
a) Were hold times met for sample analysis?	☒	☐	☐
b) Were the correct preservatives used?	☒	☐	☐
c) Was the correct method used?	☒	☐	☐
d) Any sample dilutions noted?	☒	☐	☐

Comments: Detections in diluted analysis were qualified.

GC/MS Instrument Performance Check (IPC) and Internal Standards (IS)	YES	NO	NA
a) IPC analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
b) Does BFB meet the ion abundance criteria?	☒	☐	☐
c) Internal Standard retention times and areas met appropriate criteria?	☒	☐	☐

Comments: None

Calibrations	YES	NO	NA
a) Initial calibration analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
b) Continuing calibrations analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
c) Initial calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
d) Continuing calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐

Comments: None

Blanks	YES	NO	NA
a) Were blanks (trip, equipment, method) performed at required frequency?	☒	☐	☐
b) Were analytes detected in any blanks?	☒	☐	☐

Comments: Equipment blank CPA-B-MHU-1115-EB was submitted with SDG KPS158. Benzene, chlorobenzene, 1,2-dichlorobenzene, 1,3-dichlorobenzene, and 1,4-dichlorobenzene were detected in the EB. Qualification was not required based on 5Xs rule.

Matrix Spike/Matrix Spike Duplicate (MS/MSD)	YES	NO	NA
a) Was MS/MSD accuracy criteria met?	☐	☒	☐
b) Was MS/MSD precision criteria met?	☒	☐	☐

Comments: MS/MSD for CPA-A-MHU-1115 recoveries outside control limits for sulfate in batch 410966. Data was not qualified based on MS/MSD data alone.

Laboratory Control Sample (LCS)	YES	NO	NA
a) LCS analyzed at the appropriate frequency and met appropriate standards?	☒	☐	☐

Comments: None

Surrogate (System Monitoring) Compounds	YES	NO	NA
a) Surrogate compounds analyzed at the appropriate frequency and met appropriate standards?	☒	☐	☐

Comments: None

Duplicates

	YES	NO	NA
a) Were field duplicates collected?	☒	☐	☐
b) Was field duplicate precision criteria met?	☒	☐	☐

Comments: Duplicate sample CPA-D-DHU was submitted with SDG KPS158.

Additional Comments: None

Qualifications:

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Benzene, Chlorobenzene, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, Chloride, Sulfate, and TOC	D	CPA-A-DHU, CPA-A-MHU, CPA-A-SHU, CPA-B-DHU, CPA-B-SHU, CPA-B-MHU, CPA-D-DHU, CPA-D-DHU-AD, and CPA-D-MHU

SDG KPS158

Sample Results from:

CPA-A-DHU
CPA-A-MHU
CPA-A-SHU
CPA-B-DHU
CPA-B-MHU
CPA-B-SHU
CPA-D-DHU
CPA-D-MHU

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-118931-1
TestAmerica Sample Delivery Group: KPS158
Client Project/Site: 4Q15- CPA GW Sampling-1403345

For:
Solutia Inc.
575 Maryville Centre Dr.
Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele R Kersey

Authorized for release by:
12/3/2015 12:53:47 PM

Michele Kersey, Project Manager I
(912)354-7858
michele.kersey@testamericainc.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a treditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory. RWO 12/30/15

Table of Contents

Cover Page 1
Table of Contents 2
Case Narrative 3
Sample Summary 6
Method Summary 7
Definitions 8
Detection Summary 9
Client Sample Results 14
Surrogate Summary 33
QC Sample Results 34
QC Association 47
Chronicle 52
Chain of Custody 57
Receipt Checklists 61
Certification Summary 63

AWD
12/30/15

Job ID: 680-118931-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: 4Q15- CPA GW Sampling-1403345

Report Number: 680-118931-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT
The samples were received on 11/12/2015 9:39 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 1.4° C, 2.6° C and 2.8° C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)
Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-B-MHU-1115-EB (680-118931-13), CPA-D-DHU-1115 (680-118931-14), CPA-D-DHU-1115-AD (680-118931-16), CPA-D-MHU-1115 (680-118931-17) and 4Q15 CPA Trip Blank # 1 (680-118931-19) were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/17/2015, 11/19/2015 and 11/20/2015.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-411080.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-411284.

Samples CPA-A-DHU-1115 (680-118931-1)[5X], CPA-A-MHU-1115 (680-118931-3)[5X], CPA-A-SHU-1115 (680-118931-5)[10X], CPA-B-DHU-1115 (680-118931-7)[500X], CPA-B-SHU-1115 (680-118931-9)[100X], CPA-B-MHU-1115 (680-118931-11)[2000X], CPA-D-DHU-1115 (680-118931-14)[200X], CPA-D-DHU-1115-AD (680-118931-16)[200X] and CPA-D-MHU-1115 (680-118931-17)[500X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED GASES
Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-D-DHU-1115 (680-118931-14) and CPA-D-MHU-1115 (680-118931-17) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 11/16/2015, 11/17/2015 and 11/18/2015.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-410816.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)
Samples CPA-A-DHU-F(0.2)-1115 (680-118931-2), CPA-A-MHU-F(0.2)-1115 (680-118931-4), CPA-A-SHU-F(0.2)-1115 (680-118931-6),

RWD 12/30/15

Job ID: 680-118931-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

CPA-B-DHU-F(0.2)-1115 (680-118931-8), CPA-B-SHU-F(0.2)-1115 (680-118931-10), CPA-B-MHU-F(0.2)-1115 (680-118931-12), CPA-D-DHU-F(0.2)-1115 (680-118931-15) and CPA-D-MHU-F(0.2)-1115 (680-118931-18) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared and analyzed on 11/16/2015 and 11/17/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)

Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-D-DHU-1115 (680-118931-14) and CPA-D-MHU-1115 (680-118931-17) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared and analyzed on 11/16/2015 and 11/17/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

ALKALINITY

Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-D-DHU-1115 (680-118931-14) and CPA-D-MHU-1115 (680-118931-17) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 11/19/2015 and 11/23/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CHLORIDE

Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-D-DHU-1115 (680-118931-14) and CPA-D-MHU-1115 (680-118931-17) were analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 11/16/2015.

Samples CPA-A-DHU-1115 (680-118931-1)[2X], CPA-A-MHU-1115 (680-118931-3)[2X], CPA-A-SHU-1115 (680-118931-5)[2X], CPA-B-DHU-1115 (680-118931-7)[2X], CPA-B-SHU-1115 (680-118931-9)[2X], CPA-B-MHU-1115 (680-118931-11)[10X], CPA-D-DHU-1115 (680-118931-14)[2X] and CPA-D-MHU-1115 (680-118931-17)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

NITRATE-NITRITE AS NITROGEN

Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-D-DHU-1115 (680-118931-14) and CPA-D-MHU-1115 (680-118931-17) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 11/12/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

SULFATE

Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-D-DHU-1115 (680-118931-14) and CPA-D-MHU-1115 (680-118931-17) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 11/16/2015 and 11/17/2015.

The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 680-410966 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Samples CPA-A-DHU-1115 (680-118931-1)[5X], CPA-A-MHU-1115 (680-118931-3)[10X], CPA-A-SHU-1115 (680-118931-5)[10X], CPA-B-DHU-1115 (680-118931-7)[5X], CPA-B-SHU-1115 (680-118931-9)[20X], CPA-D-DHU-1115 (680-118931-14)[2X] and CPA-D-MHU-1115 (680-118931-17)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

AWD 12/30/15
TestAmerica Savannah

Job ID: 680-118931-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL ORGANIC CARBON

Samples CPA-A-DHU-1115 (680-118931-1), CPA-A-MHU-1115 (680-118931-3), CPA-A-SHU-1115 (680-118931-5), CPA-B-DHU-1115 (680-118931-7), CPA-B-SHU-1115 (680-118931-9), CPA-B-MHU-1115 (680-118931-11), CPA-D-DHU-1115 (680-118931-14) and CPA-D-MHU-1115 (680-118931-17) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 12/01/2015 and 12/02/2015.

Samples CPA-B-MHU-1115 (680-118931-11)[2X], CPA-D-DHU-1115 (680-118931-14)[5X] and CPA-D-MHU-1115 (680-118931-17)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED ORGANIC CARBON (DOC)

Samples CPA-A-DHU-F(0.2)-1115 (680-118931-2), CPA-A-MHU-F(0.2)-1115 (680-118931-4), CPA-A-SHU-F(0.2)-1115 (680-118931-6), CPA-B-DHU-F(0.2)-1115 (680-118931-8), CPA-B-SHU-F(0.2)-1115 (680-118931-10), CPA-B-MHU-F(0.2)-1115 (680-118931-12), CPA-D-DHU-F(0.2)-1115 (680-118931-15) and CPA-D-MHU-F(0.2)-1115 (680-118931-18) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 11/18/2015 and 11/24/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

AWD 12/30/15

Sample Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-118931-1	CPA-A-DHU-1115	Water	11/11/15 08:25	11/12/15 09:39
680-118931-2	CPA-A-DHU-F(0.2)-1115	Water	11/11/15 08:25	11/12/15 09:39
680-118931-3	CPA-A-MHU-1115	Water	11/11/15 09:19	11/12/15 09:39
680-118931-4	CPA-A-MHU-F(0.2)-1115	Water	11/11/15 09:19	11/12/15 09:39
680-118931-5	CPA-A-SHU-1115	Water	11/11/15 10:30	11/12/15 09:39
680-118931-6	CPA-A-SHU-F(0.2)-1115	Water	11/11/15 10:30	11/12/15 09:39
680-118931-7	CPA-B-DHU-1115	Water	11/11/15 11:50	11/12/15 09:39
680-118931-8	CPA-B-DHU-F(0.2)-1115	Water	11/11/15 11:50	11/12/15 09:39
680-118931-9	CPA-B-SHU-1115	Water	11/11/15 12:32	11/12/15 09:39
680-118931-10	CPA-B-SHU-F(0.2)-1115	Water	11/11/15 12:32	11/12/15 09:39
680-118931-11	CPA-B-MHU-1115	Water	11/11/15 14:12	11/12/15 09:39
680-118931-12	CPA-B-MHU-F(0.2)-1115	Water	11/11/15 14:12	11/12/15 09:39
680-118931-13	CPA-B-MHU-1115-EB	Water	11/11/15 14:40	11/12/15 09:39
680-118931-14	CPA-D-DHU-1115	Water	11/11/15 15:30	11/12/15 09:39
680-118931-15	CPA-D-DHU-F(0.2)-1115	Water	11/11/15 15:30	11/12/15 09:39
680-118931-16	CPA-D-DHU-1115-AD	Water	11/11/15 15:30	11/12/15 09:39
680-118931-17	CPA-D-MHU-1115	Water	11/11/15 16:25	11/12/15 09:39
680-118931-18	CPA-D-MHU-F(0.2)-1115	Water	11/11/15 16:25	11/12/15 09:39
680-118931-19	4Q15 CPA Trip Blank # 1	Water	11/11/15 00:00	11/12/15 09:39

DWD 12/30/15
TestAmerica Savannah

Method Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415.1	TOC	MCAWW	TAL SL
415.1	DOC	MCAWW	TAL SAV

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

5

PWD 12/30/15
TestAmerica Savannah

Definitions/Glossary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

RWD 12/30/15
TestAmerica Savannah

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-DHU-1115 — Lab Sample ID: 680-118931-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	43	D	5.0		ug/L	5		8260B	Total/NA
Chlorobenzene	290	D	5.0		ug/L	5		8260B	Total/NA
1,2-Dichlorobenzene	470	D	5.0		ug/L	5		8260B	Total/NA
1,3-Dichlorobenzene	53	D	5.0		ug/L	5		8260B	Total/NA
1,4-Dichlorobenzene	530	D	5.0		ug/L	5		8260B	Total/NA
Ethane	7.9		1.1		ug/L	1		RSK-175	Total/NA
Methane (TCD)	3900		390		ug/L	1		RSK-175	Total/NA
Iron	5.1		0.050		mg/L	1		6010C	Total Recoverable
Manganese	0.37		0.010		mg/L	1		6010C	Total Recoverable
Chloride	68	D	2.0		mg/L	2		325.2	Total/NA
Sulfate	110	D	25		mg/L	5		375.4	Total/NA
Total Organic Carbon	4.4		1.0		mg/L	1		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	600		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	14		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-A-DHU-F(0.2)-1115 — Lab Sample ID: 680-118931-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	5.2		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	0.37		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	5.6		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-A-MHU-1115 — Lab Sample ID: 680-118931-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	410	D	5.0		ug/L	5		8260B	Total/NA
Chlorobenzene	120	D	5.0		ug/L	5		8260B	Total/NA
Ethane	32		1.1		ug/L	1		RSK-175	Total/NA
Methane (TCD)	22000		390		ug/L	1		RSK-175	Total/NA
Iron	3.0		0.050		mg/L	1		6010C	Total Recoverable
Manganese	1.1		0.010		mg/L	1		6010C	Total Recoverable
Chloride	66	D	2.0		mg/L	2		325.2	Total/NA
Total Organic Carbon	5.1		1.0		mg/L	1		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	760		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	21		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-A-MHU-F(0.2)-1115 — Lab Sample ID: 680-118931-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	3.0		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	1.1		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	8.3		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-A-SHU-1115 — Lab Sample ID: 680-118931-5

This Detection Summary does not include radiochemical test results.

MWD 12/30/15
TestAmerica Savannah

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-SHU-1115 (Continued) — Lab Sample ID: 680-118931-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	16	D	10		ug/L	10		8260B	Total/NA
Chlorobenzene	540	D	10		ug/L	10		8260B	Total/NA
1,2-Dichlorobenzene	22	D	10		ug/L	10		8260B	Total/NA
1,4-Dichlorobenzene	170	D	10		ug/L	10		8260B	Total/NA
Ethane	17		1.1		ug/L	1		RSK-175	Total/NA
Ethylene	14		1.0		ug/L	1		RSK-175	Total/NA
Methane (TCD)	2000		390		ug/L	1		RSK-175	Total/NA
Iron	2.3		0.050		mg/L	1		6010C	Total Recoverable
Manganese	1.7		0.010		mg/L	1		6010C	Total Recoverable
Chloride	58	B	2.0		mg/L	2		325.2	Total/NA
Sulfate	220	B	50		mg/L	10		375.4	Total/NA
Total Organic Carbon	5.9		1.0		mg/L	1		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	440		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	21		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-A-SHU-F(0.2)-1115 — Lab Sample ID: 680-118931-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	1.8		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	1.7		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	5.3		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-B-DHU-1115 — Lab Sample ID: 680-118931-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	610	D	500		ug/L	500		8260B	Total/NA
Chlorobenzene	36000	D	500		ug/L	500		8260B	Total/NA
1,2-Dichlorobenzene	24000	D	500		ug/L	500		8260B	Total/NA
1,3-Dichlorobenzene	2100	D	500		ug/L	500		8260B	Total/NA
1,4-Dichlorobenzene	38000	D	500		ug/L	500		8260B	Total/NA
Ethane	1.7		1.1		ug/L	1		RSK-175	Total/NA
Methane	140		0.58		ug/L	1		RSK-175	Total/NA
Iron	8.9		0.050		mg/L	1		6010C	Total Recoverable
Manganese	0.52		0.010		mg/L	1		6010C	Total Recoverable
Chloride	65	B	2.0		mg/L	2		325.2	Total/NA
Sulfate	100	B	25		mg/L	5		375.4	Total/NA
Total Organic Carbon	12		1.0		mg/L	1		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	510		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	16		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-B-DHU-F(0.2)-1115 — Lab Sample ID: 680-118931-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	8.9		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	0.52		0.010		mg/L	1		6010C	Dissolved

This Detection Summary does not include radiochemical test results.

MWD 12/30/15
TestAmerica Savannah

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-DHU-F(0.2)-1115 (Continued) — Lab Sample ID: 680-118931-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dissolved Organic Carbon	10		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-B-SHU-1115 — Lab Sample ID: 680-118931-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chlorobenzene	13000	D	100		ug/L	100		8260B	Total/NA
Methane	36		0.58		ug/L	1		RSK-175	Total/NA
Iron	33		0.050		mg/L	1		6010C	Total Recoverable
Manganese	3.5		0.010		mg/L	1		6010C	Total Recoverable
Chloride	99	D	2.0		mg/L	2		325.2	Total/NA
Sulfate	420	D	100		mg/L	20		375.4	Total/NA
Total Organic Carbon	4.2		1.0		mg/L	1		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	610		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	100		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-B-SHU-F(0.2)-1115 — Lab Sample ID: 680-118931-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	28		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	3.4		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	4.5		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-B-MHU-1115 — Lab Sample ID: 680-118931-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	160000	D	2000		ug/L	2000		8260B	Total/NA
Chlorobenzene	31000		2000		ug/L	2000		8260B	Total/NA
Ethane	260		1.1		ug/L	1		RSK-175	Total/NA
Methane (TCD)	22000		390		ug/L	1		RSK-175	Total/NA
Iron	34		0.050		mg/L	1		6010C	Total Recoverable
Manganese	1.7		0.010		mg/L	1		6010C	Total Recoverable
Chloride	270	D	10		mg/L	10		325.2	Total/NA
Total Organic Carbon - DL	20	D	2.0		mg/L	2		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	480		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	55		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-B-MHU-F(0.2)-1115 — Lab Sample ID: 680-118931-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	32		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	1.6		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	24		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-B-MHU-1115-EB — Lab Sample ID: 680-118931-13

This Detection Summary does not include radiochemical test results.

AWD 12/30/15
TestAmerica Savannah

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-MHU-1115-EB (Continued) — Lab Sample ID: 680-118931-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	42		1.0		ug/L	1		8260B	Total/NA
Chlorobenzene	53		1.0		ug/L	1		8260B	Total/NA
1,2-Dichlorobenzene	19		1.0		ug/L	1		8260B	Total/NA
1,3-Dichlorobenzene	1.9		1.0		ug/L	1		8260B	Total/NA
1,4-Dichlorobenzene	33		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: CPA-D-DHU-1115 — Lab Sample ID: 680-118931-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	250	D	200		ug/L	200		8260B	Total/NA
Chlorobenzene	15000	D	200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	2400	D	200		ug/L	200		8260B	Total/NA
1,3-Dichlorobenzene	430	D	200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	2700	D	200		ug/L	200		8260B	Total/NA
Ethane	7.3		1.1		ug/L	1		RSK-175	Total/NA
Methane	340		0.58		ug/L	1		RSK-175	Total/NA
Iron	0.24		0.050		mg/L	1		6010C	Total Recoverable
Manganese	0.34		0.010		mg/L	1		6010C	Total Recoverable
Chloride	69	D	2.0		mg/L	2		325.2	Total/NA
Sulfate	63	D	10		mg/L	2		375.4	Total/NA
Total Organic Carbon - DL	33	D	5.0		mg/L	5		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	580		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	9.8		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-D-DHU-F(0.2)-1115 — Lab Sample ID: 680-118931-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	0.14		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	0.33		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	39		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: CPA-D-DHU-1115-AD — Lab Sample ID: 680-118931-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	240	D	200		ug/L	200		8260B	Total/NA
Chlorobenzene	15000	D	200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	2200	D	200		ug/L	200		8260B	Total/NA
1,3-Dichlorobenzene	410	D	200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	2600	D	200		ug/L	200		8260B	Total/NA

Client Sample ID: CPA-D-MHU-1115 — Lab Sample ID: 680-118931-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	4800	D	500		ug/L	500		8260B	Total/NA
Chlorobenzene	55000	D	500		ug/L	500		8260B	Total/NA
1,2-Dichlorobenzene	14000	D	500		ug/L	500		8260B	Total/NA
1,3-Dichlorobenzene	940	D	500		ug/L	500		8260B	Total/NA
1,4-Dichlorobenzene	13000	D	500		ug/L	500		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

RWD 12/30/15
TestAmerica Savannah

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-D-MHU-1115 (Continued) — Lab Sample ID: 680-118931-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethane	16		1.1		ug/L	1		RSK-175	Total/NA
Methane (TCD)	7500		390		ug/L	1		RSK-175	Total/NA
Iron	2.6		0.050		mg/L	1		6010C	Total Recoverable
Manganese	1.6		0.010		mg/L	1		6010C	Total Recoverable
Chloride	310	D	10		mg/L	10		325.2	Total/NA
Sulfate	230	D	50		mg/L	10		375.4	Total/NA
Total Organic Carbon - DL	35	D	5.0		mg/L	5		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	660		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	32		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-D-MHU-F(0.2)-1115 — Lab Sample ID: 680-118931-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	0.77		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	1.5		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon	54		1.0		mg/L	1		415.1	Dissolved

Client Sample ID: 4Q15 CPA Trip Blank # 1 — Lab Sample ID: 680-118931-19

No Detections.

This Detection Summary does not include radiochemical test results.

AWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-DHU-1115

Lab Sample ID: 680-118931-1

Date Collected: 11/11/15 08:25
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	43	D	5.0		ug/L			11/17/15 14:24	5
Chlorobenzene	290	D	5.0		ug/L			11/17/15 14:24	5
1,2-Dichlorobenzene	470	D	5.0		ug/L			11/17/15 14:24	5
1,3-Dichlorobenzene	53	D	5.0		ug/L			11/17/15 14:24	5
1,4-Dichlorobenzene	530	D	5.0		ug/L			11/17/15 14:24	5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*87*		*70 - 130*		*11/17/15 14:24*	*5*
1,2-Dichloroethane-d4 (Surr)	*110*		*70 - 130*		*11/17/15 14:24*	*5*
Dibromofluoromethane (Surr)	*106*		*70 - 130*		*11/17/15 14:24*	*5*
4-Bromofluorobenzene (Surr)	*92*		*70 - 130*		*11/17/15 14:24*	*5*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	7.9		1.1		ug/L			11/16/15 23:15	1
Ethylene	1.0	U	1.0		ug/L			11/16/15 23:15	1
Methane (TCD)	3900		390		ug/L			11/16/15 23:15	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	5.1		0.050		mg/L		11/16/15 09:45	11/16/15 21:02	1
Manganese	0.37		0.010		mg/L		11/16/15 09:45	11/16/15 21:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	68	D	2.0		mg/L			11/16/15 15:10	2
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:28	1
Sulfate	110	D	25		mg/L			11/16/15 14:59	5
Total Organic Carbon	4.4		1.0		mg/L			12/01/15 19:47	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	600		5.0		mg/L			11/19/15 19:12	1
Carbon Dioxide, Free	14		5.0		mg/L			11/19/15 19:12	1

MWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-DHU-F(0.2)-1115

Lab Sample ID: 680-118931-2

Date Collected: 11/11/15 08:25
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	5.2		0.050		mg/L		11/16/15 09:45	11/16/15 21:06	1
Manganese, Dissolved	0.37		0.010		mg/L		11/16/15 09:45	11/16/15 21:06	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	5.6		1.0		mg/L			11/18/15 08:45	1

8

AWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-MHU-1115

Lab Sample ID: 680-118931-3

Date Collected: 11/11/15 09:19
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	410	D	5.0		ug/L			11/17/15 12:59	5
Chlorobenzene	120	D	5.0		ug/L			11/17/15 12:59	5
1,2-Dichlorobenzene	5.0	U	5.0		ug/L			11/17/15 12:59	5
1,3-Dichlorobenzene	5.0	U	5.0		ug/L			11/17/15 12:59	5
1,4-Dichlorobenzene	5.0	U	5.0		ug/L			11/17/15 12:59	5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*85*		*70 - 130*		*11/17/15 12:59*	*5*
1,2-Dichloroethane-d4 (Surr)	*111*		*70 - 130*		*11/17/15 12:59*	*5*
Dibromofluoromethane (Surr)	*101*		*70 - 130*		*11/17/15 12:59*	*5*
4-Bromofluorobenzene (Surr)	*93*		*70 - 130*		*11/17/15 12:59*	*5*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	32		1.1		ug/L			11/16/15 23:30	1
Ethylene	1.0	U	1.0		ug/L			11/16/15 23:30	1
Methane (TCD)	22000		390		ug/L			11/16/15 23:30	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3.0		0.050		mg/L		11/16/15 09:45	11/16/15 21:10	1
Manganese	1.1		0.010		mg/L		11/16/15 09:45	11/16/15 21:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	66	D	2.0		mg/L			11/16/15 14:56	2
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:30	1
Sulfate	50	U	50		mg/L			11/17/15 15:51	10
Total Organic Carbon	5.1		1.0		mg/L			12/01/15 20:02	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	760		5.0		mg/L			11/19/15 19:24	1
Carbon Dioxide, Free	21		5.0		mg/L			11/19/15 19:24	1

MWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-MHU-F(0.2)-1115

Lab Sample ID: 680-118931-4

Date Collected: 11/11/15 09:19
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	3.0		0.050		mg/L		11/16/15 09:45	11/16/15 21:14	1
Manganese, Dissolved	1.1		0.010		mg/L		11/16/15 09:45	11/16/15 21:14	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	8.3		1.0		mg/L			11/18/15 09:26	1

8

PWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-SHU-1115

Lab Sample ID: 680-118931-5

Date Collected: 11/11/15 10:30
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	16	D	10		ug/L			11/17/15 14:02	10
Chlorobenzene	540	D	10		ug/L			11/17/15 14:02	10
1,2-Dichlorobenzene	22	D	10		ug/L			11/17/15 14:02	10
1,3-Dichlorobenzene	10	U	10		ug/L			11/17/15 14:02	10
1,4-Dichlorobenzene	170	D	10		ug/L			11/17/15 14:02	10

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*87*		*70 - 130*		*11/17/15 14:02*	*10*
1,2-Dichloroethane-d4 (Surr)	*114*		*70 - 130*		*11/17/15 14:02*	*10*
Dibromofluoromethane (Surr)	*107*		*70 - 130*		*11/17/15 14:02*	*10*
4-Bromofluorobenzene (Surr)	*94*		*70 - 130*		*11/17/15 14:02*	*10*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	17		1.1		ug/L			11/18/15 19:33	1
Ethylene	14		1.0		ug/L			11/18/15 19:33	1
Methane (TCD)	2000		390		ug/L			11/18/15 19:33	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	2.3		0.050		mg/L		11/16/15 09:45	11/16/15 20:34	1
Manganese	1.7		0.010		mg/L		11/16/15 09:45	11/16/15 20:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	58	D	2.0		mg/L			11/16/15 15:10	2
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:31	1
Sulfate	220	D	50		mg/L			11/16/15 15:13	10
Total Organic Carbon	5.9		1.0		mg/L			12/01/15 20:07	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	440		5.0		mg/L			11/19/15 19:33	1
Carbon Dioxide, Free	21		5.0		mg/L			11/19/15 19:33	1

RWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-SHU-F(0.2)-1115

Lab Sample ID: 680-118931-6

Date Collected: 11/11/15 10:30
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	1.8		0.050		mg/L		11/16/15 09:45	11/16/15 21:18	1
Manganese, Dissolved	1.7		0.010		mg/L		11/16/15 09:45	11/16/15 21:18	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	5.3		1.0		mg/L			11/18/15 09:44	1

8

MWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-DHU-1115

Lab Sample ID: 680-118931-7

Date Collected: 11/11/15 11:50
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	610	D	500		ug/L			11/19/15 16:34	500
Chlorobenzene	36000	D	500		ug/L			11/19/15 16:34	500
1,2-Dichlorobenzene	24000	D	500		ug/L			11/19/15 16:34	500
1,3-Dichlorobenzene	2100	D	500		ug/L			11/19/15 16:34	500
1,4-Dichlorobenzene	38000	D	500		ug/L			11/19/15 16:34	500

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*108*		*70 - 130*		*11/19/15 16:34*	*500*
1,2-Dichloroethane-d4 (Surr)	*97*		*70 - 130*		*11/19/15 16:34*	*500*
Dibromofluoromethane (Surr)	*100*		*70 - 130*		*11/19/15 16:34*	*500*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*		*11/19/15 16:34*	*500*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.7		1.1		ug/L			11/18/15 19:48	1
Ethylene	1.0	U	1.0		ug/L			11/18/15 19:48	1
Methane	140		0.58		ug/L			11/18/15 19:48	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	8.9		0.050		mg/L		11/16/15 09:45	11/16/15 21:21	1
Manganese	0.52		0.010		mg/L		11/16/15 09:45	11/16/15 21:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	65	D	2.0		mg/L			11/16/15 15:10	2
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:32	1
Sulfate	100	D	25		mg/L			11/16/15 15:02	5
Total Organic Carbon	12		1.0		mg/L			12/01/15 20:13	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	510		5.0		mg/L			11/19/15 19:44	1
Carbon Dioxide, Free	16		5.0		mg/L			11/19/15 19:44	1

IAWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-DHU-F(0.2)-1115

Lab Sample ID: 680-118931-8

Date Collected: 11/11/15 11:50
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	8.9		0.050		mg/L		11/16/15 09:45	11/16/15 21:25	1
Manganese, Dissolved	0.52		0.010		mg/L		11/16/15 09:45	11/16/15 21:25	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	10		1.0		mg/L			11/18/15 09:57	1

8

AWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-SHU-1115

Lab Sample ID: 680-118931-9

Date Collected: 11/11/15 12:32
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	100	U	100		ug/L			11/17/15 13:41	100
Chlorobenzene	13000	D	100		ug/L			11/17/15 13:41	100
1,2-Dichlorobenzene	100	U	100		ug/L			11/17/15 13:41	100
1,3-Dichlorobenzene	100	U	100		ug/L			11/17/15 13:41	100
1,4-Dichlorobenzene	100	U	100		ug/L			11/17/15 13:41	100

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*87*		*70 - 130*		*11/17/15 13:41*	*100*
1,2-Dichloroethane-d4 (Surr)	*114*		*70 - 130*		*11/17/15 13:41*	*100*
Dibromofluoromethane (Surr)	*105*		*70 - 130*		*11/17/15 13:41*	*100*
4-Bromofluorobenzene (Surr)	*95*		*70 - 130*		*11/17/15 13:41*	*100*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/17/15 20:41	1
Ethylene	1.0	U	1.0		ug/L			11/17/15 20:41	1
Methane	36		0.58		ug/L			11/17/15 20:41	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	33		0.050		mg/L		11/16/15 09:45	11/16/15 21:29	1
Manganese	3.5		0.010		mg/L		11/16/15 09:45	11/16/15 21:29	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	99	D	2.0		mg/L			11/16/15 15:10	2
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:33	1
Sulfate	420	D	100		mg/L			11/16/15 15:08	20
Total Organic Carbon	4.2		1.0		mg/L			12/01/15 20:18	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	610		5.0		mg/L			11/19/15 19:55	1
Carbon Dioxide, Free	100		5.0		mg/L			11/19/15 19:55	1

AMD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-SHU-F(0.2)-1115

Lab Sample ID: 680-118931-10

Date Collected: 11/11/15 12:32
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	28		0.050		mg/L		11/17/15 08:06	11/17/15 20:21	1
Manganese, Dissolved	3.4		0.010		mg/L		11/17/15 08:06	11/17/15 20:21	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	4.5		1.0		mg/L			11/18/15 03:11	1

8

RWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-MHU-1115

Lab Sample ID: 680-118931-11

Date Collected: 11/11/15 14:12
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	160000	D	2000		ug/L			11/19/15 15:12	2000
Chlorobenzene	31000	D	2000		ug/L			11/19/15 15:12	2000
1,2-Dichlorobenzene	2000	U	2000		ug/L			11/19/15 15:12	2000
1,3-Dichlorobenzene	2000	U	2000		ug/L			11/19/15 15:12	2000
1,4-Dichlorobenzene	2000	U	2000		ug/L			11/19/15 15:12	2000

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*111*		*70 - 130*		*11/19/15 15:12*	*2000*
1,2-Dichloroethane-d4 (Surr)	*125*		*70 - 130*		*11/19/15 15:12*	*2000*
Dibromofluoromethane (Surr)	*116*		*70 - 130*		*11/19/15 15:12*	*2000*
4-Bromofluorobenzene (Surr)	*94*		*70 - 130*		*11/19/15 15:12*	*2000*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	260		1.1		ug/L			11/17/15 20:54	1
Ethylene	1.0	U	1.0		ug/L			11/17/15 20:54	1
Methane (TCD)	22000		390		ug/L			11/17/15 20:54	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	34		0.050		mg/L		11/17/15 08:06	11/17/15 20:25	1
Manganese	1.7		0.010		mg/L		11/17/15 08:06	11/17/15 20:25	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	270	D	10		mg/L			11/16/15 15:30	10
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:37	1
Sulfate	5.0	U	5.0		mg/L			11/16/15 14:10	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	480		5.0		mg/L			11/23/15 19:27	1
Carbon Dioxide, Free	55		5.0		mg/L			11/23/15 19:27	1

General Chemistry - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	20	D	2.0		mg/L			12/02/15 11:33	2

MWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-MHU-F(0.2)-1115

Lab Sample ID: 680-118931-12

Date Collected: 11/11/15 14:12
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	32		0.050		mg/L		11/17/15 08:06	11/17/15 20:30	1
Manganese, Dissolved	1.6		0.010		mg/L		11/17/15 08:06	11/17/15 20:30	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	24		1.0		mg/L			11/24/15 16:41	1

8

MWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-MHU-1115-EB

Lab Sample ID: 680-118931-13

Date Collected: 11/11/15 14:40
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	42		1.0		ug/L			11/19/15 11:28	1
Chlorobenzene	53		1.0		ug/L			11/19/15 11:28	1
1,2-Dichlorobenzene	19		1.0		ug/L			11/19/15 11:28	1
1,3-Dichlorobenzene	1.9		1.0		ug/L			11/19/15 11:28	1
1,4-Dichlorobenzene	33		1.0		ug/L			11/19/15 11:28	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*108*		*70 - 130*		*11/19/15 11:28*	*1*
1,2-Dichloroethane-d4 (Surr)	*89*		*70 - 130*		*11/19/15 11:28*	*1*
Dibromofluoromethane (Surr)	*97*		*70 - 130*		*11/19/15 11:28*	*1*
4-Bromofluorobenzene (Surr)	*95*		*70 - 130*		*11/19/15 11:28*	*1*

8

AWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-D-DHU-1115

Lab Sample ID: 680-118931-14

Date Collected: 11/11/15 15:30
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	250	D	200		ug/L			11/20/15 14:09	200
Chlorobenzene	15000	D	200		ug/L			11/20/15 14:09	200
1,2-Dichlorobenzene	2400	D	200		ug/L			11/20/15 14:09	200
1,3-Dichlorobenzene	430	D	200		ug/L			11/20/15 14:09	200
1,4-Dichlorobenzene	2700	D	200		ug/L			11/20/15 14:09	200

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*93*		*70 - 130*		*11/20/15 14:09*	*200*
1,2-Dichloroethane-d4 (Surr)	*93*		*70 - 130*		*11/20/15 14:09*	*200*
Dibromofluoromethane (Surr)	*94*		*70 - 130*		*11/20/15 14:09*	*200*
4-Bromofluorobenzene (Surr)	*97*		*70 - 130*		*11/20/15 14:09*	*200*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	7.3		1.1		ug/L			11/17/15 21:07	1
Ethylene	1.0	U	1.0		ug/L			11/17/15 21:07	1
Methane	340		0.58		ug/L			11/17/15 21:07	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.24		0.050		mg/L		11/17/15 08:06	11/17/15 20:34	1
Manganese	0.34		0.010		mg/L		11/17/15 08:06	11/17/15 20:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	69	D	2.0		mg/L			11/16/15 15:10	2
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:38	1
Sulfate	63	D	10		mg/L			11/16/15 14:32	2

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	580		5.0		mg/L			11/23/15 19:38	1
Carbon Dioxide, Free	9.8		5.0		mg/L			11/23/15 19:38	1

General Chemistry - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	33	D	5.0		mg/L			12/02/15 11:38	5

AWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-D-DHU-F(0.2)-1115

Lab Sample ID: 680-118931-15

Date Collected: 11/11/15 15:30
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.14		0.050		mg/L		11/17/15 08:06	11/17/15 20:39	1
Manganese, Dissolved	0.33		0.010		mg/L		11/17/15 08:06	11/17/15 20:39	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	39		1.0		mg/L			11/24/15 16:55	1

AWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-D-DHU-1115-AD

Lab Sample ID: 680-118931-16

Date Collected: 11/11/15 15:30
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	240	D	200		ug/L			11/20/15 12:39	200
Chlorobenzene	15000	D	200		ug/L			11/20/15 12:39	200
1,2-Dichlorobenzene	2200	D	200		ug/L			11/20/15 12:39	200
1,3-Dichlorobenzene	410	D	200		ug/L			11/20/15 12:39	200
1,4-Dichlorobenzene	2600	D	200		ug/L			11/20/15 12:39	200

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*95*		*70 - 130*		*11/20/15 12:39*	*200*
1,2-Dichloroethane-d4 (Surr)	*93*		*70 - 130*		*11/20/15 12:39*	*200*
Dibromofluoromethane (Surr)	*95*		*70 - 130*		*11/20/15 12:39*	*200*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*		*11/20/15 12:39*	*200*

8

RWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-D-MHU-1115

Lab Sample ID: 680-118931-17

Date Collected: 11/11/15 16:25
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	4800	D	500		ug/L			11/20/15 13:47	500
Chlorobenzene	55000	D	500		ug/L			11/20/15 13:47	500
1,2-Dichlorobenzene	14000	D	500		ug/L			11/20/15 13:47	500
1,3-Dichlorobenzene	940	D	500		ug/L			11/20/15 13:47	500
1,4-Dichlorobenzene	13000	D	500		ug/L			11/20/15 13:47	500

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*93*		*70 - 130*		*11/20/15 13:47*	*500*
1,2-Dichloroethane-d4 (Surr)	*99*		*70 - 130*		*11/20/15 13:47*	*500*
Dibromofluoromethane (Surr)	*97*		*70 - 130*		*11/20/15 13:47*	*500*
4-Bromofluorobenzene (Surr)	*99*		*70 - 130*		*11/20/15 13:47*	*500*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	16		1.1		ug/L			11/17/15 21:20	1
Ethylene	1.0	U	1.0		ug/L			11/17/15 21:20	1
Methane (TCD)	7500		390		ug/L			11/17/15 21:20	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	2.6		0.050		mg/L		11/17/15 08:06	11/17/15 20:43	1
Manganese	1.6		0.010		mg/L		11/17/15 08:06	11/17/15 20:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	310	D	10		mg/L			11/16/15 15:30	10
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:39	1
Sulfate	230	D	50		mg/L			11/16/15 15:08	10

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	660		5.0		mg/L			11/23/15 20:04	1
Carbon Dioxide, Free	32		5.0		mg/L			11/23/15 20:04	1

General Chemistry - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	35	D	5.0		mg/L			12/02/15 11:43	5

MWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-D-MHU-F(0.2)-1115

Lab Sample ID: 680-118931-18

Date Collected: 11/11/15 16:25
Date Received: 11/12/15 09:39

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.77		0.050		mg/L		11/17/15 08:06	11/17/15 20:56	1
Manganese, Dissolved	1.5		0.010		mg/L		11/17/15 08:06	11/17/15 20:56	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	54		1.0		mg/L			11/24/15 17:13	1

8

PMWD 12/30/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: 4Q15 CPA Trip Blank # 1

Lab Sample ID: 680-118931-19

Date Collected: 11/11/15 00:00
Date Received: 11/12/15 09:39

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L			11/19/15 11:07	1
Chlorobenzene	1.0	U	1.0		ug/L			11/19/15 11:07	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 11:07	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 11:07	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 11:07	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*108*		*70 - 130*		*11/19/15 11:07*	*1*
1,2-Dichloroethane-d4 (Surr)	*89*		*70 - 130*		*11/19/15 11:07*	*1*
Dibromofluoromethane (Surr)	*96*		*70 - 130*		*11/19/15 11:07*	*1*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*		*11/19/15 11:07*	*1*

8

RWD 12/29/15
TestAmerica Savannah

Surrogate Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	12DCE	DBFM	BFB
Lab Sample ID	**Client Sample ID**	(70-130)	(70-130)	(70-130)	(70-130)
680-118931-1	CPA-A-DHU-1115	87	110	106	92
680-118931-3	CPA-A-MHU-1115	85	111	101	93
680-118931-3 MS	CPA-A-MHU-1115	89	104	99	96
680-118931-3 MSD	CPA-A-MHU-1115	88	101	98	96
680-118931-5	CPA-A-SHU-1115	87	114	107	94
680-118931-7	CPA-B-DHU-1115	108	97	100	96
680-118931-9	CPA-B-SHU-1115	87	114	105	95
680-118931-11	CPA-B-MHU-1115	111	125	116	94
680-118931-13	CPA-B-MHU-1115-EB	108	89	97	95
680-118931-14	CPA-D-DHU-1115	93	93	94	97
680-118931-16	CPA-D-DHU-1115-AD	95	93	95	96
680-118931-17	CPA-D-MHU-1115	93	99	97	99
680-118931-19	4Q15 CPA Trip Blank # 1	108	89	96	96
LCS 680-410671/5	Lab Control Sample	94	98	98	98
LCS 680-411080/4	Lab Control Sample	114	105	108	103
LCS 680-411284/4	Lab Control Sample	95	88	94	99
LCSD 680-410671/6	Lab Control Sample Dup	93	101	101	99
LCSD 680-411080/5	Lab Control Sample Dup	112	98	104	103
LCSD 680-411284/5	Lab Control Sample Dup	96	93	96	99
MB 680-410671/11	Method Blank	94	96	98	94
MB 680-411080/9	Method Blank	106	88	95	95
MB 680-411284/9	Method Blank	93	86	92	97

Surrogate Legend

TOL = Toluene-d8 (Surr)
12DCE = 1,2-Dichloroethane-d4 (Surr)
DBFM = Dibromofluoromethane (Surr)
BFB = 4-Bromofluorobenzene (Surr)

9

AWD 12/30/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-410671/11
Matrix: Water
Analysis Batch: 410671

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L			11/17/15 11:14	1
Chlorobenzene	1.0	U	1.0		ug/L			11/17/15 11:14	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/17/15 11:14	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/17/15 11:14	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/17/15 11:14	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*94*		*70 - 130*		*11/17/15 11:14*	*1*
1,2-Dichloroethane-d4 (Surr)	*96*		*70 - 130*		*11/17/15 11:14*	*1*
Dibromofluoromethane (Surr)	*98*		*70 - 130*		*11/17/15 11:14*	*1*
4-Bromofluorobenzene (Surr)	*94*		*70 - 130*		*11/17/15 11:14*	*1*

Lab Sample ID: LCS 680-410671/5
Matrix: Water
Analysis Batch: 410671

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	48.2		ug/L		96	73 - 131
Chlorobenzene	50.0	47.0		ug/L		94	80 - 120
1,2-Dichlorobenzene	50.0	48.5		ug/L		97	80 - 120
1,3-Dichlorobenzene	50.0	47.3		ug/L		95	80 - 120
1,4-Dichlorobenzene	50.0	48.9		ug/L		98	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*94*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*98*		*70 - 130*
Dibromofluoromethane (Surr)	*98*		*70 - 130*
4-Bromofluorobenzene (Surr)	*98*		*70 - 130*

Lab Sample ID: LCSD 680-410671/6
Matrix: Water
Analysis Batch: 410671

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	48.5		ug/L		97	73 - 131	1	30
Chlorobenzene	50.0	47.4		ug/L		95	80 - 120	1	20
1,2-Dichlorobenzene	50.0	49.1		ug/L		98	80 - 120	1	20
1,3-Dichlorobenzene	50.0	47.9		ug/L		96	80 - 120	1	20
1,4-Dichlorobenzene	50.0	48.8		ug/L		98	80 - 120	0	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*93*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*101*		*70 - 130*
Dibromofluoromethane (Surr)	*101*		*70 - 130*
4-Bromofluorobenzene (Surr)	*99*		*70 - 130*

MWD 12/30/15
TestAmerica Savannah

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 680-118931-3 MS — **Client Sample ID: CPA-A-MHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410671

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	410		250	619		ug/L		83	73 - 131
Chlorobenzene	120		250	335		ug/L		66	80 - 120
1,2-Dichlorobenzene	5.0	U	250	235		ug/L		94	80 - 120
1,3-Dichlorobenzene	5.0	U	250	232		ug/L		93	80 - 120
1,4-Dichlorobenzene	5.0	U	250	239		ug/L		94	80 - 120

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*89*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*104*		*70 - 130*
Dibromofluoromethane (Surr)	*99*		*70 - 130*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*

Lab Sample ID: 680-118931-3 MSD — **Client Sample ID: CPA-A-MHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410671

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	410		250	621		ug/L		84	73 - 131	0	30
Chlorobenzene	120		250	331		ug/L		85	80 - 120	1	20
1,2-Dichlorobenzene	5.0	U	250	233		ug/L		93	80 - 120	1	20
1,3-Dichlorobenzene	5.0	U	250	234		ug/L		94	80 - 120	1	20
1,4-Dichlorobenzene	5.0	U	250	242		ug/L		95	80 - 120	1	20

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*88*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*101*		*70 - 130*
Dibromofluoromethane (Surr)	*98*		*70 - 130*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*

Lab Sample ID: MB 680-411080/9 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411080

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
Chlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*106*		*70 - 130*		*11/19/15 10:06*	*1*
1,2-Dichloroethane-d4 (Surr)	*88*		*70 - 130*		*11/19/15 10:06*	*1*
Dibromofluoromethane (Surr)	*95*		*70 - 130*		*11/19/15 10:06*	*1*
4-Bromofluorobenzene (Surr)	*95*		*70 - 130*		*11/19/15 10:06*	*1*

BWD 12/30/15
TestAmerica Savannah

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-411080/4
Matrix: Water
Analysis Batch: 411080

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	52.1		ug/L		104	73 - 131
Chlorobenzene	50.0	51.9		ug/L		104	80 - 120
1,2-Dichlorobenzene	50.0	50.7		ug/L		101	80 - 120
1,3-Dichlorobenzene	50.0	50.5		ug/L		101	80 - 120
1,4-Dichlorobenzene	50.0	50.9		ug/L		102	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*114*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*105*		*70 - 130*
Dibromofluoromethane (Surr)	*108*		*70 - 130*
4-Bromofluorobenzene (Surr)	*103*		*70 - 130*

Lab Sample ID: LCSD 680-411080/5
Matrix: Water
Analysis Batch: 411080

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	51.5		ug/L		103	73 - 131	1	30
Chlorobenzene	50.0	52.0		ug/L		104	80 - 120	0	20
1,2-Dichlorobenzene	50.0	50.4		ug/L		101	80 - 120	1	20
1,3-Dichlorobenzene	50.0	51.0		ug/L		102	80 - 120	1	20
1,4-Dichlorobenzene	50.0	50.7		ug/L		101	80 - 120	0	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*112*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*98*		*70 - 130*
Dibromofluoromethane (Surr)	*104*		*70 - 130*
4-Bromofluorobenzene (Surr)	*103*		*70 - 130*

Lab Sample ID: MB 680-411284/9
Matrix: Water
Analysis Batch: 411284

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
Chlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*93*		*70 - 130*		*11/20/15 11:08*	*1*
1,2-Dichloroethane-d4 (Surr)	*86*		*70 - 130*		*11/20/15 11:08*	*1*
Dibromofluoromethane (Surr)	*92*		*70 - 130*		*11/20/15 11:08*	*1*
4-Bromofluorobenzene (Surr)	*97*		*70 - 130*		*11/20/15 11:08*	*1*

AWD 12/30/15
TestAmerica Savannah

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-411284/4
Matrix: Water
Analysis Batch: 411284

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	48.1		ug/L		96	73 - 131
Chlorobenzene	50.0	45.1		ug/L		90	80 - 120
1,2-Dichlorobenzene	50.0	48.2		ug/L		96	80 - 120
1,3-Dichlorobenzene	50.0	48.5		ug/L		97	80 - 120
1,4-Dichlorobenzene	50.0	47.8		ug/L		96	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*95*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*88*		*70 - 130*
Dibromofluoromethane (Surr)	*94*		*70 - 130*
4-Bromofluorobenzene (Surr)	*99*		*70 - 130*

Lab Sample ID: LCSD 680-411284/5
Matrix: Water
Analysis Batch: 411284

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	48.5		ug/L		97	73 - 131	1	30
Chlorobenzene	50.0	46.0		ug/L		92	80 - 120	2	20
1,2-Dichlorobenzene	50.0	49.4		ug/L		99	80 - 120	2	20
1,3-Dichlorobenzene	50.0	49.2		ug/L		98	80 - 120	1	20
1,4-Dichlorobenzene	50.0	48.6		ug/L		97	80 - 120	2	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*96*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*93*		*70 - 130*
Dibromofluoromethane (Surr)	*96*		*70 - 130*
4-Bromofluorobenzene (Surr)	*99*		*70 - 130*

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-410604/11
Matrix: Water
Analysis Batch: 410604

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/16/15 18:04	1
Ethylene	1.0	U	1.0		ug/L			11/16/15 18:04	1
Methane	0.58	U	0.58		ug/L			11/16/15 18:04	1
Methane (TCD)	390	U	390		ug/L			11/16/15 18:04	1

Lab Sample ID: LCS 680-410604/6
Matrix: Water
Analysis Batch: 410604

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (TCD)	1920	1850		ug/L		96	75 - 125

MWD 12/30/15
TestAmerica Savannah

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 680-410604/9 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410604

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	288	334		ug/L		116	75 - 125
Ethylene	269	306		ug/L		114	75 - 125
Methane	154	166		ug/L		108	75 - 125

Lab Sample ID: LCSD 680-410604/10 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410604

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	288	335		ug/L		116	75 - 125	0	30
Ethylene	269	304		ug/L		113	75 - 125	0	30
Methane	154	168		ug/L		109	75 - 125	1	30

Lab Sample ID: LCSD 680-410604/7 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410604

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (TCD)	1920	1880		ug/L		98	75 - 125	2	30

Lab Sample ID: MB 680-410816/9 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410816

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/17/15 19:50	1
Ethylene	1.0	U	1.0		ug/L			11/17/15 19:50	1
Methane	0.58	U	0.58		ug/L			11/17/15 19:50	1
Methane (TCD)	390	U	390		ug/L			11/17/15 19:50	1

Lab Sample ID: LCS 680-410816/3 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410816

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	288	300		ug/L		104	75 - 125
Ethylene	269	278		ug/L		103	75 - 125
Methane	154	149		ug/L		97	75 - 125

Lab Sample ID: LCS 680-410816/6 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410816

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (TCD)	1920	1680		ug/L		87	75 - 125

MWD 12/30/15
TestAmerica Savannah

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCSD 680-410816/4 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410816

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	288	294		ug/L		102	75 - 125	2	30
Ethylene	269	271		ug/L		101	75 - 125	2	30
Methane	154	147		ug/L		96	75 - 125	1	30

Lab Sample ID: LCSD 680-410816/7 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410816

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (TCD)	1920	1530		ug/L		79	75 - 125	10	30

Lab Sample ID: MB 680-411036/11 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411036

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/18/15 19:19	1
Ethylene	1.0	U	1.0		ug/L			11/18/15 19:19	1
Methane	0.58	U	0.58		ug/L			11/18/15 19:19	1
Methane (TCD)	390	U	390		ug/L			11/18/15 19:19	1

Lab Sample ID: LCS 680-411036/3 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411036

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	288	284		ug/L		98	75 - 125
Ethylene	269	264		ug/L		98	75 - 125
Methane	154	141		ug/L		92	75 - 125

Lab Sample ID: LCS 680-411036/8 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411036

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (TCD)	1920	1710		ug/L		89	75 - 125

Lab Sample ID: LCSD 680-411036/4 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411036

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	288	266		ug/L		92	75 - 125	6	30
Ethylene	269	246		ug/L		91	75 - 125	7	30
Methane	154	132		ug/L		86	75 - 125	6	30

MWD 12/30/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCSD 680-411036/9
Matrix: Water
Analysis Batch: 411036

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (TCD)	1920	1670		ug/L		87	75 - 125	2	30

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-410503/1-A
Matrix: Water
Analysis Batch: 410766

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 410503

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.050	U	0.050		mg/L		11/16/15 09:45	11/16/15 20:26	1
Iron, Dissolved	0.050	U	0.050		mg/L		11/16/15 09:45	11/16/15 20:26	1
Manganese	0.010	U	0.010		mg/L		11/16/15 09:45	11/16/15 20:26	1
Manganese, Dissolved	0.010	U	0.010		mg/L		11/16/15 09:45	11/16/15 20:26	1

Lab Sample ID: LCS 680-410503/2-A
Matrix: Water
Analysis Batch: 410766

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 410503

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	5.00	4.93		mg/L		99	80 - 120
Iron, Dissolved	5.00	4.93		mg/L		99	80 - 120
Manganese	0.500	0.502		mg/L		100	80 - 120
Manganese, Dissolved	0.500	0.502		mg/L		100	80 - 120

Lab Sample ID: 680-118931-5 MS
Matrix: Water
Analysis Batch: 410766

Client Sample ID: CPA-A-SHU-1115
Prep Type: Total Recoverable
Prep Batch: 410503

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	2.3		5.00	7.16		mg/L		96	75 - 125
Iron, Dissolved	2.3		5.00	7.16		mg/L		96	75 - 125
Manganese	1.7		0.500	2.12		mg/L		84	75 - 125
Manganese, Dissolved	1.7		0.500	2.12		mg/L		84	75 - 125

Lab Sample ID: 680-118931-5 MSD
Matrix: Water
Analysis Batch: 410766

Client Sample ID: CPA-A-SHU-1115
Prep Type: Total Recoverable
Prep Batch: 410503

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Iron	2.3		5.00	7.11		mg/L		95	75 - 125	1	20
Iron, Dissolved	2.3		5.00	7.11		mg/L		95	75 - 125	1	20
Manganese	1.7		0.500	2.12		mg/L		83	75 - 125	0	20
Manganese, Dissolved	1.7		0.500	2.12		mg/L		83	75 - 125	0	20

MWD 12/30/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method: 6010C - Metals (ICP) (Continued)

Lab Sample ID: MB 680-410680/1-A
Matrix: Water
Analysis Batch: 410905

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 410680

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.050	U	0.050		mg/L		11/17/15 08:06	11/17/15 19:28	1
Iron, Dissolved	0.050	U	0.050		mg/L		11/17/15 08:06	11/17/15 19:28	1
Manganese	0.010	U	0.010		mg/L		11/17/15 08:06	11/17/15 19:28	1
Manganese, Dissolved	0.010	U	0.010		mg/L		11/17/15 08:06	11/17/15 19:28	1

Lab Sample ID: LCS 680-410680/2-A
Matrix: Water
Analysis Batch: 410905

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 410680

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	5.00	4.76		mg/L		95	80 - 120
Iron, Dissolved	5.00	4.76		mg/L		95	80 - 120
Manganese	0.500	0.483		mg/L		97	80 - 120
Manganese, Dissolved	0.500	0.483		mg/L		97	80 - 120

Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-411279/5
Matrix: Water
Analysis Batch: 411279

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0		mg/L			11/19/15 17:27	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			11/19/15 17:27	1

Lab Sample ID: LCS 680-411279/6
Matrix: Water
Analysis Batch: 411279

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	248	239		mg/L		96	80 - 120

Lab Sample ID: LCSD 680-411279/32
Matrix: Water
Analysis Batch: 411279

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Alkalinity	248	274		mg/L		111	80 - 120	14	30

Lab Sample ID: MB 680-411704/5
Matrix: Water
Analysis Batch: 411704

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0		mg/L			11/23/15 17:03	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			11/23/15 17:03	1

MMD 12/23/15
TestAmerica Savannah

Method: 310.1 - Alkalinity (Continued)

Lab Sample ID: LCS 680-411704/6 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411704

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	248	268		mg/L		108	80 - 120

Lab Sample ID: LCSD 680-411704/32 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411704

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Alkalinity	248	278		mg/L		112	80 - 120	4	30

Lab Sample ID: 680-118931-14 DU — **Client Sample ID: CPA-D-DHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 411704

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Alkalinity	580		622		mg/L		7	30
Carbon Dioxide, Free	9.8		11.0		mg/L		11	30

Method: 325.2 - Chloride

Lab Sample ID: MB 680-410963/47 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410963

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.0	U	1.0		mg/L			11/17/15 10:17	1

Lab Sample ID: LCS 680-410963/44 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410963

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.1		mg/L		104	85 - 115

Lab Sample ID: LCSD 680-410963/4 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410963

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	25.0	26.0		mg/L		104	85 - 115	0	30

Lab Sample ID: 680-118931-3 MS — **Client Sample ID: CPA-A-MHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410963

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	66		25.0	87.7		mg/L		88	85 - 115

MWD 12/30/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method: 325.2 - Chloride (Continued)

Lab Sample ID: 680-118931-3 MSD — **Client Sample ID: CPA-A-MHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410963

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	66		25.0	87.4		mg/L		87	85 - 115	0	30

Lab Sample ID: 680-118931-14 DU — **Client Sample ID: CPA-D-DHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410963

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	69		70.2		mg/L		1	30

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-410169/13 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410169

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 12:39	1

Lab Sample ID: MB 680-410169/44 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410169

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.050	U	0.050		mg/L			11/12/15 13:18	1

Lab Sample ID: LCS 680-410169/16 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410169

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	0.500	0.496		mg/L		99	75 - 125
Nitrate Nitrite as N	1.00	0.998		mg/L		100	90 - 110
Nitrite as N	0.500	0.502		mg/L		100	90 - 110

Lab Sample ID: LCS 680-410169/45 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410169

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	0.500	0.492		mg/L		98	75 - 125
Nitrate Nitrite as N	1.00	1.00		mg/L		100	90 - 110
Nitrite as N	0.500	0.508		mg/L		102	90 - 110

MWD 12/30/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method: 375.4 - Sulfate

Lab Sample ID: MB 680-410965/49
Matrix: Water
Analysis Batch: 410965

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	5.0	U	5.0		mg/L			11/17/15 10:11	1

Lab Sample ID: LCS 680-410965/40
Matrix: Water
Analysis Batch: 410965

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	20.0	19.2		mg/L		96	75 - 125

Lab Sample ID: LCSD 680-410965/30
Matrix: Water
Analysis Batch: 410965

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	20.0	19.1		mg/L		95	75 - 125	0	30

Lab Sample ID: MB 680-410966/50
Matrix: Water
Analysis Batch: 410966

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	5.0	U	5.0		mg/L			11/17/15 15:52	1

Lab Sample ID: LCS 680-410966/20
Matrix: Water
Analysis Batch: 410966

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	20.0	19.7		mg/L		99	75 - 125

Lab Sample ID: LCSD 680-410966/46
Matrix: Water
Analysis Batch: 410966

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	20.0	20.5		mg/L		103	75 - 125	4	30

Lab Sample ID: 680-118931-3 MS
Matrix: Water
Analysis Batch: 410966

Client Sample ID: CPA-A-MHU-1115
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	50	U	20.0	50	U	mg/L		NC	75 - 125

Lab Sample ID: 680-118931-3 MSD
Matrix: Water
Analysis Batch: 410966

Client Sample ID: CPA-A-MHU-1115
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	50	U	20.0	50	U	mg/L		NC	75 - 125	NC	30

TestAmerica Savannah
MUD 12/30/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Lab Sample ID: 680-118931-14 DU
Matrix: Water
Analysis Batch: 410966

Client Sample ID: CPA-D-DHU-1115
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfate	63		65.4		mg/L		3	30

Method: 415.1 - DOC

Lab Sample ID: MB 680-410972/50
Matrix: Water
Analysis Batch: 410972

Client Sample ID: Method Blank
Prep Type: Dissolved

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	1.0	U	1.0		mg/L			11/18/15 00:37	1

Lab Sample ID: MB 680-410972/78
Matrix: Water
Analysis Batch: 410972

Client Sample ID: Method Blank
Prep Type: Dissolved

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	1.0	U	1.0		mg/L			11/18/15 07:06	1

Lab Sample ID: LCS 680-410972/51
Matrix: Water
Analysis Batch: 410972

Client Sample ID: Lab Control Sample
Prep Type: Dissolved

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	20.0	16.0		mg/L		80	80 - 120

Lab Sample ID: LCS 680-410972/79
Matrix: Water
Analysis Batch: 410972

Client Sample ID: Lab Control Sample
Prep Type: Dissolved

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	20.0	19.6		mg/L		98	80 - 120

Lab Sample ID: MB 680-411898/5
Matrix: Water
Analysis Batch: 411898

Client Sample ID: Method Blank
Prep Type: Dissolved

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	1.0	U	1.0		mg/L			11/24/15 15:18	1

Lab Sample ID: LCS 680-411898/6
Matrix: Water
Analysis Batch: 411898

Client Sample ID: Lab Control Sample
Prep Type: Dissolved

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	20.0	20.3		mg/L		101	80 - 120

MWD 12/30/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Method: 415.1 - TOC

Lab Sample ID: MB 160-225170/4
Matrix: Water
Analysis Batch: 225170

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	1.0	U	1.0		mg/L			12/01/15 18:32	1

Lab Sample ID: LCS 160-225170/5
Matrix: Water
Analysis Batch: 225170

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	10.0	9.78		mg/L		98	90 - 110

Lab Sample ID: 680-118931-1 MS
Matrix: Water
Analysis Batch: 225170

Client Sample ID: CPA-A-DHU-1115
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	4.4		5.00	9.86		mg/L		109	76 - 120

Lab Sample ID: 680-118931-1 DU
Matrix: Water
Analysis Batch: 225170

Client Sample ID: CPA-A-DHU-1115
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Organic Carbon	4.4		4.57		mg/L		4	20

MWD 12/30/15
TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

GC/MS VOA

Analysis Batch: 410671

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total/NA	Water	8260B	
680-118931-3	CPA-A-MHU-1115	Total/NA	Water	8260B	
680-118931-3 MS	CPA-A-MHU-1115	Total/NA	Water	8260B	
680-118931-3 MSD	CPA-A-MHU-1115	Total/NA	Water	8260B	
680-118931-5	CPA-A-SHU-1115	Total/NA	Water	8260B	
680-118931-9	CPA-B-SHU-1115	Total/NA	Water	8260B	
LCS 680-410671/5	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-410671/6	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-410671/11	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 411080

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-7	CPA-B-DHU-1115	Total/NA	Water	8260B	
680-118931-11	CPA-B-MHU-1115	Total/NA	Water	8260B	
680-118931-13	CPA-B-MHU-1115-EB	Total/NA	Water	8260B	
680-118931-19	4Q15 CPA Trip Blank # 1	Total/NA	Water	8260B	
LCS 680-411080/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-411080/5	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-411080/9	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 411284

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-14	CPA-D-DHU-1115	Total/NA	Water	8260B	
680-118931-16	CPA-D-DHU-1115-AD	Total/NA	Water	8260B	
680-118931-17	CPA-D-MHU-1115	Total/NA	Water	8260B	
LCS 680-411284/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-411284/5	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-411284/9	Method Blank	Total/NA	Water	8260B	

GC VOA

Analysis Batch: 410604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total/NA	Water	RSK-175	
680-118931-3	CPA-A-MHU-1115	Total/NA	Water	RSK-175	
LCS 680-410604/6	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-410604/9	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-410604/10	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 680-410604/7	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-410604/11	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 410816

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-9	CPA-B-SHU-1115	Total/NA	Water	RSK-175	
680-118931-11	CPA-B-MHU-1115	Total/NA	Water	RSK-175	
680-118931-14	CPA-D-DHU-1115	Total/NA	Water	RSK-175	
680-118931-17	CPA-D-MHU-1115	Total/NA	Water	RSK-175	
LCS 680-410816/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-410816/6	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-410816/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	

MWD 12/30/15
TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

GC VOA (Continued)

Analysis Batch: 410816 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 680-410816/7	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-410816/9	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 411036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-5	CPA-A-SHU-1115	Total/NA	Water	RSK-175	
680-118931-7	CPA-B-DHU-1115	Total/NA	Water	RSK-175	
LCS 680-411036/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-411036/8	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-411036/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 680-411036/9	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-411036/11	Method Blank	Total/NA	Water	RSK-175	

Metals

Prep Batch: 410503

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total Recoverable	Water	3005A	
680-118931-2	CPA-A-DHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118931-3	CPA-A-MHU-1115	Total Recoverable	Water	3005A	
680-118931-4	CPA-A-MHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118931-5	CPA-A-SHU-1115	Total Recoverable	Water	3005A	
680-118931-5 MS	CPA-A-SHU-1115	Total Recoverable	Water	3005A	
680-118931-5 MSD	CPA-A-SHU-1115	Total Recoverable	Water	3005A	
680-118931-6	CPA-A-SHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118931-7	CPA-B-DHU-1115	Total Recoverable	Water	3005A	
680-118931-8	CPA-B-DHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118931-9	CPA-B-SHU-1115	Total Recoverable	Water	3005A	
LCS 680-410503/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-410503/1-A	Method Blank	Total Recoverable	Water	3005A	

Prep Batch: 410680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-10	CPA-B-SHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118931-11	CPA-B-MHU-1115	Total Recoverable	Water	3005A	
680-118931-12	CPA-B-MHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118931-14	CPA-D-DHU-1115	Total Recoverable	Water	3005A	
680-118931-15	CPA-D-DHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118931-17	CPA-D-MHU-1115	Total Recoverable	Water	3005A	
680-118931-18	CPA-D-MHU-F(0.2)-1115	Dissolved	Water	3005A	
LCS 680-410680/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-410680/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 410766

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total Recoverable	Water	6010C	410503
680-118931-2	CPA-A-DHU-F(0.2)-1115	Dissolved	Water	6010C	410503
680-118931-3	CPA-A-MHU-1115	Total Recoverable	Water	6010C	410503
680-118931-4	CPA-A-MHU-F(0.2)-1115	Dissolved	Water	6010C	410503
680-118931-5	CPA-A-SHU-1115	Total Recoverable	Water	6010C	410503

MWD 12/30/15
TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Metals (Continued)

Analysis Batch: 410766 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-5 MS	CPA-A-SHU-1115	Total Recoverable	Water	6010C	410503
680-118931-5 MSD	CPA-A-SHU-1115	Total Recoverable	Water	6010C	410503
680-118931-6	CPA-A-SHU-F(0.2)-1115	Dissolved	Water	6010C	410503
680-118931-7	CPA-B-DHU-1115	Total Recoverable	Water	6010C	410503
680-118931-8	CPA-B-DHU-F(0.2)-1115	Dissolved	Water	6010C	410503
680-118931-9	CPA-B-SHU-1115	Total Recoverable	Water	6010C	410503
LCS 680-410503/2-A	Lab Control Sample	Total Recoverable	Water	6010C	410503
MB 680-410503/1-A	Method Blank	Total Recoverable	Water	6010C	410503

Analysis Batch: 410905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-10	CPA-B-SHU-F(0.2)-1115	Dissolved	Water	6010C	410680
680-118931-11	CPA-B-MHU-1115	Total Recoverable	Water	6010C	410680
680-118931-12	CPA-B-MHU-F(0.2)-1115	Dissolved	Water	6010C	410680
680-118931-14	CPA-D-DHU-1115	Total Recoverable	Water	6010C	410680
680-118931-15	CPA-D-DHU-F(0.2)-1115	Dissolved	Water	6010C	410680
680-118931-17	CPA-D-MHU-1115	Total Recoverable	Water	6010C	410680
680-118931-18	CPA-D-MHU-F(0.2)-1115	Dissolved	Water	6010C	410680
LCS 680-410680/2-A	Lab Control Sample	Total Recoverable	Water	6010C	410680
MB 680-410680/1-A	Method Blank	Total Recoverable	Water	6010C	410680

General Chemistry

Analysis Batch: 225170

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total/NA	Water	415.1	
680-118931-1 DU	CPA-A-DHU-1115	Total/NA	Water	415.1	
680-118931-1 MS	CPA-A-DHU-1115	Total/NA	Water	415.1	
680-118931-3	CPA-A-MHU-1115	Total/NA	Water	415.1	
680-118931-5	CPA-A-SHU-1115	Total/NA	Water	415.1	
680-118931-7	CPA-B-DHU-1115	Total/NA	Water	415.1	
680-118931-9	CPA-B-SHU-1115	Total/NA	Water	415.1	
680-118931-11 - DL	CPA-B-MHU-1115	Total/NA	Water	415.1	
680-118931-14 - DL	CPA-D-DHU-1115	Total/NA	Water	415.1	
680-118931-17 - DL	CPA-D-MHU-1115	Total/NA	Water	415.1	
LCS 160-225170/5	Lab Control Sample	Total/NA	Water	415.1	
MB 160-225170/4	Method Blank	Total/NA	Water	415.1	

Analysis Batch: 410169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total/NA	Water	353.2	
680-118931-3	CPA-A-MHU-1115	Total/NA	Water	353.2	
680-118931-5	CPA-A-SHU-1115	Total/NA	Water	353.2	
680-118931-7	CPA-B-DHU-1115	Total/NA	Water	353.2	
680-118931-9	CPA-B-SHU-1115	Total/NA	Water	353.2	
680-118931-11	CPA-B-MHU-1115	Total/NA	Water	353.2	
680-118931-14	CPA-D-DHU-1115	Total/NA	Water	353.2	
680-118931-17	CPA-D-MHU-1115	Total/NA	Water	353.2	
LCS 680-410169/16	Lab Control Sample	Total/NA	Water	353.2	
LCS 680-410169/45	Lab Control Sample	Total/NA	Water	353.2	

JMWD 12/30/15

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

General Chemistry (Continued)

Analysis Batch: 410169 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 680-410169/13	Method Blank	Total/NA	Water	353.2	
MB 680-410169/44	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 410963

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total/NA	Water	325.2	
680-118931-3	CPA-A-MHU-1115	Total/NA	Water	325.2	
680-118931-3 MS	CPA-A-MHU-1115	Total/NA	Water	325.2	
680-118931-3 MSD	CPA-A-MHU-1115	Total/NA	Water	325.2	
680-118931-5	CPA-A-SHU-1115	Total/NA	Water	325.2	
680-118931-7	CPA-B-DHU-1115	Total/NA	Water	325.2	
680-118931-9	CPA-B-SHU-1115	Total/NA	Water	325.2	
680-118931-11	CPA-B-MHU-1115	Total/NA	Water	325.2	
680-118931-14	CPA-D-DHU-1115	Total/NA	Water	325.2	
680-118931-14 DU	CPA-D-DHU-1115	Total/NA	Water	325.2	
680-118931-17	CPA-D-MHU-1115	Total/NA	Water	325.2	
LCS 680-410963/44	Lab Control Sample	Total/NA	Water	325.2	
LCSD 680-410963/4	Lab Control Sample Dup	Total/NA	Water	325.2	
MB 680-410963/47	Method Blank	Total/NA	Water	325.2	

Analysis Batch: 410965

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total/NA	Water	375.4	
680-118931-5	CPA-A-SHU-1115	Total/NA	Water	375.4	
680-118931-7	CPA-B-DHU-1115	Total/NA	Water	375.4	
680-118931-9	CPA-B-SHU-1115	Total/NA	Water	375.4	
680-118931-11	CPA-B-MHU-1115	Total/NA	Water	375.4	
680-118931-17	CPA-D-MHU-1115	Total/NA	Water	375.4	
LCS 680-410965/40	Lab Control Sample	Total/NA	Water	375.4	
LCSD 680-410965/30	Lab Control Sample Dup	Total/NA	Water	375.4	
MB 680-410965/49	Method Blank	Total/NA	Water	375.4	

Analysis Batch: 410966

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-3	CPA-A-MHU-1115	Total/NA	Water	375.4	
680-118931-3 MS	CPA-A-MHU-1115	Total/NA	Water	375.4	
680-118931-3 MSD	CPA-A-MHU-1115	Total/NA	Water	375.4	
680-118931-14	CPA-D-DHU-1115	Total/NA	Water	375.4	
680-118931-14 DU	CPA-D-DHU-1115	Total/NA	Water	375.4	
LCS 680-410966/20	Lab Control Sample	Total/NA	Water	375.4	
LCSD 680-410966/46	Lab Control Sample Dup	Total/NA	Water	375.4	
MB 680-410966/50	Method Blank	Total/NA	Water	375.4	

Analysis Batch: 410972

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-2	CPA-A-DHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118931-4	CPA-A-MHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118931-6	CPA-A-SHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118931-8	CPA-B-DHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118931-10	CPA-B-SHU-F(0.2)-1115	Dissolved	Water	415.1	
LCS 680-410972/51	Lab Control Sample	Dissolved	Water	415.1	

MWD 12/30/15

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

General Chemistry (Continued)

Analysis Batch: 410972 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 680-410972/79	Lab Control Sample	Dissolved	Water	415.1	
MB 680-410972/50	Method Blank	Dissolved	Water	415.1	
MB 680-410972/78	Method Blank	Dissolved	Water	415.1	

Analysis Batch: 411279

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-1	CPA-A-DHU-1115	Total/NA	Water	310.1	
680-118931-3	CPA-A-MHU-1115	Total/NA	Water	310.1	
680-118931-5	CPA-A-SHU-1115	Total/NA	Water	310.1	
680-118931-7	CPA-B-DHU-1115	Total/NA	Water	310.1	
680-118931-9	CPA-B-SHU-1115	Total/NA	Water	310.1	
LCS 680-411279/6	Lab Control Sample	Total/NA	Water	310.1	
LCSD 680-411279/32	Lab Control Sample Dup	Total/NA	Water	310.1	
MB 680-411279/5	Method Blank	Total/NA	Water	310.1	

Analysis Batch: 411704

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-11	CPA-B-MHU-1115	Total/NA	Water	310.1	
680-118931-14	CPA-D-DHU-1115	Total/NA	Water	310.1	
680-118931-14 DU	CPA-D-DHU-1115	Total/NA	Water	310.1	
680-118931-17	CPA-D-MHU-1115	Total/NA	Water	310.1	
LCS 680-411704/6	Lab Control Sample	Total/NA	Water	310.1	
LCSD 680-411704/32	Lab Control Sample Dup	Total/NA	Water	310.1	
MB 680-411704/5	Method Blank	Total/NA	Water	310.1	

Analysis Batch: 411898

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118931-12	CPA-B-MHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118931-15	CPA-D-DHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118931-18	CPA-D-MHU-F(0.2)-1115	Dissolved	Water	415.1	
LCS 680-411898/6	Lab Control Sample	Dissolved	Water	415.1	
MB 680-411898/5	Method Blank	Dissolved	Water	415.1	

MWD 12/30/15
TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-DHU-1115 — Lab Sample ID: 680-118931-1

Date Collected: 11/11/15 08:25 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		5	410671	11/17/15 14:24	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	410604	11/16/15 23:15	AAH	TAL SAV
Total Recoverable	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410766	11/16/15 21:02	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411279	11/19/15 19:12	DAM	TAL SAV
Total/NA	Analysis	325.2		2	410963	11/16/15 15:10	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:28	GRX	TAL SAV
Total/NA	Analysis	375.4		5	410965	11/16/15 14:59	JME	TAL SAV
Total/NA	Analysis	415.1		1	225170	12/01/15 19:47	JCB	TAL SL

Client Sample ID: CPA-A-DHU-F(0.2)-1115 — Lab Sample ID: 680-118931-2

Date Collected: 11/11/15 08:25 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410766	11/16/15 21:06	BCB	TAL SAV
Dissolved	Analysis	415.1		1	410972	11/18/15 08:45	KMB	TAL SAV

Client Sample ID: CPA-A-MHU-1115 — Lab Sample ID: 680-118931-3

Date Collected: 11/11/15 09:19 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		5	410671	11/17/15 12:59	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	410604	11/16/15 23:30	AAH	TAL SAV
Total Recoverable	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410766	11/16/15 21:10	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411279	11/19/15 19:24	DAM	TAL SAV
Total/NA	Analysis	325.2		2	410963	11/16/15 14:56	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:30	GRX	TAL SAV
Total/NA	Analysis	375.4		10	410966	11/17/15 15:51	JME	TAL SAV
Total/NA	Analysis	415.1		1	225170	12/01/15 20:02	JCB	TAL SL

Client Sample ID: CPA-A-MHU-F(0.2)-1115 — Lab Sample ID: 680-118931-4

Date Collected: 11/11/15 09:19 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410766	11/16/15 21:14	BCB	TAL SAV

12/30/15
TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-A-MHU-F(0.2)-1115

Lab Sample ID: 680-118931-4
Date Collected: 11/11/15 09:19
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Analysis	415.1		1	410972	11/18/15 09:26	KMB	TAL SAV

Client Sample ID: CPA-A-SHU-1115

Lab Sample ID: 680-118931-5
Date Collected: 11/11/15 10:30
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	410671	11/17/15 14:02	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	411036	11/18/15 19:33	AAH	TAL SAV
Total Recoverable	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410766	11/16/15 20:34	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411279	11/19/15 19:33	DAM	TAL SAV
Total/NA	Analysis	325.2		2	410963	11/16/15 15:10	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:31	GRX	TAL SAV
Total/NA	Analysis	375.4		10	410965	11/16/15 15:13	JME	TAL SAV
Total/NA	Analysis	415.1		1	225170	12/01/15 20:07	JCB	TAL SL

Client Sample ID: CPA-A-SHU-F(0.2)-1115

Lab Sample ID: 680-118931-6
Date Collected: 11/11/15 10:30
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410766	11/16/15 21:18	BCB	TAL SAV
Dissolved	Analysis	415.1		1	410972	11/18/15 09:44	KMB	TAL SAV

Client Sample ID: CPA-B-DHU-1115

Lab Sample ID: 680-118931-7
Date Collected: 11/11/15 11:50
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		500	411080	11/19/15 16:34	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	411036	11/18/15 19:48	AAH	TAL SAV
Total Recoverable	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410766	11/16/15 21:21	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411279	11/19/15 19:44	DAM	TAL SAV
Total/NA	Analysis	325.2		2	410963	11/16/15 15:10	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:32	GRX	TAL SAV
Total/NA	Analysis	375.4		5	410965	11/16/15 15:02	JME	TAL SAV
Total/NA	Analysis	415.1		1	225170	12/01/15 20:13	JCB	TAL SL

MWD 12/30/15
TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-DHU-F(0.2)-1115

Lab Sample ID: 680-118931-8
Date Collected: 11/11/15 11:50
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410766	11/16/15 21:25	BCB	TAL SAV
Dissolved	Analysis	415.1		1	410972	11/18/15 09:57	KMB	TAL SAV

Client Sample ID: CPA-B-SHU-1115

Lab Sample ID: 680-118931-9
Date Collected: 11/11/15 12:32
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		100	410671	11/17/15 13:41	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	410816	11/17/15 20:41	AAH	TAL SAV
Total Recoverable	Prep	3005A			410503	11/16/15 09:45	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410766	11/16/15 21:29	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411279	11/19/15 19:55	DAM	TAL SAV
Total/NA	Analysis	325.2		2	410963	11/16/15 15:10	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:33	GRX	TAL SAV
Total/NA	Analysis	375.4		20	410965	11/16/15 15:08	JME	TAL SAV
Total/NA	Analysis	415.1		1	225170	12/01/15 20:18	JCB	TAL SL

Client Sample ID: CPA-B-SHU-F(0.2)-1115

Lab Sample ID: 680-118931-10
Date Collected: 11/11/15 12:32
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 20:21	BCB	TAL SAV
Dissolved	Analysis	415.1		1	410972	11/18/15 03:11	KMB	TAL SAV

Client Sample ID: CPA-B-MHU-1115

Lab Sample ID: 680-118931-11
Date Collected: 11/11/15 14:12
Matrix: Water
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2000	411080	11/19/15 15:12	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	410816	11/17/15 20:54	AAH	TAL SAV
Total Recoverable	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410905	11/17/15 20:25	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411704	11/23/15 19:27	KLD	TAL SAV
Total/NA	Analysis	325.2		10	410963	11/16/15 15:30	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:37	GRX	TAL SAV
Total/NA	Analysis	375.4		1	410965	11/16/15 14:10	JME	TAL SAV

AWD 12/30/15
TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-B-MHU-1115 — Lab Sample ID: 680-118931-11

Date Collected: 11/11/15 14:12 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	415.1	DL	2	225170	12/02/15 11:33	JCB	TAL SL

Client Sample ID: CPA-B-MHU-F(0.2)-1115 — Lab Sample ID: 680-118931-12

Date Collected: 11/11/15 14:12 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 20:30	BCB	TAL SAV
Dissolved	Analysis	415.1		1	411898	11/24/15 16:41	RSW	TAL SAV

Client Sample ID: CPA-B-MHU-1115-EB — Lab Sample ID: 680-118931-13

Date Collected: 11/11/15 14:40 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	411080	11/19/15 11:28	CEJ	TAL SAV

Client Sample ID: CPA-D-DHU-1115 — Lab Sample ID: 680-118931-14

Date Collected: 11/11/15 15:30 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		200	411284	11/20/15 14:09	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	410816	11/17/15 21:07	AAH	TAL SAV
Total Recoverable	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410905	11/17/15 20:34	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411704	11/23/15 19:38	KLD	TAL SAV
Total/NA	Analysis	325.2		2	410963	11/16/15 15:10	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:38	GRX	TAL SAV
Total/NA	Analysis	375.4		2	410966	11/16/15 14:32	JME	TAL SAV
Total/NA	Analysis	415.1	DL	5	225170	12/02/15 11:38	JCB	TAL SL

Client Sample ID: CPA-D-DHU-F(0.2)-1115 — Lab Sample ID: 680-118931-15

Date Collected: 11/11/15 15:30 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 20:39	BCB	TAL SAV
Dissolved	Analysis	415.1		1	411898	11/24/15 16:55	RSW	TAL SAV

MWD 12/30/15
TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Client Sample ID: CPA-D-DHU-1115-AD — Lab Sample ID: 680-118931-16

Date Collected: 11/11/15 15:30 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		200	411284	11/20/15 12:39	CEJ	TAL SAV

Client Sample ID: CPA-D-MHU-1115 — Lab Sample ID: 680-118931-17

Date Collected: 11/11/15 16:25 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		500	411284	11/20/15 13:47	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	410816	11/17/15 21:20	AAH	TAL SAV
Total Recoverable	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410905	11/17/15 20:43	BCB	TAL SAV
Total/NA	Analysis	310.1		1	411704	11/23/15 20:04	KLD	TAL SAV
Total/NA	Analysis	325.2		10	410963	11/16/15 15:30	JME	TAL SAV
Total/NA	Analysis	353.2		1	410169	11/12/15 13:39	GRX	TAL SAV
Total/NA	Analysis	375.4		10	410965	11/16/15 15:08	JME	TAL SAV
Total/NA	Analysis	415.1	DL	5	225170	12/02/15 11:43	JCB	TAL SL

Client Sample ID: CPA-D-MHU-F(0.2)-1115 — Lab Sample ID: 680-118931-18

Date Collected: 11/11/15 16:25 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 20:56	BCB	TAL SAV
Dissolved	Analysis	415.1		1	411898	11/24/15 17:13	RSW	TAL SAV

Client Sample ID: 4Q15 CPA Trip Blank # 1 — Lab Sample ID: 680-118931-19

Date Collected: 11/11/15 00:00 — **Matrix: Water**
Date Received: 11/12/15 09:39

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	411080	11/19/15 11:07	CEJ	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

MWD 12/30/15
TestAmerica Savannah

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912.354 7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other: Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Len Bindner~~	Date: 11/11/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 2 COCs
820 South Main Street	Analysis Turnaround Time			Sampler:
St Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☑ 2 weeks			Lab Sampling:
Project Name: 2Q15 CPA GW Sampling - 1403345	☐ 1 week			
Site: Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y / N)	Perform MS / MSD (Y / N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 326.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 416.1	Dissolved Fe/Mn by 6010B	DOC by 415.1	Sample Specific Notes:
CPA-A-DHU-1115	11/11/15	0825	G	W	13	N		2	1	1	1	3	2	3			3 coolers
CPA-A-DHU-F(0.2)-1115		0825			4	Y									1	3	
CPA-A-MHU-1115		0919			13	N		2	1	1	1	3	2	3			
CPA-A-MHU-F(0.2)-1115		0919			4	Y									1	3	
CPA-A-MHU-1115-MS		0919			2	N		2									
CPA-A-MHU-1115-MSD		0919			2	N		2									
CPA-A-SHU-1115		1030			13	N		2	1	1	1	3	2	3			
CPA-A-SHU-F(0.2)-1115		1030			4	Y									1	3	
CPA-B-DHU-1115		1150			13	N		2	1	1	1	3	2	3			
CPA-B-DHU-F(0.2)-1115		1150			4	Y									1	3	
CPA-B-SHU-1115		1232			13	N		2	1	1	1	3	2	3			
CPA-B-SHU-F(0.2)-1115		1232			4	Y									1	3	
CPA-B-MHU-1115		1412			13	N		2	1	1	1	3	2	3			

Preservation Used: 1= Ice; 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

	2	4			2	3		4	3

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☑ Disposal by Lab ☐ Archive for _____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling Yes/No

10/1.4 CF 2.4/2.8 CF 2.2/2.6 CF

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No.: 799875 / 799874 / 799873 | Cooler Temp. (°C): Obs'd: _____ Corr'd: _____ | Therm ID No.: _____

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Emily White	Golder	11/11/15 1700	[signature]	TA	11-12-15 9:39
Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Relinquished by:	Company:	Date/Time:	Received in Laboratory by:	Company:	Date/Time:

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

Page 57 of 64

AUD 12/30/15

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912 354.7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Lori Stricker~~	Date: 11/11/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 2 COCs
820 South Main Street	Analysis Turnaround Time			Sampler: E. White
St. Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☐ 2 weeks			Lab Sampling:
Project Name: 2Q15 CPA GW Sampling - 1403345	☐ 1 week			
Site: Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DOC by 415.1	Sample Specific Notes:
CPA-B-MHU-F(0.2)-1115	11/11/15	1412	G	W	4	Y									1	3	
CPA-B-MHU-1115-EB		1440			2	N		2									
CPA-D-DHU-1115		1530			13	N		2	1	1	1	3	2	3			
CPA-D-DHU-F(0.2)-1115		1530			4	Y									1	3	
CPA-D-DHU-1115-AD		1530			2	N		2									
CPA-D-MHU-1115		1625			13	N		2	1	1	1	3	2	3			
CPA-D-MHU-F(0.2)-1115		1625			4	Y									1	3	
1615 CPA Trip Blank #1	—	—	—		2	N		2									

Preservation Key: 1= Ice, 2= ~~HCl~~, 3= H2SO4, 4= ~~HNO3~~, 5= ~~NaOH~~, 6= Other

	2	4		2	3							

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☑ Disposal by Lab ☐ Archive for: _____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling: Yes/No

1.0/1.4 CF 2.4/2.8 CF 2.2/2.6 CF

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No. 199875 / 799874 / 799873 | Cooler Temp. (°C): Obs'd: _____ Corr'd: _____ Therm ID No.: _____

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Emily White	Golder	11/11/15 1750	[signature]	TA	11-12-15 9:39
Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Relinquished by:	Company:	Date/Time:	Received in Laboratory by:	Company:	Date/Time:

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

680-118931

Page 58 of 64

Mod 12/8/15

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Phone (912) 354-7858 Fax (912) 352-0165

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Kersey, Michele R	Carrier Tracking No(s):	COC No: 680-412977.1
Client Contact: Shipping/Receiving	Phone:	E-Mail: michele.kersey@testamericainc.com		Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.				Job #: 680-118931-1
Address: 13715 Rider Trail North, ,	Due Date Requested: 11/27/2015			
City: Earth City	TAT Requested (days):			
State, Zip: MO, 63045				
Phone: 314-298-8566(Tel) 314-298-8757(Fax)	PO #:			
Email:	WO #:			
Project Name: 4Q15- CPA GW Sampling-1403345	Project #: 68001754			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2SO3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - ph 4-5, Z - other (specify)
Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	415.1/ 416.1 / Total Organic Carbon	Total Number of containers	Special Instructions/Note:
CPA-A-DHU-1115 (680-118931-1)	11/11/15	08:25 Eastern		Water			X		
CPA-A-MHU-1115 (680-118931-3)	11/11/15	09:19 Eastern		Water			X		
CPA-A-SHU-1115 (680-118931-5)	11/11/15	10:30 Eastern		Water			X		
CPA-B-DHU-1115 (680-118931-7)	11/11/15	11:50 Eastern		Water			X		
CPA-B-SHU-1115 (680-118931-9)	11/11/15	12:32 Eastern		Water			X		
CPA-B-MHU-1115 (680-118931-11)	11/11/15	14:12 Eastern		Water			X		
CPA-D-DHU-1115 (680-118931-14)	11/11/15	15:30 Eastern		Water			X		
CPA-D-MHU-1115 (680-118931-17)	11/11/15	16:25 Eastern		Water			X		

Possible Hazard Identification
Unconfirmed

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ *Return To Client* ☐ *Disposal By Lab* ☐ *Archive For* _____ *Months*

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
[signature]	11-20-15 1715	Sw.	[signature]	11-21-15 0940	TASR
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

MUD 12/30/15

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

CUR Form #: 0 6 9

Job #(s):

680-118931 Chain of Custody

CONDITION UPON RECEIPT FORM

Client: TA Savannah

Quote No:

COC/RFA No:

Initiated By: Date: 12-1-15 Time: 0940

Shipping Information

Shipper: FedEx UPS DHL Courier Client Other: Multiple Packages: Y (N)

Shipping # (s):*

1. 4598 9410 0641
2.
3.
4.
5.
6.
7.
8.
9.
10.

Sample Temperature (s):**

(3) 1. 3.6
2.
3.
4.
5.
6.
7.
8.
9.
10.

*Numbered shipping lines correspond to Numbered Sample Temp lines

**Sample must be received at 4°C ± 2°C- If not, note contents below. Temperature variance does NOT affect the following: Metals-Liquid; Rad tests- Liquid or Solids; Perchlorate

Condition (Circle "Y" for yes, "N" for no and "N/A" for not applicable):

1.	Y (N)	Are there custody seals present on the cooler?	8.	Y (N)	Are there custody seals present on bottles?
2.	Y N (N/A)	Do custody seals on cooler appear to be tampered with?	9.	Y N (N/A)	Do custody seals on bottles appear to be tampered with?
3.	(Y) N	Were contents of cooler frisked after opening, but before unpacking?	10.	(Y) N N/A	Was sample received with proper pH[1]? (If not, make note below)
4.	(Y) N	Sample received with Chain of Custody?	11.	Y N (N/A)	Containers for C-14, H-3 & I-129/131 marked with "Do Not Preserve" label?
5.	(Y) N N/A	Does the Chain of Custody match sample ID's on the container(s)?	12.	(Y) N	Sample received in proper containers?
6.	Y (N)	Was sample received broken?	13.	Y N (N/A)	Headspace in VOA or TOX liquid samples? (If Yes, note sample ID's below)
7.	(Y) N	Is sample volume sufficient for analysis?	14.	(Y) N N/A	Was Internal COC/Workshare received?

[1] For DOE-AL (Pantex, LANL, Sandia) sites, pH of ALL containers received must be verified, EXCEPT VOA, TOX, Oil & Grease and soils.

Notes:

THIS FORM MUST BE COMPLETED AT THE TIME THE ITEMS ARE BEING CHECKED IN. IF ANY ITEM IS COMPLETED BY SOMEONE OTHER THAN THE INITIATOR, THEN THAT PERSON IS REQUIRED TO APPLY THEIR INITIAL AND THE DATE NEXT TO THAT ITEM.

ADMIN-0004 rev14, REVISED 04/23/14 \\TAFS\Lab\St Louis\QA\FORMS\ST-LOUIS\ADMIN\Admin-0004_CUR.doc

RWP 12/30/15

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-118931-1
SDG Number: KPS158

Login Number: 118931
List Number: 1
Creator: White, Menica R

List Source: TestAmerica Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	sample id -1 and -2 times are off. logged per coc time
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

MWB 12/30/15

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-118931-1
SDG Number: KPS158

Login Number: 118931
List Number: 2
Creator: Clarke, Jill C

List Source: TestAmerica St. Louis
List Creation: 12/01/15 12:43 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

AWD
12/30/15

Certification Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-17
A2LA	ISO/IEC 17025		399.01	02-28-17
Alabama	State Program	4	41450	06-30-16
Arkansas DEQ	State Program	6	88-0692	01-31-16 *
California	State Program	9	2939	07-31-16
Colorado	State Program	8	N/A	12-31-15 *
Connecticut	State Program	1	PH-0161	03-31-17
Florida	NELAP	4	E87052	06-30-16
GA Dept. of Agriculture	State Program	4	N/A	06-12-17
Georgia	State Program	4	803	06-30-16
Guam	State Program	9	14-004r	04-16-16
Hawaii	State Program	9	N/A	06-30-16
Illinois	NELAP	5	200022	11-30-15 *
Indiana	State Program	5	N/A	06-30-16
Iowa	State Program	7	353	06-30-17
Kentucky (DW)	State Program	4	90084	12-31-15 *
Kentucky (UST)	State Program	4	18	06-30-16
Kentucky (WW)	State Program	4	90084	12-31-15 *
Louisiana	NELAP	6	30690	06-30-16
Louisiana (DW)	NELAP	8	LA150014	12-31-15 *
Maine	State Program	1	GA00006	09-24-16
Maryland	State Program	3	250	12-31-15 *
Massachusetts	State Program	1	M-GA006	06-30-16
Michigan	State Program	5	9925	03-05-16
Mississippi	State Program	4	N/A	06-30-15 *
Montana	State Program	8	CERT0081	12-31-15
Nebraska	State Program	7	TestAmerica-Savannah	06-30-16
New Jersey	NELAP	2	GA769	06-30-16
New Mexico	State Program	6	N/A	06-30-16
New York	NELAP	2	10842	03-31-16
North Carolina (DW)	State Program	4	13701	07-31-18
North Carolina (WW/SW)	State Program	4	269	12-31-15 *
Oklahoma	State Program	6	9984	08-31-16
Pennsylvania	NELAP	3	68-00474	06-30-16
Puerto Rico	State Program	2	GA00006	12-31-15 *
South Carolina	State Program	4	98001	06-30-15 *
Tennessee	State Program	4	TN02961	06-30-16
Texas	NELAP	6	T104704185-14-7	11-30-16
USDA	Federal		SAV 3-04	06-11-17
Virginia	NELAP	3	460161	06-14-16
Washington	State Program	10	C805	06-10-16
West Virginia (DW)	State Program	3	9950C	12-31-15 *
West Virginia DEP	State Program	3	094	06-30-16
Wisconsin	State Program	5	999819810	08-31-16
Wyoming	State Program	8	8TMS-L	06-30-16

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

* Certification renewal pending - certification considered valid.

RWD 12/3/15

Certification Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118931-1
SDG: KPS158

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-16
California	ELAP	9	2886	03-31-16
Connecticut	State Program	1	PH-0241	03-31-17
Florida	NELAP	4	E87689	06-30-16
Illinois	NELAP	5	003757	11-30-16
Iowa	State Program	7	373	12-01-16
Kansas	NELAP	7	E-10236	01-31-16 *
Kentucky (DW)	State Program	4	90125	12-31-15 *
L-A-B	DoD ELAP		L2305	01-10-16 *
Louisiana	NELAP	6	04080	06-30-16
Louisiana (DW)	NELAP	6	LA160008	12-31-16
Maryland	State Program	3	310	09-30-16
Missouri	State Program	7	780	06-30-16
Nevada	State Program	9	MO000542016-1	07-31-16
New Jersey	NELAP	2	MO002	06-30-16
New York	NELAP	2	11616	03-31-16
North Dakota	State Program	8	R207	06-30-16
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-16
Pennsylvania	NELAP	3	68-00540	02-28-16
South Carolina	State Program	4	85002001	06-30-16
Texas	NELAP	6	T104704193-15-9	07-31-16
USDA	Federal		P330-07-00122	01-09-17
Utah	NELAP	8	MO000542015-7	07-31-16
Virginia	NELAP	3	460230	06-14-16
Washington	State Program	10	C592	08-30-16
West Virginia DEP	State Program	3	381	08-31-16

* Certification renewal pending - certification considered valid.

AWD 12/30/15
TestAmerica Savannah

Level IV Data Validation Summary
Solutia Inc., W.G. Krummrich, Sauget, Illinois
4Q15 CPA Monitoring Program

Company Name: Golder Associates
Project Name: WGK-4Q15 CPA
Reviewer: A. Derhake
Laboratory: TestAmerica
SDG#: KPS159
Matrix: Water

Project Manager: A. Derhake
Project Number: 140-3345
Sample Date: November 2015

Analytical Method: VOC (8260B), Dissolved Gases (RSK-175), Metals (6010C), Alkalinity (310.1), Chloride (325.2), Nitrogen, Nitrate-Nitrite (353.2), Sulfate (375.4), TOC (415.1), and DOC (415.1)

Sample Names: CPA-D-SHU-1115, CPA-D-SHU-F(0.2)-1115, CPA-C-DHU-1115, CPA-C-DHU-F(0.2)-1115, CPA-C-DHU-1115-AD, CPA-C-SHU-1115, CPA-C-SHU-F(0.2)-1115, CPA-C-MHU-1115, CPA-C-MHU-F(0.2)-1115, CPA-C-MHU-1115-EB, and 4Q15 CPA Trip Blank #2

Field Information	**YES**	**NO**	**NA**
a) Sampling dates noted?	☒	☐	☐
b) Does the laboratory narrative indicate deficiencies?	☒	☐	☐

Comments:

VOC: Samples CPA-D-SHU-1115, CPA-C-DHU-1115, CPA-C-DHU-1115-AD, CPA-C-SHU-1115, CPA-C-MHU-1115, and CPA-C-MHU-1115-EB required dilution prior to analysis, reporting limits were adjusted accordingly. Insufficient sample volume available for MS/MSD associated with analytical batches 411080 and 411284.

Dissolved Gases: Insufficient sample volume available for MS/MSD associated with analytical batches 411072 and 411196.

Metals: No deficiencies noted.

Alkalinity: No deficiencies noted.

Chloride: Samples CPA-D-SHU-1115, CPA-C-DHU-1115, CPA-C-SHU-1115, and CPA-C-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly.

Nitrate-Nitrite as Nitrogen: Samples CPA-D-SHU-1115 and CPA-C-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly.

Sulfate: Samples CPA-D-SHU-1115, CPA-C-DHU-1115, CPA-C-SHU-1115, and CPA-C-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly.

TOC: Samples CPA-D-SHU-1115, CPA-C-DHU-1115, CPA-C-SHU-1115, and CPA-C-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly.

DOC: Samples CPA-D-SHU-1115, CPA-C-DHU-1115, CPA-C-SHU-1115, and CPA-C-MHU-1115 required dilution prior to analysis, reporting limits were adjusted accordingly.

Chain-of-Custody (COC)	**YES**	**NO**	**NA**
a) Was the COC signed by both field and laboratory personnel?	☒	☐	☐
b) Were samples received in good condition?	☒	☐	☐

Comments: Samples were received at 0.4°C and 2.8°C, some temperatures were outside the 4°C +/- 2°C criteria.

General	YES	NO	NA
a) Were hold times met for sample analysis?	☒	☐	☐
b) Were the correct preservatives used?	☒	☐	☐
c) Was the correct method used?	☒	☐	☐
d) Any sample dilutions noted?	☒	☐	☐

Comments: Detections in diluted analysis were qualified.

GC/MS Instrument Performance Check (IPC) and Internal Standards (IS)	YES	NO	NA
a) IPC analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
b) Does BFB meet the ion abundance criteria?	☒	☐	☐
c) Internal Standard retention times and areas met appropriate criteria?	☒	☐	☐

Comments: None

Calibrations	YES	NO	NA
a) Initial calibration analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
b) Continuing calibrations analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
c) Initial calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐
d) Continuing calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?	☒	☐	☐

Comments: None

Blanks	YES	NO	NA
a) Were blanks (trip, equipment, method) performed at required frequency?	☒	☐	☐
b) Were analytes detected in any blanks?	☒	☐	☐

Comments: Equipment blank CPA-C-MHU-1115-EB was submitted with SDG KPS159. Benzene, chlorobenzene, 1,2-dichlorobenzene, 1,3-dichlorobenzene, and 1,4-dichlorobenzene were detected in the EB. Qualification was not required based on 5Xs rule.

Matrix Spike/Matrix Spike Duplicate (MS/MSD)	YES	NO	NA
a) Was MS/MSD accuracy criteria met?	☐	☐	☒
b) Was MS/MSD precision criteria met?	☐	☐	☒

Comments: None

Laboratory Control Sample (LCS)	YES	NO	NA
a) LCS analyzed at the appropriate frequency and met appropriate standards?	☒	☐	☐

Comments: None

Surrogate (System Monitoring) Compounds	YES	NO	NA
a) Surrogate compounds analyzed at the appropriate frequency and met appropriate standards?	☒	☐	☐

Comments: None

Duplicates

	YES	NO	NA
a) Were field duplicates collected?	☒	☐	☐
b) Was field duplicate precision criteria met?	☒	☐	☐

Comments: Duplicate sample CPA-C-DHU was submitted with SDG KPS159.

Additional Comments: None

Qualifications:

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Benzene, Chlorobenzene, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, Chloride, Nitrate as N, Sulfate, TOC, and DOC	D	CPA-D-SHU, CPA-D-SHU-F(0.2), CPA-C-DHU, CPA-D-DHU-F(0.2), CPA-C-DHU-AD, CPA-C-SHU, CPA-C-SHU-F(0.2), CPA-C-MHU, CPA-C-MHU-F(0.2), and CPA-C-MHU-EB

SDG KPS159

Sample Results from:

CPA-D-SHU
CPA-C-DHU
CPA-C-MHU
CPA-C-SHU

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-118978-1
TestAmerica Sample Delivery Group: KPS159
Client Project/Site: 4Q15- CPA GW Sampling-1403345

For:
Solutia Inc.
575 Maryville Centre Dr.
Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele R Kersey

Authorized for release by:
12/3/2015 4:06:58 PM

Michele Kersey, Project Manager I
(912)354-7858
michele.kersey@testamericainc.com



LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory. AWD 12/31/15

Table of Contents

Cover Page 1
Table of Contents 2
Case Narrative 3
Sample Summary 6
Method Summary 7
Definitions 8
Detection Summary 9
Client Sample Results 12
Surrogate Summary 23
QC Sample Results 24
QC Association 33
Chronicle 36
Chain of Custody 39
Receipt Checklists 41
Certification Summary 43

MWP 12/31/15

Job ID: 680-118978-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: 4Q15- CPA GW Sampling-1403345

Report Number: 680-118978-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT
The samples were received on 11/13/2015 9:34 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 0.4° C and 2.8° C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-DHU-1115-AD (680-118978-5), CPA-C-SHU-1115 (680-118978-6), CPA-C-MHU-1115 (680-118978-8), CPA-C-MHU-1115-EB (680-118978-10) and 4Q15 CPA Trip Blank #2 (680-118978-11) were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/19/2015 and 11/20/2015.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-411080.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-411284.

Samples CPA-D-SHU-1115 (680-118978-1)[1000X], CPA-C-DHU-1115 (680-118978-3)[200X], CPA-C-DHU-1115-AD (680-118978-5) [200X], CPA-C-SHU-1115 (680-118978-6)[100X], CPA-C-MHU-1115 (680-118978-8)[2000X] and CPA-C-MHU-1115-EB (680-118978-10) [5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED GASES
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-SHU-1115 (680-118978-6) and CPA-C-MHU-1115 (680-118978-8) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 11/19/2015.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-411072.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-411196.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)
Samples CPA-D-SHU-F(0.2)-1115 (680-118978-2), CPA-C-DHU-F(0.2)-1115 (680-118978-4), CPA-C-SHU-F(0.2)-1115 (680-118978-7)

MWD 12/31/15

Job ID: 680-118978-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

and CPA-C-MHU-F(0.2)-1115 (680-118978-9) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared and analyzed on 11/17/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-SHU-1115 (680-118978-6) and CPA-C-MHU-1115 (680-118978-8) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared and analyzed on 11/17/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

ALKALINITY
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-SHU-1115 (680-118978-6) and CPA-C-MHU-1115 (680-118978-8) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 11/14/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CHLORIDE
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-SHU-1115 (680-118978-6) and CPA-C-MHU-1115 (680-118978-8) were analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 11/16/2015.

Samples CPA-D-SHU-1115 (680-118978-1)[10X], CPA-C-DHU-1115 (680-118978-3)[2X], CPA-C-SHU-1115 (680-118978-6)[10X] and CPA-C-MHU-1115 (680-118978-8)[20X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

NITRATE-NITRITE AS NITROGEN
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-SHU-1115 (680-118978-6) and CPA-C-MHU-1115 (680-118978-8) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 11/13/2015.

Samples CPA-D-SHU-1115 (680-118978-1)[25X] and CPA-C-MHU-1115 (680-118978-8)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

SULFATE
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-SHU-1115 (680-118978-6) and CPA-C-MHU-1115 (680-118978-8) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 11/16/2015.

Samples CPA-D-SHU-1115 (680-118978-1)[100X], CPA-C-DHU-1115 (680-118978-3)[5X], CPA-C-SHU-1115 (680-118978-6)[50X] and CPA-C-MHU-1115 (680-118978-8)[20X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL ORGANIC CARBON
Samples CPA-D-SHU-1115 (680-118978-1), CPA-C-DHU-1115 (680-118978-3), CPA-C-SHU-1115 (680-118978-6) and CPA-C-MHU-1115 (680-118978-8) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 12/02/2015.

Samples CPA-D-SHU-1115 (680-118978-1)[20X], CPA-C-DHU-1115 (680-118978-3)[5X], CPA-C-SHU-1115 (680-118978-6)[20X] and

AWD 12/31/15

Job ID: 680-118978-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

CPA-C-MHU-1115 (680-118978-8)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED ORGANIC CARBON (DOC)

Samples CPA-D-SHU-F(0.2)-1115 (680-118978-2), CPA-C-DHU-F(0.2)-1115 (680-118978-4), CPA-C-SHU-F(0.2)-1115 (680-118978-7) and CPA-C-MHU-F(0.2)-1115 (680-118978-9) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 12/02/2015.

Samples CPA-D-SHU-F(0.2)-1115 (680-118978-2)[20X], CPA-C-DHU-F(0.2)-1115 (680-118978-4)[5X], CPA-C-SHU-F(0.2)-1115 (680-118978-7)[20X] and CPA-C-MHU-F(0.2)-1115 (680-118978-9)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

PWD 12/31/15

Sample Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-118978-1	CPA-D-SHU-1115	Water	11/12/15 08:25	11/13/15 09:34
680-118978-2	CPA-D-SHU-F(0.2)-1115	Water	11/12/15 08:25	11/13/15 09:34
680-118978-3	CPA-C-DHU-1115	Water	11/12/15 10:05	11/13/15 09:34
680-118978-4	CPA-C-DHU-F(0.2)-1115	Water	11/12/15 10:05	11/13/15 09:34
680-118978-5	CPA-C-DHU-1115-AD	Water	11/12/15 10:05	11/13/15 09:34
680-118978-6	CPA-C-SHU-1115	Water	11/12/15 10:52	11/13/15 09:34
680-118978-7	CPA-C-SHU-F(0.2)-1115	Water	11/12/15 10:52	11/13/15 09:34
680-118978-8	CPA-C-MHU-1115	Water	11/12/15 11:38	11/13/15 09:34
680-118978-9	CPA-C-MHU-F(0.2)-1115	Water	11/12/15 11:38	11/13/15 09:34
680-118978-10	CPA-C-MHU-1115-EB	Water	11/12/15 12:05	11/13/15 09:34
680-118978-11	4Q15 CPA Trip Blank #2	Water	11/12/15 00:00	11/13/15 09:34

PWD 12/31/15

TestAmerica Savannah

Method Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415.1	TOC	MCAWW	TAL SL
415.1	DOC	MCAWW	TAL SL

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

MWD 12/31/15
TestAmerica Savannah

Definitions/Glossary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

PWD 12/31/15
TestAmerica Savannah

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-D-SHU-1115 — Lab Sample ID: 680-118978-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	6400	D	1000		ug/L	1000		8260B	Total/NA
Chlorobenzene	150000	D	1000		ug/L	1000		8260B	Total/NA
Methane	6.0		0.58		ug/L	1		RSK-175	Total/NA
Iron	38		0.050		mg/L	1		6010C	Total Recoverable
Manganese	3.6		0.010		mg/L	1		6010C	Total Recoverable
Chloride	330	D	10		mg/L	10		325.2	Total/NA
Nitrate as N	17	D	1.3		mg/L	25		353.2	Total/NA
Sulfate	2400	D	500		mg/L	100		375.4	Total/NA
Total Organic Carbon - DL2	240	D	20		mg/L	20		415.1	Total/NA

Client Sample ID: CPA-D-SHU-F(0.2)-1115 — Lab Sample ID: 680-118978-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	38		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	3.6		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon - DL2	210	D	20		mg/L	20		415.1	Dissolved

Client Sample ID: CPA-C-DHU-1115 — Lab Sample ID: 680-118978-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	3400	D	200		ug/L	200		8260B	Total/NA
Chlorobenzene	24000	D	200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	8300	D	200		ug/L	200		8260B	Total/NA
1,3-Dichlorobenzene	710	D	200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	14000	D	200		ug/L	200		8260B	Total/NA
Ethane	2.3		1.1		ug/L	1		RSK-175	Total/NA
Methane	160		0.58		ug/L	1		RSK-175	Total/NA
Iron	3.9		0.050		mg/L	1		6010C	Total Recoverable
Manganese	0.60		0.010		mg/L	1		6010C	Total Recoverable
Chloride	64	D	2.0		mg/L	2		325.2	Total/NA
Sulfate	81	D	25		mg/L	5		375.4	Total/NA
Total Organic Carbon - DL	34	D	5.0		mg/L	5		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	550		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	12		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-C-DHU-F(0.2)-1115 — Lab Sample ID: 680-118978-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	2.2		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	0.57		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon - DL	32	D	5.0		mg/L	5		415.1	Dissolved

Client Sample ID: CPA-C-DHU-1115-AD — Lab Sample ID: 680-118978-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	3300	D	200		ug/L	200		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah
RWD 12/31/15

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-DHU-1115-AD (Continued) — Lab Sample ID: 680-118978-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chlorobenzene	23000	D	200		ug/L	200		8260B	Total/NA
1,2-Dichlorobenzene	8100	D	200		ug/L	200		8260B	Total/NA
1,3-Dichlorobenzene	720	D	200		ug/L	200		8260B	Total/NA
1,4-Dichlorobenzene	14000	D	200		ug/L	200		8260B	Total/NA

Client Sample ID: CPA-C-SHU-1115 — Lab Sample ID: 680-118978-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	3600	D	100		ug/L	100		8260B	Total/NA
Chlorobenzene	15000	D	100		ug/L	100		8260B	Total/NA
1,2-Dichlorobenzene	9400	D	100		ug/L	100		8260B	Total/NA
1,3-Dichlorobenzene	900	D	100		ug/L	100		8260B	Total/NA
1,4-Dichlorobenzene	6000	D	100		ug/L	100		8260B	Total/NA
Ethane	1.5		1.1		ug/L	1		RSK-175	Total/NA
Ethylene	25		1.0		ug/L	1		RSK-175	Total/NA
Methane (TCD)	750		390		ug/L	1		RSK-175	Total/NA
Iron	0.90		0.050		mg/L	1		6010C	Total Recoverable
Manganese	7.2		0.010		mg/L	1		6010C	Total Recoverable
Chloride	390	D	10		mg/L	10		325.2	Total/NA
Nitrate as N	0.31		0.050		mg/L	1		353.2	Total/NA
Sulfate	840	D	250		mg/L	50		375.4	Total/NA
Total Organic Carbon - DL2	310	D	20		mg/L	20		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	560		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	59		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-C-SHU-F(0.2)-1115 — Lab Sample ID: 680-118978-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	0.22		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	7.1		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon - DL2	290	D	20		mg/L	20		415.1	Dissolved

Client Sample ID: CPA-C-MHU-1115 — Lab Sample ID: 680-118978-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	110000	D	2000		ug/L	2000		8260B	Total/NA
Chlorobenzene	180000	D	2000		ug/L	2000		8260B	Total/NA
1,2-Dichlorobenzene	12000	D	2000		ug/L	2000		8260B	Total/NA
1,4-Dichlorobenzene	14000	D	2000		ug/L	2000		8260B	Total/NA
Ethane	16		1.1		ug/L	1		RSK-175	Total/NA
Ethylene	27		1.0		ug/L	1		RSK-175	Total/NA
Methane (TCD)	6300		390		ug/L	1		RSK-175	Total/NA
Iron	66		0.050		mg/L	1		6010C	Total Recoverable
Manganese	4.0		0.010		mg/L	1		6010C	Total Recoverable
Chloride	650	D	20		mg/L	20		325.2	Total/NA
Sulfate	570	D	100		mg/L	20		375.4	Total/NA

This Detection Summary does not include radiochemical test results.

MWD 12/31/15
TestAmerica Savannah

Detection Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-MHU-1115 (Continued) — Lab Sample ID: 680-118978-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Organic Carbon - DL	53	D	5.0		mg/L	5		415.1	Total/NA

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity	360		5.0		mg/L	1		310.1	Total/NA
Carbon Dioxide, Free	67		5.0		mg/L	1		310.1	Total/NA

Client Sample ID: CPA-C-MHU-F(0.2)-1115 — Lab Sample ID: 680-118978-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron, Dissolved	67		0.050		mg/L	1		6010C	Dissolved
Manganese, Dissolved	4.0		0.010		mg/L	1		6010C	Dissolved
Dissolved Organic Carbon - DL	42	D	5.0		mg/L	5		415.1	Dissolved

Client Sample ID: CPA-C-MHU-1115-EB — Lab Sample ID: 680-118978-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	120		1.0		ug/L	1		8260B	Total/NA
1,2-Dichlorobenzene	84		1.0		ug/L	1		8260B	Total/NA
1,3-Dichlorobenzene	6.2		1.0		ug/L	1		8260B	Total/NA
1,4-Dichlorobenzene	92		1.0		ug/L	1		8260B	Total/NA
Chlorobenzene - DL	400	D	5.0		ug/L	5		8260B	Total/NA

Client Sample ID: 4Q15 CPA Trip Blank #2 — Lab Sample ID: 680-118978-11

No Detections.

This Detection Summary does not include radiochemical test results.

MWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-D-SHU-1115

Lab Sample ID: 680-118978-1

Date Collected: 11/12/15 08:25
Date Received: 11/13/15 09:34

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	6400	D	1000		ug/L			11/19/15 13:30	1000
Chlorobenzene	150000	D	1000		ug/L			11/19/15 13:30	1000
1,2-Dichlorobenzene	1000	U	1000		ug/L			11/19/15 13:30	1000
1,3-Dichlorobenzene	1000	U	1000		ug/L			11/19/15 13:30	1000
1,4-Dichlorobenzene	1000	U	1000		ug/L			11/19/15 13:30	1000

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*108*		*70 - 130*		*11/19/15 13:30*	*1000*
1,2-Dichloroethane-d4 (Surr)	*92*		*70 - 130*		*11/19/15 13:30*	*1000*
Dibromofluoromethane (Surr)	*97*		*70 - 130*		*11/19/15 13:30*	*1000*
4-Bromofluorobenzene (Surr)	*98*		*70 - 130*		*11/19/15 13:30*	*1000*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/19/15 04:56	1
Ethylene	1.0	U	1.0		ug/L			11/19/15 04:56	1
Methane	6.0		0.58		ug/L			11/19/15 04:56	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	38		0.050		mg/L		11/17/15 08:06	11/17/15 21:01	1
Manganese	3.6		0.010		mg/L		11/17/15 08:06	11/17/15 21:01	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	330	D	10		mg/L			11/16/15 17:17	10
Nitrate as N	17	D	1.3		mg/L			11/13/15 15:54	25
Sulfate	2400	D	500		mg/L			11/16/15 17:06	100

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0		mg/L			11/14/15 22:23	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			11/14/15 22:23	1

General Chemistry - DL2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	240	D	20		mg/L			12/02/15 15:59	20

RWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-D-SHU-F(0.2)-1115

Lab Sample ID: 680-118978-2

Date Collected: 11/12/15 08:25
Date Received: 11/13/15 09:34

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	38		0.050		mg/L		11/17/15 08:06	11/17/15 21:05	1
Manganese, Dissolved	3.6		0.010		mg/L		11/17/15 08:06	11/17/15 21:05	1

General Chemistry - Dissolved - DL2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	210	D	20		mg/L			12/02/15 16:23	20

8

AWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-DHU-1115

Lab Sample ID: 680-118978-3

Date Collected: 11/12/15 10:05
Date Received: 11/13/15 09:34

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3400	D	200		ug/L			11/19/15 14:31	200
Chlorobenzene	24000	D	200		ug/L			11/19/15 14:31	200
1,2-Dichlorobenzene	8300	D	200		ug/L			11/19/15 14:31	200
1,3-Dichlorobenzene	710	D	200		ug/L			11/19/15 14:31	200
1,4-Dichlorobenzene	14000	D	200		ug/L			11/19/15 14:31	200

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*108*		*70 - 130*		*11/19/15 14:31*	*200*
1,2-Dichloroethane-d4 (Surr)	*93*		*70 - 130*		*11/19/15 14:31*	*200*
Dibromofluoromethane (Surr)	*97*		*70 - 130*		*11/19/15 14:31*	*200*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*		*11/19/15 14:31*	*200*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	2.3		1.1		ug/L			11/19/15 05:11	1
Ethylene	1.0	U	1.0		ug/L			11/19/15 05:11	1
Methane	160		0.58		ug/L			11/19/15 05:11	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3.9		0.050		mg/L		11/17/15 08:06	11/17/15 21:10	1
Manganese	0.60		0.010		mg/L		11/17/15 08:06	11/17/15 21:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	64	D	2.0		mg/L			11/16/15 15:29	2
Nitrate as N	0.050	U	0.050		mg/L			11/13/15 16:07	1
Sulfate	81	D	25		mg/L			11/16/15 14:34	5

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	550		5.0		mg/L			11/14/15 22:33	1
Carbon Dioxide, Free	12		5.0		mg/L			11/14/15 22:33	1

General Chemistry - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	34	D	5.0		mg/L			12/02/15 14:31	5

mwo 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-DHU-F(0.2)-1115
Date Collected: 11/12/15 10:05
Date Received: 11/13/15 09:34

Lab Sample ID: 680-118978-4
Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	2.2		0.050		mg/L		11/17/15 08:06	11/17/15 21:14	1
Manganese, Dissolved	0.57		0.010		mg/L		11/17/15 08:06	11/17/15 21:14	1

General Chemistry - Dissolved - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	32	D	5.0		mg/L			12/02/15 15:12	5

AWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-DHU-1115-AD

Lab Sample ID: 680-118978-5

Date Collected: 11/12/15 10:05
Date Received: 11/13/15 09:34

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3300	D	200		ug/L			11/19/15 14:11	200
Chlorobenzene	23000	D	200		ug/L			11/19/15 14:11	200
1,2-Dichlorobenzene	8100	D	200		ug/L			11/19/15 14:11	200
1,3-Dichlorobenzene	720	D	200		ug/L			11/19/15 14:11	200
1,4-Dichlorobenzene	14000	D	200		ug/L			11/19/15 14:11	200

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*108*		*70 - 130*		*11/19/15 14:11*	*200*
1,2-Dichloroethane-d4 (Surr)	*92*		*70 - 130*		*11/19/15 14:11*	*200*
Dibromofluoromethane (Surr)	*97*		*70 - 130*		*11/19/15 14:11*	*200*
4-Bromofluorobenzene (Surr)	*95*		*70 - 130*		*11/19/15 14:11*	*200*

AWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-SHU-1115

Lab Sample ID: 680-118978-6

Date Collected: 11/12/15 10:52
Date Received: 11/13/15 09:34

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3600	D	100		ug/L			11/19/15 13:10	100
Chlorobenzene	15000	D	100		ug/L			11/19/15 13:10	100
1,2-Dichlorobenzene	9400	D	100		ug/L			11/19/15 13:10	100
1,3-Dichlorobenzene	900	D	100		ug/L			11/19/15 13:10	100
1,4-Dichlorobenzene	6000	D	100		ug/L			11/19/15 13:10	100

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*110*		*70 - 130*		*11/19/15 13:10*	*100*
1,2-Dichloroethane-d4 (Surr)	*92*		*70 - 130*		*11/19/15 13:10*	*100*
Dibromofluoromethane (Surr)	*98*		*70 - 130*		*11/19/15 13:10*	*100*
4-Bromofluorobenzene (Surr)	*93*		*70 - 130*		*11/19/15 13:10*	*100*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.5		1.1		ug/L			11/19/15 05:25	1
Ethylene	25		1.0		ug/L			11/19/15 05:25	1
Methane (TCD)	750		390		ug/L			11/19/15 05:25	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.90		0.050		mg/L		11/17/15 08:06	11/17/15 21:19	1
Manganese	7.2		0.010		mg/L		11/17/15 08:06	11/17/15 21:19	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	390	D	10		mg/L			11/16/15 17:17	10
Nitrate as N	0.31		0.050		mg/L			11/13/15 15:55	1
Sulfate	840	D	250		mg/L			11/16/15 16:32	50

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	560		5.0		mg/L			11/14/15 22:45	1
Carbon Dioxide, Free	59		5.0		mg/L			11/14/15 22:45	1

General Chemistry - DL2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	310	D	20		mg/L			12/02/15 16:16	20

MWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-SHU-F(0.2)-1115

Lab Sample ID: 680-118978-7

Date Collected: 11/12/15 10:52
Date Received: 11/13/15 09:34

Matrix: Water

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.22		0.050		mg/L		11/17/15 08:06	11/17/15 21:23	1
Manganese, Dissolved	7.1		0.010		mg/L		11/17/15 08:06	11/17/15 21:23	1

General Chemistry - Dissolved - DL2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	290	D	20		mg/L			12/02/15 16:40	20

8

AWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-MHU-1115

Lab Sample ID: 680-118978-8

Date Collected: 11/12/15 11:38
Date Received: 11/13/15 09:34

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	110000	D	2000		ug/L			11/19/15 13:50	2000
Chlorobenzene	180000	D	2000		ug/L			11/19/15 13:50	2000
1,2-Dichlorobenzene	12000	D	2000		ug/L			11/19/15 13:50	2000
1,3-Dichlorobenzene	2000	U	2000		ug/L			11/19/15 13:50	2000
1,4-Dichlorobenzene	14000	D	2000		ug/L			11/19/15 13:50	2000

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*109*		*70 - 130*		*11/19/15 13:50*	*2000*
1,2-Dichloroethane-d4 (Surr)	*92*		*70 - 130*		*11/19/15 13:50*	*2000*
Dibromofluoromethane (Surr)	*98*		*70 - 130*		*11/19/15 13:50*	*2000*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*		*11/19/15 13:50*	*2000*

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	16		1.1		ug/L			11/19/15 16:43	1
Ethylene	27		1.0		ug/L			11/19/15 16:43	1
Methane (TCD)	6300		390		ug/L			11/19/15 16:43	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	66		0.050		mg/L		11/17/15 08:06	11/17/15 21:27	1
Manganese	4.0		0.010		mg/L		11/17/15 08:06	11/17/15 21:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	650	D	20		mg/L			11/16/15 17:17	20
Nitrate as N	0.50	U	0.50		mg/L			11/13/15 16:49	10
Sulfate	570	D	100		mg/L			11/16/15 15:13	20

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	360		5.0		mg/L			11/14/15 22:53	1
Carbon Dioxide, Free	67		5.0		mg/L			11/14/15 22:53	1

General Chemistry - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	53	D	5.0		mg/L			12/02/15 14:45	5

RWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-MHU-F(0.2)-1115

Lab Sample ID: 680-118978-9

Date Collected: 11/12/15 11:38
Matrix: Water
Date Received: 11/13/15 09:34

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	67		0.050		mg/L		11/17/15 08:06	11/17/15 21:32	1
Manganese, Dissolved	4.0		0.010		mg/L		11/17/15 08:06	11/17/15 21:32	1

General Chemistry - Dissolved - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	42	D	5.0		mg/L			12/02/15 15:26	5

8

MWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-MHU-1115-EB

Lab Sample ID: 680-118978-10

Date Collected: 11/12/15 12:05
Date Received: 11/13/15 09:34

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	120		1.0		ug/L			11/19/15 10:47	1
1,2-Dichlorobenzene	84		1.0		ug/L			11/19/15 10:47	1
1,3-Dichlorobenzene	6.2		1.0		ug/L			11/19/15 10:47	1
1,4-Dichlorobenzene	92		1.0		ug/L			11/19/15 10:47	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*110*		*70 - 130*		*11/19/15 10:47*	*1*
1,2-Dichloroethene-d4 (Surr)	*85*		*70 - 130*		*11/19/15 10:47*	*1*
Dibromofluoromethane (Surr)	*96*		*70 - 130*		*11/19/15 10:47*	*1*
4-Bromofluorobenzene (Surr)	*92*		*70 - 130*		*11/19/15 10:47*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	400	D	5.0		ug/L			11/20/15 13:01	5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*89*		*70 - 130*		*11/20/15 13:01*	*5*
1,2-Dichloroethane-d4 (Surr)	*101*		*70 - 130*		*11/20/15 13:01*	*5*
Dibromofluoromethane (Surr)	*100*		*70 - 130*		*11/20/15 13:01*	*5*
4-Bromofluorobenzene (Surr)	*97*		*70 - 130*		*11/20/15 13:01*	*5*

MWD 12/31/15
TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: 4Q15 CPA Trip Blank #2

Lab Sample ID: 680-118978-11

Date Collected: 11/12/15 00:00
Date Received: 11/13/15 09:34

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L			11/19/15 10:26	1
Chlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:26	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:26	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:26	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:26	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*106*		*70 - 130*		*11/19/15 10:26*	*1*
1,2-Dichloroethane-d4 (Surr)	*87*		*70 - 130*		*11/19/15 10:26*	*1*
Dibromofluoromethane (Surr)	*95*		*70 - 130*		*11/19/15 10:26*	*1*
4-Bromofluorobenzene (Surr)	*96*		*70 - 130*		*11/19/15 10:26*	*1*

8

MWD 12/31/15
TestAmerica Savannah

Surrogate Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	12DCE	DBFM	BFB
Lab Sample ID	**Client Sample ID**	(70-130)	(70-130)	(70-130)	(70-130)
680-118978-1	CPA-D-SHU-1115	108	92	97	98
680-118978-3	CPA-C-DHU-1115	108	93	97	96
680-118978-5	CPA-C-DHU-1115-AD	108	92	97	95
680-118978-6	CPA-C-SHU-1115	110	92	98	93
680-118978-8	CPA-C-MHU-1115	109	92	98	96
680-118978-10	CPA-C-MHU-1115-EB	110	85	96	92
680-118978-10 - DL	CPA-C-MHU-1115-EB	89	101	100	97
680-118978-11	4Q15 CPA Trip Blank #2	106	87	95	96
LCS 680-411080/4	Lab Control Sample	114	105	108	103
LCS 680-411284/4	Lab Control Sample	95	88	94	99
LCSD 680-411080/5	Lab Control Sample Dup	112	98	104	103
LCSD 680-411284/5	Lab Control Sample Dup	96	93	96	99
MB 680-411080/9	Method Blank	106	88	95	95
MB 680-411284/9	Method Blank	93	86	92	97

Surrogate Legend

TOL = Toluene-d8 (Surr)
12DCE = 1,2-Dichloroethane-d4 (Surr)
DBFM = Dibromofluoromethane (Surr)
BFB = 4-Bromofluorobenzene (Surr)

MWD 12/31/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-411080/9
Matrix: Water
Analysis Batch: 411080

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
Chlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/19/15 10:06	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*106*		*70 - 130*		*11/19/15 10:06*	*1*
1,2-Dichloroethane-d4 (Surr)	*88*		*70 - 130*		*11/19/15 10:06*	*1*
Dibromofluoromethane (Surr)	*95*		*70 - 130*		*11/19/15 10:06*	*1*
4-Bromofluorobenzene (Surr)	*95*		*70 - 130*		*11/19/15 10:06*	*1*

Lab Sample ID: LCS 680-411080/4
Matrix: Water
Analysis Batch: 411080

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	52.1		ug/L		104	73 - 131
Chlorobenzene	50.0	51.9		ug/L		104	80 - 120
1,2-Dichlorobenzene	50.0	50.7		ug/L		101	80 - 120
1,3-Dichlorobenzene	50.0	50.5		ug/L		101	80 - 120
1,4-Dichlorobenzene	50.0	50.9		ug/L		102	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*114*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*105*		*70 - 130*
Dibromofluoromethane (Surr)	*108*		*70 - 130*
4-Bromofluorobenzene (Surr)	*103*		*70 - 130*

Lab Sample ID: LCSD 680-411080/5
Matrix: Water
Analysis Batch: 411080

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	51.5		ug/L		103	73 - 131	1	30
Chlorobenzene	50.0	52.0		ug/L		104	80 - 120	0	20
1,2-Dichlorobenzene	50.0	50.4		ug/L		101	80 - 120	1	20
1,3-Dichlorobenzene	50.0	51.0		ug/L		102	80 - 120	1	20
1,4-Dichlorobenzene	50.0	50.7		ug/L		101	80 - 120	0	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*112*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*98*		*70 - 130*
Dibromofluoromethane (Surr)	*104*		*70 - 130*
4-Bromofluorobenzene (Surr)	*103*		*70 - 130*

RMD 12/31/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-411284/9
Matrix: Water
Analysis Batch: 411284

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
Chlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			11/20/15 11:08	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*93*		*70 - 130*		*11/20/15 11:08*	*1*
1,2-Dichloroethane-d4 (Surr)	*86*		*70 - 130*		*11/20/15 11:08*	*1*
Dibromofluoromethane (Surr)	*92*		*70 - 130*		*11/20/15 11:08*	*1*
4-Bromofluorobenzene (Surr)	*97*		*70 - 130*		*11/20/15 11:08*	*1*

Lab Sample ID: LCS 680-411284/4
Matrix: Water
Analysis Batch: 411284

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	48.1		ug/L		96	73 - 131
Chlorobenzene	50.0	45.1		ug/L		90	80 - 120
1,2-Dichlorobenzene	50.0	48.2		ug/L		96	80 - 120
1,3-Dichlorobenzene	50.0	48.5		ug/L		97	80 - 120
1,4-Dichlorobenzene	50.0	47.8		ug/L		96	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*95*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*88*		*70 - 130*
Dibromofluoromethane (Surr)	*94*		*70 - 130*
4-Bromofluorobenzene (Surr)	*99*		*70 - 130*

Lab Sample ID: LCSD 680-411284/5
Matrix: Water
Analysis Batch: 411284

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	48.5		ug/L		97	73 - 131	1	30
Chlorobenzene	50.0	46.0		ug/L		92	80 - 120	2	20
1,2-Dichlorobenzene	50.0	49.4		ug/L		99	80 - 120	2	20
1,3-Dichlorobenzene	50.0	49.2		ug/L		98	80 - 120	1	20
1,4-Dichlorobenzene	50.0	48.6		ug/L		97	80 - 120	2	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*96*		*70 - 130*
1,2-Dichloroethane-d4 (Surr)	*93*		*70 - 130*
Dibromofluoromethane (Surr)	*96*		*70 - 130*
4-Bromofluorobenzene (Surr)	*99*		*70 - 130*

MWD 12/31/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-411072/8
Matrix: Water
Analysis Batch: 411072

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/19/15 03:30	1
Ethylene	1.0	U	1.0		ug/L			11/19/15 03:30	1
Methane	0.58	U	0.58		ug/L			11/19/15 03:30	1
Methane (TCD)	390	U	390		ug/L			11/19/15 03:30	1

Lab Sample ID: LCS 680-411072/3
Matrix: Water
Analysis Batch: 411072

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	288	281		ug/L		97	75 - 125
Ethylene	269	263		ug/L		98	75 - 125
Methane	154	140		ug/L		91	75 - 125

Lab Sample ID: LCS 680-411072/5
Matrix: Water
Analysis Batch: 411072

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (TCD)	1920	1710		ug/L		89	75 - 125

Lab Sample ID: LCSD 680-411072/4
Matrix: Water
Analysis Batch: 411072

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	288	286		ug/L		99	75 - 125	2	30
Ethylene	269	266		ug/L		99	75 - 125	1	30
Methane	154	143		ug/L		93	75 - 125	2	30

Lab Sample ID: LCSD 680-411072/6
Matrix: Water
Analysis Batch: 411072

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (TCD)	1920	1660		ug/L		86	75 - 125	3	30

Lab Sample ID: MB 680-411196/9
Matrix: Water
Analysis Batch: 411196

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			11/19/15 15:45	1
Ethylene	1.0	U	1.0		ug/L			11/19/15 15:45	1
Methane (TCD)	390	U	390		ug/L			11/19/15 15:45	1

AMD 12/31/15
TestAmerica Savannah

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 680-411196/3
Matrix: Water
Analysis Batch: 411196

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	288	257		ug/L		89	75 - 125
Ethylene	269	239		ug/L		89	75 - 125

Lab Sample ID: LCS 680-411196/6
Matrix: Water
Analysis Batch: 411196

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (TCD)	1920	1550		ug/L		80	75 - 125

Lab Sample ID: LCSD 680-411196/4
Matrix: Water
Analysis Batch: 411196

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	288	257		ug/L		89	75 - 125	0	30
Ethylene	269	238		ug/L		89	75 - 125	0	30

Lab Sample ID: LCSD 680-411196/7
Matrix: Water
Analysis Batch: 411196

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (TCD)	1920	1690		ug/L		88	75 - 125	9	30

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-410680/1-A
Matrix: Water
Analysis Batch: 410905

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 410680

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.050	U	0.050		mg/L		11/17/15 08:06	11/17/15 19:28	1
Iron, Dissolved	0.050	U	0.050		mg/L		11/17/15 08:06	11/17/15 19:28	1
Manganese	0.010	U	0.010		mg/L		11/17/15 08:06	11/17/15 19:28	1
Manganese, Dissolved	0.010	U	0.010		mg/L		11/17/15 08:06	11/17/15 19:28	1

Lab Sample ID: LCS 680-410680/2-A
Matrix: Water
Analysis Batch: 410905

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 410680

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	5.00	4.76		mg/L		95	80 - 120
Iron, Dissolved	5.00	4.76		mg/L		95	80 - 120
Manganese	0.500	0.483		mg/L		97	80 - 120
Manganese, Dissolved	0.500	0.483		mg/L		97	80 - 120

AWD 12/31/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-410459/37
Matrix: Water
Analysis Batch: 410459

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0		mg/L			11/14/15 20:59	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			11/14/15 20:59	1

Lab Sample ID: LCS 680-410459/38
Matrix: Water
Analysis Batch: 410459

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	248	262		mg/L		106	80 - 120

Lab Sample ID: LCSD 680-410459/34
Matrix: Water
Analysis Batch: 410459

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Alkalinity	248	267		mg/L		108	80 - 120	2	30

Lab Sample ID: LCSD 680-410459/65
Matrix: Water
Analysis Batch: 410459

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Alkalinity	248	263		mg/L		106	80 - 120	1	30

Method: 325.2 - Chloride

Lab Sample ID: MB 680-410963/47
Matrix: Water
Analysis Batch: 410963

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.0	U	1.0		mg/L			11/17/15 10:17	1

Lab Sample ID: LCS 680-410963/44
Matrix: Water
Analysis Batch: 410963

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.1		mg/L		104	85 - 115

Lab Sample ID: LCSD 680-410963/4
Matrix: Water
Analysis Batch: 410963

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	25.0	26.0		mg/L		104	85 - 115	0	30

MWD 12/31/15
TestAmerica Savannah

Method: 325.2 - Chloride (Continued)

Lab Sample ID: MB 680-410964/12 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410964

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.0	U	1.0		mg/L			11/16/15 15:19	1

Lab Sample ID: LCS 680-410964/28 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410964

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.1		mg/L		104	85 - 115

Lab Sample ID: LCSD 680-410964/4 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410964

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	25.0	26.0		mg/L		104	85 - 115	0	30

Lab Sample ID: 680-118978-3 MS — **Client Sample ID: CPA-C-DHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410964

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	64		25.0	88.4		mg/L		97	85 - 115

Lab Sample ID: 680-118978-3 MSD — **Client Sample ID: CPA-C-DHU-1115**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410964

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	64		25.0	88.5		mg/L		97	85 - 115	0	30

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-410397/13 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410397

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.050	U	0.050		mg/L			11/13/15 15:32	1

Lab Sample ID: MB 680-410397/58 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410397

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.050	U	0.050		mg/L			11/13/15 16:54	1

MWD 12/31/15
TestAmerica Savannah

Method: 353.2 - Nitrogen, Nitrate-Nitrite (Continued)

Lab Sample ID: MB 680-410397/69 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410397

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.050	U	0.050		mg/L			11/13/15 17:07	1

Lab Sample ID: LCS 680-410397/16 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410397

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	0.500	0.506		mg/L		101	75 - 125
Nitrate Nitrite as N	1.00	0.999		mg/L		100	90 - 110
Nitrite as N	0.500	0.493		mg/L		99	90 - 110

Lab Sample ID: LCS 680-410397/59 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410397

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	0.500	0.533		mg/L		107	75 - 125
Nitrate Nitrite as N	1.00	1.03		mg/L		103	90 - 110
Nitrite as N	0.500	0.497		mg/L		99	90 - 110

Lab Sample ID: LCS 680-410397/70 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410397

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	0.500	0.537		mg/L		107	75 - 125
Nitrate Nitrite as N	1.00	1.03		mg/L		103	90 - 110
Nitrite as N	0.500	0.493		mg/L		99	90 - 110

Method: 375.4 - Sulfate

Lab Sample ID: MB 680-410966/50 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410966

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	5.0	U	5.0		mg/L			11/17/15 15:52	1

Lab Sample ID: LCS 680-410966/20 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410966

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	20.0	19.7		mg/L		99	75 - 125

AWD 12/31/15
TestAmerica Savannah

Method: 375.4 - Sulfate (Continued)

Lab Sample ID: LCSD 680-410966/46 — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 410966

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	20.0	20.5		mg/L		103	75 - 125	4	30

Method: 415.1 - DOC

Lab Sample ID: MB 160-225206/4 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225206

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	1.0	U	1.0		mg/L			12/02/15 13:53	1

Lab Sample ID: LCS 160-225206/5 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225206

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	10.0	9.81		mg/L		98	90 - 110

Method: 415.1 - DOC - DL2

Lab Sample ID: 680-118978-2 MS — **Client Sample ID: CPA-D-SHU-F(0.2)-1115**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225206

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon - DL2	210		100	311		mg/L		101	82 - 132

Lab Sample ID: 680-118978-2 DU — **Client Sample ID: CPA-D-SHU-F(0.2)-1115**
Matrix: Water — **Prep Type: Dissolved**
Analysis Batch: 225206

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Dissolved Organic Carbon - DL2	210		206		mg/L		2	20

Method: 415.1 - TOC

Lab Sample ID: MB 160-225205/4 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 225205

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	1.0	U	1.0		mg/L			12/02/15 13:53	1

AWD 12/31/15
TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Method: 415.1 - TOC (Continued)

Lab Sample ID: LCS 160-225205/5
Matrix: Water
Analysis Batch: 225205

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	10.0	9.81		mg/L		98	90 - 110

Method: 415.1 - TOC - DL2

Lab Sample ID: 680-118978-1 MS
Matrix: Water
Analysis Batch: 225205

Client Sample ID: CPA-D-SHU-1115
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon - DL2	240		100	335		mg/L		95	76 - 120

Lab Sample ID: 680-118978-1 DU
Matrix: Water
Analysis Batch: 225205

Client Sample ID: CPA-D-SHU-1115
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Organic Carbon - DL2	240		245		mg/L		2	20

AWD 12/31/15
TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

GC/MS VOA

Analysis Batch: 411080

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total/NA	Water	8260B	
680-118978-3	CPA-C-DHU-1115	Total/NA	Water	8260B	
680-118978-5	CPA-C-DHU-1115-AD	Total/NA	Water	8260B	
680-118978-6	CPA-C-SHU-1115	Total/NA	Water	8260B	
680-118978-8	CPA-C-MHU-1115	Total/NA	Water	8260B	
680-118978-10	CPA-C-MHU-1115-EB	Total/NA	Water	8260B	
680-118978-11	4Q15 CPA Trip Blank #2	Total/NA	Water	8260B	
LCS 680-411080/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-411080/5	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-411080/9	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 411284

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-10 - DL	CPA-C-MHU-1115-EB	Total/NA	Water	8260B	
LCS 680-411284/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-411284/5	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 680-411284/9	Method Blank	Total/NA	Water	8260B	

GC VOA

Analysis Batch: 411072

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total/NA	Water	RSK-175	
680-118978-3	CPA-C-DHU-1115	Total/NA	Water	RSK-175	
680-118978-6	CPA-C-SHU-1115	Total/NA	Water	RSK-175	
LCS 680-411072/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-411072/5	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-411072/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 680-411072/6	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-411072/8	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 411196

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-8	CPA-C-MHU-1115	Total/NA	Water	RSK-175	
LCS 680-411196/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 680-411196/6	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-411196/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 680-411196/7	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-411196/9	Method Blank	Total/NA	Water	RSK-175	

Metals

Prep Batch: 410680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total Recoverable	Water	3005A	
680-118978-2	CPA-D-SHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118978-3	CPA-C-DHU-1115	Total Recoverable	Water	3005A	
680-118978-4	CPA-C-DHU-F(0.2)-1115	Dissolved	Water	3005A	
680-118978-6	CPA-C-SHU-1115	Total Recoverable	Water	3005A	
680-118978-7	CPA-C-SHU-F(0.2)-1115	Dissolved	Water	3005A	

MWD 12/31/15
TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Metals (Continued)

Prep Batch: 410680 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-8	CPA-C-MHU-1115	Total Recoverable	Water	3005A	
680-118978-9	CPA-C-MHU-F(0.2)-1115	Dissolved	Water	3005A	
LCS 680-410680/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-410680/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 410905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total Recoverable	Water	6010C	410680
680-118978-2	CPA-D-SHU-F(0.2)-1115	Dissolved	Water	6010C	410680
680-118978-3	CPA-C-DHU-1115	Total Recoverable	Water	6010C	410680
680-118978-4	CPA-C-DHU-F(0.2)-1115	Dissolved	Water	6010C	410680
680-118978-6	CPA-C-SHU-1115	Total Recoverable	Water	6010C	410680
680-118978-7	CPA-C-SHU-F(0.2)-1115	Dissolved	Water	6010C	410680
680-118978-8	CPA-C-MHU-1115	Total Recoverable	Water	6010C	410680
680-118978-9	CPA-C-MHU-F(0.2)-1115	Dissolved	Water	6010C	410680
LCS 680-410680/2-A	Lab Control Sample	Total Recoverable	Water	6010C	410680
MB 680-410680/1-A	Method Blank	Total Recoverable	Water	6010C	410680

General Chemistry

Analysis Batch: 225205

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1 - DL2	CPA-D-SHU-1115	Total/NA	Water	415.1	
680-118978-1 DU - DL2	CPA-D-SHU-1115	Total/NA	Water	415.1	
680-118978-1 MS - DL2	CPA-D-SHU-1115	Total/NA	Water	415.1	
680-118978-3 - DL	CPA-C-DHU-1115	Total/NA	Water	415.1	
680-118978-6 - DL2	CPA-C-SHU-1115	Total/NA	Water	415.1	
680-118978-8 - DL	CPA-C-MHU-1115	Total/NA	Water	415.1	
LCS 160-225205/5	Lab Control Sample	Total/NA	Water	415.1	
MB 160-225205/4	Method Blank	Total/NA	Water	415.1	

Analysis Batch: 225206

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-2 - DL2	CPA-D-SHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118978-2 DU - DL2	CPA-D-SHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118978-2 MS - DL2	CPA-D-SHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118978-4 - DL	CPA-C-DHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118978-7 - DL2	CPA-C-SHU-F(0.2)-1115	Dissolved	Water	415.1	
680-118978-9 - DL	CPA-C-MHU-F(0.2)-1115	Dissolved	Water	415.1	
LCS 160-225206/5	Lab Control Sample	Dissolved	Water	415.1	
MB 160-225206/4	Method Blank	Dissolved	Water	415.1	

Analysis Batch: 410397

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total/NA	Water	353.2	
680-118978-3	CPA-C-DHU-1115	Total/NA	Water	353.2	
680-118978-6	CPA-C-SHU-1115	Total/NA	Water	353.2	
680-118978-8	CPA-C-MHU-1115	Total/NA	Water	353.2	
LCS 680-410397/16	Lab Control Sample	Total/NA	Water	353.2	
LCS 680-410397/59	Lab Control Sample	Total/NA	Water	353.2	

PWD 12/31/15

TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

General Chemistry (Continued)

Analysis Batch: 410397 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 680-410397/70	Lab Control Sample	Total/NA	Water	353.2	
MB 680-410397/13	Method Blank	Total/NA	Water	353.2	
MB 680-410397/58	Method Blank	Total/NA	Water	353.2	
MB 680-410397/69	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 410459

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total/NA	Water	310.1	
680-118978-3	CPA-C-DHU-1115	Total/NA	Water	310.1	
680-118978-6	CPA-C-SHU-1115	Total/NA	Water	310.1	
680-118978-8	CPA-C-MHU-1115	Total/NA	Water	310.1	
LCS 680-410459/38	Lab Control Sample	Total/NA	Water	310.1	
LCSD 680-410459/34	Lab Control Sample Dup	Total/NA	Water	310.1	
LCSD 680-410459/65	Lab Control Sample Dup	Total/NA	Water	310.1	
MB 680-410459/37	Method Blank	Total/NA	Water	310.1	

Analysis Batch: 410963

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total/NA	Water	325.2	
LCS 680-410963/44	Lab Control Sample	Total/NA	Water	325.2	
LCSD 680-410963/4	Lab Control Sample Dup	Total/NA	Water	325.2	
MB 680-410963/47	Method Blank	Total/NA	Water	325.2	

Analysis Batch: 410964

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-3	CPA-C-DHU-1115	Total/NA	Water	325.2	
680-118978-3 MS	CPA-C-DHU-1115	Total/NA	Water	325.2	
680-118978-3 MSD	CPA-C-DHU-1115	Total/NA	Water	325.2	
680-118978-6	CPA-C-SHU-1115	Total/NA	Water	325.2	
680-118978-8	CPA-C-MHU-1115	Total/NA	Water	325.2	
LCS 680-410964/28	Lab Control Sample	Total/NA	Water	325.2	
LCSD 680-410964/4	Lab Control Sample Dup	Total/NA	Water	325.2	
MB 680-410964/12	Method Blank	Total/NA	Water	325.2	

Analysis Batch: 410966

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-118978-1	CPA-D-SHU-1115	Total/NA	Water	375.4	
680-118978-3	CPA-C-DHU-1115	Total/NA	Water	375.4	
680-118978-6	CPA-C-SHU-1115	Total/NA	Water	375.4	
680-118978-8	CPA-C-MHU-1115	Total/NA	Water	375.4	
LCS 680-410966/20	Lab Control Sample	Total/NA	Water	375.4	
LCSD 680-410966/46	Lab Control Sample Dup	Total/NA	Water	375.4	
MB 680-410966/50	Method Blank	Total/NA	Water	375.4	

AWD 12/31/15
TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-D-SHU-1115

Lab Sample ID: 680-118978-1
Date Collected: 11/12/15 08:25
Matrix: Water
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1000	411080	11/19/15 13:30	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	411072	11/19/15 04:56	AAH	TAL SAV
Total Recoverable	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410905	11/17/15 21:01	BCB	TAL SAV
Total/NA	Analysis	310.1		1	410459	11/14/15 22:23	KLD	TAL SAV
Total/NA	Analysis	325.2		10	410963	11/16/15 17:17	JME	TAL SAV
Total/NA	Analysis	353.2		25	410397	11/13/15 15:54	GRX	TAL SAV
Total/NA	Analysis	375.4		100	410966	11/16/15 17:06	JME	TAL SAV
Total/NA	Analysis	415.1	DL2	20	225205	12/02/15 15:59	JCB	TAL SL

Client Sample ID: CPA-D-SHU-F(0.2)-1115

Lab Sample ID: 680-118978-2
Date Collected: 11/12/15 08:25
Matrix: Water
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 21:05	BCB	TAL SAV
Dissolved	Analysis	415.1	DL2	20	225206	12/02/15 16:23	JCB	TAL SL

Client Sample ID: CPA-C-DHU-1115

Lab Sample ID: 680-118978-3
Date Collected: 11/12/15 10:05
Matrix: Water
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		200	411080	11/19/15 14:31	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	411072	11/19/15 05:11	AAH	TAL SAV
Total Recoverable	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410905	11/17/15 21:10	BCB	TAL SAV
Total/NA	Analysis	310.1		1	410459	11/14/15 22:33	KLD	TAL SAV
Total/NA	Analysis	325.2		2	410964	11/16/15 15:29	JME	TAL SAV
Total/NA	Analysis	353.2		1	410397	11/13/15 16:07	GRX	TAL SAV
Total/NA	Analysis	375.4		5	410966	11/16/15 14:34	JME	TAL SAV
Total/NA	Analysis	415.1	DL	5	225205	12/02/15 14:31	JCB	TAL SL

Client Sample ID: CPA-C-DHU-F(0.2)-1115

Lab Sample ID: 680-118978-4
Date Collected: 11/12/15 10:05
Matrix: Water
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 21:14	BCB	TAL SAV

RWD 12/31/15
TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-DHU-F(0.2)-1115 — Lab Sample ID: 680-118978-4

Date Collected: 11/12/15 10:05 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Analysis	415.1	DL	5	225206	12/02/15 15:12	JCB	TAL SL

Client Sample ID: CPA-C-DHU-1115-AD — Lab Sample ID: 680-118978-5

Date Collected: 11/12/15 10:05 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		200	411080	11/19/15 14:11	CEJ	TAL SAV

Client Sample ID: CPA-C-SHU-1115 — Lab Sample ID: 680-118978-6

Date Collected: 11/12/15 10:52 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		100	411080	11/19/15 13:10	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	411072	11/19/15 05:25	AAH	TAL SAV
Total Recoverable	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410905	11/17/15 21:19	BCB	TAL SAV
Total/NA	Analysis	310.1		1	410459	11/14/15 22:45	KLD	TAL SAV
Total/NA	Analysis	325.2		10	410964	11/16/15 17:17	JME	TAL SAV
Total/NA	Analysis	353.2		1	410397	11/13/15 15:55	GRX	TAL SAV
Total/NA	Analysis	375.4		50	410966	11/16/15 16:32	JME	TAL SAV
Total/NA	Analysis	415.1	DL2	20	225205	12/02/15 16:16	JCB	TAL SL

Client Sample ID: CPA-C-SHU-F(0.2)-1115 — Lab Sample ID: 680-118978-7

Date Collected: 11/12/15 10:52 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 21:23	BCB	TAL SAV
Dissolved	Analysis	415.1	DL2	20	225206	12/02/15 16:40	JCB	TAL SL

Client Sample ID: CPA-C-MHU-1115 — Lab Sample ID: 680-118978-8

Date Collected: 11/12/15 11:38 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2000	411080	11/19/15 13:50	CEJ	TAL SAV
Total/NA	Analysis	RSK-175		1	411196	11/19/15 16:43	AAH	TAL SAV
Total Recoverable	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	410905	11/17/15 21:27	BCB	TAL SAV

AWD 12/31/15

Lab Chronicle

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Client Sample ID: CPA-C-MHU-1115 — Lab Sample ID: 680-118978-8

Date Collected: 11/12/15 11:38 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	310.1		1	410459	11/14/15 22:53	KLD	TAL SAV
Total/NA	Analysis	325.2		20	410964	11/16/15 17:17	JME	TAL SAV
Total/NA	Analysis	353.2		10	410397	11/13/15 16:49	GRX	TAL SAV
Total/NA	Analysis	375.4		20	410966	11/16/15 15:13	JME	TAL SAV
Total/NA	Analysis	415.1	DL	5	225205	12/02/15 14:45	JCB	TAL SL

Client Sample ID: CPA-C-MHU-F(0.2)-1115 — Lab Sample ID: 680-118978-9

Date Collected: 11/12/15 11:38 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			410680	11/17/15 08:06	CRW	TAL SAV
Dissolved	Analysis	6010C		1	410905	11/17/15 21:32	BCB	TAL SAV
Dissolved	Analysis	415.1	DL	5	225206	12/02/15 15:26	JCB	TAL SL

Client Sample ID: CPA-C-MHU-1115-EB — Lab Sample ID: 680-118978-10

Date Collected: 11/12/15 12:05 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	411080	11/19/15 10:47	CEJ	TAL SAV
Total/NA	Analysis	8260B	DL	5	411284	11/20/15 13:01	CEJ	TAL SAV

Client Sample ID: 4Q15 CPA Trip Blank #2 — Lab Sample ID: 680-118978-11

Date Collected: 11/12/15 00:00 — **Matrix: Water**
Date Received: 11/13/15 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	411080	11/19/15 10:26	CEJ	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858
TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

AWD 12/31/15
TestAmerica Savannah

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912.354 7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other: Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Lori Bindner~~	Date: 11/12/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 1 COCs
820 South Main Street	Analysis Turnaround Time			Sampler: E. White
St. Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☑ 2 weeks			Lab Sampling:
Project Name: 2Q15 CPA GW Sampling - 1403345	☐ 1 week			
Site: Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DOC by 415.1	Sample Specific Notes:
CPA-D-STHU-1115	11/12/15	0825	G	W	13	N		2	1	1	1	3	2	3			2 coolers
CPA-D-STHU-F(0.2)-1115		0825			4	Y									1	3	
CPA-C-DHU-1115		1005			13	N		2	1	1	1	3	2	3			
CPA-C-DHU-F(0.2)-1115		1005			4	Y									1	3	
CPA-C-DHU-1115-AD		1005			2	N		2									
CPA-C-SHU-1115		1052			13	N		2	1	1	1	3	2	3			
CPA-C-SHU-F(0.2)-1115		1052			4	Y									1	3	
CPA-C-MHU-1115		1138			13	N		2	1	1	1	3	2	3			
CPA-C-MHU-F(0.2)-1115		1138			4	Y									1	3	
CPA-C-MHU-1115-EB	—	1205	—	—	2	N		2									
4Q15 CPA Trip Blank #2	—	—	—		2	N		2									

Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other

680-118978 Chain of Custody

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☑ Disposal by Lab ☐ Archive for _____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling: Yes/No

2.4/2.8 0.0/0.4

680-118978

Custody Seals Intact: ☐ Yes ☐ No	Custody Seal No.: 7998761 799877	Cooler Temp. (°C): Obs'd: 2.8 Corr'd: 2.4	Therm ID No.:

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Emily White	Golder	11/12/15	2.		
Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Relinquished by	Company	Date/Time	Received in Laboratory by: m. Whaley	Company: TA	Date/Time: 11/13/15 0934

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

Page 39 of 44

AMP 11/13/15

TestAmerica Savannah
5102 LaRoche Avenue

Savannah, GA 31404
phone 912.354.7858 fax

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☑ RCRA ☐ Other: Emily White

Client Contact	Project Manager: Amanda Derhake	Site Contact: ~~Lab Director~~	Date: 11/12/15	COC No:
Golder Associates Inc.	Tel/Fax: 636-724-9191	Lab Contact: Michele Kersey	Carrier: FedEx	1 of 1 COCs
820 South Main Street	Analysis Turnaround Time			Sampler: E. White
St. Charles, MO 63301	☑ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only:
(636) 724-9191 Phone	TAT if different from Below Standard			Walk-in Client:
(636) 724-9323 FAX	☑ 2 weeks			Lab Sampling:
Project Name: 2Q15 CPA GW Sampling - 1405345	☐ 1 week			
Site: Solutia WG Krummrich Facility	☐ 2 days			Job / SDG No.:
P O # 42447936	☐ 1 day			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	VOCs by 8260	Total Fe/Mn by 6010B	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Dissolved Gases by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010B	DO by 415.1	Sample Specific Notes:
CPA-D-SHU-1115	11/12/15	0825	G	W	13	N		2	1	1	1	3	2	3			2 coolers
CPA-D-SHU-F(0.2)-1115		0825			4	Y									1	3	
CPA-C-DHU-1115		1005			13	N		2	1	1	1	3	2	3			
CPA-C-DHU-F(0.2)-1115		1005			4	Y									1	3	
CPA-C-DHU-1115-AD		1005			2	N		2									
CPA-C-SHU-1115		1052			13	N		2	1	1	1	3	2	3			
CPA-C-SHU-F(0.2)-1115		1052			4	Y									1	3	
CPA-C-MHU-1115		1138			13	N		2	1	1	1	3	2	3			
CPA-C-MHU-F(0.2)-1115		1138			4	Y									1	3	
CPA-C-MHU-1115-EB		1205			2	N		2									
4Q15 CPA Trip Blank #2	—	—	—		2	N		2									

680-118978 Chain of Custody

Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if ...)
☐ Return to Client ☑ Disposal by Lab ☐ Archive for ____ Months

Special Instructions/QC Requirements & Comments:
VOC headspace upon sampling: Yes/No

2.4/2.8 0.0/0.4

680-118978

Custody Seals Intact: ☐ Yes ☐ No	Custody Seal No.: 1998761 199877	Cooler Temp. (°C): Obs'd: 2.0 Corr'd: 2.4	Therm ID No.:

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Emily White	Golder	11/12/15	2		
Relinquished by	Company	Date/Time	Received by	Company	Date/Time
Relinquished by	Company	Date/Time	Received in Laboratory by:	Company	Date/Time
			M. Whitington	TA	11/13/15 0934

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

Jie Chaik TASK 12.1.15 0940 TOC/DOC only

11/13/15 AMW

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-118978-1
SDG Number: KPS159

Login Number: 118978
List Number: 1
Creator: Kicklighter, Marilyn D

List Source: TestAmerica Savannah

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

AWD 12/31/15

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-118978-1
SDG Number: KPS159

Login Number: 118978
List Number: 2
Creator: Clarke, Jill C

List Source: TestAmerica St. Louis
List Creation: 12/01/15 12:43 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

AWP 12/31/15

Certification Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-17
A2LA	ISO/IEC 17025		399.01	02-28-17
Alabama	State Program	4	41450	06-30-16
Arkansas DEQ	State Program	6	88-0692	01-31-16 *
California	State Program	9	2939	07-31-16
Colorado	State Program	8	N/A	12-31-15 *
Connecticut	State Program	1	PH-0161	03-31-17
Florida	NELAP	4	E87052	06-30-16
GA Dept. of Agriculture	State Program	4	N/A	06-12-17
Georgia	State Program	4	803	06-30-16
Guam	State Program	9	14-004r	04-16-16
Hawaii	State Program	9	N/A	06-30-16
Illinois	NELAP	5	200022	11-30-15 *
Indiana	State Program	5	N/A	06-30-16
Iowa	State Program	7	353	06-30-17
Kentucky (DW)	State Program	4	90084	12-31-15 *
Kentucky (UST)	State Program	4	18	06-30-16
Kentucky (WW)	State Program	4	90084	12-31-15 *
Louisiana	NELAP	6	30690	06-30-16
Louisiana (DW)	NELAP	6	LA150014	12-31-15 *
Maine	State Program	1	GA00006	09-24-16
Maryland	State Program	3	250	12-31-15 *
Massachusetts	State Program	1	M-GA006	06-30-16
Michigan	State Program	5	9925	03-05-16
Mississippi	State Program	4	N/A	06-30-15 *
Montana	State Program	6	CERT0081	12-31-15
Nebraska	State Program	7	TestAmerica-Savannah	06-30-16
New Jersey	NELAP	2	GA769	06-30-16
New Mexico	State Program	6	N/A	06-30-16
New York	NELAP	2	10842	03-31-16
North Carolina (DW)	State Program	4	13701	07-31-16
North Carolina (WW/SW)	State Program	4	269	12-31-15 *
Oklahoma	State Program	6	9984	08-31-16
Pennsylvania	NELAP	3	68-00474	06-30-16
Puerto Rico	State Program	2	GA00006	12-31-15 *
South Carolina	State Program	4	98001	06-30-15 *
Tennessee	State Program	4	TN02961	06-30-16
Texas	NELAP	6	T104704185-14-7	11-30-16
USDA	Federal		SAV 3-04	06-11-17
Virginia	NELAP	3	460161	06-14-16
Washington	State Program	10	C805	06-10-16
West Virginia (DW)	State Program	3	9950C	12-31-15 *
West Virginia DEP	State Program	3	094	06-30-16
Wisconsin	State Program	5	999819810	08-31-16
Wyoming	State Program	8	8TMS-L	06-30-16

Laboratory: TestAmerica St. Louis

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

* Certification renewal pending - certification considered valid.

MWD 12/31/15
TestAmerica Savannah

Certification Summary

Client: Solutia Inc.
Project/Site: 4Q15- CPA GW Sampling-1403345

TestAmerica Job ID: 680-118978-1
SDG: KPS159

Laboratory: TestAmerica St. Louis (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	MO00054	06-30-16
California	ELAP	9	2886	03-31-16
Connecticut	State Program	1	PH-0241	03-31-17
Florida	NELAP	4	E87689	06-30-16
Illinois	NELAP	5	003757	11-30-16
Iowa	State Program	7	373	12-01-16
Kansas	NELAP	7	E-10236	01-31-16 *
Kentucky (DW)	State Program	4	90125	12-31-15 *
L-A-B	DoD ELAP		L2305	01-10-16 *
Louisiana	NELAP	6	04080	06-30-16
Louisiana (DW)	NELAP	6	LA160008	12-31-16
Maryland	State Program	3	310	09-30-16
Missouri	State Program	7	780	06-30-16
Nevada	State Program	9	MO000542016-1	07-31-16
New Jersey	NELAP	2	MO002	06-30-16
New York	NELAP	2	11616	03-31-16
North Dakota	State Program	8	R207	06-30-16
NRC	NRC		24-24817-01	12-31-22
Oklahoma	State Program	6	9997	08-31-16
Pennsylvania	NELAP	3	68-00540	02-28-16
South Carolina	State Program	4	85002001	06-30-16
Texas	NELAP	6	T104704193-15-9	07-31-16
USDA	Federal		P330-07-00122	01-09-17
Utah	NELAP	8	MO000542015-7	07-31-16
Virginia	NELAP	3	460230	06-14-16
Washington	State Program	10	C592	08-30-16
West Virginia DEP	State Program	3	381	08-31-16

* Certification renewal pending - certification considered valid.

AWD 12/31/15
TestAmerica Savannah

APPENDIX E
MICROBIAL INSIGHTS DATA PACKAGE

10515 Research Drive
Knoxville, TN 37932
Phone: (865) 573-8188
Fax: (865) 573-8133

Client: Amanda Derhake
Golder Associates Inc.
820 S. Main Street
Suite 100
St. Charles, MO 63301

Phone: 636-724-9191

Fax: 636-724-9393

Identifier: 112MJ **Date Rec:** 10/31/2015 **Report Date:** 12/03/2015

Client Project #: 140-3345 **Client Project Name:** WG Krummrich - CPA

Purchase Order #:

Analysis Requested: PLFA, Stable Isotope Probing

Reviewed By:

NOTICE: This report is intended only for the addressee shown above and may contain confidential or privileged information. If the recipient of this material is not the intended recipient or if you have received this in error, please notify Microbial Insights, Inc. immediately. The data and other information in this report represent only the sample(s) analyzed and are rendered upon condition that it is not to be reproduced without approval from Microbial Insights, Inc. Thank you for your cooperation.

MICROBIAL INSIGHTS, INC.

10515 Research Dr., Knoxville, TN 37932
Tel. (865) 573-8188 Fax. (865) 573-8133

PLFA

Client: **Golder Associates Inc.**
Project: WG Krummrich - CPA

MI Project Number: **112MJ**
Date Received: 10/31/2015

Sample Information

Sample Name:	**CPA-A-DHU-1115**	**CPA-B-DHU-1115**	**CPA-C-DHU-1115**	**CPA-D-DHU-1115**
Sample Date:	10/29/2015	10/29/2015	10/29/2015	10/29/2015
Sample Matrix:	Adv. Bio-Trap	Adv. Bio-Trap	Adv. Bio-Trap	Adv. Bio-Trap
Analyst:	JS	JS	JS	JS

Biomass Concentrations

Total Biomass (cells/bead)	**1.03E+05**	**2.93E+04**	**1.76E+05**	**4.78E+04**

Community Structure (% total PLFA)

Firmicutes (TerBrSats)	**0.00**	**0.00**	**1.81**	**8.21**
Proteobacteria (Monos)	**71.04**	**68.07**	**56.65**	**63.81**
Anaerobic metal reducers (BrMonos)	**2.13**	**0.00**	**0.00**	**0.00**
SRB/Actinomycetes (MidBrSats)	**0.00**	**0.00**	**0.00**	**0.00**
General (Nsats)	**26.83**	**31.93**	**26.19**	**27.99**
Eukaryotes (polyenoics)	**0.00**	**0.00**	**15.37**	**0.00**

Physiological Status (Proteobacteria only)

Slowed Growth	**0.00**	**0.00**	**0.27**	**1.53**
Decreased Permeability	**0.00**	**0.00**	**0.00**	**0.00**

Legend:
NA = Not Analyzed NS = Not Sampled

MICROBIAL INSIGHTS, INC.

10515 Research Dr., Knoxville, TN 37932
Tel. (865) 573-8188 Fax. (865) 573-8133

PLFA

Client: **Golder Associates Inc.**
Project: WG Krummrich - CPA

MI Project Number: **112MJ**
Date Received: 10/31/2015



Figure 1. Biomass content is presented as a cell equivalent based on the total amount of phospholipid fatty acids (PLFA) extracted from a given sample. Total biomass is calculated based upon PLFA attributed to bacterial and eukaryotic biomass



Figure 2. Relative percentages of total PLFA structural groups in the samples analyzed. Structural groups are assigned according to PLFA chemical structure, which is related to fatty acid biosynthesis.

10515 Research Drive
Knoxville, TN 37932
Phone: (865) 573-8188
Fax: (865) 573-8133

Identifier: 112MJ **Date Rec:** 10/31/2015 **Report Date:** 12/03/2015

Client Project #: 140-3345 **Client Project Name:** WG Krummrich - CPA

Purchase Order #:

Comments: Please note results for samples CPA-B-DHU-1115 and CPA-D-DHU-1115 fell between reporting and detection limits for PLFA analysis.

10515 Research Drive
Knoxville, TN 37932
Phone (865) 573-8188
Fax: (865) 573-8133
Email: info@microbe.com

Phospholipid Fatty Acid Analysis

Interpretation Guidelines

Phospholipids fatty acids (PLFA) are a main component of the membrane (essentially the "skin") of microbes and provide a powerful tool for assessing microbial responses to changes in their environment. This type of analysis provides direct information for assessing and monitoring sites where bioremediation processes, including natural attenuation, are of interest. Analysis of the types and amount of PLFA provides a broad based understanding of the entire microbial community with information obtained in three key areas viable biomass, community structure and metabolic activity.

What is the detection limit for PLFA?

Our limit of detection for PLFA analysis is ~150 picomoles of total PLFA and our limit of quantification is ~500 picomoles of total PLFA. Samples which contain PLFA amounts at or below 150 pmol cannot be used to determine biomass, likewise samples with PLFA content below ~500 pmol are generally considered to contain too few fatty acids to discuss community composition.

How should I interpret the PLFA results?

Interpreting the results obtained from PLFA analysis can be somewhat difficult, so this document was designed to provide a technical guideline. For convenience, this guideline has been divided into the three key areas.

Viable Biomass

PLFA analysis is one of the most reliable and accurate methods available for the determination of viable microbial biomass. Phospholipids break down rapidly upon cell death (21, 23), so biomass calculations based on PLFA content do not contain 'fossil' lipids of dead cells.

How is biomass measured?

Viable biomass is determined from the total amount of PLFA detected in a given sample. Since, phospholipids are an essential part of intact cell membranes they provide an accurate measure of viable cells.

How is biomass calculated?

Biomass levels are reported as cells per gram, mL or bead, and are calculated using a conversion factor of 20,000 cells/pmole of PLFA. This conversation factor is based upon cells grown in laboratory media, and varies somewhat with the type of organism and environmental conditions.

What does the concentration of biomass mean?

The overall abundance of microbes within a given sample is often used as an indicator of the potential for bioremediation to occur, but understanding the levels of biomass within each sample can be cumbersome. The following are benchmarks that can be used to understand whether the biomass levels are low, moderate or high.

Low	Moderate	High
10^3 to 10^4 cells	10^5 to 10^6 cells	10^7 to 10^8 cells

How do I know if a change in biomass is significant?

One of the primary functions of using PLFA analysis at contaminated sites is to evaluate how a community responds following a given treatment, but how does one know if the changes observed between two events are significant? As a general rule, biomass levels which increase or decrease by at least an order of magnitude are considered to be significant. However, changes in biomass levels of less than an order of magnitude may still show a trend. It is important to remember that many factors can affect microbial growth, so factors other than the treatment could be influencing the changes observed between sampling events. Some of the factors to consider are: temperature, moisture, pH, etc. The following illustration depicts three types of changes that occurred over time and the conclusions that could be drawn.



Figure 1. Biomass content is presented as a cell equivalent based on the total amount of phospholipid fatty acids (PLFA) extracted from a given sample. Total biomass is calculated based upon PLFA attributed to bacterial and eukaryotic biomass (associated with higher organisms).

Conclusions from graph above:

- MW-1 showed a trend of biomass levels increasing steadily over time, although cell concentrations were ~10^4 cells/mL at each sampling event.
- MW-2 showed no notable trends or significant changes in biomass concentrations.
- MW-3 showed a significant increase in biomass levels between the initial and 1st quarter sampling events (from ~10^5 to ~10^6 cells/mL).

Community Structure:

The PLFA in a sample can be separated into particular types, and the resulting PLFA "profile" reflects the proportions of the categories of organisms present in the sample. Because groups of bacteria differ in their metabolic capabilities, determining which bacterial groups are present and their relative distributions within the community can provide information on what metabolic processes are occurring at that location. This in turn can also provide information on the subsurface conditions (i.e oxidation/reduction status, etc.). Table 1 describes the six major structural groups used and their potential relevance to site specific projects.

Table 1. Description of PLFA structural groups.

PLFA Structural Group	General classification	Potential Relevance to Bioremediation Studies
Monoenoic (Monos)	Abundant in Proteobacteria (Gram negative bacteria), typically fast growing, utilize many carbon sources, and adapt quickly to a variety of environments.	Proteobacteria is one of the largest groups of bacteria and represents a wide variety of both aerobes and anaerobes. The majority of Hydrocarbon utilizing bacteria fall within the Proteobacteria
Terminally Branched Saturated (TerBrSats)	Characteristic of Firmicutes (Low G+C Gram-positive bacteria), and also found in Bacteriodes, and some Gram-negative bacteria (especially anaerobes).	Firmicutes are indicative of presence of anaerobic fermenting bacteria (mainly *Clostridia/Bacteriodes*-like), which produce the H_2 necessary for reductive dechlorination
Branched Monoenoic (BrMonos)	Found in the cell membranes of micro-aerophiles and anaerobes, such as sulfate- or iron-reducing bacteria	In contaminated environments high proportions are often associated with anaerobic sulfate and iron reducing bacteria
Mid-Chain Branched Saturated (MidBrSats)	Common in sulfate reducing bacteria and also Actinobacteria (High G+C Gram-positive bacteria).	In contaminated environments high proportions are often associated with anaerobic sulfate and iron reducing bacteria
Normal Saturated (Nsats)	Found in all organisms.	High proportions often indicate less diverse populations.
Polyenoic	Found in eukaryotes such as fungi, protozoa, algae, higher plants, and animals.	Eukaryotic scavengers will often rise up and prey on contaminant utilizing bacteria

Following are answers to some of the common questions about community composition and some detailed descriptions of some typical shifts which can be observed between sampling events.

How is the community structure data presented?

Community structure data is presented as percentage (%) of the total amount of PLFA. In order to relate the complex mixture of PLFA to the organisms present, the ratio of a specific PLFA group is determined (detailed in Table 1 above), and this corresponds to the proportion of the related bacterial classification within the overall community structure. Because normal saturated PLFA are found in both prokaryotes (bacteria) and eukaryotes (fungi, protozoa, diatoms etc), their distribution provides little insight into the types of microbes that are present at a sampling location. However, high proportions of normal saturates are often associated with less diverse microbial populations.

How can community structure data be used to manage my site?

It is important to understand that microbial communities are often a mixture of different types of bacteria (e.g. aerobes, sulfate reducers, methanogens, etc) with the abundance of each group behaving like a seesaw, i.e. as the population of one group increases, another is likely decreasing, mostly due to competition for available resources. The PLFA profile of a sample provides a "fingerprint" of the microbial community, showing relative proportions of the specific bacterial types at the time of sampling. This is a great tool for detecting shifts within the community over time and also to evaluate similarities/differences between sampling locations. It is important to note that PLFA analysis of community structure is analyzing the microbes directly, not just secondary breakdown products. So this provides evidence of how the entire microbial community is responding to the treatment.

How do I recognize community shifts and what they mean?

Shifts in the community structure are indications of changing conditions and their effect on the microbial community, and, by extension on the metabolic processes occurring at the sampling location. Some of the more commonly seen shifts within the community are illustrated and discussed below:



Figure 2. Relative percentages of total PLFA structural groups in the samples analyzed. Structural groups are assigned according to PLFA chemical structure, which is related to fatty acid biosynthesis. See Table 1 for detailed descriptions of structural groups.

- **Increased Proteobacteria**

Proportions of Proteobacteria are of interest because it is one of the largest groups of bacteria and represents a wide variety of both aerobe and anaerobes. The majority of hydrocarbons (including benzene and naphthalene) are metabolized by some member of Proteobacteria, mainly due to their ability to grow opportunistically, quickly taking advantage of available food (i.e. hydrocarbons), and adapting quickly to changes in the environment. The detection of increased proportions of Proteobacteria coupled with increased biomass suggests that the Proteobacteria are consuming something. In situations where it is important to determine the extent to which the Proteobacteria are utilizing anaerobic or aerobic pathways, it is possible to measure relative proportions of specific biomarkers that are associated with anaerobic or aerobic pathways thus separating the Proteobacteria into different groups, based on pathways used. Sample MW-1 from Figure 2 depicts a shift in community structure where the proportion of Proteobacteria has increased over time.

- **Increased Firmicutes/Anaerobic Gram negative bacteria**

Increased proportions of Firmicutes/Anaerobic Gram negative bacteria generally indicate that conditions are becoming more reductive (i.e. more anaerobic). Proportions of Firmicutes are of particular interest in sites contaminated with chlorinated hydrocarbons because Firmicutes include anaerobic fermenting bacteria (mainly *Clostridia/Bacteriodes*-like), which produce the H_2 necessary for reductive dechlorination.

Enhanced bioremediation of chlorinated solvents often employs the injection of fermentable substrates which, when utilized by fermenting bacteria, results in the release of H_2. Engineered shifts in the microbial community can be shown by observing increased proportions Firmicutes following an injection of fermentable substrate. Through long-term monitoring of the community structure it is possible to know when re-injection may be necessary or desirable. Sample MW-2 from Figure 2 depicts a shift in community structure where the proportion of Firmicutes has increased over time.

- **Increased anaerobic metal reducing bacteria (BrMonos) and SRB/Actinomycetes (MidBrSats)**

An increase in the proportions of metal and sulfate reducing bacterial groups, especially when combined with shifts in the other bacterial groups, can provide information helpful to monitoring bioremediation. Generally, an increase in metal and sulfate reducers points to more reduced (anaerobic) conditions at the sampled location. This is especially true if there is an increase in Firmicutes at the same time. Large increases in either metal and sulfate reducers, particularly if accompanied by a decrease in Firmicutes, may suggest that conditions are becoming increasingly reduced. In this situation the metal and sulfate reducers may be out-competing dechlorinators for available H_2, thereby limiting the potential for reductive dechlorination at that location. Sample MW-3 from Figure 2 depicts a shift in community structure where the proportion of metal reducing bacteria has increased over time.

- **Increased Eukaryotes**

Eukaryotes include organisms such as fungi, protozoa, and diatoms. At a contaminated location, an increase in eukaryotes, particularly if seen with a decrease in the contaminant utilizing bacteria, suggests that eukaryotic scavengers are preying upon what had been an abundance of bacteria which were consuming the contaminant. Sample MW-4 from Figure 2 depicts a shift in community structure where the proportion of eukaryotes has increased over time.

Physiological status of Proteobacteria

The membrane of a microbe adapts to the changing conditions of its environment, and these changes are reflected in the PLFA. Toxic compounds or environmental conditions may disrupt the membrane and some bacteria respond by making *trans* fatty acids instead of the usual *cis* fatty acids (7) in order to strengthen the cell membrane, making it less permeable. Many Proteobacteria respond to lack of available substrate or to highly toxic conditions by making cyclopropyl (7) or mid-chain branched fatty acids (20) which point to less energy expenditure and a slowed growth rate. The physiological status ratios for Decreased Permeability (trans/cis ratio) and for Slowed Growth (cy/cis ratio) are based on dividing the amount of the fatty acid induced by environmental conditions by the amount of its biosynthetic precursor.

What does slowed growth or decreased permeability mean?

Ratios for slowed growth and for decreased permeability of the cell membrane provide information on the “health” of the Gram negative community, that is, how this population is responding to the conditions present in the environment. It should be noted that one must be cautious when interpreting these measures from only one sampling event. The most effective way to use the physiological status indicators is in long term monitoring and comparing how these ratios increase/decrease over time.

A marked increase in either of these ratios suggests a change in environment which is less favorable to the Gram negative Proteobacteria population. The ratio for slowed growth is a relative measure, and does not directly correspond to log or stationary phases of growth, but is useful as a comparison of growth rates among sampling locations and also over time. An increase in this ratio (i.e. slower growth rate) suggests a change in conditions which is not as supportive of rapid, “healthy” growth of the Gram negative population, often due to reduced available substrate (food). A larger ratio for decreased permeability suggests that the environment has become more toxic to the Gram negative population, requiring energy expenditure to produce *trans* fatty acids in order to make the membrane more rigid.

References

1. Amann, R. I., W. Ludwig, and K.-H. Schleifer. 1995. Phylogenetic identification and in situ detection of individual microbial cells without cultivation. Microbiological Reviews 59:143-169.
2. Cottrell, MT and David L. Kirchman. Appl Environ Microbiol. 2000 April; 66 (4): 16921697.
3. Gillis, M., V. Tran Van, R. Bardin, M. Goor, P. Hebbar, A. Willems, P. Segers, K. Kerstens, T. Heulin, and M. P. Fernadez. 1995. Polyphasic taxonomy in the genus Burkholderia leading to an amended description of the genus and proposition of Burkholderia vietnamiensis sp. nov. for N2-fixing isolates from rice in Vietnam. Int. J. Syst. Bacteriol. 45:274-289.
4. Dowling, N. J. E., F. Widdel, and D. C. White. 1986. Phospholipid ester-linked fatty acid biomarkers of acetate-oxidizing sulfate reducers and other sulfide forming bacteria. Journal of General Microbiology 132:1815-1825.
5. Edlund, A., P. D. Nichols, R. Roffey, and D. C. White. 1985. Extractable and lipopolysaccharide fatty acid and hydroxy acid profiles from Desulfovibrio species. Journal of Lipid Research 26:982-988.
6. Guckert, J. B., C. P. Antworth, P. D. Nichols, and D. C. White. 1985. Phospholipid ester-linked fatty acid profiles as reproducible assays for changes in prokaryotic community structure of estuarine sediments. FEMS Microbiol. Ecol. 31:147-158.
7. Guckert, J. B., M. A. Hood, and D. C. White. 1986. Phospholipid ester-linked fatty acid profile changes during nutrient deprivation of Vibrio cholerae: increases in the trans/cis ratio and proportions of cyclopropyl fatty acids. Appl. Environ. Microbiol. 52:794–801.
8. Hedrick, D.B., A Peacock, J.R. Stephen, S.J. Macnaughton, Julia Brüggemann, and David C. White. 2000. Measuring soil microbial community diversity using polar lipid fatty acid and denatured gradient gel electrophoresis data. J. Microbiol. Methods, 41, 235-248.
9. ITRC Internet Training on Natural Attenuation of Chlorinated Solvents in Groundwater: Principles and Practices, Apr 00.
10. Löffler, F. E., Q. Sun, et al. (2000). “16S rRNA gene-based detection of tetrachloroethene-dechlorinating Desulfuromonas and Dehalococcoides species.” Appl Environ Microbiol 66(4): 1369-1374.
11. Maymo-Gatell X, Chien Y, Gossett JM, Zinder SH. 1997. Isolation of a bacterium that reductively dechlorinates tetrachloroethene to ethene. Science 276(5318):1568-71.
12. Muyzer, G., E. C. De Waal, and A. G. Uitterlinden. 1993. Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. Applied and Environmental Microbiology 59:695-700.
13. Ribosomal Database Project (http://rdp.cme.msu.edu. National Center for Biotechnology Information. (http://www.ncbi.nlm.nih.gov/)
14. Overman, J., "Family Chlorobiaceae," in M. Dworkin et al., eds., The Prokaryotes: An Evolving Electronic Resource for the Microbiological Community, 3rd edition, release 3.7, November 2, 2001, Springer-Verlag, New York, www.prokaryotes.com.
15. Ringelberg, D. B., G. T. Townsend, K. A. DeWeerd, J. M. Sulita, and D. C. White. 1994. Detection of the anaerobic dechlorinating microorganism Desulfomonile tiedjei in environmental matrices by its signature lipopolysaccharide branch-long-chain hydroxy fatty acids. FEMS Microbiol. Ecol. 14:9-18.
16. Schlötelburg, C. 2001. Mikrobielle Diversität und Dynamik einer 1,2-Dichlorpropan dechlorierenden Mischkultur (Microbial Diversity and Dynamics in a 1,2-Dichloropropane Dechlorinating Mixed Culture). Dissertation, Humbolt University, Berlin, Germany. In German: http://edoc.hu-berlin.de/dissertationen/schloetelburg-cord-2001-12-07/PDF/Schloetelburg.pdf
17. Sharp, R., D. Cossar, and R. Williams. 1995. Physiology and metabolism of Thermus. Biotechnol. Handb. 9:67-91.
18. Stephen, J. R., Y.-J. Chang, Y. D. Gan, A. Peacock, S. Pfiffner, M. Barcelona, D. C. White, and S. J. Macnaughton. 1999. Microbial characterization of a JP-4 fuel-contaminated site using a combined lipid biomarker/polymerase chain reaction-denaturing gradient gel electrophoresis (PCR-DGGE) based approach. Environmental Microbiology 1:231-241.
19. Tighe, S.W., de Lajudie, P., Dipietro, K., Lindström, K., Nick, G. & Jarvis, B.D.W. (2000). Analysis of cellular fatty acids and phenotypic relationships of Agrobacterium, Bradyrhizobium, Mesorhizobium, Rhizobium and Sinorhizobium species using the Sherlock Microbial Identification System. Int J Syst Evol Microbiol 50, 787-801.
20. Tsitko, I.V. Gennadi M. Zaitsev, Anatoli G. Lobanok, and Mirja S. Salkinoja-Salonen. 1999. Applied and Environmental Microbiology 65(2) 853-855.
21. White, D. C., W. M. Davis, J. S. Nickels, J. D. King, and R. J. Bobbie. 1979. Determination of the sedimentary microbial biomass by extractable lipid phosphate. Oecologia 40:51-62.
22. White, D. C., H. C. Pinkart, and D. B. Ringelberg. 1997. Biomass measurements: Biochemical approaches, p. 91-101. In C. J. Hurst, G. R. Knudsen, M. J. McInerney, L. D. Stetzenbach, and M. V. Walter (ed.), Manual of Environmental Microbiology. ASM Press, Washington.
23. White, D. C., and D. B. Ringelberg. 1995. Utility of signature lipid biomarker analysis in determining in situ viable biomass, community structure, and nutritional / physiological status of the deep subsurface microbiota. In P. S. Amy and D. L. Halderman (ed.), The microbiology of the terrestrial subsurface. CRC Press, Boca Raton.
24. White, D. C., J. O. Stair, and D. B. Ringelberg. 1996. Quantitative comparisons of in situ microbial biodiversity by signature biomarker analysis. Journal of Industrial Microbiology 17:185-196.
25. Vandamme P, Pot B, Gillis M, de Vos P, Kersters K, Swings J. Polyphasic taxonomy, a consensus approach to bacterial systematics. Microbiol Rev 1996 Jun;60(2):407-38.

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
Web: www.microbe.com

SITE LOGIC Report

Stable Isotope Probing (SIP) Study

Contact: Amanda Derhake
Address: Golder Associates
820 S. Main Street, Suite 100
St. Charles, MO 63301

Phone: (636) 724-9191

Email: Amanda_Derhake@golder.com

MI Identifier: 112MJ

Report Date: December 3, 2015

Project: WG Krummrich – CPA, 140-3345

Comments:

NOTICE: This report is intended only for the addressee shown above and may contain confidential or privileged information. If the recipient of this material is not the intended recipient or if you have received this in error, please notify Microbial Insights, Inc. immediately. The data and other information in this report represent only the sample(s) analyzed and are rendered upon condition that it is not to be reproduced without approval from Microbial Insights, Inc. Thank you for your cooperation.

Executive Summary

A Stable Isotope Probing (SIP) study was performed to determine whether biodegradation of chlorobenzene is occurring under existing site conditions. Bio-Trap® samplers baited with ^{13}C labeled chlorobenzene were deployed in monitoring wells CPA-A-DHU-1115, CPA-B-DHU-1115, CPA-C-DHU-1115, and CPA-D-DHU-1115. Following a 28-day deployment period, the Bio-Traps were recovered to quantify ^{13}C incorporation into biomass and dissolved inorganic carbon (DIC). A complete summary of the SIP results is provided in Table 1 and Figures 1 through 6.

Stable Isotope Probing (SIP)

- Incorporation of ^{13}C into the biomass in wells CPA-C-DHU-1115 and CPA-D-DHU-1115 conclusively demonstrated that chlorobenzene was metabolized at these locations under existing site conditions. Average PLFA $\delta^{13}C$ values in these wells fell within the lower range.
- There was no evidence of ^{13}C incorporation into the biomass in CPA-A-DHU-1115 or CPA-B-DHU-1115.
- The average DIC $\delta^{13}C$ values in CPA-A-DHU-1115 and CPA-D-DHU-1115 were near background levels and indicated little to no chlorobenzene was mineralized during the deployment period.
- The average DIC $\delta^{13}C$ value in CPA-B-DHU-1115 was 1,382‰, showing substantial chlorobenzene mineralization. The average DIC $\delta^{13}C$ value in CPA-C-DHU-1115, 155‰, was within the moderate range.
- Total PLFA biomass concentrations in CPA-A-DHU-1115 and CPA-C-DHU-1115 were within the moderate range (10^5 cells/bead) while the total PLFA biomass in CPA-B-DHU-1115 and CPA-D-DHU-1115 fell between the detection limit and the reporting limit for this analysis.
- The PLFA community structures were similar between CPA-A-DHU-1115 and CPA-B-DHU-1115, which were primarily composed of monoenoics and normal saturates.
- The PLFA community structure in CPA-C-DHU-1115 was primarily composed of monoenoics (56.65%). Normal saturates (26.19%) and eukaryotes (15.37%) were the next most abundant groups. An indicator of firmicutes was also detected.
- The PLFA community structure in CPA-D-DHU-1115 was composed of a large portion of monoenoics (63.81%) followed by normal saturates (27.99%) and firmicutes (8.21%).

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com

Overview of Approach

Stable Isotope Probing (SIP)

Stable isotope probing (SIP) is an innovative method to track the environmental fate of a "labeled" contaminant of concern to unambiguously demonstrate biodegradation. Two stable carbon isotopes exist in nature – carbon 12 (^{12}C) which accounts for 99% of carbon and carbon 13 (^{13}C) which is considerably less abundant (~1%). With the SIP method, the Bio-Trap® sampler is baited with a specially synthesized form of the contaminant containing ^{13}C labeled carbon. Since ^{13}C is rare, the labeled compound can be readily differentiated from the contaminants present at the site. Following deployment, the Bio-Trap® is recovered and three approaches are used to conclusively demonstrate biodegradation of the contaminant of concern.

- The loss of the labeled compound provides an estimate of the degradation rate (% loss of ^{13}C).
- Quantification of ^{13}C enriched phospholipid fatty acids (PLFA) indicates incorporation into microbial biomass.
- Quantification of ^{13}C enriched dissolved inorganic carbon (DIC) indicates contaminant mineralization.

Phospholipid Fatty Acids (PLFA)

PLFA are a primary component of the membrane of all living cells including bacteria. PLFA decomposes rapidly upon cell death (1, 2), so the total amount of PLFA present in a sample is indicative of the viable biomass. When combined with stable isotope probing (SIP), incorporation of ^{13}C into PLFA is a conclusive indicator of biodegradation.

Some organisms produce "signature" types of PLFA allowing quantification of important microbial functional groups (e.g. iron reducers, sulfate reducers, or fermenters). The relative proportions of the groups of PLFA provide a "fingerprint" of the microbial community. In addition, *Proteobacteria* modify specific PLFA during periods of slow growth or in response to environmental stress providing an index of their health and metabolic activity.

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com

Results

Table 1. Summary of the results obtained from the Bio-Trap® Units. Interpretation guidelines and definitions are found later in the document.

Sample Name	CPA-A-DHU-1115	CPA-B-DHU-1115	CPA-C-DHU-1115	CPA-D-DHU-1115
^{13}C Contaminant Loss				
^{13}C Chlorobenzene Pre-deployment (µg/bead)	126 ± 11	85 ± 10	126 ± 11	85 ± 10
^{13}C Chlorobenzene Post-deployment (µg/bead)	135 ± 2	96 ± 7	47 ± 25	53 ± 14
Biomass & ^{13}C Incorporation				
Total Biomass (Cells/bead)	1.03E+05	2.93E+04 (J)	1.76E+05	4.78E+04 (J)
^{13}C Enriched Biomass (Cells/bead)	ND	ND	1.07E+04	2.19E+03
Average PLFA Del (‰)	ND	ND	55	92
Maximum PLFA Del (‰)	ND	ND	103	92
^{13}C Mineralization				
DIC Del (‰)	3	1382	155	-9
% 13C	1.11	2.59	1.28	1.10
Community Structure (% total PLFA)				
Firmicutes (TerBrSats)	0.00	0.00	1.81	8.21
Proteobacteria (Monos)	71.04	68.07	56.65	63.81
Anaerobic metal reducers (BrMonos)	2.13	0.00	0.00	0.00
Actinomycetes (MidBrSats)	0.00	0.00	0.00	0.00
General (Nsats)	26.83	31.93	26.19	27.99
Eukaryotes (Polyenoics)	0.00	0.00	15.37	0.00
Physiological Status (Proteobacteria only)				
Slowed Growth	0.00	0.00	0.27	1.53
Decreased Permeability	0.00	0.00	0.00	0.00

Legend: J = Estimated value between detection limit and reporting limit

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com



Figure 1. Biomass content is presented as a cell equivalent based on the total amount of phospholipid fatty acids (PLFA) extracted from a given sample. Total biomass is calculated based upon PLFA attributed to bacterial and eukaryotic biomass (associated with higher organisms).



Figure 2. Relative percentages of total PLFA structural groups in the samples analyzed. Structural groups are assigned according to PLFA chemical structure, which is related to fatty acid biosynthesis. See the table in the interpretation section for detailed descriptions of the structural groups.

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com



Figure 3. Comparison of Pre-deployment concentrations loaded on Bio-Sep beads to the concentrations detected after incubation.



Figure 4. Comparison of Pre-deployment concentrations loaded on Bio-Sep beads to the concentrations detected after incubation.

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com



Figure 5. Comparison of the average Del value obtained from PLFA biomarkers from each Bio-Trap® unit to the average background Del observed in samples not exposed to ^{13}C enriched compounds.



Figure 6. Comparison of the Del value obtained from DIC from each Bio-Trap® unit to the average background Del observed in samples not exposed to ^{13}C enriched compounds.

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com

Interpretation

Interpretation of the results of the SIP Bio-Trap® study must be performed with due consideration of site conditions, site activities, and the desired treatment mechanism. The following discussion describes interpretation of results in general terms and is meant to serve as a guide.

Contaminant Concentration: Bio-Traps® are baited with a ^{13}C labeled contaminant of concern and a pre-deployment concentration is determined prior to shipping. Following deployment, Bio-Traps® are recovered for analysis including measurement of the concentration of the ^{13}C labeled contaminant remaining. Pre- and post-deployment concentrations are used to calculate percent loss.

Biomass Concentrations: PLFA analysis is one of the most reliable and accurate methods available for the determination of viable (live) biomass. Phospholipids break down rapidly upon cell death, so biomass calculations based on PLFA content do not include "fossil" lipids from dead cells. Total biomass (cells/bead) is calculated from total PLFA using a conversion factor of 20,000 cells/pmole of PLFA. When making comparisons between wells, treatments, or over time, differences of one order of magnitude or more are considered significant.

	Total Biomass	
Low	**Moderate**	**High**
10^3 to 10^4 cells	10^5 to 10^6 cells	10^7 to 10^8 cells

For SIP studies, the ^{13}C enriched PLFA is also determined to conclusively demonstrate contaminant biodegradation and quantify incorporation into biomass as a result of the ^{13}C being used for cellular growth. The % ^{13}C incorporation (^{13}C enriched biomass/total biomass) is also provided in the data summary table, but the value must be interpreted carefully especially when comparing wells or treatments. Typically, biodegradation of a contaminant of concern is performed by a small subset of the total microbial community. For Bio-Traps® with large total biomass, the % ^{13}C incorporation value could be low despite significant ^{13}C labeled biomass and loss of the compound. The % ^{13}C incorporation should be viewed in light of total biomass, percent loss, and dissolved inorganic carbon (DIC) results.

^{13}C enrichment data is often reported as a del value. The del value is the difference between the isotopic ratio ($^{13}C/^{12}C$) of the sample (R_x) and a standard (R_{std}) normalized to the isotopic ratio of the standard (R_{std}) and multiplied by 1,000 (units are parts per thousand, denoted ‰).

R_{std} is the naturally occurring isotopic ratio and is approximately 0.011180 (roughly 1% of naturally occurring carbon is ^{13}C). The isotopic ratio, R_x, of PLFA is typically less than the R_{std} under natural conditions, resulting in a del value between -20 and -30‰. For a SIP Bio-Trap® study, biodegradation and incorporation of the ^{13}C labeled compound into PLFA results in a larger $^{13}C/^{12}C$ ratio (R_x) and thus del values greater than under natural conditions. Typical PLFA del values are provided below.

	PLFA Del (‰)	
Low	**Moderate**	**High**
0 to 100	100 to 1,000	>1,000

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com

Dissolved Inorganic Carbon (DIC): Often, bacteria can utilize the ^{13}C labeled compound as both a carbon and energy source. The ^{13}C portion used as a carbon source for growth can be incorporated into PLFA as discussed above, while the ^{13}C used for energy is oxidized to $^{13}CO_2$ (mineralized).

^{13}C enriched CO_2 data is often reported as a del value as described above for PLFA. Under natural conditions, the R_x of CO_2 is approximately the same as R_{std} (0.01118 or about 1.1% ^{13}C). For an SIP Bio-Trap® study, mineralization of the ^{13}C labeled contaminant of concern would lead to a greater value of R_x (increased $^{13}CO_2$ production) and thus a positive del value. As with PLFA, del values between 0 and 100‰ are considered low, values between 100 and 1,000‰ are considered moderate, and values greater than 1,000‰ are considered high. Thus DIC %^{13}C are considered low if the value is less than 1.23%, moderate if between 1.23 and 2.24%, and high if greater than 2.24%.

Dissolved Inorganic Carbon (DIC) Del and %^{13}C		
Low	**Moderate**	**High**
0 to 100	100 to 1,000	>1,000
1.11 to 1.23%	1.23 to 2.24%	>2.24%

Community Structure (% total PLFA): Community structure data is presented as a percentage of PLFA structural groups normalized to the total PLFA biomass. The relative proportions of the PLFA structural groups provide a "fingerprint" of the types of microbial groups (e.g. anaerobes, sulfate reducers, etc.) present and therefore offer insight into the dominant metabolic processes occurring at the sample location. Thorough interpretation of the PLFA structural groups depends in part on an understanding of site conditions and the desired microbial biodegradation pathways. For example, an increase in mid chain branched saturated PLFA (MidBrSats), indicative of sulfate reducing bacteria (SRB) and *Actinomycetes*, may be desirable at a site where anaerobic BTEX biodegradation is the treatment mechanism, but would not be desirable for a corrective action promoting aerobic BTEX or MTBE biodegradation. The following table provides a brief summary of each PLFA structural group and its potential relevance to bioremediation.

Table 2. Description of PLFA structural groups.

PLFA Structural Group	General classification	Potential Relevance to Bioremediation Studies
Monoenoic (Monos)	Abundant in Proteobacteria (Gram negative bacteria), typically fast growing, utilize many carbon sources, and adapt quickly to a variety of environments.	Proteobacteria is one of the largest groups of bacteria and represents a wide variety of both aerobes and anaerobes. The majority of Hydrocarbon utilizing bacteria fall within the Proteobacteria
Terminally Branched Saturated (TerBrSats)	Characteristic of Firmicutes (Low G+C Gram-positive bacteria), and also found in Bacteriodes, and some Gram-negative bacteria (especially anaerobes).	Firmicutes are indicative of presence of anaerobic fermenting bacteria (mainly *Clostridia/Bacteriodes*-like), which produce the H_2 necessary for reductive dechlorination
Branched Monoenoic (BrMonos)	Found in the cell membranes of micro-aerophiles and anaerobes, such as sulfate- or iron-reducing bacteria	In contaminated environments high proportions are often associated with anaerobic sulfate and iron reducing bacteria
Mid-Chain Branched Saturated (MidBrSats)	Common in sulfate reducing bacteria and also Actinobacteria (High G+C Gram-positive bacteria).	In contaminated environments high proportions are often associated with anaerobic sulfate and iron reducing bacteria
Normal Saturated (Nsats)	Found in all organisms.	High proportions often indicate less diverse populations.
Polyenoic	Found in higher plants, and animals.	Eukaryotic scavengers will often prey on contaminant utilizing bacteria.

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com

Physiological Status (*Proteobacteria*): Some *Proteobacteria* modify specific PLFA as a strategy to adapt to stressful environmental conditions (3, 4). For example, *cis* monounsaturated fatty acids may be modified to cyclopropyl fatty acids during periods of slowed growth or modified to *trans* monounsaturated fatty acids to decrease membrane permeability in response to environmental stress. The ratio of product to substrate fatty acid thus provides an index of their health and metabolic activity. In general, status ratios greater than 0.25 indicate a response to unfavorable environmental conditions.

Glossary

Del: A Del value is the difference between the isotopic ratio ($^{13}C/^{12}C$) of the sample (R_x) and a standard (R_{std}) normalized to the isotopic ratio of the standard (R_{std}) and multiplied by 1,000 (units are parts per thousand denoted ‰).

$$Del = (R_x - R_{std})/R_{std} \times 1000$$

References

1. White, D.C., W.M. Davis, J.S. Nickels, J.D. King, and R.J. Bobbie. 1979. Determination of the sedimentary microbial biomass by extractable lipid phosphate. Oecologia 40:51-62.
2. White, D.C. and D.B. Ringelberg. 1995. Utility of signature lipid biomarker analysis in determining in situ viable biomass. In P.S. Amy and D.L. Halderman (eds.) The microbiology of the terrestrial surface. CRC Press, Boca Raton.
3. Guckert, J.B., M.A. Hood, and D.C. White. 1986. Phospholipid ester-linked fatty acid profile changes during nutrient deprivation of *Vibrio chloerae*: increases in the trans/cis ratio and proportions of cyclopropyl fatty acids. Applied and Environmental Microbiology. 52:794-801.
4. Tsitko, I.V., G. M. Zaitsev, A. G. Lobanok, and M.S. Salkinoja-Salonen. 1999. Effect of aromatic compounds on cellular fatty acid composition of *Rhodococcus opacus*. Applied and Environmental Microbiology. 65:853-855.

10515 Research Dr.
Knoxville, TN 37932
Phone: 865.573.8188
Fax: 865.573.8133
www.microbe.com

At Golder Associates we strive to be the most respected global group of companies specializing in ground engineering and environmental services. Employee owned since our formation in 1960, we have created a unique culture with pride in ownership, resulting in long-term organizational stability. Golder professionals take the time to build an understanding of client needs and of the specific environments in which they operate. We continue to expand our technical capabilities and have experienced steady growth with employees now operating from offices located throughout Africa, Asia, Australasia, Europe, North America and South America.

Africa	+ 27 11 254 4800
Asia	+ 852 2562 3658
Australasia	+ 61 3 8862 3500
Europe	+ 356 21 42 30 20
North America	+ 1 800 275 3281
South America	+ 55 21 3095 9500

solutions@golder.com
www.golder.com

Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA
Tel: (636) 724-9191
Fax: (636) 724-9323

Golder Associates

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation