

**RCRA Corrective Action
Environmental Indicator (EI) RCRIS code (CA750)**

Migration of Contaminated Groundwater Under Control

Facility Name: Vulcan Chemicals
Facility Address: 8318 Ashland Road, Geismar, LA 70734
Facility EPA ID #: LAD092681824

1. Has **all** available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

 X If yes - check here and continue with #2 below.

 If no - re-evaluate existing data, or

 If data are not available, skip to #8 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains **ONLY** to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

Page 2

2. Is **groundwater** known or reasonably suspected to be “**contaminated**”¹ above appropriately protective “levels” (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

 X If yes - continue after identifying key contaminants, citing appropriate “levels,” and referencing supporting documentation.

 If no - skip to #8 and enter “YE” status code, after citing appropriate “levels,” and referencing supporting documentation to demonstrate that groundwater is not “contaminated.”

 If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s)): As previously disclosed by Vulcan and extensively documented in EPA and LDEQ files, groundwater and subsurface soil contamination at the facility resulted from past disposal practices and de-minimus losses from manufacturing operations. Groundwater contamination consist of various organic contaminants; however, chlorinated organics, including, without limitation, carbon tetrachloride, chloroform, 1,2-dichloroethane, methylene chloride, tetrachloroethene, hexachlorobutadiene, hexachlorobenzene and hexachloroethane, are the contaminants of primary regulatory concern. Dissolved contaminant concentrations in assessment wells located in known areas of contamination exceed corresponding MCLs. Contaminant concentrations in perimeter wells are primarily below health based limits.

Dense non-aqueous phase liquid (DNAPL) is also captured in onsite recovery wells as reported quarterly and annually to LDEQ and EPA.

Supporting documentation is found in the LDEQ files in numerous assessment and groundwater reports, including the Groundwater Quarterly Reports submitted under the March 1991 Settlement Agreement to the October 1989 Corrective Action Order, GWO-89-010

Footnotes:

¹“Contamination” and “contaminated” describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate “levels” (appropriate for the protection of the groundwater resource and its beneficial uses).

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

Page 3

3. Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater"² as defined by the monitoring locations designated at the time of this determination)?

 X If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination"²).

 If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination"²) - skip to #8 and enter "NO" status code, after providing an explanation.

 If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s): Vulcan Chemicals has an extensive groundwater recovery and monitoring program at the Geismar Facility. 56 recovery wells are currently in operation and approximately 15,510,922 gallons of fluid were recovered, with an associated yield of 79,346 gallons of organic contaminants in 2004. Recovery totals for the life of this project include approximately 224,769,553 gallons of groundwater, with an associated organic contaminant yield of approximately 1,411,375 gallons.

Vulcan Chemicals has 81 groundwater monitoring wells. 46 of these wells are perimeter monitoring wells which monitor any migration of groundwater contamination. The perimeter wells are located outside the area of known contamination. Vulcan Chemicals also has 35 assessment monitoring wells, which are located within the area of contamination. Concentrations from the assessment monitoring wells are monitored to indicate changes in plume movement.

Maps, which shows the locations of the groundwater wells, concentrations of total VOCs, and potentiometric surfaces are attached.

The perimeter wells are sampled on a quarterly basis. The assessment wells are sampled on a semi-annual basis.

Potentiometric surface and contaminate plume maps for the different groundwater zones beneath the Vulcan facility have consistently demonstrated that the groundwater contamination is not migrating and is adequately contained by the recovery well system. Plume maps have remained stable over a number of years, and the cone of depression from pumping the on-site recovery wells pulls all off-site groundwater back to the site.

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)
Page 4

4. Does "contaminated" groundwater **discharge** into **surface water** bodies?

_____ If yes - continue after identifying potentially affected surface water bodies.

 X If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.

_____ If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference (s): No. Extensive geologic investigations and geologic modeling indicate that there is no connectivity between shallow water-bearing strata and any surface water bodies.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)
Page 5

5. Is the **discharge** of “contaminated” groundwater into surface water likely to be “**insignificant**” (i.e., the maximum concentration³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater “level,” and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?

_____ If yes - skip to #7 (and enter “YE” status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration³ of key contaminants discharged above their groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

_____ If no - (the discharge of “contaminated” groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration³ of each contaminant discharged above its groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times their appropriate groundwater “levels,” the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

_____ If unknown - enter “IN” status code in #8.

Rationale and Reference(s): _____

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

6. Can the **discharge** of “contaminated” groundwater into surface water be shown to be “**currently acceptable**” (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented⁴)?

_____ If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site’s surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment,⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment “levels,” as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.

_____ If no - (the discharge of “contaminated” groundwater can not be shown to be “**currently acceptable**”) - skip to #8 and enter “NO” status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.

_____ If unknown - skip to 8 and enter “IN” status code.

Rationale and Reference(s): _____

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)
Page 7

7. Will groundwater **monitoring** / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"

 X If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."

 If no - enter "NO" status code in #8.

 If unknown - enter "IN" status code in #8.

Rationale and Reference(s): Vulcan Chemicals has an LDEQ approved Sampling and Analysis plan which outlines sampling schedules for the monitoring wells at the facility. The plan calls for semi-annual sampling and analysis of assessment monitoring wells and quarterly sampling and analysis of perimeter wells.

The perimeter well network is designed to detect and monitor changes in the horizontal and vertical extent of contaminant plumes in each monitored zone beneath the Geismar plant site. The assessment well network is used to monitor and evaluate the effectiveness of the corrective action program at the site.

Contaminant concentration maps and potentiometric surface maps are developed from the most current available information, and these maps are submitted to the LDEQ semiannually.

There are no plans to change the requirements for continued monitoring

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Vulcan Chemicals facility, EPA ID # LAD092681824, located at 8318 Ashland Rd, Geismar, LA. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

NO - Unacceptable migration of contaminated groundwater is observed or expected.

IN - More information is needed to make a determination.

Completed by (signature) Ann Munson Date 3/10/2005
(print) Ann Munson
(title) Geologist II

Supervisor (signature) Douglas Bradford Date 3/10/05
(print) Douglas Bradford
(title) Geologist Supervisor
(EPA Region or State) Louisiana

Locations where References may be found:

LDEQ and EPA Region VI Offices

Ull
6PM 3/16/05

Contact telephone and e-mail numbers

(name) Ann Munson
(phone #) (225) 219-3420
(e-mail) ann.munson@la.gov

**ATTACHMENTS
AVAILABLE UPON REQUEST**