

APPENDIX B of the
STATEMENT OF BASIS
DMR DATA

DATE	FLOW Avg MGD	FLOW Max MGD	Copper Avg mg/l	Copper Max mg/l	Copper Loading lbs/day	pH Min su	pH Max su
Jul'09	0.177	0.234	0.0085	0.0085	0.014	7.3	7.6
Aug'09	0.156	0.217	0.012	0.012	0.015	7.4	7.6
Sept'09	0.145	0.249	0.0031	0.0031	0.003	7.1	7.6
Oct'09	0.152 - RNC	0.236 - RNC	0.012 - RNC	0.012 - RNC	0.0143 - RNC	7.1 - M & R	7.5 - RNC
Nov'09	0.151 - RNC	0.191 - RNC	0 - RNC	0 - RNC	0 - RNC	7 - M & R	7.8 - RNC
Dec'09	0.189 - RNC	0.21 - RNC	0.0072 - RNC	0.0072 - RNC	0.0073 - RNC	7 - M & R	7.6 - RNC
Jan'10	0.225	0.306	0.015	0.015	0.03	6.9	7.1
Feb'10	0.229	0.293	0.012	0.012	0.0293	6.8	7.2
Mar'10	0.16	0.198	0.0039	0.0039	0.004	7	7.4

Footnotes:

RNC denotes Reportable Non Compliance
M & R denotes Monitoring & Reporting