

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759*

Count	Site ID	Site Name	SWMU /AOC	Explanation
1	00-010(a)	Surface disposal site	AOC	No Further Action / RCRA Corrective Action Complete without Controls
2	00-029(b)	Transformer	AOC	No Further Action / RCRA Corrective Action Complete without Controls
3	00-030(i)	Septic system	AOC	No Further Action / RCRA Corrective Action Complete without Controls
4	01-006(n)	Drainlines and outfall	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
5	03-003(m)	Storage area (capacitor banks) - PCB only site	AOC	No Further Action / RCRA Corrective Action Complete without Controls
6	03-009(a)	Surface disposal (soil fill)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
7	03-009(c)	Construction debris area	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
8	03-009(d)	Surface disposal site	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
9	03-012(a)	Controlled operational release	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
10	03-013(b)	Operational release	AOC	Field assessment determined that Site does not discharge storm water runoff to a surface water.
11	03-045(i)	Outfall	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
12	03-055(b)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
13	05-006(h)	Soil contamination beneath former buildings	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
14	06-007(g)	Building and surface disposal	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
15	08-005	Container storage area	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
16	08-006(a)	Material disposal area (MDA Q)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
17	09-005(a)	Septic system	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
18	09-005(g)	Septic tank	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
19	11-003(a)	Mortar impact area	AOC	No Further Action / RCRA Corrective Action Complete without Controls
20	11-004(a)	Drop tower - firing site (active)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
21	11-004(b)	Drop tower - firing site (active)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
22	11-004(c)	Drop tower - firing site (active)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
23	11-004(d)	Drop tower - firing site (active)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
24	11-004(e)	Drop tower - firing site (active)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
25	11-004(f)	Drop tower - firing site (active)	AOC	Field assessment determined that Site does not discharge storm water runoff to a surface water.
26	14-002(a)	Firing site (inactive)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
27	14-005	Incinerator (active)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
28	C-15-007	Non-intentional release	AOC	Field assessment determined that Site does not discharge storm water runoff to a surface water.
29	15-010(c)	Drainline	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
30	15-011(b)	Dry well	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
31	15-014(g)	Industrial or sanitary wastewater treatment	AOC	Field assessment determined that Site does not discharge storm water runoff to a surface water.

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
32	15-014(j)	Outfall	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
33	16-001(a)	Tank	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
34	16-001(b)	Dry wells	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
35	16-001(c)	Tank	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
36	16-001(d)	Dry well	SWMU	No Exposure Certification
37	16-006(g)	Septic tank	SWMU	No Exposure Certification
38	16-010(g)	Wastewater treatment facility	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
39	16-016(c)	Landfill	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
40	16-016(d)	Surface disposal site	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
41	16-026(a)	Outfall	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
42	16-026(j)	Outfall, 16-226	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
43	16-026(z)	Outfall	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
44	16-029(s)	Sump	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
45	16-029(t)	Sump	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
46	21-011(c)	Tank and sump	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
47	21-016(a)	Material disposal area (MDA T)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
48	21-016(b)	Material disposal area (MDA T)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
49	21-016(c)	Material disposal area (MDA T)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
50	21-024(e)	Septic system	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
51	21-027(b)	Drainline	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
52	33-005(a)	Septic system	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
53	33-005(b)	Septic system	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
54	33-005(c)	Septic system	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
55	33-010(b)	Surface disposal	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
56	33-010(e)	Surface disposal (Area 6)	AOC	No Further Action / RCRA Corrective Action Complete without Controls
57	35-003(d)	Wastewater treatment facility	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
58	35-003(l)	Wastewater treatment facility	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
59	35-003(q)	Wastewater treatment facility	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
60	C-35-004	Operational release	AOC	No Further Action / RCRA Corrective Action Complete without Controls
61	C-35-005	Operational release	AOC	No Further Action / RCRA Corrective Action Complete without Controls
62	35-005(a)	Surface impoundment (closure) building 85 duplicate of 35-006	AOC	No Further Action / RCRA Corrective Action Complete without Controls
63	35-006	Surface impoundment	SWMU	No Further Action / RCRA Corrective Action Complete without Controls

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
64	36-001	Material disposal area (MDA AA)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
65	36-004(b)	Firing site (active)	AOC	Field assessment determined that Site does not discharge storm water runoff to a surface water.
66	36-005	Surface disposal site	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
67	42-004	Canyon disposal	AOC	No Further Action / RCRA Corrective Action Complete without Controls
68	46-002	Surface impoundment	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
69	46-003(a)	Septic system	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
70	46-004(a)	Waste line	SWMU	No Exposure Certification
71	46-004(i)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls
72	46-004(j)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls
73	46-004(o)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls
74	46-005	Surface impoundment	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
75	46-009(b)	Surface disposal	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
76	48-007(f)	Drains and outfalls	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
77	49-001(a)	Material disposal area (MDA AB) (experimental shafts)	SWMU	Field assessment determined that Site does not discharge storm water runoff to a surface water.
78	53-012(a)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls
79	53-012(b)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls
80	53-012(c)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls
81	53-012(d)	Outfall	AOC	No Further Action / RCRA Corrective Action Complete without Controls
82	54-007(c)	Septic system	SWMU	No Further Action / RCRA Corrective Action Complete without Controls
83	55-011(a)	Storm drain	AOC	No Further Action / RCRA Corrective Action Complete without Controls
84	55-011(b)	Storm drain	AOC	No Further Action / RCRA Corrective Action Complete without Controls
85	55-011(c)	Storm drain	AOC	No Further Action / RCRA Corrective Action Complete without Controls
86	55-011(e)	Storm drain	AOC	No Further Action / RCRA Corrective Action Complete without Controls

*Table E1-1. List of FFCA/AO Sites Excluded from the LANL
Individual NPDES Storm Water Permit Application No. NM0030759, continued*

Count	Site ID	Site Name	SWMU /AOC	Explanation
87	61-007	Transformer site - systematic leak - PCB only site	SWMU	No Exposure Certification
88	73-007	Septic tank and drainlines	AOC	No Further Action / RCRA Corrective Action Complete without Controls
89	C-73-005(a)	Excavation (unlined septic tank / outhouse trench) (inactive)	AOC	No Further Action / RCRA Corrective Action Complete without Controls
90	C-73-005(b)	Excavation (unlined septic tank / outhouse trench) (inactive)	AOC	No Further Action / RCRA Corrective Action Complete without Controls