APPENDIX I:
Wasteload Allocations for Point Sources in Selected Subsegments in the Lake Pontchartrain Basin

Table I-1. WLAs for active point source discharge permits in in selected subsegments within the Lake Pontchartrain Basin I-1

Table I-1. WLAs for active point source discharge permits in in selected subsegments within the Lake Pontchartrain Basin

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040102	3088	LAG480305	001	On The Run ExxonMobil #51372	Vehicle wash wastewater	Not found		None		
040102	8007	LA0102407	002	Florida Gas Transmission Co - Zachary Compressor Station #8	Stormwater runoff, discharge of cooling tower blowdown from south and east sides of facility	Expected	160	None		
040102	9987	LAG470300	001	All Star Chevrolet North LLC	Treated washrack wastewater	Not found		None		
040102	9987	LAG470300	002	All Star Chevrolet North LLC	Maintenance and shop floor washwater	Not found		None		
040102	12184	LA0105121	001	Wyesco, Inc.	Equipment washwater and stormwater runoff	Average	60	None		
040102	18136	LAG570357	001	Wilson Village of - WWTP	Treated sanitary wastewater	Expected	50,000	Monthly ave.	200	3.79E+08
040102	18199	LAG540171		Options Foundation / Medical Management Options		Permit max	5,000	Monthly ave.	200	3.79E+07
040102	34682	LAG541248	001	Villa Feliciana Medical Complex	Treated sanitary wastewater	Expected	22,420	Monthly ave.	200	1.70E+08
040102	41515	LAG531640	001	Crossroads Family Worship Center	Treated sanitary wastewater	Design	10,200	Monthly ave.	200	7.72E+07
040102	41688	LAG530623	001	H&R Development Corp - Spaghetti Farm Mobile Home Park	Treated sanitary wastewater	Design	3,600	Monthly ave.	200	2.73E+07
040102	42408	LAG540358	001	Marshall Hopper Trailer Park	Treated sanitary wastewater	Average	5,400	Monthly ave.	200	4.09E+07
040102	55358	LAU003788		Jett's Enterprises		Not found		None		
040102	71169	LAG750175	001	Hit-n-Run Food Stores #12	Treated car wash wastewater	Expected	750	Monthly ave.	200	5.68E+06
040102	71169	LAG750175	002	Hit-n-Run Food Stores #12	Treated sanitary wastewater	Expected	2,820	Monthly ave.	200	2.13E+07
040102	74638	LAR05N410		LADOTD - McManus Storage Unit		Not found		None		
040102	74639	LAR05N318	001	LADOTD - Clinton Maintenance Unit	Exterior vehicle and equipment wash wastewater	Not found		None		
040102	74639	LAR05N318	002	LADOTD - Clinton Maintenance Unit	Treated sanitary wastewater	Expected	280	Daily max	400	4.24E+06
040102	87934	LAG531157	001	Front Porch Restaurant	Treated sanitary wastewater	Design	3,500	Monthly ave.	200	2.65E+07
040102	104025	LAG531414	001	Davis Mobile Home Park	Treated sanitary wastewater	Design	2,700	Weekly ave.	400	4.09E+07
040102	106723	LAG750778	001	Jett's Chevron	Exterior vehicle and equipment wash wastewater	Not found		None		
040102	106723	LAG750778	002	Jett's Chevron	Treated sanitary wastewater	Design	3,660	Daily max	400	5.54E+07
040102	120163	LAG531934	001	LADOTD - McManus Project Engineer's Office	Treated sanitary wastewater	Design	750	Monthly ave.	200	5.68E+06
040102	126289	LAG750654	001	Exxquisite Enterprise Inc	Exterior vehicle and equipment wash wastewater	Average	1,072	None		
040102	140244	LAG532168	001	Slaughter Town of - City Hall	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040102	147549	LAG532572	001	Good To Go #2	Treated sanitary wastewater	Expected	4,220	Monthly ave.	200	3.19E+07
040102	154884	LAG532513	001	US Postal Service - Ethel Post Office	Treated sanitary wastewater	Expected	100	Monthly ave.	200	7.57E+05
040102	155289	LAR10E749		Bond Place - Lot #1	Construction stormwater	Not found		None		
040102	158528	LAR10F162		The Oaks - Gia Johnson	Construction stormwater	Not found		None		
040102	159977	LAG750705	001	Clinton Auto Spa - Property Maintenance Plus LLC	Exterior vehicle and equipment wash wastewater	DMR	25	None		
040102	164709	LAG750742	001	Slidell Truck Wash LLC	Exterior vehicle and equipment wash wastewater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040102	165953	LAR10F801		The Oaks Subdv - Jim Forrest Construction LLC	Construction stormwater	Not found		None		
040102	165954	LAR10F800		The Oaks Subdv - Frank Ashmore	Construction stormwater	Not found		None		
040102	166977	LAR10F944		Zachary Homes LLC - The Oaks Lot #24	Construction stormwater	Not found		None		
040102	167448	LAG533278	001	Greater Philadelphia Baptist Church	Treated sanitary wastewater	Expected	5,000	Weekly ave.	200	3.79E+07
040102	167886	LAR10G175		The Oaks - Alan Lindsey Construction LLC	Construction stormwater	Not found		None		
040102	169847	LAR10G254		The Oaks - Mason Builders LLC	Construction stormwater	Not found		None		
040102	170661	LAR10G415		The Oaks Subdv - Gary Barber	Construction stormwater	Not found		None		
040103	1000	LA0107387	001	Ashland Chemical Co	Non-process area storm water	Average	3,000	None		
040103	1000	LA0107387	002	Ashland Chemical Co	Non-process area storm water	Average	200	None		
040103	1000	LA0107387	003	Ashland Chemical Co	Non-process area storm water	Average	200	None		
040103	1000	LA0107387	004	Ashland Chemical Co	Non-process area storm water	Average	200	None		
040103	1000	LA0107387	007	Ashland Chemical Co	Non-process area storm water	Average	5,000	None		
040103	1157	LAR05M621	002	Stupp Corp	Untreated combined heavy equipment/vehicle wash and stormwater runoff to the NE corner of the plant.	Not found		None		
040103	1157	LAR05M621	003	Stupp Corp	Untreated combined cooling water and stormwater runoff to the SE corner of the plant (area drained=55.2 acres)	Not found		None		
040103	1157	LAR05M621	004	Stupp Corp	Stormwater runoff to the NE corner of the plant, including track runoff (area drained=12.27 acres)	Not found		None		
040103	1157	LAR05M621	005	Stupp Corp	Stormwater runoff to the SE corner of the plant, including track runoff and the Coating Facility (area drained=12.27 acres)	Not found		None		
040103	1449	LAG750259	001	Head & Engquist Equipment LLC	Treated exterior vehicle wash wastewater	Not found		None		
040103	1483	LAG750536	001	Dixie Electric Membership Corp (DEMCO)	Exterior vehicle and equipment wash wastewater	DMR	2,000	None		
040103	2467	LAR05N136		All Truck Parts & Equipment Co Inc	Stormwater runoff	Not found		None		
040103	2534	LA0104825	001	Baton Rouge Machine Works, Inc.	Treated sanitary wastewater from the Main Building and Welding Shop	Average	1,050	Monthly ave.	200	7.95E+06
040103	2534	LA0104825	002	Baton Rouge Machine Works, Inc.	Equipment washwater, high pressure water cutting machine wastewater, and stormwater runoff	Average	450	Monthly ave.	200	3.41E+06
040103	2534	LA0104825	003	Baton Rouge Machine Works, Inc.	Treated sanitary wastewater from the Roll Shop	Average	1,000	Monthly ave.	200	7.57E+06
040103	3230	LA0000841	001	ExxonMobil Chemical Co - Baton Rouge Resin Finishing Plant	Treated process wastewater and process area stormwater, utility wastewater, sanitary wastewater, and non-process area stormwater	Design	465,000	Monthly ave.	200	3.52E+09
040103	3230	LA0000841	002	ExxonMobil Chemical Co - Baton Rouge Resin Finishing Plant	Uncontaminated non-process wastewaters and non-process area stormwater	Design	2,620,000	Monthly ave.	200	1.98E+10
040103	3230	LA0000841	003	ExxonMobil Chemical Co - Baton Rouge Resin Finishing Plant	Low contamination potential stormwater	Design	1,230,000	Monthly ave.	200	9.31E+09
040103	3230	LA0000841	101	ExxonMobil Chemical Co - Baton Rouge Resin Finishing Plant	Treated sanitary wastewater	Design	3,364	Monthly ave.	200	2.55E+07
040103	3598	LAR05M503		Saia Motor Freight Line Inc	MSGP Stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040103	5626	LAG480306	001	T&T Transport Service Inc	Treated sanitary wastewater	Expected	80	Weekly ave.	400	1.21E+06
040103	5626	LAG480306	002	T&T Transport Service Inc	Vehicle wash wastewater	Not found		None		
040103	5626	LAG480306		T&T Transport Service Inc	Industrial stormwater	Not found		None		
040103	6889	LAG530117	001	Central Automotive & Tire	Treated sanitary wastewater	DMR	800	Monthly ave.	200	6.06E+06
040103	8008	LAG110014	001	LA Asphalt Producers LLC - Sparkle Drive Asphalt Plant Operation	Stormwater discharge from hot mix asphalt concrete facilities	Not found		None		
040103	8008	LAG110014	002	LA Asphalt Producers LLC - Sparkle Drive Asphalt Plant Operation	Stormwater discharge from hot mix asphalt concrete facilities	DMR	12,617	Weekly ave.	400	1.91E+08
040103	8008	LAG110014	004	LA Asphalt Producers LLC - Sparkle Drive Asphalt Plant Operation	Treated sanitary wastewater (<5,000)	Expected	200	Weekly ave.	400	3.03E+06
040103	11063	LAR05N558		Atlantic Industrial Services		Not found		None		
040103	14637	LAR05M804		BFI	MSGP Stormwater	Not found		None		
040103	18046	LAG530216	001	Galilee Baptist Church	Treated sanitary wastewater	Expected	3,255	Monthly ave.	200	2.46E+07
040103	18048	LAG530074	001	AT&T Baker Main- K3209	Treated sanitary wastewater	DMR	2,479	Weekly ave.	400	3.75E+07
040103	18394	LA0084557	001	Baton Rouge Recreation & Park Commission - Greater Baton Rouge Zoo	Treated animal wastewater-washdown water, pool water, domestic wastewater, walkway cleaing water	Design	225,000	Monthly ave.	200	1.70E+09
040103	19513	LAG560059	001	Property One Inc - PMAT Northeast Plaza Shopping Center	Treated sanitary wastewater	Average	6,230	Monthly ave.	200	4.72E+07
040103	22196	LAG530125	001	Greenwell Springs Super Stop	Treated sanitary wastewater	Design	5,040	Monthly ave.	200	3.82E+07
040103	22703	LAR05N172	001	Plant Machine Works Inc	MSGP Stormwater	Not found		None		
040103	22826	LAG531699	001	Central Donut Shop	Treated sanitary wastewater	Design	80	Monthly ave.	200	6.06E+05
040103	23075	LAG480331	001	Union Pump Co	Treated sanitary wastewater	Expected	380	Weekly ave.	400	5.75E+06
040103	23075	LAR05N015		Union Pump Co	MSGP Stormwater	Not found		None		
040103	25164	LAR05M833		UOP LLC	MSGP Stormwater	Not found		None		
040103	26219	LAG480121	001	Cypress Equipment & Rental Inc	Equipment and vehicle wash wastewater	Average	1,039	Weekly ave.	400	1.57E+07
040103	27559	LAR05M805	001	Bayou Coating LLC	MSGP Stormwater	Average	48,000	None		
040103	27559	LAR05M805	002	Bayou Coating LLC	MSGP Stormwater	Average	69,000	None		
040103	31173	LAG750304	001	Industrial Enterprises Inc	treated exterior vechicle wash wastewater	Average	20	None		
040103	32043	LAU009493	001	LA Ready Mix/Plant 181	Treated process wastewater from plant wash down, truck wash down, truck wasout	Not found		None		
040103	32043	LAU009493	002	LA Ready Mix/Plant 181	Stormwater runoff from stockpiles of sand and gravel	Not found		None		
040103	33935	LAG540403	001	TWA Limited Partnership - Tanglewood Apartments	Treated sanitary wastewater	Average	21,500	Monthly ave.	200	1.63E+08
040103	38589	LAG540505	001	Four Seasons Trailer Park	Treated sanitary wastewater	Average	15,000	Monthly ave.	200	1.14E+08
040103	40681	LAG750210	001	Baker Car Wash	Treated exterior vehicle wash wastewater	Not found		None		
040103	40699	LAG119001	001	Barber Brothers Contracting Co - Portable Concrete Plant #2	Wash water from the truck rinsing activities and stormwater runoff from the limestone stockpile and plant area (approx. 1.5 acres)	DMR	4,017	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040103	40961	LAG540222	001	Carpenters Trailer Park	Treated sanitary wastewater	Average	9,000	Monthly ave.	200	6.81E+07
040103	40978	LAG530116	001	Central Academy & Childcare Inc	Treated sanitary wastewater	Design	300	Monthly ave.	200	2.27E+06
040103	40987	LAG530121	001	Central Property Management - Central City West Shopping Center	Treated sanitary wastewater	DMR	2,500	Monthly ave.	200	1.89E+07
040103	41335	LAG540280	001	Central Middle School	Treated sanitary wastewater	Average	22,000	Monthly ave.	200	1.67E+08
040103	41577	LAG530214	001	Raising Cane's #4 LLC	Treated sanitary wastewater	Design	400	Monthly ave.	200	3.03E+06
040103	41739	LAG540923	001	Hebert Mobile Home Park	Treated sanitary wastewater	Expected	6,100	Monthly ave.	200	4.62E+07
040103	41886	LAG530258	001	Immanuel Baptist Church	Treated sanitary wastewater	Expected	300	Monthly ave.	200	2.27E+06
040103	41984	LAG530948	001	Joe's Lounge	Treated sanitary wastewater	Design	500	Monthly ave.	200	3.79E+06
040103	41999	LAG540045	001	John's Electric Inc	Treated sanitary wastewater	Design	9,000	Monthly ave.	200	6.81E+07
040103	42071	LAG540876	001	LeCentale Plaza Shopping Center	Treated sanitary wastewater	DMR	2,297	Monthly ave.	200	1.74E+07
040103	42295	LAG540473	001	Levatino & James Partnership - Coventry Apartments	Treated sanitary wastewater	Average	15,000	Monthly ave.	200	1.14E+08
040103	42610	LAG531162	001	Natural Resources Recovery Inc - Ronaldson Field Landfill	Landfill wastewater	Design	30,000	None		
040103	42610	LAG531162	002	Natural Resources Recovery Inc - Ronaldson Field Landfill	Treated sanitary wastewater	Design	713	Monthly ave.	200	5.40E+06
040103	42954	LAG570043	001	R N R Property Inc - Village Green Apartments	Treated sanitary wastewater	Expected	28,000	Monthly ave.	200	2.12E+08
040103	43335	LAG541513	001	Progressive Health Center Inc	Treated sanitary wastewater	Average	10,300	Monthly ave.	200	7.80E+07
040103	43415	LAG530535	001	Starkey Academy Inc	Treated sanitary wastewater	Design	3,600	Monthly ave.	200	2.73E+07
040103	43430	LAG540913	001	Travis Spinosa - Spinosa Apartments	treated sanitary wastewater	Expected	5,620	Monthly ave.	200	4.25E+07
040103	43641	LAG530564	001	Strategic Restuarants Acquisition Co LLC - Burger King Restaurant #9692	Treated sanitary wastewater	DMR	1,405	Monthly ave.	200	1.06E+07
040103	43680	LAG750072	001	Ultimate Properties LLC - Ultimate Car Wash	Treated exterior vehicle wash wastewater	Not found		None		
040103	44013	LAG540916	001	Zoar Baptist Church	Treated sanitary wastewater	Expected	10,000	Monthly ave.	200	7.57E+07
040103	75237	LAG531621	001	Circle K #8059	Treated sanitary wastewater	Design	160	Monthly ave.	200	1.21E+06
040103	75244	LAG532677	001	GS Gas Inc	treated sanitary wastewater	Expected	20	Monthly ave.	200	1.51E+05
040103	75244	LAU005147		GS Gas Inc		Not found		None		
040103	76417	LAG531433	001	Shell at Core & Joor Rd	Treated sanitary wastewater	Design	1,740	Monthly ave.	200	1.32E+07
040103	76494	LAG750419	001	Romero's Food Mart #2	Treated sanitary wastewater	Design	1,800	Weekly ave.	400	2.73E+07
040103	76494	LAG750419	002	Romero's Food Mart #2	Exterior vehicle wash	Design	1,520	None		
040103	77702	LAG531818	001	CVS Pharmacy	Treated sanitary wastewater	Expected	1,000	Monthly ave.	200	7.57E+06
040103	84439	LAG470173	001	Browns Transmission Inc	Sanitary Wastewater	Average	80	Weekly ave.	400	1.21E+06
040103	84439	LAG470173	002	Browns Transmission Inc	Maintenance and Repair Shop Floor Washwater	Not found		None		
040103	87956	LAR10B156		Dennis Stewart Equipment Rental Inc - Portable Concrete Crushing/Screening Unit	construction stormwater	Not found		None		
040103	92459	LAR05N168		Agway Systems Inc	MSGP Stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040103	99355	LAR05N351		Atlantic Southeast Airlines Inc - ASA Inc - Baton Rouge Station		Not found		None		
040103	100082	LAG541137	001	Mo-Dad Utilities LLC - Oak Cluster Subdivision	Treated sanitary wastewater	Expected	10,400	Monthly ave.	200	7.87E+07
040103	103924	LAG480370	001	AAA Rent All	Exterior Vehicle and Equipment Wash Wastewater	DMR	38	Weekly ave.	400	5.75E+05
040103	111370	LAG531439	001	Walgreens #7795	Treated sanitary wastewater	Design	240	Monthly ave.	200	1.82E+06
040103	111382	LAG750463	001	Boogie's Bubbles LLC	Exterior vehicle wash wastewater	Expected	5,000	Monthly ave.	200	3.79E+07
040103	118315	LAG531625	001	Mustard Seed Restaurant	Treated sanitary wastewater	Design	4,300	Monthly ave.	200	3.26E+07
040103	121596	LAG480410	001	Scott Equipment Co LLC	Exterior vehicle and equipment washwater, equipment repair area washdown, shop floor washdown, dock washdown, and utility washwater	Not found		None		
040103	126170	LAG750504	001	Splish Splash Car Wash-SPYY, LLC	Treated exterior vehicle wash wastewater	Average	1,000	None		
040103	129317	LAG541325	001	Central Park Professional Plaza LLC - STP	Treated sanitary wastewater	Expected	10,000	Monthly ave.	200	7.57E+07
040103	134288	LAG110161	004	Hydro Conduit Corp - Baton Rouge LA Concrete Pipe/Products Storage	Nonprocess area stormwater from cement, concrete and ashphalt facilities	Not found		None		
040103	134288	LAG110161	005	Hydro Conduit Corp - Baton Rouge LA Concrete Pipe/Products Storage	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
040103	136314	LAG541441	001	First Apostolic Church of East Baton Rouge - Life Tabernacle Church	Treated sanitary wastewater	Expected	7,000	Monthly ave.	200	5.30E+07
040103	153582	LAR10E527		Turn-Key Construction LLC - Monticello Subdivision 9th Filing	Construction stormwater	Not found		None		
040103	154316	LAR10E605		Joseph & Son Contractor LLC - Hampton Village	Construction stormwater	Not found		None		
040103	157138	LAG570461	001	Mo-Dad Utilities LLC - Woodstock Subdv - 1st & 2nd Filings - WWTP	Treated sanitary wastewater	Expected	70,000	Monthly ave.	200	5.30E+08
040103	158057	LAR10F116		Custom Metal Works Inc	Construction stormwater	Not found		None		
040103	158301	LAG750676	001	Enterprise Rent a Car - Enterprise Leasing Co of New Orleans	Exterior vehicle and equipment wash wastewater	DMR	400	None		
040103	159006	LAG532923	001	Baton Rouge Machine Works Inc - Field Services Division - WWTP	Treated sanitary wastewater	Expected	400	Monthly ave.	200	3.03E+06
040103	159417	LAR10F253		Mallard Crossings Apartments - Mallard Crossings LP	Construction stormwater	Not found		None		
040103	159930	LAG570491	001	BMTP LLC - Tanglewood Mobile Home Park	Treated sanitary wastewater	Expected	31,800	Monthly ave.	200	2.41E+08
040103	160221	LAR05P024		Rush Industries Inc - Sand Excavation Project		Not found		None		
040103	160394	LAR10F332		George Webb Homes LLC - Woodstock Subdivision	Construction stormwater	Not found		None		
040103	160821	LAR10F453		Ronnie Howard Construction Co Inc - Oak Cluster Lot 35	Construction stormwater	Not found		None		
040103	162257	LAR10F366		Central Square Sewerage - Ted Hebert LLC		Expected	10,000	None		
040103	164660	LAR10F710		LA Leadership Institute Band Hall - Joseph Furr Desgin Studio -Landscape Architecture	Construction stormwater	Not found		None		
040103	164974	LAR10F740		Village of Magnolia Square LLC - Village of Magnolia Square LLC	Construction stormwater	Not found		None		
040103	165874	LAR10F814		Bellingrath Estates 4th Filing - FG Sullivan Jr	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040103	165957	LAR10F836	001	Morrison Hills Retirement Community - Morrison Hills Retirement Community LLC	Treated sanitary wastewater	Expected	9,100	Monthly ave.	200	6.89E+07
040103	166762	LAG533263	001	Acadiana Development of Central LLC - Central Square	Treated sanitary wastewater	Average	2,145	Weekly ave.	200	1.62E+07
040103	166849	LAR10F939		Oakwood Terrace - Oakwood Terrace Subdv LLC	Construction stormwater	Not found		None		
040103	167133	LAR10F979		Nete LLC - Hooper Road Sports Park	Construction stormwater	Not found		None		
040103	167678	LAR10G100		Oake Villa Blvd/Choctaw St Area Rehab Project - Grady Crawford Const Co Inc	Construction stormwater	Not found		None		
040103	167727	LAR05P206		FedEx National LTL Inc - BTN - FedEx National LTL Inc		Not found		None		
040103	168106	LAR10G048		Comite Dr - Baton Rouge City Parish of	Construction stormwater	Not found		None		
040103	168614	LAG750768	001	Geaux Clean Express Car Wash	Exterior vehicle and equipment wash wastewater	Not found		None		
040103	168872	LAR10G207		Ford Street Improvements - Baton Rouge City of Parish of East Baton Rouge	Construction stormwater	Not found		None		
040103	169344	LAR10G230		Morgan Springs Subdv - DSLD LLC	Construction stormwater	Not found		None		
040103	169534	LAR10G316		Frenchtown Rd - Sullivan Rd - Central Thruway Bridges - Gilchrist Construction Co LLC	Construction stormwater	Not found		None		
040103	170120	LAR10G358		Wisteria Lakes - Wheeler Construction LLC	Construction stormwater	Not found		None		
040103	171458	LAR10G496		The Village at Magnolia Square - Spicer Construction Inc	Construction stormwater	Not found		None		
040103	171553	LAR10G555		Woodstock Subdivision	Construction stormwater	Not found		None		
040103	171624	LAR10G508		Copper Oaks Subdivision - Copper Oaks Partners LLC	Construction stormwater	Not found		None		
040103	172151	LAR10G557		Hampton Village Estate Subdivision	Construction stormwater	Not found		None		
040103	172250	LAR10G626		Wisteria Lakes - Lanewood Construction Corp	Construction stormwater	Not found		None		
040103	172459	LAR10G597		Iguana & Komoto Pipeline Installation - Comite Field - Harvest Pipeline Co	Construction stormwater	Not found		None		
040103	172540	LAG533547	001	Wildcat Medical LLC - Lake After Hours	Treated sanitary wastewater	Design	500	Monthly ave.	200	3.79E+06
040103	172855	LAG570496	001	Village Lakes Subdivision - WTSO Utilities LLC	Sanitary wastewater	Design	60,000	None		
040201	1116	LAG750460	001	Barber Brothers Contracting Co Inc - Maintenance Shop & Concrete Plant	Heavy equipment and truck wash water	Expected	2,000	Monthly ave.	200	1.51E+07
040201	1324	LAR05M111		Borden Dairy & Services - Milk Products LP	Stormwater	Not found		None		
040201	1607	LA0003751	002	TOTAL Petrochemicals USA Inc - Cos-Mar Co	Stormwater	Expected	8,868,000	None		
040201	1607	LAG670109	001	TOTAL Petrochemicals USA Inc - Cos-Mar Co	Hydrostatic test water	Expected	3,000,000	None		
040201	1694	LA0037923	001	Kleinpeter Farms Dairy LLC	Process wastewater, floor and equipment washwater, and truck washwater	Average	48,400	None		
040201	1694	LA0037923	002	Kleinpeter Farms Dairy LLC	Treated sanitary wastewater	Average	864	Monthly ave.	200	6.54E+06
040201	1980	LAG531612	001	Industrial Coatings Contractors Inc	Treated sanitary wastewater	Average	400	Weekly ave.	400	6.06E+06

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	2055	LAR05M576	001	Harcros Chemicals Inc	Stormwater runoff	Not found		None		
040201	2055	LAR05M576	003	Harcros Chemicals Inc	Treated sanitary wastewater	Average	500	Monthly ave.	200	3.79E+06
040201	2283	LA0059544	001	Ohmstede Ltd - St Gabriel Plant	Sanitary wastewater, hydrostatic test wastewater, small volume shop wastewater, and compressor condensate	Expected	2,400	Daily max	400	3.63E+07
040201	2367	LA0005487	002	Syngenta Crop Protection Inc - St Gabriel Plant	Non-process area stormwater	Not found		None		
040201	2407	LA0059579	001	Reagent Chemical & Research Inc - St Gabriel Facility	Wash wastewater from the wash rack	Average	2,000	None		
040201	2407	LA0059579	002	Reagent Chemical & Research Inc - St Gabriel Facility	Rinse water and stormwater from the loading pad	Average	200	None		
040201	2407	LA0059579	003	Reagent Chemical & Research Inc - St Gabriel Facility	Treated sanitary wastewater	Average	1,500	Monthly ave.	200	1.14E+07
040201	2407	LA0059579	004	Reagent Chemical & Research Inc - St Gabriel Facility	Laboratory rinse water	Average	100	None		
040201	2407	LA0059579	006	Reagent Chemical & Research Inc - St Gabriel Facility	Stormwater from the containment area on the west side of the facility	Not found		None		
040201	2407	LA0059579	007	Reagent Chemical & Research Inc - St Gabriel Facility	Stormwater from the containment area on the east side of the facility	Not found		None		
040201	2605	LAG470127	001	Gene's Car Care	Treated exterior vehicle wash wastewater	Permit max	5,000	None		
040201	2644	LAR10E658		Pioneer Americas LLC - St Gabriel Facility	Construction stormwater	Not found		None		
040201	3492	LA0045942	002	LBC Baton Rouge LLC - Sunshine Terminal	Stormwater	Not found		None		
040201	3492	LA0045942	003	LBC Baton Rouge LLC - Sunshine Terminal	Stormwater	Not found		None		
040201	3492	LA0045942	004	LBC Baton Rouge LLC - Sunshine Terminal	Stormwater	Not found		None		
040201	3492	LA0045942	005	LBC Baton Rouge LLC - Sunshine Terminal	Treated sanitary wastewater	Design	3,000	Monthly ave.	200	2.27E+07
040201	3492	LA0045942	006	LBC Baton Rouge LLC - Sunshine Terminal	Stormwater	Not found		None		
040201	3492	LA0045942	008	LBC Baton Rouge LLC - Sunshine Terminal	Stormwater	Not found		None		
040201	3492	LAR10E482		LBC Baton Rouge LLC - Sunshine Terminal	Construction stormwater	Not found		None		
040201	3521	LAG530123	001	Allways Properties LLC	Treated sanitary wastewater	Average	800	Weekly ave.	400	1.21E+07
040201	3652	LAG750646	001	Enterprise Leasing Co of New Orleans - Rent A Car (Baton Rouge)	Exterior vehicle and equipment wash wastewater	DMR	400	None		
040201	3732	LA0066257	005	PCS Nitrogen Fertilizer LP - Geismar Agricultural Nitrogen & Phosphate Plant	Intermittent discharge of non-process area stormwater runoff	Not found		None		
040201	4339	LA0103462	001	Brenntag Southwest Inc	Stormwater runoff from the tank farm, loading/unloading, tote storage, and truck dock areas	Not found		None		
040201	4339	LA0103462	003	Brenntag Southwest Inc	Stormwater runoff from the drum storage area	Not found		None		
040201	4339	LA0103462	004	Brenntag Southwest Inc	Treated sanitary wastewater from the storage and office building	Design	25	Weekly ave.	200	1.89E+05
040201	4339	LA0103462	005	Brenntag Southwest Inc	Treated sanitary wastewater from the driver's changing room	Design	20	Weekly ave.	200	1.51E+05
040201	4921	LAR05N916		Delta Petroleum Co Inc dba Delta Chemical Services - St Gabriel		Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	5176	LAR10B822	002	TOTAL Petrochemicals USA Inc - Carville Polystyrene Plant	Low contamination potential stormwater runoff from developed and undeveloped portions of the site and de minimus wastewaters including steam trap condensate, fire system test water, eye wash and safety shower station water, uncontaminated clarified water, general facility washwater, uncontaminated hydroblast water, and previously monitored hydrostatic test wastewater from Internal Outfall 004.	Not found		None		
040201	5176	LAR10B822	003	TOTAL Petrochemicals USA Inc - Carville Polystyrene Plant	Low contamination potential stormwater runoff from the hopper car loading area and the main warehouse roof.	Not found		None		
040201	5176	LAR10B822	004	TOTAL Petrochemicals USA Inc - Carville Polystyrene Plant	Hydrostatic test wastewater	Not found		None		
040201	5565	LA0069612	002	Williams Olefins LLC - Geismar Ethylene Plant	Intermittent discharge of low contamination potential stormwater from non-process areas	Not found		None		
040201	5565	LA0069612	003	Williams Olefins LLC - Geismar Ethylene Plant	Intermittent discharge of low contamination potential stormwater from non-process areas	Not found		None		
040201	5565	LA0069612	004	Williams Olefins LLC - Geismar Ethylene Plant	Intermittent discharge of low contamination potential stormwater from non-process areas	Not found		None		
040201	5565	LA0069612	005	Williams Olefins LLC - Geismar Ethylene Plant	Intermittent discharge of low contamination potential stormwater from non-process areas	Not found		None		
040201	6872	LAG530705	001	South Central Bell Btrglald	Treated sanitary wastewater	Expected	1,300	Monthly ave.	200	9.84E+06
040201	6882	LAG470214	001	All Star Toyota of Baton Rouge	Treated washrack wastewater	DMR	189	None		
040201	7191	LAG470211	001	Hollingsworth Richards Ford	Treated washrack waste water	DMR	350	None		
040201	7340	LAR05M028		Miller Transporters Inc	Stormwater	Not found		None		
040201	7437	LAG470012	001	Richards Honda	Washrack wastewater	DMR	900	None		
040201	7437	LAG470012	002	Richards Honda	Maintenance and repair shop floor washwater.	DMR	900	None		
040201	7629	LAR05M209		Auto Recycling & Towing Inc Insurance Wrecking Co (IWC) Truck Sales		Not found		None		
040201	9172	LA0052353	002	Nordix Inc	Untreated stormwater runoff (from terminal area including office trailer area, parking lot, roadway and unused land excluding diked area)	Average	1,310,000	None		
040201	10356	LAG530223	001	Mistras Group Inc	Treated sanitary wastewater	Design	260	Monthly ave.	200	1.97E+06
040201	11081	LAG750452	001	Aerial Access Equipment Inc	Treated exterior vehicle wash wastewater	Average	100	None		
040201	11081	LAG750452	002	Aerial Access Equipment Inc	Treated sanitary wastewater	Average	200	Weekly ave.	400	3.03E+06
040201	12340	LAG480211	002	Southern Valve Service Inc	Treated sanitary wastewater	Design	450	Weekly ave.	400	6.81E+06
040201	12340	LAG480211	004	Southern Valve Service Inc	Equipment washwater	Design	2,900	Weekly ave.	400	4.39E+07
040201	13212	LA0082686	002	Innophos Inc - Rhodia Geismar Facility	Stormwater runoff from non-process areas and de minimis maintenance wastewater	Not found		None		
040201	13340	LAG480345	001	ExxonMobil Oil Corp #51020	Treated exterior vehicle wash wastewater	Average	200	None		
040201	13611	LAU009481		Circle K #9724		Average	4,000	None		
040201	13756	LA0103071	001	Industrial Electric Motor Service Inc	Treated sanitary wastewater	Design	3,000	Weekly ave.	400	4.54E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	13756	LA0103071	003	Industrial Electric Motor Service Inc	Dynamometer cooling tower	Not found		None		
040201	14882	LAG750616	001	Enterprise Rent A Car - Enterprise Leasing Co of New Orleans	Exterior vehicle and equipment wash wastewater	DMR	400	None		
040201	15667	LAG750389	001	ExxonMobil Corp - RAS #53838	Treated exterior vehicle wash wastewater	DMR	1,263	None		
040201	16202	LAG470175	001	Check Engine	Sanitary wastewater	Average	280	Weekly ave.	400	4.24E+06
040201	16225	LAG470155	001	Gerry Lane Chevrolet	Wasrack, shop floor washdown, paint booth washdown, and wet sanding wastewaters	Not found		None		
040201	17972	LA0094617	001	Ewing Distributors Inc - Roundoak Shopping Center	Commingled vehicle wash wastewater and treated sanitary wastewater	Design	6,600	Daily max	400	9.99E+07
040201	18100	LAG540519	001	Motel 6 LP	Treated sanitary wastewater	Expected	13,750	Monthly ave.	200	1.04E+08
040201	18589	LAG540163	001	World-Wide Environmental Services LLC - Woodhaven Subdivision	Treated sanitary wastewater	Expected	20,800	Monthly ave.	200	1.57E+08
040201	18601	LAG570086	001	World-Wide Environmental Solutions LLC - Perkins Oak Subdivision	Treated sanitary wastewater	Average	78,800	Monthly ave.	200	5.97E+08
040201	18950	LAG540152	001	World-Wide Environmental Solutions LLC - Jefferson Estates Subdivision	Treated sanitary wastewater	Expected	16,400	Monthly ave.	200	1.24E+08
040201	19291	LAG750044	001	MKL Enterprises LLC (carwash)	Treated exterior vechicle wash wastewater	Not found		None		
040201	19568	LAG570038	001	Days Inn Siegen Ln - Days Inn Baton Rouge LLC	Treated sanitary wastewater	Expected	28,565	Monthly ave.	200	2.16E+08
040201	19731	LAG530180	001	EBR Sheriff's Office - Kleinpeter Substation	Treated sanitary wastewater	Average	300	Weekly ave.	400	4.54E+06
040201	20039	LAG570082	001	Mo-Dad Utilities LLC - Willow Lake Subdivision	Treated sanitary wastewater	Expected	91,200	Monthly ave.	200	6.90E+08
040201	20321	LAG480427	001	Jacobs Engineering Group Inc	Once through non-contact cooling water	Design	3,835	None		
040201	20619	LAG750251	001	College Chevron	Treated exterior vechicle wash wastewater	Not found		None		
040201	22658	LAG750403	001	ExxonMobil Corp - RAS #56174	Treated exterior vehicle wash wastewater	DMR	1,985	None		
040201	22795	LAG480226	001	Performance Contractors Inc	Treated sanitary wastewater	Design	3,000	Weekly ave.	400	4.54E+07
040201	22795	LAG480226	002	Performance Contractors Inc	Equipment wash water	Design	2,000	None		
040201	23134	LAG750106	001	ExxonMobil Oil Corp #50145	Treated exterior vehicle wash wastewater	DMR	915	None		
040201	24479	LAG480008	001	SCS Iberville Coatings Inc	Treated sanitary wastewater	Design	300	Weekly ave.	400	4.54E+06
040201	25150	LAG470094	001	Check Engine Automotive	Commingled shoop floor wastewater and sanitary wastewater	Design	320	Daily max	400	4.85E+06
040201	25186	LAG532241	001	CMC Construction Services - Concrete Accessories	Treated sanitary wastewater	Average	2,000	Monthly ave.	200	1.51E+07
040201	25270	LAG750125	001	Wild's Car Care	Treated exterior vehicle wash wastewater	DMR	4,233	None		
040201	26080	LA0100901	001	USDA ARS Honey Bee Breeding Lab	Treated sanitary wastewater, equipment washwater, laboratory washwater, and floor washdown	Design	1,050	Daily max	400	1.59E+07
040201	26345	LAR05N538		Lee Masonry Products LLC - Southland Block	Stormwater	Not found		None		
040201	26617	LAG480212	002	Southern Valve Service Inc	Treated sanitary wastewater	Design	525	Weekly ave.	400	7.95E+06
040201	26617	LAG480212	101	Southern Valve Service Inc	Equipment washwater	Design	1,900	None		
040201	26632	LAG530539	001	Dana Suttles Truck Leasing LLC	Treated sanitary wastewater	Design	1,200	Monthly ave.	200	9.08E+06

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	26662	LAG470057	001	Lexus Toyota of Baton Rouge	Treated washrack wastewater	Not found		None		
040201	26662	LAG470057	005	Lexus Toyota of Baton Rouge	Treated sanitary wastewater	DMR	45	Weekly ave.	400	6.81E+05
040201	27495	LAR05N627	001	BCP Ingredients Inc	Treated stormwater from the non-process area and secondary containment areas for storage tanks and fire fighting water	Expected	250,000	None		
040201	31120	LA0103179	001	Geo Heat Exchangers LLC	Treated sanitary, hydrostatic test, limited washdown with no detergents, compressor condensate, and miscellaneous small volume shop wastewaters	Design	3,200	Weekly ave.	400	4.85E+07
040201	33567	LA0092690	001	Natural Resources Recovery Inc - Pecue Lane Site	Contact and noncontact stormwater	Design	340,000	Monthly ave.	200	2.57E+09
040201	33567	LA0092690	103	Natural Resources Recovery Inc - Pecue Lane Site	Treated sanitary wastewater	Design	20	Monthly ave.	200	1.51E+05
040201	33621	LAG110051	003	Dolese Brothers Co - Prairieville Plant	Stormwater and aggregate spray from sand and gravel unloading areas and stockpiles of washed sand and gravel	DMR	1,584	Weekly ave.	400	2.40E+07
040201	33727	LAG750055	001	Take 5 Oil Change	Treated exterior vehicle wash wastewater	Average	1,000	None		
040201	33740	LA0103845	001	St Gabriel City of - Sunshine WWTP	Treated sanitary wastewater	Expected	150,000	Monthly ave.	200	1.14E+09
040201	34054	LAG480240	001	Analytic Stress Relieving	Treated sanitary wastewater	Design	1,000	Weekly ave.	400	1.51E+07
040201	34054	LAG480240	Industrial Stormwater	Analytic Stress Relieving	Stormwater associated with industrial activity	Not found		None		
040201	37987	LAG531072	001	Popeye's	Treated sanitary wastewater	Average	2,160	Monthly ave.	200	1.64E+07
040201	38304	LA0104701	001	Entek Environmental Labs Inc	Once through non-contact cooling water, treated sanitary wastewater, and laboratory wastewater	Design	1,000	Weekly ave.	400	1.51E+07
040201	38540	LAG110057	003	Dolese Brothers Co - South Choctaw Plant (Plant #195)	Stormwater and aggregate spray from sand and gravel unloading areas and stockpiles of washed sand and gravel	DMR	0	None		
040201	38540	LAG110057	005	Dolese Brothers Co - South Choctaw Plant (Plant #195)	Treated sanitary wastewater	DMR	4,320	Weekly ave.	400	6.54E+07
040201	39978	LA00512353	002	Kinder Morgan Liquids Terminals St Gabriel LLC	Stormwater	Average	160,000	None		
040201	39978	LA00512353	003	Kinder Morgan Liquids Terminals St Gabriel LLC	Stormwater	Average	48,000	None		
040201	39978	LA00512353	004	Kinder Morgan Liquids Terminals St Gabriel LLC	Treated sanitary wastewater	Average	20	Monthly ave.	200	1.51E+05
040201	39978	LA00512353	005	Kinder Morgan Liquids Terminals St Gabriel LLC	Stormwater	Average	150,000	None		
040201	39978	LAR05M596		Kinder Morgan Liquids Terminals St Gabriel LLC	Stormwater	Not found		None		
040201	40115	LAG750604	001	Coast Machinery Inc	Exterior vehicle and equipment wash wastewater	DMR	700	None		
040201	40418	LAR05M412		AAA Cooper Transportation	MSGP stormwater	Not found		None		
040201	40464	LAG540067	001	Total Environmental Solutions Inc - Plantation Gardens Subdivision	Treated sanitary wastewater	Expected	19,200	Monthly ave.	200	1.45E+08
040201	40625	LAG110087	001	Ascension Ready Mix Plant #1	Treated sanitary wastewater	Average	60	Weekly ave.	400	9.08E+05

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	40646	LAG540030	001	World-Wide Environmental Solutions LLC - Manchac Estate Campsites	Treated sanitary wastewater	Expected	35,200	Daily max	400	5.33E+08
040201	41307	LAG540885	001	Mo-Dad Utilities LLC - Cypress Lake Subdivision	Treated sanitary wastewater	Expected	22,800	Monthly ave.	200	1.73E+08
040201	41334	LAG530181	001	Arlington Preperatory Academy	Treated sanitary wastewater	Design	1,740	Monthly ave.	200	1.32E+07
040201	41853	LAG540620	001	Total Environmental Solutions Inc - Old Perkins Place Subdivision	Treated sanitary wastewater	DMR	18,850	Monthly ave.	200	1.43E+08
040201	41864	LAG530700	001	Hydrochem Industrial Service Inc	Treated sanitary wastewater	Design	1,000	Monthly ave.	200	7.57E+06
040201	41922	LAG750126	001	Isle of Louisiane Car Wash LLC	Treated exterior vechicle wash wastewater	Not found		None		
040201	42343	LA0101885	001	Luhr Brothers Inc dba Construction Aggregate Supply	Aggregate barge/vessel washwater	Not found		None		
040201	42343	LA0101885	02A	Luhr Brothers Inc dba Construction Aggregate Supply	Incoming ballast and void water from barges	Not found		None		
040201	42343	LA0101885	02B	Luhr Brothers Inc dba Construction Aggregate Supply	Maintenance ballast water and void water	Not found		None		
040201	42439	LAG530364	001	McBR Management Co - McDonald's	Treated sanitary wastewater	Design	4,300	Monthly ave.	200	3.26E+07
040201	42601	LAG750680	001	Auger Services	Exterior vehicle and equipment wash wastewater	DMR	750	None		
040201	43000	LAG540943	001	Raybon's Village	Treated sanitary wastewater	Expected	12,300	Monthly ave.	200	9.31E+07
040201	43147	LAG540929	001	Mo-Dad Utilities LLC - The Reserve at Willow Lake	Treated sanitary wastewater	Average	16,400	Monthly ave.	200	1.24E+08
040201	43265	LAG530838	001	Sonic Drive-In	Treated sanitary wastewater	DMR	1,200	Monthly ave.	200	9.08E+06
040201	43308	LAG530653	001	Royal Motel	Treated sanitary wastewater	Design	3,500	Monthly ave.	200	2.65E+07
040201	43308	LAG530653	002	Royal Motel	Treated sanitary wastewater	Design	800	Monthly ave.	200	6.06E+06
040201	43362	LA0103853	001	St Gabriel City of - WWTP	Treated sanitary wastewater	Expected	100,000	Monthly ave.	200	7.57E+08
040201	43648	LAG530565	001	TT&H Warehouse	Treated sanitary wastewater	DMR	250	Monthly ave.	200	1.89E+06
040201	43865	LAG540819	001	Wastewater Treatment Utilities Inc - Lamonte Subdivision	Treated sanitary wastewater	Expected	10,000	Monthly ave.	200	7.57E+07
040201	43877	LAG570298	001	Wastewater Treatment Utilities Inc - Jefferson Oaks Subdivision STP	Treated sanitary wastewater	Average	30,000	Monthly ave.	200	2.27E+08
040201	43879	LAG540829	001	Wastewater Treatment Utilities Inc - St Andrews Subdivision	Treated sanitary wastewater	Expected	12,000	Monthly ave.	200	9.08E+07
040201	43880	LAG570079	001	Wastewater Treatment Utilities Inc - Hunter's Trace Subdivision STP	Treated sanitary wastewater	Average	40,800	Monthly ave.	200	3.09E+08
040201	43882	LAG540818	001	Wastewater Treatment Utilities Inc - Willow Cove Subdivision	Treated sanitary wastewater	DMR	6,692	Monthly ave.	200	5.07E+07
040201	43883	LAG570096	001	Wastewater Treatment Utilities Inc - Manchac Plantation Subdivision STP	Treated sanitary wastewater	Expected	49,600	Monthly ave.	200	3.76E+08
040201	51854	LA0110604	002	Carville Energy LLC - Carville Energy Center	Non-process area storm water and miscellaneous wastewater	Expected	60,300	None		
040201	51854	LA0110604	003	Carville Energy LLC - Carville Energy Center	Non-process area storm water and miscellaneous wastewater	Expected	28,300	None		
040201	51854	LA0110604	004	Carville Energy LLC - Carville Energy Center	Non-process area storm water and miscellaneous wastewater	Expected	13,600	None		
040201	51854	LA0110604	005	Carville Energy LLC - Carville Energy Center	Non-process area storm water and miscellaneous	Expected	35,700	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
					wastewater					
040201	51854	LA0110604	006	Carville Energy LLC - Carville Energy Center	Non-process area storm water and miscellaneous wastewater	Expected	8,500	None		
040201	51854	LA0110604	007	Carville Energy LLC - Carville Energy Center	Non-process area storm water and miscellaneous wastewater	Expected	6,000	None		
040201	51909	LA0103870	001	Ascension Parish Government - Trailerland Subdivision	Treated sanitary wastewater	Expected	65,000	Monthly ave.	200	4.92E+08
040201	52328	LA0110817	001	River City Equestrian Center LLC	Treated sanitary wastewater and equus caballus washwater	Design	200	Weekly ave.	400	3.03E+06
040201	69881	LAG110042	001	LA Concrete Products	Process wastewater and process area stormwater	Average	950	None		
040201	69881	LAG110042	002	LA Concrete Products	Process area storm water discharges	Average	300	None		
040201	69881	LAG110042	005	LA Concrete Products	Treated sanitary wastewater	Average	300	Weekly ave.	400	4.54E+06
040201	70008	LAG750575	001	Circle K #9726	Treated exterior vehicle wash wastewater	DMR	720	None		
040201	70009	LAG750572	001	Circle K #9718	Treated carwash wastewater	DMR	720	None		
040201	70017	LAG750573		Circle K #9717	Exterior vehicle and equipment wash wastewater	Not found		None		
040201	76416	LAG532585	001	Mobil On The Run	Treated sanitary wastewater	Expected	1,960	Monthly ave.	200	1.48E+07
040201	77247	LAU004231		Oak Grove Exxon		Not found		None		
040201	79062	LAR10C913	001	WalMart Supercenter #5056	Wastewaters associated with the cleanup of PUST sites (rainwater and stormwater run-off that has accumulated in an excavation pit during remediation of a former UST site)	Average	14,000	Monthly ave.	200	1.06E+08
040201	79640	LAG750578	001	Circle K #9728	Treated sanitary wastewater	Average	1,000	Weekly ave.	400	1.51E+07
040201	83310	LAR10B035	001	Sam's Club #6527 - car wash	Exterior vehicle and equipment wash wastewater	Not found		None		
040201	84679	LAG750579	001	Circle K #2709716	Treated exterior vehicle wash wastewater	Expected	4,500	None		
040201	85011	LAG480200	001	Shaw Constructors Inc - Equipment Yard	Washwater from truck wash rack	Expected	440	None		
040201	85011	LAG480200	002	Shaw Constructors Inc - Equipment Yard	Treated sanitary wastewater	Expected	210	Weekly ave.	400	3.18E+06
040201	85011	LAG480200	003	Shaw Constructors Inc - Equipment Yard	Treated sanitary wastewater	Expected	360	Weekly ave.	400	5.45E+06
040201	85011	LAG480200	004	Shaw Constructors Inc - Equipment Yard	Treated sanitary wastewater	Expected	750	Weekly ave.	400	1.14E+07
040201	85011	LAG480200	005	Shaw Constructors Inc - Equipment Yard	Treated sanitary wastewater	Expected	3,000	Weekly ave.	400	4.54E+07
040201	85011	LAG480200	006	Shaw Constructors Inc - Equipment Yard	Treated sanitary wastewater	Expected	150	Weekly ave.	400	2.27E+06
040201	85011	LAG480200	007	Shaw Constructors Inc - Equipment Yard	Treated sanitary wastewater	Expected	250	Weekly ave.	400	3.79E+06
040201	85102	LAG750323	001	Sunbelt Rentals	Wash rack wastewater	Not found		None		
040201	85249	LA0109053	001	Dixie Landin' LLC	Treated sanitary wastewater, non-contact condensate from air conditioners, and food service wastewater	Design	35,000	Monthly ave.	200	2.65E+08
040201	85249	LA0109053	002	Dixie Landin' LLC	Water from off-season pool draining, pool overflow during the operating season, maintenance wastewater, pool filter backwash, and storm runoff	Design	5,480,000	Monthly ave.	200	4.15E+10
040201	85249	LA0109053	003	Dixie Landin' LLC	Treated sanitary wastewater, non-contact condensate from air conditioners, and food service	Design	5,000,000	Monthly ave.	200	3.79E+10

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
					wastewater					
040201	85526	LAG531084	001	McBR Management Co - McDonald's	Treated sanitary wastewater	Expected	3,800	Monthly ave.	200	2.88E+07
040201	85763	LAG750363	001	ISC Properties LLC	Commingled treated sanitary and treated exterior vechicle wash wastewater	Expected	6,000	Weekly ave.	400	9.08E+07
040201	85763	LAG750363	002	ISC Properties LLC	Treated sanitary wastewater	Expected	1,300	Weekly ave.	400	1.97E+07
040201	86559	LAG531113	001	Dynasty Restaurant LLC	Treated sanitary wastewater	Design	4,200	Monthly ave.	200	3.18E+07
040201	86631	LAG531911	001	Bethany World Prayer Center	Treated sanitary wastewater	Average	1,200	Weekly ave.	400	1.82E+07
040201	86645	LAG570271	001	Wastewater Treatment Utilities Inc - Jefferson Crossing Subdivision STP	Treated sanitary wastewater	Expected	72,000	Monthly ave.	200	5.45E+08
040201	86783	LAG750342	001	Extreme Clean Car Wash - Lee Dr LLC	Treated carwash wastewater	DMR	1,814	None		
040201	86995	LAG570279	001	Wastewater Treatment Utilities Inc - Bluff Oaks Plantation Subdivision STP	Treated sanitary wastewater	Average	26,400	Monthly ave.	200	2.00E+08
040201	87676	LAG470089	001	All Star Automotive Group - All Star Ford Lincoln - Mercury	Commingled discharges of treated washrack and sanitary wastewater	DMR	285	Weekly ave.	400	4.32E+06
040201	88249	LAG531172	001	American Alloy Steel Inc	Treated sanitary wastewater	Average	160	Monthly ave.	200	1.21E+06
040201	90164	LAR10B632	001	Dutch Town High School	Treated sanitary wastewater	Average	31,600	Monthly ave.	200	2.39E+08
040201	90596	LAG541264	001	Wastewater Treatment Utilities Inc - The Bluffs Subdivision STP	Treated sanitary wastewater	Average	24,000	Monthly ave.	200	1.82E+08
040201	93329	LAR10G609		CarMax The Auto Superstore Store #7187 - MAPP Construction LLC -Orlando Office	Construction stormwater	Not found		None		
040201	93789	LAG570291	001	Wastewater Treatment Utilities Inc - Les Chenier Subdivision STP	Treated sanitary wastewater	Expected	60,000	Monthly ave.	200	4.54E+08
040201	93823	LA0124753	001	Wastewater Treatment Utilities Inc - Meadow Ridge Subdivision STP	Treated sanitary wastewater	Design	51,200	Monthly ave.	200	3.88E+08
040201	93827	LAG570281	001	Wastewater Treatment Utilities Inc - Spanish Oaks Subdivision STP	Treated sanitary wastewater	Expected	32,000	Monthly ave.	200	2.42E+08
040201	93828	LAG570300	001	Wastewater Treatment Utilities Inc - Twelve Oaks Subdivision STP	Treated sanitary wastewater	Expected	60,000	Monthly ave.	200	4.54E+08
040201	93873	LAG541262	001	Wastewater Treatment Utilities Inc - Village at Willow Lake Subdivision STP	Treated sanitary wastewater	Expected	24,000	Monthly ave.	200	1.82E+08
040201	93884	LAG570302	001	Wastewater Treatment Utilities Inc - Manchac Harbor Subdivision STP - 1st & 2nd Filings	Treated sanitary wastewater	Expected	98,000	Monthly ave.	200	7.42E+08
040201	93886	LAG570274	001	Wastewater Treatment Utilities Inc - Fountain Hill Subdivision STP	Treated sanitary wastewater	Expected	72,000	Monthly ave.	200	5.45E+08
040201	94424	LAG750397	001	Lambert & Miles LLC - Burbank Car Wash	Treated exterior vehicle wash wastewater	Not found		None		
040201	97865	LAG541211	001	Prairieville Middle School	Treated sanitary wastewater	Design	14,000	Monthly ave.	200	1.06E+08
040201	98734	LAG541133	001	L&E Investments LLC - Lynch's Mobile Home Park	Treated sanitary wastewater	Average	19,500	Monthly ave.	200	1.48E+08
040201	99187	LAG541086	001	Courtney Place Condominums	Treated sanitary wastewater	Expected	14,400	Monthly ave.	200	1.09E+08
040201	100324	LAR10C561	001	Wastewater Treatment Utilities Inc - Cloverhill Subdivision STP	Treated sanitary wastewater	Average	36,000	Monthly ave.	200	2.73E+08
040201	103849	LAG570237	001	Total Environmental Solutions Inc - Lakes at Dutchtown Subdivision	Treated sanitary wastewater	Expected	45,600	Monthly ave.	200	3.45E+08
040201	103925	LAG480368	001	AAA Rent All	Exterior vehicle and equipment washwater (with	Design	250	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
					soaps and/or detergents)					
040201	104416	LAG531406	001	TNT Performance & Repair LLC - Diesel Performance Facility	Treated sanitary wastewater	Average	140	Weekly ave.	400	2.12E+06
040201	105695	LAG532053	001	RCS Land Co LLC - Family Dollar	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040201	108610	LAG541143	001	Commercial Sewage Treatment Plant	Treated sanitary wastewater	Average	5,220	Monthly ave.	200	3.95E+07
040201	112622	LAG110158	001	Bear Industries Inc	Process wastewater and process area stormwater from cement and concrete facilities	Not found		None		
040201	116928	LAR10C670	001	Wastewater Treatment Utilities Inc - Oak Alley Estates STP	Treated sanitary wastewater	Average	72,000	Monthly ave.	200	5.45E+08
040201	117898	LAG531533	001	Chase Highland Branch	Treated sanitary wastewater	Average	244	Weekly ave.	400	3.69E+06
040201	118197	LAG480347	001	On The Run - Exxon RAS #70132	Sanitary wastewater	Design	4,080	Weekly ave.	400	6.18E+07
040201	118197	LAG480347	002	On The Run - Exxon RAS #70132	Exterior vehicle wash wastewater	Not found		None		
040201	118273	LAG541269	001	Ascension Wastewater Treatment Inc - Crestview Estates Subdivision STP	Treated sanitary wastewater	Expected	18,400	Monthly ave.	200	1.39E+08
040201	118381	LAG570308	001	Wastewater Treatment Utilities Inc - Dutchtown Villas Subdivision STP	Treated sanitary wastewater	Average	30,000	Monthly ave.	200	2.27E+08
040201	119008	LAU004248		Nelson Tank Battery - University Field		Not found		None		
040201	119486	LAG570473	001	Ascension Wastewater Treatment Inc - Ultima Plaza	Treated sanitary wastewater	Average	36,480	Monthly ave.	200	2.76E+08
040201	119612	LAG532019	001	Kinder Garden LLC	Treated sanitary wastewater	Expected	2,040	Weekly ave.	400	3.09E+07
040201	119845	LAG541251	001	Ascension Wastewater Treatment Inc - Oak Plaza Shopping Center	Treated sanitary wastewater	Expected	9,140	Monthly ave.	200	6.92E+07
040201	119982	LAR10C571	001	Ascension Wastewater Treatment Inc - Lakes at Oak Grove STP	Treated sanitary wastewater	Average	56,400	Monthly ave.	200	4.27E+08
040201	120032	LAG531605	001	Cypress Heights Academy	Treated sanitary wastewater	Expected	2,790	Monthly ave.	200	2.11E+07
040201	120263	LAG541321	001	Oak Grove Primary School	Treated sanitary wastewater	Average	14,255	Monthly ave.	200	1.08E+08
040201	121616	LAG531813	001	Dominos Pizza	Treated sanitary wastewater	Expected	800	Monthly ave.	200	6.06E+06
040201	121645	LAG531650	001	Dutchtown Baptist Church - WWTP	Treated sanitary wastewater	Expected	2,000	Weekly ave.	400	3.03E+07
040201	121672	LAG541219	001	Frank's Restaurant & Banquet Hall	Treated sanitary wastewater	Average	10,355	Monthly ave.	200	7.84E+07
040201	124800	LAR05N581		Rolling Frito-Lay Sales LP - Baton Rouge Bin	Stormwater	Not found		None		
040201	124899	LAG531704	001	LA Towing	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040201	124899	LAG531704	002	LA Towing	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040201	124995	LA0123404	001	K-TEC LLC	Water jet abrasive wastewater, hydrostatic water pressure test system wastewater, sanitary wastewater from the machine shop	Design	1,650	Daily max	400	2.50E+07
040201	125092	LAG532510	001	US Postal Service - Commerce Park Post Office	Treated sanitary wastewater	Average	2,000	Monthly ave.	200	1.51E+07
040201	125403	LAG541268	001	Ascension Wastewater Treatment Inc - Arlington Plantation Condos	Treated sanitary wastewater	Expected	18,400	Monthly ave.	200	1.39E+08
040201	125432	LAG570333	001	Ascension Wastewater Treatment Inc - Legacy Hills Subdivision STP	Treated sanitary wastewater	Average	26,000	Monthly ave.	200	1.97E+08
040201	127024	LAG541489	001	Ascension Wastewater Treatment Inc - Oak	Treated sanitary wastewater	Expected	6,800	Monthly ave.	200	5.15E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Grove Courtyard						
040201	127204	LAG541297	001	R&D Property Development LLC - Highlandia Office/Retail Center	Treated sanitary wastewater	Design	20,000	Monthly ave.	200	1.51E+08
040201	127459	LAG541328	001	Greg Martrain Strip Shopping Mall	Treated sanitary wastewater	Design	15,000	Monthly ave.	200	1.14E+08
040201	129104	LAG531991	001	Gulf Coast Event Services	Treated sanitary wastewater	Average	300	Weekly ave.	400	4.54E+06
040201	132705	LAG570416	001	Ascension Wastewater Treatment Inc - Wrenwood Subdivision	Treated sanitary wastewater	Average	26,800	Monthly ave.	200	2.03E+08
040201	133058	LAG532323	001	Garcia Management Group LLC	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040201	134264	LAG33A206		Gueymard Production Facility - St Gabriel Field		Not found		None		
040201	135121	LAG570362	001	Rapps Enterprises LLC - Home Depot Out Parcels/Restaurant & Retail	Treated sanitary wastewater	Average	33,012	Monthly ave.	200	2.50E+08
040201	136290	LAG531998	001	CVS Pharmacy	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040201	137010	LAG750550	001	Benny's Car Wash - Greenwell Springs Express	Exterior vehicle and equipment wash wastewater	Not found		None		
040201	137507	LAG570415	001	Ascension Wastewater Treatment Inc - Moss Point Subdivision	Treated sanitary wastewater	Average	40,000	Monthly ave.	200	3.03E+08
040201	138856	LAG33A602		St Gabriel Dehydration & NGL Facility #1		Not found		None		
040201	139566	LAG541469	001	Ascension Wastewater Treatment Inc - Quail Hollow Subdivision STP	Treated sanitary wastewater	Average	13,200	Monthly ave.	200	9.99E+07
040201	143342	LAG541533	001	Ascension Wastewater Treatment Inc - Retreat At Ascension Subdivision	Treated sanitary wastewater	Average	8,000	Monthly ave.	200	6.06E+07
040201	143343	LAG570400	001	Ascension Wastewater Treatment Inc - Oaks On The Bluff Subdivision WWTP	Treated sanitary wastewater	Expected	56,400	Monthly ave.	200	4.27E+08
040201	143945	LAG532143	001	The Business Park at Oak Grove Condominium Association - The Business Park at Oak Grove	Treated sanitary wastewater	Average	300	Weekly ave.	400	4.54E+06
040201	144464	LAG541519	001	Baudry Property Development LLC - Oak Grove Village & Professional Park	Treated sanitary wastewater	Expected	6,960	Monthly ave.	200	5.27E+07
040201	147165	LAR10E148		Ronnie Howard Construction Co Inc - Oaks on the Bluff Subdivision		Not found		None		
040201	147413	LAG532678	001	Ascension Wastewater Treatment Inc - Taco Bell	Treated sanitary wastewater	Average	2,400	Monthly ave.	200	1.82E+07
040201	148008	LAG532198	001	Ascension Wastewater Treatment Inc - Dutchtown Point Shopping Center WWTP	Treated sanitary wastewater	Average	1,000	Weekly ave.	400	1.51E+07
040201	151677	LA0123684	001	Ascension Wastewater Treatment Inc - Manchac Harbor Crossing	Treated sanitary wastewater	Design	29,200	Monthly ave.	200	2.21E+08
040201	151794	LAG750612	001	Benny's Car Wash - Essen Full Service	Exterior vehicle and equipment wash wastewater	Not found		None		
040201	151923	LAG532296	001	Legacy Oaks LLC - The Highlands @ New Richmond	Treated sanitary wastewater	Average	440	Weekly ave.	400	6.66E+06
040201	152058	LAG570431	001	Ascension Wastewater Treatment Inc - Summerlynn Place	Treated sanitary wastewater	Expected	22,800	Monthly ave.	200	1.73E+08
040201	152273	LAR10E340		Lexington Land Development LLC - Lexington Estates	Construction stormwater	Not found		None		
040201	152313	LAR10E328		Highland Development - Highland Estates @ Turtle Creek		Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	152516	LAG470247	002	Goodyear Regional Dist Office - Goodyear Tire & Rubber Co	Maintenance and shop floor washwater	Not found		None		
040201	152516	LAG470247	005	Goodyear Regional Dist Office - Goodyear Tire & Rubber Co	Treated sanitary wastewater	Average	500	Weekly ave.	400	7.57E+06
040201	153319	LAR10E502		America Homeland LLC		Not found		None		
040201	153571	LAG570425	001	Ascension Wastewater Treatment Inc - Maplewood Estates Subdivision	Treated sanitary wastewater	Average	44,800	Monthly ave.	200	3.39E+08
040201	153967	LAR10E564		Arlington Creek Centre - Burbank & Lee Investors LLC	Construction stormwater	Not found		None		
040201	154024	LAG541638	001	Ascension Wastewater Treatment Inc - Lasalle Point Subdivision	Treated sanitary wastewater	Expected	20,000	Monthly ave.	200	1.51E+08
040201	154183	LAG541631	001	Ascension Wastewater Treatment Inc - Dutchtown Gardens Subdivision	Treated sanitary wastewater	Average	18,800	Monthly ave.	200	1.42E+08
040201	154213	LAG750631	001	Oak Grove Express Lube LLC - Oak Grove Carwash	Exterior vehicle and equipment wash wastewater	Design	2,880	None		
040201	154276	LA0123749	001	Ascension Wastewater Treatment Inc - Commerce Center	Treated sanitary wastewater	Design	200,000	Monthly ave.	200	1.51E+09
040201	154303	LAR10E724		Sundance Development LLC - Hoo Shoo Too Lakes	Construction stormwater	Not found		None		
040201	154467	LAU006278		Jacobi Carbons Reactivation Services LLC - Carbon Reactivation Plant		Not found		None		
040201	155461	LAG532584	001	Louisiana Machinery Co LLC	Treated sanitary wastewater	Average	1,000	Weekly ave.	400	1.51E+07
040201	156279	LAG570501	001	Ascension Wastewater Treatment Inc - The Reserve At Jefferson Crossing	Treated sanitary wastewater	Average	56,400	Monthly ave.	200	4.27E+08
040201	156320	LAR10E921		Oxford Construction Co LLC - Fairhill Subdivision		Not found		None		
040201	156386	LAG570481	001	Ascension Wastewater Treatment Inc - Willowbrook & Old Jefferson Townhomes WWTP	Treated sanitary wastewater	Expected	68,000	Monthly ave.	200	5.15E+08
040201	156445	LAR10E941		Fairhill At Bluebonnet Highlands 4th Filing - Sarepta Homes Inc	Construction stormwater	Not found		None		
040201	156771	LAR10E976		Lexington Estates - Rogers Brothers Construction Co Inc	Construction stormwater	Not found		None		
040201	159035	LAR10F224		Lexington Estates - Appiah & Emery Developments LLC		Not found		None		
040201	159185	LAR10F239		University Club Filing VI Part II - Jones-Hastings Co Inc		Not found		None		
040201	159428	LAG750697	001	Enterprise Leasing Co of New Orleans - Enterprise Rent a Car	Exterior vehicle and equipment wash wastewater	Design	79,200	None		
040201	159590	LAR10F256		The Lakes At Jamestown - Alavarez Construction Co Inc	Construction stormwater	Not found		None		
040201	159628	LAG570475	001	Weston Court - Mo-Dad Utilities LLC - WWTP	Treated sanitary wastewater	Design	15,000	None		
040201	160162	LAR10F392		Dupree Construction Co Inc - Old Normandie Acres		Not found		None		
040201	160530	LAR10F365		Santa Maria - Southern Key Residential		Not found		None		
040201	161065	LAG533028	001	Valpal LLC - Prairieville Office Park	Treated sanitary wastewater	Expected	320	Weekly ave.	400	4.85E+06
040201	161065	LAG533028	002	Valpal LLC - Prairieville Office Park	Treated sanitary wastewater	Expected	40	Weekly ave.	400	6.06E+05

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	161317	LAR10F396		Mallard Crossing LP - Woodcrest Apartments	Construction stormwater	Not found		None		
040201	161733	LAR10F469		Louisiana Army National Guard Armed Forces Reserve Center - Lemoine Co LLC	Construction stormwater	Not found		None		
040201	161878	LAG532995	001	Pelican Masonry/J G Patin - Pelican Masonry	Treated sanitary wastewater	Expected	2,080	Weekly ave.	400	3.15E+07
040201	162181	LAG541707	001	US 61 Holdings - Burger King Commercial Center	Treated sanitary wastewater	Expected	6,420	Monthly ave.	200	4.86E+07
040201	162276	LAR10F477		Willowbrook Subdivision - Lancaster & Associates Inc	Construction stormwater	Not found		None		
040201	162276	LAR10F782		Willowbrook Subdivision - Lancaster & Associates Inc	Construction stormwater	Not found		None		
040201	162507	LAG119042	001	TXI Operations LP - TXI Portable Ready-Mix Plant #29 (Con-e-co Model #C-4355 SN 11477-101)	Process wastewater and process area stormwater from cement and concrete facilities	Not found		None		
040201	162598	LAR10G887		University Club - Resweber Construction Co Inc	Construction stormwater	Not found		None		
040201	163124	LAR10F580		Springbrook @ Bluebonnet Highlands Subdivision		Not found		None		
040201	163831	LAR10F651		Woodridge Subdivision - Andrew Hoang		Not found		None		
040201	163923	LAR10F653		Magnolia Springs Subdv Part 1 - Magnolia Springs LLC	Construction stormwater	Not found		None		
040201	164098	LAG541729	001	Spanish Lake Primary	Treated sanitary wastewater	Design	25,000	Monthly ave.	200	1.89E+08
040201	164609	LAR10F703		The Cottages of Baton Rouge - Cottage Builders Inc	Construction stormwater	Not found		None		
040201	165136	LAG541740	001	Brightside Commons - Brightside Commons Inc	Treated sanitary wastewater	Average	5,250	Monthly ave.	200	3.97E+07
040201	165198	LAR10F770		The Country Club of LA - Dupree Construction Inc	Construction stormwater	Not found		None		
040201	165792	LAR10F825		Independence Park Family Aquatic Center - D Honore Const Inc/Ferris Engineering		Not found		None		
040201	165871	LAG533200	001	Double G LLC - Kiddie Academy of Prairieville	Treated sanitary wastewater	Average	2,650	Monthly ave.	200	2.01E+07
040201	166377	LAR10F906		Our Lady of the Lake Hospital Inc - Medical Plaza IV - Milton J Womack Inc		Not found		None		
040201	167224	LAR10G123		University Club Lot # 78 - Tracy Jordan LLC		Not found		None		
040201	167225	LAR10F985		Bocage Lake Subdivision Lot 17 - Tracy Jordan LLC	Construction stormwater	Not found		None		
040201	167484	LAR10G039		Lexington Estates - Brad Bennett	Construction stormwater	Not found		None		
040201	167645	LAG750762	001	Shammys Car Wash - Shammys LLC	Exterior vehicle and equipment wash wastewater	Not found		None		
040201	167899	LAR10G026		Country Club of LA - Design Build Associates Inc	Construction stormwater	Not found		None		
040201	168071	LAG533386	001	Alphabet Soup Learning Center II LLC - Alphabet Soup Learning Center	Treated sanitary wastewater	Design	2,800	Weekly ave.	400	4.24E+07
040201	168097	LAR10G042		The Settlement at Willow Grove - Patricia Bourg		Not found		None		
040201	168102	LAR10G043		Pecue Realignment At Perkins Rd - Baton Rouge City Parish of	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	168104	LAR10G049		Siegen Ln (LA 3246) Improvements - Baton Rouge City Parish of		Not found		None		
040201	168193	LAR10G105		Staring Ln Extension - Phase 1 - James Construction Group LLC	Construction stormwater	Not found		None		
040201	168242	LAR10G111		Woodridge - 4th Filing - Mark Day	Construction stormwater	Not found		None		
040201	168462	LAG533342	001	Club Real	Treated sanitary wastewater	Average	790	Weekly ave.	400	1.20E+07
040201	168574	LAR10G215		Bocage Lakes - GW Oliver Construction LLC		Not found		None		
040201	168705	LAR10G201		Highland Rd Improvements - JB James Construction LLC		Not found		None		
040201	168794	LAR10G198		Willowbrook Subdivision - Hunni Ledoux	Construction stormwater	Not found		None		
040201	168937	LAR10G277		Mallard Lakes - David Ellis & Associates Inc	Construction stormwater	Not found		None		
040201	168953	LAR10G286		University Club Plantation - Audubon General Constractors Inc	Construction stormwater	Not found		None		
040201	169230	LAR10G306		Brightside North Condominiums Phase I - CMW Builders LLC	Construction stormwater	Not found		None		
040201	169253	LAR10G302		University Club Plantation - JMC Builders LLC		Not found		None		
040201	169263	LAR10G330		Orion Instruments - Mapp Construction LLC	Construction stormwater	Not found		None		
040201	169379	LAR10G237		Woodridge - Markey Construction Co Inc	Construction stormwater	Not found		None		
040201	169843	LAR10G255		The Settlement At Willow Grove - FHL Construction & Development LLC		Not found		None		
040201	169877	LAG541252	001	Old Galvez Town Mobile Home Estates	Treated sanitary wastewater	Average	9,900	Monthly ave.	200	7.50E+07
040201	169905	LAR10G298		Springlake at Bluebonnet Highlands - FHL Construction & Development LLC		Not found		None		
040201	170239	LAR10G383		J&P Custom Homes LLC		Not found		None		
040201	170461	LAG533423	001	Commerce Center - WWTP	Treated sanitary wastewater	Expected	400	Weekly ave.	400	6.06E+06
040201	170550	LAR10G411		Springlake Subdv - Bluebonnet Highlands Land & Development LLC		Not found		None		
040201	170581	LAR10G407		Premier Socer Complex - Block Companies	Construction stormwater	Not found		None		
040201	170663	LAR10G647		Rehabilitation Project - Allen & LeBlanc LLC	Construction stormwater	Not found		None		
040201	170980	LAR10G431		Fairhill Subdv - Clegg Builders LLC	Construction stormwater	Not found		None		
040201	171080	LAR10G448		Boh Bros Construction Co LLC - I-10 Widening Design-Builld Project - LA 3246 to LA 42		Not found		None		
040201	171307	LAG533478	001	Sunrise Business Ventures - Little Prairie Apartments	Treated sanitary wastewater	Design	3,000	Monthly ave.	200	2.27E+07
040201	171439	LAR10G493		The Settlement at Willow Grove - Lafosse Custom Construction Inc	Construction stormwater	Not found		None		
040201	171443	LAR10G492		Womans Hospital Medical Office - Rogers-O'Brien Construction		Not found		None		
040201	171676	LAR10G526		Iberville MSA Academy - Guy Hopkins Construction Co Inc	Construction stormwater	Not found		None		
040201	171999	LAR10G539		Woodridge Subdivision - Kevin Denny		Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040201	172000	LAR10G540		Aspen Heights	Construction stormwater	Not found		None		
040201	172098	LAR10G571		The Settlement at Willowgrove		Not found		None		
040201	172147	LAR10G558		Springlake at Bluebonnet Highlands	Construction stormwater	Not found		None		
040201	172310	LAR10G591		Santa Maria - Martin Construction Inc		Not found		None		
040201	172520	LAR10G613		South WWTP Wet Weather Improvements - Phase 1 - Brasfield & Gorrie LLC	Construction stormwater	Not found		None		
040201	172688	LAR10G644		The Settlement at Willow Grove - Thomas Building Co LLC		Not found		None		
040201	173057	LAG533592	001	Best Catered Events Commissary & Fringe Salon	Treated sanitary wastewater	Average	140	Monthly ave.	200	1.06E+06
040302	1187	LAG480425	001	Scott Equipment Co LLC	Treated equipment washwater	Expected	600	None		
040302	1696	LAG470185	001A	Robinson Brothers Ford LLC	Treated washrach wastewater	Expected	500	None		
040302	1696	LAG470185	001B		Treated washrack wastewater	Not found		None		
040302	1976	LAG750368	004	Boh Brothers Construction Co LLC	Commingled treated exterior vehicle wash and sanitary wastewater	DMR	10,000	Daily max	400	1.51E+08
040302	3523	LAG531751	001	Episcopal High School	Treated sanitary wastewater	Average	2,440	Weekly ave.	400	3.69E+07
040302	5940	LAG110137	002	F G Sullivan Contractor LLC - Plant #1	Process wastewater and process area stormwater from cement and concrete facilities	Not found		None		
040302	5940	LAG110137	006	F G Sullivan Contractor LLC - Plant #1	Washrack and shop floor washdown wastewater discharges from cement, concrete, and asphalt facilities	Not found		None		
040302	5940	LAG110137	008	F G Sullivan Contractor LLC - Plant #1	Stormwater and aggregate spray from sand and gravel unloading areas and stockpiles of washed sand and gravel	Not found		None		
040302	5940	LAG110137	009	F G Sullivan Contractor LLC - Plant #1	Nonprocess area stormwater from cement, concrete, and asphalt facilities	Not found		None		
040302	7216	LAG470304	001	All Star Kia East	Treated washrack, maintenance and shop floor wastewater	DMR	200	None		
040302	11246	LAG750404	001	Doggett Machinery Services	Treated exterior vechicle wash wastewater	Expected	500	None		
040302	12710	LAG470019	001	Diamond Mazda	Treated washrack wastewater and repair shop floor washwater	Not found		None		
040302	12710	LAG470019	002	Diamond Mazda	Uncontaminated stormwater and washwater without soaps and/or detergents	Not found		None		
040302	13365	LAG750107	001	ExxonMobil Oil Corp #50601	Car wash	Average	200	None		
040302	13855	LAG470130	001	Paretti Imports Inc - Paretti Jaguar of Baton Rouge	Washrack wastewater	Expected	98	None		
040302	14036	LAG540328	001	Briarwood Golf Club	Treated sanitary wastewater	Expected	15,000	Monthly ave.	200	1.14E+08
040302	15982	LAG470158	001	Brian Harris Chrysler Jeep	Commingled washrack and maintenance and repair shop floor washwater wastewaters	Not found		None		
040302	18177	LAU006172	001	Lakeland Park Sewer Association - Lakeland Park Sewer Plant	Treated sanitary wastewater	Average	50,000	Monthly ave.	200	3.79E+08
040302	18494	LAG540357	001	Central Town Homes	Treated sanitary wastewater	Average	9,600	Monthly ave.	200	7.27E+07
040302	18932	LA0077101	001	Patrician Management LLC - Ole London Towne Apartments	Treated sanitary wastewater	Expected	110,000	Monthly ave.	200	8.33E+08
040302	18947	LAG540469	001	KTB Park LLC - KTB Park	Treated sanitary wastewater	Expected	9,000	Monthly ave.	200	6.81E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040302	19086	LAG540215	001	Calloway's Court Club	Treated sanitary wastewater	Expected	17,280	Monthly ave.	200	1.31E+08
040302	19544	LAG540393	001	J&L Partnership Banbury Apartments	Treated sanitary wastewater	Expected	23,400	Monthly ave.	200	1.77E+08
040302	19693	LAG570139	001	East Baton Rouge City Parish - Shadow Oaks Subdivision #298	Treated sanitary wastewater	Average	33,000	Monthly ave.	200	2.50E+08
040302	19748	LAG540150	001	World-Wide Environmental Solutions LLC - Forest Glen Subdivision 3rd Filing	Treated sanitary wastewater	DMR	7,400	Monthly ave.	200	5.60E+07
040302	19889	LAG540148	001	World-Wide Environmental Solutions LLC - Country Bend Subdivision	Treated sanitary wastewater	Expected	14,400	Monthly ave.	200	1.09E+08
040302	22244	LAG530562	001	TMC Shipping Co	Treated sanitary wastewater	Expected	140	Weekly ave.	400	2.12E+06
040302	22556	LAG750430	001	Yamaha South Inc. (currently occupied by Premier)	Washrack wastewater	Average	300	None		
040302	22865	LAG480495	001	Baton Rouge Water Works	Exterior vehicle wash and shop washdown wastewater	Design	1,840	None		
040302	22865	LAG480495	002	Baton Rouge Water Works	Sanitary wastewater	Design	760	Weekly ave.	400	1.15E+07
040302	22942	LAG750371	001	Jiffy Mart #15	Treated sanitary wastewater	Expected	2,138	Weekly ave.	400	3.24E+07
040302	23102	LAG750346	001	Louisiana Machinery Co LLC	Treated washrack/stormwater	Average	600	None		
040302	23102	LAG750346	002	Louisiana Machinery Co LLC	Stormwater	Average	500	None		
040302	25354	LAG530781	001	Lang's Standard Solutions	Treated sanitary wastewater	Average	160	Weekly ave.	400	2.42E+06
040302	29837	LAG532066	001	Walgreens #3085	Treated sanitary wastewater	Average	200	Weekly ave.	400	3.03E+06
040302	37059	LAG530178	001	Chaneyville Community Center	Treated sanitary wastewater	Design	3,000	Monthly ave.	200	2.27E+07
040302	38159	LAG540266	001	Denham Oaks Trailer Park	Treated sanitary wastewater	DMR	4,331	Monthly ave.	200	3.28E+07
040302	38551	LA0067784	001	Livingston Parish Sewerage District #2	Treated sanitary wastewater	Average	1,500,000	Monthly ave.	200	1.14E+10
040302	38614	LAG540513	001	Moody Dixon Place Trailer Park	Treated sanitary wastewater	Average	6,900	Monthly ave.	200	5.22E+07
040302	38617	LAG570181	001	J P Morgan - Linder Road Mobile Home Park	Treated sanitary wastewater	Expected	43,800	Monthly ave.	200	3.32E+08
040302	40391	LAG540706	001	Community Mobile Home Park	Treated sanitary wastewater	Average	7,500	Monthly ave.	200	5.68E+07
040302	40495	LAG540900	001	AHM Corp dba Budget Inn	Treated sanitary wastewater	Expected	4,640	Monthly ave.	200	3.51E+07
040302	40641	LAG540374	001	Total Environmental Solutions Inc - Pirie Landing Subdivision	Treated sanitary wastewater	Expected	22,400	Monthly ave.	200	1.70E+08
040302	40645	LAG570087	001	World-Wide Environmental Solutions LLC - Bon Lieu Subdivision	Treated sanitary wastewater	Expected	35,200	Monthly ave.	200	2.66E+08
040302	40695	LAG119009	001	Barber Brothers Contracting Co - Portable Concrete Plant #3	Process wastewater and process area stormwater from cement and concrete facilities	DMR	110,625	None		
040302	40723	LAG540170	001	Swiftys Food Mart #16	Treated sanitary wastewater	Expected	7,500	Monthly ave.	200	5.68E+07
040302	40964	LAG750032	001	Carville Inc	Treated exterior vehicle wash wastewater	Permit max	25,000	None		
040302	41044	LAG530131	001	Circle K #4207	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040302	41251	LAG570141	001	Devonshire Apartments	Treated sanitary wastewater	Expected	32,800	Monthly ave.	200	2.48E+08
040302	41302	LAG540025	001	Mo-Dad Utilities LLC - Stone Ridge Subdivision	Treated sanitary wastewater	Average	24,000	Monthly ave.	200	1.82E+08
040302	41304	LAG560011	001	Mo-Dad Utilities LLC - Galvez Oaks Subdivision	Treated sanitary wastewater	Design	40,000	Monthly ave.	200	3.03E+08
040302	41749	LAG530961	001	Woerner Turf Warehouse	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040302	41839	LAG540619	001	Total Environmental Solutions Inc - Martin Lake Resort	Treated sanitary wastewater	Permit max	25,000	Monthly ave.	200	1.89E+08
040302	41847	LAG570145	001	Total Environmental Solutions Inc - Hunstock Subdivision	Treated sanitary wastewater	Average	32,000	Monthly ave.	200	2.42E+08
040302	41849	LAG540373	001	Total Environmental Solutions Inc - Oak Hills 35 Filing 1	Treated sanitary wastewater	Average	23,200	Monthly ave.	200	1.76E+08
040302	41851	LAG540376	001	Total Environmental Solutions Inc - Oak Hills 59 Filing 2	Treated sanitary wastewater	Average	18,000	Monthly ave.	200	1.36E+08
040302	41852	LAG540875	001	Total Environmental Solutions Inc - Beechwood Subdivision	Treated sanitary wastewater	Average	22,400	Monthly ave.	200	1.70E+08
040302	42354	LAG750204	001	North Range Car Wash	Treated exterior vehicle wash wastewater	Not found		None		
040302	42370	LAG540120	001	Manchester Place Mobile Home Park	Treated sanitary wastewater	DMR	2,246	Monthly ave.	200	1.70E+07
040302	42537	LAG750169	001	MJ Enterprise Ltd - Auto Plus Magic Cleaning Services	Treated car wastewater	Expected	960	None		
040302	42726	LAG541447	001	O'Neal Village I Shopping Center LLC - O'Neal Village Shopping Center	Treated sanitary wastewater	Average	9,845	Monthly ave.	200	7.45E+07
040302	43144	LAG540925	001	Mo-Dad Utilities LLC - Oak Hills Subdivision	Treated sanitary wastewater	DMR	13,823	Monthly ave.	200	1.05E+08
040302	43149	LAG540926	001	Mo-Dad Utilities LLC - Woodland Trails Subdivision	Treated sanitary wastewater	Design	25,000	Monthly ave.	200	1.89E+08
040302	43150	LAG570173	001	Mo-Dad Utilities LLC - Easterly Lakes Subdivision	Treated sanitary wastewater	Average	80,000	Monthly ave.	200	6.06E+08
040302	43975	LAG540821	001	Mallard Point Mobile Home Park	Treated sanitary wastewater	Average	6,900	Monthly ave.	200	5.22E+07
040302	51754	LAG380046	001	Arctic Pure Water	Filter backwash	Average	400	None		
040302	72058	LAG531100	001	St Pierre Enterprises Inc - Pride One Stop	Treated sanitary wastewater	Average	80	Monthly ave.	200	6.06E+05
040302	73063	LAG750475	001	Jiffy Mart #3	Exterior vehicle and equipment wash wastewater	Not found		None		
040302	73487	LAG480372	001	AAA Rent All	Exterior vehicle and equipment wash wastewater	Expected	86	None		
040302	74063	LAG541632	001	Grand Paradise Inc - Grand Paradise Truck Stop #2	Treated sanitary wastewater	Expected	7,020	Monthly ave.	200	5.31E+07
040302	74907	LAG531727	001	Cracker Barrel Stores Inc #25	Treated sanitary wastewater	Expected	5,000	Monthly ave.	200	3.79E+07
040302	78124	LAG470038	001	Brian Harris Chevrolet	Treated sanitary wastewater	DMR	400	Weekly ave.	400	6.06E+06
040302	78124	LAG470038	004	Brian Harris Chevrolet	Treated washrack wastewater	DMR	225	None		
040302	80685	LAG531040	001	First Pentecostal Church	Treated sanitary wastewater	Average	3,250	Monthly ave.	200	2.46E+07
040302	81814	LAG750295	001	Port Vincent Car Wash	Treated exterior vehicle wash wastewater	Not found		None		
040302	83712	LAG470147	001	Brian Harris BMW	Commingled washrack wastewater and shop floor washwater	Not found		None		
040302	84752	LAG750351	001	Hulos Inc - Tiger Car Wash	Treated exterior vehicle wash wastewater	DMR	1,440	None		
040302	84793	LAG470090	005	Peterbilt of LA	Treated sanitary wastewater	DMR	500	Weekly ave.	400	7.57E+06
040302	86464	LAG750576	001	Circle K #9731	Treated exterior wastewater	Expected	3,500	None		
040302	86476	LAG570393	001	Mo-Dad Utilities LLC - Beau Chene Subdivision	Treated sanitary wastewater	Average	42,000	Monthly ave.	200	3.18E+08
040302	86477	LAG540997	001	Mo-Dad Utilities LLC - Regency Park Subdivision	Treated sanitary wastewater	Average	10,000	Monthly ave.	200	7.57E+07
040302	86739	LAG110122	001	Premier Concrete Products Inc - Watson	Process wastewater and process area stormwater	DMR	421	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Plant	from cement and concrete facilities					
040302	86739	LAG110122	002	Premier Concrete Products Inc - Watson Plant	Process wastewater and process area stormwater from cement and concrete facilities	DMR	914	None		
040302	86739	LAG110122	003	Premier Concrete Products Inc - Watson Plant	Nonprocess area stormwater from cement and concrete facilities	DMR	625	None		
040302	86739	LAG110122	004	Premier Concrete Products Inc - Watson Plant	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
040302	87012	LAG570199	001	Mo-Dad Utilities LLC - Belle Terre Subdivision	Treated sanitary wastewater	Average	58,000	Monthly ave.	200	4.39E+08
040302	89152	LAG470182	001	P&P Automotive Interest, Inc. - Team Toyota	Washrack wastewater	Average	700	None		
040302	89444	LAG541071	001	Nights RV Park	Treated sanitary wastewater	Average	13,200	Monthly ave.	200	9.99E+07
040302	90559	LAG570287	001	Wastewater Treatment Utilities Inc - East Henderson Bayou Estates Subdivison STP	Treated sanitary wastewater	Average	50,000	Monthly ave.	200	3.79E+08
040302	90730	LAR10B652		Old Mill Settlement Camp Site	Construction stormwater	Not found		None		
040302	93815	LAG570273	001	Wastewater Treatment Utilities Inc - Cypress Point Subdivision STP	Treated sanitary wastewater	Average	45,600	Monthly ave.	200	3.45E+08
040302	93829	LAG570381	001	Ascension Wastewater Treatment Inc - Three Rivers Island STP	Sanitary wastewater	Expected	24,000	Monthly ave.	200	1.82E+08
040302	93883	LAG570277	001	Wastewater Treatment Utilities Inc - Old Mill Settlement Subdivision STP	Treated sanitary wastewater	Expected	28,000	Monthly ave.	200	2.12E+08
040302	94621	LAG470129	001	BIJ La LLC dba Mercedes Benz of Baton Rouge	Commingled discharges of treated washrack wastewater and treated maintenance and repair shop floor washwater	DMR	100	None		
040302	98019	LAG750418	001	Benny's Car Wash - Coursey Express	Carwash wastewater	Not found		None		
040302	100081	LAG541306	001	Mo-Dad Utilities LLC - Galvez Cove Subdivision	Treated sanitary wastewater	Average	10,400	Monthly ave.	200	7.87E+07
040302	101448	LA0116548	001	LA Boilers Inc	Treated sanitary wastewater	Average	300	Daily max	400	4.54E+06
040302	101448	LA0116548	002	LA Boilers Inc	Boiling tank water	Average	200	None		
040302	103858	LAG480371	001	AAA Rent All	Exterior vehicle and equipment washwater (with soaps and/or detergents)	Average	75	None		
040302	111829	LAG750462	001	Enterprise Rent A Car	Treated exterior vehicle wash wastewater	Average	2,000	None		
040302	114937	LAG560231	001	Live Oak Lower Elementary	Treated sanitary wastewater	Average	12,000	Monthly ave.	200	9.08E+07
040302	120854	LAG570369	001	Mo-Dad Utilities LLC - Plantation Lake Subdivision	Treated sanitary wastewater	Design	40,000	Monthly ave.	200	3.03E+08
040302	122246	LAG541220	001	S&H Trailer Park	Treated sanitary wastewater	Expected	10,200	Monthly ave.	200	7.72E+07
040302	123036	LAG531658	001	Waskey Bridges Inc - New Office & Warehouse	Treated sanitary wastewater	Design	1,000	Monthly ave.	200	7.57E+06
040302	123036	LAR05N845		Waskey Bridges Inc - New Office & Warehouse	Stormwater	Not found		None		
040302	123163	LAG541463	001	Mo-Dad Utilities LLC - Park Ridge Subdivision	Treated sanitary wastewater	Average	14,000	Monthly ave.	200	1.06E+08
040302	123729	LAG541312	001	Mo-Dad Utilities LLC - Tranquility Lakes Subdivision	Treated sanitary wastewater	Design	15,000	Monthly ave.	200	1.14E+08
040302	123864	LA0124176	001	Ascension Wastewater Treatment Inc - Shadows Of Ascension	Treated sanitary wastewater	Average	88,000	Monthly ave.	200	6.66E+08
040302	125083	LAR10C716		Lakeshore Gardens - Garrett Laborde	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Construction - Construction						
040302	126024	LAG531879	001	Rick's Seafood & Burgers	Treated sanitary wastewater, wash tank wastewater, washdown area wastewater and boil water	Design	2,000	Monthly ave.	200	1.51E+07
040302	130700	LAR10F042		Woodridge Subdivision - Traditions LLC	Construction stormwater	Not found		None		
040302	133538	LAG532045	001	Livingston Parish Library System - Watson Branch Library	Treated sanitary wastewater	Average	1,500	Weekly ave.	400	2.27E+07
040302	133999	LAG541382	001	Shady Oak Mobile Home Park	Treated sanitary wastewater	Average	14,400	Monthly ave.	200	1.09E+08
040302	139434	LAG541465	001	Magnolia Trace	Treated sanitary wastewater	Expected	12,000	Monthly ave.	200	9.08E+07
040302	141451	LAG532853	001	J&J's Famous Hot Boiled Peanuts & Snowballs	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040302	144689	LAG532154	001	Irwin Dental Lab Inc - WWTP	Treated sanitary wastewater	Average	1,500	Weekly ave.	400	2.27E+07
040302	146043	LAG532170	001	Bellingrath Lakes LLC	Treated sanitary wastewater	Average	1,880	Weekly ave.	400	2.85E+07
040302	147162	LAR10D889		Legend Homes Inc - Sedona Pines	Construction stormwater	Not found		None		
040302	147728	LAR10D843		Arbor Walk Subdivision - DNT Properties LLC	Construction stormwater	Not found		None		
040302	148941	LAG532228	001	American Plaza Bldgs A B C D - Prem & Vimla Menon Family LLC WWTP	Treated sanitary wastewater	Expected	1,500	Weekly ave.	400	2.27E+07
040302	150987	LAR10E246		Green Trails at Shenandoah - ProCut Construction Inc	Construction stormwater	Not found		None		
040302	151415	LAG750611	001	Kwik Wash Car Wash - Kevin Johnson	Exterior vehicle and equipment wash wastewater	Not found		None		
040302	151684	LAG570438	001	Ascension Wastewater Treatment Inc - Norwood Lakes	Treated sanitary wastewater	Average	22,000	Monthly ave.	200	1.67E+08
040302	152876	LAG570421	001	Ascension Wastewater Treatment Inc - Hoo Shoo Too Lakes	Treated sanitary wastewater	Expected	32,800	Monthly ave.	200	2.48E+08
040302	153325	LAR10E506		Keystone of Galvez Subdivision - Keystone of Galvez LLC	Construction stormwater	Not found		None		
040302	153585	LAR10G885		Siegen 7 Developments LLC - Carriagewood Estates	Construction stormwater	Not found		None		
040302	154023	LA0123561	001	Ascension Wastewater Treatment Inc - Keystone Subdivision	Treated sanitary wastewater	Average	34,000	Monthly ave.	200	2.57E+08
040302	154107	LAG532909	001	Fundamental Provisions LLC - Popeye's Port Vincent	Treated sanitary wastewater	Average	2,300	Monthly ave.	200	1.74E+07
040302	154341	LAG570449	001	Ascension Wastewater Treatment Inc - Greystone Subdivision	Treated sanitary wastewater	Expected	53,200	Monthly ave.	200	4.03E+08
040302	154883	LAG532520	001	US Postal Service - French Settlement Post Office	Sanitary wastewater	Expected	80	Weekly ave.	400	1.21E+06
040302	155123	LAG560266	001	Mo-Dad Utilities LLC - Audubon Square Subdivision	Treated sanitary wastewater	Expected	32,800	None		
040302	156163	LAG532692	001	4H Equipment	Treated sanitary wastewater	Average	120	Monthly ave.	200	9.08E+05
040302	156956	LAG532882	001	Aull Property Holdings LLC - Riverview Plaza	Treated sanitary wastewater	Expected	140	Monthly ave.	200	1.06E+06
040302	157434	LAR10F069		Lakes at Magnolia Trace Subdivision - Magnolia Trace LLC	Construction stormwater	Not found		None		
040302	158488	LAR10F197		Carriage Wood Estates - Morales Homebuilders Inc	Construction stormwater	Not found		None		
040302	158884	LAG541705	001	Wayne's Mobile Home Park LLC	Treated sanitary wastewater	Average	9,300	Monthly ave.	200	7.04E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040302	161661	LAR05P042	001	FedEx Freight East Inc - BTR	MSGP stormwater	Not found		None		
040302	163030	LAG541728	001	Lakeside Primary School	Treated sanitary wastewater	Average	8,600	Monthly ave.	200	6.51E+07
040302	164120	LAR10F668		Carriagewood Estates - Watco Contractors LLC	Construction stormwater	Not found		None		
040302	165037	LAR10F756		Construction Material Staging & Office Facility - I-12 Widening - James Construction Group LLC	Construction stormwater	Not found		None		
040302	165279	LAR10F780		Green Trails at Shenandoah - Stafford Custom Homes Inc	Construction stormwater	Not found		None		
040302	166282	LAR10F873		Shadowbrook Lakes Subdv - Spear Contractors LLC	Construction stormwater	Not found		None		
040302	166405	LAR10F904		Arbor Walk Subdivision - Siegen 7 Developments LLC	Construction stormwater	Not found		None		
040302	166432	LAG541764	001	Ascension Parish School Board - Prairieville Primary	Treated sanitary wastewater	Expected	11,900	Monthly ave.	200	9.01E+07
040302	166540	LAR10F923		Carriagewood Estates - LA Custom Construction LLC	Construction stormwater	Not found		None		
040302	167563	LAR10G036		Parkknoll Place - Ryan Builders Inc	Construction stormwater	Not found		None		
040302	167671	LAR10G099		Cameren Oaks - Stafford Custom Homes Inc	Construction stormwater	Not found		None		
040302	168099	LAR10G045		South Harrells Ferry Rd - Baton Rouge City Parish of	Construction stormwater	Not found		None		
040302	168100	LAR10G046		Jones Creek Rd Improvements - Segment 3 - Baton Rouge City Parish Of	Construction stormwater	Not found		None		
040302	168271	LAG533354	001	Felder Collision Parts - Wayne Felder	Treated sanitary wastewater	Design	1,000	Weekly ave.	400	1.51E+07
040302	168341	LAG533363	001	Jim Stone Co	Treated sanitary wastewater	Average	160	Weekly ave.	400	2.42E+06
040302	168412	LAR10G088		Springrook Subdivision - Piazza Development Group LLC	Construction stormwater	Not found		None		
040302	168554	LAG541784	001	Thompson Luke & Associates LLC - Garden View at Jones Creek LLC	Treated sanitary wastewater	Average	15,000	Monthly ave.	200	1.14E+08
040302	168778	LAR10G194		Springbrook Subdv - Shearwater General Contractors LLC	Construction stormwater	Not found		None		
040302	168779	LAR10G181		Burlington Lakes Subdv - Acadiana Constructors Inc	Construction stormwater	Not found		None		
040302	168879	LAG490111	002	Mark Schexnayder Pond - Quiver Construction LLC	Process wastewater and process area stormwater discharges into waterbodies designated for primary contact recreation	Not found		None		
040302	168904	LAR10G208		Phillip & Rebecca Brown Residence - Phillip Brown Jr	Construction stormwater	Not found		None		
040302	169111	LAR10E720		Audubon Square Partners LLC - Audubon Square Subdivision	Construction stormwater	Not found		None		
040302	169203	LAR10G314		Green Trails - Champion Builders Inc	Construction stormwater	Not found		None		
040302	169363	LAR10G329		Carriagewoood Estates - Rabalais Homes LLC	Construction stormwater	Not found		None		
040302	169713	LAR10G247		Carriagewood Estates - Michael Authement	Construction stormwater	Not found		None		
040302	170029	LAR10G343		Wilkinson Residence - Caleb Wilkinson	Construction stormwater	Not found		None		
040302	170459	LAR10G363		Carriagewood Estates - Comeaux Brothers	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Construction						
040302	170662	LAR10G416		Shadows at White Oak - Wayne Dodge Construction	Construction stormwater	Not found		None		
040302	171487	LAG533492	001	Tyee's Childrens Villa	Treated sanitary wastewater	Average	1,350	Weekly ave.	400	2.04E+07
040304	1343	LAG110029	001A	Delta Concrete Products LLC - Denham Springs	Process wastewater and process area stormwater from cement and concrete facilities	DMR	133	None		
040304	1343	LAG110029	001B	Delta Concrete Products LLC - Denham Springs	Process wastewater and process area stormwater from cement and concrete facilities	DMR	0	None		
040304	1343	LAG110029	003	Delta Concrete Products LLC - Denham Springs	Stormwater and aggregate spray from sand and gravel unloading areas and stockpiles of washed sand and gravel	DMR	69	None		
040304	1343	LAG110029	004	Delta Concrete Products LLC - Denham Springs	Nonprocess area stormwater from cement, concrete, and asphalt facilities	DMR	112	None		
040304	3424	LA0048704	001	Bercen Inc - Southern Division	Treated sanitary wastewater	Expected	700	Monthly ave.	200	5.30E+06
040304	3424	LA0048704	002	Bercen Inc - Southern Division	Cooling tower blowdown	Expected	8,640	None		
040304	3424	LA0048704	003	Bercen Inc - Southern Division	Treated process wastewater, sanitary wastewater, utility wastewater and wastewaters from outfalls 002, 005, and 006	Expected	9,398	Monthly ave.	200	7.12E+07
040304	3424	LA0048704	005	Bercen Inc - Southern Division	Stormwater and steam condensate	Expected	9,500	None		
040304	3424	LA0048704	006	Bercen Inc - Southern Division	Stormwater and steam condensate	Expected	156,700	None		
040304	3569	LAG530974	001	ITT Industries Goulds Pumps Inc Baton Rouge Pro Service Center	Treated sanitary wastewater	Expected	700	Monthly ave.	200	5.30E+06
040304	13566	LAG470002	001	All Star Dodge Isuzu	Maintenance and repair shop floor washwater	DMR	225	None		
040304	13566	LAG470002	002	All Star Dodge Isuzu	Treated washrack wastewater	DMR	183	None		
040304	13566	LAG470002	003	All Star Dodge Isuzu	Uncontaminated stormwater and washwater without soaps and/or detergents, paint booth washdown, and wet sanding wastewater	Not found		None		
040304	13853	LA0007153	103	Adell Compounding Inc	Process wastewater from washdown of feeders blenders and floors and previously monitored contact cooling water	Expected	5,000	None		
040304	13853	LA0007153	203	Adell Compounding Inc	Contact cooling water	Not found		None		
040304	13853	LA0007153	001	Adell Compounding Inc	Treated sanitary wastewater	Expected	500	Monthly ave.	200	3.79E+06
040304	13853	LA0007153	003	Adell Compounding Inc	Stormwater	Not found		None		
040304	13853	LA0007153	004	Adell Compounding Inc	Treated sanitary wastewater	Expected	150	Monthly ave.	200	1.14E+06
040304	18185	LAG540481	001	Seventh Ward Elementary	Treated sanitary wastewater	Expected	6,030	Monthly ave.	200	4.57E+07
040304	18626	LAG540161	001	World-Wide Environmental Solutions LLC - Tall Timbers Subdivision	Treated sanitary wastewater	DMR	14,000	Monthly ave.	200	1.06E+08
040304	19016	LA0123901	001	Livingston Parish Mosquito Abatement District	Treated sanitary wastewater	Expected	150	Weekly ave.	400	2.27E+06
040304	19016	LA0123901	002	Livingston Parish Mosquito Abatement District	Exterior vehicle and equipment washwater	Expected	200	None		
040304	19808	LA0045730	001	Denham Springs City of - Forrest Delatte Rd STP	Treated sanitary wastewater	Expected	6,000,000	Monthly ave.	200	4.54E+10
040304	22947	LAG750370	001	Denham Springs Super Stop	Exterior vehicle and equipment wash wastewater	Expected	200	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040304	31054	LAG560068	001	Plantation Oaks LLC - Mobile Home Park	Treated sanitary wastewater	Expected	19,500	Monthly ave.	200	1.48E+08
040304	39164	LAG540271	001	Deville's Mobile Home Court	Treated sanitary wastewater	Expected	11,100	Monthly ave.	200	8.40E+07
040304	40413	LAG540074	001	Blake LeFleur Mobile Home Park	Treated sanitary wastewater	Expected	12,000	Monthly ave.	200	9.08E+07
040304	40667	LAG540096	001	Crescent Properties Inc - Crescent Properties Facility	Treated sanitary wastewater	Expected	6,000	Monthly ave.	200	4.54E+07
040304	40843	LAG570128	001	Bradleys Dba Eden Place	Treated sanitary wastewater	Expected	46,200	Monthly ave.	200	3.50E+08
040304	41267	LAG540065	001	Gulf States Long Term Acute Care of Denham Springs LLC	Treated sanitary wastewater	Expected	16,700	Monthly ave.	200	1.26E+08
040304	41786	LAG540124	001	Hill Top Mobile Home Park	Treated sanitary wastewater	Expected	15,000	Monthly ave.	200	1.14E+08
040304	41841	LAG540368	001	Total Environmental Solutions Inc - Highland Ridge Subdivision	Treated sanitary wastewater	Expected	18,800	Monthly ave.	200	1.42E+08
040304	41841	LAG540368	001	Total Environmental Solutions Inc - Highland Ridge Subdivision	Treated sanitary wastewater	Expected	18,800	Monthly ave.	200	1.42E+08
040304	41843	LAG570026	001	Total Environmental Solutions Inc - Plantation Park Subdivision	Treated sanitary wastewater	Average	17,400	Monthly ave.	200	1.32E+08
040304	42317	LAG540834	001	Eastside Elementary School	Treated sanitary wastewater	Expected	11,000	Monthly ave.	200	8.33E+07
040304	42573	LAG750583	001	Circle K #9737	Exterior vehicle and equipment wash wastewater	DMR	720	None		
040304	42696	LAG540893	001	Oakview Mobile Home Park	Treated sanitary wastewater	Expected	20,400	Monthly ave.	200	1.54E+08
040304	42831	LAG540739	001	Pine Acres Mobile Home Park	Treated sanitary wastewater	Expected	7,500	Monthly ave.	200	5.68E+07
040304	43145	LAG570175	001	Mo-Dad Utilities LLC - Summerfield Subdivision	Treated sanitary wastewater	Expected	26,000	Monthly ave.	200	1.97E+08
040304	43151	LAG570138	001	Mo-Dad Utilities LLC - Carter Hill Subdivision	Treated sanitary wastewater	Expected	66,400	Monthly ave.	200	5.03E+08
040304	43409	LAG530532	001	Stable Ridge Mobile Homes	Treated sanitary wastewater	Expected	3,600	Weekly ave.	400	5.45E+07
040304	72195	LAG532761	001	Parker's Supermarket	Treated sanitary wastewater	Expected	1,690	Monthly ave.	200	1.28E+07
040304	74072	LAG532747	001	St Martin Oil	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040304	74908	LAG531229	001	Cracker Barrel Stores Inc #30	Treated sanitary wastewater	Expected	2,620	Monthly ave.	200	1.98E+07
040304	80537	LAR05N681		Pentair Pump Group Inc - Delta Environmental Products	Stormwater	Not found		None		
040304	85193	LAG540988	001	Penny's Park	Treated sanitary wastewater	Expected	12,000	Monthly ave.	200	9.08E+07
040304	86466	LAG541002	001	Mo-Dad Utilities LLC - Carlton Oaks Subdivision	Treated sanitary wastewater	Expected	20,000	Monthly ave.	200	1.51E+08
040304	86480	LAG541011	001	Mo-Dad Utilities LLC - Lakeside Cove Subdivision	Treated sanitary wastewater	Expected	10,800	Monthly ave.	200	8.18E+07
040304	94542	LA0117153	001	Mo-Dad Utilities LLC - The Willows Subdivision Filing 8	Treated sanitary wastewater	Expected	50,000	Monthly ave.	200	3.79E+08
040304	99845	LAG570265	001	Mo-Dad Utilities LLC - Southpoint Subdivision	Treated sanitary wastewater	Expected	88,000	Monthly ave.	200	6.66E+08
040304	101028	LAG570236	001	Carlton Oaks - Third Filing	Treated sanitary wastewater	Expected	50,000	Monthly ave.	200	3.79E+08
040304	104721	LAG570251	001	Mo-Dad Utilities LLC - Southpoint III Subdivision	Treated sanitary wastewater	Expected	96,800	Monthly ave.	200	7.33E+08
040304	107846	LAR041004		Walker City of - Municipal Separate Storm Sewer System	Ms4	Not found		None		
040304	108276	LAR040002		Livingston Parish Municipal Separate Storm Sewer Systems - Gravity Drainage Districts 1	Ms4	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				2 &5						
040304	108502	LAR041020		Denham Springs Sewerage District #1	Ms4	Not found		None		
040304	114022	LAG541138	001	Gray's Creek Elementary School	Treated sanitary wastewater	Expected	9,750	Monthly ave.	200	7.38E+07
040304	121675	LA0120375	001	Mo-Dad Utilities LLC - Southpoint VI Subdivision	Treated sanitary wastewater	Expected	140,800	Monthly ave.	200	1.07E+09
040304	121677	LAR10C544		Lakefront Centre - Phase 1 - Bass Pro - Construction	Construction stormwater	Not found		None		
040304	121715	LAG570321	001	Clear Lake Subd	Treated sanitary wastewater	Expected	27,200	Monthly ave.	200	2.06E+08
040304	122259	LAG541254	001	Ascension Wastewater Treatment Inc - Pin Oak Subdivision STP	Treated sanitary wastewater	Expected	10,800	Monthly ave.	200	8.18E+07
040304	123154	LAG541271	001	Olivia Rose Mobile Home Park	Treated sanitary wastewater	Expected	1,540	Monthly ave.	200	1.17E+07
040304	127502	LAG531925	001	All God's Children Inc	Treated sanitary wastewater	Expected	1,395	Monthly ave.	200	1.06E+07
040304	130045	LAG570346	001	Parish of Livingston/State of Louisiana - Greystone Golf & Country Club (owner)	Treated sanitary wastewater	Expected	80,000	Monthly ave.	200	6.06E+08
040304	139548	LAG532054	001	Livingston Parish Library System - Denham Springs Walker Branch Library	Treated sanitary wastewater	Expected	1,500	Monthly ave.	200	1.14E+07
040304	139697	LAG532556	001	Bayside Campground	Treated sanitary wastewater	Expected	625	Monthly ave.	200	4.73E+06
040304	139697	LAG532556	002	Bayside Campground	Treated sanitary wastewater	Expected	1,875	Monthly ave.	200	1.42E+07
040304	145156	LA0122337	001	Ascension Wastewater Treatment Inc - Gray's Creek Subdivision	Treated sanitary wastewater	Expected	24,000	Monthly ave.	200	1.82E+08
040304	148345	LA0123412	001	Mo-Dad Utilities LLC - Gulfstream Estates & Gulfstream Town Homes	Treated sanitary wastewater	Expected	69,600	Monthly ave.	200	5.27E+08
040304	150779	LA0123293	001	Mo-Dad Utilities LLC - Stone Hill Subdivision	Treated sanitary wastewater	Expected	30,000	Monthly ave.	200	2.27E+08
040304	152443	LAR10E401		Fleet - Gulfstream Estates	Construction stormwater	Not found		None		
040304	156368	LAR10E930		Pine Meadows - DR Horton Inc - Gulf Coast		Not found		None		
040304	156699	LAG532881	001	Quality Building Systems Inc	Treated sanitary wastewater	Expected	420	Monthly ave.	200	3.18E+06
040304	156711	LAG532755	001	Country Boy Cages/Stihl Equipment	Treated sanitary wastewater	Expected	40	Weekly ave.	400	6.06E+05
040304	157121	LAG532725	001	Life Church	Treated sanitary wastewater	Expected	750	Monthly ave.	200	5.68E+06
040304	157292	LAG541745	001	Cypress Gates	Treated sanitary wastewater	Expected	6,400	Monthly ave.	200	4.85E+07
040304	157466	LAG533004	001	Livingston Parish Fire Protection District #5 - Station #4	Treated sanitary wastewater	Expected	80	Monthly ave.	200	6.06E+05
040304	159994	LAG553003	001	Livingston Parish Fire Protection District #5 - Station #3	Treated sanitary wastewater	Average	60	Weekly ave.	400	9.08E+05
040304	160468	LAG532993	001	Livingston Parish Fire Protection District #5 - Station #1	Treated sanitary wastewater	Average	80	Weekly ave.	400	1.21E+06
040304	165277	LAR10F835		Our Lady of the Lake Hospital - Our Lady of the Lake Regional Medical Center	Construction stormwater	Not found		None		
040304	166364	LAR10F895		Juban Parc Subdv - 3rd Filing - Teer Land Services LLC		Not found		None		
040304	172063	LAG533527	001	Sewer Treatment Specialists (STS)	Treated sanitary wastewater	Average	100	Monthly ave.	200	7.57E+05
040305	323	LA0059153	001	CECOS International Inc	Noncontact stormwater	Expected	21,740,000	None		
040305	323	LA0059153	004	CECOS International Inc	Stormwater runoff	Expected	17,480,00	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
							0			
040305	323	LA0059153	005	CECOS International Inc	Treated sanitary wastewater	Expected	600	Weekly ave.	400	9.08E+06
040305	323	LA0059153	006	CECOS International Inc	Treated groundwater and low potential contaminated stormwater	Expected	25,000	None		
040305	5508	LAG470265	005	Aydell's Automotive LLC	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040305	9154	LAG480247	001	Shaw Sunland Fabricators Inc	Vehicle wash wastewater, hydrostatic test waste water, and stormwater	Expected	77,000	None		
040305	9154	LAG480247		Shaw Sunland Fabricators Inc	Stormwater	Expected	75,000	None		
040305	11767	LA0100200	005	Waste Management of Louisiana LLC - Woodside Sanitary Landfill & Recycling Center	Non contact stormwater	Expected	70,000	None		
040305	11767	LA0100200	006	Waste Management of Louisiana LLC - Woodside Sanitary Landfill & Recycling Center	Landfill wastewater including leachate, contact stormwater, maintenance wastewater, and sanitary wastewater	Expected	40,000	Monthly ave.	200	3.03E+08
040305	16040	LAU005673		Millet Motorsports		Not found		None		
040305	17042	LAG532738	001	Lockhart Crossing Central Facility #3	Treated sanitary wastewater	DMR	1,455	Monthly ave.	200	1.10E+07
040305	18188	LAG540478	001	Frost Elementary School	Treated sanitary wastewater	Expected	5,145	Monthly ave.	200	3.90E+07
040305	18189	LAG540480	001	Levi Milton Elementary	Treated sanitary wastewater	Expected	12,120	Monthly ave.	200	9.18E+07
040305	18592	LAG540146	001	World-Wide Environmental Solutions LLC - Summerfield Subdivision	Treated sanitary wastewater	DMR	3,753	Monthly ave.	200	2.84E+07
040305	18759	LAG540402	001	Joycelyn Sewer Association Inc	Treated sanitary wastewater	Expected	10,400	Monthly ave.	200	7.87E+07
040305	19112	LA0059951	001	Walker Town of - STP	Treated sanitary wastewater	Expected	1,500,000	Monthly ave.	200	1.14E+10
040305	24391	LAG470266	005	Mr Rubber Tire & Car Care	Treated sanitary wastewater	Expected	75	Weekly ave.	400	1.14E+06
040305	28104	LA0111317		JAH Enterprises Inc - Henderson Auctions		Not found		None		
040305	31147	LAG540621	001	Total Environmental Solutions Inc - Country Acres Subdivision	Treated sanitary wastewater	Expected	14,400	Monthly ave.	200	1.09E+08
040305	33856	LAG540947	001	Mo-Dad Utilities LLC - Cypress Park Estates	Treated sanitary wastewater	Expected	16,000	Monthly ave.	200	1.21E+08
040305	38227	LAG540552	001	Pleasant Oaks Mobile Home Park	Treated sanitary wastewater	Expected	24,000	Monthly ave.	200	1.82E+08
040305	38412	LAG532902	001	Satsuma Valve & Controls	Treated sanitary wastewater from Building 1	Average	200	Monthly ave.	200	1.51E+06
040305	38412	LAG532902	002	Satsuma Valve & Controls	Treated sanitary wastewater from Building 2	Average	200	Monthly ave.	200	1.51E+06
040305	38412	LAR05P095		Satsuma Valve & Controls	MSGP stormwater	Not found		None		
040305	38565	LAG540636	001	Seven Oaks Trailer Park	Treated sanitary wastewater	Expected	15,000	Monthly ave.	200	1.14E+08
040305	39163	LAG540267	001	Denham Place Mobile Home Park	Treated sanitary wastewater	Expected	16,500	Monthly ave.	200	1.25E+08
040305	40402	LAG540071	001	4-Way Mobile Home Park	Treated sanitary wastewater	Expected	6,000	Monthly ave.	200	4.54E+07
040305	40484	LAG540859	001	AD Mobile Home Park	Treated sanitary wastewater	Expected	9,000	Monthly ave.	200	6.81E+07
040305	40528	LAG530807	001	Allatto Enterprise	Treated sanitary wastewater	Expected	3,600	Monthly ave.	200	2.73E+07
040305	40639	LAG570233	001	Total Environmental Solutions Inc - The Meadows Subdivision STP	Treated sanitary wastewater	Expected	28,500	Monthly ave.	200	2.16E+08
040305	40819	LAG533409	001	Bobby Rogers Apartments	Treated sanitary wastewater	Expected	1,800	Monthly ave.	200	1.36E+07
040305	40825	LAG530091	001	Bogan's Mobile Home Park - Fern Properties	Treated sanitary wastewater	Expected	3,900	Monthly ave.	200	2.95E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				LLC						
040305	40926	LAG531608	001	California Institute of Tech - LIGO	Treated sanitary wastewater	Expected	3,000	Monthly ave.	200	2.27E+07
040305	40926	LAG531608	002	California Institute of Tech - LIGO	Carbon filter backwash	Expected	720	Monthly ave.	200	5.45E+06
040305	41167	LAG540253	001	C R Price Trailer Park Inc	Treated sanitary wastewater	Expected	9,600	Monthly ave.	200	7.27E+07
040305	41308	LAG750161	001	Dunlaps Car Wash	Treated exterior vehicle wash wastewater	Not found		None		
040305	41499	LAG530790	001	New Life Development LLC - Crape Myrtle Ridge Apartments	Treated sanitary wastewater	Expected	2,400	Monthly ave.	200	1.82E+07
040305	41767	LAG540126	001	Highway 190 Apartments	Treated sanitary wastewater	Expected	6,000	Monthly ave.	200	4.54E+07
040305	41844	LAG540371	001	Total Environmental Solutions Inc - Hunstock Hills Sewerage Co Inc/Country Place Subdivision	Treated sanitary wastewater	Expected	12,400	Monthly ave.	200	9.39E+07
040305	41845	LAG570144	001	Total Environmental Solutions Inc - Lakeside East Subdivision	Treated sanitary wastewater	Expected	10,900	Monthly ave.	200	8.25E+07
040305	41850	LAG540372	001	Total Environmental Solutions Inc - Madison Place Subdivision	Treated sanitary wastewater	Expected	23,200	Monthly ave.	200	1.76E+08
040305	42036	LAG531144	001	Cracker Barrel Stores Inc #55	Treated sanitary wastewater	Expected	2,000	Monthly ave.	200	1.51E+07
040305	42314	LAG540482	001	South Walker Elementary School	Treated sanitary wastewater	Expected	9,750	Monthly ave.	200	7.38E+07
040305	42771	LAG110013	001	Parish Ready Mix	Process wastewater and process area storm water	Average	1,000	None		
040305	42771	LAG110013	03B	Parish Ready Mix	Stormwater and aggregate spray from sand and gravel unloading areas and stockpiles of washed sand and gravel	Not found		None		
040305	42771	LAG110013	05A	Parish Ready Mix	Treated sanitary wastewater	Expected	60	Weekly ave.	400	9.08E+05
040305	42771	LAG110013	05B	Parish Ready Mix	Treated sanitary wastewater	Expected	300	Weekly ave.	400	4.54E+06
040305	42771	LAG110013	05C	Parish Ready Mix	Treated sanitary wastewater	Expected	100	Weekly ave.	400	1.51E+06
040305	42771	LAG110013	05D	Parish Ready Mix	Treated sanitary wastewater	Expected	45	Weekly ave.	400	6.81E+05
040305	42838	LAG540092	001	Pinecrest Mobile Home Park	Treated sanitary wastewater	Expected	9,600	Monthly ave.	200	7.27E+07
040305	42904	LAG540588	001	Colorado Cajun Connection LLC - Prestige Place Mobile Home Park	Treated sanitary wastewater	Expected	21,000	Monthly ave.	200	1.59E+08
040305	43025	LAG530457	001	Livingston Head Start Center	Treated sanitary wastewater	Expected	1,950	Monthly ave.	200	1.48E+07
040305	43052	LAG540874	001	Ridgecrest Mobile Home Park	Treated sanitary wastewater	Expected	10,800	Monthly ave.	200	8.18E+07
040305	43146	LAG540924	001	Mo-Dad Utilities LLC - Shadowpines Subdivision	Treated sanitary wastewater	Expected	12,000	Monthly ave.	200	9.08E+07
040305	43343	LAG530897	001	Sportsman's Crossing Food Mart	Treated sanitary wastewater	Expected	2,100	Monthly ave.	200	1.59E+07
040305	43589	LAG570092	001	Town of Livingston - Brentwood Estates STP	Treated sanitary wastewater	Expected	74,000	Monthly ave.	200	5.60E+08
040305	43896	LAG540782	001	Watson Estates	Treated sanitary wastewater	Expected	7,500	Monthly ave.	200	5.68E+07
040305	51898	LA0049000	001	Total Environmental Solutions Inc - Audubon Village Subdivision STP	Treated sanitary wastewater	Expected	76,000	Monthly ave.	200	5.75E+08
040305	67044	LAG532844	001	Best Stop Quick Mart # 4	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040305	68554	LAU005706		Bubba's Grill & Catering		Not found		None		
040305	68989	LAU005652		Lee's Grocery		Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040305	71240	LAG532693	001	John's Supermarket & Hardware - WWTP	Treated sanitary wastewater	Expected	1,040	Monthly ave.	200	7.87E+06
040305	74067	LAU005783		Sky's Grocery & Deli		Not found		None		
040305	74069	LAU005678		Gene's Little Store		Not found		None		
040305	74614	LAG750789	001	LADOTD - Walker Maintenance Unit	Exterior vehicle and equipment wash wastewater	Not found		None		
040305	76743	LAU005839		Rayborn's Grocery Inc		Not found		None		
040305	77575	LAG532826	001	Best Stop Quick Mart #2	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040305	78637	LAG532843	001	Best Stop Quick Mart #8	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040305	78961	LAG532789	001	Fontenot Grocery/Lynns Deli	Treated sanitary wastewater	Expected	700	Monthly ave.	200	5.30E+06
040305	81092	LAG540971	001	Mo-Dad Utilities LLC - Justin Heights Trailer Park	Treated sanitary wastewater	Expected	9,900	Monthly ave.	200	7.50E+07
040305	81818	LAG540965	001	Total Environmental Solutions Inc - Pen's Place WWTP	Treated sanitary wastewater	Expected	8,000	Monthly ave.	200	6.06E+07
040305	82480	LAG570186	001	Mo-Dad Utilities LLC - Robinwood Subdivision	Treated sanitary wastewater	Expected	32,400	Monthly ave.	200	2.45E+08
040305	83705	LAG540987	001	Homes By Bogan Inc - St Marie's Trailer Park	Treated sanitary wastewater	Expected	10,000	Monthly ave.	200	7.57E+07
040305	84672	LAG532740	001	V Watts Furniture	Treated sanitary wastewater	Expected	500	Monthly ave.	200	3.79E+06
040305	85194	LAG541032	001	Graham's Meadow Mobile Home Park	Treated sanitary wastewater	Expected	5,700	Monthly ave.	200	4.32E+07
040305	86492	LAG541003	001	Mo-Dad Utilities LLC - Summer Breeze Subdivison	Treated sanitary wastewater	Expected	17,600	Monthly ave.	200	1.33E+08
040305	86571	LAG541355	001	LADPS - Mobile Homes for State Police Walker	Treated sanitary wastewater	Expected	24,500	Monthly ave.	200	1.85E+08
040305	86673	LAG541022	001	Satsuma Heights Mobile Home Park	Treated sanitary wastewater	Expected	15,900	Monthly ave.	200	1.20E+08
040305	89028	LAG541034	001	Mo-Dad Utilities LLC - Savannah Trace Subdivision	Treated sanitary wastewater	Expected	16,000	Monthly ave.	200	1.21E+08
040305	89415	LAR10B660		Rad-Ton Inc Jefferson Quarters		Not found		None		
040305	89502	LAG541043	001	Mo-Dad Utilities LLC - Madeline Place Subdivision	Treated sanitary wastewater	Expected	12,000	Monthly ave.	200	9.08E+07
040305	93543	LAG570309	001	Ascension Wastewater Treatment Inc - Fountainbleau Subdivision STP	Treated sanitary wastewater	Expected	58,000	Monthly ave.	200	4.39E+08
040305	94279	LAG541151	001	Oak Forest Estates Trailer Park	Treated sanitary wastewater	Expected	24,600	Monthly ave.	200	1.86E+08
040305	97649	LAG541232	001	North Corbin Elementary School	Treated sanitary wastewater	Expected	9,600	Monthly ave.	200	7.27E+07
040305	99915	LAG570318	001	Mo-Dad Utilities LLC - Spring Lake Subdivision	Treated sanitary wastewater	Expected	88,000	Monthly ave.	200	6.66E+08
040305	100080	LAG570317	001	Mo-Dad Utilities LLC - Driftwood Estates	Treated sanitary wastewater	Expected	45,000	Monthly ave.	200	3.41E+08
040305	101098	LAU003820		Booher Engineering Inc - Crown Z Facility		Not found		None		
040305	107437	LAG570250	001	Mo-Dad Utilities LLC - Lakes of Fennwood Subdivision	Treated sanitary wastewater	Expected	48,000	Monthly ave.	200	3.63E+08
040305	111314	LAR05N413		LADOTD - Friendship Maintenance Yard	Stormwater	Not found		None		
040305	117399	LAG532974	001	Shoppers Mart - Sree Sai Lakshmi Properties LLC - WWTP	Treated sanitary wastewater	Expected	3,195	Monthly ave.	200	2.42E+07
040305	117899	LAU005039		Oil Well Harris 28-1 #1		Not found		None		
040305	118720	LAG570377	001	Mo-Dad Utilities LLC - Spring Lake	Treated sanitary wastewater	Expected	64,000	Monthly ave.	200	4.85E+08

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Subdivision Filings 4-6						
040305	119176	LAG570322	001	Mo-Dad Utilities LLC - Live Oak Landing Subdivision	Treated sanitary wastewater	Expected	41,200	Monthly ave.	200	3.12E+08
040305	119484	LAG570310	001	Mo-Dad Utilities LLC - Woodland Crossing I Subdivision	Treated sanitary wastewater	Expected	98,000	Monthly ave.	200	7.42E+08
040305	119805	LAG570319	001	Mo-Dad Utilities LLC - Westminister Estates	Treated sanitary wastewater	Expected	85,600	Monthly ave.	200	6.48E+08
040305	119849	LAG570323	001	Mo-Dad Utilities LLC - Forest Ridge Subdivision	Treated sanitary wastewater	Expected	72,400	Monthly ave.	200	5.48E+08
040305	120387	LAG570320	001	Mo-Dad Utilities LLC - Pecan Creek Subdivision	Treated sanitary wastewater	Expected	40,000	Monthly ave.	200	3.03E+08
040305	121721	LAG541311	001	Mo-Dad Utilities LLC - Ott's Cove Subdivision	Treated sanitary wastewater	Expected	12,400	Monthly ave.	200	9.39E+07
040305	121876	LAG570335	001	Ascension Wastewater Treatment Inc - Duff Village	Treated sanitary wastewater	Expected	36,400	Monthly ave.	200	2.76E+08
040305	122128	LAG541307	001	Mo-Dad Utilities LLC - Woodland Ridge Subdivision	Treated sanitary wastewater	Expected	12,800	Monthly ave.	200	9.69E+07
040305	123230	LAG531677	001	Walker North Acre Duplexes - WWTP	Treated sanitary wastewater	Expected	4,200	Monthly ave.	200	3.18E+07
040305	123652	LAG541281	001	Mo-Dad Utilities LLC - Oak Hills IV Subdivision	Treated sanitary wastewater	Average	18,000	Monthly ave.	200	1.36E+08
040305	123735	LAG570328	001	Mo-Dad Utilities LLC - Woodland Crossing II Subdivision (Outfall 1)	Treated sanitary wastewater	Expected	70,000	Monthly ave.	200	5.30E+08
040305	123737	LAG570329	001	Mo-Dad Utilities LLC - Woodland Crossing Subdivision (Glenbrook)	Treated sanitary wastewater	Expected	74,800	Monthly ave.	200	5.66E+08
040305	124905	LAG541250	001	Booth's Mobile Home Park	Treated sanitary wastewater	Expected	9,500	Monthly ave.	200	7.19E+07
040305	127042	LAG570326	001	Mo-Dad Utilities LLC - South Haven Subdivision	Treated sanitary wastewater	Expected	200,000	Monthly ave.	200	1.51E+09
040305	127044	LAG541313	001	Mo-Dad Utilities LLC - Autumn Run at Walker Subdivision	Treated sanitary wastewater	Expected	19,200	Monthly ave.	200	1.45E+08
040305	130058	LAG541460	001	Mo-Dad Utilities LLC - Brightwood Subdivision	Treated sanitary wastewater	Expected	12,800	Monthly ave.	200	9.69E+07
040305	130711	LAG541351	001	Walker South Mobile Home Park LLC - WWTP	Treated sanitary wastewater	Expected	9,000	Monthly ave.	200	6.81E+07
040305	136105	LAG570397	001	Mo-Dad Utilities LLC - Woodland Crossing 5	Treated sanitary wastewater	Expected	65,000	Monthly ave.	200	4.92E+08
040305	136105	LAG570398	001	Mo-Dad Utilities LLC - Woodland Crossing 5	Treated sanitary wastewater	Expected	65,000	Monthly ave.	200	4.92E+08
040305	137750	LAU005841		Dugas Trading Post Wrecker Service Inc		Not found		None		
040305	138979	LAG532221	001	Walter Bailey - Bailey's Houses	Treated sanitary wastewater	Expected	3,600	Monthly ave.	200	2.73E+07
040305	139240	LAG570361	001	Ascension Wastewater Treatment Inc - The Crossing Apartments	Treated sanitary wastewater	Expected	44,400	Monthly ave.	200	3.36E+08
040305	141085	LAG532749	001	SCM Property LLC - Madeline Heights Mobile Home Park	Treated sanitary wastewater	Expected	4,800	Monthly ave.	200	3.63E+07
040305	141520	LAR10D621		D R Horton Inc - South Haven Subdivision		Not found		None		
040305	141535	LAR10D625		Woodland Crossing - D R Horton Inc	Construction stormwater	Not found		None		
040305	142117	LAG570396	001	Mo-Dad Utilities LLC - Collins Place	Treated sanitary wastewater	Expected	70,000	Monthly ave.	200	5.30E+08
040305	145509	LA0125164	001	Livingston Parish Council - Juban Parc Subdivision First Filing	Treated sanitary wastewater	Expected	99,600	Monthly ave.	200	7.54E+08

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040305	147231	LA0123111	001	Mo-Dad Utilities LLC - Stone Ridge Crossing & Bridalwood Subdv - WWTP	Treated sanitary wastewater	Expected	35,000	Monthly ave.	200	2.65E+08
040305	147233	LA0123439	001	Mo-Dad Utilities LLC - Livingston Trace Filings 1 2 3	Treated sanitary wastewater	Expected	76,400	Monthly ave.	200	5.78E+08
040305	147409	LAG570388	001	Mo-Dad Utilities LLC - Meadow Lake Subdivision STP	Treated sanitary wastewater	Expected	24,800	Monthly ave.	200	1.88E+08
040305	148195	LAU005723	001	Diamond Motors		Not found		None		
040305	149913	LAG570466	001	Cross Creek Subdivision	Treated sanitary wastewater	Expected	70,000	Monthly ave.	200	5.30E+08
040305	151670	LAG570441	001	Ascension Wastewater Treatment Inc - Juban Courts Condos	Treated sanitary wastewater	Expected	38,500	Monthly ave.	200	2.91E+08
040305	151671	LAG570443	001	Whispering Springs Subdivision - Livingston Parish Council	Treated sanitary wastewater	Expected	60,000	Monthly ave.	200	4.54E+08
040305	152056	LA0123129	001	Mo-Dad Utilities LLC - Creekside Estates Subdivision	Treated sanitary wastewater	Expected	54,000	Monthly ave.	200	4.09E+08
040305	152274	LA0123161	001	Livingston Parish Council - Juban Crossing	Treated sanitary wastewater	Design	750,000	Monthly ave.	200	5.68E+09
040305	153243	LAG532449	001	Cracker Barrel #59	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040305	154113	LA0124362	001	Ascension Wastewater Treatment Inc - The Lakes at Juban Crossing	Treated sanitary wastewater	Expected	72,400	None		
040305	154140	LAG570434	001	Mo-Dad Utilities LLC - LA Purchase Equestrian Estates WWTP	Treated sanitary wastewater	Expected	20,000	Monthly ave.	200	1.51E+08
040305	154315	LAG541689?	001	Megan's Way Subdivision - Mo-Dad Utilities LLC - WWTP	Treated sanitary wastewater	Expected	24,800	None		
040305	154780	LAG570448	001	Lake Pointe Holdings LLC - Lake Pointe Subdivision	Treated sanitary wastewater	Expected	16,000	Monthly ave.	200	1.21E+08
040305	154780	LAR10F388		Lake Pointe Holdings LLC - Lake Pointe Subdivision	Construction stormwater	Not found		None		
040305	155154	LAG541671	001	Deer Crossing Subdivision	Treated sanitary wastewater	Expected	16,800	Monthly ave.	200	1.27E+08
040305	156391	LAG532691	001	Courtesy Golf Cars	Treated sanitary wastewater	Expected	80	Monthly ave.	200	6.06E+05
040305	156398	LAG532682	001	Paco Swain Realty LLC	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040305	156403	LAR10F026	DMR	Omni Storage - Walker - Aphelion Holdings LLC	Construction stormwater	Not found		None		
040305	156404	LAG532674	001	Continental Kennel Club Inc - Continental Kennel Club	Treated sanitary wastewater	Expected	500	Monthly ave.	200	3.79E+06
040305	156494	LAG532746	001	Carroll Baptist Church	Treated sanitary wastewater	Expected	1,600	Monthly ave.	200	1.21E+07
040305	156495	LAG532816	001	New Bethlehem Baptist Church	Treated sanitary wastewater	Expected	2,000	Monthly ave.	200	1.51E+07
040305	156495	LAG532816	002	New Bethlehem Baptist Church	Treated sanitary wastewater	Expected	1,000	Monthly ave.	200	7.57E+06
040305	156496	LAU005674		Dimensions in Dance		Not found		None		
040305	156497	LAG532762	001	Brightstart Montessori Pre-School	Treated sanitary wastewater	Expected	340	Monthly ave.	200	2.57E+06
040305	156522	LAG541644	001	Palmetto Springs Apartments	Treated sanitary wastewater	Expected	12,300	Monthly ave.	200	9.31E+07
040305	156533	LAG532726	001	CCLA 447 Walker LLC - Climate Control of LA	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040305	156534	LAG470261	005	Trey's Automotive	Treated sanitary wastewater	Design	800	Weekly ave.	400	1.21E+07
040305	156535	LAG532723	001	Blanchard Estates	Treated sanitary wastewater	Expected	3,300	Monthly ave.	200	2.50E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040305	156538	LAG532728	001	Patton's Metal Express	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040305	156609	LAG570459	001	Pine Shadows Condominiums	Treated sanitary wastewater	Expected	52,800	Monthly ave.	200	4.00E+08
040305	156620	LAG532864	001	Kid's Corner Child Development Center Inc	Treated sanitary wastewater	Expected	1,395	Monthly ave.	200	1.06E+07
040305	156683	LAU005655		Claiborne AME Zion Church		Not found		None		
040305	156684	LAG532874	001	Salem Baptist Church	Treated sanitary wastewater	Expected	400	Monthly ave.	200	3.03E+06
040305	156685	LAU005657		Livingston Parish Fire Protection District #4 Station 8		Not found		None		
040305	156686	LAU005658		True Light Baptist Church		Not found		None		
040305	156689	LAU005659		Continental Kennel Club		Not found		None		
040305	156690	LAU005660		Community Chapel		Not found		None		
040305	156691	LAU005661		Butler's Motorsports		Not found		None		
040305	156692	LAU005662		Livingston Parish Fire Protection District #4 Station 2		Not found		None		
040305	156695	LAG750665	001	Sunray Carwash	Exterior vehicle and equipment wash wastewater	Not found		None		
040305	156696	LAU005663		Friendship United Methodist Church		Not found		None		
040305	156698	LAU005664		Dollar General Store	No info. Avail.	Not found		None		
040305	156703	LAG541636	001	Pendarvis Apartments	Treated sanitary wastewater	Expected	6,900	Monthly ave.	200	5.22E+07
040305	156712	LAU005671		Schexnayder's Motorcycle Paint & Repair	No info. Avail.	Not found		None		
040305	156716	LAG532780	001	Cornerstone Cabinets	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040305	156721	LAG532750	001	Faith Fellowship Pentecostal Church of God	Treated sanitary wastewater	Expected	830	Monthly ave.	200	6.28E+06
040305	156722	LAG532948	001	Tee's Electric Co	Treated sanitary wastewater	Expected	240	Monthly ave.	200	1.82E+06
040305	156723	LAG532768	001	CDM Machine Works	Treated sanitary wastewater	Expected	100	Monthly ave.	200	7.57E+05
040305	156731	LAG532744	001	Basic Plumbing LLC	Treated sanitary wastewater	Expected	120	Monthly ave.	200	9.08E+05
040305	156732	LAG532713	001	Heyse's Pride Printing - WWTP	Treated sanitary wastewater	Expected	2,500	Monthly ave.	200	1.89E+07
040305	156803	LAG541648	001	B&M Estates of Walker LA LLC - WWTP	Treated sanitary wastewater	Expected	16,800	Monthly ave.	200	1.27E+08
040305	156851	LAG532766	001	Acadian Signs	Treated sanitary wastewater	Expected	2,500	Monthly ave.	200	1.89E+07
040305	156884	LAG532878	001	Blount Construction - WWTP	Treated sanitary wastewater	Expected	140	Monthly ave.	200	1.06E+06
040305	156900	LAG532893	001 and 002	Judson Baptist Church	Treated sanitary wastewater	Expected	1,955	Monthly ave.	200	1.48E+07
040305	156950	LAG532897	001	ChildPros Inc - Walker Facility (Corbin Rd)	Treated sanitary wastewater	Expected	2,035	Monthly ave.	200	1.54E+07
040305	156951	LAG532745	001	First Assembly of God	Treated sanitary wastewater	Expected	1,680	Monthly ave.	200	1.27E+07
040305	156953	LAG532772	001	Walker Inspection LLC - WWTP	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040305	156954	LAU005704		T C Electric Inc		Not found		None		
040305	156964	LAG532822	001	Area Vinyl Siding Distributors LLC	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040305	156972	LAU005711		Robertson Automotive		Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040305	156973	LAG532907	001	Family Resource Clinic Inc	Treated sanitary wastewater	Expected	220	Monthly ave.	200	1.67E+06
040305	156983	LAU005713		Lewis Properties, Inc.		Not found		None		
040305	156984	LAU005715		Southern Heirs Auction & Wholesale		Not found		None		
040305	156993	LAU005617		Porche's Sausage		Not found		None		
040305	156994	LAU005719		Beech Ridge Baptist Church		Not found		None		
040305	156995	LAU005720		Holden Volunteer Fire Department - District 10 Station #3		Not found		None		
040305	156997	LAG532837	001	Agape Baptist Church	Treated sanitary wastewater	Expected	1,500	Monthly ave.	200	1.14E+07
040305	156998	LAG532849	001	Plainview Baptist Church	Treated sanitary wastewater	Expected	750	Monthly ave.	200	5.68E+06
040305	156999	LAG533087	001	Colyell Baptist Church	Treated sanitary wastewater	Expected	3,000	Monthly ave.	200	2.27E+07
040305	157093	LAU005795	001	Ward Mechanical Contractors		Not found		None		
040305	157100	LAG532782	001	Bayview Tavern	Treated sanitary wastewater	Expected	780	Monthly ave.	200	5.91E+06
040305	157105	LAG532771	001	Life World Outreach Inc - Life Academy	Treated sanitary wastewater	Expected	1,500	Monthly ave.	200	1.14E+07
040305	157294	LAG532947	001	Tri-Parish Door & Supply Co Inc	Treated sanitary wastewater	Expected	100	Monthly ave.	200	7.57E+05
040305	157295	LAU005820		Southeast Telecom Inc		Not found		None		
040305	157299	LAG532872	001	Trade Winds Environmental Restoration	Treated sanitary wastewater	Expected	100	Monthly ave.	200	7.57E+05
040305	157300	LAG541662	001	A&L Mobile Home Park	Treated sanitary wastewater	Expected	6,600	Monthly ave.	200	5.00E+07
040305	157301	LAG532898	001	Burning Bush Baptist Church	Treated sanitary wastewater	Expected	160	Monthly ave.	200	1.21E+06
040305	157306	LAU005797		Oakview Baptist Church	Sanitary	Not found		None		
040305	157308	LAG532830	001	Cutting Edge Cabinets & Millworks	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040305	157309	LAG532817	001	Emmanuel Baptist Church	Treated sanitary wastewater	Expected	1,300	Monthly ave.	200	9.84E+06
040305	157310	LAG532763	001	Country Place Mobile Home Park	Treated sanitary wastewater	Expected	4,500	Monthly ave.	200	3.41E+07
040305	157311	LAG533290	001	Livingston Parish Fire Protection District 4 - Station 6	Treated sanitary wastewater	Expected	100	Weekly ave.	400	1.51E+06
040305	157312	LAG533401	001	DDH Inc - Truck & Equipment	Treated sanitary wastewater	Expected	120	Weekly ave.	400	1.82E+06
040305	157313	LAU005808		Country Financial	Sanitary wastewater	Not found		None		
040305	157315	LAG532858	001	McLin & Associates Inc	Treated sanitary wastewater	Expected	240	Monthly ave.	200	1.82E+06
040305	157317	LAU005813		Kersey's Transmission		Not found		None		
040305	157318	LAU005815		Lakeside Salon		Not found		None		
040305	157410	LAG541634	001	Hidden Pines Mobile Home Park	Treated sanitary wastewater	Expected	8,400	Monthly ave.	200	6.36E+07
040305	157410	LAG541634	001	Hidden Pines Inc	Treated sanitary wastewater	Expected	8,400	Monthly ave.	200	6.36E+07
040305	157461	LAU005846		Satsuma Valve & Controls	No info. Avail.	Not found		None		
040305	157462	LAU005837		CF Bodyworks		Not found		None		
040305	157464	LAU005838		Bobby's Electric		Not found		None		
040305	157467	LAU005842		La Maison Leisure Living		Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040305	157890	LAG541633	001	Valmon E & Ozelia A Watts Trust - Colyell Mobile Home Park	Treated sanitary wastewater	Expected	6,000	Monthly ave.	200	4.54E+07
040305	157967	LAU005729		Remnant of God Church		Not found		None		
040305	157969	LAU005730		The Lighthouse Pentecostal Church		Not found		None		
040305	157971	LAU005731		Redeeming Life Church		Not found		None		
040305	157972	LAG532963	001	Bible Missionary Church	Treated sanitary wastewater	Expected	800	Monthly ave.	200	6.06E+06
040305	158009	LAG532802	001	Dugas Trading Post Wrecker Service	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040305	158335	LAG541669	001	Ashley Heights Mobile Home Park	Treated sanitary wastewater	Expected	9,600	Monthly ave.	200	7.27E+07
040305	158337	LAG5532930	001	KC Village Apartments	Treated sanitary wastewater	Expected	600	Monthly ave.	200	4.54E+06
040305	158337	LAG5532930	002	KC Village Apartments	Treated sanitary wastewater	Expected	600	Monthly ave.	200	4.54E+06
040305	158343	LAU005946		Carriages Mobile Home Park		Not found		None		
040305	158344	LAU005947		A Richard's Mobile Home Towing		Not found		None		
040305	158346	LAU005948		Juban Road Car Wash		Not found		None		
040305	158372	LAU005955		Blackhills Apartments		Not found		None		
040305	159717	LAG532960	001	South Park Mobile Home Park - South Park Mobile Home Park - WWTP	Treated sanitary wastewater	Expected	3,900	Monthly ave.	200	2.95E+07
040305	161198	LAG533059	001	Kids In Motion Daycare - Kids In Motion Daycare LLC	Treated sanitary wastewater	Average	1,635	Weekly ave.	400	2.48E+07
040305	163137	LAG541805	001	Arbor Walk Subdivision - Mo-Dad Utilities LLC	Treated sanitary wastewater	Design	15,000	None		
040305	164730	LAR10F720		Arbor Walk Subdivision - DR Horton Inc-Gulf Coast	Construction stormwater	Not found		None		
040305	165825	LAG533231	001	Livingston Parish Sheriff's Office - Livingston Parish Prison	Treated sanitary wastewater	Expected	45,000	Monthly ave.	200	3.41E+08
040305	166532	LAR10F898		Woodland Crossing 8th & 9th Filings - BDMF LLC	Construction stormwater	Not found		None		
040305	167053	LAR10F956		Bayou Vista - D R Horton Inc - Gulf Coast	Construction stormwater	Not found		None		
040305	172013	LAR05P297		Shaw APP Walker Facility - Shaw Alloy Piping Products Inc	Stormwater	Not found		None		
040503	1971	LAG533406	001	Florida Parishes Industries Inc	Treated sanitary wastewater	Expected	160	Weekly ave.	400	2.42E+06
040503	1971	LAR05M230		Florida Parishes Industries Inc	MSGP stormwater	Not found		None		
040503	3071	LAG570339	001	Northlake Support & Services Center	Treated sanitary wastewater	Expected	58,100	Monthly ave.	200	4.40E+08
040503	6034	LAG470087	001	Hood Motor Co Inc	Washrack wastewater	Not found		None		
040503	7067	LA0105724	001	Save-A-Lot Ltd	Truck washwater, treated sanitary wastewater	Design	15,000	Monthly ave.	200	1.14E+08
040503	7067	LA0105724	003	Save-A-Lot Ltd	Truck washwater, treated sanitary wastewater	Design	15,000	Monthly ave.	200	1.14E+08
040503	7067	LA0105724	004	Save-A-Lot Ltd	Stormwater runoff	Not found		None		
040503	7067	LA0105724	005	Save-A-Lot Ltd	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040503	18519	LA0083810	001	Albany Village of - STP	Treated sanitary wastewater	Design	100,000	Monthly ave.	200	7.57E+08
040503	18846	LAG530026	001	Acadian West Apartments	Treated sanitary wastewater	Expected	2,650	Monthly ave.	200	2.01E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040503	19115	LAG540887	001	Raiders Ridge Systems Inc - Raiders Ridge Subdivision	Treated sanitary wastewater	Expected	6,000	Monthly ave.	200	4.54E+07
040503	19580	LA0077984	002	Electroless Nickel Plating of Louisiana Inc	Treated process wastewater	Average	1,000	None		
040503	38185	LA0100790	001	Roseland Town of - WWTP	Treated sanitary wastewater	Design	200,000	Monthly ave.	200	1.51E+09
040503	40960	LAG540810	001	Carolyn's Trailer Park	Treated sanitary wastewater	Average	12,600	Monthly ave.	200	9.54E+07
040503	41161	LAG530150	001	Rowlin On The River	Treated sanitary wastewater	Expected	750	Monthly ave.	200	5.68E+06
040503	41222	LAG530163	001	DC Properties - Stafford Oaks Apartments	Treated sanitary wastewater	Expected	2,050	Monthly ave.	200	1.55E+07
040503	41238	LAG110033	001	Delta Industries Inc	Process wastewater and process area storm water	Expected	200	None		
040503	41238	LAG110033	003	Delta Industries Inc	Storm water and coooling water from stockpiles of washed sand and gravel	Not found		None		
040503	41238	LAG110033	004	Delta Industries Inc	Non-process area storm water	Not found		None		
040503	41802	LAG830118	001	Ardillo's Grocery	Wastewater associated with implementing corrective action plans for the cleanup of petroleum underground storage tank	Not found		None		
040503	41985	LAG540836	001	Joe's Mobile Park	Treated sanitary wastewater	Expected	15,000	Monthly ave.	200	1.14E+08
040503	42795	LAG530955	001	Magnolia Place Apartments	Treated sanitary wastewater	Expected	2,850	Monthly ave.	200	2.16E+07
040503	43152	LAG540878	001	Sanitary Systems Inc - Springfield Trailer Park	Treated sanitary wastewater	Expected	22,500	Monthly ave.	200	1.70E+08
040503	43470	LAR05P116	001	Tangipahoa Parish Regional Solid Waste Facility	Non-contact stormwater from the south side of the facility and treated wastewater from outfall 101	Average	76,000	None		
040503	43470	LAR05P116	002	Tangipahoa Parish Regional Solid Waste Facility	Non-contact stormwater from the north side of the facility	Average	170,000	None		
040503	43470	LAR05P116	003	Tangipahoa Parish Regional Solid Waste Facility	Non-contact stormwater from the eastern borrow area (this includes non-contact stormwater and treated landfill wastewater from the westside of the facility	Average	1,680,000	None		
040503	43470	LAR05P116	101	Tangipahoa Parish Regional Solid Waste Facility	Treated leachate, contact stormwater, sanitary wastewater, and equipment washwater	Average	33,000	Monthly ave.	200	2.50E+08
040503	43470	LAR05P116	301	Tangipahoa Parish Regional Solid Waste Facility	Non-contact stormwater from the west side of the facility and treated landfill wastewater (outfall 001 and 002)	Average	246,000	None		
040503	43480	LAG540714	001	Tangipahoa Parish Sewerage District #1 - Creekwood Subdivision - ST Lagoon	Treated sanitary wastewater	Design	12,000	Monthly ave.	200	9.08E+07
040503	43483	LAG540716	001	Tangipahoa Parish Sewerage District #1 - El Rancho STP	Treated sanitary wastewater	Design	14,400	Monthly ave.	200	1.09E+08
040503	73607	LAG531403	001	Jiffy Mart #2	Treated sanitary wastewater	Expected	580	Weekly ave.	400	8.78E+06
040503	82475	LAU004025		Forest Gold Truck Plaza & Casino	Treated sanitary wastewater	Average	5,700	None		
040503	86390	LAG541040	001	Amite Truck Plaza & Casino	Treated sanitary wastewater	Design	13,060	Monthly ave.	200	9.89E+07
040503	86561	LAG531107	001	Magnolia Mills Apartments	Treated sanitary wastewater	Expected	2,500	Monthly ave.	200	1.89E+07
040503	86842	LAG570216	001	Springfield Town of - WWTP	Treated sanitary wastewater	Expected	60,000	Monthly ave.	200	4.54E+08
040503	86966	LAG541528	001	Sciara Duplex Homes	Treated sanitary wastewater	Expected	5,750	Monthly ave.	200	4.35E+07
040503	87649	LAG560208	001	Livingston Parish Council - Haynes	Treated sanitary wastewater	Expected	30,000	Monthly ave.	200	2.27E+08

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Settlement WWTP						
040503	89501	LAG541052	001	Landon's Mobile Home Park	Treated sanitary wastewater	Expected	8,400	Monthly ave.	200	6.36E+07
040503	89506	LAG570221	001	Mo-Dad Utilities LLC - Rolling Meadow Subdivision	Treated sanitary wastewater	Expected	44,800	Monthly ave.	200	3.39E+08
040503	90404	LAG530697	001	Amite Inn LLC - Amite Inn	Treated sanitary wastewater	DMR	3,838	Monthly ave.	200	2.91E+07
040503	90654	LAG531205	001	Bankston Rentals	Treated sanitary wastewater	Expected	1,300	Weekly ave.	400	1.97E+07
040503	90688	LA0118648	001	Circle M Ranch of Pumpkin Center	Washdown wastewater from alligator pens/barns and treated sanitary wastewater	Average	11,000	Monthly ave.	200	8.33E+07
040503	97596	LAG541287	001	Mo-Dad Utilities LLC - Carriage House Apartments	Treated sanitary wastewater	Expected	5,400	Monthly ave.	200	4.09E+07
040503	97596	LAG541287	002	Mo-Dad Utilities LLC - Carriage House Apartments	Treated sanitary wastewater	Expected	3,600	Monthly ave.	200	2.73E+07
040503	101749	LAG541310	001	Mo-Dad Utilities LLC - Lakin Ridge Subdivision	Treated sanitary wastewater	Design	25,000	Monthly ave.	200	1.89E+08
040503	117779	LAG541189	001	Bridgewater Villa Apartments	Treated sanitary wastewater	Expected	7,200	Monthly ave.	200	5.45E+07
040503	118143	LAG531578	001	J Baby Trailer Park	Treated sanitary wastewater	Expected	4,100	Monthly ave.	200	3.10E+07
040503	118271	LAG541181	001	Mo-Dad Utilities LLC - Robertson's Apartments	Treated sanitary wastewater	Design	10,000	Monthly ave.	200	7.57E+07
040503	118365	LAG541162	001	Oakwood Apartments	Treated sanitary wastewater	Expected	11,750	Monthly ave.	200	8.90E+07
040503	120384	LAG533065	001	Skyway Duplex - John M Compton - WWTP	Treated sanitary wastewater	Expected	800	Weekly ave.	400	1.21E+07
040503	121153	LAG541366	001	R I Campground Holdings LLC	Treated sanitary wastewater	Average	6,660	Monthly ave.	200	5.04E+07
040503	121717	LAG541308	011	Mo-Dad Utilities LLC - Whispering Winds Subdivision	Treated sanitary wastewater	Expected	12,800	Monthly ave.	200	9.69E+07
040503	122365	LAG531902	001	Benton Trace Apartments - WWTP	Treated sanitary wastewater	Expected	1,200	Weekly ave.	400	1.82E+07
040503	122898	LAG533026	001	Hoppin Harley's Exxon	Treated sanitary wastewater	Design	3,000	Monthly ave.	200	2.27E+07
040503	123236	LA0122424	004	Lamp Environmental Industries (LEI) Inc	Non-contact stormwater runoff	Not found		None		
040503	123236	LAR10C680		Lamp Environmental Industries (LEI) Inc	Construction stormwater	Not found		None		
040503	123241	LAG541464	001	Mo-Dad Utilities LLC - Autumn Brook Subdivision	Treated	Design	15,000	Monthly ave.	200	1.14E+08
040503	129868	LAG470227	001	Dixie RV Superstores	Treated washrack wastewater	Not found		None		
040503	129868	LAG470227	005	Dixie RV Superstores	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
040503	129925	LAG531970	001	Hollywood Estates North Apartments	Treated sanitary wastewater	Expected	3,000	Monthly ave.	200	2.27E+07
040503	132101	LAG541361	001	Albany Mobile Home Park	Treated sanitary wastewater	Expected	15,600	Monthly ave.	200	1.18E+08
040503	132660	LAG541407	001	Bone Capital Investments Inc - High Point Gates Subdivision	Treated sanitary wastewater	Expected	22,000	Monthly ave.	200	1.67E+08
040503	133539	LAG532047	001	Livingston Parish Library System - Albany-Springfield Branch Library	Treated sanitary wastewater	Expected	1,500	Weekly ave.	400	2.27E+07
040503	134735	LAG541749	001	Pineland Apartments LLC - Michael Harrelson - WWTP	Treated sanitary wastewater	Expected	9,600	Monthly ave.	200	7.27E+07
040503	137352	LAG541452	001	Mike Vaughn Ministries Inc - Goodnews Fellowship Church	Treated sanitary wastewater	Average	8,000	Monthly ave.	200	6.06E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040503	137354	LAG532092	001	Mertra Properties LLC - STP	Treated sanitary wastewater	Expected	1,000	Weekly ave.	400	1.51E+07
040503	138165	LAG532071	001	Reliance Developments LLC - Rose Ridge Apartments	Treated sanitary wastewater	Expected	2,400	Weekly ave.	400	3.63E+07
040503	138306	LAG541462	001	J B Cashio Family LLC - West View Apartments	Treated sanitary wastewater	Expected	7,200	Monthly ave.	200	5.45E+07
040503	139473	LAG532301	001	Beau Glen Apartments - STP	Treated sanitary wastewater	Design	2,000	Weekly ave.	400	3.03E+07
040503	139834	LAG532138	001	Olen Bankston Apartments	Treated sanitary wastewater	Expected	1,500	Weekly ave.	400	2.27E+07
040503	139961	LAG541619	001	The Benton Corp LLC - Benton Court Villas	Treated sanitary wastewater	Design	5,500	Monthly ave.	200	4.16E+07
040503	141248	LAG532094	001	Meghan's Loop Apartments - STP	Treated sanitary wastewater	Expected	4,200	Monthly ave.	200	3.18E+07
040503	141261	LAG533104	001	Jerry Chavers - Terrace Trace	Treated sanitary wastewater	Expected	4,000	Monthly ave.	200	3.03E+07
040503	141261	LAG533104	002	Jerry Chavers - Terrace Trace	Treated sanitary wastewater	Expected	500	Weekly ave.	400	7.57E+06
040503	141261	LAG533104	003	Jerry Chavers - Terrace Trace	Treated sanitary wastewater	Expected	500	Weekly ave.	400	7.57E+06
040503	141268	LAG532161	001	Harper's Duplex	Treated sanitary wastewater	Expected	3,600	Monthly ave.	200	2.73E+07
040503	141322	LAG541506	001	Indian Creek Campground & RV Park LLC	Treated sanitary wastewater	Expected	7,680	Monthly ave.	200	5.81E+07
040503	141340	LAG541524	001	Lost Oaks Mobile Home Park	Treated sanitary wastewater	Expected	7,800	Monthly ave.	200	5.91E+07
040503	143511	LAG541485	001	Waste Water Treatment System & Operations - Yorkshire Park I	Treated sanitary wastewater	Expected	6,000	Monthly ave.	200	4.54E+07
040503	145517	LAG570395	001	Maplewood Subdivision WWTP	Treated sanitary wastewater	Expected	63,200	Monthly ave.	200	4.78E+08
040503	148290	LAG541649	001	Whispering Pines Plaza Casino	Treated sanitary wastewater	Design	9,000	Monthly ave.	200	6.81E+07
040503	151781	LAG533076	001	Chuck's Quick Stop	Treated sanitary wastewater	Expected	900	Monthly ave.	200	6.81E+06
040503	151784	LAG541582	001	Tall Timbers Truck Stop & Casino	Treated sanitary wastewater	Design	14,000	Monthly ave.	200	1.06E+08
040503	152579	LAG541677	001	Density Utilities of Louisiana LLC - Rabbit Run Subdivision	Treated sanitary wastewater	Design	20,000	Monthly ave.	200	1.51E+08
040503	154607	LAG541816	001	The Grove	Treated sanitary wastewater	Design	25,000	Monthly ave.	200	1.89E+08
040503	155391	LAG541652	001	Pine Grove Subdivison ALPIC - The Grove Subdivision	Treated sanitary wastewater	Expected	23,200	Monthly ave.	200	1.76E+08
040503	155783	LAG541643	001	Fox Pen Subdv - Pioneer Properties LLC - WWTP	Treated sanitary wastewater	Design	18,000	Monthly ave.	200	1.36E+08
040503	158904	LAR10F212		Wellington Estates - DR Horton Inc - Gulf Coast	Construction stormwater	Not found		None		
040503	162208	LAG541709	001	Quad Area Community Action Agency Inc - Hammond	Treated sanitary wastewater	Design	7,500	Monthly ave.	200	5.68E+07
040503	162399	LAG490100	002	Bayou Sand & Gravel LLC - Amite Facility	Process wastewater and process area stormwater	Not found		None		
040503	162399	LAG490100	004	Bayou Sand & Gravel LLC - Amite Facility	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040503	162607	LAG533055	001	Park Place Luxury Duplexes LLC - Jim T Fallon	Treated sanitary wastewater	Expected	3,000	Monthly ave.	200	2.27E+07
040503	163412	LAR10F609		Martinsville Estates - D R Horton Inc - Gulf Coast	Construction stormwater	Not found		None		
040503	163429	LAG533099	001	Copperleaf LLC - Apartment Complex	Treated sanitary wastewater	Expected	900	Weekly ave.	400	1.36E+07
040503	163795	LPR05P087		Diamond B Construction Co LLC - Amite Asphalt Facility	Storm water	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040503	165796	LAG533221	001	SJC Investments LLC - Dollar General Store No 11688	Treated sanitary wastewater	Expected	200	Weekly ave.	400	3.03E+06
040503	166531	LAR10G016		Blackstone Investments LLC - Blackstone Commercial Park	Construction stormwater	Not found		None		
040503	167055	LAG750761	001	Clean Express - J Alfred III LLC	Exterior vehicle and equipment wash wastewater	Design	500	None		
040503	167055	LAG750761	002	Clean Express - J Alfred III LLC	Treated sanitary wastewater	Expected	20	Daily max	400	3.03E+05
040503	167565	LAR10G220		Regency Estates Subdivision	Construction stormwater	Not found		None		
040503	169001	LAR10G219		Twin Pines Subdivision - Phase II - Twin Pines Subdivision LLC	Construction stormwater	Not found		None		
040503	169880	LAG533435	001	Donovan Controls - Paul Donovan	Treated sanitary wastewater	Expected	140	Weekly ave.	400	2.12E+06
040503	171930	LAG533521	001	Thompson Duplex	Treated sanitary wastewater	Average	1,200	Monthly ave.	200	9.08E+06
040503	172070	LAG533549	001	Jennifer Thompson - Thompson Lake Apartments	Treated sanitary wastewater	Expected	1,200	Monthly ave.	200	9.08E+06
040504	10041	LAR05M009	001	Sanderson Farms Inc - Hammond Processing Plant	Process wastewater, boiler blowdown, treated sanitary wastewater, and stormwater	Average	1,500,000	Daily max	400	2.27E+10
040504	10041	LAR05M009	003	Sanderson Farms Inc - Hammond Processing Plant	Supernate, and stormwater	Average	22,000	Daily max	400	3.33E+08
040504	10930	LAG470289	005	Fender Mender Paint & Body Shop	Treated sanitary wastewater	DMR	200	Weekly ave.	400	3.03E+06
040504	12026	LAG110225	003A	Rogers Ready Mix Inc	Stormwater and aggregate spray from sand and gravel unloading areas and stockpiles of washed sand and gravel	Not found		None		
040504	12026	LAG110225	003B	Rogers Ready Mix Inc	Stormwater and aggregate spray from sand and gravel unloading areas and stockpiles of washed sand and gravel	Not found		None		
040504	12026	LAG110225	005	Rogers Ready Mix Inc	Treated sanitary wastewater	Design	500	Daily max	400	7.57E+06
040504	12026	LAG110225	006	Rogers Ready Mix Inc	Washrack and shop floor washdown wastewater discharges from cement, concrete, and asphalt facilities	Not found		None		
040504	19094	LAG540623	001	Rosewood Mobile Home Park	Treated sanitary wastewater	DMR	33,120	Monthly ave.	200	2.51E+08
040504	19580	LA0077984	001	Electroless Nickel Plating of Louisiana Inc	Treated sanitary wastewater	Average	350	Monthly ave.	200	2.65E+06
040504	22203	LAG560076	001	Tangi Village Apartments	Treated sanitary wastewater	Average	27,500	Monthly ave.	200	2.08E+08
040504	22878	LAG480280	001	Tuthill Transfer Systems Inc	Treated sanitary wastewater and shop floor wastewater	Expected	700	Weekly ave.	400	1.06E+07
040504	22878	LAG480280	002	Tuthill Transfer Systems Inc	Industrial stormwater	Not found		None		
040504	23688	LAG470288	005	Rocky's Body Shop	Treated sanitary wastewater	DMR	110	Weekly ave.	400	1.67E+06
040504	27264	LAG533476	001	BDD LLC	Treated sanitary wastewater	Average	40	Weekly ave.	400	6.06E+05
040504	43482	LAG570140	001	Tangipahoa Parish Sewerage District #1 - Tillman Park Subdivision STP	Treated sanitary wastewater	Design	50,000	Monthly ave.	200	3.79E+08
040504	68833	LAG750800	001	Jeff's Grocery	Exterior vehicle wash wastewater	Expected	300	None		
040504	68833	LAG750800	002	Jeff's Grocery	Treated sanitary wastewater	Expected	957	Daily max	400	1.45E+07
040504	73850	LAG532246	001	Ryan's Convenience Store & Deli	Treated sanitary wastewater	Expected	540	Weekly ave.	400	8.18E+06
040504	74009	LAG830225	001	Former Pilot Store #80	Wastewaters associates with the cleanup of PUST	Average	4,300	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
					sites					
040504	78663	LAG750421	001	Happywoods Market & Deli	Exterior vehicle and equipment washwater	Not found		None		
040504	78663	LAG750421	002	Happywoods Market & Deli	Treated sanitary wastewater	DMR	1,549	Weekly ave.	400	2.35E+07
040504	83756	LAG540979	001	Mo-Dad Utilities LLC - Emerald Gardens Subdivision	Treated sanitary wastewater	Design	25,000	Monthly ave.	200	1.89E+08
040504	86149	LAG531192	001	Greco Rentals	Treated sanitary wastewater	Expected	1,600	Monthly ave.	200	1.21E+07
040504	86946	LAG531202	001	Stein Road Apartments	Treated sanitary wastewater	Expected	1,200	Weekly ave.	400	1.82E+07
040504	86950	LAG532178	001	Country Oaks Apartments	Treated sanitary wastewater	Expected	1,750	Monthly ave.	200	1.32E+07
040504	86951	LAG541525	001	Lakeview Apartments	Treated sanitary wastewater	Average	10,300	Monthly ave.	200	7.80E+07
040504	86955	LAG541467	001	Waste Water Treatment System & Operations - Yorkshire Park II	Treated sanitary wastewater	Expected	18,000	Monthly ave.	200	1.36E+08
040504	86959	LAG531209	001	Crystal Lake Apartments	Treated sanitary wastewater	Average	3,000	Monthly ave.	200	2.27E+07
040504	86960	LAG532168	001	Alvarez Properties LLC - Tri-Way Apartments	Treated sanitary wastewater	Average	4,500	Monthly ave.	200	3.41E+07
040504	86971	LAG531186	001	Lingo Mobile Home Park	Treated sanitary wastewater	Expected	1,800	Weekly ave.	400	2.73E+07
040504	86972	LAG531321	001	West View Apartments	Treated sanitary wastewater	Expected	3,500	Monthly ave.	200	2.65E+07
040504	86974	LAG560228	001	Tangi Mobile Home Park LLC	Treated sanitary wastewater	Average	40,500	Monthly ave.	200	3.07E+08
040504	86977	LAG541057	001	Sandra Apartments	Treated sanitary wastewater	Average	6,300	Monthly ave.	200	4.77E+07
040504	90335	LAG541044	001	Calloway RV & Campground - Calloway RV & Campground Facility	Treated sanitary wastewater	Average	9,950	Monthly ave.	200	7.53E+07
040504	92403	LAG560217	001	Mo-Dad Utilities LLC - Azalea Woods Subdivision	Treated sanitary wastewater	Expected	36,800	Monthly ave.	200	2.79E+08
040504	93265	LAG541073	001	Chief Investments LLC - Seven Oaks Villas	Treated sanitary wastewater	Average	8,550	Monthly ave.	200	6.47E+07
040504	103326	LAG480295	001	Grand Prix Car Wash	Treated exterior vehicle wash wastewater	Expected	500	None		
040504	118149	LAG531561	001	R I Campground Holdings LLC	Treated sanitary wastewater	Expected	2,400	Weekly ave.	400	3.63E+07
040504	119193	LAG531891	001	Salena Apartments	Treated sanitary wastewater	Design	2,500	Weekly ave.	400	3.79E+07
040504	119697	LA0119466	001	Tangipahoa Parish Sewer District # 1 - NW Hammond Treatment Facility	Treated sanitary wastewater	Design	300,000	Monthly ave.	200	2.27E+09
040504	119697	LAR10C504		Tangipahoa Parish Sewer District # 1 - NW Hammond Treatment Facility	Construction stormwater	Not found		None		
040504	124107	LAG541236	001	Tangipahoa Parish Sewerage District #1 - Deer Creek Subdivision WWTP - Construction	Treated sanitary wastewater	Average	8,800	Monthly ave.	200	6.66E+07
040504	129865	LAG532039	001	Franjo LLC - Franjo Apartments	Treated sanitary wastewater	Design	3,000	Weekly ave.	400	4.54E+07
040504	129926	LAG532038	001	Hollywood Estates South Apartments	Treated sanitary wastewater	Expected	1,500	Weekly ave.	400	2.27E+07
040504	132753	LAG570370	001	Mo-Dad Utilities LLC - Belle Foret IV Subdivision	Treated sanitary wastewater	Average	69,600	Monthly ave.	200	5.27E+08
040504	134307	LAG570360	001	Mo-Dad Utilities LLC - Krogen Kove - STP	Treated sanitary wastewater	Average	31,600	Monthly ave.	200	2.39E+08
040504	136841	LAG532953	001	Ruth Cook Computer & Medical Schools Inc	Treated sanitary wastewater	Design	1,000	Weekly ave.	400	1.51E+07
040504	136842	LAG533146	001	Brandon G Thompson Funeral Home Inc	Treated sanitary wastewater	Design	1,500	Monthly ave.	200	1.14E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040504	141207	LAG533315	001	Rosebrooks Apartments - Reliance Developments LLC	Treated sanitary wastewater	Design	3,000	Weekly ave.	400	4.54E+07
040504	141218	LAG532158	001	Stanley's Apartments	Treated sanitary wastewater	Expected	1,650	Weekly ave.	400	2.50E+07
040504	141264	LAG541813	001	Country Manor Apartments	Treated sanitary wastewater	Expected	10,450	Monthly ave.	200	7.91E+07
040504	141269	LAG533496	001	Starscape Inc - Twin Oaks Apartments	Treated sanitary wastewater	Expected	3,000	Monthly ave.	200	2.27E+07
040504	142790	LAG532151	001	Emile Joseph Mayeaux III - Magnolia Place Apartments	Treated sanitary wastewater	Expected	3,600	Monthly ave.	200	2.73E+07
040504	142988	LAG541742	001	Pecan Grove Trailer Court PDA Brian Mayeaux - Pecan Grove Trailer Court	Treated sanitary wastewater	Average	6,800	Monthly ave.	200	5.15E+07
040504	149360	LAG533298	001	Hoover Family Dentistry LLC	Treated sanitary wastewater	Design	1,500	Monthly ave.	200	1.14E+07
040504	149918	LAG532273	001	Eloise Tantillo - ET Apartments	Treated sanitary wastewater	Design	5,000	Monthly ave.	200	3.79E+07
040504	157747	LAR10F085		RSC Hammond - KACO Constructors LLC	Construction stormwater	Not found		None		
040504	159461	LAG532959	001	Little Hands Preschool	Treated sanitary wastewater	Expected	1,070	Weekly ave.	400	1.62E+07
040504	159938	LAG541672	001	Density Utilities of Louis - Arbor Trace Subdivision Sewarge Treatment Facility	Treated sanitary wastewater	Expected	10,400	Monthly ave.	200	7.87E+07
040504	160028	LAG533275	001	Ed's Plumbing Service	Treated sanitary wastewater	Average	400	Monthly ave.	200	3.03E+06
040504	160028	LAG533275	002	Ed's Plumbing Service	Treated sanitary wastewater	Average	500	Monthly ave.	200	3.79E+06
040504	161271	LAG533027	001	Magnolia Place	Treated sanitary wastewater	Design	1,000	Weekly ave.	400	1.51E+07
040504	161673	LAG533035	001	Colton Giluso Rental Properties	Treated sanitary wastewater	Average	2,500	Monthly ave.	200	1.89E+07
040504	162065	LAG533103	001	God's Tabernacle of Deliverance	Treated sanitary wastewater	Expected	610	Weekly ave.	400	9.24E+06
040504	162476	LAG533531	001	Pat Tantillo - Olivia's Place	Treated sanitary wastewater	Design	2,500	Monthly ave.	200	1.89E+07
040504	164253	LAG533434	001	190 Motel	Treated sanitary wastewater	Average	1,640	Monthly ave.	200	1.24E+07
040504	164467	LAG533220	001	Graphics on the Spot	Treated sanitary wastewater	Expected	440	Monthly ave.	200	3.33E+06
040504	166506	LAG533223	001	Carter Construction Unlimited LLC - Carter's Apartment Complex	Treated sanitary wastewater	Average	1,200	Monthly ave.	200	9.08E+06
040504	166556	LAR10F900		Tri-Way Rentals II Apartments - Vic Alvarez	Construction stormwater	Not found		None		
040504	167046	LAG533265	001	Little Debbie's Lounge	Treated sanitary wastewater	Expected	875	Weekly ave.	400	1.32E+07
040504	167277	LAG533395	001	Harold Wager - STP	Treated sanitary wastewater	Design	1,000	Weekly ave.	400	1.51E+07
040504	169070	LAG533370	001	Louisiana Real Estate Appraisers Board	Treated sanitary wastewater	Average	20	Monthly ave.	200	1.51E+05
040504	169240	LAG533368	001	Real Estate - Notary Office - Timber Office	Treated sanitary wastewater	Average	40	Monthly ave.	200	3.03E+05
040504	170958	LAG533525	001	Charter Communication	Treated sanitary wastewater	Average	40	Monthly ave.	200	3.03E+05
040504	171459	LAG533513	001	SAJA LLC - The Oak Apartments	Treated sanitary wastewater	Average	1,200	Monthly ave.	200	9.08E+06
040504	171614	LAG533542	001	Home Certification Services of LA Inc	Treated sanitary wastewater	Average	60	Monthly ave.	200	4.54E+05
040504	171884	LAG533511	001	IBC Sales Corp - Holsum Depot	Treated sanitary wastewater	Average	180	Monthly ave.	200	1.36E+06
040504	171929	LAG533519	001	Oak Villa Apartments	Treated sanitary wastewater	Design	4,000	Monthly ave.	200	3.03E+07
040504	172291	LAG541823	001	Lake View Washateria\Laundromat	Treated sanitary wastewater	Average	8,400	Monthly ave.	200	6.36E+07
040505	2301	LAR05M071		Waterbury Companies Inc - Independence	MSGP	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Facility						
040505	5962	LAG830224	001	Hammond Stopping Center	Wastewater associated with cleanup of PUST site	Expected	1,000	None		
040505	9385	LAG110072	001	Tycer Ready Mix #2	Process wastewater and area stormwater	Expected	300	None		
040505	9385	LAG110072	004	Tycer Ready Mix #2	Nonprocess area stormwater from cement, concrete, and asphalt facilities	Not found		None		
040505	11289	LAR05N245		Dresser Inc - TK Valve	MSGP stormwater	Not found		None		
040505	13680	LAG830007	001	Circle K #9732	Treated carwash wastewater	DMR	720	None		
040505	18069	LAG540715	001	Tangipahoa Parish Sewer District #1 - Sal-Mar-Deb Subdivision	Treated sanitary wastewater	Design	8,000	Monthly ave.	200	6.06E+07
040505	18245	LAG540278	001	Tangipahoa Parish Sewage District #1 - Cypress Creek Estates	Treated sanitary wastewater	Expected	14,000	Monthly ave.	200	1.06E+08
040505	18872	LAG570205	001	Tickfaw Village of - WWTP	Treated sanitary wastewater	Average	88,000	Monthly ave.	200	6.66E+08
040505	19037	LAG530215	001	Trafton Academy	Treated sanitary wastewater	DMR	1,705	Monthly ave.	200	1.29E+07
040505	24512	LAG530330	001	Lamp Environmental Industries Inc	Treated sanitary wastewater	Expected	175	Weekly ave.	400	2.65E+06
040505	24857	LAG750795	001	LA DOTD - District #62 Maintenance Unit	Exterior vehicle and equipment wash wastewater	Not found		None		
040505	24857	LAR05N204	001	LA DOTD - District #62 Maintenance Unit	Exterior vehicle and equipment wash wastewater	Not found		None		
040505	26591	LAG470085	001	Supreme Domestics LLC	Treated washrack wastewater and repair shop floor washwater	Not found		None		
040505	32973	LAG480025	001	Taylortec Inc - Hammond	Treated sanitary wastewater	Expected	600	Weekly ave.	400	9.08E+06
040505	35536	LAG533109	001	Hammond Animal Hospital	Treated sanitary wastewater	Average	2,500	Monthly ave.	200	1.89E+07
040505	38155	LAG570068	001	Tangipahoa Parish Sewerage District #1 - Happywoods STP		DMR	87,429	Monthly ave.	200	6.62E+08
040505	40969	LAG540223	001	Catfish Charlie Restaurant	Treated sanitary wastewater	DMR	7,430	Monthly ave.	200	5.63E+07
040505	41599	LAG750157	001	Ge Ge Car Wash	Treated car wash wastewater	Average	480	None		
040505	41760	LAG540347	001	Mo-Dad Utilities LLC - High Hat Subdivision	Treated sanitary wastewater	Design	12,800	Monthly ave.	200	9.69E+07
040505	41900	LAG540809	001	Interstate Trailer Park	Treated sanitary wastewater	Average	11,700	Monthly ave.	200	8.86E+07
040505	42309	LAG560022	001	Lionsway LLC - Lions Way Apartments	Treated sanitary wastewater	Expected	27,200	Monthly ave.	200	2.06E+08
040505	42309	LAG560022	002	Lionsway LLC - Lions Way Apartments	Treated sanitary wastewater	Expected	16,000	Monthly ave.	200	1.21E+08
040505	42690	LAG540531	001	O'Neill Mobile Home Park	Treated sanitary wastewater	DMR	1,434	Monthly ave.	200	1.09E+07
040505	42760	LAG540936	001	Palm's Park	Treated sanitary wastewater	Average	7,500	Monthly ave.	200	5.68E+07
040505	43078	LAG540617	001	Tangipahoa Parish Sewerage District #1 - Roe Estates	Treated sanitary wastewater	DMR	30,168	Monthly ave.	200	2.28E+08
040505	43331	LAG540662	001	Southwood Ridge Utilities Inc - Southwood Ridge Estates	Treated sanitary wastewater	Average	9,600	Monthly ave.	200	7.27E+07
040505	43467	LA0106208	001	Tangi Meats LLC	Process wastewater from meat processing activities, equipment washdown, and treated sanitary wastewater	Average	1,500	Daily max	400	2.27E+07
040505	43471	LAG530545	001	CM Fagan Special Service Center	Treated sanitary wastewater	Expected	1,500	Monthly ave.	200	1.14E+07
040505	43479	LAG540711	001	Natalbany Middle School	Treated sanitary wastewater	DMR	1,617	Monthly ave.	200	1.22E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040505	43485	LAG540869	001	Tangipahoa Parish Sewerage District #1 - Windsor Place Subdivision	Treated sanitary wastewater	Design	10,400	Monthly ave.	200	7.87E+07
040505	43591	LAG530798	001	Cucchiara Trading Co - I-12 Commercial Park	Treated sanitary wastewater	Average	2,420	Monthly ave.	200	1.83E+07
040505	43813	LAG530002	001	H&D Investments Inc	Treated sanitary wastewater	Design	1,500	Monthly ave.	200	1.14E+07
040505	51987	LAG750393	001	Fast Lane Car Wash & Xpress Lube	Exterior vehicle and equipment washwater	Not found		None		
040505	51988	LAG750398	001	Star Equipment	Equipment washwater	Not found		None		
040505	73976	LAG531396	001	Jiffy Mart #7	Treated sanitary wastewater	Average	850	Monthly ave.	200	6.44E+06
040505	75500	LAG531261	001	Minnie's Quickstop # 2	Treated sanitary wastewater	Expected	1,580	Weekly ave.	400	2.39E+07
040505	76298	LAG531846	001	Best Stop Quick Mart #7	Treated sanitary wastewater	Average	490	Monthly ave.	200	3.71E+06
040505	76495	LAG750159	001	Deluxe Shell	Treated car wash wastewater discharge	Expected	2,128	None		
040505	86144	LAG531572	001	Green Meadows Apartments	Treated sanitary wastewater	Average	2,500	Monthly ave.	200	1.89E+07
040505	86145	LAG531185	001	Lamonica Apartments	Treated sanitary wastewater	Expected	2,000	Weekly ave.	400	3.03E+07
040505	86148	LAG541019	001	Phil's Mobile Home Park	Treated sanitary wastewater	Expected	7,200	Monthly ave.	200	5.45E+07
040505	86528	LAG531109	001	Millard Hutchinson Apartments	Treated sanitary wastewater	Average	1,000	Monthly ave.	200	7.57E+06
040505	86945	LAG531552	001	T Brady Properties LLC	Treated sanitary wastewater	Average	3,600	Monthly ave.	200	2.73E+07
040505	86947	LAG531227	001	Serenity Mobile Home Park	Treated sanitary wastewater	Average	3,000	Monthly ave.	200	2.27E+07
040505	86948	LAG541063	001	Superior Mobile Home Park	Treated sanitary wastewater	Expected	7,500	Monthly ave.	200	5.68E+07
040505	86949	LAG532130	001	Monteleone Mobile Home Park	Treated sanitary wastewater	Average	3,000	Monthly ave.	200	2.27E+07
040505	86953	LAG541608	001	Pine Crest Apartments - WWTP	Treated sanitary wastewater	Design	2,500	Monthly ave.	200	1.89E+07
040505	86953	LAG541608	002	Pine Crest Apartments - WWTP	Treated sanitary wastewater	Design	2,500	Monthly ave.	200	1.89E+07
040505	86965	LAG531467	001	Mary's Apartments	Treated sanitary wastewater	Expected	1,000	Weekly ave.	400	1.51E+07
040505	86969	LAU009331		Eagle Financial Services - Trelyn Court	Treated sanitary wastewater	Not found		None		
040505	86970	LAG531260	001	ET Apartments	Treated sanitary wastewater	Expected	3,900	Monthly ave.	200	2.95E+07
040505	87628	LAG470082	001	Kent Mitchell Bus Sales & Service LLC	Treated washrack wastewater	Average	27	None		
040505	87628	LAG470082	002	Kent Mitchell Bus Sales & Service LLC	Treated sanitary wastewater	Average	1,000	Weekly ave.	400	1.51E+07
040505	91709	LAG570365	001	Curtis Environmental Utilities Inc - Hidden Pines STP	Treated sanitary wastewater	Expected	20,000	Monthly ave.	200	1.51E+08
040505	98453	LAG750417	001	Louisiana Machinery Co LLC	Treated exterior vehicle wash wastewater	Not found		None		
040505	98453	LAG750417	002	Louisiana Machinery Co LLC	Treated sanitary wastewater	DMR	354	Weekly ave.	400	5.36E+06
040505	98458	LAG541118	001	Woodland Estates Mobile Home Park	Treated sanitary wastewater	Expected	24,000	Monthly ave.	200	1.82E+08
040505	103859	LAG480373	001	AAA Rent All	Exterior vehicle and equipment washwater	Expected	89	None		
040505	104053	LAR041030	001	Hammond City of - Municipal Separate Storm Sewer System MS4	Ms4	Not found		None		
040505	105978	LAG541119	001	Wilow Villas Subdivision	Treated sanitary wastewater	Average	19,200	Monthly ave.	200	1.45E+08
040505	114259	LAG541346	001	Intersection Connection Mobile Home Park	Treated sanitary wastewater	Expected	10,500	Monthly ave.	200	7.95E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040505	116147	LAG541179	001	Dorason Estates Mobile Home Park	Treated sanitary wastewater	Expected	7,500	Monthly ave.	200	5.68E+07
040505	119923	LAG541365	001	Coleman Trailer Park	Treated sanitary wastewater	Average	9,000	Monthly ave.	200	6.81E+07
040505	122509	LAG750485	001	Miller's Insurance Agency Inc - Tiger Wash	Exterior vehicle and equipment washwater	DMR	150	None		
040505	123236	LA0122424	001	Lamp Environmental Industries (LEI) Inc	Treated sanitary wastewater	Expected	500	Monthly ave.	200	3.79E+06
040505	123236	LA0122424	002	Lamp Environmental Industries (LEI) Inc	Equipment washwater and stormater that fall on the containment pad	Expected	800	None		
040505	123236	LA0122424	003	Lamp Environmental Industries (LEI) Inc	Non-contact stormwater runoff	Not found		None		
040505	123656	LAG541280	001	Mo-Dad Utilities LLC - The Village Subdivision	Treated sanitary wastewater	Design	20,000	Monthly ave.	200	1.51E+08
040505	124487	LAG470223	001	Berryland Campers	Washrack wastewater	Not found		None		
040505	124487	LAG470223	005	Berryland Campers	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
040505	124487	LAG470223	005a	Berryland Campers	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
040505	124820	LAG531729	001	Bobbys Mobile Home Park - WWTP - Construction	Treated sanitary wastewater	Expected	2,700	Monthly ave.	200	2.04E+07
040505	126596	LAG533413	001	Big Wheel Boat & RV Center	Treated sanitary wastewater	Average	120	Monthly ave.	200	9.08E+05
040505	127157	LAG531927	001	Taste of Bavaria Bakery & Restaurant	Treated sanitary wastewater	Average	500	Monthly ave.	200	3.79E+06
040505	127326	LAG531897	001	Little Red Schoolhouse LLC	Treated sanitary wastewater	Average	590	Monthly ave.	200	4.47E+06
040505	127868	LAG531926	001	Natalbany Bapist Church Inc	Treated sanitary wastewater	Average	1,100	Monthly ave.	200	8.33E+06
040505	128347	LAG531856	001	Louis Kenneth Ridgel - Country Acre Apartments	Treated sanitary wastewater	Average	4,100	Monthly ave.	200	3.10E+07
040505	128351	LAG541386	001	Louis & Stine Apartments	Treated sanitary wastewater	Average	5,400	Monthly ave.	200	4.09E+07
040505	128352	LAG531915	001	Louis Carter Office Building	Treated sanitary wastewater	Expected	460	Weekly ave.	400	6.97E+06
040505	129656	LAG532004	001	ABC Academy LLC	Treated sanitary wastewater	Average	750	Weekly ave.	400	1.14E+07
040505	130211	LAG541380	001	First True Love World Outreach Ministries - STP	Treated sanitary wastewater	Expected	5,000	Monthly ave.	200	3.79E+07
040505	130475	LAG531908	001	Pellco Properties LLC - Italian Gardens Apartments	Treated sanitary wastewater	Average	3,600	Monthly ave.	200	2.73E+07
040505	130513	LAG541421	001	Strawberry Heights Mobile Home Park	Treated sanitary wastewater	Expected	8,700	Monthly ave.	200	6.59E+07
040505	133373	LAG531967	001	Regina Coeli Child Development Center - Regina Coeli Migrant Head Start	Treated sanitary wastewater	Expected	1,505	Weekly ave.	400	2.28E+07
040505	135145	LAG541396	001	Emile J Silessi - Silessi Mobile Home Park	Treated sanitary wastewater	Average	24,000	Monthly ave.	200	1.82E+08
040505	139833	LAG532147	001	Valenti Apartments	Treated sanitary wastewater	Expected	1,200	Weekly ave.	400	1.82E+07
040505	139858	LAG532140	001	May's Rental Apartments	Treated sanitary wastewater	Average	1,000	Monthly ave.	200	7.57E+06
040505	139859	LAG532098	001	Kinchen Rentals	Treated sanitary wastewater	Expected	2,700	Monthly ave.	200	2.04E+07
040505	140248	LAR10D574		Pine Island Subdivision	Construction stormwater	Not found		None		
040505	141225	LAG532128	001	Tangipahoa Parish Council - Tangipahoa Parish Tourist Commission	Treated sanitary wastewater	Average	80	Monthly ave.	200	6.06E+05
040505	141309	LAG541505	001	Blue Crystal Mobile Home Park Phase II	Treated sanitary wastewater	Average	9,300	Monthly ave.	200	7.04E+07
040505	141558	LAR10D611		D R Horton Inc - The Gardens at Elmwood	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
				Park						
040505	141651	LAG541814	001	Farmland Apartments	Treated sanitary wastewater	Average	6,050	Monthly ave.	200	4.58E+07
040505	141745	LAG532175	001	Wright's Rental Properties LLC	Treated sanitary wastewater	Average	1,700	Monthly ave.	200	1.29E+07
040505	142184	LAG532182	001	Tall Tine Properties LLC - North Gate Apartments	Treated sanitary wastewater	Average	1,200	Monthly ave.	200	9.08E+06
040505	150216	LAG532254	001	JayJa LLC - Range Road Mobile Home Park WWTP	Treated sanitary wastewater	Average	3,600	Monthly ave.	200	2.73E+07
040505	152319	LAG541673	001	Mo-Dad Utilities LLC - Madeline Court Subdivison	Treated sanitary wastewater	Average	10,800	Monthly ave.	200	8.18E+07
040505	152604	LAG541736	001	FJS LLC - Deluxe Plaza	Treated sanitary wastewater	Expected	6,020	Monthly ave.	200	4.56E+07
040505	153143	LAG570435	001	S&P Land Co LLC - Milan Village Subdivision WWTP	Treated sanitary wastewater	Expected	18,400	Monthly ave.	200	1.39E+08
040505	154102	LAG570446	001	Ophthalmology Clinic & Surgery Center	Treated sanitary wastewater	Design	7,500	Monthly ave.	200	5.68E+07
040505	154169	LAG570436	001	Advanced Construction Co - Blossom Creek Subdivision	Treated sanitary wastewater	Average	13,200	Monthly ave.	200	9.99E+07
040505	154899	LAG532542	001	US Postal Service - Natalbany Post Office	Treated sanitary wastewater	Average	60	Monthly ave.	200	4.54E+05
040505	158035	LAG570458	001	Elmwood Park Second Filing - Mo-Dad Utilities LLC	Treated sanitary wastewater	Design	26,000	Monthly ave.	200	1.97E+08
040505	159184	LAU006036		Learning Land Child Development Center		Not found		None		
040505	159210	LAG541681	001	Density Utilities of Louisiana LLC - Circle H Phase II Estates Subdivision	Treated sanitary wastewater	Average	7,600	Monthly ave.	200	5.75E+07
040505	161450	LAG470279	006	Hammond Autoplex LLC - Hammond Autoplex	Commingled washrack and sanitary wastewater	Expected	450	Daily max	400	6.81E+06
040505	163586	LAG533095	001	Global Press & Graphics LLC	Treated sanitary wastewater	Average	120	Monthly ave.	200	9.08E+05
040505	164099	LAR10F661		Arrington Place - DSLD LLC	Construction stormwater	Not found		None		
040505	165514	LAG533179	001	Mission International Worship & Family Life Center - The Mission International Church	Treated sanitary wastewater	Design	2,500	Monthly ave.	200	1.89E+07
040505	166523	LAR10F901		Somerset Subdivision - Boars Head Development LLC	Construction stormwater	Not found		None		
040505	166527	LAR10F897		E-Z Commercial Park - Eschette-Zimmer Investments LLC	Construction stormwater	Not found		None		
040505	167337	LAG541777	001	Bobby Farrell - Country Side Mobile Home Park	Treated sanitary wastewater	Design	6,000	Monthly ave.	200	4.54E+07
040505	167337	LAR10G287		Bobby Farrell - Country Side Mobile Home Park	Construction stormwater	Not found		None		
040505	167763	LAR10G083		The Parc in Hammond	Construction stormwater	Not found		None		
040505	169333	LAR10G223		Madison Trace - DSLD LLC	Construction stormwater	Not found		None		
040505	170170	LAG533436	001	Sinsations of LA LLC - Sinsations of Hammond	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040505	171222	LAR10G485		Audubon Gardens - DR Horton Inc-Gulf Coast	Construction stormwater	Not found		None		
040505	171855	LAG533544	001	Dollar General	Treated sanitary wastewater	Average	100	Monthly ave.	200	7.57E+05
040505	172067	LAR10G545		Holly Gardens Phase 1	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040505	172560	LAG533605	001	Certified Roofing Specialist Inc	Treated sanitary wastewater	Average	2,500	Monthly ave.	200	1.89E+07
040603	13937	LAG470273	005	Pell Automotive	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
040603	26707	LAU004628	001	Mac's Tire & Auto dba Whittington Tire & Rim	Treated sanitary wastewater	Expected	500	None		
040603	36750	LAG531974	001	Ponchatoula Animal Hospital Inc	Treated sanitary wastewater	Expected	250	Monthly ave.	200	1.89E+06
040603	40040	LA0105384	001	Tangipahoa Parish Sewerage District #1 - Southeast Hammond Regional STP	Treated sanitary wastewater	Expected	618,000	Monthly ave.	200	4.68E+09
040603	43477	LAG560130	001	Ponchatoula High School - WWTP	Treated sanitary wastewater	Expected	45,230	Monthly ave.	200	3.42E+08
040603	68846	LAG531918	001	4-Way Cash & Dash	Treated sanitary wastewater	Expected	120	Monthly ave.	200	9.08E+05
040603	90731	LAR05N104		Vista Fibers of Louisiana - Vista Fibers Facility		Not found		None		
040603	92848	LAG480572	001	Masterliner Inc	Treated sanitary wastewater	Expected	420	Weekly ave.	400	6.36E+06
040603	118285	LAG470275	003	Pizzolato's Body Shop	Paint booth washdown and wet sanding wastewater	Not found		None		
040603	118285	LAG470275	005	Pizzolato's Body Shop	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
040603	119139	LAG541338	001	Mo-Dad Utilities LLC - Dunson Park	Treated sanitary wastewater	Expected	17,700	Monthly ave.	200	1.34E+08
040603	121582	LAG541322	001	Sewerage District #1 of the Parish of Tangipahoa - Creekside Subdivision	Treated sanitary wastewater	Expected	24,800	Monthly ave.	200	1.88E+08
040603	121720	LAG541309	001	Mo-Dad Utilities LLC - Greenleaf Subdivision	Treated sanitary wastewater	Expected	20,000	Monthly ave.	200	1.51E+08
040603	123716	LAG532928	001	Delatte Recycling LLC	Treated sanitary wastewater	Expected	100	Monthly ave.	200	7.57E+05
040603	128417	LAG570405	001	Mo-Dad Utilities LLC - Olde Mill Subdivision	Treated sanitary wastewater	Expected	20,000	Monthly ave.	200	1.51E+08
040603	129930	LAG531914	001	Omni Storage	Treated sanitary wastewater	Expected	200	Monthly ave.	200	1.51E+06
040603	130510	LAG541413	001	Windcrest Mobile Home Park	Treated sanitary wastewater	Expected	8,400	Monthly ave.	200	6.36E+07
040603	133094	LAG541392	001	Mo-Dad Utilities LLC - STP	Treated sanitary wastewater	Expected	12,400	Monthly ave.	200	9.39E+07
040603	133636	LAG531972	001	Smith's Nursery & Landscaping	Treated sanitary wastewater	Expected	80	Monthly ave.	200	6.06E+05
040603	134732	LAG541678	001	Density Utilities of Louisiana LLC - Madison Trace Subdivision Sewarge Treatment Facility	Treated sanitary wastewater	Expected	21,600	Monthly ave.	200	1.64E+08
040603	135838	LAG541457	001	Charles Rose Mobile Home Park (Pretty Acres)	Treated sanitary wastewater	Expected	12,600	Monthly ave.	200	9.54E+07
040603	137742	LAG541438	001	JAD Development LLC - Pelican Gardens Subdivision	Treated sanitary wastewater	Expected	20,000	Monthly ave.	200	1.51E+08
040603	138837	LAG541655	001	Shelby Development LLC - Fairfield Farms Subdivision	Treated sanitary wastewater	Expected	16,000	Monthly ave.	200	1.21E+08
040603	139836	LAG531686	001	CLC Rentals	Treated sanitary wastewater	Expected	2,400	Monthly ave.	200	1.82E+07
040603	139854	LAG532149	001	GMG Rentals LLC	Treated sanitary wastewater	Expected	3,000	Monthly ave.	200	2.27E+07
040603	139856	LAG532093	001	Berthelot Mobile Home Park	Treated sanitary wastewater	Expected	1,800	Monthly ave.	200	1.36E+07
040603	141247	LAG532095	001	Dupre's Trailer Park	Treated sanitary wastewater	Expected	3,600	Monthly ave.	200	2.73E+07
040603	141705	LAG532184	001	Rock's Rentals Mobile Home Park	Treated sanitary wastewater	Expected	2,400	Monthly ave.	200	1.82E+07
040603	144320	LAG541558	001	JAMB Building & Development Corp - Grand Center Townhomes Apartments	Treated sanitary wastewater	Expected	24,000	Monthly ave.	200	1.82E+08

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040603	148653	LAG532205	001	Esterbrook Trace - Esterbrook Trace LLC - WWTP	Treated sanitary wastewater	Expected	3,600	Weekly ave.	400	5.45E+07
040603	157244	LAG532776	001	A&M Container Sales & Rentals LLC	Treated sanitary wastewater	Expected	60	Monthly ave.	200	4.54E+05
040603	157493	LAG532855	001	Thompson Pump & Equipment	Treated sanitary wastewater	Expected	140	Monthly ave.	200	1.06E+06
040603	157539	LAG532875	001	Cretin Homes LLC	Treated sanitary wastewater	Expected	220	Monthly ave.	200	1.67E+06
040603	157665	LAG532778	001	Estes Express Lines - Estes Express Lines - WWTP	Treated sanitary wastewater	Expected	300	Monthly ave.	200	2.27E+06
040603	157676	LAG532788	001	Cretin Homes LLC -Sales Office WWTP	Treated sanitary wastewater	Expected	200	Monthly ave.	200	1.51E+06
040603	157742	LAG532841	001	Howard Warner - JR's Barber Shop	Treated sanitary wastewater	Expected	270	Monthly ave.	200	2.04E+06
040603	157867	LAG532834	001	MCP Group LLC - Auto Image of Hammond	Treated sanitary wastewater	Expected	40	Monthly ave.	200	3.03E+05
040603	157978	LAU005917		Time Square Investments		Not found		None		
040603	157981	LAU005918		Coinmach		Not found		None		
040603	157982	LAU005919		Maxin Properties LLC - TruckPro		Not found		None		
040603	157983	LAU005921		All Star Transmissions		Not found		None		
040603	157984	LAU005923		Gemma Holdings LLC - Covan Worldwide Moving Inc		Not found		None		
040603	158067	LAU005927		Davie Shoring Inc - Davie Drive Estates		Not found		None		
040603	158068	LAU005928		Pentecostal One Way Holy Church of God		Not found		None		
040603	158069	LAU005929		Old School Lounge		Not found		None		
040603	158080	LAG533219	001	Coastal Truck Driving School - Coastal College	Treated sanitary wastewater	Expected	500	Monthly ave.	200	3.79E+06
040603	158081	LAG532910	001	Bennett's Towing & Recovery	Treated sanitary wastewater	Expected	20	Monthly ave.	200	1.51E+05
040603	158082	LAU005933		ABC Well & Sewage Inc		Not found		None		
040603	158083	LAU005934		Overmier's Auto		Not found		None		
040603	158084	LAU005937		Daniel Utility Construction		Not found		None		
040603	158386	LAU005950		Berthelots Heating & Air Conditioning		Not found		None		
040603	158387	LAU005951		Fellowship Baptist Church		Not found		None		
040603	158390	LAU005952		New Star Missionary Baptist Church		Not found		None		
040603	158391	LAU005953		Autumn Breeze Apartments		Not found		None		
040603	158393	LAU005954		Full Faith Christian Fellowship Baptist Church		Not found		None		
040603	159408	LAU005992		Crazy Cones		Not found		None		
040603	159473	LAG532913	001	Apostolic Truth Fellowship Center Inc	Treated sanitary wastewater	Expected	500	Monthly ave.	200	3.79E+06
040603	160575	LAG532999	001	Airport Garden Center	Treated sanitary wastewater	Expected	160	Monthly ave.	200	1.21E+06
040603	163455	LAR10F691		Woodlake Estates Subdv - Yohn Yemelos Olympic Property Development LLC	Construction	Not found		None		
040603	166712	LAG533335	001	Shell Travel Center	Treated sanitary wastewater	Expected	3,620	Monthly ave.	200	2.74E+07
040603	167196	LAG533252	001	Mt Pleasant Baptist Church	Treated sanitary wastewater	Expected	1,500	Monthly ave.	200	1.14E+07

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040603	168237	LAG533334	001	I-12 Flea Market LLC - I-12 Flea Market	Treated sanitary wastewater	Average	820	Weekly ave.	400	1.24E+07
040603	169377	LAG541790	001	Toshepec Properties LLC - Citiscape Townhomes	Treated sanitary wastewater	Average	6,300	Monthly ave.	200	4.77E+07
040603	171029	LAR10G439		Bass Lake Estates Subdivision - Bruno Brothers Management & Dev Co Inc - Robert Bruno	Construction stormwater	Not found		None		
040703	40597	LAG530544	001	Chesbrough Elementary School	Treated sanitary wastewater	DMR	1,594	Monthly ave.	200	1.21E+07
040703	106100	LAG490047	001	Bolivar Dirt Pit	Process and stormwater pit discharge	Average	80,000	None		
040703	118277	LAG531810	001	Ferlon Walker - Village Mobile Home Park	Treated sanitary wastewater	Average	1,800	Weekly ave.	400	2.73E+07
040703	155952	LAG532777	001	Mount Nebo Baptist Church	Treated sanitary wastewater	Expected	1,600	Weekly ave.	400	2.42E+07
040909	6054	LA0105465	001	Slidell Landfill LLC	Landfill wastewater including contact and non-contact stormwater	Average	29,000	None		
040909	6054	LA0105465	002	Slidell Landfill LLC	Treated sanitary wastewater	Average	200	Monthly ave.	200	1.51E+06
040909	6054	LA0105465	003	Slidell Landfill LLC	Vehicle and equipment wash water	Average	400	None		
040909	10035	LAG480290	001	ExxonMobil #50913	Treated exterior vehicle wash wastewater	Average	200	None		
040909	12470	LAG532152	001	Norvell Inc - HHJ Joint Realty Ventures	Treated sanitary wastewater	Average	120	Weekly ave.	400	1.82E+06
040909	14545	LAG531772	001	Dwyer's Body Shop & Restoration Inc	Treated sanitary wastewater	Average	40	Weekly ave.	400	6.06E+05
040909	19151	LAG540968	001	Pompanos Seafood Steakhouse	Treated sanitary wastewater	Expected	7,000	Monthly ave.	200	5.30E+07
040909	19261	LA0047180	001	Slidell City of - Terrace Ave #2 STP	Treated sanitary wastewater	Average	6,000,000	Monthly ave.	200	4.54E+10
040909	19263	LAG570003	001	Pine Crest Mobile Home Park	Treated sanitary wastewater	Average	11,303	Monthly ave.	200	8.56E+07
040909	19474	LA0049794	001	Louisiana Water Service Inc - Kingspoint	Treated sanitary wastewater	Expected	771,400	Monthly ave.	200	5.84E+09
040909	19527	LAG570021	001	James W & Jean L Harrison Trust - New Orleans East Kampground	Treated sanitary wastewater	Expected	16,250	Monthly ave.	200	1.23E+08
040909	24718	LAG470307	005	Alternative Motor Sports	Treated sanitary wastewater	Expected	500	Daily max	400	7.57E+06
040909	26554	LAG530501	001	Bellsouth Communications Inc J2831	Treated sanitary wastewater	Average	100	Weekly ave.	400	1.51E+06
040909	29948	LAG532258	001	Delgado Community College	Treated sanitary wastewater	Design	2,500	Monthly ave.	200	1.89E+07
040909	33861	LAG531012	001	Brooks Window Covering	Treated sanitary wastewater	Average	80	Monthly ave.	200	6.06E+05
040909	38072	LAG540772	001	Vic's Trailer Park	Treated sanitary wastewater	Expected	9,600	Monthly ave.	200	7.27E+07
040909	40800	LAG540184	001	Bishop Mobile Home Park	Treated sanitary wastewater	DMR	1,844	Monthly ave.	200	1.40E+07
040909	40995	LAG530674	001	Champion Trailers LLC	Treated sanitary wastewater	DMR	382	Monthly ave.	200	2.89E+06
040909	41216	LAG530220	001	Auto World Supply	Treated sanitary wastewater	Average	400	Weekly ave.	400	6.06E+06
040909	41649	LAG530820	001	Greater N Shore Full Gospel Baptist	Treated sanitary wastewater	Average	3,500	Monthly ave.	200	2.65E+07
040909	42671	LAG750064	001	Northpark Car Wash of Slidell	Treated carwash wastewater	Not found		None		
040909	43573	LAG530010	001	Topper World of Slidell Inc	Treated sanitary wastewater	Expected	80	Weekly ave.	400	1.21E+06
040909	43788	LAG530338	001	Vanguard Salon System	Treated sanitary wastewater	Expected	500	Weekly ave.	400	7.57E+06
040909	43812	LAG530706	001	Colin Normand	Treated sanitary wastewater	Expected	80	Monthly ave.	200	6.06E+05

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
040909	43968	LAG530695	001	Outland Technology	Treated sanitary wastewater	Average	500	Monthly ave.	200	3.79E+06
040909	52380	LA0125555	002	Ponchartrain Blue Crab Inc	Process wastewater from the pastuerizing tanks	Average	520	None		
040909	52380	LA0125555	003	Ponchartrain Blue Crab Inc	Process wastewater from the boiler, steamer, and crab tank	Average	1,700	None		
040909	52380	LA0125555	004	Ponchartrain Blue Crab Inc	Treated sanitary wastewater	Average	5,800	Monthly ave.	200	4.39E+07
040909	89553	LAG540956	001	Dream Courts Mobile Home Resort	Treated sanitary wastewater	Average	8,400	Monthly ave.	200	6.36E+07
040909	91635	LAG532289	001	Parish Cab Inc	Treated sanitary wastewater	Average	40	Weekly ave.	400	6.06E+05
040909	99911	LAG531324	001	A B Verges Electric Inc	Treated sanitary wastewater	Average	60	Monthly ave.	200	4.54E+05
040909	113017	LAG531513	001	Unforgettable Pets	Treated sanitary wastewater	Average	40	Weekly ave.	400	6.06E+05
040909	121984	LAG531679	001	Northshore Golf Cars LLC - Northshore Golf Cars & Sleep Center Facility	Treated sanitary wastewater	DMR	127	Weekly ave.	400	1.92E+06
040909	124719	LAG531800	001	Gulf States Marble Inc - Warehouse	Treated sanitary wastewater	Average	200	Weekly ave.	400	3.03E+06
040909	126600	LAG531849	001	Ron Murray - Dwyer Building	Treated sanitary wastewater	Average	120	Weekly ave.	400	1.82E+06
040909	129564	LAG531867	001	Ultimate Construction Inc	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040909	130489	LAG532106	001	May Investments LLC	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040909	135620	LAG532073	001	Central Baptist Church - Temporary RV Park	Treated sanitary wastewater	Expected	3,125	Monthly ave.	200	2.37E+07
040909	139983	LAG532108	001	1453 Lindberg - Office Building	Treated sanitary wastewater	Average	40	Weekly ave.	400	6.06E+05
040909	142857	LAG532122	001	Lindberg Square STP	Treated sanitary wastewater	Expected	2,240	Weekly ave.	400	3.39E+07
040909	144282	LAG532145	001	Rick Young Trailer Sales	Treated sanitary wastewater	Expected	40	Weekly ave.	400	6.06E+05
040909	148943	LAG532833	001	The Upper Room Bible Church & Daycare	Treated sanitary wastewater	Design	3,000	Weekly ave.	400	4.54E+07
040909	154318	LAG532488	001	Atchafalaya Homes Inc - Gulf Coast Home Builders	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040909	156312	LAR10E926		Summit Fremaux - Slidell Development Co LLC	Construction stormwater	Not found		None		
040909	167467	LAU006291		Denney Psychiatry & Associates		Not found		None		
040909	167810	LAG533324	001	D&A Enterprises - A J Saltalamacchia Jr	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040909	170773	LAG533472	001	Harjit S Sehmi - Warehouse WWTP	Treated sanitary wastewater	Average	40	Weekly ave.	400	6.06E+05
040910	19311	LAG570093	001	Total Environmental Solutions Inc - Rigolet's Estates Subdivision	Treated sanitary wastewater	Average	12,100	Monthly ave.	200	9.16E+07
040910	40042	LAG530479	001	Salt Bayou Lounge	Treated sanitary wastewater	Average	3,250	Monthly ave.	200	2.46E+07
040910	41992	LAG490008	001	Johnny F Smith Truck & Dragline Service	Process wastewater and process area storm water discharges to designated scenic streams and their tributaries	Not found		None		
040910	42367	LAG530349	001	Salt Bayou Dock	Treated sanitary wastewater	Average	400	Monthly ave.	200	3.03E+06
040910	52370	LAG531348	001	Servpro of Slidell	Treated sanitary wastewater	Design	500	Weekly ave.	400	7.57E+06
040910	52380	LA0125555	001	Ponchartrain Blue Crab Inc	Shrimp unloading tank and dock washdown wastewater	Average	20	None		
041302	1362	LAG480080	001	Delta Petroleum Co Inc - Jefferson Plant	Treated plant washdown water, stream condensate and contact sotrmwater	Expected	9,068	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
041302	1456	LAR05M250		Flowers Baking Co of New Orleans LLC - New Orleans Facility	Stormwater	Not found		None		
041302	1878	LAU003507		Former Shell #137461		Not found		None		
041302	2105	LAR05N009		B&G Crane Service	Stormwater	Not found		None		
041302	2464	LAG470003	001	Marshall Brothers Lincoln Mercury Inc	Washrack wastewater	Average	54	None		
041302	2567	LAG750743	001	Equipco LLC	Exterior vehicle and equipment wash wastewater	Not found		None		
041302	2815	LAG380111	002	Children's Hospital	Filter Backwash Wastewater	Expected	53,500	None		
041302	3046	LAG470070	001	Lakeside Imports Inc Lakeside Collision Center	Washrack wastewater	Expected	420	None		
041302	3704	LAR10B337		Lowe's Home Centers 1054	Construction stormwater	Not found		None		
041302	5765	LAR05N395	001	Crescent City Marine Group Inc - Schubert's Marine	Exterior vehicle and equipment wash wastewater	Not found		None		
041302	5877	LAR05M048		American Airlines	Stormwater	Not found		None		
041302	8067	LAR10C226		Louis Armstrong New Orleans International Airport		Not found		None		
041302	10058	LAR10D330		Southern University At New Orleans	Construction stormwater	Not found		None		
041302	10250	LAR05M021		X-Chem Inc - Blend Plant		Not found		None		
041302	13245	LAR05N462		Hotard Coaches Inc	Stormwater	Not found		None		
041302	14428	LA0115282	001	New Orleans Fair Grounds Race Course	Horse stalls	Average	415,000	None		
041302	14428	LA0115282	002	New Orleans Fair Grounds Race Course	Horse stalls	Average	1,216,000	None		
041302	14428	LA0115282	003	New Orleans Fair Grounds Race Course	Horse stalls	Average	156,000	None		
041302	17627	LAR05N437		Sintes Boat Works Inc		Not found		None		
041302	20778	LAG750523	001	Big Easy Tire & Lube Co	Treated exterior vehicle wash wastewater	Not found		None		
041302	23070	LAR05M055		Budget Rent A Car System #2801		Not found		None		
041302	24405	LAR05M056		Freeport McMoran Aviation Terminal	Stormwater	Not found		None		
041302	26079	LAU009139		City of New Orleans - Central Garage		Not found		None		
041302	27248	LAG470220	001	GT Automotive Inc	Washrack	DMR	500	None		
041302	27248	LAG470220	002	GT Automotive Inc	Treated sanitary wastewater	Expected	220	Weekly ave.	400	3.33E+06
041302	30025	LAR05M696		Louisiana Coca Cola Bottling Ltd - Harahan Operations		Not found		None		
041302	30997	LAR05P263	001	Waste Management of New Orleans - East Bank Citizen Trash Drop-Off Site		Not found		None		
041302	31198	LAR05P151		Jobbers Oil Transport Co Inc	Stormwater	Not found		None		
041302	38720	LAR05M631		Trans Gulf Industrial Inc		Not found		None		
041302	40533	LAR05M215		Allied Systems Ltd	Stormwater	Not found		None		
041302	41322	LAG530177	001	Eagle Enterprise of Jefferson Inc Barlon Plaza Shopping Center	Treated sanitary wastewater	Permit max	5,000	Weekly ave.	400	7.57E+07
041302	41327	LAR05M066		Wechem Inc	MSGP stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
041302	42165	LAR05M333		Lafarge Corp	Stormwater	Not found		None		
041302	42625	LAR05M073		New Orleans Aviation Board	Stormwater	Not found		None		
041302	42805	LAR05M589		Delta Auto Wreckers Inc	Stormwater	Not found		None		
041302	43250	LAR05M180		SMECO	Stormwater	Not found		None		
041302	43320	LAR05M533	001	Southern Recycling LLC		Not found		None		
041302	43696	LAR05M045		United Airlines		Not found		None		
041302	43727	LAR05M145		United Parcel Service Inc (UPS)		Not found		None		
041302	52248	LAR05N236		Aircraft Service International Inc	Stormwater	Average	72,000	None		
041302	83351	LAR05M778	001	Ports America Louisiana Inc - Nashville Wharf Facility		Not found		None		
041302	84168	LAR05N926		Poland Scrap Metal	Stormwater	Not found		None		
041302	84177	LAR05M783		All Scrap Metals LLC	Stormwater	Not found		None		
041302	90429	LAS000301		New Orleans City of - MS4	Stormwater	Not found		None		
041302	91013	LAR10B665		Louisiana Trace Subdivision	Stormwater	Not found		None		
041302	96802	LAR05N278		Federal Express Corp - MSYA		Not found		None		
041302	99015	LAR10F293		Langston Hughes Elementary - Roy Anderson Corp	Construction stormwater	Not found		None		
041302	104814	LAG750457	001	Gulfsouth Fleetwash Service LLC	Treated exterior vechicle wash wastewater	Expected	1,200	None		
041302	115872	LAG480279	001	On the Spot Detailing - Portable Pressure Washing Operation	Exterior vehicle wash wastewater	Not found		None		
041302	117858	LAR05N506		Doctor Pipe Inc	MSGP stormwater	Not found		None		
041302	119978	LAR05N602		Anthony Savarino Crane & Rigging Inc		Not found		None		
041302	128511	LAG110211	001	Shortloads - Plant 1	Process wastewater and process area stormwater	Not found		None		
041302	158222	LAR10F157		Lafitte Housing Development - Housing Authority of New Orleans (HANO)		Not found		None		
041302	162545	LAR10F503		Jefferson Parish Lakefront Hurricane Protection Levee - L&S - CKY - JV (Jt Venture)		Not found		None		
041302	162696	LAR10F501		Texas BBL LP	Construction stormwater	Not found		None		
041302	164232	LAR05P113		Modern American Recycling Inc - Harahan Yard		Not found		None		
041302	167075	LAR10F955		Holy Cross High School - Broadmoor LLC		Not found		None		
041302	167105	LAR10F967		HAND (Housing Authority of New Orleans) - B W Cooper Housing Project	Construction stormwater	Not found		None		
041302	167581	LAR10G178		Orleans Resident Office - Hurricane Protection Office		Not found		None		
041302	168428	LAR10G089		City Park Tennis Center - New Orleans City Park	Construction stormwater	Not found		None		
041302	168479	LAR10G160		Carubba Engineering Inc - BW Cooper Housing Development	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
041302	168521	LAR05P218		Veolia Transportation Inc - RTA Napoleon Facility		Not found		None		
041302	168522	LAR05P219		Veolia Transportation Inc - RTA East New Orleans Facility	Stormwater	Not found		None		
041302	168522	LAR05P224		Veolia Transportation Inc - RTA East New Orleans Facility	Stormwater	Not found		None		
041302	168743	LAR10G192		517-519 Robert St Project - CBD Construction Services LLC		Not found		None		
041302	168785	LAR10G183		1423-1429 Terpsichore St - CBD Construction Services LLC		Not found		None		
041302	169615	LAG533394	001	Jefferson Parish Law Enforcement District - 4th District Station	Treated sanitary wastewater	Average	340	Weekly ave.	400	5.15E+06
041302	170653	LAR10G426		Kenner Target		Not found		None		
041302	170777	LAR10G511		LPV-104.02 London Ave Canal to IHNC - Quality Enterprises USA Inc		Not found		None		
041302	171128	LAR10G465		Kenner Target	Construction stormwater	Not found		None		
041302	171543	LAG533508	001	TCI Trucking - France Road Facility	Treated sanitary wastewater	Expected	1,000	Monthly ave.	200	7.57E+06
041302	172574	LAR10G616		New Orleans International Airport Consolidated Rental Car Facility (CONRAC)- Danco Truck & Dozer Ser	Construction stormwater	Not found		None		
041401	1036	LA0122530	001	New Orleans City of Sanitation Dept - Gentilly Landfill	Wastewater associated with the operation of a construction/demolition debris landfil	Not found		None		
041401	1036	LA0122530	002	New Orleans City of Sanitation Dept - Gentilly Landfill	Wastewater associated with the operation of a construction/demolition debris landfil	Not found		None		
041401	1036	LA0122530	003	New Orleans City of Sanitation Dept - Gentilly Landfill	Landfill wastewater	Not found		None		
041401	1140	LAG480244	001	Folger Coffee Co - Gentilly Plant	Cooling tower overflow and stormwater runoff	Average	24,181	None		
041401	2064	LAU004057		Air Liquide		DMR	3,665	None		
041401	3192	LAR05M840		US Gypsum Co	MSGP	Not found		None		
041401	3520	LAR05N595		Recovery 1 Landfill	Treated leachate, sewage and stormwater from municipal landfill	Average	450,000	None		
041401	5163	LAU009199		Hamps Michoud Yard		Not found		None		
041401	6157	LAR05M563		United Parcel Service Inc (UPS)	MSGP	Not found		None		
041401	7032	LAG110086	001		Process wastewater from external washing of trucks and equipment, stormwater runoff from process area and product storage	Average	50	None		
041401	7032	LAG110086	002		Process wastewater from plant and equipment wash down, stormwater runoff from the process area nd product storage area	Average	50	None		
041401	7032	LAR05M010		Hanson Pipe & Products Inc - Michoud Plant	Stormwater	Not found		None		
041401	9145	LA0052256	002	NASA Michoud Assembly Facility	Stormwater	DMR	1,898	None		
041401	9145	LA0052256	003	NASA Michoud Assembly Facility	Stormwater	DMR	1,798	None		
041401	11010	LA0065307	001	CSX Transportation	Process wastewater from equipment maintenance washdown, treated petroleum contaminated groundwater, and stormwater	Average	24,000	None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
041401	11010	LA0065307	003	CSX Transportation	Intermittent process wastewater from equipment maintenance and washdown, treated petroleum contaminated groundwater, and stormwater as overflow from the equalization basin	Not found		None		
041401	14470	LAR05M754		Stolt Offshore Inc	MSGP stormwater	Not found		None		
041401	14533	LAR05N830		Area Auto & Truck Parts	MSGP stormwater	Not found		None		
041401	28069	LAR05N448		Acme Auto Wreckers	MSGP stormwater	Not found		None		
041401	28107	LAR05P201		9130 Almonaster Site - Hamp Enterprises LLC	MSGP	Not found		None		
041401	29947	LA0091201	001	Delgado Community College Fire School	Stormwater runoff	Average	14,400	None		
041401	40560	LAR05M515		American Freightways Inc	Stormwater	Not found		None		
041401	47316	LAG679102		FCC Environmental LLC	Hydrostatic test wastewater	Not found		None		
041401	47316	LAR05N249		FCC Environmental LLC	Stormwater	Not found		None		
041401	51479	LAR05M802		Coleman's Auto Salvage	MSGP stormwater	Not found		None		
041401	51480	LAR05N930		Raisinman Towing & Gulf South Automotive	MSGP	Not found		None		
041401	69984	LA0098272	001	Texaco 44-398-0112	Carwash	Not found		None		
041401	82006	LAU003967		Temple Auto Wreckers		Not found		None		
041401	83388	LAG110208	001	Lafarge North America Inc - New Orleans East Plant	Process wastewater and process area storm water from cement and concrete facilities	Not found		None		
041401	84174	LAR05N943		The Real Industrial Auto Wreckers Inc	MSGP	Not found		None		
041401	100068	LAR10G001		St Mary's Academy - JLG Structures	Construction stormwater	Not found		None		
041401	100484	LAR05N621		City Auto Wreckers Inc	MSGP	Not found		None		
041401	101180	LAU003791		BAC of New Orleans		Not found		None		
041401	101633	LAR05N925		B Automotive	MSGP	Not found		None		
041401	102691	LAR05N347		Magee & Son	MSGP	Not found		None		
041401	114425	LAU004961		Coleman's Wrecker Service		Not found		None		
041401	121663	LAG532008	001	USFWS - Bayou Sauvage National Wildlife Refuge	Treated sanitary wastewater	Permit max	2,500	Monthly ave.	200	1.89E+07
041401	147019	LAR10G052		Gaslight Apartments - Walton Construction Co LLC Southern	Construction stormwater	Not found		None		
041401	147517	LAR05N908		SCC1 - SC Crushing LLC	Stormwater	Not found		None		
041401	147920	LAG490062	002	Chapel Hill LLC - Little Pine Island Dirt Pit	Process wastewater and process area stormwater discharges into waterbodies designated for primary contact recreation	Not found		None		
041401	150049	LAG533150	001	JWA Trucking LLC	Treated sanitary wastewater	Design	500	Monthly ave.	200	3.79E+06
041401	158530	LAR10F184		IHNC Field Management Office/Vulcan Yard - Shaw Environmental & Infrastructure	Construction stormwater	Not found		None		
041401	159486	LAR10F258		US Coast Guard Integrated Support Command Facility - NASA Michoud Assembly Facility	Construction stormwater	Not found		None		

Sub-segment	AI	Permit #	Outfall	Facility name	Outfall Type	Flow Type	Flow (GPD)	FCB limit type	Limit (MPN/ 100 mL)	Load (MPN/d)
041401	161169	LAR10F385		Southeast LA Urban Flood Control Project - USArmy Corps of Engineers PM-RP	Construction stormwater	Not found		None		
041401	161284	LAR10F416		Xperts Gulf LLC - Earthen Channel Within Levee - Ray Alexis Miranda	Construction stormwater	Not found		None		
041401	161371	LAR10F398		SE LA Urban Flood Control Project Dwyer Rd Intake Canal - Hill Brothers Construction Co Inc	Construction stormwater	Not found		None		
041401	161687	LAR10F426		Inner Harbor Navigation Canal Hurrican Protection System - Shaw Environmental & Infrastructure	Construction stormwater	Not found		None		
041401	166208	LAR05P173		Lafarge North America - Hagan Plant	Stormwater	Not found		None		
041401	167124	LAG490106	002	Delta Mining Co LLC - East Over Lake	Process wastewater and process area storm water	Not found		None		
041401	167564	LAR10G024		USACE - New Orleans District - Contract # W912P8-08-D-0037,000	Construction stormwater	Not found		None		
041401	169025	LAR05P239		K M Construction Inc	MSGP stormwater	Not found		None		
041401	170344	LAG119045	001	Metro # 2 Con-E-Co - Metro Materials Inc	Stormwater	Not found		None		
041401	171246	LAR10G512		Lakefront Airport T-Walls LVP 105.01 West NO East - RCG Enterprises Inc	Construction stormwater	Not found		None		
041401	171621	LAR10G568		LPV-105.02 East Reach Lakefront Airport T-Walls - David Boland Inc	Construction stormwater	Not found		None		