

AMBIENT AIR MONITORING

EPA and its partners at state, local, and tribal agencies, manage and operate ambient air monitoring networks across the country with three primary objectives: to ensure the public has access to clean air by comparing data and implementation of the National Ambient Air Quality Standards (NAAQS) and other health indicators for toxics; to provide the public with timely reports and forecasts of the Air Quality Index, and to provide information to health and atmospheric scientists to better inform future reviews of the NAAQS.

The EPA Monitoring Group maintains the Ambient Monitoring Technology Information Center (AMTIC) website which provides monitoring-related policy and guidance for all criteria pollutant and toxics pollutant monitoring networks. This website can be accessed at <http://www.epa.gov/ttn/amtic/>.

EPA works with state, local, and tribal air monitoring agencies to continuously improve the ambient air monitoring networks for current and future needs. This work includes milestones that have resulted from planning the ambient air monitoring network through a stakeholder driven process known as the Ambient Air Monitoring Strategy¹ (monitoring strategy) as well as through NAAQS reviews that include both public and scientific input.

While recent NAAQS reviews are resulting in changes to the monitoring networks, the overall goals and themes of the monitoring strategy remain the same. The major purpose of the monitoring strategy is to optimize the networks to be more responsive to current and future needs (e.g., assess air quality trends, better characterize the multi-pollutant nature of air pollution, provide for more timely information through continuous monitoring, better support development of improved air quality simulation models, etc.). To better support these and potentially new objectives, EPA requires that States perform a network assessment every five years (next due date is July 2015) to determine, at a minimum, if networks meet the monitoring objectives defined in regulation, whether new sites are needed, whether existing sites are no longer needed and can be terminated, and whether new technologies are appropriate for incorporation into the ambient air monitoring network. Copies of the Network Assessments are available on the web at: <http://www.epa.gov/ttn/amtic/plans.html>. One significant network optimization is the implementation of the National Core (NCore) network which began full operation on January 1, 2011. The NCore network measures key gases, particles, and meteorology in order to provide support to integrated air quality management needs for characterizing ozone and PM_{2.5} problems, as well as other regional or national issues. EPA and monitoring agencies have implemented 80 NCore stations across the county; 63 of these are in urban or suburban locations with the balance (17) in rural locations.

As part of its commitment to review each NAAQS within a five-year period, EPA has revised the NAAQS for lead (Pb), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), and particulate matter (PM_{2.5}). EPA did not revise the carbon monoxide (CO) NAAQS in 2011 but did revise ambient air monitoring requirements. These final rules resulted in changes to the monitoring requirements which are summarized in Table 1 below. With the large number of new and

¹ Available at <http://www.epa.gov/ttn/amtic/monstratdoc.html>

changing needs, EPA remains committed to working closely with its State and local monitoring partners through forums such as the Ambient Air Monitoring Committee of the National Association of Clean Air Agencies (NACAA), the Ambient Air Monitoring Steering Committee (co-chaired by the NACAA State and local Monitoring Co-chairs and the Director of EPA's Air Quality Assessment Division within the Office of Air and Radiation's Office of Air Quality Planning and Standards), and the newly established Association of Air Pollution Control Agencies (AAPCA) to ensure monitoring agencies and EPA are working together to improve the ambient air monitoring networks. EPA monitoring staff work closely with tribal air monitoring agencies through participation in the Tribal Air Monitoring Support (TAMS) Center. In addition, EPA has numerous consultative meetings with the Ambient Air Methods and Monitoring Subcommittee (AAMMS) of the Clean Air Scientific Advisory Committee (CASAC) to obtain independent scientific reviews of proposed monitoring changes.

Table 1 has been provided to: assist agencies in understanding the status of each NAAQS review; identify important dates that affect monitoring implementation; and find where more detailed information can be found.

Table 1 – Summary of NAAQS and Ambient Air Monitoring Implementation Timeline

NAAQS	Date of Proposed or Final Rule, if available	Summary of Changes to Monitoring	Date Monitoring must be Operating by:	More information on final/proposed rule available at:
Lead - Monitoring	Current review ongoing; proposal expected in Jan 2014	<ul style="list-style-type: none"> NAAQS review ongoing 		http://www.epa.gov/ttn/naaqs/standards/pb/s_pb_index.html
NO ₂ – Primary NAAQS and Monitoring	Final rule (Amendment) published March 2013	<ul style="list-style-type: none"> Phased approach will implement the required near-road monitoring; approximately 52 monitors in CBSAs of 1 million persons or greater, 22 additional monitors in CBSAs of 2.5 million or more; and 51 monitors in CBSAs of 500 thousand or more 	Phase 1: January 1, 2014 Phase 2: January 1, 2015 Phase 3: January 1, 2017	http://www.epa.gov/ttn/naaqs/standards/nox/s_nox_index.html
SO ₂ – Primary NAAQS and Monitoring	Data Requirements Proposed Rule – expected Fall 2013	<ul style="list-style-type: none"> States will be asked to choose between monitoring and/or modeling for meeting air quality data requirements. Draft guidance documents expected in April 2013. 	January 1, 2017	http://www.epa.gov/ttn/naaqs/standards/so2/s_so2_index.html
Ozone - Primary and Secondary NAAQS	Proposed Rule Expected December 2013	NAAQS review ongoing		http://www.epa.gov/ttn/naaqs/standards/ozone/s_o3_index.html
SO ₂ and NO ₂ – Secondary NAAQS and Monitoring	Final Rule signed March 20, 2012.	Secondary NAAQS retained.		http://www.epa.gov/ttn/naaqs/standards/no2so2sec/index.html
CO – Primary and Secondary NAAQS and Monitoring		<ul style="list-style-type: none"> Phased approach will be used to implement the required near-road CO monitoring. 1 monitor is required in CBSAs of 2.5 million or more persons by January 1, 2015. 1 monitor is required in CBSAs of 1 million or more persons (and less than 2.5 million persons) by January 1, 2017. These near-road CO monitors are to be collocated with near-road NO₂ monitors. 		http://www.epa.gov/ttn/naaqs/standards/co/s_co_index.html
PM – Primary and Secondary NAAQS and Monitoring	Final rule signed December 14, 2012.	<ul style="list-style-type: none"> PM_{2.5} near-road monitoring will be required in CBSAs of 1 million or more persons. Monitors are to be collocated with near-road NO₂ and CO monitors. Monitoring will be phased in between Jan 2015 and Jan 2017. 		http://www.epa.gov/ttn/naaqs/standards/pm/s_pm_index.html

This document provides guidance on the use of section 103 and 105 STAG resources for air toxics and criteria pollutant monitoring networks, as well as important associated networks such as the Chemical Speciation Network (CSN), NCore, IMPROVE, and PAMS. The document provides information on directions and priorities for ambient monitoring that attempt to take into account the emerging needs identified in various NAAQS reviews while adhering to the themes identified in the Ambient Air Monitoring Strategy for state, tribal, and local, air agencies. These include an emphasis on multi-pollutant monitoring and favoring continuous over integrated PM samplers.

Highlights in Monitoring Funding for FY 2014

In FY 2013, EPA requested an additional \$15 million in STAG resources to help fund new monitoring requirements as a result of revising the NAAQS for lead, NO₂, and SO₂. EPA has again requested these funds for 2014. EPA intends to use the \$15 million for purchasing monitoring equipment using the section 103 authority of the CAA. Beginning in FY 2014, and through FY 2017, EPA proposes to transition the funding authority for PM_{2.5} monitoring from section 103 to section 105. Federal funding for on-going operations of all other criteria pollutants is expected to utilize section 105 authority. EPA will work with the states on the details of the transition.

Some additional details of EPA's plans for funding monitoring in FY 2014 follow:

- In developing the PM_{2.5} monitoring allocation for FY 2014, OAR will employ the same region-by-region funding approach used in prior years – i.e., determination of per month costs of operating the existing network. This cost per month is based on examining prior year grants in detail and determining a cost per month for each grantee. For FY 2013, all PM_{2.5} monitoring grants are expected to end on March 31, 2014. Therefore, funding for FY 2014 will be for a 12 month period beginning April 1, 2014.
- Funding for the portion of the IMPROVE program that addresses progress in improving visibility in Class I areas will increase slightly to account for elevated contract costs. This includes funding for the 110 IMPROVE stations needed to meet the regional haze rule requirements of states monitoring Class I areas for long-term trends through and beyond the 10-year SIP period (2008 to 2018). This is also useful in the periodic assessments of progress that are required in achieving the national visibility goal.
- The level of funds for the nationally administered, independent Performance Evaluation Program (PEP) provided as associated program support for PM_{2.5} monitoring is expected to be approximately \$1.6 million. Monitoring agencies with an adequate level of independence between quality assurance and monitoring groups may conduct the PEP themselves. In these cases monitoring agencies that conduct the PEP will receive the refundable portion of the EPA program costs that would otherwise have been used to pay for EPA regional lab contract staff.
- The level of funds for the nationally administered, independent Lead (Pb) Performance Evaluation Program (PEP) provided as associated program support for Lead (Pb)

monitoring is expected to be approximately \$355,000. Monitoring agencies with an adequate level of independence between quality assurance and monitoring groups may conduct the Pb PEP themselves. In these cases monitoring agencies that conduct the Pb PEP will receive the refundable portion of the EPA program costs that would otherwise have been used to pay for EPA regional lab contract staff.

- The level of funds for the nationally administered, independent National Performance Audit Program (NPAP) is expected to be approximately \$500,000. This level assumes no significant increase in monitoring sites for FY 2014. Similar to the PEP, monitoring agencies with an adequate level of independence between quality assurance and monitoring groups may conduct the NPAP themselves and receive the \$105 funds that otherwise would have supported their participation in the national program. NPAP analyzers were replaced during FY12 and FY13 to allow for the audits at the lower levels needed for the NCore program and required by the 2006 revisions to Appendix A of the monitoring requirements, 40 CFR Part 58.
- For FY 2014, EPA plans to reserve 5% of the PAMS funds (\$700K) for the expressed purpose of purchasing new capital equipment (e.g., gas chromatographs and upper air meteorology equipment) for participating agencies. All funds will be utilized as either direct award to a PAMS program or equipment will be purchased and provided. A PAMS Re-engineering workgroup has been convened and is conducting an overall assessment of the PAMS program to include a review of PAMS equipment needs. Several PAMS agencies have reported they are unable to purchase new equipment and much of their existing inventory of PAMS monitoring equipment is outdated. The workgroup will work closely with all PAMS agencies to ensure the most effective approach is utilized to purchase equipment. In the preliminary allocation these funds are contained within the respective region by region allotments.
- In FY 2014, EPA plans to utilize \$40,000 prorated from each Region (\$4,000) to support the standard reference photometer (SRP) program. These resources will support the IAG with the National Institute of Standards and Technology (NIST) that verifies the two EPA Headquarters SRPs each year, the maintenance, repair and updating of the Regional and Headquarters SRPs, the shipping of the traveling SRP to each region and the subsequent re-verification of the SRP upon return to EPA.
- In FY 2014, EPA plans to utilize \$30,000 prorated from each SLAMS recipient, to perform regional and national scale assessments of the data quality of the SLAMS criteria pollutant data. These assessments will build upon and enhance QA reports like the AMP255 and include new QA information that will be provided through new QA transactions developed in 2012. We plan on utilizing the AirData platform to develop assessment tools that can be used by the monitoring organizations to provide data reports and assessments. QA data will be loaded into the DATA Mart for use on the AirData platform and for subsequent report generation.

- In FY 2014, EPA anticipates funding air toxics monitoring at the existing 27 National Air Toxics Trends Stations (NATTS).
- For the 2014 community-scale air toxics funds, EPA plans to continue support for monitoring projects involving “hot-spots,” such as locations where communities that may be impacted from a local source or sources with elevated levels of air toxics emissions. EPA will emphasize monitoring in disproportionately affected communities. It is possible these funds could be re-directed to higher-priority monitoring needs in FY2014.

Fine Particulate (PM_{2.5}) Monitoring Network

The PM_{2.5} monitoring network includes three well-established components: the network of filter-based FRM/FEMs used for comparison to the NAAQS; continuous mass monitors used in public reporting of the Air Quality Index; and speciation samplers operated as part of the Chemical Speciation Network (CSN) that are used to characterize the chemical composition that makes up fine particulate matter. The latter include the Speciation Trends Network, supplemental speciation sites, and the IMPROVE program whose primary objective is to support the regional haze program. Emerging components of the PM_{2.5} monitoring program include a small network of continuous speciation monitors in the most populated cities in the country where this information can support state data needs as well as for use in expediting health studies and expanding the network of PM_{2.5} continuous monitors with recently approved FEMs that can be used for both NAAQS and AQI reporting.

In planning a PM_{2.5} monitoring network for 2014, each agency may use information from their five-year assessment submitted to EPA in 2010. Agencies should identify the appropriate changes to their networks in the annual monitoring network plan due by July 1, 2013. EPA does envision that state/local agencies will continue to maintain a large robust network of PM_{2.5} monitors to support several monitoring objectives including protection of public health through the NAAQS.

Overall Direction

In FY 2014 EPA is advocating continued operation of a large and robust monitoring network to continue support for the objectives stated above. For PM_{2.5} this means continued operation of high value FRM and speciation sites; PM_{2.5} continuous monitoring and associated data management systems for timely reporting of high quality data; and precursor gas analyzers, data analyses and quality assurance activities that will support better understanding of particle formation. With several recently approved PM_{2.5} continuous FEMs, monitoring agencies may replace existing PM_{2.5} SLAMS sites operating filter-based FRMs with continuous FEMs, where there is an acceptable level of comparability with the continuous FEMs compared to collocated FRMs.

To provide a clearer understanding of the expected outcomes of the ambient air monitoring objectives, the following goals for the fine particulate monitoring network have been developed:

- Appropriate spatial characterization of PM_{2.5} NAAQS;
- Public Reporting of PM_{2.5} in the AQI;

- Characterization of PM_{2.5} chemical speciation data for long term trends, development and accountability of emission control programs, tracking of regional haze, and for use in health studies;
- Operation of NCore trace-level CO, SO₂, NO₂/NO_y and PM (PM_{2.5} and PM_{10-2.5}) monitoring to support characterization of PM precursors;
- Assessment of PM_{2.5} data quality;
- Procurement and testing of PM_{2.5} filters.

Network Changes

For FY 2014, EPA is not expecting significant changes to the PM_{2.5} monitoring networks. EPA did issue a final rulemaking on the PM NAAQS in December 2012, which does include near-roadway PM_{2.5} monitoring requirements. Monitoring will be phased in between January 2015 and January 2017. See table 1 above. Monitoring agencies will still want to consider what changes may be appropriate to their network in consideration of both the five-year assessment completed in 2010 and final decisions from the PM NAAQS review. In cases where the five-year assessment shows problems with the currently deployed networks (e.g., the current network design is not being appropriately implemented) EPA encourages addressing that issue in this year's annual monitoring network plan.

Chemical speciation data from the Speciation Trends Network, IMPROVE, and the remaining supplemental speciation sites will continue to be utilized to track progress over time as the national and local control programs are implemented. There are some areas that are expected to be in residual nonattainment for PM_{2.5} even after the national control strategies are implemented or that may be designated nonattainment with the revised 24-hour PM_{2.5} NAAQS. In these cases the regional office and the state, and where appropriate, local agencies should work out an appropriate network design for the chemical speciation component of their PM_{2.5} monitoring network as part of their annual network review within the available allocation. States and local agencies may consider divesting of low-value supplemental speciation stations in areas that are not expected to be in violation of the PM_{2.5} NAAQS. In 2013, EPA initiated a speciation network assessment with stakeholder involvement to examine program objectives and assess what, if any, changes may be necessary to support a sustainable network over the next five to ten years to meet the program objectives. Results will be shared in 2014.

As in 2013, monitoring organizations will again be asked to determine whether they plan on implementing the PM_{2.5} Performance Evaluation Program (PEP) or allow for continued Federal implementation of this program. Monitoring organizations must meet the minimum requirements of adequate and independent in order to implement the PEP. OAQPS has provided guidance to Regional Offices on how to assess adequacy and independence of proposed audit programs.² Information on this decision process will be provided in a memorandum from the EPA regional office to the monitoring organizations each year in order to make decisions that will affect the next calendar year audit activities. OAQPS anticipates that a FY 2014 guidance memorandum covering details on participation in the PM_{2.5} PEP will be issued to the EPA Regional Offices in June 2013.

² January 8, 2007 memorandum from Phil Lorang (Ambient Air Monitoring Group Leader) to Regional Office ambient monitoring managers.

EPA's Office of Research and Development has now approved several PM_{2.5} continuous monitors as FEMs.³ These methods are now available and their data can be compared to the NAAQS as well as for public reporting of the Air Quality Index (AQI). Monitoring agencies that are comfortable with an approved FEM could benefit by discontinuing operation of some or all (with the exception of required FRMs for QA purposes) of their FRMs, which tend to be costly to operate due to pre- and post- sampling laboratory analysis. These savings could be used to pay for some of the cost of the new monitors; however, capital acquisition funds would need to be provided up-front for the new monitors to be purchased by EPA. Therefore, EPA regions will work closely with state and local agencies within the existing funding allocations on whether new monitors should be purchased. Technical direction on implementing and reporting data from continuous PM_{2.5} FEM and FRM monitors is available on EPA's AMTIC web site.⁴

Gas monitoring at NCore with high sensitivity measurements of CO, SO₂, and NO/NO_y will continue as part of the multi-pollutant strategy to support characterization of PM and ozone precursors in FY 2014. While almost all required NCore stations are operational, there are just a few stations that have yet to be implemented. EPA, working with our Regional Offices, is planning to award a capital acquisition contract during 2013 to help with these remaining NCore stations.

For daily speciation, EPA is working with a small number of monitoring agencies to pilot daily characterization of fine particle chemical speciation using a combination of continuous and filter-based technologies. For FY 2014, most of this effort will focus on operation of semi-continuous Sunset carbon monitors.

Monitoring agencies may also find it useful to use a portion of their direct awards to implement additional meteorology equipment that supports forecasting of the AQI. Of specific interest may be recently commercialized, high quality, and lower priced instruments that characterize the vertical thermal structure of the boundary layer.

For FY 2014, PM_{2.5} monitoring grant funds allocated to states can be directed towards improvements in data management systems to support timely reporting of high quality data from PM continuous mass monitors, PM continuous speciation monitors, and precursor gas monitors. Of specific note is the need to transition PM_{2.5} continuous FEM monitors from analog to digital data systems so that important diagnostic data (e.g., sample flow rates, operational relative humidity or temperature...) is readily available for validation of data used in NAAQS decisions. Resources dedicated to this area will support processing, validating, and reporting of data that supports the PM monitoring program.

In June 2014, EPA expects to host a comprehensive National Air Quality Conference with a focus on Ambient Air Monitoring. This conference was last held in May 2012. EPA and state, local, and Tribal agencies will benefit by strong participation in this conference to manage and enhance the ambient air monitoring program. Grant funds can be used to support participation in this conference.

³ <http://www.epa.gov/ttn/amtic/criteria.html>

⁴ <http://www.epa.gov/ttn/amtic/datamang.html>

Distribution of Funds

The FY 2014 Ambient Monitoring appendix does not yet include a final allocation of PM_{2.5} monitoring funds among Regional Offices for use in direct awards based on a schedule for phasing out the use of section 103 authority. EPA will be consulting further with stakeholders on this topic once we have more detailed information on the funding for FY2014.

A final allocation will include tables that will provide more detailed information on the region-by-region allocation including cost estimates for associated program support. Cost estimates will be based on an assumption that monitoring organizations will not reduce their networks (and the services/ materials needed to support them) in 2014 compared to previous years. The estimates should help inform how the program costs may change this coming year and are subject to change based on monitoring organizations' actual plans for the numbers of sites that will need these services in FY 2014.⁵ These numbers may decline if states choose not to maintain their existing PM_{2.5} monitoring networks.

For more information on PM_{2.5} monitoring, contact Tim Hanley at 919-541-4417 or via email at hanley.tim@epa.gov.

Monitoring Networks for Other NAAQS Pollutants


Support of Established NAAQS Networks

EPA will continue to work closely with affected air monitoring programs on deploying new or revised monitoring networks, where necessary. This section summarizes both the new monitoring that will need to be implemented during FY 2014 as well as new operations and maintenance for monitoring that needs to be operational during FY 2014 for NAAQS. These areas are traditionally funded using section 105 authority and include: ozone (O₃), lead (Pb), carbon monoxide (CO), sulfur dioxide (SO₂), nitrogen dioxide (NO₂), PM₁₀, and PM_{10-2.5}.⁶ Additional information on each network is summarized below and a distribution of monitoring stations by pollutant is shown in Figure 2.

In March 2008, EPA strengthened the ozone NAAQS by revising the 8-hour standard to a level of 0.075 ppm. EPA is now reviewing the ozone NAAQS and a notice of proposed rulemaking is expected in December 2013.

⁵ State and local agencies have costs associated with many activities within each monitoring program area. Not all types of operating expenses may be accounted for. Some of these costs are fairly well understood such as capital infrastructure, salaries of staff and management working on the program, and costs of expendable items used in the program. Less obvious, but important to include in planning operation of a network, are costs of participating in conferences and workshops that support training and building further expertise in agencies operating the network.

⁶ On October 17, 2006 EPA revoked the annual PM₁₀ NAAQS everywhere. 71 FR 61144. The 24-hour PM₁₀ NAAQS was retained everywhere. No NAAQS was established for PM_{10-2.5}. On the same day, EPA also promulgated a Federal Reference Method for PM_{10-2.5} and certain monitoring requirements for PM_{10-2.5} as part of the new NCore network with an implementation date of January 1, 2011. 71 FR 61236.

Figure 2

In October of 2008, EPA significantly strengthened the lead NAAQS from $1.5 \mu\text{g}/\text{m}^3$ to $0.15 \mu\text{g}/\text{m}^3$ as measured by total suspended particulate. For lead, the existing lead monitoring network was considered inadequate to implement the revised lead NAAQS and therefore, changes to the lead monitoring requirements were included along with the revised lead NAAQS. EPA required that near-source monitors associated with emissions of more than one ton per year begin operating by January 1, 2010 and near-source monitoring associated with emissions of more than one-half ton per year begin operating by December 27, 2011. The final rule also required non-source monitoring at NCore sites in CBSAs with a population of 500,000 people or more. The final rule also required a 1-year study of Pb monitoring at 15 specific airports where concentrations may approach or exceed the Pb NAAQS. Monitoring at the majority of airports has been completed and the data are currently being reviewed in preparation for the certification process.

On January 22, 2010, EPA strengthened the nitrogen dioxide (NO_2) NAAQS with the addition of a one-hour standard to capture peaks associated with short-term exposures to this pollutant. Due to current economic difficulties facing the States, EPA, in coordination with NACAA, has developed a phased approach for funding the near-road component of the NO_2 network. This plan provides a phased framework for funding an initial subset of the required near-road NO_2 monitors referenced in the NO_2 NAAQS final rule. The plan supports the funding of approximately 52 NO_2 monitors in CBSAs with 1 million or more persons over a two year period (phase one). The primary objective of the plan is to establish a base of monitors to characterize NO_2 concentrations in near-road environments across the country so that ambient concentrations relative to the revised 1-hour NAAQS can be assessed. A secondary objective is to establish a near-road monitoring network that can support future multi-pollutant monitoring efforts, as needed. Phase one funding was provided under section 103 authority in FYs 2011 and 2012 for the establishment of sites for CBSA's of one million persons or more. Phase two funding for the

establishment of a second site in CBSA's of over 2.5 million persons or more (or those CBSAs over 500,000 persons with one or more traffic segments with 250,000 or greater Annual Average Daily Traffic counts) is expected in FY 2014, also under section 103 authority. EPA expects the phase one sites to be operational by January 1, 2014, and the phase two sites by January 1, 2015. EPA will work closely with States not covered by the initial phases to plan for later funding of the remainder of the required sites, based on the FY14 budget and/or alternative sources such as local funds. States will be required to operate CO and PM_{2.5} monitors at some of these near-road sites, following a staggered deployment schedule with deadlines of January 1, 2015 for those CBSAs with populations of 2.5M or greater or highly trafficked road segments as described above, and by January 1, 2017 for CBSAs with population between 1M and 2.5M. Continued operations and maintenance of these near-road sites is to be funded from the section 105 state and local air quality management grants.

On June 2, 2010 EPA strengthened the sulfur dioxide (SO₂) NAAQS by establishing a new 1-hour standard at a level of 75 parts per billion. Ambient air monitoring is required in CBSAs based on a population-weighted emissions index for the area. Monitoring was required to begin on January 1, 2013.

In addition to revising networks for lead, ozone, NO₂, CO and SO₂, FY 2014 STAG grant funds should be utilized for on-going ambient monitoring programs to support:

- National and local spatial characterization of ozone (O₃) relative to the NAAQS;
- National and local public reporting of O₃ in the AQI;
- Local public reporting of CO, SO₂, NO₂, and PM₁₀ in the AQI for areas where these pollutants are of concern;
- Operation and maintenance of NCore stations beyond the leveraged funds provided under the PM_{2.5} monitoring program;
- Local characterization of the CO, SO₂, NO₂, and PM₁₀ NAAQS in the few areas with NAAQS non-attainment and maintenance issues;
- In addition to the monitoring provided for above, limited characterization of O₃, CO, SO₂, NO₂, Pb, and PM₁₀ data in all other areas for long term trends, support for long-term health and scientific assessments, and development and accountability of emission control programs as part of a multi-pollutant approach to air quality management;
- Assessment of O₃, CO, SO₂, NO₂, Pb, and PM₁₀ data quality;
- Analysis and interpretation of the O₃, PAMS, CO, SO₂, NO₂, Pb, and PM₁₀ monitoring data and development of data assessment tools;
- Independent and adequate assessment of these pollutants' data quality, which is required in 40 CFR Part 58. This assessment is based on audit data generated under the National Performance Audit Program (NPAP). State and local agencies will choose either to obtain audit services through EPA-managed contracts funded with STAG funds, or may operate equivalent state-managed programs using independent staff, equipment, and standards. In some regions, EPA staff may perform or assist in audits with no charge to STAG funds, depending on staff and travel funds availability.
- Reporting and certification of ambient air monitoring data required⁷ to be submitted to the Air Quality System (AQS) database.

⁷ §58.15 – Annual air monitoring data certification, and §58.16 – Data submittal and archiving requirements.

Ambient Air Performance Evaluation Programs

A performance evaluation is a type of audit where quantitative data is collected independently in order to evaluate the proficiency of an analyst, laboratory, or some or all of the component parts of a data collection activity. EPA implements a number of performance evaluation programs on behalf of the monitoring agencies. Two major federally implemented performance evaluation efforts include the National Performance Audit Program (NPAP) for the gaseous pollutants and the Pb-Performance Evaluation Program.

National Performance Audit Program (NPAP)

The NPAP is a cooperative effort among OAQPS, the EPA Regional Offices, the monitoring organizations that operate EPA-funded air pollution monitors, and the other organizations that operate air monitors, for example at PSD sites. The implementation goals of the NPAP are to audit approximately 20 percent of the monitoring sites in the Ambient Air Quality Monitoring Network each year.

Although it is a goal to visit every monitoring site generating data that has significance to the air quality program within a 5-year period, among these sites there is an emphasis on auditing higher priority monitors (e.g., sites prioritized for health risk reasons) more frequently. In 2014, the requirement for adequate independent audits applies to sites with monitoring types not designated as “non-regulatory. The NPAP program uses a through-the-probe (TTP) audit system, where appropriate for the monitoring situation given a site’s physical layout. This system has the advantage of testing the performance of the entire monitoring sampling train including inlets and manifolds, and provides station operators immediate feedback on the audit results.

Each year, monitoring organizations are asked whether they plan on implementing the NPAP or would prefer continued Federal implementation of this program using STAG funds. Any non-EPA audits arranged by monitoring organizations must meet the minimum requirements of being adequate and independent. Under this approach EPA reserves a portion of appropriated STAG funds to cover Federal implementation of the NPAP, based on the number of geographically separate monitoring sites (not the number of distinct monitors) within each EPA Region.

The initial reserve of FY 2014 funds is estimated to be approximately \$500,000. This is based on EPA’s current understanding of monitoring organizations’ intentions for how NPAP audits will be implemented in 2013. If the number of sites in a Region to be audited by EPA staff or EPA-managed contractors is reduced because more monitoring organizations plan on implementing a program of adequate and independent NPAP audits without reliance on EPA contractors, and those organizations are assessed by the EPA regions as capable to perform the NPAP by September 2013, a corresponding amount of STAG funds will be made available to the regional office for allocation as direct awards. The amount of funds held by EPA to perform the NPAP includes both a fixed cost associated with programs tools and equipment such as standard operating procedures and hardware and variable costs such as the operator time and travel costs associated with the number of audits conducted. The September 2013 cutoff date gives EPA time to make necessary contracting and other arrangements for the audits it will manage in 2014.

Lead Performance Evaluation Program (Pb-PEP)

The implementation of a Pb-PEP began in calendar year 2010 and it provides an assessment of overall bias at the primary quality assurance organization (PQAO) level. PQAO is defined in 40 CFR Part 58 Appendix A. The program is a mix of one or two PM_{2.5} PEP like audits with additional collocated sampling. The program requires the same number of audit samples as required for PM_{2.5} meaning:

- PQAOs with ≤ 5 sites require 5 audits (1 PEP, 4 collocated)
- PQAOs with > 5 sites require 8 audits (2 PEP, 6 collocated)

The Pb-PEP audits consist of the implementation of a separate portable TSP Pb audit sampler that is placed within 2-4 meters of the routine Pb sampler. The sampler is operated by an independent auditor and the sample is shipped to an independent Pb-PEP laboratory for analysis. For the collocated samples, each quarter the monitoring organization field operator will take one additional collocated sample and send this sample to the independent Pb-PEP laboratory for analysis.

Similar to the PM_{2.5} PEP and the NPAP, implementation decisions for Pb-PEP are made by the monitoring organizations on an annual basis. EPA will draft a memo to the monitoring organizations to determine whether they plan to self implement the Pb-PEP or utilize the federally implemented program using STAG funds. Any non-EPA audits arranged by monitoring organizations must meet the minimum requirements of being adequate and independent. The definition for adequate and independent for Pb-PEP is very similar to PM_{2.5} PEP and the requirements were developed in the August 6, 2009 memo which can be found at: <http://www.epa.gov/ttn/amtic/npepqa.html>. The EPA regions will collect this information from the monitoring organizations and provide the information to OAQPS in time to redirect the appropriate STAG funds for the federally implemented program.

Under this approach EPA reserves a portion of appropriated STAG funds to cover potential Federal implementation of the Pb-PEP, based on the number of monitoring sites (not the number of distinct monitors) within each PQAO within a Region.

The amount of funds that would be reserved by EPA to perform the Pb-PEP includes both a fixed cost associated with programs tools and equipment such as standard operating procedures and hardware and consumables and variable costs such as the operator time and travel costs associated with the number of audits conducted. For FY 2014, EPA proposes to allocate \$355,000 to perform the Pb-PEP program.

Ambient Air Protocol Gas Verification Program (AA-PGVP)

In 2009, the Office of Inspector General published a report concluding that EPA “does not have reasonable assurance that the gases that are used to calibrate emissions monitors for the Acid Rain Program and continuous ambient monitors for the nation’s network are accurate”. To address the OIG findings for the Ambient Air Program, OAQPS, in cooperation with EPA Regions 2 and 7 have developed the AA-PGVP. The program establishes gas metrology laboratories in Regions 2 and 7 to verify the certified concentrations of EPA Protocol Gases used to calibrate ambient air quality monitors. An Implementation Plan, QA Project Plan and SOPs can be found at the AMTIC Website: <http://www.epa.gov/ttn/amtic/aapgvp.html>. The program

was successfully implemented in 2010. Annual costs for program are approximately \$50,000. In 2014, EPA proposes to reallocate \$5,000 from each Region's STAG allocation to implement the program.

Standard Reference Photometer Program

In ambient air monitoring applications, precise ozone concentrations called standards are required for the calibration of ozone analyzers. Gaseous ozone standards cannot be stored for any practical length of time due to the reactivity and instability of the gas. Therefore, ozone concentrations must be generated and "verified" on site. When the monitor to be calibrated is located at a remote monitoring site, it is necessary to use a transfer standard that is **traceable** to a more authoritative standard. **Traceability** is the "property of a measurement result whereby the result can be related to a stated reference through a documented unbroken chain of calibrations, each contributing to the measurement uncertainty" (ISO). Since the 1980's EPA has implemented the Standard Reference Photometer Program which provides a mechanism to establish the traceability of the nations ambient air monitoring standards to the International Bureau of Weights and Measurements and to the National Institute of Standards and Technology. Annual costs for program are approximately \$40,000. In 2014, EPA proposes to reallocate \$4,000 from each Region's STAG allocation to implement the program. These resources will support the IAG with the National Institute of Standards and Technology (NIST) that verify the two EPA Headquarters SRPs each year, the maintenance, repair and updating of the Regional and Headquarters SRPs, the shipping of the traveling SRP to each region and the subsequent re-verification of the SRP upon return to EPA.

Photochemical Assessment Monitoring System (PAMS)

Required by section 182(c)(1) of the Clean Air Act, the PAMS program collects ambient air measurements in areas classified as serious, severe, or extreme ozone nonattainment. Each PAMS area collects data for a target list of volatile organic compounds (VOCs), NO_x, NO_y, and ozone, as well as surface and upper air meteorological measurements.

In 2012, an evaluation of the PAMS program was initiated and in 2013 a work assignment was initiated to evaluate various auto gas-chromatographs to be used in the network. Results of the evaluation and equipment purchase recommendations will be shared during FY 2014.

Consistent with recent years and applicable until program changes are recommended and adopted, FY 2014 STAG funds will support four types of PAMS activities: monitoring system implementation and operation including replacement of aging equipment, data reporting to AQS, data analysis, and quality assurance. For FY 2014, about \$14 million is targeted for operation of the PAMS network. Of this, \$10.5 million has nominally been allocated for program implementation and operation, data reporting, and QA. Three and one-half million dollars has been nominally allocated for data analysis by state and local agencies. However, Regional Offices have had the flexibility to allow states to adjust this split and even to use a portion of their designated PAMS funds for other purposes. These PAMS funds are included in the ozone category of the national region-by-region allocation.

EPA again proposes to allocate \$150,000 for data analysis. EPA will further consult with

state and local agencies on the use of the funds that would be prorated from each PAMS Region during FY 2014 for follow-up data assessment and new data analysis work.

The PAMS program has been operational since the mid 1990's and as such for a number of agencies the monitoring equipment is becoming significantly aged. The PAMS Re-engineering workgroup is conducting a thorough review of the program and its equipment needs. For FY 2014, EPA is also proposing to reserve 5% of the PAMS funds (\$700,000) for the expressed purpose of purchasing new capital equipment (e.g., gas chromatographs and upper air meteorology equipment) for participating PAMS agencies.

Notwithstanding a re-allocation, and in light of the expected changes in PAMS requirements, Regional Offices should still re-examine the current split between data analysis and implementation and operations with their recipients.

FY 2014 PAMS Activities for State and Local Agencies

The allocated PAMS funds should be used to meet the following objectives:

(1) Continue System Implementation

- Reduce number of monitoring sites and monitoring at remaining sites, while remaining in compliance with revised PAMS regulations or approved alternative plans developed as part of reconfiguration efforts.
- Operate remaining existing sites, including replacement of aging equipment.
- Continue to improve NO_x monitoring, replacing NO_x instruments with NO_y/NO instrumentation and/or more sensitive NO₂/NO_x monitors at select PAMS sites.
- Install and operate trace level CO monitors at Type II sites.
- Develop and conduct area specific ozone precursor studies based on area specific needs.
- Continue making surface measurements of wind direction, wind speed, temperature, and humidity at all PAMS sites and additional measurements of solar radiation, ultraviolet radiation, pressure, and precipitation at one site in each PAMS area.
- Continue making upper-air measurements of wind direction, wind speed, and temperature at a representative location in each PAMS area. The upper-air monitoring program will depend upon region-specific factors such that the optimum design for a given PAMS region is expected to be some combination of remote sensing and conventional atmospheric soundings.
- For PAMS sites collocated with NCore multi-pollutant precursor gas sites, the meteorological monitoring data for ambient temperature, wind speed, wind direction, relative humidity, barometric pressure, and solar radiation are to be submitted to the AirNow program.

(2) Data Analysis

- Continue to develop and implement PAMS data analysis plans at the state and local levels that demonstrate use of data, provide analyses demonstrating data analysis products and results commensurate with allocated resources targeted for data analysis in grant work plans and the minimum set of PAMS data analyses specified in EPA

guidance.

- Use PAMS data to develop and optimize control strategies in State Implementation Plan for ozone.
- Develop trends in ozone precursors, based on PAMS data that may serve to corroborate “rate-of-progress” and accountability demonstrations.
- Use PAMS data to corroborate ozone precursor emissions inventories and to address transport concerns.

(3) Data Reporting

- All PAMS data, including meteorological data, shall be submitted into AQS consistent with 40 CFR Part 58.
- All PAMS data shall be identified in EPA’s Air Quality System (AQS) as monitor type ‘PAMS’ or ‘Unofficial PAMS’.
- Adequate procedures must be developed and followed to ensure proper validation of data prior to submission to AQS.

(4) Quality Assurance

- All sites must have and operate according to a Quality Assurance Project Plan (QAPP) approved by an EPA regional office.
- Ensure that adequate and independent audits are conducted for FRM and FEM SLAMS monitors at PAMS sites. These audits are discussed above under ‘National Performance Audit Program (NPAP).’
- Ensure the verification of PAMS retention time cylinders (funds will be held as associated program support to cover the estimated cost of \$30,000 for the cylinder verification).

Air Toxics Monitoring

For FY2014, the President’s request includes resources for the support of national air toxics monitoring and characterization activities. Funds are awarded under §105 authority to continue support for ongoing air toxics monitoring activities initiated and conducted by state and local air quality agencies. In addition, CAA §103 funds are allocated for the support of: (1) continued operation and maintenance of the National Air Toxics Trends Stations (NATTS) Network, and (2) community-scale air toxics monitoring projects (see Table 4). Funding for NATTS and community-scale projects is again being requested using §103 authority which enables 100% federal funding. It is possible the funding for the community-scale air toxics monitoring could be redirected to higher-priority monitoring needs in FY2014.

Included in the NATTS program total are four supplemental program components: quality assurance, methods and instrumentation, sample and equipment shipping and handling, and data analyses using all available ambient air quality data for toxics with special emphasis on observations from the NATTS and community-scale monitoring programs. These four components are associated program support for all grants that support air toxics monitoring or management activities. The desired program objectives are:

- Establish trends and evaluate the effectiveness of air toxics emissions reduction

strategies.

- Characterize local-scale ambient concentrations that result when air toxics originating from local sources concentrate in relatively small geographical areas, producing the greatest risks to human health.
- Provide data to support, evaluate, and improve emission inventories and air quality models used to develop emission control strategies, perform exposure assessments, and assess program effectiveness.
- Provide data to support scientific studies to better understand the relationship between ambient air toxics concentrations, human exposure, and health effects from these exposures.

In FY 2014, EPA proposes that approximately \$4.1 million in §103 STAG funds be used to fund operation of the National Air Toxics Trends Station (NATTS) Network during the period July 1, 2014 – June 30, 2015. About \$0.9 million is proposed to be used for quality assurance, data analysis, sample and equipment shipping and handling, and methods and instrumentation associated with the NATTS program.

The NATTS program component will continue to build on the established quality assurance and methods protocols. Laboratory and field staff will continue to work with EPA to ascertain the optimum methods for capturing and analyzing core pollutants associated with risk, develop performance based quality indicators to prove valid data results that will contribute to our understanding of risks, and stabilize the measurements for all NATTS sites so that comparisons across the nation can be made. Efforts to further improve methods for acrolein are anticipated to continue through at least 2014, and additional methods development work may commence on formaldehyde. The analytical community will continue to assess trends in air toxics concentration levels, relate those data to associated risk levels, and explore relationships between these ambient and risk levels to emission sources and changes in these levels to emission reduction efforts.

The community-scale projects are intended to better characterize air toxics problems at the local level, particularly for disproportionately affected areas, and to address those problems through local actions which complement national regulatory requirements. Such monitoring has the potential to define the scope of local air toxic problems, measure what reductions have been achieved through actions taken, and provide information needed for local policy development on reducing emissions from particular sources.

While aimed at meeting local data needs, EPA expects that data, results, and findings from all community-scale projects will also be valuable to other areas and to the national air toxics programs. Hence, a portion of the air toxics STAG funds are used to organize, summarize, and analyze the air toxics data from the community-scale studies and the NATTS sites (and data from other monitoring efforts) and to communicate the findings to all states involved in air toxics management.

While EPA anticipates continued support for the characterization of air toxics hotspots at the community level in FY 2014, EPA intends to further consult with stakeholders on the nature and approach for such support. For further information regarding prior year community-scale air toxics monitoring projects, including previous solicitations, successful project proposals and

final reports, may be found at: <http://www.epa.gov/ttn/amtic/local.html>. For more information contact Laurie Trinca in OAQPS' Ambient Air Monitoring Group at 1-919-541-0520, or trinca.laurie@epa.gov.

The FY 2014 allocation categories and amounts are provided in Table 4. The funding allocation for operation of NATTS sites will be sub-allocated to the regions with state and local agencies hosting those sites. The split of funding among the other listed line items may be adjusted prior to the start of FY 2014 based on consultations with state and local air agency representatives. Funds for other line items listed are anticipated to be used in nationally administered support contracts or competitively awarded to eligible recipients for specific activities.

**Table 4
Proposed FY 2014 Funding for Lead, National Air Toxics Trends
and Community-Scale Monitoring**

\$4,095,000	Operation and maintenance of existing and new NATTS sites.
\$320,000	NATTS Quality Assurance: includes periodic Proficiency Testing, targeted Technical Systems Audits, and annual data quality assessment via centrally (OAQPS) managed contracts.
\$300,000	Data Analysis: delineate and assess trends, data and network assessment to include exploration / demonstration of monitoring data utility in providing local scale findings that are useful in S/L/T air quality program management, and Annual Data Analysis Workshop for EPA and S/L/T's to share results; synthesize into annual report.
\$180,000	Methods and Instrumentation: support for improved air toxics monitoring methodology, especially for priority HAPs for which methods either do not exist, or existing methods have been deemed insufficient to meet end user needs; acquire new, upgrade, or replacement sampling or analytical equipment on a limited, case-by-case, as needed basis in direct support of NATTS.
\$100,000	Sample and equipment shipping and handling.
\$3,153,000	Community-scale monitoring projects Funds may be redirected to higher-priority monitoring needs.
\$8,148,000	Total Funding

IMPROVE Visibility Monitoring Network

The IMPROVE monitoring program supports the national goal of reducing haze to near natural levels in National Parks and wilderness areas. IMPROVE monitoring sites collect data on visibility, including optical, photographic, and speciated particulate data, though EPA resources are only used for the particle speciation monitoring. Data from IMPROVE sites are needed to meet the regional haze rule requirements of states for monitoring Class I area long-term trends through and beyond the 10-year SIP period (2008 to 2018), as well as being useful in the required periodic assessments of progress towards the national visibility goal. States also use data from the IMPROVE network to characterize upwind and background PM₁₀ and PM_{2.5} conditions and to assess source attribution for the PM_{2.5} and PM₁₀ NAAQS in nonattainment areas.

The IMPROVE network was started in 1987 as part of a federally-promulgated visibility plan and operated by the Department of the Interior (DOI) under the direction of a multi-agency federal/state steering committee. EPA expanded the original network in FY 1999 and FY 2000 from approximately 30 sites to 110 sites. The expanded network covers all of the Clean Air Act Class I areas where visibility is important (except the Bering Sea area which is impractical to monitor). EPA provides state/local air quality management STAG funds to the DOI to help maintain the IMPROVE network because of the importance of IMPROVE data to development of SIPs for both regional visibility and PM NAAQS attainment. The DOI and the other participant organizations contribute in excess of \$3 million of their own funds or in-kind resources per year to support field operations and other monitoring at IMPROVE sites.

For reasons of convenience and/or consistency of data, a number of state, local, and tribal monitoring organizations have historically chosen to ask the IMPROVE program to provide field technical support and laboratory services for additional sampling stations at locations under their control, using the IMPROVE protocols for sampler design, sampler operation, and laboratory analysis. Data from these additional “state/local IMPROVE protocol sites” (currently about 60) are managed and made public along with the data from the 110 sites in protected class I areas. These additional sites are provided as associated program support. This arrangement will continue in FY 2014. In addition, some federal agencies provide full funding for additional IMPROVE protocol sites to meet various program or research objectives.

Tribal, state, local, and federal monitoring organizations may continue, discontinue, or add sites for the monitoring period which runs from April 1, 2014 through March 30, 2015. Once a monitoring organization has identified its source of funds for such sites, it may contact OAQPS (see below) to request monitoring support services and to begin arranging for the necessary funds transfer. Requests should be made as early in calendar year 2013 as possible, but no later than December 31, 2013. OAQPS is assuming that that monitoring organizations will retain all current state/local IMPROVE protocol sites in 2014.

The FED (Federal Land Managers Environmental Database) can be accessed at <http://views.cira.colostate.edu/fed>. The FED includes news, data and geolocations, as well as IMPROVE data; USFS weather data, ozone data, deposition, and CASTNET data.

For FY 2014, about \$2.7 million of PM_{2.5} monitoring funds appropriated under §103 authority and about \$1.3 million of state/local STAG funds appropriated under §105 authority are being proposed to support visibility monitoring at 110 IMPROVE sites and 2 sites collocated with CASTNET. For more information on the IMPROVE program, contact Tim Hanley (919-541-4417) or Laurie Trinca (919-541-0520) in OAQPS.

Planning Information for Ambient Monitoring in Indian countries

EPA respects each tribe’s sovereign ability to identify its air quality goals and to make monitoring decisions it deems appropriate for its needs. This section addresses issues for consideration when conducting ambient air quality monitoring in the particular context of an EPA grant work plan. There are no Clean Air Act requirements for ambient monitoring in Indian country, so tribes have flexibility in customizing ambient monitoring to address the many different situations they face in terms of air quality and other environmental concerns. Whatever the local situation, the purpose of any ambient monitoring should be to inform the public living

in Indian country about the quality of the air where that quality is in doubt, to assist the tribe in managing its air quality, to help the tribe make the case that other governments or private parties need to control emissions due to their effect on air quality in Indian country, and/or to help track the effects of control actions to verify that they have addressed a problem.

For some tribes ambient monitoring may or may not be a priority for funding compared to other air quality program or environmental program activities. If monitoring is conducted, a tribe's interests can be best served when the type of monitoring is appropriate for the specific situation. For a given tribe, some types of monitoring may be useful, while others may not be relevant. With limited resources available, strategic planning based on thoughtful priorities is needed. The EPA Regional Offices will be the principal EPA partners with tribes in this case-by-case planning.

Over the last few years, EPA has emphasized that data from EPA-funded monitors in Indian country should be available to both EPA and the general public through the AQS or other relevant national data system, once start-up issues are worked out and the data are reliable. EPA will continue to work with tribes on workable alternatives for data preparation and submission. In awarding grants to tribes with FY 2014 funds, Regional Offices are expected to make sure that tribes will have a way to get data submitted, including QA-related data.

EPA has developed an Ambient Air Monitoring Strategy for State, Tribal and local Air Agencies that re-examines how the national ambient monitoring programs can be more thoughtfully directed towards their multiple purposes (<http://www.epa.gov/ttn/amtic/monstratdoc.html>)⁸. For the most part, this strategy addresses situations and considerations relevant to states, rather than considerations relevant to tribes. In FY 2008, EPA developed a document titled: *Technical Guidance for the Development of Tribal Air Monitoring Programs* (<http://www.epa.gov/ttn/oarpg/t1/memoranda/techguidancetribalattch.pdf>) with the intent of providing tribes a better understanding of the ambient air monitoring process and to provide information on resources and tools to help build and sustain an air quality monitoring program. For 2014 and beyond, EPA may provide additional guidance specifically related to tribal air monitoring. Any new guidance will continue to provide flexibility for tribes and Regional Offices to address the many different air quality situations in Indian country on a case-by-case prioritized basis. See: <http://www.epa.gov/oar/tribal/tam.html> for information on the progress in developing new guidance for tribal monitoring.

Technical assistance in conducting ambient monitoring is provided to tribes through the Tribal Air Monitoring Support (TAMS) Center (<http://www4.nau.edu/tams/>). TAMS staff can provide more specific information on any of the types of monitoring described here.

Additional information on various types of monitoring may be found on EPA's Ambient Monitoring Technology Information Center (AMTIC) at <http://www.epa.gov/ttn/amtic/>. This website contains information on monitoring policy and guidance for both the criteria pollutants as well as air toxics pollutants.

⁸ The Ambient Air Monitoring Strategy was last updated in December of 2008.

Program Support for Monitoring (National/Regional Monitoring Procurement Contracts)

EPA makes procurement services available to state and local agencies, via national or regional contracts or interagency agreements, for a variety of support services and materials. These services can be conducted as either associated program support or as in-kind assistance. In providing associated program support, EPA works with regions, tribes, and state and local agencies in advance to identify needs on a national basis and targets funds for the support *before* determining the final Region-by-Region allocation of grant funds (i.e., pre-allotment). In contrast, in-kind assistance is agency-specific and the value of the service is included in the grant agreement of a state, tribe, or local agency *after* final agency-by-agency allotments are determined. This approach requires the recipient provide an appropriate amount of matching funds and meet other grant administrative obligations relative to the in-kind assistance. This occurs when contract support is requested by a grant recipient after its grant is awarded. Most support to monitoring programs is provided as associated program support, with the in-kind support being used to increase the level of support above planned levels if unexpected needs arise.

Traditionally, OAQPS works with regions to determine the level of funds that each state or tribe wants to allocate for the national procurement contracts. The services offered include assistance in monitoring site set-up and laboratory sample analysis for nonmethane organic compounds, urban air toxics, carbonyls, PAMS, and hazardous air pollutants; performance evaluation (PE) sample support for agencies participating in NATTS; filters for PM₁₀ and Pb in the form of total suspended particulates; PM_{2.5} filters; laboratory services for PM_{2.5} speciation and filter analysis for lead TSP; IMPROVE monitoring services; and independent audits under the NPAP and PEP programs. Audits are usually provided via contracts managed by Regional Offices. Other services and materials are provided via contracts or interagency agreements managed by OAQPS.

Also available to monitoring organizations is the ability to obtain NADP technical support for speciated ambient mercury monitoring stations via EPA’s interagency agreement with the U.S. Geological Survey, as associated program support or in-kind service. Organizations interested in this should contact Gary Lear of EPA’s Clean Air Markets Division (lear.gary@epa.gov).

Table 5 lists categories and estimated funding amounts for associated program support not previously identified under specific monitoring topics: site support and laboratory analysis for air toxics and PAMS monitoring and filters for PM₁₀. Typically final amounts to be set aside on a pre-allotment basis for the forthcoming fiscal year are identified after EPA and states conclude their grant negotiations in the preceding spring and summer. The amounts shown in Table 5 are current best estimates. Final FY 2014 amounts will be based upon confirmed needs received from the regions and their state and local agencies by early in FY 2014.

Table 5. Preliminary FY 2014 National Procurement Contract Amounts
(For Certain Categories of Associated Program Support)

Preliminary FY 2014 Section 105 Contracts in Ambient Air Monitoring and Quality Assurance

Region

Program	1	2	3	4	5	6	7	8	9	10	Totals
S/NMOC Sampling Sites (O3)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
PAMS cylinders & verification & QA Support (O3)	\$31,032	\$10,344	\$20,688	\$10,344	\$10,344	\$0	\$0	\$0	\$31,032	\$0	\$113,784
Lead Analysis & Audit Strips	\$0	\$24,532	\$9,451	\$4,531	\$1,880	\$2,350	\$7,076	\$3,402	\$30,923	\$1,410	\$85,555
UATMP & PAMS Sites (Air Toxics)	\$0	\$181,037	\$0	\$57,719	\$87,833	\$0	\$0	\$0	\$44,896	\$0	\$371,485
HAP Support (Air Toxics)	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
All PM10 and Pb Filters ¹	\$13,434	\$15,444	\$35,569	\$32,675	\$51,794	\$24,696	\$38,028	\$27,625	\$62,537	\$15,033	\$316,835
Sub-total	\$44,466	\$231,357	\$65,708	\$105,269	\$151,851	\$27,046	\$45,104	\$31,027	\$169,388	\$16,443	\$887,659

Note: Funds for PM10 and Pb filters are calculated based on Jan 2013 request for filters. .

(These STAG amounts are considered to be initial placeholders for FY2014. The final level will depend upon a more definite indication of needs from recipients and will be adjusted accordingly. Adjustments will necessarily cause changes in the level of direct grant awards. Residual funds are always returned to Regional Offices for use in direct awards to recipients.)

In general, funding that would otherwise go to specific agencies in the form of a direct award at the regional office level can be identified in advance for associated program support. In essence this reduces the direct award level to that agency. If associated program support costs identified for a specific agency are not used or are less than anticipated then these resources would ostensibly be returned to that agency’s allotment. However, for some associated program support common to all recipients, there is a fixed EPA cost which does not depend on the number of individual recipients. An example would be the PEP or NPAP programs for auditing monitoring stations, which have fixed costs to pay contractors to maintain measurement standards and keep standard operating procedures current. There may also be variable costs for the contractor labor and supplies to make monitoring station visits. For audits, therefore, changes in the number of audits within a Region will result in a refund of only the variable portion of the cost of the station visits (i.e., the associated program support).

Another exception is that EPA considers the IMPROVE sites representing the Class I visibility protection areas to have benefits for all state air grant recipients because of interstate transport impacts and the responsibility of each state to protect visibility in every Class I area it impacts. Individual states (or regions) therefore cannot “unorder” these monitoring sites and receive back their operating costs. In contrast, the cost of supporting state/local IMPROVE protocol sites is “refundable” to a regional office.

Centralized Site Support and Laboratory Analytical Services - The EPA will continue coordinating centralized laboratory analytical services to support air toxics, organic compounds, and PAMS programs in FY 2014 with those regional, state, and local agencies wishing to participate. Examples of services available via this national contract include those listed below.

Speciated and Total Nonmethane Organic Compound Program (SNMOC/NMOC): The SNMOC/NMOC program has been operating since 1984. The EPA continues to support a centralized program for assistance to state and local agencies in the collection of NMOC, SNMOC, selected toxic compounds, and carbonyl compounds. This program was initiated to provide data for use in development of control strategies for ozone. As part of the SNMOC /NMOC program, participating sites are provided with all necessary sampling equipment, which they may co-locate with NO_x monitors. The SNMOC/NMOC program consists of the following base components:

- Base Site support for sampling equipment preparation, installation and training, problem solving, and final reporting; and
- Canister sample analysis for 78 speciated NMOC or total NMOC.

Options include:

- Analysis for 60 toxic and polar volatile organic compounds (TO-15);
- Cartridge sample analysis for 14 carbonyl compounds (TO-11A); and
- Concurrent analysis for both toxic and polar compounds and speciated NMOC at a cost significantly reduced compared to performing the two analyses separately.

States collect the samples in canisters and/or cartridges and air freight them to Research Triangle Park, NC, for analysis. The samples are collected each week day from 6:00 to 9:00a.m. during the summer (typically June 1-September 30). In general, 96 samples are collected at each site over the study period. However, additional samples may be purchased.

Urban Air Toxics Monitoring: To support emerging needs for information on levels of organic toxic species in ambient air, OAQPS initiated the Urban Air Toxics Monitoring Program (UATMP) in 1988. This program serves as an analytical/technical support program similar to the SNMOC/NMOC program. The major purpose of this program is to support state and local agency efforts to assess the nature and magnitude of various air toxics problems via collection of 24-hour integrated ambient air samples at six or twelve day sampling intervals, sample analysis in a central laboratory, data reporting to EPA's Air Quality System, and site-specific data analyses. This program continues to be highly successful, with excellent overall data capture and data quality that meets well-designed program goals. The UATMP consists of the following base components:

- Base site support for sampling equipment preparation, installation and training, problem solving, and final reporting;
- Canister sample analysis for 60 toxic and polar volatile organic compounds (TO-15); and
- Cartridge sample analysis for 14 carbonyl compounds (TO-11A).

Options include:

- Canister sample analysis for 78 speciated NMOC; and
- Concurrent analysis for both toxic and polar compounds and speciated NMOC at a cost that is significantly reduced compared to performing the two analyses separately.

Carbonyl Monitoring: Carbonyl sampling and analysis has been part of the monitoring support options that the Agency has provided since 1990. While carbonyl monitoring support can still be performed simultaneously with other program elements, the independent carbonyl option provides more flexibility for special studies and saturation monitoring programs. The Carbonyl Monitoring Program support consists of the following base components:

- Base site support for sampling equipment preparation, installation and training, problem solving, and final reporting; and
- Cartridge sample analysis for 14 carbonyl compounds (TO-11A).

PAMS and Toxics: PAMS support items will be available to include technical off-site and on-site support (initial equipment set-up, on-site technical assistance, consultation, problem solving, etc.); quality control (QC); and quality assurance (QA) program support (data validation, standards acquisition, and data management support). VOC canister, carbonyl compounds sample and concurrent toxics and speciated hydrocarbon analysis are also available.

The PAMS and toxics technical support program consists of the following base components:

- Technical site support;
- QA/QC support;
- Canister analysis support and retention time cylinder verification for PAMS compounds;
- Cartridge sample analysis for 14 carbonyl compounds (TO-11A); and
- Concurrent analysis for both toxic and polar compounds and speciated NMOC at a cost that is significantly reduced compared to performing the two analyses separately.

The PAMS automated analysis systems and/or multiple canister collection system purchase and installation are the responsibility of the participant. The amount of support an agency can order for the PAMS technical site support and QA/QC components of the program have been divided into smaller increments so that state, and local agencies can order the exact amount of support they require.

Other Hazardous Air Pollutant Analysis: The national monitoring support programs have been expanded to provide for the measurement of additional HAPs to support the effective implementation of the CAA and address the needs of other special studies. Analytical services support is provided for samples containing specific HAPs, which are a subset of the 187 compounds listed in the CAA. Participants are responsible for providing all necessary sampling equipment. The analysis among categories is based upon the specific needs of the state or local agency. This support also will assist the states in implementing the new national ambient monitoring network. Some of the available options under this category include:

- Canister sample analysis for 60 toxic and polar volatile organic compounds (TO-15);
- Cartridge sample analysis for 14 carbonyl compounds (TO-11A);
- Metals (IO-3.5), hexavalent chromium (EPA Method), semivolatiles (EPA Method 8270C), PAHs (TO-13A), etc.

Air Toxics Performance Evaluation Sample Support: Agencies that are participating in the NATTS can receive PE samples on an annual basis. These can include VOCs, Carbonyls, SVOCs and metals on quartz filters. The PE samples shall be generated and analyzed by the national contractor and sent as “blind” samples to the participating agency. If an agency uses the national contractor for analysis, the agency will not be able to use the contractor for PE sample support.

Lead TSP Filter Analysis: A national contract is available for the analysis of lead TSP (and PM₁₀)?. Analysis will be done by Inductively-coupled Plasma Mass Spectrometry (ICP-MS) following EPA Federal Equivalent Method EQL-0510-191 or by X-ray Fluorescence (XRF) analysis of PM₁₀ filters following EPA Appendix Q to 40 CFR Part 50.

For more information on Centralized Site Support and Laboratory Analytical Services, contact Laurie Trinca at 919-541-0520 (trinca.laurie@epa.gov) or Margaret Dougherty at 919-541-2344 (dougherty.margaret@epa.gov)

Lead Analysis Audit Development

Lead analysis audits (40 CFR Part 58 Appendix A Section 3.3.4.2) are required to be developed by laboratories that analyze lead for regulatory purposes. Monitoring organizations have the option to develop these quality control samples themselves or opt into a national procurement for the development of the audit filters. Each year OAQPS will solicit monitoring organizations to determine whether they would like these audits developed for their organization. If they decide they would like the audits, \$300 - \$350 will be allocated from the monitoring organizations STAG resources for development, referee analysis and shipping of these filters to the monitoring organization.

For more information on the Lead Analysis Audits contact Michael Papp at 919-541-2408 (papp.michael@epa.gov).

Particulate Matter Filters - OAQPS has historically purchased particulate matter filters (for PM₁₀ monitoring, total suspended particulate sampling used for Pb and other metals monitoring and PM_{2.5} monitoring) through national contracts and distributed these to state and local agencies across the nation. The economies of scale from this type of centralized purchasing, centralized acceptance testing, and distribution of filters has produced lower costs than if state and local agencies each purchased these filters through their individual agencies. State and local agencies are responsible for providing information to the regions each year on the numbers and types of filters required prior to shipment. For PM₁₀ filters, monitoring agencies will need to specify whether the filters requested are to be used to support high-volume samplers (i.e., 8 in X 10 in quartz filters) or low-volume samplers (i.e., 46.2 mm Teflon filters). For information on filter purchases, contact Solomon Ricks at 919-541-5242 (ricks.solomon@epa.gov) or Laurie Trinca at 919-541-0520 (trinca.laurie@epa.gov).