

15.1 Cartridges Smaller Than 30 mm

Munitions listed in this section begin with the Department of Defense Identification Code (DODIC) letter “A.” This category of munitions includes cartridges that are smaller than 30-mm in size. Cartridges, which are also referred to as rounds, are cases that contain a primer, propelling charge, and projectile. They are fired from pistols, rifles, and machine guns. Examples include 5.56-mm cartridges, 7.62-mm cartridges, and .50 caliber cartridges.

15.1.1 A010, M220 10 Gage Blank/Subcaliber Salute Cartridge

15.1.1.1 Ordnance Description¹⁻³

The M220 10 Gage Blank/Subcaliber Salute Cartridge (DODIC A010) is an optional use item for reveille and retreat salutes, and is fired in the 3-inch gun, 75-mm gun, 75-mm howitzer, or 105-mm howitzer. It is designed to produce a noise when initiated. The cartridge is similar to standard shotgun cartridges, but it has a paper cartridge case and contains no lead shot. This cartridge is used on firing ranges during training; it is not used during combat.

15.1.1.2 Emissions And Controls^{1,2,4,5}

The primary emissions from the use of the M220 10 Gage Blank/Subcaliber Salute Cartridge are carbon dioxide (CO₂) and particulate matter. Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.1-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.1-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.1-1 EMISSION FACTORS FOR THE USE OF DODIC A010,
M220 10 GAGE BLANK/SUBCALIBER SALUTE CARTRIDGE - CARBON DIOXIDE, CRITERIA
POLLUTANTS, METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	7.7 E-03	2.4 E-01
630-08-0	Carbon monoxide (CO)	6.9 E-04	2.1 E-02
7439-92-1	Lead (Pb) ^g	7.8 E-06	2.4 E-04
74-82-8	Methane	1.7 E-05	5.2 E-04
--	Oxides of nitrogen (NO _x) ^f	7.0 E-05	2.1 E-03
--	PM-2.5 ^{d,f}	2.5 E-03	7.6 E-02
--	PM-10 ^{e,f}	3.3 E-03	1.0 E-01
12789-66-1	TSP	3.9 E-03	1.2 E-01

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.27 E-02 pounds per item. References 1 and 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.1-2 EMISSION FACTORS FOR THE USE OF DODIC A010,
M220 10 GAGE BLANK/SUBCALIBER SALUTE CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
75-07-0	Acetaldehyde ^d	1.1 E-06	3.5 E-05
7429-90-5	Aluminum ^e	2.4 E-06	7.5 E-05
7664-41-7	Ammonia ^{f,g}	1.8 E-05	5.4 E-04
7440-36-0	Antimony ^d	1.9 E-06	5.7 E-05
7440-39-3	Barium ^e	2.0 E-06	6.3 E-05
71-43-2	Benzene ^{d,g}	6.5 E-07	2.0 E-05
75-15-0	Carbon disulfide ^d	1.7 E-07	5.3 E-06
7440-50-8	Copper ^e	1.7 E-06	5.1 E-05
98-82-8	Cumene ^{d,i}	9.3 E-08	2.8 E-06
--	Total dioxin/furan compounds ^d	6.7 E-15	2.1 E-13
100-41-4	Ethylbenzene ^{d,h}	6.7 E-08	2.0 E-06
74-85-1	Ethylene ^{e,h}	1.8 E-05	5.5 E-04
206-44-0	Fluoranthene ^d	1.5 E-09	4.7 E-08
86-73-7	Fluorene ^{f,h}	1.2 E-10	3.6 E-09
50-00-0	Formaldehyde ^{d,i}	8.6 E-07	2.6 E-05
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^d	6.7 E-15	2.1 E-13
74-90-8	Hydrogen cyanide ^d	6.9 E-07	2.1 E-05
7439-92-1	Lead ^{d,h}	7.8 E-06	2.4 E-04
91-20-3	Naphthalene ^{d,g}	4.1 E-08	1.3 E-06
115-07-1	Propylene ^{e,g}	1.1 E-06	3.4 E-05
129-00-0	Pyrene ^f	7.4 E-10	2.3 E-08
100-42-5	Styrene ^{d,g}	1.3 E-07	3.8 E-06
7664-93-9	Sulfuric acid ^{e,h}	1.7 E-04	5.2 E-03
108-88-3	Toluene ^d	1.1 E-07	3.4 E-06
95-63-6	1,2,4-Trimethylbenzene ^{e,h}	2.3 E-06	7.1 E-05
7440-62-2	Vanadium ^{e,i}	1.9 E-07	5.9 E-06
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{d,i}	2.4 E-07	7.3 E-06
95-47-6	o-Xylene ^{d,i}	2.2 E-07	6.6 E-06
7440-66-6	Zinc ^{e,g}	9.3 E-07	2.8 E-05

Table 15.1.1-2 (cont.)

- ^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.
- ^b CASRN = Chemical Abstracts Service Registry Number.
- ^c NEW = net explosive weight. The NEW for this ordnance is 3.27 E-02 pounds per item. References 1 and 5.
- ^d Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).
- ^e Reportable chemical under EPCRA Section 313.
- ^f Hazardous air pollutant under CAA Section 112(b).
- ^g EMISSION FACTOR RATING A.
- ^h EMISSION FACTOR RATING C.
- ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.1

1. *Report No. 9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2005.
2. *Detailed Test Plan No.9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2003.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 9 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

15.1.2 A011, 12 Gage #00 Shot Cartridge

15.1.2.1 Ordnance Description¹⁻³

The 12 Gage #00 Shot Cartridge (DODIC A011) is intended for guard duty, local security, riot control, and combat use in situations where limited range and penetration are traded off for maximum stopping power. The commercially available cartridges consist of a cartridge case made of plastic and brass, a primer, a propelling charge, and No. 00 commercial shot. The propelling charge, activated by the primer, provides the force to send the iron alloy buckshot to the target. This cartridge is used during combat and on firing ranges during training. It is fired from one of four military issued shotguns capable of holding a 2 3/4-inch cartridge: a Mossberg 590-A1, Benelli XM1014, Remington 870, or Winchester 1200. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the shot are not addressed in this section.

15.1.2.2 Emissions And Controls^{1,2,4,5}

The primary emissions from the use of the 12 Gage #00 Shot Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.2-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.2-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.2-1 EMISSION FACTORS FOR THE USE OF DODIC A011,
 12 GAGE #00 SHOT CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS, METHANE,
 AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.3 E-03	4.2 E-01
630-08-0	CO	1.5 E-03	4.8 E-01
7439-92-1	Lead (Pb) ^g	2.0 E-05	6.2 E-03
74-82-8	Methane	1.3 E-05	4.0 E-03
--	Oxides of nitrogen (NO _x) ^f	4.2 E-05	1.3 E-02
--	PM-2.5 ^{d,f}	6.7 E-05	2.1 E-02
--	PM-10 ^{e,f}	7.4 E-05	2.3 E-02
12789-66-1	TSP	8.2 E-05	2.6 E-02

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.19 E-03 pounds per item. References 1 and 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.2-2 EMISSION FACTORS FOR THE USE OF DODIC A011,
 12 GAGE #00 SHOT CARTRIDGE -
 HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	1.5 E-10	4.7 E-08
208-96-8	Acenaphthylene ^d	5.8 E-09	1.8 E-06
75-07-0	Acetaldehyde ^{e,g}	1.9 E-07	5.9 E-05
75-05-8	Acetonitrile ^{e,g}	1.0 E-07	3.3 E-05
7429-90-5	Aluminum ^f	4.7 E-07	1.5 E-04
120-12-7	Anthracene ^e	8.1 E-11	2.5 E-08
7440-36-0	Antimony ^e	9.3 E-06	2.9 E-03
7440-39-3	Barium ^f	6.1 E-06	1.9 E-03
71-43-2	Benzene ^{e,g}	9.5 E-07	3.0 E-04
56-55-3	Benzo[a]anthracene ^e	8.4 E-11	2.6 E-08
205-99-2	Benzo[b]fluoranthene ^e	3.0 E-10	9.6 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	2.1 E-10	6.5 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.9 E-09	6.0 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	6.2 E-10	2.0 E-07
192-97-2	Benzo[e]pyrene ^d	6.0 E-10	1.9 E-07
75-15-0	Carbon disulfide ^e	1.1 E-08	3.4 E-06
74-87-3	Chloromethane ^{e,g}	7.3 E-10	2.3 E-07
218-01-9	Chrysene ^e	1.0 E-10	3.2 E-08
7440-50-8	Copper ^{f,h}	9.0 E-08	2.8 E-05
100-41-4	Ethylbenzene ^e	6.9 E-09	2.2 E-06
74-85-1	Ethylene ^f	4.4 E-06	1.4 E-03
117-81-7	bis(2-Ethylhexyl)phthalate ^{e,h}	1.6 E-08	5.0 E-06
206-44-0	Fluoranthene ^e	1.5 E-10	4.7 E-08
86-73-7	Fluorene ^d	3.5 E-10	1.1 E-07
50-00-0	Formaldehyde ^{e,h}	5.1 E-07	1.6 E-04
7647-01-0	Hydrochloric acid ^{e,h}	1.2 E-09	3.6 E-07
74-90-8	Hydrogen cyanide ^e	1.8 E-07	5.6 E-05
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	6.0 E-10	1.9 E-07
7439-92-1	Lead ^{e,h}	2.0 E-05	6.2 E-03
75-09-2	Methylene chloride ^e	7.6 E-07	2.4 E-04

Table 15.1.2-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
91-20-3	Naphthalene ^{e,g}	3.7 E-08	1.2 E-05
7697-37-2	Nitric acid ^{f,h}	2.4 E-07	7.6 E-05
55-63-0	Nitroglycerin ^{f,h}	2.0 E-07	6.3 E-05
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	2.9 E-14	9.2 E-12
85-01-8	Phenanthrene ^e	4.3 E-10	1.3 E-07
115-07-1	Propylene ^{f,g}	5.9 E-07	1.8 E-04
129-00-0	Pyrene ^d	3.4 E-10	1.1 E-07
100-42-5	Styrene ^{e,g}	1.5 E-08	4.7 E-06
7664-93-9	Sulfuric acid ^{f,h}	1.2 E-06	3.8 E-04
79-34-5	1,1,2,2-Tetrachloroethane ^{e,i}	2.7 E-09	8.6 E-07
108-88-3	Toluene ^e	8.4 E-08	2.6 E-05
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	6.8 E-08	2.1 E-05
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	7.6 E-09	2.4 E-06
95-47-6	o-Xylene ^{e,h}	5.4 E-09	1.7 E-06
7440-66-6	Zinc ^{f,g}	8.6 E-08	2.7 E-05

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.19 E-03 pounds per item. References 1 and 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.2

1. *Report No. 9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2005.
2. *Detailed Test Plan No.9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2003.

3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 9 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.3 A017, 12 Gage #9 Shot Cartridge

15.1.3.1 Ordnance Description¹⁻³

The 12 Gage #9 Shot Cartridge (DODIC A017) is intended for guard duty, local security, riot control, and combat use in situations where limited range and penetration are traded off for maximum stopping power. The commercially available cartridges consist of a cartridge case made of plastic, steel, and brass; a primer; a propelling charge; and No. 9 commercial shot. The propelling charge, activated by the primer, provides the force to send the iron alloy buckshot to the target. This cartridge is used during combat and on firing ranges during training. It is fired from one of four military issued shotguns capable of holding a 2 ¾-inch cartridge: a Mossberg 590-A1, Benelli XM1014, Remington 870, or Winchester 1200. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the shot are not addressed in this section.

15.1.3.2 Emissions And Controls^{1,2,4,5}

The primary emissions from the use of the 12 Gage #9 Shot Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.3-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.3-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.3-1 EMISSION FACTORS FOR THE USE OF DODIC A017,
 12 GAGE #9 SHOT CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS, METHANE,
 AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂ ^f	8.3 E-04	3.1 E-01
630-08-0	CO ^f	1.0 E-03	3.7 E-01
7439-92-1	Lead (Pb) ^g	7.4 E-06	2.8 E-03
74-82-8	Methane ^f	1.1 E-05	4.2 E-03
--	Oxides of nitrogen (NO _x)	2.1 E-05	7.8 E-03
--	PM-2.5 ^d	2.0 E-05	7.4 E-03
--	PM-10 ^e	2.1 E-05	7.8 E-03
12789-66-1	TSP	2.4 E-05	8.8 E-03

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.70 E-03 pounds per item. References 1 and 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING A.

^g EMISSION FACTOR RATING C.

Table 15.1.3-2 EMISSION FACTORS FOR THE USE OF DODIC A017,
 12 GAGE #9 SHOT CARTRIDGE -
 HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
208-96-8	Acenaphthylene ^{d,g}	5.2 E-09	1.9 E-06
75-07-0	Acetaldehyde ^{e,g}	2.6 E-07	9.5 E-05
75-05-8	Acetonitrile ^e	2.7 E-07	1.0 E-04
107-13-1	Acrylonitrile ^e	5.6 E-08	2.1 E-05
7440-36-0	Antimony ^e	3.2 E-09	1.2 E-06
7440-38-2	Arsenic ^e	9.4 E-10	3.5 E-07
7440-39-3	Barium ^f	3.2 E-06	1.2 E-03
71-43-2	Benzene ^e	2.4 E-06	8.9 E-04
56-55-3	Benzo[a]anthracene ^e	1.3 E-10	4.7 E-08
205-99-2	Benzo[b]fluoranthene ^e	4.7 E-10	1.7 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	2.7 E-10	9.9 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	4.0 E-09	1.5 E-06
50-32-8	Benzo[a]pyrene ^{e,g}	1.0 E-09	3.8 E-07
192-97-2	Benzo[e]pyrene ^d	8.8 E-10	3.3 E-07
7440-43-9	Cadmium ^{e,h}	2.0 E-08	7.6 E-06
18540-29-9	Hexavalent chromium ^{e,i}	1.4 E-06	5.2 E-04
218-01-9	Chrysene ^e	1.1 E-10	4.1 E-08
7440-50-8	Copper ^f	1.6 E-08	5.8 E-06
--	Total dioxin/furan compounds ^e	1.0 E-13	3.9 E-11
74-85-1	Ethylene ^f	4.5 E-06	1.7 E-03
206-44-0	Fluoranthene ^e	1.3 E-10	4.6 E-08
50-00-0	Formaldehyde ^{e,h}	3.9 E-07	1.4 E-04
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^{e,i}	1.0 E-13	3.9 E-11
74-90-8	Hydrogen cyanide ^e	1.2 E-06	4.6 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	1.1 E-09	4.0 E-07
7439-92-1	Lead ^{e,h}	7.4 E-06	2.8 E-03
7439-96-5	Manganese ^{e,h}	1.7 E-09	6.4 E-07
75-09-2	Methylene chloride ^e	2.5 E-06	9.2 E-04
91-20-3	Naphthalene ^{e,g}	4.4 E-08	1.6 E-05
7440-02-0	Nickel ^{e,h}	1.6 E-09	5.8 E-07

Table 15.1.3-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
55-63-0	Nitroglycerin ^{f,h}	6.6 E-09	2.5 E-06
115-07-1	Propylene ^{f,g}	6.5 E-07	2.4 E-04
7782-49-2	Selenium ^{e,h}	3.1 E-09	1.2 E-06
100-42-5	Styrene ^{e,g}	2.0 E-08	7.4 E-06
7440-28-0	Thallium ^{f,h}	1.7 E-09	6.4 E-07
108-88-3	Toluene ^e	1.0 E-07	3.7 E-05

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.70 E-03 pounds per item. References 1 and 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.3

1. *Report No.10 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2006.
2. *Detailed Test Plan No.10 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, June 2004.
3. *Munitions Items Disposition Action System (MIDAS) website*, <https://midas.dac.army.mil/>, U.S. Army Defense Ammunition Center, McAlester, OK, May 2007.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 10 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, February 2008.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, January 2007.

15.1.4 A059, M855 5.56-mm Ball Cartridge

15.1.4.1 Ordnance Description¹⁻⁴

The M855 5.56-mm Ball Cartridge (DODIC A059) is intended for use against unarmored targets. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. It is fired from the M249 machine gun and the M16 series of rifles. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.4.2 Emissions And Controls^{1,2, 5-11}

The primary emissions from the use of the M855 5.56-mm Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Two variants of the M16 rifle, the M16A1 and M16A2, were tested to address emission product variation as a function of weapon type. In addition, a variant with a bullet consisting of a steel penetrator and a lead-antimony slug, and a variant with a bullet consisting of a tungsten-nylon penetrator (no-lead variant) were tested to address emission product variation as a function of bullet type. Only slight differences were noted in the emission factors that were developed for each variant; therefore, only average emission factors are presented herein.

Table 15.1.4-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.4-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.4-1 EMISSION FACTORS FOR THE USE OF DODIC A059,
M855 5.56-MM BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS, METHANE,
AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	8.7 E-04	2.2 E-01
630-08-0	CO	1.6 E-03	4.2 E-01
7439-92-1	Lead (Pb) ^f	5.1 E-06	1.3 E-03
74-82-8	Methane	9.7 E-06	2.5 E-03
--	Oxides of nitrogen (NO _x) ^g	8.5 E-05	2.2 E-02
--	PM-2.5 ^d	2.8 E-05	7.2 E-03
--	PM-10 ^e	3.9 E-05	1.0 E-02
12789-66-1	TSP	3.8 E-05	9.8 E-03

^a Factors represent uncontrolled emissions. References 1, 2, 5, 6, 10, and 11.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.91 E-03 pounds per item. References 10 and 11.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.4-2 EMISSION FACTORS FOR THE USE OF DODIC A059,
M855 5.56-MM BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	7.2 E-11	1.8 E-08
208-96-8	Acenaphthylene ^d	4.2 E-10	1.1 E-07
75-07-0	Acetaldehyde ^{e,g}	2.4 E-07	6.1 E-05
75-05-8	Acetonitrile ^e	3.3 E-07	8.4 E-05
107-02-8	Acrolein ^e	2.6 E-08	6.5 E-06
107-13-1	Acrylonitrile ^{e,g}	5.2 E-08	1.3 E-05
7429-90-5	Aluminum ^f	1.5 E-07	3.7 E-05
7664-41-7	Ammonia ^{d,g}	3.0 E-05	7.8 E-03
120-12-7	Anthracene ^e	5.2 E-11	1.3 E-08
7440-36-0	Antimony ^e	1.5 E-06	3.9 E-04
7440-39-3	Barium ^{f,i}	6.9 E-07	1.8 E-04
71-43-2	Benzene ^{e,g}	6.3 E-07	1.6 E-04
56-55-3	Benzo[a]anthracene ^e	1.9 E-10	5.0 E-08
205-99-2	Benzo[b]fluoranthene ^e	3.1 E-10	8.0 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.5 E-10	3.8 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.1 E-09	2.7 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	2.9 E-10	7.3 E-08
192-97-2	Benzo[e]pyrene ^d	4.4 E-10	1.1 E-07
106-99-0	1,3-Butadiene ^{e,g}	1.2 E-08	3.1 E-06
75-65-0	t-Butyl alcohol ^{e,h}	2.8 E-09	7.2 E-07
74-87-3	Chloromethane ^e	1.1 E-09	2.9 E-07
218-01-9	Chrysene ^e	2.1 E-10	5.5 E-08
7440-50-8	Copper ^f	1.5 E-05	3.8 E-03
57-12-5	Particulate cyanide ^{e,g}	8.3 E-08	2.1 E-05
53-70-3	Dibenz[a,h]anthracene ^e	4.0 E-11	1.0 E-08
75-71-8	Dichlorodifluoromethane ^{f,i}	8.9 E-11	2.3 E-08
107-06-2	1,2-Dichloroethane ^{e,g}	1.2 E-08	3.2 E-06
--	Total dioxin/furan compounds ^{e,i}	9.4 E-15	2.4 E-12
100-41-4	Ethylbenzene ^{e,i}	2.0 E-09	5.0 E-07
74-85-1	Ethylene ^f	6.7 E-07	1.7 E-04

Table 15.1.4-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
206-44-0	Fluoranthene ^e	3.9 E-10	9.9 E-08
86-73-7	Fluorene ^d	2.3 E-10	5.9 E-08
50-00-0	Formaldehyde ^{e,i}	1.8 E-07	4.7 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	8.2 E-15	2.1 E-12
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	1.2 E-15	3.0 E-13
110-54-3	Hexane ^{e,h}	3.4 E-07	8.6 E-05
74-90-8	Hydrogen cyanide ^e	2.2 E-05	5.6 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	3.5 E-10	8.9 E-08
7439-92-1	Lead ^e	5.1 E-06	1.3 E-03
75-09-2	Methylene chloride ^{e,h}	1.0 E-07	2.6 E-05
75-86-5	2-Methylactonitrile ^{f,i}	3.1 E-08	7.8 E-06
91-20-3	Naphthalene ^{e,g}	9.3 E-09	2.4 E-06
7697-37-2	Nitric acid ^{f,h}	4.4 E-07	1.1 E-04
85-01-8	Phenanthrene ^e	3.0 E-10	7.6 E-08
123-38-6	Propionaldehyde ^e	1.0 E-08	2.6 E-06
115-07-1	Propylene ^{f,g}	1.2 E-07	3.0 E-05
129-00-0	Pyrene ^d	9.5 E-10	2.4 E-07
7782-49-2	Selenium ^{e,h}	9.9 E-09	2.5 E-06
100-42-5	Styrene ^{e,g}	8.3 E-09	2.1 E-06
7664-93-9	Sulfuric acid ^{f,h}	2.9 E-07	7.5 E-05
108-88-3	Toluene ^e	3.0 E-08	7.6 E-06
71-55-6	1,1,1-Trichloroethane ^e	1.6 E-09	4.1 E-07
95-63-6	1,2,4-Trimethylbenzene ^{f,i}	1.9 E-09	4.8 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,i}	3.5 E-09	9.1 E-07
95-47-6	o-Xylene ^{e,i}	2.8 E-09	7.3 E-07
7440-66-6	Zinc ^{f,g}	2.0 E-06	5.0 E-04

Table 15.1.4-2 (cont.)

- ^a Factors represent uncontrolled emissions. References 1, 2, 5, 6, 10, and 11.
- ^b CASRN = Chemical Abstracts Service Registry Number.
- ^c NEW = net explosive weight. The NEW for this ordnance is 3.91 E-03 pounds per item. References 10 and 11.
- ^d Hazardous air pollutant under CAA Section 112(b).
- ^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).
- ^f Reportable chemical under EPCRA Section 313.
- ^g EMISSION FACTOR RATING A.
- ^h EMISSION FACTOR RATING C.
- ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.4

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Report No. 4 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2002.
3. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M855 5.56-mm Ball Cartridge*, Department of Defense Identification Code: A059, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.
4. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M855 5.56-mm Tungsten Ball Cartridge*, Department of Defense Identification Code: A059, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.
5. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
6. *Detailed Test Plan No. 4 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
7. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
8. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.

9. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 4 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
10. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.
11. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, March 2005.

DRAFT

15.1.5 A063, M856 5.56-mm Tracer Cartridge

15.1.5.1 Ordnance Description^{1,2}

The M856 5.56-mm Tracer Cartridge (DODIC A063) is fired from the M249 machine gun and the M16 series of rifles. It consists of a cartridge case, primer, propelling charge, and bullet coated with a tracer compound. The propelling charge, activated by the primer, provides the force to send the bullet to the target. When tracer rounds are used, they are typically fired in a ratio of one tracer round to four ball rounds that do not contain the tracer composition. The visible trail left by the tracer can be used to see where the bullet hits the target, or to make adjustments in the firing position, if necessary. In addition, the M856 can be used during nighttime firing and for signaling purposes. This cartridge is used during combat and on firing ranges during training.

Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section. Furthermore, emissions associated with the combustion of the tracer composition are not addressed in this section.

15.1.5.2 Emissions And Controls^{1,3-6}

The primary emissions from the use of the M856 5.56-mm Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.5-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.5-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.5-1 EMISSION FACTORS FOR THE USE OF DODIC A063,
M856 5.56-MM TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	7.5 E-04	1.9 E-01
630-08-0	CO	1.4 E-03	3.5 E-01
7439-92-1	Lead (Pb) ^f	2.7 E-06	6.8 E-04
74-82-8	Methane	6.7 E-06	1.7 E-03
--	Oxides of nitrogen (NO _x) ^f	6.5 E-05	1.6 E-02
--	PM-2.5 ^d	3.3 E-05	8.4 E-03
--	PM-10 ^e	4.9 E-05	1.2 E-02
12789-66-1	TSP	4.6 E-05	1.2 E-02

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.98 E-03 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.5-2 EMISSION FACTORS FOR THE USE OF DODIC A063,
M856 5.56-MM TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.9 E-11	7.2 E-09
208-96-8	Acenaphthylene ^d	6.1 E-10	1.5 E-07
75-05-8	Acetonitrile ^{e,g}	9.7 E-08	2.4 E-05
107-13-1	Acrylonitrile ^{e,g}	3.8 E-08	9.5 E-06
7429-90-5	Aluminum ^f	2.9 E-07	7.3 E-05
7664-41-7	Ammonia ^{d,g}	2.3 E-05	5.8 E-03
120-12-7	Anthracene ^e	7.1 E-11	1.8 E-08
7440-36-0	Antimony ^e	1.6 E-06	4.0 E-04
7440-39-3	Barium ^f	4.8 E-07	1.2 E-04
71-43-2	Benzene ^{e,g}	4.4 E-07	1.1 E-04
56-55-3	Benzo[a]anthracene ^e	2.2 E-10	5.6 E-08
205-99-2	Benzo[b]fluoranthene ^e	4.5 E-10	1.1 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.9 E-10	4.7 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.1 E-09	2.8 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	2.9 E-10	7.4 E-08
192-97-2	Benzo[e]pyrene ^d	5.9 E-10	1.5 E-07
106-99-0	1,3-Butadiene ^{e,g}	8.5 E-09	2.1 E-06
74-87-3	Chloromethane ^{e,g}	1.4 E-09	3.4 E-07
218-01-9	Chrysene ^e	2.7 E-10	6.8 E-08
7440-50-8	Copper ^f	2.3 E-05	5.9 E-03
57-12-5	Particulate cyanide ^{e,g}	7.5 E-07	1.9 E-04
107-06-2	1,2-Dichloroethane ^{e,g}	7.8 E-09	2.0 E-06
100-41-4	Ethylbenzene ^e	2.1 E-09	5.3 E-07
74-85-1	Ethylene ^f	4.8 E-07	1.2 E-04
206-44-0	Fluoranthene ^e	6.3 E-10	1.6 E-07
86-73-7	Fluorene ^d	2.6 E-10	6.6 E-08
50-00-0	Formaldehyde ^{e,h}	4.5 E-08	1.1 E-05
110-54-3	Hexane ^e	2.6 E-07	6.5 E-05
74-90-8	Hydrogen cyanide ^e	6.0 E-06	1.5 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	4.6 E-10	1.2 E-07

Table 15.1.5-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
7439-92-1	Lead ^e	2.7 E-06	6.8 E-04
75-09-2	Methylene chloride ^e	7.8 E-08	1.9 E-05
75-86-5	2-Methylacetonitrile ^{f,i}	6.6 E-09	1.7 E-06
91-20-3	Naphthalene ^{e,g}	7.8 E-09	2.0 E-06
85-01-8	Phenanthrene ^e	3.9 E-10	9.8 E-08
123-38-6	Propionaldehyde ^e	8.6 E-09	2.2 E-06
115-07-1	Propylene ^{f,g}	8.3 E-08	2.1 E-05
129-00-0	Pyrene ^d	1.3 E-09	3.4 E-07
100-42-5	Styrene ^{e,g}	6.2 E-09	1.6 E-06
7664-93-9	Sulfuric acid ^{f,g}	2.9 E-08	7.4 E-06
108-88-3	Toluene ^e	3.0 E-08	7.5 E-06
71-55-6	1,1,1-Trichloroethane ^e	1.8 E-09	4.6 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	1.7 E-09	4.2 E-07
95-47-6	o-Xylene ^{e,h}	2.5 E-09	6.3 E-07
7440-66-6	Zinc ^{f,g}	3.0 E-06	7.6 E-04

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.98 E-03 pounds per item. Reference 6.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.5

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M856 5.56-mm Tracer Cartridge*, Department of Defense Identification Code: A063, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.

3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

DRAFT

This page left blank intentionally.

DRAFT

15.1.6 A065, M862 5.56-mm Practice Ball Cartridge

15.1.6.1 Ordnance Description^{1,2}

The M862 5.56-mm Practice Ball Cartridge (DODIC A065) is fired from the M16 series rifle using the XM2 practice bolt. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is designed for training exercises where range restrictions preclude the use of standard service ammunition; it is not used during combat. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the projectile are not addressed in this section.

15.1.6.2 Emissions And Controls^{1,3-6}

The primary emissions from the use of the M862 5.56-mm Practice Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.6-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.6-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.6-1 EMISSION FACTORS FOR THE USE OF DODIC A065,
M862 5.56-MM PRACTICE BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	3.2 E-04	2.5 E-01
630-08-0	CO	4.0 E-04	3.1 E-01
7439-92-1	Lead (Pb) ^f	3.1 E-06	2.4 E-03
74-82-8	Methane	2.2 E-06	1.7 E-03
--	Oxides of nitrogen (NO _x) ^f	1.9 E-05	1.5 E-02
--	PM-2.5 ^d	1.0 E-05	7.9 E-03
--	PM-10 ^e	1.1 E-05	8.9 E-03
7446-09-5	Sulfur dioxide (SO ₂) ^g	1.3 E-07	1.0 E-04
12789-66-1	TSP	1.2 E-05	9.1 E-03

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 1.29 E-03 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.6-2 EMISSION FACTORS FOR THE USE OF DODIC A065,
M862 5.56-MM PRACTICE BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.3 E-11	1.8 E-08
208-96-8	Acenaphthylene ^d	4.5 E-10	3.5 E-07
75-05-8	Acetonitrile ^{e,g}	9.6 E-08	7.4 E-05
107-02-8	Acrolein ^e	7.6 E-08	5.9 E-05
107-13-1	Acrylonitrile ^{e,g}	1.5 E-08	1.1 E-05
7429-90-5	Aluminum ^f	9.5 E-08	7.4 E-05
120-12-7	Anthracene ^e	1.2 E-11	9.6 E-09
7440-36-0	Antimony ^e	1.7 E-06	1.3 E-03
7440-38-2	Arsenic ^{e,h}	5.3 E-09	4.1 E-06
7440-39-3	Barium ^f	1.7 E-06	1.3 E-03
71-43-2	Benzene ^{e,g}	2.7 E-07	2.1 E-04
56-55-3	Benzo[a]anthracene ^e	7.6 E-11	5.9 E-08
205-99-2	Benzo[b]fluoranthene ^e	1.4 E-10	1.1 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	9.1 E-11	7.0 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.2 E-09	9.2 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	3.0 E-10	2.3 E-07
192-97-2	Benzo[e]pyrene ^d	3.4 E-10	2.7 E-07
75-15-0	Carbon disulfide ^e	6.1 E-09	4.7 E-06
74-87-3	Chloromethane ^{e,g}	3.3 E-10	2.6 E-07
218-01-9	Chrysene ^e	9.3 E-11	7.2 E-08
7440-50-8	Copper ^f	1.9 E-07	1.5 E-04
57-12-5	Particulate cyanide ^e	7.2 E-09	5.6 E-06
107-06-2	1,2-Dichloroethane ^{e,g}	4.5 E-09	3.5 E-06
74-85-1	Ethylene ^f	6.9 E-07	5.3 E-04
206-44-0	Fluoranthene ^e	3.8 E-10	2.9 E-07
86-73-7	Fluorene ^d	5.5 E-11	4.3 E-08
50-00-0	Formaldehyde ^{e,h}	5.1 E-08	4.0 E-05
74-90-8	Hydrogen cyanide ^e	1.2 E-06	9.6 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	4.4 E-10	3.4 E-07
7439-92-1	Lead ^e	3.1 E-06	2.4 E-03

Table 15.1.6-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
75-09-2	Methylene chloride ^e	1.8 E-07	1.4 E-04
91-20-3	Naphthalene ^{e,g}	5.9 E-09	4.6 E-06
7697-37-2	Nitric acid ^{f,h}	7.5 E-07	5.8 E-04
85-01-8	Phenanthrene ^e	1.1 E-10	8.8 E-08
115-07-1	Propylene ^{f,g}	5.6 E-08	4.3 E-05
129-00-0	Pyrene ^d	1.2 E-09	9.1 E-07
100-42-5	Styrene ^{e,g}	7.5 E-10	5.9 E-07
7664-93-9	Sulfuric acid ^{f,h}	1.0 E-07	8.0 E-05
108-88-3	Toluene ^e	1.3 E-08	9.8 E-06
71-55-6	1,1,1-Trichloroethane ^e	1.5 E-10	1.2 E-07
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	8.2 E-10	6.4 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	9.7 E-10	7.5 E-07
95-47-6	o-Xylene ^{e,h}	5.5 E-10	4.3 E-07
7440-66-6	Zinc ^{f,g}	9.2 E-08	7.1 E-05

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 1.29 E-03 pounds per item. Reference 6.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.6

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M862 5.56-mm Practice Cartridge*, Department of Defense Identification Code: A065, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.
3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.

4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

DRAFT

This page left blank intentionally.

DRAFT

15.1.7 A066, M193 5.56-mm Ball Cartridge

15.1.7.1 Ordnance Description¹

The M193 5.56-mm Ball Cartridge (DODIC A066) is intended for use against unarmored targets. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. It is fired from the M16 series rifles. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.7.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M193 5.56-mm Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.7-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.7-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.7-1 EMISSION FACTORS FOR THE USE OF DODIC A066,
M193 5.56-MM BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS, METHANE,
AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.0 E-03	2.4 E-01
630-08-0	CO	1.8 E-03	4.4 E-01
7439-92-1	Lead (Pb) ^f	1.3 E-05	3.2 E-03
74-82-8	Methane	1.3 E-05	3.2 E-03
--	Oxides of nitrogen (NO _x) ^f	5.6 E-05	1.3 E-02
--	PM-2.5 ^d	3.2 E-05	7.6 E-03
--	PM-10 ^e	3.8 E-05	9.2 E-03
12789-66-1	TSP	4.2 E-05	1.0 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.13 E-03 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B

DRAFT

Table 15.1.7-2 EMISSION FACTORS FOR THE USE OF DODIC A066,
M193 5.56-MM BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.1 E-10	5.1 E-08
208-96-8	Acenaphthylene ^d	1.6 E-09	3.8 E-07
75-07-0	Acetaldehyde ^e	3.1 E-07	7.6 E-05
75-05-8	Acetonitrile ^{e,g}	7.3 E-07	1.8 E-04
107-02-8	Acrolein ^e	6.6 E-08	1.6 E-05
107-13-1	Acrylonitrile ^{e,g}	5.8 E-08	1.4 E-05
7429-90-5	Aluminum ^f	1.3 E-07	3.2 E-05
7664-41-7	Ammonia ^{d,g}	4.2 E-05	1.0 E-02
120-12-7	Anthracene ^e	6.6 E-11	1.6 E-08
7440-36-0	Antimony ^e	1.7 E-06	4.1 E-04
7440-39-3	Barium ^f	4.4 E-07	1.1 E-04
71-43-2	Benzene ^{e,g}	6.2 E-07	1.5 E-04
74-87-3	Chloromethane ^e	1.1 E-09	2.7 E-07
7440-50-8	Copper ^f	9.5 E-06	2.3 E-03
107-06-2	1,2-Dichloroethane ^{e,g}	1.5 E-08	3.6 E-06
--	Total dioxin/furan compounds ^e	6.7 E-15	1.6 E-12
74-85-1	Ethylene ^f	8.9 E-07	2.2 E-04
86-73-7	Fluorene ^d	5.8 E-10	1.4 E-07
50-00-0	Formaldehyde ^e	4.7 E-07	1.1 E-04
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^{e,g}	5.0 E-16	1.2 E-13
74-90-8	Hydrogen cyanide ^e	2.4 E-05	5.8 E-03
7439-92-1	Lead ^e	1.3 E-05	3.2 E-03
91-20-3	Naphthalene ^{e,g}	2.2 E-08	5.3 E-06
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran ^e	1.8 E-15	4.4 E-13
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran ^{e,h}	1.1 E-16	2.7 E-14
123-38-6	Propionaldehyde ^{e,h}	2.1 E-08	5.2 E-06
115-07-1	Propylene ^{f,g}	8.5 E-08	2.1 E-05
129-00-0	Pyrene ^d	2.2 E-10	5.4 E-08
100-42-5	Styrene ^{e,g}	7.9 E-09	1.9 E-06
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran ^e	4.3 E-15	1.0 E-12

Table 15.1.7-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
108-88-3	Toluene ^e	2.7 E-08	6.6 E-06
7440-66-6	Zinc ^{f,g}	1.2 E-06	2.8 E-04

^a Factors represent uncontrolled emissions. References 1, 2, 4 and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.13 E-03 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.7

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.
2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

15.1.8 A068, M196 5.56-mm Tracer Cartridge

15.1.8.1 Ordnance Description¹

The M196 5.56-mm Tracer Cartridge (DODIC A068) is fired from the M16 series of rifles. It consists of a cartridge case, primer, propelling charge, and bullet coated with a tracer compound. The propelling charge, activated by the primer, provides the force to send the bullet to the target. When tracer rounds are used, they are typically fired in a ratio of one tracer round to four ball rounds that do not contain the tracer composition. The visible trail left by the tracer can be used to see where the bullet hits the target, or to make adjustments in the firing position, if necessary. In addition, the M196 can be used during nighttime firing and for signaling purposes. This cartridge is used during combat and on firing ranges during training.

Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the projectile are not addressed in this section. Furthermore, emissions associated with the combustion of the tracer composition are not addressed in this section.

15.1.8.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M196 5.56-mm Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.8-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.8-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.8-1 EMISSION FACTORS FOR THE USE OF DODIC A068,
M196 5.56-MM TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	9.8 E-04	2.5 E-01
630-08-0	CO	1.6 E-03	4.2 E-01
7439-92-1	Lead (Pb) ^f	2.8 E-06	7.2 E-04
74-82-8	Methane	6.2 E-06	1.6 E-03
--	Oxides of nitrogen (NO _x) ^f	1.7 E-05	4.5 E-03
--	PM-2.5 ^d	5.1 E-05	1.3 E-02
--	PM-10 ^e	6.7 E-05	1.7 E-02
12789-66-1	TSP	7.0 E-05	1.8 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.84 E-03 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.8-2 EMISSION FACTORS FOR THE USE OF DODIC A068,
M196 5.56-MM TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	1.7 E-10	4.5 E-08
208-96-8	Acenaphthylene ^d	1.2 E-09	3.1 E-07
75-07-0	Acetaldehyde ^e	1.2 E-07	3.2 E-05
75-05-8	Acetonitrile ^{e,g}	2.3 E-07	6.1 E-05
98-86-2	Acetophenone ^{e,i}	3.3 E-08	8.5 E-06
107-13-1	Acrylonitrile ^{e,g}	2.0 E-08	5.2 E-06
7429-90-5	Aluminum ^g	1.1 E-07	2.9 E-05
7664-41-7	Ammonia ^{d,g}	3.8 E-05	9.8 E-03
120-12-7	Anthracene ^e	9.1 E-11	2.4 E-08
7440-36-0	Antimony ^e	1.3 E-06	3.5 E-04
7440-39-3	Barium ^f	4.7 E-07	1.2 E-04
71-43-2	Benzene ^{e,g}	1.9 E-07	5.0 E-05
205-99-2	Benzo[b]fluoranthene ^e	1.2 E-10	3.2 E-08
50-32-8	Benzo[a]pyrene ^{e,g}	1.2 E-10	3.1 E-08
192-97-2	Benzo[e]pyrene ^d	1.2 E-10	3.2 E-08
108-90-7	Chlorobenzene ^{e,h}	9.7 E-10	2.5 E-07
74-87-3	Chloromethane ^{e,g}	2.3 E-09	6.0 E-07
7440-50-8	Copper ^f	2.1 E-05	5.4 E-03
57-12-5	Particulate cyanide ^{e,g}	1.2 E-06	3.2 E-04
107-06-2	1,2-Dichloroethane ^{e,g}	3.8 E-09	9.8 E-07
--	Total dioxin/furan compounds ^e	1.7 E-13	4.3 E-11
100-41-4	Ethylbenzene ^e	1.6 E-09	4.2 E-07
74-85-1	Ethylene ^f	3.8 E-07	9.8 E-05
117-81-7	bis(2-Ethylhexyl)phthalate ^{e,h}	3.0 E-08	7.8 E-06
86-73-7	Fluorene ^d	4.4 E-10	1.1 E-07
50-00-0	Formaldehyde ^{e,i}	1.6 E-07	4.0 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^{e,h}	4.0 E-14	1.1 E-11
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^{e,h}	3.0 E-14	7.7 E-12

Table 15.1.8-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^e	1.0 E-14	2.6 E-12
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^e	6.2 E-17	1.6 E-14
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^e	1.0 E-14	2.6 E-12
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^e	2.4 E-15	6.3 E-13
74-90-8	Hydrogen cyanide ^{e,h}	3.0 E-06	7.7 E-04
7439-92-1	Lead ^e	2.8 E-06	7.2 E-04
1634-04-4	Methyl tert-butyl ether ^{e,h}	6.7 E-10	1.7 E-07
91-20-3	Naphthalene ^{e,g}	1.3 E-08	3.3 E-06
7697-37-2	Nitric acid ^{f,h}	2.5 E-07	6.5 E-05
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ^{e,i}	4.0 E-15	1.0 E-12
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran ^{e,h}	9.3 E-15	2.4 E-12
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran ^{e,i}	1.0 E-14	2.7 E-12
115-07-1	Propylene ^{f,g}	5.3 E-08	1.4 E-05
100-42-5	Styrene ^{e,g}	7.9 E-09	2.1 E-06
7664-93-9	Sulfuric acid ^{f,h}	3.5 E-07	9.1 E-05
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin ^{e,h}	2.9 E-14	7.6 E-12
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran ^{e,h}	2.2 E-14	5.6 E-12
7440-28-0	Thallium ^{f,h}	1.4 E-08	3.6 E-06
108-88-3	Toluene ^e	1.5 E-08	4.0 E-06
7440-66-6	Zinc ^{f,g}	2.4 E-06	6.2 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.84 E-03 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.8

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.

2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.9 A080, M200 5.56-mm Blank Cartridge

15.1.9.1 Ordnance Description^{1,2}

The M200 5.56-mm Blank Cartridge (DODIC A080) is fired from the M16 series of rifles fitted with a blank firing attachment. The cartridge consists of a cartridge case, primer, and propelling charge. This cartridge does not have a projectile and is designed for training exercises and saluting purposes; it is not used during combat.

15.1.9.2 Emissions And Controls^{1,3-6}

The primary emissions from the use of the M200 5.56-mm Blank Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.9-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.9-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.9-1 EMISSION FACTORS FOR THE USE OF DODIC A080,
M200 5.56-MM BLANK CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	2.3 E-04	2.6 E-01
630-08-0	CO	2.8 E-04	3.2 E-01
7439-92-1	Lead (Pb) ^f	9.7 E-07	1.1 E-03
74-82-8	Methane	1.6 E-06	1.8 E-03
--	Oxides of nitrogen (NO _x) ^f	2.0 E-05	2.3 E-02
--	PM-2.5 ^d	6.0 E-06	6.8 E-03
--	PM-10 ^e	6.9 E-06	7.8 E-03
7446-09-5	Sulfur dioxide (SO ₂) ^g	9.8 E-08	1.1 E-04
12789-66-1	TSP	7.5 E-06	8.5 E-03

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 8.84 E-04 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.9-2 EMISSION FACTORS FOR THE USE OF DODIC A080,
M200 5.56-MM BLANK CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	4.2 E-11	4.7 E-08
208-96-8	Acenaphthylene ^d	6.3 E-10	7.1 E-07
75-05-8	Acetonitrile ^{e,g}	1.5 E-07	1.7 E-04
107-13-1	Acrylonitrile ^{e,g}	3.8 E-08	4.3 E-05
7429-90-5	Aluminum ^f	1.9 E-07	2.2 E-04
7440-36-0	Antimony ^e	7.2 E-07	8.2 E-04
7440-39-3	Barium ^f	4.0 E-07	4.5 E-04
71-43-2	Benzene ^{e,g}	3.5 E-07	4.0 E-04
56-55-3	Benzo[a]anthracene ^e	1.9 E-10	2.2 E-07
205-99-2	Benzo[b]fluoranthene ^e	2.3 E-10	2.6 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.5 E-10	1.7 E-07
191-24-2	Benzo[g,h,i]perylene ^{e,g}	4.2 E-10	4.7 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	2.1 E-10	2.4 E-07
192-97-2	Benzo[e]pyrene ^d	2.4 E-10	2.7 E-07
106-99-0	1,3-Butadiene ^{e,g}	3.8 E-09	4.2 E-06
75-15-0	Carbon disulfide ^e	1.8 E-08	2.0 E-05
74-87-3	Chloromethane ^{e,g}	1.1 E-10	1.3 E-07
218-01-9	Chrysene ^e	1.7 E-10	1.9 E-07
7440-50-8	Copper ^f	3.6 E-07	4.1 E-04
57-12-5	Particulate cyanide ^{e,g}	1.5 E-08	1.7 E-05
53-70-3	Dibenz[a,h]anthracene ^e	4.4 E-11	5.0 E-08
107-06-2	1,2-Dichloroethane ^{e,g}	6.9 E-09	7.8 E-06
100-41-4	Ethylbenzene ^e	9.8 E-10	1.1 E-06
74-85-1	Ethylene ^f	6.8 E-07	7.7 E-04
206-44-0	Fluoranthene ^e	1.3 E-10	1.4 E-07
86-73-7	Fluorene ^d	1.2 E-10	1.4 E-07
50-00-0	Formaldehyde ^{e,h}	5.9 E-08	6.6 E-05
110-54-3	Hexane ^{e,i}	9.9 E-09	1.1 E-05
74-90-8	Hydrogen cyanide ^e	1.0 E-06	1.2 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	3.6 E-10	4.0 E-07

Table 15.1.9-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
7439-92-1	Lead ^e	9.7 E-07	1.1 E-03
75-09-2	Methylene chloride ^e	6.4 E-08	7.3 E-05
108-10-1	Methyl isobutyl ketone ^{e,h}	1.1 E-09	1.2 E-06
91-20-3	Naphthalene ^{e,g}	7.8 E-09	8.8 E-06
7697-37-2	Nitric acid ^{f,h}	3.3 E-07	3.8 E-04
85-01-8	Phenanthrene ^e	1.2 E-10	1.3 E-07
108-95-2	Phenol ^{e,h}	5.6 E-09	6.3 E-06
115-07-1	Propylene ^{f,g}	1.6 E-07	1.8 E-04
129-00-0	Pyrene ^d	2.0 E-10	2.3 E-07
100-42-5	Styrene ^{e,g}	4.8 E-09	5.4 E-06
7664-93-9	Sulfuric acid ^{f,h}	1.9 E-07	2.1 E-04
108-88-3	Toluene ^e	5.2 E-08	5.9 E-05
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	2.4 E-09	2.8 E-06
7440-66-6	Zinc ^{f,g}	1.2 E-07	1.4 E-04

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 8.84 E-04 pounds per item. Reference 6.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.9

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M200 5.56-mm Blank Cartridge*, Department of Defense Identification Code: A080, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, November 2000.
3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.

4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

DRAFT

This page left blank intentionally.

DRAFT

15.1.10 A086, .22 Caliber Long Rifle Ball Cartridge

15.1.10.1 Ordnance Description^{1,2}

The .22 Caliber Long Rifle Ball Cartridge (DODIC A086) is fired from the M2A1 and Winchester rifle model Nos. 52 and 75; Remington model Nos. M40X and 513T; and machine gun trainers M3 and M4. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used on firing ranges for marksmanship practice and match use; it is not used during combat. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.10.2 Emissions And Controls^{1, 3-6}

The primary emissions from the use of the .22 Caliber Long Rifle Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.10-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.10-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.10-1 EMISSION FACTORS FOR THE USE OF DODIC A086,
 .22 CALIBER LONG RIFLE BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
 METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	7.5 E-05	1.8 E-01
630-08-0	CO	8.0 E-05	2.0 E-01
7439-92-1	Lead (Pb) ^f	1.9 E-06	4.6 E-03
74-82-8	Methane	5.2 E-07	1.3 E-03
--	Oxides of nitrogen (NO _x) ^f	5.0 E-06	1.2 E-02
--	PM-2.5 ^d	2.6 E-06	6.3 E-03
--	PM-10 ^e	3.4 E-06	8.3 E-03
12789-66-1	TSP	3.3 E-06	8.2 E-03

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.06 E-04 pounds per item. Reference 7.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.10-2 EMISSION FACTORS FOR THE USE OF DODIC A086,
 .22 CALIBER LONG RIFLE BALL CARTRIDGE -
 HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	1.8 E-11	4.5 E-08
208-96-8	Acenaphthylene ^d	3.9 E-10	9.7 E-07
75-07-0	Acetaldehyde ^{e,g}	1.9 E-08	4.7 E-05
75-05-8	Acetonitrile ^{e,g}	8.1 E-09	2.0 E-05
107-13-1	Acrylonitrile ^{e,g}	7.1 E-09	1.7 E-05
120-12-7	Anthracene ^e	9.7 E-12	2.4 E-08
7440-36-0	Antimony ^e	8.9 E-09	2.2 E-05
71-43-2	Benzene ^{e,g}	6.0 E-08	1.5 E-04
56-55-3	Benzo[a]anthracene ^e	8.0 E-12	2.0 E-08
205-99-2	Benzo[b]fluoranthene ^e	1.8 E-11	4.4 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.5 E-11	3.6 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.3 E-10	3.2 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	3.2 E-11	7.9 E-08
192-97-2	Benzo[e]pyrene ^d	3.3 E-11	8.1 E-08
123-72-8	Butyraldehyde ^{f,h}	5.8 E-09	1.4 E-05
218-01-9	Chrysene ^e	9.3 E-12	2.3 E-08
7440-50-8	Copper ^f	6.8 E-09	1.7 E-05
107-06-2	1,2-Dichloroethane ^{e,g}	9.4 E-10	2.3 E-06
--	Total dioxin/furan compounds ^e	2.1 E-15	5.3 E-12
74-85-1	Ethylene ^f	3.9 E-07	9.6 E-04
206-44-0	Fluoranthene ^e	1.2 E-11	2.8 E-08
86-73-7	Fluorene ^d	4.5 E-11	1.1 E-07
50-00-0	Formaldehyde ^{e,h}	8.2 E-08	2.0 E-04
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	6.2 E-16	1.5 E-12
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	1.6 E-16	4.0 E-13
74-90-8	Hydrogen cyanide ^e	8.3 E-08	2.0 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	3.5 E-11	8.7 E-08
7439-92-1	Lead ^e	1.9 E-06	4.6 E-03
75-09-2	Methylene chloride ^e	1.8 E-07	4.4 E-04

Table 15.1.10-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
91-20-3	Naphthalene ^{e,g}	3.3 E-09	8.2 E-06
7697-37-2	Nitric acid ^{f,i}	5.9 E-08	1.5 E-04
55-63-0	Nitroglycerin ^{f,h}	7.0 E-09	1.7 E-05
39001-02-0	1,2,3,4,6,7,8,9-Octachlorodibenzofuran ^{e,h}	1.4 E-15	3.3 E-12
85-01-8	Phenanthrene ^e	5.2 E-11	1.3 E-07
115-07-1	Propylene ^{f,g}	6.4 E-08	1.6 E-04
129-00-0	Pyrene ^d	2.3 E-11	5.6 E-08
100-42-5	Styrene ^{e,g}	3.0 E-09	7.3 E-06
108-88-3	Toluene ^e	6.0 E-09	1.5 E-05
71-55-6	1,1,1-Trichloroethane ^e	6.4 E-10	1.6 E-06
7440-66-6	Zinc ^{f,g}	1.6 E-08	3.8 E-05

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.06 E-04 pounds per item. Reference 7.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.10

1. *Report No. 4 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the Long Rifle .22 Caliber Ball Cartridge*, Department of Defense Identification Code: A106, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, August 2001.
3. *Detailed Test Plan No. 4 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.

5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 4 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.
7. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, March 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.11 A106, .22 Caliber Standard Velocity Long Rifle Ball Cartridge

15.1.11.1 Ordnance Description^{1,2}

The .22 Caliber Standard Velocity Long Rifle Ball Cartridge (DODIC A106) is intended for use against unarmored targets. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used on firing ranges during training exercises; it is not used during combat. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.11.2 Emissions And Controls^{1, 3-6}

The primary emissions from the use of the .22 Caliber Standard Velocity Long Rifle Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.11-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.11-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.11-1 EMISSION FACTORS FOR THE USE OF DODIC A106,
 .22 CALIBER STANDARD VELOCITY LONG RIFLE BALL CARTRIDGE - CARBON DIOXIDE,
 CRITERIA POLLUTANTS, METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	6.8 E-05	1.7 E-01
630-08-0	CO	7.2 E-05	1.8 E-01
7439-92-1	Lead (Pb) ^f	1.8 E-06	4.5 E-03
74-82-8	Methane	6.8 E-08	1.7 E-04
--	Oxides of nitrogen (NO _x) ^f	3.1 E-06	7.5 E-03
--	PM-2.5 ^d	1.9 E-06	4.8 E-03
--	PM-10 ^e	2.6 E-06	6.3 E-03
12789-66-1	TSP	3.2 E-06	7.9 E-03

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.06 E-04 pounds per item. Reference 7.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.11-2 EMISSION FACTORS FOR THE USE OF DODIC A106,
 .22 CALIBER STANDARD VELOCITY LONG RIFLE BALL CARTRIDGE -
 HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.8 E-12	7.0 E-09
208-96-8	Acenaphthylene ^d	3.8 E-11	9.4 E-08
75-07-0	Acetaldehyde ^{e,g}	1.3 E-08	3.2 E-05
107-13-1	Acrylonitrile ^{e,g}	3.3 E-09	8.1 E-06
120-12-7	Anthracene ^e	3.3 E-12	8.2 E-09
7440-36-0	Antimony ^e	7.6 E-08	1.9 E-04
7440-39-3	Barium ^f	5.6 E-08	1.4 E-04
71-43-2	Benzene ^{e,g}	1.7 E-08	4.2 E-05
56-55-3	Benzo[a]anthracene ^e	3.9 E-12	9.7 E-09
85-68-7	Butylbenzylphthalate ^{d,i}	8.6 E-09	2.1 E-05
123-72-8	Butyraldehyde ^{f,h}	2.9 E-09	7.3 E-06
218-01-9	Chrysene ^e	3.3 E-12	8.2 E-09
7440-50-8	Copper ^f	8.8 E-09	2.2 E-05
107-06-2	1,2-Dichloroethane ^{e,g}	3.3 E-10	8.1 E-07
74-85-1	Ethylene ^f	4.9 E-08	1.2 E-04
206-44-0	Fluoranthene ^e	6.5 E-12	1.6 E-08
86-73-7	Fluorene ^d	9.0 E-12	2.2 E-08
50-00-0	Formaldehyde ^{e,h}	9.8 E-08	2.4 E-04
74-90-8	Hydrogen cyanide ^e	4.1 E-08	1.0 E-04
67-63-0	Isopropyl alcohol ^{f,i}	1.8 E-09	4.3 E-06
7439-92-1	Lead ^e	1.8 E-06	4.5 E-03
75-09-2	Methylene chloride ^e	4.7 E-08	1.2 E-04
91-20-3	Naphthalene ^{e,g}	3.9 E-10	9.7 E-07
55-63-0	Nitroglycerin ^{f,h}	4.1 E-09	1.0 E-05
85-01-8	Phenanthrene ^e	1.6 E-11	4.1 E-08
129-00-0	Pyrene ^d	5.1 E-12	1.2 E-08
100-42-5	Styrene ^{e,g}	2.0 E-10	4.9 E-07
108-88-3	Toluene ^e	4.4 E-10	1.1 E-06
71-55-6	1,1,1-Trichloroethane ^e	1.3 E-09	3.1 E-06

Table 15.1.11-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	5.9 E-10	1.4 E-06
95-47-6	o-Xylene ^{e,h}	5.2 E-10	1.3 E-06
7440-66-6	Zinc ^{f,g}	1.2 E-08	3.0 E-05

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.06 E-04 pounds per item. Reference 7.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.11

1. *Report No. 4 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from Long Rifle .22 Caliber Ball Cartridge, Standard Velocity*, Department of Defense Identification Code: A086, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, August 2001.
3. *Detailed Test Plan No. 4 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 4 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.
7. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, March 2005.

15.1.12 A111, M82 7.62-mm Blank Cartridge

15.1.12.1 Ordnance Description^{1,2}

The M82 7.62-mm Blank Cartridge (DODIC A111) is fired from the M14 rifle as well as the M60, M219, and M240 machine guns equipped with a blank firing attachment. It consists of a cartridge case, primer, and propelling charge. This cartridge does not have a projectile and is designed for training exercises and saluting purposes; it is not used during combat.

15.1.12.2 Emissions And Controls^{1, 3-6}

The primary emissions from the use of the M82 7.62-mm Blank Cartridge are carbon dioxide (CO₂) and carbon monoxide (CO). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.12-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.12-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.12-1 EMISSION FACTORS FOR THE USE OF DODIC A111,
M82 7.62-MM BLANK CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS, METHANE,
AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	9.5 E-04	3.5 E-01
630-08-0	CO	6.8 E-04	2.5 E-01
7439-92-1	Lead (Pb) ^f	2.6 E-06	9.7 E-04
74-82-8	Methane	2.9 E-06	1.1 E-03
--	Oxides of nitrogen (NO _x) ^f	4.4 E-05	1.6 E-02
--	PM-2.5 ^d	1.5 E-05	5.6 E-03
--	PM-10 ^e	1.7 E-05	6.1 E-03
7446-09-5	Sulfur dioxide (SO ₂) ^g	3.5 E-07	1.3 E-04
12789-66-1	TSP	1.7 E-05	6.2 E-03

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.73 E-03 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.12-2 EMISSION FACTORS FOR THE USE OF DODIC A111,
M82 7.62-MM BLANK CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	4.7 E-12	1.7 E-09
208-96-8	Acenaphthylene ^d	4.1 E-10	1.5 E-07
75-05-8	Acetonitrile ^{e,g}	6.8 E-08	2.5 E-05
107-13-1	Acrylonitrile ^{e,g}	4.9 E-08	1.8 E-05
7429-90-5	Aluminum ^f	2.5 E-07	9.3 E-05
7440-36-0	Antimony ^e	1.7 E-06	6.4 E-04
7440-39-3	Barium ^f	7.6 E-07	2.8 E-04
71-43-2	Benzene ^{e,g}	3.6 E-07	1.3 E-04
56-55-3	Benzo[a]anthracene ^e	4.0 E-11	1.5 E-08
205-99-2	Benzo[b]fluoranthene ^e	5.6 E-11	2.1 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	3.0 E-11	1.1 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	2.2 E-10	7.9 E-08
50-32-8	Benzo[a]pyrene ^{e,g}	4.2 E-11	1.5 E-08
192-97-2	Benzo[e]pyrene ^d	1.5 E-10	5.6 E-08
75-15-0	Carbon disulfide ^e	1.0 E-09	3.8 E-07
74-87-3	Chloromethane ^{e,g}	7.2 E-10	2.6 E-07
218-01-9	Chrysene ^e	4.7 E-11	1.7 E-08
7440-50-8	Copper ^f	8.7 E-07	3.2 E-04
57-12-5	Particulate cyanide ^{e,h}	1.9 E-08	7.1 E-06
--	Total dioxin/furan compounds ^e	7.0 E-15	2.6 E-12
74-85-1	Ethylene ^f	8.9 E-07	3.3 E-04
206-44-0	Fluoranthene ^e	1.4 E-10	5.0 E-08
86-73-7	Fluorene ^d	5.4 E-11	2.0 E-08
50-00-0	Formaldehyde ^{e,h}	9.9 E-08	3.6 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	5.1 E-15	1.9 E-12
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	1.9 E-15	7.0 E-13
110-54-3	Hexane ^{e,h}	1.7 E-07	6.2 E-05
74-90-8	Hydrogen cyanide ^e	2.2 E-06	8.2 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	7.6 E-11	2.8 E-08
7439-92-1	Lead ^e	2.6 E-06	9.7 E-04

Table 15.1.12-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
75-09-2	Methylene chloride ^e	1.2 E-07	4.4 E-05
91-20-3	Naphthalene ^{e,g}	7.7 E-09	2.8 E-06
7697-37-2	Nitric acid ^{f,h}	1.2 E-06	4.2 E-04
115-07-1	Propylene ^{f,g}	9.4 E-08	3.4 E-05
129-00-0	Pyrene ^d	2.2 E-10	8.0 E-08
7664-93-9	Sulfuric acid ^{f,i}	3.3 E-07	1.2 E-04
108-88-3	Toluene ^e	2.1 E-08	7.6 E-06
71-55-6	1,1,1-Trichloroethane ^{e,i}	3.4 E-10	1.2 E-07
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	9.8 E-10	3.6 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	2.1 E-09	7.8 E-07
95-47-6	o-Xylene ^{e,h}	1.6 E-09	5.8 E-07
7440-66-6	Zinc ^{f,g}	1.8 E-07	6.6 E-05

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.73 E-03 pounds per item. Reference 6.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.12

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M82 7.62-mm Blank Cartridge*, Department of Defense Identification Code: A112, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.
3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.

5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.*
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

DRAFT

This page left blank intentionally.

DRAFT

15.1.13 A131, M62 7.62-mm Tracer Cartridge

15.1.13.1 Ordnance Description¹

The M62 7.62-mm Tracer Cartridge (DODIC A131) is fired from the M14 rifle and the M60 and M240 machine guns. It consists of a cartridge case, primer, propelling charge, and bullet coated with a tracer compound. The propelling charge, activated by the primer, provides the force to send the bullet to the target. When tracer rounds are used, they are typically fired in a ratio of one tracer round to four ball rounds that do not contain the tracer composition. The visible trail left by the tracer can be used to see where the bullet hits the target, or to make adjustments in the firing position, if necessary. In addition, the M62 can be used during nighttime firing and to allow occasional target marking capabilities for suppressive tactics employed by maneuvering troops. This cartridge is used during combat and on firing ranges during training.

Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the projectile are not addressed in this section. Furthermore, emissions associated with the combustion of the tracer composition are not addressed in this section.

15.1.13.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M62 7.62-mm Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.13-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.13-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.13-1 EMISSION FACTORS FOR THE USE OF DODIC A131,
M62 7.62-MM TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.7 E-03	2.5 E-01
630-08-0	CO	2.8 E-03	4.0 E-01
7439-92-1	Lead (Pb) ^f	7.8 E-06	1.1 E-03
74-82-8	Methane	1.6 E-05	2.2 E-03
--	Oxides of nitrogen (NO _x) ^f	4.3 E-05	6.1 E-03
--	PM-2.5 ^d	5.8 E-05	8.4 E-03
--	PM-10 ^e	9.1 E-05	1.3 E-02
12789-66-1	TSP	9.9 E-05	1.4 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.94 E-03 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.13-2 EMISSION FACTORS FOR THE USE OF DODIC A131,
M62 7.62-MM TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	5.2 E-10	7.5 E-08
208-96-8	Acenaphthylene ^d	3.2 E-09	4.6 E-07
75-07-0	Acetaldehyde ^e	4.0 E-07	5.8 E-05
75-05-8	Acetonitrile ^{e,g}	9.1 E-07	1.3 E-04
98-86-2	Acetophenone ^{e,i}	2.8 E-08	4.0 E-06
107-02-8	Acrolein ^e	1.6 E-07	2.3 E-05
107-13-1	Acrylonitrile ^{e,g}	7.2 E-08	1.0 E-05
7429-90-5	Aluminum ^g	3.1 E-07	4.4 E-05
7664-41-7	Ammonia ^{d,g}	4.6 E-05	6.6 E-03
120-12-7	Anthracene ^e	1.2 E-10	1.8 E-08
7440-36-0	Antimony ^e	2.4 E-06	3.4 E-04
7440-39-3	Barium ^f	1.0 E-06	1.5 E-04
71-43-2	Benzene ^{e,g}	7.7 E-07	1.1 E-04
74-87-3	Chloromethane ^{e,g}	4.6 E-09	6.6 E-07
7440-50-8	Copper ^f	3.0 E-05	4.3 E-03
57-12-5	Particulate cyanide ^{e,g}	8.9 E-07	1.3 E-04
107-06-2	1,2-Dichloroethane ^{e,g}	1.5 E-08	2.2 E-06
--	Total dioxin/furan compounds ^e	5.7 E-13	8.3 E-11
100-41-4	Ethylbenzene ^e	7.2 E-09	1.0 E-06
74-85-1	Ethylene ^f	1.0 E-06	1.4 E-04
86-73-7	Fluorene ^d	1.2 E-09	1.7 E-07
50-00-0	Formaldehyde ^{e,i}	8.0 E-07	1.2 E-04
55673-89-7	1,2,3,4,7,8,9-Heptachlorodibenzofuran ^{e,i}	4.7 E-15	6.8 E-13
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ^{e,i}	6.0 E-15	8.7 E-13
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^e	1.3 E-14	1.9 E-12
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^{e,h}	5.3 E-15	7.6 E-13
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^e	1.1 E-14	1.6 E-12
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^e	4.1 E-15	5.9 E-13
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran ^{e,h}	2.5 E-15	3.6 E-13
7647-01-0	Hydrochloric acid ^{e,h}	1.3 E-06	1.9 E-04

Table 15.1.13-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
74-90-8	Hydrogen cyanide ^e	1.4 E-05	2.1 E-03
7439-92-1	Lead ^e	7.8 E-06	1.1 E-03
91-20-3	Naphthalene ^{e,g}	5.0 E-08	7.2 E-06
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^{e,h}	4.9 E-13	7.0 E-11
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ^{e,h}	3.7 E-15	5.4 E-13
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran ^{e,h}	8.8 E-15	1.3 E-12
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran ^{e,i}	7.5 E-15	1.1 E-12
123-38-6	Propionaldehyde ^{e,h}	2.8 E-08	4.0 E-06
115-07-1	Propylene ^{f,g}	1.5 E-07	2.2 E-05
129-00-0	Pyrene ^d	4.1 E-10	5.9 E-08
100-42-5	Styrene ^e	8.2 E-09	1.2 E-06
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran ^{e,h}	1.7 E-14	2.5 E-12
108-88-3	Toluene ^e	4.9 E-08	7.0 E-06
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	5.5 E-09	7.9 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	9.6 E-09	1.4 E-06
95-47-6	o-Xylene ^{e,h}	1.6 E-08	2.3 E-06
7440-66-6	Zinc ^{f,g}	3.9 E-06	5.7 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.94 E-03 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.13

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.
2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.

3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.14 A136, M118 7.62-mm Ball Match Cartridge

15.1.14.1 Ordnance Description¹

The M118 7.62-mm Ball Match Cartridge (DODIC A136) is designed and engineered specifically for high-accuracy weapons. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. It is fired from the M14, M21, M24, and M40A1 rifles. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.14.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M118 7.62-mm Ball Match Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.14-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.14-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.14-1 EMISSION FACTORS FOR THE USE OF DODIC A136,
M118 7.62-MM BALL MATCH CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.6 E-03	2.5 E-01
630-08-0	CO	3.0 E-03	4.7 E-01
7439-92-1	Lead (Pb) ^f	6.2 E-06	9.8 E-04
74-82-8	Methane	2.3 E-05	3.6 E-03
--	Oxides of nitrogen (NO _x) ^f	4.1 E-05	6.5 E-03
--	PM-2.5 ^d	4.7 E-05	7.4 E-03
--	PM-10 ^e	6.2 E-05	9.8 E-03
12789-66-1	TSP	6.7 E-05	1.1 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.37 E-03. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.14-2 EMISSION FACTORS FOR THE USE OF DODIC A136,
M118 7.62-MM BALL MATCH CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.7 E-10	4.2 E-08
208-96-8	Acenaphthylene ^d	1.6 E-09	2.5 E-07
75-07-0	Acetaldehyde ^e	1.4 E-07	2.1 E-05
75-05-8	Acetonitrile ^{e,g}	9.6 E-07	1.5 E-04
107-02-8	Acrolein ^e	4.7 E-08	7.4 E-06
107-13-1	Acrylonitrile ^{e,g}	3.6 E-08	5.7 E-06
7429-90-5	Aluminum ^f	4.2 E-07	6.5 E-05
7664-41-7	Ammonia ^{d,g}	7.1 E-05	1.1 E-02
120-12-7	Anthracene ^e	1.8 E-10	2.9 E-08
7440-36-0	Antimony ^e	2.1 E-06	3.4 E-04
7440-39-3	Barium ^f	1.3 E-06	2.1 E-04
71-43-2	Benzene ^{e,g}	5.5 E-07	8.6 E-05
56-55-3	Benzo[a]anthracene ^e	3.2 E-10	5.1 E-08
205-99-2	Benzo[b]fluoranthene ^e	5.3 E-10	8.3 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.8 E-10	2.9 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	4.9 E-09	7.6 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	6.4 E-10	1.0 E-07
192-97-2	Benzo[e]pyrene ^d	1.0 E-09	1.6 E-07
74-87-3	Chloromethane ^{e,g}	3.5 E-09	5.4 E-07
18540-29-9	Hexavalent chromium ^{e,i}	2.4 E-09	3.8 E-07
218-01-9	Chrysene ^e	3.6 E-10	5.6 E-08
7440-50-8	Copper ^f	2.3 E-05	3.6 E-03
57-12-5	Particulate cyanide ^e	2.5 E-07	4.0 E-05
84-74-2	Dibutyl phthalate ^{e,h}	3.1 E-08	4.9 E-06
75-71-8	Dichlorodifluoromethane ^{f,h}	9.1 E-10	1.4 E-07
107-06-2	1,2-Dichloroethane ^{e,g}	1.1 E-08	1.7 E-06
100-41-4	Ethylbenzene ^e	3.2 E-09	5.1 E-07
74-85-1	Ethylene ^f	5.1 E-07	8.0 E-05
117-81-7	bis(2-Ethylhexyl)phthalate ^{e,i}	1.9 E-07	2.9 E-05
206-44-0	Fluoranthene ^e	1.5 E-09	2.4 E-07

Table 15.1.14-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
86-73-7	Fluorene ^d	6.9 E-10	1.1 E-07
50-00-0	Formaldehyde ^{e,i}	4.0 E-07	6.3 E-05
74-90-8	Hydrogen cyanide ^e	1.9 E-05	3.0 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	6.3 E-10	1.0 E-07
7439-92-1	Lead ^e	6.2 E-06	9.8 E-04
91-20-3	Naphthalene ^{e,g}	2.7 E-08	4.2 E-06
85-01-8	Phenanthrene ^e	1.2 E-09	1.9 E-07
129-00-0	Pyrene ^d	7.7 E-09	1.2 E-06
100-42-5	Styrene ^{e,g}	7.1 E-09	1.1 E-06
108-88-3	Toluene ^e	4.2 E-08	6.6 E-06
7440-66-6	Zinc ^{f,g}	3.0 E-06	4.7 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.37 E-03. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.14

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.
2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.

5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005 and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.15 A143, M80 7.62-mm Ball Cartridge

15.1.15.1 Ordnance Description^{1,2}

The M80 7.62-mm Ball Cartridge (DODIC A143) is intended for use against unarmored targets. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. It is fired from the M14 rifle as well as the M60, M219, and M240 machine guns. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.15.2 Emissions And Controls^{1, 3-6}

The primary emissions from the use of the M80 7.62-mm Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.15-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.15-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.15-1 EMISSION FACTORS FOR THE USE OF DODIC A143,
M80 7.62-MM BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.2 E-03	2.0 E-01
630-08-0	CO	2.3 E-03	3.6 E-01
7439-92-1	Lead (Pb) ^f	4.9 E-06	7.8 E-04
74-82-8	Methane	1.0 E-05	1.7 E-03
--	Oxides of nitrogen (NO _x) ^f	9.7 E-05	1.5 E-02
--	PM-2.5 ^d	3.8 E-05	6.1 E-03
--	PM-10 ^e	5.1 E-05	8.1 E-03
12789-66-1	TSP	5.1 E-05	8.0 E-03

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.30 E-03 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.15-2 EMISSION FACTORS FOR THE USE OF DODIC A143,
M80 7.62-MM BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	4.3 E-11	6.9 E-09
208-96-8	Acenaphthylene ^d	5.8 E-10	9.2 E-08
75-05-8	Acetonitrile ^{e,g}	2.4 E-07	3.8 E-05
107-13-1	Acrylonitrile ^{e,g}	7.1 E-08	1.1 E-05
7429-90-5	Aluminum ^f	2.2 E-07	3.4 E-05
7664-41-7	Ammonia ^{d,g}	3.3 E-05	5.2 E-03
120-12-7	Anthracene ^e	6.8 E-11	1.1 E-08
7440-36-0	Antimony ^e	2.0 E-06	3.2 E-04
7440-39-3	Barium ^f	6.1 E-07	9.7 E-05
71-43-2	Benzene ^{e,g}	7.1 E-07	1.1 E-04
56-55-3	Benzo[a]anthracene ^e	3.4 E-10	5.4 E-08
205-99-2	Benzo[b]fluoranthene ^e	3.5 E-10	5.6 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.7 E-10	2.8 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	2.4 E-09	3.8 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	4.4 E-10	7.0 E-08
192-97-2	Benzo[e]pyrene ^d	7.2 E-10	1.1 E-07
106-99-0	1,3-Butadiene ^{e,g}	1.9 E-08	3.0 E-06
75-15-0	Carbon disulfide ^e	4.5 E-09	7.2 E-07
74-87-3	Chloromethane ^{e,g}	3.0 E-09	4.8 E-07
218-01-9	Chrysene ^e	3.2 E-10	5.0 E-08
7440-50-8	Copper ^f	1.0 E-05	1.6 E-03
57-12-5	Particulate cyanide ^{e,g}	6.6 E-07	1.0 E-04
53-70-3	Dibenz[a,h]anthracene ^e	3.8 E-11	6.0 E-09
107-06-2	1,2-Dichloroethane ^{e,g}	9.9 E-09	1.6 E-06
75-09-2	Methylene chloride ^e	1.0 E-07	1.6 E-05
--	Total dioxin/furan compounds ^e	1.2 E-14	1.9 E-12
100-41-4	Ethylbenzene ^e	3.2 E-09	5.0 E-07
74-85-1	Ethylene ^f	9.7 E-07	1.5 E-04
206-44-0	Fluoranthene ^e	6.4 E-10	1.0 E-07
86-73-7	Fluorene ^d	1.9 E-10	3.0 E-08

Table 15.1.15-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
50-00-0	Formaldehyde ^{e,h}	8.4 E-08	1.3 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	9.6 E-15	1.5 E-12
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	2.5 E-15	4.0 E-13
110-54-3	Hexane ^e	2.0 E-07	3.1 E-05
74-90-8	Hydrogen cyanide ^e	4.5 E-06	7.1 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	4.6 E-10	7.3 E-08
7439-92-1	Lead ^e	4.9 E-06	7.8 E-04
91-20-3	Naphthalene ^{e,g}	2.4 E-08	3.8 E-06
85-01-8	Phenanthrene ^e	3.1 E-10	4.9 E-08
115-07-1	Propylene ^{f,g}	1.8 E-07	2.9 E-05
129-00-0	Pyrene ^d	2.2 E-09	3.5 E-07
100-42-5	Styrene ^{e,g}	9.3 E-09	1.5 E-06
108-88-3	Toluene ^e	4.4 E-08	7.0 E-06
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	5.3 E-09	8.4 E-07
95-47-6	o-Xylene ^{e,h}	4.2 E-09	6.7 E-07
7440-66-6	Zinc ^{f,g}	1.4 E-06	2.2 E-04

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.30 E-03 pounds per item. Reference 6.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

References For Section 15.1.15

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M80 7.62-mm Ball Cartridge*, Department of Defense Identification Code: A122, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, December 2000.

3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

DRAFT

This page left blank intentionally.

DRAFT

15.1.16 A171, M852 7.62-mm Ball Match Cartridge

15.1.16.1 Ordnance Description¹

The M852 7.62-mm Ball Match Cartridge (DODIC A171) is designed and engineered specifically for competitive weapons. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is intended only for competitive matches and selective combat use. The cartridge is fired from the M14 National Match rifle. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.16.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M852 7.62-mm Ball Match Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.16-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.16-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.16-1 EMISSION FACTORS FOR THE USE OF DODIC A171,
M852 7.62-MM BALL MATCH CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.7 E-03	2.8 E-01
630-08-0	CO	3.0 E-03	4.9 E-01
7439-92-1	Lead (Pb) ^f	5.0 E-06	8.3 E-04
74-82-8	Methane	1.1 E-05	1.8 E-03
--	Oxides of nitrogen (NO _x) ^f	4.1 E-05	6.7 E-03
--	PM-2.5 ^d	5.8 E-05	9.5 E-03
--	PM-10 ^e	8.2 E-05	1.4 E-02
12789-66-1	TSP	8.6 E-05	1.4 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.08 E-03 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.16-2 EMISSION FACTORS FOR THE USE OF DODIC A171,
M852 7.62-MM BALL MATCH CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	4.6 E-10	7.6 E-08
208-96-8	Acenaphthylene ^d	2.4 E-09	3.9 E-07
75-07-0	Acetaldehyde ^e	3.9 E-07	6.4 E-05
75-05-8	Acetonitrile ^{e,g}	4.8 E-07	8.0 E-05
107-02-8	Acrolein ^e	7.7 E-08	1.3 E-05
107-13-1	Acrylonitrile ^{e,g}	5.2 E-08	8.6 E-06
7429-90-5	Aluminum ^f	3.6 E-07	6.0 E-05
7664-41-7	Ammonia ^{d,g}	6.8 E-05	1.1 E-02
120-12-7	Anthracene ^e	1.0 E-10	1.7 E-08
7440-36-0	Antimony ^e	2.0 E-06	3.3 E-04
7440-39-3	Barium ^f	1.3 E-06	2.2 E-04
71-43-2	Benzene ^{e,g}	5.3 E-07	8.8 E-05
74-87-3	Chloromethane ^{e,g}	3.1 E-09	5.0 E-07
18540-29-9	Hexavalent chromium ^{e,i}	1.7 E-09	2.9 E-07
7440-50-8	Copper ^f	2.2 E-05	3.6 E-03
57-12-5	Particulate cyanide ^{e,g}	9.9 E-07	1.6 E-04
107-06-2	1,2-Dichloroethane ^{e,g}	1.1 E-08	1.9 E-06
--	Total dioxin/furan compounds ^e	2.5 E-13	4.1 E-11
100-41-4	Ethylbenzene ^e	4.8 E-09	7.9 E-07
74-85-1	Ethylene ^f	7.7 E-07	1.3 E-04
86-73-7	Fluorene ^d	8.8 E-10	1.4 E-07
50-00-0	Formaldehyde ^{e,i}	2.5 E-07	4.2 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	6.5 E-14	1.1 E-11
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	3.9 E-14	6.5 E-12
55673-89-7	1,2,3,4,7,8,9-Heptachlorodibenzofuran ^{e,h}	1.2 E-15	2.0 E-13
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ^{e,h}	2.2 E-15	3.6 E-13
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^{e,g}	1.4 E-14	2.4 E-12
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^e	5.2 E-15	8.5 E-13
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^{e,g}	1.2 E-14	2.0 E-12
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^e	5.7 E-15	9.5 E-13

Table 15.1.16-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran ^{e,h}	5.8 E-15	9.5 E-13
7647-01-0	Hydrochloric acid ^{e,i}	7.7 E-07	1.3 E-04
74-90-8	Hydrogen cyanide ^e	2.2 E-05	3.6 E-03
7439-92-1	Lead ^e	5.0 E-06	8.3 E-04
91-20-3	Naphthalene ^{e,g}	3.4 E-08	5.6 E-06
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^{e,h}	5.9 E-14	9.8 E-12
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ^{e,h}	6.2 E-15	1.0 E-12
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran ^e	7.1 E-15	1.2 E-12
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran ^{e,h}	7.5 E-15	1.2 E-12
100-42-5	Styrene ^{e,g}	1.3 E-08	2.2 E-06
7664-93-9	Sulfuric acid ^{f,g}	7.3 E-07	1.2 E-04
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran ^e	1.8 E-14	3.0 E-12
108-88-3	Toluene ^e	6.3 E-08	1.0 E-05
95-63-6	1,2,4-Trimethylbenzene ^{f,g}	9.1 E-10	1.5 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	1.6 E-09	2.6 E-07
95-47-6	o-Xylene ^{e,h}	8.0 E-10	1.3 E-07
7440-66-6	Zinc ^{f,g}	2.3 E-06	3.8 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.08 E-03 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.16

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.
2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.

3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.17 A182, M1 .30 Caliber Ball Cartridge

15.1.17.1 Ordnance Description^{1,2}

The M1 .30 Caliber Ball Cartridge (DODIC A182) is a general use ammunition intended for anti-personnel and unarmored targets. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. The cartridge is fired from the M1, M2, and M3 series carbines. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.17.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M1 .30 Caliber Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.17-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.17-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW). The emission factors presented in Table 15.1.17-1 and Table 15.1.17-2 are based on three trials (or test runs).

DRAFT

Table 15.1.17-1 EMISSION FACTORS FOR THE USE OF DODIC A182,
M1 .30 CALIBER BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	5.5 E-04	2.9 E-01
630-08-0	CO	8.6 E-04	4.5 E-01
7439-92-1	Lead (Pb) ^f	3.9 E-06	2.1 E-03
74-82-8	Methane	3.6 E-06	1.9 E-03
--	Oxides of nitrogen (NO _x) ^f	2.9 E-05	1.5 E-02
--	PM-2.5 ^d	1.0 E-05	5.4 E-03
--	PM-10 ^e	1.4 E-05	7.1 E-03
12789-66-1	TSP	1.6 E-05	8.5 E-03

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 1.91 E-03 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.17-2 EMISSION FACTORS FOR THE USE OF DODIC A182,
M1 .30 CALIBER BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	1.3 E-10	6.7 E-08
208-96-8	Acenaphthylene ^d	9.2 E-10	4.8 E-07
75-07-0	Acetaldehyde ^e	3.7 E-07	1.9 E-04
75-05-8	Acetonitrile ^{e,g}	4.4 E-07	2.3 E-04
107-02-8	Acrolein ^e	2.8 E-07	1.4 E-04
107-13-1	Acrylonitrile ^{e,g}	6.8 E-08	3.5 E-05
7429-90-5	Aluminum ^f	2.4 E-08	1.3 E-05
7664-41-7	Ammonia ^{d,g}	7.9 E-06	4.1 E-03
120-12-7	Anthracene ^e	3.8 E-11	2.0 E-08
7440-36-0	Antimony ^e	1.2 E-08	6.2 E-06
7440-39-3	Barium ^f	1.2 E-06	6.4 E-04
71-43-2	Benzene ^{e,g}	5.5 E-07	2.9 E-04
56-55-3	Benzo[a]anthracene ^e	6.6 E-11	3.5 E-08
205-99-2	Benzo[b]fluoranthene ^e	9.5 E-11	5.0 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	4.6 E-11	2.4 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	2.7 E-10	1.4 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	8.6 E-11	4.5 E-08
192-97-2	Benzo[e]pyrene ^d	9.5 E-11	5.0 E-08
123-72-8	Butyraldehyde ^{d,i}	2.2 E-08	1.1 E-05
74-87-3	Chloromethane ^e	1.2 E-09	6.1 E-07
218-01-9	Chrysene ^e	6.2 E-11	3.2 E-08
7440-50-8	Copper ^f	2.4 E-06	1.3 E-03
107-06-2	1,2-Dichloroethane ^{e,g}	1.0 E-08	5.4 E-06
--	Total dioxin/furan compounds ^e	2.1 E-14	1.1 E-11
100-41-4	Ethylbenzene ^e	3.8 E-09	2.0 E-06
74-85-1	Ethylene ^f	7.6 E-07	4.0 E-04
206-44-0	Fluoranthene ^e	8.5 E-11	4.5 E-08
86-73-7	Fluorene ^d	2.1 E-10	1.1 E-07
50-00-0	Formaldehyde ^{e,i}	1.1 E-06	6.0 E-04
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^{e,h}	1.4 E-14	7.6 E-12

Table 15.1.17-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^e	2.2 E-15	1.1 E-12
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^e	2.2 E-15	1.2 E-12
74-90-8	Hydrogen cyanide ^e	1.7 E-06	9.0 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	1.1 E-10	5.7 E-08
7439-92-1	Lead ^e	3.9 E-06	2.1 E-03
91-20-3	Naphthalene ^{e,g}	1.6 E-08	8.5 E-06
85-01-8	Phenanthrene ^e	1.9 E-10	9.9 E-08
123-38-6	Propionaldehyde ^{e,h}	3.4 E-08	1.8 E-05
115-07-1	Propylene ^{f,g}	8.0 E-08	4.2 E-05
129-00-0	Pyrene ^d	1.3 E-10	6.8 E-08
100-42-5	Styrene ^{e,g}	8.5 E-09	4.4 E-06
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin ^{e,h}	2.0 E-15	1.0 E-12
108-88-3	Toluene ^e	1.9 E-07	1.0 E-04
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	3.8 E-10	2.0 E-07
7440-66-6	Zinc ^{f,g}	3.5 E-07	1.9 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 1.91 E-03 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.17

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.
2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.

4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.*
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.18 A212, M2 .30 Caliber Ball Cartridge

15.1.18.1 Ordnance Description¹

The M2 .30 Caliber Ball Cartridge (DODIC A212) is a general use ammunition intended for anti-personnel and unarmored targets. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. The cartridge is fired from the M1 rifle, the M1918A1 automatic rifle series, and the M37 and M1919 series machine guns. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.18.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M2 .30 Caliber Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.18-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.18-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.18-1 EMISSION FACTORS FOR THE USE OF DODIC A212,
M2 .30 CALIBER BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.9 E-03	2.6 E-01
630-08-0	CO	3.0 E-03	4.2 E-01
7439-92-1	Lead (Pb) ^f	1.8 E-05	2.5 E-03
74-82-8	Methane	7.3 E-06	1.0 E-03
--	Oxides of nitrogen (NO _x) ^f	1.3 E-05	1.8 E-03
--	PM-2.5 ^d	7.3 E-05	1.0 E-02
--	PM-10 ^e	9.4 E-05	1.3 E-02
12789-66-1	TSP	9.6 E-05	1.3 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.23 E-03 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.18-2 EMISSION FACTORS FOR THE USE OF DODIC A212,
M2 .30 CALIBER BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.0 E-10	2.7 E-08
208-96-8	Acenaphthylene ^d	1.9 E-09	2.6 E-07
75-07-0	Acetaldehyde ^e	1.2 E-07	1.6 E-05
75-05-8	Acetonitrile ^{e,g}	3.1 E-07	4.2 E-05
107-02-8	Acrolein ^e	7.7 E-08	1.1 E-05
107-13-1	Acrylonitrile ^{e,g}	4.0 E-08	5.6 E-06
7429-90-5	Aluminum ^f	2.8 E-08	3.8 E-06
7664-41-7	Ammonia ^{d,g}	4.5 E-05	6.2 E-03
120-12-7	Anthracene ^e	1.1 E-10	1.5 E-08
7440-36-0	Antimony ^e	1.6 E-06	2.2 E-04
7440-39-3	Barium ^f	9.4 E-07	1.3 E-04
71-43-2	Benzene ^{e,g}	3.4 E-07	4.7 E-05
56-55-3	Benzo[a]anthracene ^e	2.6 E-10	3.5 E-08
205-99-2	Benzo[b]fluoranthene ^e	3.9 E-10	5.4 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	2.1 E-10	3.0 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	8.2 E-10	1.1 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	3.7 E-10	5.1 E-08
192-97-2	Benzo[e]pyrene ^d	3.7 E-10	5.1 E-08
74-87-3	Chloromethane ^e	1.8 E-09	2.5 E-07
18540-29-9	Hexavalent chromium ^{e,i}	4.2 E-09	5.9 E-07
218-01-9	Chrysene ^e	2.4 E-10	3.4 E-08
7440-50-8	Copper ^f	1.1 E-05	1.6 E-03
57-12-5	Particulate cyanide ^{e,g}	2.1 E-06	2.9 E-04
75-71-8	Dichlorodifluoromethane ^{f,h}	9.1 E-10	1.3 E-07
--	Total dioxin/furan compounds ^e	9.2 E-14	1.3 E-11
100-41-4	Ethylbenzene ^e	7.3 E-09	1.0 E-06
74-85-1	Ethylene ^f	9.2 E-07	1.3 E-04
117-81-7	bis(2-Ethylhexyl)phthalate ^{e,i}	4.0 E-07	5.5 E-05
206-44-0	Fluoranthene ^e	2.7 E-10	3.8 E-08
86-73-7	Fluorene ^d	6.3 E-10	8.7 E-08

Table 15.1.18-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
50-00-0	Formaldehyde ^{e,i}	8.8 E-10	1.2 E-07
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	1.3 E-14	1.9 E-12
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	2.2 E-14	3.1 E-12
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^{e,g}	1.0 E-14	1.4 E-12
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^e	6.5 E-15	9.0 E-13
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^{e,g}	3.7 E-16	5.1 E-14
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^e	2.7 E-15	3.8 E-13
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran ^{e,h}	2.4 E-15	3.3 E-13
74-90-8	Hydrogen cyanide ^e	5.3 E-06	7.4 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	4.3 E-10	6.0 E-08
7439-92-1	Lead ^e	1.8 E-05	2.5 E-03
1634-04-4	Methyl tert-butyl ether ^{e,h}	4.0 E-09	5.6 E-07
91-20-3	Naphthalene ^{e,g}	2.0 E-08	2.7 E-06
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ^{e,h}	2.5 E-15	3.5 E-13
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran ^e	4.4 E-15	6.1 E-13
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran ^{e,h}	5.4 E-15	7.5 E-13
85-01-8	Phenanthrene ^e	5.1 E-10	7.1 E-08
115-07-1	Propylene ^{f,g}	2.3 E-07	3.1 E-05
129-00-0	Pyrene ^d	4.5 E-10	6.3 E-08
100-42-5	Styrene ^{e,g}	1.6 E-08	2.2 E-06
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin ^{e,i}	4.8 E-15	6.6 E-13
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran ^e	1.7 E-14	2.4 E-12
108-88-3	Toluene ^e	9.1 E-08	1.3 E-05
95-47-6	o-Xylene ^{e,h}	1.6 E-08	2.2 E-06
7440-66-6	Zinc ^{f,g}	2.1 E-06	2.9 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.23 E-03 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.18

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.
2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.19 A218, M25 .30 Caliber Tracer Cartridge

15.1.19.1 Ordnance Description¹⁻³

The M25 .30 Caliber Tracer Cartridge (DODIC A218) is intended for anti-personnel and unarmored objective use. It consists of a copper alloy cartridge case, a primer, a propelling charge, and a simple projectile that consists of a copper alloy jacket with a lead-antimony alloy slug. This cartridge is used during combat and on firing ranges during training. The propelling charge, activated by the primer, provides the force to send the bullet to the target. It is fired from the M1 rifle, the M1918 series automatic rifles, and the M37 and M1919 series machine guns. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet or the burning of the tracer are not addressed in this section.

15.1.19.2 Emissions And Controls^{1,2,4,5}

The primary emissions from the use of the M25 .30 Caliber Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.19-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.19-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.19-1 EMISSION FACTORS FOR THE USE OF DODIC A218,
M25 .30 CALIBER TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.8 E-03	2.4 E-01
630-08-0	CO	3.1 E-03	4.1 E-01
7439-92-1	Lead (Pb) ^g	6.0 E-06	8.0 E-04
74-82-8	Methane	6.7 E-06	9.0 E-04
--	Oxides of nitrogen (NO _x) ^f	1.1 E-05	1.5 E-03
--	PM-2.5 ^{d,f}	6.9 E-05	9.2 E-03
--	PM-10 ^{e,f}	9.9 E-05	1.3 E-02
12789-66-1	TSP	8.3 E-05	1.1 E-02

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.46 E-03 pounds per item. References 1 and 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.19-2 EMISSION FACTORS FOR THE USE OF A218,
M25 .30 CALIBER TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.2 E-10	3.0 E-08
208-96-8	Acenaphthylene ^d	2.9 E-09	3.9 E-07
75-07-0	Acetaldehyde ^{e,g}	1.3 E-07	1.7 E-05
75-05-8	Acetonitrile ^{e,g}	2.3 E-07	3.1 E-05
98-86-2	Acetophenone ^{e,i}	2.5 E-08	3.3 E-06
107-13-1	Acrylonitrile ^{e,g}	5.2 E-08	7.0 E-06
7429-90-5	Aluminum ^f	1.0 E-07	1.3 E-05
7664-41-7	Ammonia ^{d,g}	4.0 E-05	5.4 E-03
120-12-7	Anthracene ^e	1.0 E-10	1.4 E-08
7440-36-0	Antimony ^e	1.2 E-06	1.5 E-04
7440-39-3	Barium ^f	1.8 E-06	2.5 E-04
71-43-2	Benzene ^{e,g}	3.7 E-07	4.9 E-05
56-55-3	Benzo[a]anthracene ^e	2.5 E-10	3.3 E-08
205-99-2	Benzo[b]fluoranthene ^e	3.9 E-10	5.2 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	2.2 E-10	3.0 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	6.8 E-10	9.1 E-08
50-32-8	Benzo[a]pyrene ^{e,g}	3.6 E-10	4.9 E-08
192-97-2	Benzo[e]pyrene ^d	3.3 E-10	4.4 E-08
218-01-9	Chrysene ^e	2.2 E-10	3.0 E-08
7440-50-8	Copper ^f	1.9 E-05	2.5 E-03
57-12-5	Particulate cyanide ^{e,g}	3.5 E-08	4.7 E-06
76-14-2	Dichlorotetrafluoroethane ^{f,i}	6.9 E-09	9.3 E-07
74-85-1	Ethylene ^f	4.5 E-07	6.0 E-05
206-44-0	Fluoranthene ^e	2.6 E-10	3.5 E-08
86-73-7	Fluorene ^d	6.0 E-10	8.1 E-08
50-00-0	Formaldehyde ^{e,h}	3.2 E-07	4.3 E-05
74-90-8	Hydrogen cyanide ^e	5.1 E-06	6.8 E-04
7664-39-3	Hydrogen fluoride ^{e,h}	4.8 E-07	6.5 E-05
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	4.4 E-10	5.8 E-08
7439-92-1	Lead ^{e,h}	6.0 E-06	8.0 E-04

Table 15.1.19-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
75-09-2	Methylene chloride ^e	1.3 E-07	1.7 E-05
91-20-3	Naphthalene ^{e,g}	1.9 E-08	2.5 E-06
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	1.1 E-13	1.5 E-11
85-01-8	Phenanthrene ^e	4.7 E-10	6.3 E-08
129-00-0	Pyrene ^d	2.3 E-10	3.1 E-08
100-42-5	Styrene ^{e,g}	1.3 E-08	1.7 E-06
7664-93-9	Sulfuric acid ^{f,h}	5.4 E-07	7.2 E-05
108-88-3	Toluene ^e	1.3 E-07	1.7 E-05
7440-66-6	Zinc ^{f,g}	2.7 E-06	3.6 E-04

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.46 E-03 pounds per item. References 1 and 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.19

1. *Report No. 9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2005.
2. *Detailed Test Plan No.9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2003.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 9 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.

5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.20 A247, M72 .30 Caliber Ball Match Cartridge

15.1.20.1 Ordnance Description¹

The M72 .30 Caliber Ball Match Cartridge (DODIC A247) is designed and engineered specifically for competitive weapons. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is intended only for competitive matches and selective combat use. The cartridge is fired from the M1 and .30 Caliber National Match rifles. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.20.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M72 .30 Caliber Ball Match Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.20-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.20-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.20-1 EMISSION FACTORS FOR THE USE OF DODIC A247,
M72 .30 CALIBER BALL MATCH CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.8 E-03	2.5 E-01
630-08-0	CO	3.0 E-03	4.2 E-01
7439-92-1	Lead (Pb) ^f	1.4 E-05	2.0 E-03
74-82-8	Methane	5.0 E-06	6.9 E-04
--	Oxides of nitrogen (NO _x) ^f	1.6 E-05	2.2 E-03
--	PM-2.5 ^d	6.0 E-05	8.2 E-03
--	PM-10 ^e	7.6 E-05	1.1 E-02
12789-66-1	TSP	8.1 E-05	1.1 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.23 E-03 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.20-2 EMISSION FACTORS FOR THE USE OF DODIC A247,
M72 .30 CALIBER BALL MATCH CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.0 E-10	2.8 E-08
208-96-8	Acenaphthylene ^d	1.6 E-09	2.2 E-07
75-07-0	Acetaldehyde ^e	5.2 E-08	7.2 E-06
75-05-8	Acetonitrile ^{e,g}	2.4 E-07	3.3 E-05
107-02-8	Acrolein ^e	3.0 E-08	4.1 E-06
107-13-1	Acrylonitrile ^{e,g}	2.4 E-08	3.3 E-06
7664-41-7	Ammonia ^{d,g}	3.9 E-05	5.4 E-03
120-12-7	Anthracene ^e	9.3 E-11	1.3 E-08
7440-36-0	Antimony ^e	2.2 E-06	3.0 E-04
7440-39-3	Barium ^f	1.3 E-06	1.7 E-04
71-43-2	Benzene ^{e,g}	2.1 E-07	2.9 E-05
56-55-3	Benzo[a]anthracene ^e	3.5 E-10	4.8 E-08
205-99-2	Benzo[b]fluoranthene ^e	5.2 E-10	7.3 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	2.6 E-10	3.6 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.1 E-09	1.5 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	5.4 E-10	7.4 E-08
192-97-2	Benzo[e]pyrene ^d	6.3 E-10	8.7 E-08
218-01-9	Chrysene ^e	3.7 E-10	5.1 E-08
7440-50-8	Copper ^f	1.0 E-05	1.4 E-03
57-12-5	Particulate cyanide ^{e,g}	6.1 E-07	8.4 E-05
53-70-3	Dibenz[a,h]anthracene ^e	5.4 E-11	7.5 E-09
--	Total dioxin/furan compounds ^e	1.1 E-16	1.6 E-14
100-41-4	Ethylbenzene ^e	1.9 E-09	2.6 E-07
74-85-1	Ethylene ^f	3.9 E-07	5.4 E-05
117-81-7	bis(2-Ethylhexyl)phthalate ^{e,h}	8.2 E-08	1.1 E-05
206-44-0	Fluoranthene ^e	3.3 E-10	4.6 E-08
86-73-7	Fluorene ^d	5.4 E-10	7.5 E-08
50-00-0	Formaldehyde ^{e,i}	2.0 E-07	2.8 E-05
74-90-8	Hydrogen cyanide ^e	7.7 E-06	1.1 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	5.4 E-10	7.5 E-08

Table 15.1.20-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
7439-92-1	Lead ^e	1.4 E-05	2.0 E-03
91-20-3	Naphthalene ^{e,g}	1.8 E-08	2.5 E-06
129-00-0	Pyrene ^d	5.6 E-10	7.7 E-08
100-42-5	Styrene ^{e,g}	9.5 E-09	1.3 E-06
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin ^{e,h}	1.1 E-16	1.6 E-14
108-88-3	Toluene ^e	6.3 E-08	8.7 E-06
95-63-6	1,2,4-Trimethylbenzene ^{f,i}	7.5 E-09	1.0 E-06
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	7.2 E-09	1.0 E-06
95-47-6	o-Xylene ^{e,h}	4.0 E-09	5.6 E-07
7440-66-6	Zinc ^{f,g}	1.7 E-06	2.3 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.23 E-03 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.20

1. *Report No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2004.
2. *Detailed Test Plan No. 6 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2001.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 6 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.

5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.21 A363, M882 9-mm Ball Cartridge

15.1.21.1 Ordnance Description^{1,2}

The M882 9-mm Ball Cartridge (DODIC A363) is fired from the M9 pistol. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.21.2 Emissions And Controls^{1, 3-6}

The primary emissions from the use of the M882 9-mm Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.21-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.21-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.21-1 EMISSION FACTORS FOR THE USE OF DODIC A363,
M882 9-MM BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	2.0 E-04	2.6 E-01
630-08-0	CO	3.1 E-04	3.9 E-01
7439-92-1	Lead (Pb) ^f	6.8 E-06	8.6 E-03
74-82-8	Methane	1.4 E-06	1.8 E-03
--	Oxides of nitrogen (NO _x) ^f	1.5 E-05	1.9 E-02
--	PM-2.5 ^d	2.0 E-05	2.6 E-02
--	PM-10 ^e	2.4 E-05	3.0 E-02
7446-09-5	Sulfur dioxide (SO ₂) ^g	8.2 E-08	1.0 E-04
12789-66-1	TSP	2.1 E-05	2.7 E-02

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.89 E-04 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.21-2 EMISSION FACTORS FOR THE USE OF DODIC A363,
M882 9-MM BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	3.6 E-11	4.6 E-08
208-96-8	Acenaphthylene ^d	2.4 E-10	3.1 E-07
75-05-8	Acetonitrile ^{e,g}	4.5 E-08	5.7 E-05
107-02-8	Acrolein ^e	8.1 E-09	1.0 E-05
107-13-1	Acrylonitrile ^{e,g}	2.2 E-08	2.8 E-05
7429-90-5	Aluminum ^f	7.0 E-08	8.9 E-05
7664-41-7	Ammonia ^{d,g}	2.1 E-06	2.6 E-03
120-12-7	Anthracene ^e	3.9 E-11	4.9 E-08
7440-36-0	Antimony ^e	2.0 E-06	2.6 E-03
7440-38-2	Arsenic ^{e,h}	4.5 E-09	5.7 E-06
7440-39-3	Barium ^f	1.7 E-06	2.2 E-03
71-43-2	Benzene ^{e,g}	1.9 E-07	2.4 E-04
56-55-3	Benzo[a]anthracene ^e	2.3 E-10	2.9 E-07
205-99-2	Benzo[b]fluoranthene ^e	2.5 E-10	3.2 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.6 E-10	2.0 E-07
191-24-2	Benzo[g,h,i]perylene ^{e,g}	6.7 E-10	8.5 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	2.3 E-10	2.9 E-07
192-97-2	Benzo[e]pyrene ^d	2.7 E-10	3.4 E-07
106-99-0	1,3-Butadiene ^e	1.2 E-09	1.5 E-06
75-15-0	Carbon disulfide ^e	1.6 E-09	2.0 E-06
218-01-9	Chrysene ^e	2.4 E-10	3.0 E-07
7440-50-8	Copper ^f	9.8 E-07	1.2 E-03
53-70-3	Dibenz[a,h]anthracene ^e	3.0 E-11	3.9 E-08
75-71-8	Dichlorodifluoromethane ^{f,h}	1.7 E-10	2.1 E-07
107-06-2	1,2-Dichloroethane ^{e,g}	2.8 E-09	3.5 E-06
100-41-4	Ethylbenzene ^e	1.5 E-09	1.9 E-06
74-85-1	Ethylene ^f	5.2 E-07	6.6 E-04
206-44-0	Fluoranthene ^e	4.5 E-10	5.6 E-07
86-73-7	Fluorene ^d	1.1 E-10	1.3 E-07
50-00-0	Formaldehyde ^{e,h}	5.2 E-08	6.6 E-05

Table 15.1.21-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
110-54-3	Hexane ^{e,h}	4.9 E-07	6.3 E-04
74-90-8	Hydrogen cyanide ^e	1.8 E-06	2.3 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	3.0 E-10	3.8 E-07
7439-92-1	Lead ^e	6.8 E-06	8.6 E-03
75-09-2	Methylene chloride ^{e,h}	2.3 E-07	2.9 E-04
91-20-3	Naphthalene ^{e,g}	4.5 E-09	5.6 E-06
7697-37-2	Nitric acid ^{f,h}	1.9 E-07	2.4 E-04
85-01-8	Phenanthrene ^e	2.4 E-10	3.1 E-07
115-07-1	Propylene ^{f,g}	1.5 E-07	1.9 E-04
129-00-0	Pyrene ^d	1.0 E-09	1.3 E-06
100-42-5	Styrene ^{e,g}	2.1 E-09	2.6 E-06
7664-93-9	Sulfuric acid ^{f,h}	6.4 E-08	8.1 E-05
108-88-3	Toluene ^e	3.1 E-08	3.9 E-05
71-55-6	1,1,1-Trichloroethane ^e	1.9 E-10	2.4 E-07
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	8.5 E-10	1.1 E-06
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	4.5 E-09	5.7 E-06
95-47-6	o-Xylene ^{e,h}	3.0 E-09	3.8 E-06
7440-66-6	Zinc ^{f,g}	1.6 E-07	2.1 E-04

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.89 E-04 pounds per item. Reference 6.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

References For Section 15.1.21

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M882 9-mm Ball Cartridge*, Department of Defense Identification Code: A363, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, December 2000.

3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

DRAFT

This page left blank intentionally.

DRAFT

15.1.22 A365, M181A1 14.5-mm Artillery Training Cartridge

15.1.22.1 Ordnance Description^{1,2}

The M181A1 14.5-mm Artillery Training Cartridge (DODIC A365) is used as an artillery trainer. It consists of a cartridge case, primer, propelling charge, and projectile. The propelling charge, activated by the primer, provides the force to send the projectile to the target. The projectile contains a 3-second time-delay element and a smoke composition. Ignited by the propelling charge, the time-delay element, in turn, ignites the smoke composition which produces a visible puff of smoke. This cartridge is used on firing ranges during training; it is not used during combat.

15.1.22.2 Emissions And Controls¹⁻⁴

Particulate matter and lead are the primary pollutants emitted from the use of the M181A1 14.5-mm Artillery Training Cartridge. Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.22-1 presents emission factors for criteria pollutants, total nonmethane hydrocarbons (TNMHC), and total suspended particulate (TSP). Table 15.1.22-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.22-1 EMISSION FACTORS FOR THE USE OF DODIC A365,
M181A1 14.5-MM ARTILLERY TRAINING CARTRIDGE - CRITERIA POLLUTANTS,
TOTAL NONMETHANE HYDROCARBONS, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
630-08-0	Carbon monoxide (CO) ^f	1.4 E-04	8.7 E-03
7439-92-1	Lead (Pb) ^g	1.3 E-03	8.1 E-02
--	Oxides of nitrogen (NO _x)	1.1 E-04	7.1 E-03
--	PM-2.5 ^d	1.4 E-03	9.0 E-02
--	PM-10 ^e	1.5 E-03	9.2 E-02
7446-09-5	Sulfur dioxide (SO ₂) ^g	5.4 E-06	3.4 E-04
--	TNMHC ^g	1.4 E-05	8.5 E-04
12789-66-1	TSP ^f	1.7 E-03	1.1 E-01

^a Factors represent uncontrolled emissions. References 1-4.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 1.60 E-02 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING A.

^g EMISSION FACTOR RATING C.

Table 15.1.22-2 EMISSION FACTORS FOR THE USE OF DODIC A365,
M181A1 14.5-MM ARTILLERY TRAINING CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
75-07-0	Acetaldehyde ^{d,g}	1.0 E-07	6.3 E-06
7429-90-5	Aluminum ^e	1.2 E-05	7.4 E-04
7440-36-0	Antimony ^d	1.1 E-05	7.0 E-04
7440-39-3	Barium ^e	5.4 E-06	3.4 E-04
71-43-2	Benzene ^{d,g}	4.9 E-07	3.1 E-05
92-52-4	Biphenyl ^{d,i}	5.4 E-07	3.4 E-05
106-99-0	1,3-Butadiene ^{d,g}	1.7 E-07	1.0 E-05
123-72-8	Butyraldehyde ^{e,h}	3.8 E-07	2.4 E-05
75-15-0	Carbon disulfide ^d	1.2 E-06	7.2 E-05
7440-47-3	Chromium ^{d,h}	4.8 E-07	3.0 E-05
7440-50-8	Copper ^e	2.5 E-06	1.5 E-04
4170-30-3	Crotonaldehyde ^{e,i}	5.7 E-08	3.5 E-06
--	Total dioxin/furan compounds ^d	1.5 E-12	9.5 E-11
50-00-0	Formaldehyde ^{d,i}	2.7 E-07	1.7 E-05
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^{d,g}	8.9 E-14	5.5 E-12
74-90-8	Hydrogen cyanide ^d	1.3 E-06	8.0 E-05
7439-92-1	Lead ^{d,h}	1.3 E-03	8.1 E-02
7439-96-5	Manganese ^{d,h}	2.1 E-07	1.3 E-05
75-09-2	Methylene chloride ^d	3.1 E-07	1.9 E-05
7440-02-0	Nickel ^{d,h}	4.4 E-07	2.7 E-05
55-63-0	Nitroglycerin ^{e,i}	2.9 E-08	1.8 E-06
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^d	1.4 E-12	9.0 E-11
108-95-2	Phenol ^{d,h}	7.4 E-08	4.6 E-06
7723-14-0	Phosphorus ^{f,h}	5.2 E-07	3.3 E-05
7440-28-0	Thallium ^{e,i}	1.1 E-07	6.7 E-06
108-88-3	Toluene ^d	8.7 E-08	5.4 E-06
7440-66-6	Zinc ^{e,g}	4.9 E-06	3.0 E-04

Table 15.1.22-2 (cont.)

- ^a Factors represent uncontrolled emissions. References 1-4.
- ^b CASRN = Chemical Abstracts Service Registry Number.
- ^c NEW = net explosive weight. The NEW for this ordnance is 1.60 E-02 pounds per item. Reference 5.
- ^d Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).
- ^e Reportable chemical under EPCRA Section 313.
- ^f Hazardous air pollutant under CAA Section 112(b).
- ^g EMISSION FACTOR RATING A.
- ^h EMISSION FACTOR RATING C.
- ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.22

1. *Sampling Results for AEC Phase V Emission Characterization of Exploding Ordnance and Smoke/Pyrotechnics, Revision 1*, URS Group, Inc., Oak Ridge, TN, February 2007.
2. *Detailed Test Plan for Phase V Emission Characterization of Exploding Ordnance and Smoke/Pyrotechnics*, West Desert Test Center, U.S. Army Dugway Proving Ground, UT, October 2003.
3. Supporting information including Excel spreadsheets supplied upon request by the U.S. Army Dugway Proving Ground test support contractor, URS Group, Inc., Oak Ridge, TN, January 2006 and February 2007.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Phase V-A Testing Conducted at Dugway Proving Ground, Utah*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.
5. *Munitions Items Disposition Action System (MIDAS) website*, <https://midas.dac.army.mil/>, U.S. Army Defense Ammunition Center, McAlester, OK, November 2006.

15.1.23 A400, M41 .38 Caliber Special Ball Cartridge

15.1.23.1 Ordnance Description¹⁻³

The M41 .38 Caliber Special Ball Cartridge (DODIC A400) is intended for use in personal defense handguns. It consists of a cartridge case, primer, propelling charge, and a lead-antimony slug with a copper alloy jacket. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. It is fired from a .38-caliber revolver. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.23.2 Emissions And Controls^{1,2,4,5}

The primary emissions from the use of the M41 .38 Caliber Special Ball Cartridge are carbon dioxide (CO₂) and carbon monoxide (CO). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.23-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.23-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.23-1 EMISSION FACTORS FOR THE USE OF DODIC A400,
M41 .38 CALIBER SPECIAL BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	2.1 E-04	2.8 E-01
630-08-0	CO	1.9 E-04	2.6 E-01
7439-92-1	Lead (Pb) ^g	1.8 E-05	2.4 E-02
74-82-8	Methane	7.0 E-07	9.4 E-04
--	Oxides of nitrogen (NO _x) ^f	3.7 E-06	4.9 E-03
--	PM-2.5 ^{d,f}	3.8 E-05	5.1 E-02
--	PM-10 ^{e,f}	4.2 E-05	5.7 E-02
12789-66-1	TSP	4.4 E-05	5.9 E-02

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.46 E-04 pounds per item. References 1 and 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.23-2 EMISSION FACTORS FOR THE USE OF A400,
M41 .38 CALIBER SPECIAL BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	4.7 E-11	6.3 E-08
208-96-8	Acenaphthylene ^d	2.0 E-09	2.6 E-06
75-07-0	Acetaldehyde ^{e,g}	2.6 E-08	3.5 E-05
75-05-8	Acetonitrile ^{e,g}	7.8 E-09	1.0 E-05
107-13-1	Acrylonitrile ^{e,g}	1.8 E-09	2.4 E-06
7429-90-5	Aluminum ^f	5.5 E-07	7.4 E-04
120-12-7	Anthracene ^e	3.1 E-11	4.2 E-08
7440-36-0	Antimony ^e	4.7 E-06	6.3 E-03
7440-39-3	Barium ^f	2.6 E-06	3.5 E-03
71-43-2	Benzene ^{e,g}	4.5 E-08	6.1 E-05
56-55-3	Benzo[a]anthracene ^e	4.9 E-11	6.5 E-08
205-99-2	Benzo[b]fluoranthene ^e	1.2 E-10	1.7 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.0 E-10	1.4 E-07
191-24-2	Benzo[g,h,i]perylene ^{e,g}	2.2 E-10	2.9 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	1.5 E-10	2.0 E-07
192-97-2	Benzo[e]pyrene ^d	1.2 E-10	1.6 E-07
75-15-0	Carbon disulfide ^e	5.8 E-09	7.8 E-06
218-01-9	Chrysene ^e	4.9 E-11	6.6 E-08
7440-50-8	Copper ^f	8.6 E-07	1.1 E-03
--	Total dioxin/furan compounds ^e	1.0 E-13	1.4 E-10
100-41-4	Ethylbenzene ^e	2.0 E-10	2.7 E-07
74-85-1	Ethylene ^f	2.3 E-07	3.1 E-04
206-44-0	Fluoranthene ^e	7.1 E-11	9.5 E-08
86-73-7	Fluorene ^d	1.2 E-10	1.7 E-07
50-00-0	Formaldehyde ^{e,h}	1.2 E-07	1.6 E-04
7647-01-0	Hydrochloric acid ^{e,h}	4.6 E-08	6.1 E-05
74-90-8	Hydrogen cyanide ^e	2.4 E-08	3.2 E-05
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	1.5 E-10	2.0 E-07
7439-92-1	Lead ^{e,h}	1.8 E-05	2.4 E-02
75-09-2	Methylene chloride ^e	2.8 E-07	3.8 E-04

Table 15.1.23-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
1634-04-4	Methyl tert-butyl ether ^{e,i}	1.7 E-10	2.3 E-07
91-20-3	Naphthalene ^{e,g}	4.7 E-09	6.4 E-06
55-63-0	Nitroglycerin ^{f,h}	5.9 E-08	7.9 E-05
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	9.9 E-14	1.3 E-10
85-01-8	Phenanthrene ^e	1.9 E-10	2.5 E-07
115-07-1	Propylene ^{f,g}	7.7 E-08	1.0 E-04
129-00-0	Pyrene ^d	7.8 E-11	1.0 E-07
100-42-5	Styrene ^{e,g}	3.4 E-09	4.5 E-06
7664-93-9	Sulfuric acid ^{f,h}	6.0 E-07	8.1 E-04
127-18-4	Tetrachloroethylene ^{e,i}	1.7 E-09	2.2 E-06
108-88-3	Toluene ^e	1.2 E-08	1.6 E-05
7440-66-6	Zinc ^{f,g}	1.7 E-07	2.3 E-04

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.46 E-04 pounds per item. References 1 and 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.23

1. *Report No. 9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2005.
2. *Detailed Test Plan No.9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2003.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.

4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 9 Testing Conducted at Aberdeen Proving Ground, Maryland, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.*
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.24 A403, .38 Caliber Special Blank Cartridge

15.1.24.1 Ordnance Description¹⁻³

The .38 Caliber Special Blank Cartridge (DODIC A403) is fired from a .38 caliber revolver. It consists of a cartridge case, primer, and propelling charge. This cartridge does not have a projectile and is designed for training exercises and saluting purposes; it is not used during combat.

15.1.24.2 Emissions And Controls^{1,2,4,5}

Carbon dioxide (CO₂) is the primary emission from the use of the .38 Caliber Special Blank Cartridge. Criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.24-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.24-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.24-1 EMISSION FACTORS FOR THE USE OF DODIC A403,
 .38 CALIBER SPECIAL BLANK CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
 METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	9.9 E-04	1.7
630-08-0	Carbon monoxide (CO)	1.0 E-04	1.8 E-01
7439-92-1	Lead (Pb) ^g	3.9 E-06	6.5 E-03
74-82-8	Methane	3.0 E-07	5.0 E-04
--	Oxides of nitrogen (NO _x) ^f	6.8 E-05	1.2 E-01
--	PM-2.5 ^{d,f}	1.7 E-05	2.8 E-02
--	PM-10 ^{e,f}	1.8 E-05	3.0 E-02
7446-09-5	Sulfur dioxide ^g	6.3 E-07	1.1 E-03
12789-66-1	TSP	1.9 E-05	3.2 E-02

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.00 E-04 pounds per item. References 1 and 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

^g EMISSION FACTOR RATING C.

Table 15.1.24-2 EMISSION FACTORS FOR THE USE OF A403,
.38 CALIBER SPECIAL BLANK CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
208-96-8	Acenaphthylene ^d	1.5 E-10	2.5 E-07
75-07-0	Acetaldehyde ^{e,g}	7.5 E-08	1.3 E-04
75-05-8	Acetonitrile ^{e,g}	6.6 E-08	1.1 E-04
107-13-1	Acrylonitrile ^{e,g}	2.4 E-08	4.2 E-05
7429-90-5	Aluminum ^f	3.6 E-07	6.1 E-04
7440-36-0	Antimony ^e	2.5 E-06	4.1 E-03
7440-39-3	Barium ^f	1.6 E-06	2.7 E-03
71-43-2	Benzene ^{e,g}	5.3 E-08	9.1 E-05
207-08-9	Benzo[k]fluoranthene ^{e,g}	2.9 E-11	4.9 E-08
192-97-2	Benzo[e]pyrene ^d	8.7 E-12	1.5 E-08
75-15-0	Carbon disulfide ^e	8.5 E-09	1.4 E-05
218-01-9	Chrysene ^e	1.7 E-11	2.8 E-08
7440-50-8	Copper ^f	1.6 E-07	2.7 E-04
98-82-8	Cumene ^{e,i}	1.7 E-09	2.8 E-06
57-12-5	Particulate cyanide ^{e,g}	7.3 E-09	1.2 E-05
84-74-2	Dibutyl phthalate ^{e,h}	1.7 E-08	2.9 E-05
107-06-2	1,2-Dichloroethane ^e	5.9 E-10	9.8 E-07
121-14-2	2,4-Dinitrotoluene ^{e,h}	1.2 E-09	2.0 E-06
100-41-4	Ethylbenzene ^{e,h}	3.0 E-09	5.0 E-06
74-85-1	Ethylene ^f	8.5 E-08	1.4 E-04
206-44-0	Fluoranthene ^e	3.1 E-11	5.3 E-08
86-73-7	Fluorene ^d	2.1 E-11	3.5 E-08
50-00-0	Formaldehyde ^{e,h}	7.3 E-07	1.2 E-03
7647-01-0	Hydrochloric acid ^{e,h}	1.6 E-07	2.7 E-04
74-90-8	Hydrogen cyanide ^{e,h}	1.4 E-07	2.3 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	9.8 E-12	1.7 E-08
7439-92-1	Lead ^{e,h}	3.9 E-06	6.5 E-03
75-09-2	Methylene chloride ^e	1.8 E-07	3.1 E-04
108-10-1	Methyl isobutyl ketone ^{e,i}	7.5 E-10	1.3 E-06
7697-37-2	Nitric acid ^{f,h}	2.4 E-06	4.0 E-03

Table 15.1.24-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
55-63-0	Nitroglycerin ^{f,h}	2.0 E-07	3.3 E-04
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^{e,h}	2.9 E-14	4.8 E-11
129-00-0	Pyrene ^d	2.8 E-11	4.8 E-08
100-42-5	Styrene ^e	9.2 E-10	1.5 E-06
7664-93-9	Sulfuric acid ^{f,h}	3.6 E-07	6.0 E-04
108-88-3	Toluene ^e	1.1 E-08	1.9 E-05
95-63-6	1,2,4-Trimethylbenzene ^{f,i}	1.4 E-07	2.4 E-04
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,i}	1.9 E-08	3.2 E-05
95-47-6	o-Xylene ^{e,i}	1.6 E-08	2.7 E-05
7440-66-6	Zinc ^{f,g}	2.0 E-07	3.3 E-04

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.00 E-04 pounds per item. References 1 and 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.24

1. *Report No. 9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2005.
2. *Detailed Test Plan No.9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2003.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 9 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.

5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.25 A475, M1911 .45 Caliber Ball Cartridge

15.1.25.1 Ordnance Description^{1,2}

The M1911 .45 Caliber Ball Cartridge (DODIC A475) is fired from the M1911A1 pistol and the M3A1 submachine gun. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.25.2 Emissions And Controls^{1, 3-6}

The primary emissions from the use of the M1911 .45 Caliber Ball Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.25-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.25-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.25-1 EMISSION FACTORS FOR THE USE OF DODIC A475,
M1911 .45 CALIBER BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	2.2 E-04	2.8 E-01
630-08-0	CO	2.6 E-04	3.4 E-01
7439-92-1	Lead (Pb) ^f	1.2 E-05	1.6 E-02
74-82-8	Methane	7.8 E-07	1.0 E-03
--	Oxides of nitrogen (NO _x) ^f	8.1 E-06	1.0 E-02
--	PM-2.5 ^d	3.1 E-05	4.0 E-02
--	PM-10 ^e	3.7 E-05	4.7 E-02
12789-66-1	TSP	3.2 E-05	4.2 E-02

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.80 E-04 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.25-2 EMISSION FACTORS FOR THE USE OF DODIC A475,
M1911 .45 CALIBER BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	2.2 E-11	2.8 E-08
75-05-8	Acetonitrile ^{e,g}	1.6 E-08	2.0 E-05
107-13-1	Acrylonitrile ^{e,g}	9.1 E-09	1.2 E-05
7429-90-5	Aluminum ^f	1.4 E-07	1.8 E-04
7440-36-0	Antimony ^e	2.9 E-06	3.7 E-03
7440-38-2	Arsenic ^{e,i}	5.2 E-09	6.6 E-06
7440-39-3	Barium ^f	1.5 E-06	1.9 E-03
71-43-2	Benzene ^{e,g}	1.3 E-07	1.6 E-04
56-55-3	Benzo[a]anthracene ^e	1.1 E-10	1.5 E-07
205-99-2	Benzo[b]fluoranthene ^e	1.4 E-10	1.7 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	9.2 E-11	1.2 E-07
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.6 E-10	2.1 E-07
192-97-2	Benzo[e]pyrene ^d	1.1 E-10	1.5 E-07
106-99-0	1,3-Butadiene ^{e,g}	2.5 E-09	3.2 E-06
75-15-0	Carbon disulfide ^e	6.5 E-09	8.4 E-06
74-87-3	Chloromethane ^{e,g}	4.3 E-10	5.5 E-07
218-01-9	Chrysene ^e	1.4 E-10	1.8 E-07
7440-50-8	Copper ^f	1.5 E-06	2.0 E-03
53-70-3	Dibenz[a,h]anthracene ^e	1.6 E-11	2.0 E-08
107-06-2	1,2-Dichloroethane ^{e,g}	2.3 E-09	3.0 E-06
--	Total dioxin/furan compounds ^e	2.9 E-15	3.7 E-12
100-41-4	Ethylbenzene ^e	1.3 E-09	1.7 E-06
74-85-1	Ethylene ^f	3.9 E-07	5.0 E-04
206-44-0	Fluoranthene ^e	2.6 E-10	3.3 E-07
86-73-7	Fluorene ^d	9.8 E-11	1.3 E-07
50-00-0	Formaldehyde ^{e,h}	2.5 E-08	3.2 E-05
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^{e,g}	8.5 E-16	1.1 E-12
110-54-3	Hexane ^e	6.3 E-08	8.0 E-05
74-90-8	Hydrogen cyanide ^{e,h}	1.0 E-06	1.3 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	1.2 E-10	1.5 E-07

Table 15.1.25-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
7439-92-1	Lead ^e	1.2 E-05	1.6 E-02
75-09-2	Methylene chloride ^{e,h}	5.0 E-08	6.5 E-05
39001-02-0	1,2,3,4,6,7,8,9-Octachlorodibenzofuran ^e	2.1 E-15	2.6 E-12
85-01-8	Phenanthrene ^e	1.6 E-10	2.1 E-07
115-07-1	Propylene ^{f,g}	1.2 E-07	1.6 E-04
129-00-0	Pyrene ^d	3.9 E-10	4.9 E-07
100-42-5	Styrene ^{e,g}	3.2 E-09	4.2 E-06
108-88-3	Toluene ^e	2.5 E-08	3.2 E-05
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	3.1 E-10	3.9 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	3.3 E-09	4.2 E-06
95-47-6	o-Xylene ^{e,h}	1.7 E-09	2.1 E-06
7440-66-6	Zinc ^{f,g}	2.4 E-07	3.1 E-04

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 7.80 E-04 pounds per item. Reference 6.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.25

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M1911 .45 Caliber Ball Cartridge*, Department of Defense Identification Code: A475, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.
3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.

5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.*
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

DRAFT

This page left blank intentionally.

DRAFT

15.1.26 A518, M903 .50 Caliber SLAP Ball Cartridge and M962 .50 Caliber SLAP Tracer Cartridge

15.1.26.1 Ordnance Description¹⁻⁵

The M903 .50 Caliber Saboted Light Armor Penetrator (SLAP) Ball Cartridge (DODIC A518) and the M962 .50 Caliber SLAP Tracer Cartridge (DODIC A518) were developed to maximize the effectiveness of the M2 machine gun in the engagement and defeat of lightly armored targets. Both the M903 .50 Caliber SLAP Ball Cartridge and the M962 .50 Caliber SLAP Tracer Cartridge consist of a copper alloy cartridge case, primer, propelling charge, and round. The propelling charge, activated by the primer, provides the force to send the bullet to the target. The round consists of a reduced caliber tungsten alloy penetrator (.30 caliber) covered by a .50 caliber plastic sabot containing an aluminum alloy area multiplier. The mass of the sabot penetrator is significantly less than other .50 caliber rounds, which increases the velocity and penetration of the projectile.

When these rounds are used, they are typically fired in a ratio of one tracer round to four ball rounds. The visible trail left by the tracer can be used to see where the bullet hits the target, or to make adjustments in the firing position, if necessary. This cartridge is used during combat and on firing ranges during training.

Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the projectile are not addressed in this section. Furthermore, emissions associated with the combustion of the tracer composition are not addressed in this section.

15.1.26.2 Emissions And Controls^{1-4,6-8}

The primary emissions from the use of the M903 .50 Caliber SLAP Ball Cartridge and M962 .50 Caliber SLAP Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.26-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP) from the use of the M903 .50 Caliber SLAP Ball Cartridge. Table 15.1.26-2 presents emission factors for hazardous air pollutants and toxic chemicals from the use of the M903 .50 Caliber SLAP Ball Cartridge. Similar data are provided for the M962 .50 Caliber SLAP Tracer Cartridge in Tables 15.1.26-3 and 15.1.26-4. In all four tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.26-1 EMISSION FACTORS FOR THE USE OF DODIC A518,
M903 .50 CALIBER SLAP BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂ ^f	5.3 E-03	1.3 E-01
630-08-0	CO ^f	9.6 E-03	2.4 E-01
7439-92-1	Lead (Pb) ^g	2.0 E-05	5.0 E-04
74-82-8	Methane ^f	8.0 E-05	2.0 E-03
--	Oxides of nitrogen (NO _x)	8.5 E-05	2.1 E-03
--	PM-2.5 ^d	1.8 E-04	4.6 E-03
--	PM-10 ^e	2.1 E-04	5.4 E-03
12789-66-1	TSP	2.5 E-04	6.2 E-03

^a Factors represent uncontrolled emissions. References 1, 2, 6, and 8.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.96 E-02 pounds per item. References 1 and 8.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING A.

^g EMISSION FACTOR RATING C.

Table 15.1.26-2 EMISSION FACTORS FOR THE USE OF A518,
M903 .50 CALIBER SLAP BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	3.7 E-09	9.3 E-08
208-96-8	Acenaphthylene ^d	5.6 E-08	1.4 E-06
75-07-0	Acetaldehyde ^{e,g}	1.7 E-07	4.2 E-06
75-05-8	Acetonitrile ^{e,g}	1.1 E-06	2.9 E-05
107-13-1	Acrylonitrile ^{e,g}	1.1 E-07	2.7 E-06
7429-90-5	Aluminum ^f	1.5 E-06	3.8 E-05
7664-41-7	Ammonia ^{d,g}	2.3 E-04	5.8 E-03
120-12-7	Anthracene ^e	7.5 E-09	1.9 E-07
7440-36-0	Antimony ^e	3.3 E-06	8.3 E-05
7440-39-3	Barium ^f	1.6 E-06	3.9 E-05
71-43-2	Benzene ^e	1.3 E-05	3.4 E-04
56-55-3	Benzo[a]anthracene ^e	1.3 E-08	3.3 E-07
205-99-2	Benzo[b]fluoranthene ^e	4.7 E-08	1.2 E-06
207-08-9	Benzo[k]fluoranthene ^{e,g}	9.0 E-09	2.3 E-07
191-24-2	Benzo[g,h,i]perylene ^{e,g}	4.0 E-08	1.0 E-06
50-32-8	Benzo[a]pyrene ^{e,g}	2.1 E-08	5.2 E-07
192-97-2	Benzo[e]pyrene ^d	3.6 E-08	9.0 E-07
92-52-4	Biphenyl ^{e,i}	1.0 E-07	2.6 E-06
218-01-9	Chrysene ^e	3.2 E-08	8.2 E-07
7440-50-8	Copper ^f	6.2 E-06	1.6 E-04
57-12-5	Particulate cyanide ^{e,g}	5.3 E-07	1.3 E-05
53-70-3	Dibenz[a,h]anthracene ^{e,g}	3.7 E-09	9.3 E-08
84-74-2	Dibutyl phthalate ^{e,h}	4.6 E-08	1.2 E-06
--	Total dioxin/furan compounds ^e	5.2 E-13	1.3 E-11
100-41-4	Ethylbenzene ^e	2.2 E-08	5.4 E-07
74-85-1	Ethylene ^f	1.6 E-06	4.1 E-05
117-81-7	bis(2-Ethylhexyl)phthalate ^{e,h}	3.0 E-08	7.6 E-07
206-44-0	Fluoranthene ^e	4.8 E-08	1.2 E-06
86-73-7	Fluorene ^d	3.6 E-08	9.2 E-07
50-00-0	Formaldehyde ^{e,h}	5.8 E-07	1.5 E-05

Table 15.1.26-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^{e,h}	1.3 E-13	3.3 E-12
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ^{e,i}	1.3 E-14	3.4 E-13
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^e	1.7 E-14	4.4 E-13
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^{e,h}	1.8 E-14	4.5 E-13
7647-01-0	Hydrochloric acid ^e	3.3 E-07	8.3 E-06
74-90-8	Hydrogen cyanide ^e	6.2 E-05	1.6 E-03
7664-39-3	Hydrogen fluoride ^{e,h}	1.5 E-06	3.9 E-05
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	2.6 E-08	6.6 E-07
7439-92-1	Lead ^{e,h}	2.0 E-05	5.0 E-04
91-20-3	Naphthalene ^{e,g}	4.4 E-07	1.1 E-05
55-63-0	Nitroglycerin ^{f,h}	2.4 E-10	6.0 E-09
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	3.4 E-13	8.5 E-12
85-01-8	Phenanthrene ^e	5.2 E-08	1.3 E-06
108-95-2	Phenol ^{e,h}	2.1 E-07	5.3 E-06
129-00-0	Pyrene ^d	5.1 E-08	1.3 E-06
100-42-5	Styrene ^{e,g}	2.1 E-07	5.3 E-06
7664-93-9	Sulfuric acid ^{f,h}	1.6 E-06	4.1 E-05
108-88-3	Toluene ^e	9.1 E-07	2.3 E-05
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	3.0 E-09	7.7 E-08
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	3.2 E-08	8.1 E-07
95-47-6	o-Xylene ^{e,h}	1.9 E-08	4.8 E-07
7440-66-6	Zinc ^{f,g}	2.6 E-06	6.6 E-05

^a Factors represent uncontrolled emissions. References 1, 2, 6, and 8.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.96 E-02 pounds per item. References 1 and 8.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

Table 15.1.26-3 EMISSION FACTORS FOR THE USE OF DODIC A518,
M962 .50 CALIBER SLAP TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA
POLLUTANTS, METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	Carbon dioxide (CO ₂) ^f	5.8 E-03	1.4 E-01
630-08-0	Carbon monoxide (CO) ^f	1.1 E-02	2.7 E-01
7439-92-1	Lead (Pb) ^g	1.7 E-04	4.1 E-03
74-82-8	Methane ^f	9.2 E-05	2.2 E-03
--	Oxides of nitrogen (NO _x)	1.3 E-04	3.0 E-03
--	PM-2.5 ^d	3.4 E-04	8.2 E-03
--	PM-10 ^e	8.6 E-04	2.1 E-02
12789-66-1	Total suspended particulate	1.0 E-03	2.5 E-02

^a Factors represent uncontrolled emissions. References 3, 4, 7, and 8.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.11 E-02 pounds per item. References 3 and 8.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 μm.

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 μm.

^f EMISSION FACTOR RATING A.

^g EMISSION FACTOR RATING C.

Table 15.1.26-4 EMISSION FACTORS FOR THE USE OF A518,
M962 .50 CALIBER SLAP TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
208-96-8	Acenaphthylene ^d	4.0 E-08	9.9 E-07
75-07-0	Acetaldehyde ^{e,g}	1.5 E-07	3.6 E-06
75-05-8	Acetonitrile ^{e,g}	5.5 E-06	1.3 E-04
107-13-1	Acrylonitrile ^{e,g}	1.1 E-07	2.6 E-06
7429-90-5	Aluminum ^f	4.3 E-05	1.0 E-03
7664-41-7	Ammonia ^{f,g}	3.4 E-04	8.3 E-03
120-12-7	Anthracene ^e	7.9 E-09	1.9 E-07
7440-36-0	Antimony ^e	5.3 E-06	1.3 E-04
7440-38-2	Arsenic ^e	1.6 E-07	3.9 E-06
7440-39-3	Barium ^f	4.8 E-05	1.2 E-03
71-43-2	Benzene ^e	2.5 E-05	6.1 E-04
56-55-3	Benzo[a]anthracene ^e	1.0 E-08	2.6 E-07
205-99-2	Benzo[b]fluoranthene ^e	3.0 E-08	7.2 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	6.7 E-09	1.6 E-07
191-24-2	Benzo[g,h,i]perylene ^{e,g}	5.5 E-08	1.3 E-06
50-32-8	Benzo[a]pyrene ^{e,g}	1.3 E-08	3.2 E-07
192-97-2	Benzo[e]pyrene ^d	2.7 E-08	6.7 E-07
7440-41-7	Beryllium ^{e,i}	3.8 E-08	9.4 E-07
7440-43-9	Cadmium ^{e,h}	3.4 E-07	8.2 E-06
7440-47-3	Chromium ^{e,h}	1.1 E-05	2.7 E-04
18540-29-9	Hexavalent chromium ^{e,i}	3.8 E-03	9.2 E-02
218-01-9	Chrysene ^e	2.4 E-08	5.9 E-07
7440-48-4	Cobalt ^{e,i}	8.1 E-08	2.0 E-06
7440-50-8	Copper ^f	1.1 E-05	2.7 E-04
53-70-3	Dibenz[a,h]anthracene ^{e,g}	2.1 E-09	5.2 E-08
107-06-2	1,2-Dichloroethane ^{e,g}	4.7 E-07	1.2 E-05
--	Total dioxin/furan compounds ^e	4.4 E-12	1.1 E-10
74-85-1	Ethylene ^f	1.8 E-06	4.5 E-05
206-44-0	Fluoranthene ^e	6.1 E-08	1.5 E-06
86-73-7	Fluorene ^d	2.6 E-08	6.3 E-07

Table 15.1.26-4 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
50-00-0	Formaldehyde ^{e,h}	7.0 E-07	1.7 E-05
7647-01-0	Hydrochloric acid ^c	1.6 E-06	3.8 E-05
74-90-8	Hydrogen cyanide ^c	9.9 E-05	2.4 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	2.0 E-08	4.8 E-07
7439-92-1	Lead ^{e,h}	1.7 E-04	4.1 E-03
7439-96-5	Manganese ^{e,h}	3.6 E-07	8.8 E-06
75-09-2	Methylene chloride ^c	2.1 E-07	5.2 E-06
91-20-3	Naphthalene ^{e,g}	4.2 E-07	1.0 E-05
7440-02-0	Nickel ^{e,h}	2.8 E-06	6.9 E-05
55-63-0	Nitroglycerin ^{f,h}	4.3 E-08	1.0 E-06
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^c	4.4 E-12	1.1 E-10
85-01-8	Phenanthrene ^c	7.0 E-08	1.7 E-06
108-95-2	Phenol ^{e,h}	1.5 E-07	3.7 E-06
129-00-0	Pyrene ^d	1.1 E-07	2.6 E-06
7782-49-2	Selenium ^{e,i}	5.1 E-08	1.2 E-06
7440-22-4	Silver ^{f,i}	3.2 E-08	7.8 E-07
100-42-5	Styrene ^{e,g}	2.1 E-07	5.1 E-06
7440-28-0	Thallium ^{f,h}	1.8 E-07	4.4 E-06
108-88-3	Toluene ^c	1.1 E-06	2.8 E-05
7440-66-6	Zinc ^{f,g}	6.6 E-06	1.6 E-04

^a Factors represent uncontrolled emissions. References 3, 4, 7, and 8.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 4.11 E-02 pounds per item. References 3 and 8.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.26

1. *Report No. 9 for the Firing Point Emission Study, Phase II, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2005.*

2. *Detailed Test Plan No.9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2003.
3. *Report No.10 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2006.
4. *Detailed Test Plan No.10 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, June 2004.
5. *Munitions Items Disposition Action System (MIDAS) website*, <https://midas.dac.army.mil/>, U.S. Army Defense Ammunition Center, McAlester, OK, May 2007.
6. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 9 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.
7. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 10 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, February 2008.
8. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, May 2005, and January 2007.

15.1.27 A525, M2 .50 Caliber Armor Piercing Cartridge

15.1.27.1 Ordnance Description¹

The M2 .50 Caliber Armor Piercing Cartridge (DODIC A525) is used in the M2 and M85 .50 caliber machine guns. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used during combat and on firing ranges during training. It is intended to be used against light-armored and unarmored targets, concrete shelters, and similar bullet-resisting targets. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet are not addressed in this section.

15.1.27.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M2 .50 Caliber Armor Piercing Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.27-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.27-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.27-1 EMISSION FACTORS FOR THE USE OF DODIC A525,
M2 .50 CALIBER ARMOR PIERCING CARTRIDGE - CARBON DIOXIDE, CRITERIA
POLLUTANTS, METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	9.2 E-03	2.7 E-01
630-08-0	CO	1.6 E-02	4.7 E-01
7439-92-1	Lead (Pb) ^f	2.1 E-05	6.3 E-04
74-82-8	Methane	5.3 E-05	1.6 E-03
--	Oxides of nitrogen (NO _x) ^f	3.3 E-05	9.7 E-04
--	PM-2.5 ^d	4.4 E-04	1.3 E-02
--	PM-10 ^e	9.7 E-04	2.9 E-02
12789-66-1	TSP	1.0 E-03	3.0 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.36 E-02 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.27-2 EMISSION FACTORS FOR THE USE OF DODIC A525,
M2 .50 CALIBER ARMOR PIERCING CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	3.3 E-09	9.9 E-08
208-96-8	Acenaphthylene ^d	9.3 E-09	2.8 E-07
75-07-0	Acetaldehyde ^{e,g}	5.4 E-07	1.6 E-05
75-05-8	Acetonitrile ^{e,g}	1.0 E-06	3.0 E-05
98-86-2	Acetophenone ^{d,i}	2.0 E-07	6.0 E-06
107-02-8	Acrolein ^e	1.4 E-07	4.2 E-06
107-13-1	Acrylonitrile ^{e,g}	1.1 E-07	3.2 E-06
7429-90-5	Aluminum ^f	1.2 E-06	3.6 E-05
7664-41-7	Ammonia ^{d,g}	2.8 E-04	8.5 E-03
120-12-7	Anthracene ^e	7.3 E-10	2.2 E-08
7440-36-0	Antimony ^e	1.1 E-05	3.3 E-04
7440-39-3	Barium ^f	4.8 E-07	1.4 E-05
71-43-2	Benzene ^{e,g}	9.8 E-07	2.9 E-05
191-24-2	Benzo[g,h,i]perylene ^{e,g}	3.1 E-09	9.3 E-08
192-97-2	Benzo[e]pyrene ^d	1.0 E-09	3.1 E-08
108-90-7	Chlorobenzene ^{e,i}	5.8 E-08	1.7 E-06
7440-50-8	Copper ^f	3.7 E-04	1.1 E-02
57-12-5	Particulate cyanide ^{e,g}	6.8 E-06	2.0 E-04
75-71-8	Dichlorodifluoromethane ^{f,h}	6.0 E-09	1.8 E-07
--	Total dioxin/furan compounds ^e	2.1 E-12	6.2 E-11
122-39-4	Diphenyl amine ^{e,i}	1.7 E-07	5.0 E-06
100-41-4	Ethylbenzene ^{e,h}	1.2 E-08	3.7 E-07
74-85-1	Ethylene ^f	1.1 E-06	3.3 E-05
86-73-7	Fluorene ^e	4.6 E-09	1.4 E-07
50-00-0	Formaldehyde ^{e,h}	8.1 E-07	2.4 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	2.2 E-13	6.7 E-12
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^{e,g}	5.5 E-14	1.6 E-12
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^e	2.3 E-14	6.9 E-13
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^e	2.7 E-15	7.9 E-14
7647-01-0	Hydrochloric acid ^{e,h}	1.3 E-05	3.7 E-04

Table 15.1.27-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
74-90-8	Hydrogen cyanide ^e	2.1 E-05	6.1 E-04
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	2.1 E-09	6.3 E-08
7439-92-1	Lead ^e	2.1 E-05	6.3 E-04
75-09-2	Methylene chloride ^e	8.1 E-07	2.4 E-05
1634-04-4	Methyl tert-butyl ether ^{e,h}	7.9 E-08	2.4 E-06
91-20-3	Naphthalene ^{e,g}	9.7 E-08	2.9 E-06
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	1.7 E-12	5.1 E-11
39001-02-0	1,2,3,4,6,7,8,9-Octachlorodibenzofuran ^e	6.7 E-14	2.0 E-12
123-38-6	Propionaldehyde ^e	1.9 E-07	5.8 E-06
129-00-0	Pyrene ^d	2.4 E-09	7.1 E-08
100-42-5	Styrene ^{e,g}	3.6 E-08	1.1 E-06
7664-93-9	Sulfuric acid ^{f,h}	2.9 E-06	8.6 E-05
108-88-3	Toluene ^e	2.5 E-07	7.4 E-06
75-69-4	Trichlorofluoromethane ^{f,h}	1.4 E-08	4.1 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	1.6 E-08	4.7 E-07
95-47-6	o-Xylene ^{e,h}	2.7 E-08	7.9 E-07
7440-66-6	Zinc ^{f,g}	4.7 E-05	1.4 E-03

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.36 E-02 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

ⁱ EMISSION FACTOR RATING D.

References For Section 15.1.27

1. *Report No. 8 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, December 2004.
2. *Detailed Test Plan No. 8 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2002.

3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 8 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, September 2006.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004, April 2005, and October 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.28 A557, M33 .50 Caliber Ball Cartridge and M17 .50 Caliber Tracer Cartridge

15.1.28.1 Ordnance Description^{1,2,3}

The M33 .50 Caliber Ball Cartridge (DODIC A557) and the M17 .50 Caliber Tracer Cartridge (DODIC A557) are fired from the M2 and M85 machine guns. Both the M33 .50 Caliber Ball Cartridge and the M17 .50 Caliber Tracer Cartridge consist of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the bullet to the target. When these rounds are used, they are typically fired in a ratio of one tracer round to four ball rounds. The visible trail left by the tracer can be used to see where the bullet hits the target, or to make adjustments in the firing position, if necessary. This cartridge is used during combat and on firing ranges during training.

Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the projectile are not addressed in this section. Furthermore, emissions associated with the combustion of the tracer composition are not addressed in this section.

15.1.28.2 Emissions And Controls^{1,4-7}

The primary emissions from the use of the M33 .50 Caliber Ball Cartridge and the M17 .50 Caliber Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.28-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP) from the use of the M33 .50 Caliber Ball Cartridge. Table 15.1.28-2 presents emission factors for hazardous air pollutants and toxic chemicals from the use of the M33 .50 Caliber Ball Cartridge. Similar data are provided for the M17 .50 Caliber Tracer Cartridge in Tables 15.1.28-3 and 15.1.28-4. In all four tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.28-1 EMISSION FACTORS FOR THE USE OF DODIC A557,
M33 .50 CALIBER BALL CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	5.1 E-03	1.5 E-01
630-08-0	CO	1.1 E-02	3.3 E-01
7439-92-1	Lead (Pb) ^f	1.3 E-05	4.0 E-04
74-82-8	Methane	1.3 E-04	3.8 E-03
--	Oxides of nitrogen (NO _x) ^f	1.2 E-03	3.6 E-02
--	PM-2.5 ^d	1.9 E-04	5.6 E-03
--	PM-10 ^e	3.1 E-04	9.3 E-03
12789-66-1	TSP	3.2 E-04	9.6 E-03

^a Factors represent uncontrolled emissions. References 1, 4, and 7.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.36 E-02 pounds per item. Reference 7.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.28-2 EMISSION FACTORS FOR THE USE OF DODIC A557,
M33 .50 CALIBER BALL CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	1.5 E-09	4.5 E-08
208-96-8	Acenaphthylene ^d	6.9 E-09	2.1 E-07
75-05-8	Acetonitrile ^e	1.2 E-06	3.7 E-05
107-13-1	Acrylonitrile ^{e,g}	2.7 E-07	8.1 E-06
7429-90-5	Aluminum ^f	7.7 E-07	2.3 E-05
7664-41-7	Ammonia ^{d,g}	3.3 E-04	9.9 E-03
120-12-7	Anthracene ^e	7.2 E-10	2.2 E-08
7440-36-0	Antimony ^e	3.3 E-06	1.0 E-04
7440-39-3	Barium ^f	2.2 E-06	6.4 E-05
71-43-2	Benzene ^{e,g}	4.0 E-06	1.2 E-04
56-55-3	Benzo[a]anthracene ^e	1.7 E-09	5.1 E-08
205-99-2	Benzo[b]fluoranthene ^e	2.6 E-09	7.8 E-08
207-08-9	Benzo[k]fluoranthene ^{e,g}	1.2 E-09	3.6 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	1.3 E-08	3.9 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	3.7 E-09	1.1 E-07
192-97-2	Benzo[e]pyrene ^d	5.4 E-09	1.6 E-07
106-99-0	1,3-Butadiene ^{e,g}	1.5 E-07	4.5 E-06
74-87-3	Chloromethane ^{e,g}	2.6 E-09	7.8 E-08
218-01-9	Chrysene ^e	2.1 E-09	6.3 E-08
7440-50-8	Copper ^f	4.6 E-05	1.4 E-03
57-12-5	Particulate cyanide ^{e,g}	1.1 E-05	3.4 E-04
53-70-3	Dibenz[a,h]anthracene ^e	3.0 E-10	8.8 E-09
107-06-2	1,2-Dichloroethane ^{e,g}	7.4 E-08	2.2 E-06
--	Total dioxin/furan compounds ^e	6.5 E-14	1.9 E-12
100-41-4	Ethylbenzene ^e	3.0 E-08	9.0 E-07
74-85-1	Ethylene ^f	4.0 E-06	1.2 E-04
206-44-0	Fluoranthene ^e	3.1 E-09	9.1 E-08
86-73-7	Fluorene ^d	3.4 E-09	1.0 E-07
50-00-0	Formaldehyde ^{e,h}	4.5 E-07	1.3 E-05
74-90-8	Hydrogen cyanide ^e	1.6 E-04	4.8 E-03

Table 15.1.28-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	3.0 E-09	8.8 E-08
7439-92-1	Lead ^e	1.3 E-05	4.0 E-04
75-09-2	Methylene chloride ^e	8.0 E-07	2.4 E-05
91-20-3	Naphthalene ^{e,g}	1.8 E-07	5.3 E-06
39001-02-0	1,2,3,4,6,7,8,9-Octachlorodibenzofuran ^e	6.5 E-14	1.9 E-12
85-01-8	Phenanthrene ^e	3.5 E-09	1.0 E-07
115-07-1	Propylene ^{f,g}	1.1 E-06	3.1 E-05
129-00-0	Pyrene ^d	8.2 E-09	2.4 E-07
100-42-5	Styrene ^{e,g}	1.3 E-07	4.0 E-06
108-88-3	Toluene ^e	4.0 E-07	1.2 E-05
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	7.1 E-09	2.1 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	2.0 E-08	5.8 E-07
95-47-6	o-Xylene ^{e,h}	3.8 E-08	1.1 E-06
7440-66-6	Zinc ^{f,g}	6.7 E-06	2.0 E-04

^a Factors represent uncontrolled emissions. References 1, 4, and 7.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.36 E-02 pounds per item. Reference 7.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

Table 15.1.28-3 EMISSION FACTORS FOR THE USE OF DODIC A557,
M17 .50 CALIBER TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	5.8 E-03	1.7 E-01
630-08-0	CO	1.1 E-02	3.3 E-01
7439-92-1	Lead (Pb) ^f	1.4 E-05	4.0 E-04
74-82-8	Methane	3.7 E-05	1.1 E-03
--	Oxides of nitrogen (NO _x) ^f	7.5 E-04	2.2 E-02
--	PM-2.5 ^d	2.2 E-04	6.4 E-03
--	PM-10 ^e	3.7 E-04	1.1 E-02
12789-66-1	TSP	4.0 E-04	1.2 E-02

^a Factors represent uncontrolled emissions. References 1, 4, and 7.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.38 E-02 pounds per item. Reference 7.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.28-4 EMISSION FACTORS FOR THE USE OF DODIC A557,
M17 .50 CALIBER TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^{d,g}	1.0 E-09	3.1 E-08
208-96-8	Acenaphthylene ^d	9.3 E-09	2.8 E-07
75-05-8	Acetonitrile ^{e,g}	1.1 E-06	3.3 E-05
107-13-1	Acrylonitrile ^{e,g}	2.4 E-07	7.1 E-06
7429-90-5	Aluminum ^f	8.5 E-07	2.5 E-05
7664-41-7	Ammonia ^{d,g}	2.2 E-04	6.6 E-03
120-12-7	Anthracene ^e	5.2 E-10	1.5 E-08
7440-36-0	Antimony ^e	6.7 E-06	2.0 E-04
7440-39-3	Barium ^{f,h}	1.1 E-05	3.1 E-04
71-43-2	Benzene ^{e,g}	3.8 E-06	1.1 E-04
56-55-3	Benzo[a]anthracene ^e	2.9 E-09	8.5 E-08
205-99-2	Benzo[b]fluoranthene ^e	4.7 E-09	1.4 E-07
207-08-9	Benzo[k]fluoranthene ^{e,g}	2.7 E-09	8.1 E-08
191-24-2	Benzo[g,h,i]perylene ^{e,g}	8.3 E-09	2.5 E-07
50-32-8	Benzo[a]pyrene ^{e,g}	4.1 E-09	1.2 E-07
192-97-2	Benzo[e]pyrene ^d	5.7 E-09	1.7 E-07
106-99-0	1,3-Butadiene ^{e,g}	1.6 E-07	4.8 E-06
74-87-3	Chloromethane ^{e,g}	2.5 E-09	7.5 E-08
218-01-9	Chrysene ^e	3.0 E-09	8.8 E-08
7440-50-8	Copper ^f	1.3 E-04	3.8 E-03
57-12-5	Particulate cyanide ^{e,g}	3.9 E-06	1.2 E-04
53-70-3	Dibenz[a,h]anthracene ^e	4.9 E-10	1.4 E-08
107-06-2	1,2-Dichloroethane ^{e,g}	7.5 E-08	2.2 E-06
--	Total dioxin/furan compounds ^e	2.0 E-12	5.9 E-11
100-41-4	Ethylbenzene ^e	3.5 E-08	1.0 E-06
74-85-1	Ethylene ^f	2.5 E-06	7.3 E-05
206-44-0	Fluoranthene ^e	3.9 E-09	1.2 E-07
86-73-7	Fluorene ^d	3.8 E-09	1.1 E-07
50-00-0	Formaldehyde ^{e,h}	2.9 E-07	8.7 E-06
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	1.0 E-13	3.1 E-12

Table 15.1.28-4 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
110-54-3	Hexane ^e	2.5 E-06	7.3 E-05
74-90-8	Hydrogen cyanide ^e	8.6 E-05	2.6 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^{e,g}	4.4 E-09	1.3 E-07
7439-92-1	Lead ^e	1.4 E-05	4.0 E-04
75-09-2	Methylene chloride ^e	1.2 E-06	3.4 E-05
91-20-3	Naphthalene ^{e,g}	2.1 E-07	6.3 E-06
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	1.8 E-12	5.2 E-11
39001-02-0	1,2,3,4,6,7,8,9-Octachlorodibenzofuran ^e	1.1 E-13	3.3 E-12
85-01-8	Phenanthrene ^e	3.0 E-09	9.0 E-08
115-07-1	Propylene ^{f,g}	6.7 E-07	2.0 E-05
129-00-0	Pyrene ^d	5.6 E-09	1.7 E-07
100-42-5	Styrene ^{e,g}	1.3 E-07	3.9 E-06
7664-93-9	Sulfuric acid ^{f,h}	3.0 E-06	8.9 E-05
108-88-3	Toluene ^e	4.3 E-07	1.3 E-05
71-55-6	1,1,1-Trichloroethane ^e	6.7 E-09	2.0 E-07
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	6.8 E-09	2.0 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	6.4 E-08	1.9 E-06
95-47-6	o-Xylene ^{e,h}	5.3 E-08	1.6 E-06
7440-66-6	Zinc ^{f,g}	2.1 E-05	6.3 E-04

^a Factors represent uncontrolled emissions. References 1, 4, and 7.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 3.38 E-02 pounds per item. Reference 7.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING A.

^h EMISSION FACTOR RATING C.

References For Section 15.1.28

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.

2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M33 .50 Caliber Ball Cartridge, Department of Defense Identification Code: A552, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.*
3. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M17 .50 Caliber Tracer Cartridge, Department of Defense Identification Code: A571, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, June 2001.*
4. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.*
5. *Hazard Classification of United States Military Explosives and Munitions, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.*
6. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.*
7. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

15.1.29 A598, M1A1 .50 Caliber Blank Cartridge

15.1.29.1 Ordnance Description^{1,2}

The M1A1 .50 Caliber Blank Cartridge (DODIC A598) is fired from the M2 and M85 machine guns equipped with the M19 and M20 blank ammunition firing attachments, respectively. It consists of a cartridge case, primer, and propelling charge. This cartridge does not have a projectile and is designed for training exercises; it is not used during combat.

15.1.29.2 Emissions And Controls^{1, 3-6}

The primary emissions from the use of the M1A1 .50 Caliber Blank Cartridge are carbon dioxide (CO₂) and carbon monoxide (CO). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.29-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.29-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.29-1 EMISSION FACTORS FOR THE USE OF DODIC A598,
M1A1 .50 CALIBER BLANK CARTRIDGE - CARBON DIOXIDE, CRITERIA POLLUTANTS,
METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: A (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	2.1 E-03	3.1 E-01
630-08-0	CO	1.8 E-03	2.7 E-01
7439-92-1	Lead (Pb) ^f	1.2 E-05	1.7 E-03
74-82-8	Methane	3.4 E-06	5.0 E-04
--	Oxides of nitrogen (NO _x) ^f	2.8 E-05	4.1 E-03
--	PM-2.5 ^d	8.8 E-05	1.3 E-02
--	PM-10 ^e	9.8 E-05	1.4 E-02
12789-66-1	TSP	8.7 E-05	1.3 E-02

^a Factors represent uncontrolled emissions. References 1, 3, and 6.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 6.89 E-03 pounds per item. Reference 6.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING B.

DRAFT

Table 15.1.29-2 EMISSION FACTORS FOR THE USE OF DODIC A598,
M1A1 .50 CALIBER BLANK CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
208-96-8	Acenaphthylene ^d	5.1 E-10	7.3 E-08
75-05-8	Acetonitrile ^{e,g}	2.0 E-08	2.9 E-06
107-13-1	Acrylonitrile ^{e,g}	7.0 E-09	1.0 E-06
7429-90-5	Aluminum ^f	1.8 E-06	2.7 E-04
7440-36-0	Antimony ^e	6.9 E-06	9.9 E-04
7440-39-3	Barium ^f	4.3 E-06	6.2 E-04
71-43-2	Benzene ^{e,g}	2.4 E-07	3.4 E-05
74-87-3	Chloromethane ^{e,g}	2.0 E-09	2.9 E-07
7440-50-8	Copper ^f	1.0 E-06	1.5 E-04
--	Total dioxin/furan compounds ^e	1.4 E-14	2.1 E-12
74-85-1	Ethylene ^f	3.8 E-07	5.5 E-05
206-44-0	Fluoranthene ^e	1.7 E-10	2.5 E-08
86-73-7	Fluorene ^d	1.6 E-10	2.3 E-08
50-00-0	Formaldehyde ^{e,h}	7.8 E-08	1.1 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	2.9 E-15	4.2 E-13
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	3.6 E-16	5.2 E-14
110-54-3	Hexane ^e	2.3 E-07	3.3 E-05
74-90-8	Hydrogen cyanide ^e	1.0 E-06	1.5 E-04
7439-92-1	Lead ^e	1.2 E-05	1.7 E-03
75-09-2	Methylene chloride ^e	1.8 E-07	2.6 E-05
91-20-3	Naphthalene ^{e,g}	2.9 E-08	4.1 E-06
39001-02-0	1,2,3,4,6,7,8,9-Octachlorodibenzofuran ^e	1.1 E-14	1.6 E-12
129-00-0	Pyrene ^d	1.6 E-10	2.3 E-08
100-42-5	Styrene ^{e,g}	1.7 E-09	2.4 E-07
7664-93-9	Sulfuric acid ^{f,h}	3.1 E-06	4.5 E-04
108-88-3	Toluene ^e	1.3 E-08	1.9 E-06
106-42-3, 108-38-3	m-Xylene, p-Xylene ^{e,h}	1.8 E-09	2.6 E-07
7440-66-6	Zinc ^{f,g}	4.6 E-07	6.7 E-05

Table 15.1.29-2 (cont.)

- ^a Factors represent uncontrolled emissions. References 1, 3, and 6.
- ^b CASRN = Chemical Abstracts Service Registry Number.
- ^c NEW = net explosive weight. The NEW for this ordnance is 6.89 E-03 pounds per item. Reference 6.
- ^d Hazardous air pollutant under CAA Section 112(b).
- ^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).
- ^f Reportable chemical under EPCRA Section 313.
- ^g EMISSION FACTOR RATING A.
- ^h EMISSION FACTOR RATING C.

References For Section 15.1.29

1. *Report No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, July 2002.
2. *Training Munitions Health Risk Assessment No. 39-EJ-1485-00, Residential Exposure from Inhalation of Air Emissions from the M1A1 .50 Caliber Blank Cartridge*, Department of Defense Identification Code: A559, U.S. Army Center for Health Promotion and Preventive Medicine, Environmental Health Risk Assessment Program, January 2001.
3. *Detailed Test Plan No. 3 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2001.
4. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
5. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 3 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, July 2006.
6. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004.

15.1.30 A652, M220 20-mm Target Practice Tracer Cartridge

15.1.30.1 Ordnance Description¹⁻³

The M220 20-mm Target Practice Tracer Cartridge (DODIC A652) is intended to be used as a substitute for a service round during target practice. It consists of a cartridge case, primer, propelling charge, and bullet. The propelling charge, activated by the primer, provides the force to send the projectile to the target. The one piece projectile has the base cavity filled with a tracer element. This cartridge is used on firing ranges during training; it is not used during combat. It is fired from the M39, M61, and M168 guns. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet or the burning of the tracer compound are not addressed in this section.

15.1.30.2 Emissions And Controls^{1,2,4,5}

The primary emissions from the use of the M220 20-mm Target Practice Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.30-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.30-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

DRAFT

Table 15.1.30-1 EMISSION FACTORS FOR THE USE OF DODIC A652,
M220 20-MM TARGET PRACTICE TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA
POLLUTANTS, METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.6 E-02	1.9 E-01
630-08-0	CO	3.3 E-02	3.8 E-01
7439-92-1	Lead (Pb) ^f	2.3 E-05	2.6 E-04
74-82-8	Methane	2.5 E-04	2.9 E-03
--	Oxides of nitrogen (NO _x) ^f	4.3 E-04	4.9 E-03
--	PM-2.5 ^d	4.6 E-04	5.3 E-03
--	PM-10 ^e	6.6 E-04	7.5 E-03
12789-66-1	TSP	7.8 E-04	8.9 E-03

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 8.74 E-02 pounds per item. References 1 and 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING C.

DRAFT

Table 15.1.30-2 EMISSION FACTORS FOR THE USE OF A652,
M220 20-MM TARGET PRACTICE TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: C (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^d	1.2 E-09	1.4 E-08
208-96-8	Acenaphthylene ^d	4.5 E-09	5.2 E-08
75-07-0	Acetaldehyde ^e	3.1 E-06	3.5 E-05
75-05-8	Acetonitrile ^{e,g}	4.5 E-06	5.1 E-05
107-02-8	Acrolein ^e	1.2 E-06	1.4 E-05
107-13-1	Acrylonitrile ^e	5.2 E-07	6.0 E-06
7429-90-5	Aluminum ^f	3.4 E-06	3.9 E-05
7664-41-7	Ammonia ^d	1.2 E-03	1.3 E-02
120-12-7	Anthracene ^{f,g}	2.3 E-09	2.7 E-08
7440-39-3	Barium ^e	5.9 E-06	6.7 E-05
71-43-2	Benzene ^e	6.2 E-06	7.1 E-05
56-55-3	Benzo[a]anthracene ^e	2.8 E-09	3.2 E-08
205-99-2	Benzo[b]fluoranthene ^e	5.2 E-09	6.0 E-08
207-08-9	Benzo[k]fluoranthene ^e	1.9 E-09	2.2 E-08
191-24-2	Benzo[g,h,i]perylene ^e	7.0 E-09	8.0 E-08
50-32-8	Benzo[a]pyrene ^e	3.1 E-09	3.6 E-08
192-97-2	Benzo[e]pyrene ^d	4.2 E-09	4.8 E-08
218-01-9	Chrysene ^e	5.5 E-09	6.3 E-08
7440-50-8	Copper ^f	5.2 E-05	6.0 E-04
57-12-5	Particulate cyanide ^e	3.2 E-06	3.6 E-05
--	Total dioxin/furan compounds ^e	6.7 E-13	7.7 E-12
74-85-1	Ethylene ^f	5.2 E-06	5.9 E-05
206-44-0	Fluoranthene ^e	1.1 E-08	1.3 E-07
86-73-7	Fluorene ^d	4.1 E-09	4.6 E-08
50-00-0	Formaldehyde ^e	9.3 E-07	1.1 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^{e,h}	1.3 E-14	1.5 E-13
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ^{e,h}	1.2 E-14	1.4 E-13
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^{e,h}	1.2 E-14	1.4 E-13
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^{e,h}	1.1 E-14	1.3 E-13
74-90-8	Hydrogen cyanide ^{e,g}	2.9 E-04	3.3 E-03

Table 15.1.30-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
7664-39-3	Hydrogen fluoride ^e	4.9 E-06	5.6 E-05
193-39-5	Indeno[1,2,3-cd]pyrene ^e	3.5 E-09	4.0 E-08
7439-92-1	Lead ^e	2.3 E-05	2.6 E-04
75-09-2	Methylene chloride ^e	3.9 E-07	4.4 E-06
91-20-3	Naphthalene ^e	1.3 E-07	1.5 E-06
55-63-0	Nitroglycerin ^f	2.8 E-08	3.2 E-07
85-01-8	Phenanthrene ^e	1.3 E-08	1.5 E-07
123-38-6	Propionaldehyde ^e	5.5 E-07	6.3 E-06
129-00-0	Pyrene ^{d,g}	1.3 E-08	1.5 E-07
100-42-5	Styrene ^e	9.5 E-08	1.1 E-06
7664-93-9	Sulfuric acid ^e	2.7 E-06	3.1 E-05
108-88-3	Toluene ^e	4.2 E-07	4.8 E-06
95-63-6	1,2,4-Trimethylbenzene ^f	8.2 E-08	9.4 E-07
7440-66-6	Zinc ^f	1.6 E-05	1.9 E-04

^a Factors represent uncontrolled emissions. References 1, 2, 4, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 8.74 E-02 pounds per item. References 1 and 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING B.

^h EMISSION FACTOR RATING D.

References For Section 15.1.30

1. *Report No. 9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2005.
2. *Detailed Test Plan No.9 for the Firing Point Emission Study, Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, May 2003.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.

4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 9 Testing Conducted at Aberdeen Proving Ground, Maryland, MACTEC Federal Programs, Inc., Research Triangle Park, NC, November 2007.*
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2004, April 2005, and May 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.31 A940, M910 25-mm Target Practice Discarding Sabot Tracer Cartridge

15.1.31.1 Ordnance Description¹

The M910 25-mm Target Practice Discarding Sabot Tracer Cartridge (DODIC A940) is fired from a 25-mm, M242 automatic cannon. It consists of a cartridge case, primer, propelling charge, and projectile body. The propelling charge, activated by the primer, provides the force to send the bullet to the target. The cartridge is intended for use as a training substitute for armor piercing service ammunition. This cartridge is only used on firing ranges during training; it is not used during combat. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the bullet or the combustion of the tracer composition are not addressed in this section.

15.1.31.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M910 25-mm Target Practice Discarding Sabot Tracer Cartridge are carbon dioxide (CO₂) and carbon monoxide (CO). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.31-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.31-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.31-1 EMISSION FACTORS FOR THE USE OF DODIC A940,
M910 25-MM TARGET PRACTICE DISCARDING SABOT TRACER CARTRIDGE - CARBON
DIOXIDE, CRITERIA POLLUTANTS, METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	1.1 E-01	5.1 E-01
630-08-0	CO	1.9 E-02	9.1 E-02
7439-92-1	Lead (Pb) ^f	5.5 E-05	2.6 E-04
74-82-8	Methane	6.1 E-05	2.9 E-04
--	Oxides of nitrogen (NO _x) ^f	6.7 E-04	3.2 E-03
--	PM-2.5 ^d	1.7 E-03	8.3 E-03
--	PM-10 ^e	2.7 E-03	1.3 E-02
12789-66-1	TSP	3.4 E-03	1.6 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.10 E-01 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING C.

DRAFT

Table 15.1.31-2 EMISSION FACTORS FOR THE USE OF DODIC A940,
M910 25-MM TARGET PRACTICE DISCARDING SABOT TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: C (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^d	3.5 E-09	1.7 E-08
208-96-8	Acenaphthylene ^d	1.4 E-08	6.8 E-08
75-05-8	Acetonitrile ^e	1.7 E-06	8.1 E-06
107-13-1	Acrylonitrile ^e	3.1 E-07	1.5 E-06
7429-90-5	Aluminum ^f	5.7 E-05	2.7 E-04
7664-41-7	Ammonia ^d	1.1 E-04	5.2 E-04
7440-36-0	Antimony ^e	3.0 E-05	1.4 E-04
7440-39-3	Barium ^f	1.3 E-05	6.2 E-05
71-43-2	Benzene ^{e,h}	1.6 E-06	7.7 E-06
207-08-9	Benzo[k]fluoranthene ^e	9.7 E-11	4.6 E-10
192-97-2	Benzo[e]pyrene ^d	2.0 E-09	9.7 E-09
7440-47-3	Chromium ^e	4.5 E-06	2.1 E-05
18540-29-9	Hexavalent chromium ^{e,h}	5.0 E-07	2.4 E-06
75-71-8	Dichlorodifluoromethane ^f	8.3 E-08	3.9 E-07
--	Total dioxin/furan compounds ^e	8.0 E-12	3.8 E-11
74-85-1	Ethylene ^{f,h}	5.3 E-06	2.5 E-05
86-73-7	Fluorene ^d	7.8 E-09	3.7 E-08
50-00-0	Formaldehyde ^e	3.4 E-06	1.6 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	1.1 E-12	5.3 E-12
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	1.1 E-13	5.3 E-13
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^e	9.3 E-16	4.4 E-15
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^e	1.6 E-14	7.4 E-14
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran ^e	6.2 E-14	2.9 E-13
74-90-8	Hydrogen cyanide ^e	6.1 E-04	2.9 E-03
7664-39-3	Hydrogen fluoride ^e	2.9 E-05	1.4 E-04
7439-92-1	Lead ^e	5.5 E-05	2.6 E-04
7439-96-5	Manganese ^e	4.6 E-06	2.2 E-05
75-09-2	Methylene chloride ^e	1.2 E-06	5.6 E-06
1634-04-4	Methyl tert-butyl ether ^e	2.1 E-07	1.0 E-06
91-20-3	Naphthalene ^e	1.8 E-07	8.5 E-07

Table 15.1.31-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
55-63-0	Nitroglycerin ^{f,h}	1.2 E-07	5.7 E-07
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	6.7 E-12	3.2 E-11
129-00-0	Pyrene ^{d,g}	1.4 E-08	6.7 E-08
7664-93-9	Sulfuric acid ^f	7.6 E-05	3.6 E-04
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin ^e	6.4 E-15	3.1 E-14
108-88-3	Toluene ^e	3.8 E-07	1.8 E-06
75-69-4	Trichlorofluoromethane ^{f,g}	9.5 E-08	4.5 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^e	1.1 E-07	5.2 E-07
7440-66-6	Zinc ^f	5.7 E-04	2.7 E-03

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.10 E-01 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING B.

^h EMISSION FACTOR RATING D.

DRAFT

References For Section 15.1.31

1. *Report No. 8 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, December 2004.
2. *Detailed Test Plan No. 8 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2002.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 8 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, September 2006.

5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004, April 2005, and October 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.32 A976, M793 25-mm Target Practice Tracer Cartridge

15.1.32.1 Ordnance Description¹

The M793 25-mm Target Practice Tracer Cartridge (DODIC A976) is fired from a 25-mm, M242 automatic cannon. It consists of a cartridge case, primer, propelling charge, and projectile body coated with a tracer compound. The propelling charge, activated by the primer, provides the force to send the bullet to the target. This cartridge is used only on firing ranges during training; it is not used during combat. The cartridge is intended to be used as a substitute for the high-explosive incendiary with tracer service round for target practice, gun testing, and gun functioning. Note that emission factors presented herein are only associated with the firing of the cartridge; emissions associated with the impact of the projectile or the combustion of the tracer composition are not addressed in this section.

15.1.32.2 Emissions And Controls¹⁻⁵

The primary emissions from the use of the M793 25-mm Target Practice Tracer Cartridge are carbon monoxide (CO) and carbon dioxide (CO₂). Other criteria pollutants, hazardous air pollutants as defined by the *Clean Air Act* (CAA), and toxic chemicals (i.e., those chemicals regulated under Section 313 of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are emitted at low levels. As this ordnance is typically used in the field, there are no controls associated with its use.

Table 15.1.32-1 presents emission factors for CO₂, criteria pollutants, methane, and total suspended particulate (TSP). Table 15.1.32-2 presents emission factors for hazardous air pollutants and toxic chemicals. In both tables, the emission factors are presented in units of pounds of emissions per item (lb per item) and in units of pounds of emissions per pound net explosive weight contained in the item (lb per lb NEW).

Table 15.1.32-1 EMISSION FACTORS FOR THE USE OF DODIC A976,
M793 25-MM TARGET PRACTICE TRACER CARTRIDGE - CARBON DIOXIDE, CRITERIA
POLLUTANTS, METHANE, AND TOTAL SUSPENDED PARTICULATE^a

EMISSION FACTOR RATING: B (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
124-38-9	CO ₂	4.3 E-02	2.1 E-01
630-08-0	CO	8.5 E-02	4.1 E-01
7439-92-1	Lead (Pb) ^f	4.9 E-05	2.4 E-04
74-82-8	Methane	1.0 E-03	4.9 E-03
--	Oxides of nitrogen (NO _x) ^f	1.5 E-03	7.2 E-03
--	PM-2.5 ^d	1.7 E-03	8.4 E-03
--	PM-10 ^e	3.3 E-03	1.6 E-02
12789-66-1	TSP	4.8 E-03	2.3 E-02

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.05 E-01 pounds per item. Reference 5.

^d PM-2.5 = particulate matter with an aerodynamic diameter equal to or less than 2.5 micrometers (µm).

^e PM-10 = particulate matter with an aerodynamic diameter equal to or less than 10 µm.

^f EMISSION FACTOR RATING C.

DRAFT

Table 15.1.32-2 EMISSION FACTORS FOR THE USE OF DODIC A976,
M793 25-MM TARGET PRACTICE TRACER CARTRIDGE -
HAZARDOUS AIR POLLUTANTS AND TOXIC CHEMICALS^a

EMISSION FACTOR RATING: C (except as noted)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
83-32-9	Acenaphthene ^d	1.0 E-08	5.0 E-08
208-96-8	Acenaphthylene ^d	4.8 E-08	2.3 E-07
75-07-0	Acetaldehyde ^e	4.8 E-06	2.4 E-05
75-05-8	Acetonitrile ^e	2.0 E-05	9.9 E-05
107-02-8	Acrolein ^e	1.8 E-06	8.7 E-06
107-13-1	Acrylonitrile ^{e,g}	1.1 E-06	5.2 E-06
7429-90-5	Aluminum ^f	6.2 E-05	3.0 E-04
7664-41-7	Ammonia ^d	3.0 E-03	1.5 E-02
120-12-7	Anthracene ^{e,g}	9.1 E-09	4.5 E-08
7440-36-0	Antimony ^e	2.5 E-05	1.2 E-04
7440-39-3	Barium ^f	2.1 E-05	1.0 E-04
71-43-2	Benzene ^e	2.1 E-05	1.0 E-04
207-08-9	Benzo[k]fluoranthene ^e	1.7 E-09	8.5 E-09
191-24-2	Benzo[g,h,i]perylene ^e	2.3 E-08	1.1 E-07
50-32-8	Benzo[a]pyrene ^e	4.6 E-09	2.2 E-08
192-97-2	Benzo[e]pyrene ^d	7.5 E-09	3.7 E-08
74-87-3	Chloromethane ^{e,h}	9.7 E-08	4.7 E-07
18540-29-9	Hexavalent chromium ^{e,h}	1.6 E-07	8.1 E-07
7440-50-8	Copper ^f	3.2 E-06	1.5 E-05
57-12-5	Particulate cyanide ^e	2.7 E-06	1.3 E-05
--	Total dioxin/furan compounds ^e	1.0 E-11	5.0 E-11
100-41-4	Ethylbenzene ^{e,h}	1.3 E-08	6.1 E-08
74-85-1	Ethylene ^f	1.3 E-05	6.3 E-05
206-44-0	Fluoranthene ^e	2.8 E-08	1.4 E-07
86-73-7	Fluorene ^d	3.1 E-08	1.5 E-07
50-00-0	Formaldehyde ^e	6.1 E-06	3.0 E-05
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^e	1.2 E-12	6.1 E-12
67562-39-4	1,2,3,4,6,7,8-Heptachlorodibenzofuran ^e	2.7 E-13	1.3 E-12
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^e	2.1 E-14	1.0 E-13
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran ^e	9.3 E-14	4.5 E-13

Table 15.1.32-2 (cont.)

CASRN ^b	Pollutant	lb per item	lb per lb NEW ^c
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran ^e	7.3 E-14	3.6 E-13
7647-01-0	Hydrochloric acid ^e	1.3 E-05	6.5 E-05
74-90-8	Hydrogen cyanide ^e	4.9 E-04	2.4 E-03
193-39-5	Indeno[1,2,3-cd]pyrene ^e	3.3 E-09	1.6 E-08
7439-92-1	Lead ^e	4.9 E-05	2.4 E-04
7439-96-5	Manganese ^e	8.0 E-06	3.9 E-05
1634-04-4	Methyl tert-butyl ether ^e	5.9 E-08	2.9 E-07
91-20-3	Naphthalene ^e	6.2 E-07	3.0 E-06
55-63-0	Nitroglycerin ^f	1.2 E-07	6.1 E-07
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^e	8.3 E-12	4.1 E-11
39001-02-0	1,2,3,4,6,7,8,9-Octachlorodibenzofuran ^e	1.6 E-13	8.0 E-13
85-01-8	Phenanthrene ^e	5.7 E-08	2.8 E-07
123-38-6	Propionaldehyde ^e	1.5 E-06	7.1 E-06
129-00-0	Pyrene ^{d,g}	6.1 E-08	3.0 E-07
100-42-5	Styrene ^e	2.8 E-07	1.4 E-06
127-18-4	Tetrachloroethylene ^{e,h}	1.8 E-07	9.0 E-07
108-88-3	Toluene ^e	1.2 E-06	5.7 E-06
75-69-4	Trichlorofluoromethane ^{f,g}	9.2 E-08	4.5 E-07
95-63-6	1,2,4-Trimethylbenzene ^{f,h}	9.0 E-08	4.4 E-07
106-42-3, 108-38-3	m-Xylene, p-Xylene ^e	7.1 E-08	3.5 E-07
7440-66-6	Zinc ^f	2.0 E-04	9.6 E-04

^a Factors represent uncontrolled emissions. References 1, 2, and 5.

^b CASRN = Chemical Abstracts Service Registry Number.

^c NEW = net explosive weight. The NEW for this ordnance is 2.05 E-01 pounds per item. Reference 5.

^d Hazardous air pollutant under CAA Section 112(b).

^e Reportable chemical under EPCRA Section 313 and a hazardous air pollutant under CAA Section 112(b).

^f Reportable chemical under EPCRA Section 313.

^g EMISSION FACTOR RATING B.

^h EMISSION FACTOR RATING D.

References For Section 15.1.32

1. *Report No. 8 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, December 2004.

2. *Detailed Test Plan No. 8 for the Firing Point Emission Study Phase II*, Military Environmental Technology Demonstration Center, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, September 2002.
3. *Hazard Classification of United States Military Explosives and Munitions*, U.S. Army Defense Ammunition Center, Logistics Review and Technical Assistance Office, McAlester, OK, Revision 11, February 2001.
4. *Background Document, Report on Revisions to 5th Edition AP-42 Chapter 15 - Ordnance Detonation, Emission Factors Developed Based on Firing Point Emission Study Phase II Series 8 Testing Conducted at Aberdeen Proving Ground, Maryland*, MACTEC Federal Programs, Inc., Research Triangle Park, NC, September 2006.
5. Supporting information including Excel spreadsheets, analytical results, field notes, and case summaries supplied upon request by the Applied Science Test Team – Chemistry Unit, U.S. Army Aberdeen Test Center, Aberdeen Proving Ground, MD, October 2004, April 2005, and October 2005.

DRAFT

This page left blank intentionally.

DRAFT

15.1.33 Updates Since July 2006

Section 15.1 was created during July 2006. Revisions to this section since that date are summarized below.

Revision 4, February 2008

- Section 15.1.3, which presents emission factors for DODIC A017, the 12 Gage #9 Shot Cartridge, was added.
- Section 15.1.26, which presents emission factors for DODIC A518, the M903 .50 Caliber SLAP Ball Cartridge, was updated to also include emission factors for the M962 .50 Caliber SLAP Tracer Cartridge.

Revision 3, November 2007

- Section 15.1.1, which presents emission factors for DODIC A010, the M220 10 Gage Blank/Subcaliber Salute Cartridge, was added.
- Section 15.1.2, which presents emission factors for DODIC A011, the 12 Gage #00 Shot Cartridge, was added.
- Section 15.1.19, which presents emission factors for DODIC A218, the M25 .30 Caliber Tracer Cartridge, was added.
- Section 15.1.22, which presents emission factors for DODIC A365, the M181A1 14.5-mm Artillery Training Cartridge, was added.
- Section 15.1.23, which presents emission factors for DODIC A400, the M41 .38 Caliber Special Ball Cartridge, was added.
- Section 15.1.24, which presents emission factors for DODIC A403, the .38 Caliber Special Blank Cartridge, was added.
- Section 15.1.26, which presents emission factors for DODIC A518, the M903 .50 Caliber SLAP Ball Cartridge, was added.
- Section 15.1.30, which presents emission factors for DODIC A652, the M220 20-mm Target Practice Tracer Cartridge, was added.
- Where present, data regarding the average annual quantities of ordnance used on Army installations during training exercises were deleted because the quantities used vary from installation to installation and from year to year.

Revision 2, September 2006

- Section 15.1.27, which presents emission factors for DODIC A525, the M2 .50 Caliber Armor Piercing Cartridge, was added.
- Section 15.1.31, which presents emission factors for DODIC A940, the M910 25-mm Target Practice Discarding Sabot Tracer Cartridge, was added.

- Section 15.1.32, which presents emission factors for DODIC A976, the M793 25-mm Target Practice Tracer Cartridge, was added.

Revision 1, July 2006

- Section 15.1.7, which presents emission factors for DODIC A066, M193 5.56-mm Ball Cartridge, was added.
- Section 15.1.8, which presents emission factors for DODIC A068, M196 5.56-mm Tracer Cartridge, was added.
- Section 15.1.13, which presents emission factors for DODIC A131, M62 7.62-mm Tracer Cartridge, was added.
- Section 15.1.14, which presents emission factors for DODIC A136, M118 7.62-mm Ball Match Cartridge, was added.
- Section 15.1.16, which presents emission factors for DODIC A171, M852 7.62-mm Ball Match Cartridge, was added.
- Section 15.1.17, which presents emission factors for DODIC A182, M1 .30 Caliber Ball Cartridge, was added.
- Section 15.1.18, which presents emission factors for DODIC A212, M2 .30 Caliber Ball Cartridge, was added.
- Section 15.1.20, which presents emission factors for DODIC A247, M72 .30 Caliber Ball Match Cartridge, was added.