Note: This is a reference cited in *AP 42, Compilation of Air Pollutant Emission Factors, Volume I Stationary Point and Area Sources.* AP42 is located on the EPA web site at www.epa.gov/ttn/chief/ap42/

The file name refers to the reference number, the AP42 chapter and section. The file name "ref02_c01s02.pdf" would mean the reference is from AP42 chapter 1 section 2. The reference may be from a previous version of the section and no longer cited. The primary source should always be checked.

FERROALLOY PRODUCTION
AP-42 Section ~~7.4~~ 12.4
Reference Number
29 05

APTD-1543

# EMISSION STUDY OF INDUSTRIAL SOURCES OF LEAD AIR POLLUTANTS 1970

by

W. E. Davis

W. E. Davis & Associates
9726 Sagamore Road
Leawood, Kansas

Contract No. 68-02-0271

EPA Project Officer: David L. Anderson

Prepared for

ENVIRONMENTAL PROTECTION AGENCY
Office of Air and Water Programs
Office of Air Quality Planning and Standards
Research Triangle Park, NC 27711

April 1973

CONTENTS

PREFACE

ACKNOWLEDGEMENTS

INTRODUCTION . . . . . 1

SUMMARY . . . . . 2

Emissions by Source . . . . . 3
Emissions by States . . . . . 4
Emission Factors . . . . . 5

SOURCES OF LEAD . . . . . 8

MATERIAL FLOW THROUGH THE ECONOMY . . . . 11

Chart . . . . . 12

USES AND EMISSIONS OF LEAD

Mining and Milling . . . . . 14
Metallurgical Industries . . . . . 18
Primary Lead . . . . . 18
Primary Copper . . . . . 27
Primary Zinc . . . . . 29
Secondary Lead . . . . . 33
Lead Oxide . . . . . 40
Consumer Product Manufacturing . . . . . 45
Storage Batteries . . . . . 46
Gasoline Additives . . . . . 54
Pigments . . . . . 62
Ammunition . . . . . 73
Solder. . . . . 77
Cable Covering . . . . . 82
Type Metal . . . . . 85
Brass and Bronze . . . . . 89
Bearing Metals . . . . . 92
Metallic Lead Products . . . . . 95
Miscellaneous . . . . . 97

OTHER SOURCES OF LEAD EMISSIONS


Waste Incineration . . . . . 99
Waste Oil . . . . . 99
Municipal Incineration . . . . . 101
Sewage and Sludge Incineration . . . . . 103
Coal . . . . . 105
Oil . . . . . 109
Iron and Steel . . . . . 112
Grey Iron Foundries . . . . . 115
Ferroalloys . . . . . 117
Cement Plants . . . . . 119

UPDATING OF EMISSION ESTIMATES . . . . . 121

## FERROALLOYS

During this study a search revealed that very little data is available regarding lead emissions resulting from ferroalloy processing. Emission factors for particulate have been established and studies have been conducted covering the effectiveness, cost, and use of air pollution controls. The area where more information is needed concerns the quantity of lead in the particulate.

The effluent from a ferromanganese blast furnace is reported to be a greater air pollution probelm than that from an iron blast furnace [1]. It is said to be the most prolific pollution producer of any of the metallurgical processes [2]. A particulate emission factor of 410 pounds per ton (uncontrolled) has been established for the ferromanganese blast furnace operations, while the emission factor for electric furnaces is 45 pounds per ton [3]. For silicomanganese production in

---

1- Thring, N. W. and Sarjant, R. J.; "Dust Problems of the Iron and Steel Industry"; Iron and Coal Traders Rev.; 174; Mar. 29, 1957.

2- Wurts, T. C.; "Industrial Sources of Air Pollution - Metallurgical"; Public Health Service Publ. No. 654; 1959.

3- "Compilation of Air Pollutant Emission Factors (Revised)"; U. S. Environmental Protection Agency; Research Triangle Park, N. C.; Office of Air Programs; Publ. No. AP-42; Feb., 1972.

electric furnaces the emission factor is 195 pounds per ton [1].

Information obtained from industry indicates that typical emissions from silicomanganese furnaces contain about 0.45 percent lead, while those from ferromanganese furnaces contain 0.90 percent [2].

During 1970 the production of silicomanganese and ferromanganese [3] was as follows:

| | |
|---|---|
| Silicomanganese | - 119,000 tons |
| Ferromanganese | |
| Blast Furnace | - 501,000 tons |
| Electric Furnace | - 334,000 tons |

Based on the above information the lead emissions for 1970 are estimated as follows:

| | Lead Emissions |
|---|---|
| Production of silicomanganese (50 percent control) | - 25 tons |
| Production of ferromanganese | |
| Electric Furnace (40 percent control) | - 40 tons |
| Blast Furnace (99 percent control) | - 10 tons |
| | 75 tons |

1- "Compilation of Air Pollutant Emission Factors (Revised)"; U. S. Environmental Protection Agency; Research Triangle Park, N. C.; Office of Air Programs; Publ. No. AP-42; Feb., 1972.

2- Private communication.

3- Minerals Yearbook; Bureau of Mines; 1970 Preprint.