Linda Campbell Director for Reg. Compl. Carrol Company 2900 W. Kingsley Road Garland, TX 75041

JAN -8 2013

SUBJECT:

776 Disinfectant, Virucide* & Cleaner EPA Registration Number: 4313-22 Applications Dated: October 24, 2012 Received Dates: October 31, 2012

Dear Ms. Campbell:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

To revise Storage and Disposal, Pesticide Storage & Container Disposal to comply with PR Notice 2007-4 and EPA Label Manual (Chapter 13).

General Comments

A stamped copy of the accepted labeling is enclosed. Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0199 or Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble

Product Manager (31)

Regulatory Management Branch I Antimicrobials Division (7510P)

	CONCURRENCES	
SYMBOL		
SURNAME		
DATE		
FPA Form 1320-1A (1/90)	Printed on Recycled Paner	OFFICIAL FILE COP

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Keep Out of Reach of Children. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 − 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 − 20 minutes. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

(5 gallons and larger)

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

776 DISINFECTANT, VIRUCIDE* & CLEANER

FOR HOSPITAL, INSTITUTIONAL AND INDUSTRIAL USE

*Human immunodeficiency virus, Type 1 (HIV-1)

ACTIVE INGREDIENTS:


KEEP OUT OF REACH OF CHILDREN

DANGER

SEE LEFT/SIDE/RIGHT/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID

EPA Reg. No. 4313-22 EPA Est. No. (as indicated on container) Net Contents (as indicated on container)

> Carroll Company 2900 West Kingsley Road Garland, TX 75041



776 DISINFECTANT, VIRUCIDE* & CLEANER EPA Reg. No. 4313-22 EPA Draft 2012-10-23 This disinfectant has a pleasing lemon fragrance and makes a bright, clear yellow solution when mixed with water. Do not mix with soap or other detergents.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use on precleaned, hard, inanimate surfaces. For heavy soil or organic matter, a precleaning step is required. Rinse with clear water. Apply disinfectant solution of two ounces per gallon of water with cloth or mop to toilets, restroom floors, shower stalls, diaper pails and garbage cans. Wet all surfaces thoroughly. Use four ounces per gallon of water for sick rooms, hospitals, or clinics. Keep surfaces wet for at least 10 minutes. Prepare a fresh solution daily or when use solution becomes visibly dirty.

This product is effective against the following organisms:


Pseudomonas aeruginosa Staphylococcus aureus Salmonella choleraesuis

Human immunodeficiency virus, Type 1

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection. **DISINFECTION FOR TOILET BOWLS:** Flush toilet and add 2 ounces of disinfectant solution directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Keep surfaces wet for 10 minutes and flush.

*KILLS HIV-1 ON **PRECLEANED ENVIRONMENTAL** SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY **FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus, Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION: Cleanup should always be done wearing protective latex gloves, gowns, masks, and eye protection. CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the DISPOSAL OF disinfectant. **INFECTIOUS** MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal. state and local regulations for infectious waste disposal. CONTACT TIME: Effective against HIV-1 (AIDS Virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when diluted 1:32. Surfaces must remain wet for 10 minutes at room temperature (20-25°C).



776 DISINFECTANT, VIRUCIDE* & CLEANER EPA Reg. No. 4313-22 EPA Draft 2012-10-23

4/1

{Note to reviewer: For Nonrefillable Containers for commercial, industrial, and institutional uses – all sizes – No Reuse Rinsate Statement for Public Health Use products. Chapter 13, Table 6 of the Label Review Manual states that for "All products in containers that could be burned," the registrant has the option to "Remain silent on burning;" therefore, no incineration language is provided for plastic containers.}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:


For containers smaller and including 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

For containers greater than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple Rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution,

for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.



776 DISINFECTANT, VIRUCIDE* & CLEANER EPA Reg. No. 4313-22 EPA Draft 2012-10-23