

2937

LAUSIE



### ZECTRAN SNAIL-SLUG & INSECT SPRAY

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.**

**Snail-Slug & Insect Spray** mixes readily with water and may be used in all types of sprayers. For control of listed insects use enough spray to thoroughly wet the affected plants or turf areas. Do not use on fruit or vegetable crops. Repeat as needed for control.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**WARNING:** KEEP OUT OF REACH OF CHILDREN. MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not breathe spray mist. Do not take internally. Do not get into eyes, on skin, or on clothing. Wash thoroughly with soap and water after using. Keep children and domestic animals off treated areas until surfaces have dried.

**Note or physician:** Active ingredient has cholinergic effects. Atropine is antidotal. When container is empty, wash thoroughly and destroy. Never reuse.

**HORTICULTURAL CAUTION:** Do not use on Maidenhair Fern, Cape Chestnut, or Geraldton Wax Flower. Excessive application may cause slight leaf injury to new growth on Roses.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Sold by



### Occidental Chemical Company

A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION  
POST OFFICE BOX 198 • LATHROP CALIF 95330



# Professional

FOR PROFESSIONAL USE

## Zectran Snail-Slug & Insect Spray

### Insect Spray

**READ THIS LABEL CAREFULLY**



EPA Reg. No. 7001-164-AA Contains ZECTRAN

Kills Snails, Slugs, Sowbugs, Caterpillar, Aphids on Plants

PRODUCTS FOR:

- INDUSTRY
- SCHOOLS
- HIGHWAYS
- GOLF COURSES
- PARKS
- CEMETERIES
- ATHLETIC FIELDS
- PEST CONTROL OPERATORS

**ACTIVE INGREDIENTS:**

\*\*Methoxychlor (4-Dimethylamino) Aromatic Petroleum Derivative

**INERT INGREDIENTS:**

\*Trademark of Dow Chemical Company  
\*\*U.S. Patent No. 3,034,098

**NET CONTENTS:**

**KEEP OUT OF REACH OF CHILDREN. SEE ADDITIONAL LABEL INFORMATION.**

You Get Results With  
**BEST**

# Professional Grade

FOR PROFESSIONAL TURF AND GROUNDS MANAGERS

## Zectran Snail-Slug Insect Spray

**READ THIS LABEL CAREFULLY**

EPA Reg. No. 7001-164-AA Contains ZECTRAN\*

Kills Snails, Slugs, Sowbugs, Cutworms, Tent  
Caterpillar, Aphids on Ornamental plants.

**ACTIVE INGREDIENTS:**

\*\*Mexacarbale [4-Dimethylamino-3,5-xylol Methylcarbamate] . . . . . 22%  
Aromatic Petroleum Derivative Solvent . . . . . 31%

**INERT INGREDIENTS:**

. . . . . 47%  
\*Trademark of Dow Chemical Co  
\*\*U.S. Patent No. 3,084,098

**NET CONTENTS 1 GALLON**

**WARNING:**

**KEEP OUT OF REACH OF CHILDREN**  
SEE ADDITIONAL CAUTIONS ON BACK PANEL

- PRODUCTS FOR:**  
INDUSTRY  
SCHOOLS  
HIGHWAYS  
GOLF COURSES  
PARKS  
CEMETERIES  
ATHLETIC FIELDS  
PEST CONTROL OPERATORS

**BEST**

### ZECTRAN SNAIL-SLUG & INSECT SPRAY DIRECTIONS

**SNAIL & SLUG control:** Dilute 3 teaspoons per gallon of water. Thoroughly wet all plants, soil surfaces, building foundations or other places harboring snails or slugs. Feeding stops soon after treatment but complete kill may be delayed 2 or 3 days.

**TURF PESTS:** Sod Webworm (*Lawn Moth*), Cutworms, Armyworms, Millipedes, Sowbugs (*Pillbugs*) on Bluegrass, Bermudagrass, Dichondra and other ground covers. Water turf thoroughly before treating. Dilute 3 teaspoons per gallon of water and apply one gallon of spray mixture to 130-180 square feet of area treated. Soak debris under infested plants to kill snails and slugs secluded in such spots.

**ORNAMENTALS** (Roses, Camellias, Honeysuckle, Azaleas, other flowering plants; vines, privet, lilac and other herbaceous shrubs; shade trees including Elm, Maple, Ash, Locust; Evergreen such as Pine, Spruce, Juniper, Arborvitae; and various nursery plants.

Loopers, Tent Caterpillar, European Pine Shoot Moth, Birch Leaf Miner, Thrips, Red-pine Sawfly, Lygus Bugs, Leafhoppers. Apply 2 teaspoons per gallon of water. Aphids, Soft Scale, Scale Crawlers, Mealy Bugs, Spider Mites. Apply 3 teaspoons per gallon of water.

**TURF** (Bluegrass, Bermudagrass, Dichondra, and other ground covers) Sod Webworms (*Lawn Moth*), Cutworms, Armyworms, Millipedes, Sowbugs (*Pillbugs*), Snail and Slugs. Apply 3 teaspoons per gallon of water.

**NOTE:** 2 and 3 teaspoonful per 1 gallon are equivalent to 1 quart per 100 gallons respectively.

**Not For Home Use**

# Professional Grade

FOR TURF AND GROUNDS MANAGERS

## Snail-Slug

### Spray

USE CAREFULLY



is ZECTRAN\*

Sowbugs, Cutworms, Tent  
s on Ornamental plants.

**S:**

[Methylamino-3,5-xylol Methylcarbamate]	- - -	22%
Derivative Solvent	- - -	31%
	- - -	47%

cal Co.

**CONTENTS 1 GALLON**

### WARNING:

**KEEP OUT OF REACH OF CHILDREN**  
ADDITIONAL CAUTIONS ON BACK PANEL



## ZECTRAN SNAIL-SLUG & INSECT SPRAY

### DIRECTIONS

**SNAIL & SLUG control:** Dilute 3 teaspoons per gallon of water. Thoroughly wet all plants, soil surfaces, building foundations or other places harboring snails or slugs. Feeding stops soon after treatment but complete kill may be delayed 2 or 3 days.

**TURF PESTS:** *Sod Webworm (Lawn Moth), Cutworms, Armyworms, Millipedes, Sowbugs (Pillbugs)* on Bluegrass, Bermudagrass, Dichondra and other ground covers. Water turf thoroughly before treating. Dilute 3 teaspoons per gallon of water and apply one gallon of spray mixture per 130-180 square feet of area treated. Soak debris under infested plants to kill snails and slugs secluded in such spots.

**ORNAMENTALS (Roses, Camellias, Honeysuckle, Azaleas, other flowering plants; vines, privet, lilac and other herbaceous shrubs; shade trees including Elm, Maple, Ash, Locust; Evergreen such as Pine, Spruce, Juniper, Arborvitae; and various nursery plants.**

*Loopers, Tent Caterpillar, European Pine Shoot Moth, Birch Leaf Miners, Thrips, Red-pine Sawfly, Lygus Bugs, Leafhoppers.* Apply 2 teaspoons per gallon of water. *Aphids, Soft Scale, Scale Crawlers, Mealy Bugs, White Fly, Mites.* Apply 3 teaspoons per gallon of water.

**TURF (Bluegrass, Bermudagrass, Dichondra, and other ground cover. Sod Webworms (Lawn Moth), Cutworms, Armyworms, Millipedes, Sowbugs (Pillbugs), Snail and Slugs.** Apply 3 teaspoons per gallon of water.

**NOTE:** 2 and 3 teaspoonsful per 1 gallon are equivalent to 1 and 1 1/2 quarts per 100 gallons respectively.

**Not For Home Use**

ACCEPTED  
AUG 8 1973  
100-141-15