

Griffin Island

Legend:


⊕ ^{% change}	Location of 1994 sample. Symbol proportional to absolute mass LOSS relative to 1984.	+	NYSDEC 1984 Core Location
⊙ ^{% change}	Location of 1994 sample. Symbol proportional to absolute mass GAIN relative to 1984.	X	NYSDEC 1984 Grab Location
⊕ ⊙	Be-7 detected in 1994 surface sample.		
⊕ ⊙	Be-7 not detected in 1994 surface sample.		

Marker Scale:

NO CHANGE 0 g/m ²	LOSS 220 g/m ²	GAIN 220 g/m ²
⊕	⊙	⊙

Sediment Classifications Based on Side Scan SONAR Images (R.Flood, 1993)

	Rock or Rocky Sediment
	Coarse or Coarser Sediment
	Fine or Finer Sediment
	Mounds (Dredge Spoils?)
	TAMS Shoreline
	NYSDEC Hot Spot Area



Notes:
 1. Hot Spot locations were digitized from NYSDEC's "PCB Reclamation Project" Drawings (December 1985)
 2. % Change is calculated as follows: $[(\text{Mass}/\text{Area}_{1994} - \text{Mass}/\text{Area}_{1984}) / \text{Mass}/\text{Area}_{1984}] * 100\%$