EEB BRANCH REVIEW

DATE:	IN	2/18/81	_ OUT _	3/4/81	

FILE OR REG. NO.	100-ARI	
PETITION OR EXP. PER	RMIT NO.	
DATE OF SUBMISSION	1/28/81	
DATE RECEIVED BY HEI	2/13/81	
RD REQUESTED COMPLE	FION DATE 6/13/81	
EEB ESTIMATED COMPLI	ETION DATE	
RD ACTION CODE/TYPE	OF REVIEW 115/ New ChemicalConvention	nalNonfood
TYPE PRODUCT(S) I,	D, H, F, N, R, S Fungicide	
DATA ACCESSION NO(S	244273	
PRODUCT MANAGER NO.	H. Jacoby (21)	
PRODUCT NAME(S)	CGA-64250 Technical	
COMPANY NAME	CIBA-GEIGY Corporation	
SUBMISSION PURPOSE_	Full registration $(3(c)(5))$ of Formulati	ng use
SHAUGHNESSEY NO.	CHEMICAL, & FORMULATION	% A.I.
122101	1-[2-(2',4'-Dichlorophenyl)-4-propyl-	
	1,3-dioxolan-2-yl-methyl]-1H-1,2,4-triazo	ole 88%

Pesticide Name

CGA-64250

- 100 Pesticide Label Information
- 100.1 Pesticide Use

For formulation of fungicide products.

100.2 Formulation Information

1-[2-(2',4'-Dichlorophenyl-4-propyl-1,3-dioxolan-
2-y1-methy1]-1H-1,2,4-triazole88%
Inert Ingredients12%
100%

100.5 Precautionary Labeling

The label contains the caution:

Environmental Hazards

Do not contaminate domestic or irrigation water supplies, or lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

101 Physical and Chemical Properties

See attached technical bulletin.

101.1 Chemical Name

1-[2-(2',4'-Dichlorophenyl-4-propyl-1,3-dioxolan-2-yl-methyl]-1H-1,2,4-triazole

101.2 Structural Formula

101.4 Trade Name

CGA-64250

101.7 Solubility

110 ppm in water at 20°C miscible in alcohols and organic solvents

102 Behavior in the Environment

Environmental Fate Branch has not completed their review of this product. The technical bulletin provided by the registrant states that no significant hydrolysis of the technical material occurred in 28 days. The vapor pressure of the material indicates that it is not very volatile.

103 Toxicological Properties

103.1 References from Toxicology Branch

Toxicology Branch has not completed their review of this product.

103.2 Minimum Requirements

103.2.1 Avian Acute Oral LD50

Bobwhite quail 2825(1756-4546)mg/kg - Technical(91%) Core - Beavers(1980) - in Acc# 244273

Mallard duck Greater than 2510 mg/kg - Technical(91%) Core - Beavers(1980) - in Acc# 244273

103.2.2 Avian Dietary LC50

Bobwhite quail Greater than 5620 ppm - Technical(91%) Core - Beavers(1980) - in Acc# 244273

Mallard duck Greater than 5620 ppm - Technical(91%) Core - Beavers(1980) - in Acc# 244273

103.2.3 Fish Acute LC50

Bluegill sunfish
1.3(1-1.8)ppm - Technical(91%)
Core - Thompson(1980) - in Acc# 244273

Rainbow trout 0.85(0.67-1.2)ppm - Technical(91%) Core - Thompson(1980) - in Acc# 244273 Channel catfish 1-2ppm - Technical(91%) Supplemental - Thompson(1980) - in Acc# 244273

103.2.4 Aquatic Invertebrate LC50

Daphnia magna 4.8(3.9-6.2)ppm - Technical(91%) Core - Forbis(1980) - in Acc# 244273

104 Hazard Assessment

104.2 Likelihood of Adverse Effects

The formulating use of CGA-64250 is not likely to result in any exposure to fish, wildlife, or other non-target organisms except through accidents or effluent discharge.

107 Conclusions

107.3 Environmental Hazards Labeling

The label caution should include the statement "This product is toxic to fish."

107.4 Data Adequacy Conclusions

The studies submitted are sufficient to support the formulating use of CGA-64250. The only study which was not adequate was the channel catfish LC_{50} study, which was in excess of requirements, and so need not be re-performed.

107.7 Recommendations

EEB has no objection to the registration of CGA-64250 for formulation of fungicides.

Stypher In Hope 3-4-81

Stephen M Hopkins Plant Physiologist

Ecological Effects Branch, HED

Dave Coppage 7-4-81

Head, Section 3

Ecological Effects Branch, HED

Turman Cull Fuch 3/5/81

Chief

Ecological Effects Branch, HED

4