


Reg # 100-722

PM-10

19 14



## SUPPLEMENTAL LABELING

LOGIC<sup>®</sup>  
EPA REG. NO. 100-722

FOR CONTROL OF FIRE ANTS AND THE BIG-HEADED ANT  
ON HORSE FARMS

In addition to the control of fire ants in non-bearing citrus, Logic may also be used to control fire ants and the big-headed ant (Pheidole megacephala) on horse farms.

Logic may be used on pastures, rangeland, and other grazed areas on horse farms only if horses are not used for human consumption.

Precautions: 1) Avoid application during excessively hot periods of the day when the grass is wet. 2) Heavy rainfall within 2 or 3 hours of application may reduce effectiveness. 3) DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS EXCEPT HORSE FARMS. SEE SPECIFIC DIRECTIONS FOR USE BELOW FOR HORSE FARMS.

READ AND OBSERVE ALL PRECAUTIONS AND DIRECTIONS ON THE EPA-REGISTERED CONTAINER LABEL PRIOR TO USE OF THIS PRODUCT

FIRE ANT CONTROL ON PASTURES, RANGELAND, AND OTHER GRAZED AREAS ON HORSE FARMS

Logic is slow acting but very effective for control of fire ants. Following application, Logic is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the fire ant colony.

Methods of Application

Apply Logic bait when fire ants are actively foraging. This is usually when soil temperatures are above 60°F.

In cases when reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3 to 4 months.

Single Mound Treatment: Apply 1 to 3 level tablespoons of Logic per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage.

Broadcast Application: Apply uniformly with ground equipment, calibrated to give the correct dosage. Apply 1 to 1.5 lbs./A.

Aerial Application: Apply uniformly with aerial equipment

**BEST AVAILABLE COPY**

29 14

-2-

calibrated to give the correct dosage. Apply 1 to 1.5 lbs./A. Do not apply when weather conditions favor drift from treated areas.

BIG-HEADED ANT (PHEIDOLE MEGACEPHALA) CONTROL ON HORSE FARMS

Broadcast Application: Apply Logic uniformly with ground or hand-held equipment calibrated to deliver the correct dosage. Apply 1 to 1.5 lbs./A. Treat surrounding areas, adjacent borders, and fence lines to help prevent ant migration into the treated area.

Retreat after 4 to 6 months, if needed.

Logic<sup>®</sup> trademark of CIBA-GEIGY Corporation  
U.S. Patent No. 4,215,139

©1992 CIBA-GEIGY Corporation

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

April 16, 1992 PROPOSED

3 of 14

LOGIC<sup>®</sup>

Insect Growth Regulator

Bait Formulation

For control of fire ants in non-bearing citrus, on horse farms, and on non-cropped and non-grazed areas on the farm.

Active Ingredient: Fenoxycarb: (Ethyl [2-(4-phenoxyphenoxy ethyl) carbamate]).....	1%
Inert Ingredients:	99%
<b>Total:</b>	<b>100%</b>

One lb. contains 0.16 oz. active ingredient

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements at end of label.

EPA Reg. No. 100-722  
EPA Est. 602-MO-1

25 Pounds  
Net Weight

**ACCEPTED**  
**19 MAY 1992**  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 100-722

9520

4. 9. 14

-2-

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

**IMPORTANT:** Read the entire Directions for Use and Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened container at once.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

5914

-3-

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

### General Information

LOGIC is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. LOGIC is very easy and convenient to apply (see use directions below.)

Precautions: 1) Avoid application during excessively hot periods of the day when the grass is wet. 2) Heavy rainfall within 2 or 3 hours of application may reduce effectiveness. 3) DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS EXCEPT HORSE FARMS. SPECIFIC DIRECTIONS FOR USE ON HORSE FARMS FOLLOW.

### Application Sites

Logic may be applied to non-bearing citrus, horse farms, and to non-cropped and non-grazed areas on the farm. Non-cropped and non-grazed areas include areas around barns, outbuildings, fence rows, set aside acres, and other areas not grazed by livestock or used as crop land. Logic may be used on pasture, rangeland, or other grazed areas on horse farms only if horses are not used for human consumption.

### FIRE ANT CONTROL IN NON-BEARING CITRUS, ON HORSE FARMS, AND ON NON-CROPPED AND NON-GRAZED AREAS ON THE FARM

Logic is slow acting but very effective for control of fire ants. Following application, LOGIC is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the fire ant colony.

### Methods of Application

Apply LOGIC bait when fire ants are actively foraging. This is usually when soil temperatures are above 60°F. In citrus, for best results, apply Logic in the Spring prior to initial planting and make annual treatments each Spring until one year before bearing.

**BEST AVAILABLE COPY**

6 7 14

-4-

Precautions: 1) Do not apply within one year of the first citrus harvest. 2) Do not apply to non-bearing citrus more than twice per year. 3) Application of Logic to grazed areas on horse farms is permitted only if horses are not used for human consumption.

In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3 to 4 months.

Single Mound Treatment: Apply 1 to 3 level tablespoons of LOGIC per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage

Broadcast Application: Apply uniformly with ground equipment calibrated to give the correct dosage. Apply 1 to 1.5 lbs./A.

Aerial Application: Apply uniformly with aerial equipment calibrated to give the correct dosage. Apply 1 to 1.5 lbs./A. Do not apply when weather conditions favor drift from treated areas.

BIG-HEADED ANT (PHEIDOLE MEGACEPHALA) CONTROL ON NON-CROPPED AND NON-GRAZED AREAS OF THE FARM AND ON HORSE FARMS

Broadcast Application: Apply LOGIC uniformly with ground or hand-held equipment calibrated to deliver the correct dosage. Apply 1 to 1.5 lbs./A. Treat surrounding areas, adjacent borders, and fence lines to help prevent ant migration into the treated area.

Retreat after 4 to 6 months, if needed.

Storage and Disposal

Storage: Do not contaminate food or feed by storage or disposal. Store away from heat. Keep package dry.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill, or if allowed by State and local authorities, dispose of by incineration or burning. If bag is burned, stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372 day or night.

**BEST AVAILABLE COPY**

7914

-5-

**Precautionary Statements  
Hazards to Humans and Domestic Animals**

**CAUTION**

Harmful if absorbed through skin or inhaled. Avoid breathing dust or contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**Statement of Practical Treatment**

In case of contact, immediately flush skin or eyes with plenty of water. Get medical attention if irritation persists. If inhaled, remove victim to fresh air, or if not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

**Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

Logic<sup>®</sup> trademark of CIBA-GEIGY Corporation  
U.S. Patent No. 4,215,139

©1992 CIBA-GEIGY Corporation

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

CGA 118L1

**BEST AVAILABLE COPY**

March 6, 1992

added non-cropped and non-grazed areas on the farm, revised precautionary statements and Statement of Practical Treatment per EPA letter of 12/10/91 CGA 118L1 A label accepted 4/7/92

April 16, 1992

added use on horse farms for horses not used for human consumption pending EPA approval

8 2 14

(MASTER REGISTRATION LABEL NOT FOR USE ON CONTAINERS SEPARATE LABELS AWARD<sup>2</sup> FOR TURF, ORNAMENTALS, AND NONCROP AREAS, AND LOGIC FOR NONBEARING CITRUS, HORSE FARMS, AND NON-CROPPED AND NON-GRAZED AREAS ON THE FARM ARE EXCERPTED FROM THIS MASTER LABEL)

LOGIC<sup>2</sup> FIRE ANT BAIT  
(ALTERNATE BRAND NAME AWARD<sup>2</sup>)

Insect Growth Regulator For Control of Fire Ants and Big-Headed Ants in Turf, Ornamentals, Non-Crop Areas, Non-Grazed Areas on the Farm, Horse Farms, Sod Farms, and Nurseries and Fire Ants in Non-Bearing Citrus\*

Active Ingredient: fenoxycarb: (Ethyl [2-(4-phenoxyphenoxy ethyl)] carbamate .....	1%
Inert Ingredients:	99%
<b>Total:</b>	<b>100%</b>

1 lb. contains 0.16 oz. active ingredient

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Right Panel for Additional Precautionary Statements and Directions for Use

EPA Reg. No. 100-722  
EPA Est.

\* IN CALIFORNIA HOME LAWN USE ONLY

25 Pounds (Award and Logic) or 3 lbs. (Award)  
Net Weight

**ACCEPTED**  
**19 MAY 1992**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 100-722

0 5  
2 5  
3 5  
.....  
.....

99 14


**DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY**

**IMPORTANT:** Read the entire Directions for Use and Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened container at once.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.



10 8 14

-3-

**Precautionary Statements**  
**Hazards to Humans and Domestic Animals**

**CAUTION**

Harmful if absorbed through skin or inhaled. Avoid breathing dust or contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**Statement of Practical Treatment**

In case of contact, immediately flush skin or eyes with plenty of water. Get medical attention if irritation persists. If inhaled, remove victim to fresh air, or if not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

**Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL OR CROP INJURY.**

**General Information**

Logic Fire Ant Bait is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. Logic Fire Ant Bait is very easy and convenient to apply (see use directions below.)

**Precautions:** 1) Avoid application during excessively hot periods of the day when the grass is wet. 2) Heavy rainfall within 2 or 3 hours of application may reduce effectiveness. 3) **DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS EXCEPT HORSE FARMS. SPECIFIC DIRECTIONS FOR USE ON HORSE FARMS FOLLOW.**

**BEST AVAILABLE COPY**

11 7 14

-4-

## FIRE ANT CONTROL

Logic Fire Ant Bait is slow acting but very effective for control of fire ants. Following application, Logic Fire Ant Bait is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the fire ant colony.

### Application Sites\*

Logic Fire Ant Bait may be used to control fire ants on non-bearing citrus, turf, and other non-agricultural land including, but not limited to airports, roadsides, school grounds, golf courses, parks, picnic grounds, sports fields, other recreational areas, ornamental gardens, cemeteries, and other landscaped areas. Logic may be applied to non-cropped and non-grazed areas on the farm. Non-cropped and non-grazed areas include areas around barns, outbuildings, fence rows, set aside acres, and other areas not grazed by livestock or used as crop land. Logic Fire Ant Bait may also be used on pasture, rangeland, or other grazed areas on horse farms only if horses are not used for human consumption. Logic may also be used in and around container and field-grown ornamental and non-bearing nursery stock and on sod farms (commercial turf).

\*IN CALIFORNIA, THE USE OF LOGIC FIRE ANT BAIT (ALTERNATE PRODUCT NAME AWARD) IS CURRENTLY LIMITED TO USE ONLY ON HOME LAWNS AND IN THE LANDSCAPED AREAS AROUND THE HOME. DO NOT USE LOGIC FIRE ANT BAIT (AWARD) IN CALIFORNIA ON OTHER SITES.

### Methods of Application:

Apply Logic Fire Ant Bait when ants are actively foraging. This is usually when soil temperatures are above 60°F. Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3 to 4 months.

**Single Mound Treatment:** Apply 1 to 3 level tablespoons of Logic Fire Ant Bait per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage.

**Broadcast Application:** Apply uniformly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.3 lb./A.

**Aerial Application:** Apply uniformly with aerial equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A. Do not apply when weather conditions favor drift from treated areas.

**BEST AVAILABLE COPY**

12 9 14  
8

-5-

For use on turf and other non-agricultural land

Other non-agricultural land includes but is not limited, to airports, roadsides, school grounds, golf courses, parks, picnic grounds, sports fields, other recreational areas, ornamental gardens, cemeteries, and other landscaped areas.

Apply Logic Fire Ant Bait as directed above.

In nurseries and sod farms

Apply Logic Fire Ant Bait as directed in and around container and field-grown ornamental and non-bearing nursery stock and commercial turf.

On non-cropped and non-grazed areas of the farm and on horse farms

Non-cropped and non-grazed areas of the farm include areas around barns, outbuildings, fence rows, set aside acres, and other areas not grazed by livestock or used as crop land.

Logic Fire Ant Bait may be applied to pastures, rangeland, and other grazed areas on horse farms only if horses are not used for human consumption.

Apply as directed above.

On non-bearing citrus

Apply as directed. For best results, apply Logic Fire Ant Bait in the Spring prior to initial planting and make annual treatments each spring until one year before bearing.

Precautions: 1) Do not apply within one year of the first harvest. 2) Do not apply to non-bearing citrus more than twice per year.

BIG-HEADED ANT (PHEIDOLE MEGACEPHALA) CONTROL

Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

Logic Fire Ant Bait will control the big-headed ant (Pheidole magacephala) in:

1. turf
2. other non-agricultural land including, but not limited to airports, roadsides, school grounds, golf courses, parks, picnic grounds, and sports fields,
3. other recreational areas,

**BEST AVAILABLE COPY**

13 9 14

-6-

4. ornamental gardens, cemeteries, and other landscaped areas, as well as in and around container and field-grown nursery stock and on sod farms.
5. non-cropped and non-grazed areas on the farm which include areas around barns, outbuildings, fence rows, set aside acres, and other areas not grazed by livestock or used as crop land.
6. pastures, rangeland, or other grazed areas of horse farms only if horses are not used for human consumption.

Application: Apply Logic Fire Ant Bait uniformly with ground or hand-held equipment calibrated to deliver the correct dosage. Apply 1 to 1.5 lb./A. Treat surrounding areas, adjacent borders, and fence lines to help prevent ant migration into the treated area. Allow 4 to 6 weeks for the insect growth regulator effect of Logic Fire Ant Bait to recede the activity of the ant colonies.

Retreat after 4 to 6 months, if needed.

#### Storage and Disposal

Storage: Do not contaminate food or feed by storage or disposal. Store away from heat. Keep package dry.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: (Logic and Award 25 lb. bag) Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill, or if allowed by State and local authorities, dispose of by incineration or burning. If bag is burned, stay out of smoke from burning container.

Container Disposal: (Award 3 lb. plastic container) Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or if allowed by state and local authorities, dispose of by incineration or burning. If container is burned, stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during clean up and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372.

Logic<sup>®</sup> trademark of CIBA-GEIGY Corporation  
U.S. Patent No. 4,215,139

©1992 CIBA-GEIGY Corporation

BEST AVAILABLE COPY

14 7 14

-7-

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

CGA 118L1 (LOGIC) 25 LBS 4/16/92 pending - addition of horse farms  
CGA 119L1 A032 (Award 25 lbs) all other uses  
CGA 119L2 A 032 (Award 3 lbs) all other uses

March 11, 1992

limited use to home lawns in CA for Award. Logic not registered in CA

April 7, 1992

EPA accepted non-cropped and non-grazed areas on the farm, revised precautionary statements and statement of practical treatment per EPA letter of 12/10/91

April 16, 1992

revised Logic portion of label to permit use on pastures and other grazed areas of horse farms only if horses not used for human consumption. Pending EPA approval